

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 342 (1988)**SUBJECT INDEX****Antimony**

μ -Oxobis(triorgano-antimony- and -bismuth-sulphonates), preparation of; crystal structure of $\{[(\text{CH}_3)_3\text{SbOH}_2]_2\text{O}\}(\text{O}_3\text{SC}_6\text{H}_5)_2$ (R. Rüther, F. Huber, H. Preut), (342)185

Bismuth

μ -Oxobis(triorgano-antimony- and -bismuth-sulphonates), preparation of; crystal structure of $\{[(\text{CH}_3)_3\text{SbOH}_2]_2\text{O}\}(\text{O}_3\text{SC}_6\text{H}_5)_2$ (R. Rüther, F. Huber, H. Preut), (342)185

Boron

trans-[CpWMe(CHO)(CO)₂]⁻ and *trans*-[Cp-WH(COME)(CO)₂]⁻, formation from Cp-WMe(CO)₃ and LiEt₂BH of (J.T. Gauntlett, B.E. Mann, M.J. Winter, S. Woodward), (342)C5

Di-s-butylaminophenylboranes, determination of activation parameters for restricted rotation about the B-N bond using ¹³C NMR in (C. Brown, R.H. Cragg, T.J. Miller, D. O'N Smith), (342)153

Chromium

(Arene)tricarbonylchromium(0) complexes, preparation, structure and reactions of; crystal structure of tricarbonyl[(8,9,11,12,13,14- η)-methyl-1,2,3,4-tetrahydronaphthalene]chromium(0) (R.C. Cambie, G.R. Clark, S.R. Galagher, P.S. Rutledge, M.J. Stone, P.D. Woodgate), (342)315

(η^5 -Cyclopentadienyl)dicarbonylnitrosylchromium, ¹H and ¹³C NMR study of carbonium ion stabilisation by (M.D. Rausch, D.J. Kowalski, E.A. Mintz), (342)201

Dinuclear cyclooctatetraenemetal complexes, results of synthesis attempts of; molecular dynamics of (CpCr)₂- μ -C₈H₈ and CpCrC₈H₈ (J. Heck, G. Rist), (342) 45

Manganese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

Cobalt

σ -Alkynylmanganese ligands, preparation, crystal structure and reactivity of $\{[\text{Co}_2(\text{CO})_6](\mu\text{-PhCCMn}(\text{CO})_4(\text{P}(\text{cyclo-C}_6\text{H}_{11})))\}$ (G.A. Carriero, D. Miguel, V. Riera), (342)373

trans-[Mo(CO)₅(R₂PNHCH₂CH₂N=CHC₆H₄-o-O)]₂M (M = Co, Ni, Cu) complexes, synthesis and characterisation of; crystal structure of *trans*-[Mo(CO)₅(Ph₂PNHCH₂CH₂N=CHC₆H₄-o-O)]₂Ni · 2Et₂O (G.M. Gray, N. Takada, A.L. Zell, H. Einspahr), (342)339

Organometallic cobaloximes, *cis* and *trans* effects and NMR correlations in (J.M. Gilaberte, C. López, S. Alvarez), (342)C13

Stoichiometric hydrogenation of α,β -unsaturated ketones by HCo(CO)₄ (J.A. Roth, K. Grega, M. Orchin), (342)129

Copper

Homo- and hetero-nuclear vinyl- and vinylidene-bridged dinuclear complexes (H. Werner, J. Wolf, G. Müller, C. Krüger), (342)381

trans-[Mo(CO)₅(R₂PNHCH₂CH₂N=CHC₆H₄-o-O)]₂M (M = Co, Ni, Cu) complexes, synthesis and characterisation of; crystal structure of *trans*-[Mo(CO)₅(Ph₂PNHCH₂CH₂N=CHC₆H₄-o-O)]₂Ni · 2Et₂O (G.M. Gray, N. Takada, A.L. Zell, H. Einspahr), (342)339

Germanium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the

- cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167
- Arylhydrogermyllithiums, synthesis and applications of (A. Castel, P. Rivière, J. Satgé, Y.-H. Ko), (342)C1
- Group 14-iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10
- Hexamethyldigermoxane, exchange reactions with trimethylsilyl azide of (Q. Zhou, W.P. Weber), (342)291

Gold

- (Triphenylphosphine)gold(I) enolate and homoenolate complexes, preparation and crystal structures of (Y. Ito, M. Inouye, M. Sugino, M. Murakami), (342)C41

Hafnium

- Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Indium

- Monocyclopentadienyl-indium and -thallium complexes, vibrational spectra and structure of (O.G. Garkusha, B.V. Lokshin, R.B. Materikova, L.M. Golubinskaya, V.I. Bregadze, A.P. Kurbakova), (342)281

Iron

- η^2 -Aldehyde-metal complexes, $(\text{CO})_2(\text{PEt}_3)_2\text{-FeRCHO}$ ($\text{R} = \text{H, Ph}$), synthesis of (R. Birk, H. Berke, H.-U. Hund, K. Evertz, G. Huttner, L. Zsolnai), (342)67

- Binuclear transition metal complexes with mixed bridges, characterisation of the bridges on MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)353

- Butadienetricarbonyliron complexes, synthesis of chlorhydrins and epoxydienes with (J.P. Lelouche, E. Bulot, J.P. Beaucourt, J. Martelli, R. Gree), (342)C21

- Cyclopentadienyliron, synthesis and reactions of chelated carbene-olefin complex of (D.L. Reiger, S.A. Klaeren), (342)77

- Group 14-iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10

- Iron atom discrimination by carbon in ligand fragmentation around a Fe–Fe bond; crystal structure of $[\mu\text{-}\eta^3\text{-RCH}_2\text{OC(S)SMeFe}_3(\text{CO})_5\text{-P(OMe)}_3]$ (A. Darchen, E.K. Lahdi, D. Grandjean, A. Mousser, H. Patin), (342)C15
- Ru(diene)₂P(OMe)₃ complexes, synthesis of; formation of $\eta^3\text{:}\eta^3$ -octadienediyl or η^4 -octatriene ligands upon phosphite addition to M(dimethylbutadiene)₂CO ($\text{Me} = \text{Fe, Ru}$) (D.N. Cox, R. Roulet), (342)87

Lithium

- Allylic lithium reagents with allyl groups partly incorporated into carbocyclic rings, preparation of (C.G. Screttas, I.C. Semonou), (342)143
- (Arene)tricarbonylchromium(0) complexes, preparation, structure and reactions of; crystal structure of tricarbonyl[(8,9,11,12,13,14- η)methyl-1,2,3,4-tetrahydronaphthalene]chromium(0) (R.C. Cambie, G.R. Clark, S.R. Gallagher, P.S. Rutledge, M.J. Stone, P.D. Woodgate), (342)315

- Arylhydrogermyllithiums, synthesis and application of (A. Castel, P. Rivière, J. Satgé, Y.-H. Ko), (342)C1

- trans*-[CpWMe(CHO)(CO)₂]⁻ and *trans*-[CpWH(COMe)(CO)₂]⁻, formation from CpW-Me(CO)₃ and LiEt₃BH of (J.T. Gauntlett, B.E. Mann, M.J. Winter, S. Woodward), (342)C5

- Cyclopentadienyl- and pentamethylcyclopentadienyl-vinylnickel compounds, formation of ethylene complexes by insertion into the vinyl–Ni bonds from (H. Lehmkuhl, T. Keil), (342)C38

- Organolithium unusual dimer, $((\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)\text{Li}[(\text{PMe}_2)\text{CH}(\text{SiMe}_3)])_2$, structure of (H.N. Karsch, B. Deubelly, J. Riede, G. Müller), (342)C29

Magnesium

- Cp₂TiCl₂/Mg/BrCH₂CH₂Br system, isomerisation of terminal alkenes by (S.A. Rao, M. Periasamy), (342)15

Manganese

- η^2 -Aldehyde-metal complexes, $(\text{CO})_2(\text{PEt}_3)_2\text{-FeRCHO}$ ($\text{R} = \text{H, Ph}$), synthesis of (R. Birk, H. Berke, H.-U. Hund, K. Evertz, G. Huttner, L. Zsolnai), (342)67

- Manganese and rhenium acetylene complexes, synthesis and characterisation of (H.G. Alt, H.E. Engelhardt), (342)235

Manganese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

Metallocenes

Cyclopentadienyl- and pentamethylcyclopentadienyl-vinylnickel compounds, formation of ethylene complexes by insertion into the vinyl-Ni bonds from (H. Lehmkuhl, T. Keil), (342)C38

(η^5 -Cyclopentadienyl)dicarbonylnitrosylchromium, ^1H and ^{13}C NMR study of carbonium ion stabilisation by (M.D. Rausch, D.J. Kowalski, E.A. Mintz), (342)201

Di- η^5 -cyclopentadienylniobium binuclear and mononuclear complexes; crystal and molecular structure of $[\text{Cp}_2\text{NbH}_2]^-[\text{Na} \cdot \text{benzo-15-crown-5}]^+$ (D.A. Lemenovskii, I.E. Nifant'ev, I.F. Urazowski, E.G. Perevalova, T.V. Timofeeva, Yu.L. Slovokhotov, Yu.T. Struchkov), (342)31

Dinuclear cyclooctatetraenemetal complexes, results of synthesis attempts of; molecular dynamics of $(\text{CpCr})_2\mu\text{-C}_8\text{H}_8$ and CpCrC_8H_8 (J. Heck, G. Rist), (342)45

Ethylenebis(tetrahydroindenyl)-titanium and -zirconium dichlorides, X-ray structures of (S. Collins, B.A. Kuntz, N.J. Taylor, D.G. Ward), (342)21

Molybdenum

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Binuclear transition metal complexes with mixed bridged, characterisation of the bridges on MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)353

Di- η^5 -cyclopentadienylthiophenolatoammine-molybdenum(IV) hexafluorophosphate solvate, $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2(\text{NH}_3)(\text{SC}_6\text{H}_5)]\text{-}[\text{PF}_6]\cdot(\text{CH}_3)_2\text{CO}$. X-ray crystal structure of (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, M.H. Garcia, M.B. Hursthouse), (342)209

Manganese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

$\text{trans-}[\text{Mo}(\text{CO})_5(\text{R}_2\text{PNHCH}_2\text{CH}_2\text{N}=\text{CHC}_6\text{H}_4\text{-o-O})_2\text{M}$ ($\text{M} = \text{Co}, \text{Ni}, \text{Cu}$) complexes, synthe-

sis and characterisation of; crystal structure of $\text{trans-}[\text{Mo}(\text{CO})_5(\text{Ph}_2\text{PNHCH}_2\text{CH}_2\text{N}=\text{CHC}_6\text{H}_4\text{-o-O})_2\text{Ni} \cdot 2\text{Et}_2\text{O}$ (G.M. Gray, N. Takada, A.L. Zell, H. Einspahr), (342)339

Nickel

σ -Arylnickel complex, $\text{ArNiX}(\text{PPh}_3)_2$, electrochemical synthesis of aryl acetic and propionic esters via (J.C. Folest, J. Périchon, J.F. Fauvarque, A. Jutand), (342)259

Cyclopentadienyl- and pentamethylcyclopentadienyl-vinylnickel compounds, formation of ethylene complexes by insertion into the vinyl-Ni bonds from (H. Lehmkuhl, T. Keil), (342)C38

$\text{trans-}[\text{Mo}(\text{CO})_5(\text{R}_2\text{PNHCH}_2\text{CH}_2\text{N}=\text{CHC}_6\text{H}_4\text{-o-O})_2\text{M}$ ($\text{M} = \text{Co}, \text{Ni}, \text{Cu}$) complexes, synthesis and characterisation of; crystal structure of $\text{trans-}[\text{Mo}(\text{CO})_5(\text{Ph}_2\text{PNHCH}_2\text{CH}_2\text{N}=\text{CHC}_6\text{H}_4\text{-o-O})_2\text{Ni} \cdot 2\text{Et}_2\text{O}$ (G.M. Gray, N. Takada, A.L. Zell, H. Einspahr), (342)339

Nickel on graphite used as coupling reagent for benzyl chloride (P. Marceau, F. Beguin, G. Guillaumet), (342)137

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; behaviour of $\text{CpNiM}_3(\mu\text{-H})_3(\text{CO})_{9-n}\text{L}_n$, $\text{M}_3(\text{CO})_{12-n}\text{L}_n$ ($\text{M} = \text{Ru}, \text{Os}$) and related complexes in hydrogenation-isomerisation of 1,4-pentadiene (M. Castiglioni, R. Giordano, E. Sappa), (342)111

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; synthesis and reactivity of $\text{CpNiM}_3(\mu\text{-H})_3(\text{CO})_{9-n}\text{L}_n$ and $\text{M}_3(\text{CO})_{12-n}\text{L}_n$ ($\text{M} = \text{Ru}, \text{Os}$) (M. Castiglioni, R. Giordano, E. Sappa), (342)97

Niobium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Di- η^5 -cyclopentadienylniobium binuclear and mononuclear complexes; crystal and molecular structure of $[\text{Cp}_2\text{NbH}_2]^-[\text{Na} \cdot \text{benzo-15-crown-5}]^+$ (D.A. Lemenovskii, I.E. Nifant'ev, I.F. Urazowski, E.G. Perevalova, T.V. Timofeeva, Yu.L. Slovokhotov, Yu.T. Struchkov), (342)31

Osmium

- Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; behaviour of $\text{CpNiM}_3(\mu\text{-H})_3(\text{CO})_{9-n}\text{L}_n$, $\text{M}_3(\text{CO})_{12-n}\text{L}_n$ ($\text{M} = \text{Ru, Os}$) and related complexes in hydrogenation-isomerisation of 1,4-pentadiene (M. Castiglioni, R. Giordano, E. Sappa), (342)111
- Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; synthesis and reactivity of $\text{CpNiM}_3(\mu\text{-H})_3(\text{CO})_{9-n}\text{L}_n$ and $\text{M}_3(\text{CO})_{12-n}\text{L}_n$ ($\text{M} = \text{Ru, Os}$) (M. Castiglioni, R. Giordano, E. Sappa), (342)97

Phosphorus

- η^2 -Aldehyde-metal complexes, $(\text{CO})_2(\text{PEt}_3)_2\text{FeRCHO}$ ($\text{R} = \text{H, Ph}$), synthesis of (R. Birk, H. Berke, H.-U. Hund, K. Evertz, G. Huttner, L. Zsolnai), (342)67
- σ -Alkynylmanganese ligands, preparation, crystal structure and reactivity of $\{[\text{Co}_2(\text{CO})_6]\|\mu\text{-PhCCMn}(\text{CO})_4(\text{P}(\text{cyclo-C}_6\text{H}_{11}))]\}$ (G.A. Carriero, D. Miguel, V. Riera), (342)373
- Group 14-iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10
- Homo- and hetero-nuclear vinyl- and vinylidene-bridged dinuclear complexes (H. Werner, J. Wolf, G. Müller, C. Krüger), (342)381
- $[\text{HRu}_3(\text{C}\equiv\text{CBu}^1)(\text{CO})_7(\text{Ph}_2\text{PCH}_2\text{PPh}_2)]$, crystal structure and fluxionality of (G. Predieri, A. Tiripicchio, C. Vignali, E. Sappa), (342)C33
- Iron atom discrimination by carbon in ligand fragmentation around a Fe–Fe bond; crystal structure of $[\mu\text{-}\eta^3\text{-RCH}_2\text{OC(S)SMeFe}_2(\text{CO})_5\text{P(OMe)}_3]$ (A. Darchen, E.K. Lahdi, D. Grandjean, A. Mousser, H. Patin), (342)C15
- Organolithium unusual dimer, $\{(\text{Me}_2\text{NCH}_2\text{-CH}_2\text{NMe}_2)\text{Li}[(\text{PMe}_2)\text{CH}(\text{SiMe}_3)]\}_2$, structure of (H.H. Karsch, B. Deubelly, J. Riede, G. Müller), (342)C29
- Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; behaviour of $\text{CpNiM}_3(\mu\text{-H})_3(\text{CO})_{9-n}\text{L}_n$, $\text{M}_3(\text{CO})_{12-n}\text{L}_n$ ($\text{M} = \text{Ru, Os}$) and related complexes in hydrogenation-isomerisation of 1,4-pentadiene (M. Castiglioni, R. Giordano, E. Sappa), (342)111
- Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; synthesis and reactivity of $\text{CpNiM}_3(\mu\text{-H})_3(\text{CO})_{9-n}\text{L}_n$ and $\text{M}_3(\text{CO})_{12-n}\text{L}_n$ ($\text{M} =$

Ru, Os) (M. Castiglioni, R. Giordano, E. Sappa), (342)97

Platinum and rhodium complexes with diphenylphosphino(methylthio)methane as a monodentate, chelated or bridging ligand, preparation of (G.K. Anderson, R. Kumar), (342)263

$\text{Ru}(\text{diene})_2\text{P(OMe)}_3$ complexes, synthesis of; formation of $\eta^3\text{:}\eta^3$ -octadienediyl or $\eta^4\text{-octatetraene}$ ligands upon phosphite addition to $\text{M}(\text{dimethylbutadiene})_2\text{CO}$ ($\text{M} = \text{Fe, Ru}$) (D.N. Cox, R. Roulet), (342)87

(Triphenylphosphine)gold(I) enolate and homoenolate complexes, preparation and crystal structures of (Y. Ito, M. Inouye, M. Sugiyome, M. Murakami), (342)C41

Tris(trimethyltin) tetrathiophosphate $(\text{Me}_3\text{SnS})_3\text{PS}$, preparation, vibrational spectra and crystal structure of (A.-F. Shihada, F. Weller), (342)177

Platinum

Bis(trifluoromethyl)platinum(II) complexes, oxidative addition with *N*-donor ligands to (T.G. Appleton, R.D. Berry, J.R. Hall, D.W. Neale), (342)399

Dimethylplatinum(II) unsymmetrically substituted complexes, preparation of (D.L. Thorn, J.C. Calabrese), (342)269

Platinum and rhodium complexes with diphenylphosphino(methylthio)methane as a monodentate, chelated or bridging ligand, preparation of (G.K. Anderson, R. Kumar), (342)263

Rhenium

η^2 -Aldehyde-metal complexes, $(\text{CO})_2(\text{PEt}_3)_2\text{FeRCHO}$ ($\text{R} = \text{H, Ph}$), synthesis of (R. Birk, H. Berke, H.-U. Hund, K. Evertz, G. Huttner, L. Zsolnai), (342)67

Carbonylrhenium, improved synthesis of (L.S. Crocker, G.L. Gould, D.M. Heinekey), (342)243

Manganese and rhenium acetylene complexes, synthesis and characterisation of (H.G. Alt, H.E. Engelhardt), (342)235

Manganese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

Rhodium

Homo- and hetero-nuclear vinyl- and vinylidene-bridged dinuclear complexes (H.

- Werner, J. Wolf, G. Müller, C. Krüger), (342)381
- Platinum and rhodium complexes with diphenylphosphino(methylthio)methane as a monodentate, chelated or bridging ligand, preparation of (G.K. Anderson, R. Kumar), (342)263
- ### Ruthenium
- [$\text{HRu}_3(\text{C}=\text{CBu}^t)(\text{CO})_7(\text{Ph}_2\text{PCH}_2\text{PPh}_2)$], crystal structure and fluxionality of (G. Predieri, A. Tiripicchio, C. Vignali, E. Sappa), (342)C33
- Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; behaviour of $\text{CpNiM}_3(\mu\text{-H})_3(\text{CO})_{9-n}\text{L}_n$, $\text{M}_3(\text{CO})_{12-n}\text{L}_n$ ($\text{M} = \text{Ru, Os}$) and related complexes in hydrogenation-isomerisation of 1,4-pentadiene (M. Castiglioni, R. Giordano, E. Sappa), (342)111
- Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; synthesis and reactivity of $\text{CpNiM}_3(\mu\text{-H})_3(\text{CO})_{9-n}\text{L}_n$ and $\text{M}_3(\text{CO})_{12-n}\text{L}_n$ ($\text{M} = \text{Ru, Os}$) (M. Castiglioni, R. Giordano, E. Sappa), (342)97
- $\text{Ru}(\text{diene})_2\text{P}(\text{OMe})_3$ complexes, synthesis of; formation of η^3 : η^3 -octadienediyI of η^4 -octatriene ligands upon phosphite addition to $\text{M}(\text{dimethylbutadiene})_2\text{CO}$ ($\text{M} = \text{Fe, Ru}$) (D.N. Cox, R. Roulet), (342)87
- Ruthenium catalysts, carbonylation of diols and their ethers and esters with; synthesis of lactones and hydroxyacid ethers and esters (G. Braca, G. Sbrana, A.M. Raspolli Galletti, S. Berti), (342)245
- ### Selenium
- Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167
- ### Silicon
- Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167
- Bis(amino)stannylene, reaction with halo-*genoalkanes* of (M. Veith, A. Müller), (342)295
- trans*-[$\text{CpWMe}(\text{CHO})(\text{CO})_2$]⁻ and *trans*-[$\text{CpWH}(\text{COMe})(\text{CO})_2$]⁻ formation from $\text{CpWMe}(\text{CO})_3$ and LiEt_3BH of (J.T. Gauntlett, B.E. Mann, M.J. Winter, S. Woodward), (342)C5
- Group 14–iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10
- Hexamethyldigermoxane, exchange reactions with trimethylsilyl azide of (Q. Zhou, W.P. Weber), (342)291
- Organolithium unusual dimer, { $(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)\text{Li}[(\text{PMe}_2)_2\text{CH}(\text{SiMe}_3)]$ }₂, structure of (H.H. Karsch, B. Deubelly, J. Riede, G. Müller), (342)C29
- Silyl and stannyly pyrimidines, synthesis of (C. Párkányi, N.S. Cho, G.S. Yoo), (342)1
- Trimethylsilyl-*N*-aryl carbamates, solvolysis of (Z. Böcskei, D. Knausz, M. Gál, L. Szakács, B. Csákvari), (342)159
- ### Sodium
- (Arene)tricarbonylchromium(0) complexes, preparation, structure and reactions of; crystal structure of tricarbonyl[$(8,9,11,12,13,14\eta)$ methyl-1,2,3,4-tetrahydronaphthalene]chromium(0) (R.C. Cambie, G.R. Clark, S.R. Gallagher, P.S. Rutledge, M.J. Stone, P.D. Woodgate), (342)315
- Di- η^5 -cyclopentadienylniobium binuclear and mononuclear complexes; crystal and molecular structure of [$\text{Cp}_2\text{NbH}_2^-$][$\text{Na} \cdot \text{benzo-15-crown-5}$]⁺ (D.A. Lemenovskii, I.E. Nifant'ev, I.F. Urazowski, E.G. Perevalova, T.V. Timofeeva, Yu.L. Slovokhotov, Yu.T. Struchkov), (342)31
- ### Sulphur
- Allylic lithium reagents with allyl groups partly incorporated into carbocyclic rings, preparation of (C.G. Screttas, I.C. Smonou), (342)143
- (Arene)tricarbonylchromium(0) complexes, preparation, structure and reactions of; crystal structure of tricarbonyl[$(8,9,11,12,13,14\eta)$ methyl-1,2,3,4-tetrahydronaphthalene]chromium(0) (R. Cambie, G.R. Clark, S.R. Gallagher, P.S. Rutledge, M.J. Stone, P.D. Woodgate), (342)315
- Di- η^5 -cyclopentadienylthiophenolatoammine-molybdenum(IV) hexafluorophosphate solvate, [$\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2(\text{NH}_3)(\text{SC}_6\text{H}_5)_2\text{PF}_6^-$] · $(\text{CH}_3)_2\text{CO}$, X-ray crystal structure (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, M.H. Garcia, M.B. Hursthorne), (342)209
- Iron atom discrimination by carbon in ligand fragmentation around a Fe–Fe bond; crystal structure of [$\mu\text{-}\eta^3\text{-RCH}_2\text{OC(S)SMeFe}_2(\text{CO})_5\text{P}(\text{OMe})_3$] (A. Darchen, E.K. Lahdi, D. Grandjean, A. Mousser, H. Patin), (342)C15

μ -Oxobis(triorgano-antimony- and -bismuth-sulphonates), preparation of; crystal structure of $\{[(\text{CH}_3)_3\text{SbOH}_2]_2\text{O}\}(\text{O}_3\text{SC}_6\text{H}_5)_2$ (R. Rüther, F. Huber, H. Preut), (342)185

Platinum and rhodium complexes with diphenyl-phosphino(methylthio)methane as a monodentate, chelated or bridging ligand, preparation of (G.K. Anderson, R. Kumar), (342)263
 Tris(trimethyltin) tetrathiophosphate $(\text{Me}_3\text{SnS})_3\text{PS}$, preparation, vibrational spectra and crystal structure of (A.-F. Shihada, F. Weller), (342)177

Tantalum

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Thallium

Monocyclopentadienyl-indium and -thallium complexes, vibrational spectra and structure of (O.G. Garkusha, B.V. Lokshin, R.B. Materikova, L.M. Golubinskaya, V.I. Bre-gadze, A.P. Kurbakova), (342)281

Tin

Bis(amino)stannylene, reaction with halogenoalkanes of (M. Veith, A. Müller), (342)295
 Group 14–iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10

Silyl and stannylyl pyrimidines, synthesis of (C. Párkányi, N.S. Cho, G.S. Yoo), (342)1
 Tris(trimethyltin) tetrathiophosphate, $(\text{Me}_3\text{SnS})_3\text{PS}$, preparation, vibrational spectra and crystal structure of (A.-F. Shihada, F. Weller), (342)177

Titanium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

$\text{Cp}_2\text{TiCl}_2/\text{Mg}/\text{BrCH}_2\text{CH}_2\text{Br}$ system, isomerisation of terminal alkenes by (S.A. Rao, M. Periasamy), (342)15

Cyclopentadienyltitanium trichloride/lithium aluminium hydride and dicyclopentadienyltitanium trichloride/lithium aluminium hydride, synthesis of arenes by deoxygenation of endoxides with (C.H. Wong, C.W. Hung, H.N.C. Wong), (342)9

Ethylenebis(tetrahydroindenyl)-titanium and -zirconium dichlorides, X-ray structures of (S. Collins, B.A. Kuntz, N.J. Taylor, D.G. Ward), (342)21

Tungsten

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

trans-[$\text{CpWMe}(\text{CHO})(\text{CO})_2$]⁺ and *trans*-[$\text{CpWH}(\text{COMe})(\text{CO})_2$]⁺ formation from $\text{CpWMe}(\text{CO})_3$ and LiEt_3BH of (J.T. Gauntlett, B.E. Mann, M.J. Winter, S. Woodward), (342)C5

Manganese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

Vanadium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Zirconium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Ethylenebis(tetrahydroindenyl)-titanium and -zirconium dichlorides, X-ray structures of (S. Collins, B.A. Kuntz, N.J. Taylor, D.G. Ward), (342)21

Tris[$(\text{di}-\pi\text{-cyclopentadienyl})(\mu\text{-terephthalato})$]zirconium(IV)] · dichloromethane(1/1), preparation and structure of (U. Thewalt, S. Klíma, K. Berhalter), (342)303