

---

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 341 (1988)**


---

**SUBJECT INDEX****Aluminium**

Aluminium compounds, polymerization and copolymerization of  $\beta$ -butyrolactone by (N.C. Billingham, M.G. Proctor, J.D. Smith), (341) 83

**Antimony**

Indium-arsenic and gallium-antimony six-membered rings, conformations of (A.H. Cowley, R.A. Jones, K.B. Kidd, C.M. Nunn, D.L. Westmoreland), (341) C1

**Arsenic**

Dimethylarsino-bridged triosmium clusters, synthesis of; X-ray crystal structures of  $[\text{Os}_3\text{H}(\text{CO})_{11}(\mu\text{-AsMe}_2)]$  and  $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_8(\mu\text{-AsMe}_2)_2]$  (K. Guldner, B.F.G. Johnson, J. Lewis, S.M. Owen, P.R. Raithby), (341) C45

Indium-arsenic and gallium-antimony six-membered rings, conformations of (A.H. Cowley, R.A. Jones, K.B. Kidd, C.M. Nunn, D.L. Westmoreland), (341) C1

**Boron**

Organoboranes derived from  $\alpha$ -amino acid and borinic or boronic esters, optical purity of (H.C. Brown, A.K. Gupta), (341) 73

Tris(pyrazolyl)boratotin(II) compounds, synthesis and structures of (A.H. Cowley, R.L. Geerts, C.M. Nunn, C.J. Carrano), (341) C27

**Cadmium**

Zinc, cadmium and mercury alkyls and amides, bond structures in; thermolysis of Zn-C, M-N (M = Zn, Cd, Hg) bonds (I.E. Gümrükcüoğlu, J. Jeffery, M.F. Lappert, J.B. Pedley, A.K. Rai), (341) 53

**Chromium**

Dimethyl{tris(trimethylsilyl)methyl}silanolotantalum(V), -chromium(III) and -manganese(II), formation of (H. Blanchard, M.B. Hursthouse, A.C. Sullivan), (341) 367

**Cobalt**

$\mu$ -Carbene-cobalt complexes from substituted diazirines, synthesis of (S.A. Benyunes, P.A. Chaloner), (341) C50

$[\text{Co}_x\text{Rh}_{4-x}(\text{CO})_{12}]$  ( $x = 3, 2$ ), ligand substitution with tertiary phosphines or phosphites in; X-ray structure of  $[\text{Co}_2\text{Rh}_2(\text{CO})_{11}(\text{PPh}_3)]$  (M. Bojczuk, B.T. Heaton, S. Johnson, C.A. Ghilardi, A. Orlandini), (341) 473

Tungsten-cobalt ion containing complexes, synthesis via alkylidyne group coupling reactions of; structure of  $[\text{WCo}\{\mu\text{-C}(\text{C}_6\text{H}_4\text{Me-4})\text{C}(\text{O})\text{C}(\text{C}_6\text{H}_4\text{Me-4})\}(\text{CO})_5(\eta\text{-C}_5\text{H}_5)]$  (L.J. Hart, A.E. Jardin, J.C. Jeffery, F.G.A. Stone), (341) 391

**Copper**

Copper(II) chloride and alkoxide alkoxometalates and termetallic isopropoxides, synthesis of (R.K. Dubey, A. Singh, R.C. Mehrotra), (341) 569

Organometallic compounds, primary aminomethylation via *N,N*-bis(trimethylsilyl)methylthiomethylamine of (L. Fiocca, K. Fiorenza, G. Reginato, A. Ricci, P. Dembech, G. Seconi) (341) C23

**Gallium**

Indium-arsenic and gallium-antimony six-membered rings, conformations of (A.H. Cowley, R.A. Jones, K.B. Kidd, C.M. Nunn, D.L. Westmoreland), (341) C1

## Germanium

Bis(trimethylsilyl)diphenylgermane, kinetic spectroscopy of the  $\text{Ph}_2\text{Ge}$  group on laser flash photolysis of (S. Konieczny, S.J. Jacobs, J.K.B. Wilking, P.P. Gaspar), (341) C17

$^{73}\text{Ge}$  NMR spectroscopic studies of organogermanium compounds (Review) (E. Liepiņš, I. Zicmane, E. Lukevics), (341) 315

Hexa-*t*-butyl-digermanium and -cyclo-trigermanium, Ge-Ge and Ge-C bond lengths in (M. Weidenbruch, F.-T. Grimm, M. Herrndorf, A. Schäfer, K. Peters, H.G. von Schnering), (341) 335

## Gold

$[\text{Pt}(\text{C}\equiv\text{CH})_2(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2]$ , synthesis and formation of heterobimetallic Pt-Ag, Pt-Au, Pt-Rh, Pt-Ir, and Pt-W derivatives of (S.W. Carr, P.G. Pringle, B.L. Shaw), (341) 543

## Indium

Indium-arsenic and gallium-antimony six-membered rings, conformations of (A.H. Cowley, R.A. Jones, K.B. Kidd, C.M. Nunn, D.L. Westmoreland), (341) C1

## Iridium

$[\text{Ir}(\text{cod})(\eta^2\text{-}o\text{-HalC}_6\text{H}_4\text{PPh}_2)]\text{SbF}_6$  (Hal = Br, Cl), structural and chemical studies of halocarbon chelation in (M.J. Burk, R.H. Crabtree, E.M. Holt), (341) 495

$[\text{Pt}(\text{C}\equiv\text{CH})_2(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2]$ , synthesis and formation of heterobimetallic Pt-Ag, Pt-Au, Pt-Rh, Pt-Ir, and Pt-W derivatives of (S.W. Carr, P.G. Pringle, B.L. Shaw), (341) 543

## Iron

( $\mu\text{-}\sigma, \pi\text{-Acetylde}$ )( $\mu\text{-alkane-}$  and  $\mu\text{-arene-thiolate}$ )bis(tricarbonyliron) complexes, synthesis and reactivity of (D. Seyferth, J.B. Hoke, D.R. Wheeler), (341) 421

Carbonyliron trinuclear derivatives from reactions of disodium octacarbonyldiferrate with (dialkylamino)dichlorophosphines (R.B. King, G.S. Chorghade), (341) 407

( $\eta^5\text{-C}_5\text{H}_5$ ) $\text{Fe}(\text{CO})(\text{PPh}_3)\text{COR}$  (R =  $\text{CH}_3$ ,  $\text{CH}_2\text{SiMe}_3$ , and  $\text{CH}_2\text{SiMe}_2\text{Ph}$ ), thermal decarbonylation of (K.H. Pannell, J.R. Rice), (341) 415

$[\text{Fe}_3(\text{CO})_{11}(\text{RCN})]$  derivatives, synthesis and properties of; crystal and molecular structure of  $[\text{Fe}_3(\text{CO})_{11}(\text{NCC}_6\text{H}_4\text{-2-Me})]$  (C.J. Cardin, D.J. Cardin, N.B. Kelly, G.A. Lawless, M.B. Power), (341) 447

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands; synthesis and X-ray crystal and molecular structure of  $[\{\text{Fe}(\text{CO})_3(\mu_3\text{-S})\}_2\text{Mo}(\text{NN-Me}_2)_2(\text{PPh}_3)](\text{Fe-Fe}) \cdot \text{CH}_2\text{Cl}_2$  (P.T. Bishop, J.R. Dilworth, S. Morton, J.A. Zubieta), (341) 373

Pentacyanonitrosylferrate(2-) ion, reactions with carbanions of pentane-2,4-dione and 3-methylpentane-2,4-dione of (A.R. Butler, A.M. Calsy, C. Glidewell), (341) 439

Phosphaalkynetri- and tetra-metallic complexes; crystal and molecular structure of  $[\text{Fe}_2\text{Pt}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})_6(\text{Me}_3\text{CCP})]$  (S.I. Al-Resayes, P.B. Hitchcock, M.F. Meidine, J.F. Nixon), (341) 457

## Lithium

2,3-Bis(trimethylsilyl)-1,3-butadiene, stereospecific 1,4-polymerisation of (Y.-X. Ding, W.P. Weber), (341) 267

Fluorovinyl lithium reagents, nucleophilic addition reactions in the presence of  $\text{BF}_3 \cdot \text{Et}_2\text{O}$  of (T. Dubuffet, R. Sauvêtre, J.-F. Normant), (341) 11

Lithiation of  $\alpha, \beta$ -epoxyalkylsilanes and related  $\alpha$ -hetero-substituted epoxides, synthetic and mechanistic aspects of (J.J. Eisch, J.E. Galle), (341) 293

Organolithium etherate complexes,  $[\text{Li}(\text{Et}_2\text{O})_2(\text{CPh}_3)]$  and  $[\{\text{Li}(\text{Et}_2\text{O})(2,4,6(\text{CHMe}_2)_3\text{-C}_6\text{H}_2)\}_2]$ , isolation and X-ray structures of (R.A. Bartlett, H.V.R. Dias, P.P. Power), (341) 1

## Magnesium

$[\text{Mg}(\text{anthracene})(\text{THF})_3]$  and  $[\text{Mg}(\text{triphenylmethyl})\text{Br}(\text{OEt}_2)_2]$ , crystal structures of (L.M. Engelhardt, S. Harvey, C.L. Raston, A.H. White), (341) 39

Organometallic compounds, primary aminomethylation via *N, N*-bis(trimethylsilyl)methylthiomethylamine of (L. Fiocca, K. Fiorenza, G. Reginato, A. Ricci, P. Dembech, G. Secconi), (341) C23

Organosilicon derivatives of cyclic and high polymeric phosphazenes (H.R. Allcock, D.J. Brennan), (341) 231

## Manganese

Dimethyl{tris(trimethylsilyl)methyl}silanolato-tantalum(V), -chromium(III) and -manganese(II), formation of (H. Blanchard, M.B. Hursthouse, A.C. Sullivan), (341) 367

## Mercury

Biphenylene radical cation, mercuration of (J.L. Courtneidge, A.G. Davies, D.C. McGuchan, S.N. Yazdi), (341) 63

Zinc, cadmium and mercury alkyls and amides, bond structures in; thermolysis of Zn-C, M-N (M = Zn, Cd, Hg) bonds (I.E. Gümrükcüoğlu, J. Jeffery, M.F. Lappert, J.B. Pedley, A.K. Rai), (341) 53

## Molybdenum

Di- $\eta^5$ -cyclopentadienyl-tungsten(IV) and -molybdenum(IV) crown ether complexes, synthesis and electrochemistry of (E. Fu, M.L.H. Green, V.J. Lowe, S.R. Marder), (341) C39

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands; synthesis and X-ray crystal and molecular structure of  $[\{\text{Fe}(\text{CO})_3(\mu_3\text{-S})\}_2\text{Mo}(\text{NN-Me}_2)_2(\text{PPh}_3)](\text{Fe-Fe}) \cdot \text{CH}_2\text{Cl}_2$  (P.T. Bishop, J.R. Dilworth, S. Morton, J.A. Zubieta), (341) 373

$^{95}\text{Mo}$  shielding, NMR spectrochemical series based on (M. Hughes, J. Mason, G.J. Leigh, R.L. Richards), (341) 381

## Nickel

Tetrakis(trimethylphosphine)nickel(0), preparation and spectra of (A.G. Avent, F.G.N. Cloke, J.P. Day, E.A. Seddon, K.R. Seddon, S.M. Smedley), (341) 535

Transition metal complexes of bis{3-bis(3-trifluoromethylphenyl)phosphinomethyl}phenyl} ether, formation and spectra of (P.N. Kapoor), (341) 363

## Osmium

Dimethylarsino-bridged triosmium clusters, synthesis of; X-ray crystal structures of  $[\text{Os}_3\text{H}(\text{CO})_{11}(\mu\text{-AsMe}_2)]$  and  $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_8(\mu\text{-AsMe}_2)_2]$  (K. Guldner, B.F.G. Johnson, J. Lewis, S.M. Owen, P.R. Raithby), (341) C45

## Palladium

Platinum(II) and palladium(II) complexes, catalytic activity in *cis-trans* isomerisations of alkenes of (R. Ponec, R. Řeřicha), (341) 549  
Transition metal complexes of bis{3-[bis(3-trifluoromethylphenyl)phosphinomethyl]phenyl} ether, formation and spectra of (P.N. Kapoor), (341) 363

## Phosphorus

Carbonyliron trinuclear derivatives from reactions of disodium octacarbonyldiferrate with (dialkylamino)dichlorophosphines (R.B. King, G.S. Chorgade), (341) 407

$(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{COR}$  (R =  $\text{CH}_3$ ,  $\text{CH}_2\text{SiMe}_3$ , and  $\text{CH}_2\text{SiMe}_2\text{Ph}$ ), thermal decarbonylation of (K.H. Pannell, J.R. Rice), (341) 415

$[\text{Co}_x\text{Rh}_{4-x}(\text{CO})_{12}]$  ( $x = 3, 2$ ), ligand substitution with tertiary phosphines or phosphites in; X-ray structure of  $[\text{Co}_2\text{Rh}_2(\text{CO})_{11}(\text{PPh}_3)]$  (M. Bojczuk, B.T. Heaton, S. Johnson, C.A. Ghilardi, A. Orlandini), (341) 473

$[\text{Fe}_3(\text{CO})_{11}\text{RCN}]$  derivatives, synthesis and properties of; crystal and molecular structure of  $[\text{Fe}_3(\text{CO})_{11}(\text{NCC}_6\text{H}_4\text{-2-Me})]$  (C.J. Cardin, D.J. Cardin, N.B. Kelly, G.A. Lawless, M.B. Power), (341) 447

$[\text{Ir}(\text{cod})(\eta^2\text{-}o\text{-HalC}_6\text{H}_4\text{PPh}_2)]\text{SbF}_6$  (Hal = Br, Cl), structural and chemical studies of halo-carbon chelation in (M.J. Burk, R.H. Crabtree, E.M. Holt), (341) 495

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands; synthesis and X-ray crystal and molecular structure of  $[\{\text{Fe}(\text{CO})_3(\mu_3\text{-S})\}_2\text{Mo}(\text{NN-Me}_2)_2(\text{PPh}_3)](\text{Fe-Fe}) \cdot \text{CH}_2\text{Cl}_2$  (P.T. Bishop, J.R. Dilworth, S. Morton, J.A. Zubieta), (341) 373

Methyltin trihalides and tin tetrahalides, *cis-* and *trans-*influences in octahedral complexes with tertiary phosphines of (O.A. Reutov, C.S. Petrosyan, N.S. Yashina, E.I. Gefel), (341) C31

$^{95}\text{Mo}$  shielding, NMR spectrochemical series based on (M. Hughes, J. Mason, G.J. Leigh, R.L. Richards), (341) 381

Organosilicon derivatives of cyclic and high polymeric phosphazenes (H.R. Alcock, D.J. Brennan), (341) 231

Phosphaalkynetri- and tetra-metallic complexes; crystal and molecular structure of  $[\text{Fe}_2\text{Pt}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\text{CO})_6(\text{Me}_3\text{CCP})]$  (S.I. Al-Resayes, P.B. Hitchcock, M.F. Meidine, J.F. Nixon), (341) 457

Phosphazene chemistry, isomerisations and tautomerism in (*Review*) (R.A. Shaw), (341) 357

[Pt(C≡CH)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-P)<sub>2</sub>], synthesis and formation of heterobimetallic Pt–Ag, Pt–Au, Pt–Rh, Pt–Ir, and Pt–W derivatives of (S.W. Carr, P.G. Pringle, B.L. Shaw), (341) 543

Tetrakis(trimethylphosphine)nickel(0), preparation and spectra of (A.G. Avent, F.G.N. Cloke, J.P. Day, E.A. Seddon, K.R. Seddon, S.M. Smedley), (341) 535

Transition metal complexes of bis{3-[bis(3-trifluoromethylphenyl)phosphinomethyl]phenyl} ether, formation and spectra of (P.N. Kapoor), (341) 363

## Platinum

Platinum(II) and palladium(II) complexes, catalytic activity in *cis-trans* isomerisations of alkenes of (R. Ponec, R. Řeřicha), (341) 549

Platinum(IV) derivatives of macrocyclic thioethers, preparation and dynamic behaviour of (E.W. Abel, P.D. Beer, I. Moss, K.G. Orrell, V. Šik, P.A. Bates, M.B. Hursthouse), (341) 559

[Pt(C≡CH)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-P)<sub>2</sub>], synthesis and formation of heterobimetallic Pt–Ag, Pt–Au, Pt–Rh, Pt–Ir, and Pt–W derivatives of (S.W. Carr, P.G. Pringle, B.L. Shaw), (341) 543

Transition metal complexes of bis{3-[bis(3-trifluoromethylphenyl)phosphinomethyl]phenyl} ether, formation and spectra of (P.N. Kapoor), (341) 363

## Rhodium

Carbonyl cluster compounds with close-packed metallic arrangements, MO analysis of (D.M.P. Mingos, L. Zhenyang), (341) 523

[Co<sub>x</sub>Rh<sub>4-x</sub>(CO)<sub>12</sub>] (*x* = 3, 2), ligand substitution with tertiary phosphines or phosphites in; X-ray structure of [Co<sub>2</sub>Rh<sub>2</sub>(CO)<sub>11</sub>(PPh<sub>3</sub>)] (M. Bojczuk, B.T. Heaton, S. Johnson, C.A. Ghilardi, A. Orlandini), (341) 473

Dichlorotetracarbonyldirrhodium(I), kinetic study on oxidation by hydrogen peroxide of (J.R. Chipperfield, M. Shana'a, D.E. Webster), (341) 511

[Ir(cod)(η<sup>2</sup>-*o*-HalC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>)]SbF<sub>6</sub> (Hal = Br, Cl), structural and chemical studies of halocarbon chelation in (M.J. Burk, R.H. Crabtree, E.M. Holt), (341) 495

[Pt(C≡CH)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-P)<sub>2</sub>], synthesis and formation of heterobimetallic Pt–Ag, Pt–Au, Pt–Rh, Pt–Ir, and Pt–W derivatives of (S.W. Carr, P.G. Pringle, B.L. Shaw), (341) 543

Semiquinone-rhodium(I) complexes, EPR investigation of thermodynamics and kinetics of reversible metal–ligand electron transfer in (G.A. Abakumov, G.A. Razuvaev, V.I. Nevodchikov, V.K. Cherkasov), (341) 485

## Silicon

Bicyclotrisilanetris(disiloxane), preparation and X-ray crystal structure of (S.S. Al-Juaid, Y. Derouiche, P.B. Hitchcock, P.D. Lickiss), (341) 241

2,3-Bis(trimethylsilyl)-1,3-butadiene, stereospecific 1,4-polymerisation of (Y.-X. Ding, W.P. Weber), (341) 267

Bis(trimethylsilyl)diphenylgermane, kinetic spectroscopy of the Ph<sub>2</sub>Ge group on laser flash photolysis of (S. Konieczny, S.J. Jacobs, J.K.B. Wilking, P.P. Gaspar), (341) C17

Bis(trimethylsilyl)polyynes, Me<sub>3</sub>Si(C≡C)<sub>*n*</sub>SiMe<sub>3</sub> (*n* = 2, 3), reactions with aryl azides and ethyl diazoacetate of (R.M. Bettison, P.B. Hitchcock, D.R.M. Walton), (341) 247

*N,N*-Bis(trimethylstannyl)di-*t*-butylfluorosilylamine, sterically fixated molecule (D. Stalke, U. Klingebiel, G.M. Sheldrick), (341) 119

1-(*p*-Bromophenyl)-4-*t*-butyl-1-methyl-1-silacyclohexane, conformationally stable complex, structure of; stereochemistry of halodesilylation (H. Sakurai, M. Murakami, K. Takeuchi, C. Kabuto), (341) 133

(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)Fe(CO)(PPh<sub>3</sub>)COR (R = CH<sub>3</sub>, CH<sub>2</sub>-SiMe<sub>3</sub>, and CH<sub>2</sub>SiMe<sub>2</sub>Ph), thermal decarbonylation of (K.H. Pannell, J.R. Rice), (341) 415

(Chlorodiphenylsilyl)(methoxydimethylsilyl)-bis(trimethylsilyl)methane, conformation and enantiotopomerization of (A.G. Avent, P.D. Lickiss, A. Pidcock), (341) 281

Dimethyl{tris(trimethylsilyl)methyl}silanolotantalum(V), -chromium(III) and -manganese(II), formation of (H. Blanchard, M.B. Hursthouse, A.C. Sullivan), (341) 367

Halosilanes, nucleophilic assisted racemisation of (A.R. Bassindale, J.C.-Y. Lau, P.G. Taylor), (341) 213

Hexacoordinate silicon neutral compounds, electrophilic cleavage reactions of C–Si bonds in diorgano(phthalocyaninato)silicon (K. Tamao, M. Akita, H. Kato, M. Kumada), (341) 165

Lithiation of α,β-epoxyalkylsilanes and related α-hetero-substituted epoxides, synthetic and mechanistic aspects of (J.J. Eisch, J.E. Galle), (341) 293

1-Methyl-1-silacyclobutane, efficient gas-phase polymer deposition of, IR laser photosensitized decomposition of (J. Pola, V. Chvalovský, E.A. Volnina, L.E. Guselnikov), (341) C13

- trans-trans-trans*-Nonamethylhexasilaperhydrophenaline, formation and structure of (G. Fritz, H. Volk, M. Straub, H.G. von Schnering, K. Peters, E.-M. Peters), (341) 109
- Organometallic compounds, primary aminomethylation via *N,N*-bis(trimethylsilyl)methylthiomethylamine of (L. Fiocca, K. Fiorenza, G. Reginato, A. Ricci, P. Dembech, G. Seconi), (341) C23
- Organosilicon derivatives of cyclic and high polymeric phosphazenes (H.R. Allcock, D.J. Brennan), (341) 231
- Organosilicon reaction mechanisms, gas-kinetic studies of (I.M.T. Davidson), (341) 255
- Organotrifluorosilanes and diorganodifluorosilanes, nucleophilic cleavage of Si-C bond in (M.G. Voronkov, N.F. Chernov, E.M. Perlova), (341) 225
- Pentaphenyldisilane carboxylic acid and pentaphenyldisilanol, base-catalysed solvolysis in ethanol/water media of (O.W. Steward, J.L. Williams), (341) 199
- Polydimethylsilanes, catalysts for transformation to polycarbosilanes of (F. Duboudin, M. Birrot, O. Babet, J. Dunoguès, R. Calas), (341) 125
- Silacyclobut-1-yl and related radicals, formation of (R.A. Jackson, A.K. Zarkadis), (341) 273
- Silacyclopropanes from reactions of silenes with Wittig reagents (A.G. Brook, A. MacMillan), (341) C9
- 1-Silaisoindolinone, structural analogue of saccharine and related compounds (U. Wannagat, R. Schrader), (341) 95
- Silanimine,  $\text{Me}_2\text{Si}=\text{NSi-t-Bu}_3$ , preparation, stability and reactivity of donor adducts of (N. Wiberg, K. Schurz), (341) 145
- Silanimines, generation by photolysis of hindered azidosilanes (S.S. Zigler, L.M. Johnson, R. West), (341) 187
- Trimethylsilylated steroids, analytically significant steric effects on  $^{29}\text{Si}$  NMR chemical shifts in (J. Schraml, J. Čermák, V. Chvalovský, A. Kasal, C. Bliefert, E. Krahé), (341) C6
- Trimethylsilylmethylcyclopentenones, formation and reactivity of (D.C. Billington, W.J. Kerr, P.L. Pauson), (341) 181
- Zinc, cadmium and mercury alkyls and amides, bond structures in; thermolysis of Zn-C, M-N (M = Zn, Cd, Hg) bonds (I.E. Gümrükcüoğlu, J. Jeffery, M.F. Lappert, J.B. Pedley, A.K. Rai), (341) 53

## Silver

- $[\text{Pt}(\text{C}\equiv\text{CH})_2(\text{Ph}_2\text{PCH}_2\text{PPh}_2\text{-}P)_2]$ , synthesis and formation of heterobimetallic Pt-Ag, Pt-Au,

Pt-Rh, Pt-Ir, and Pt-W derivatives of (S.W. Carr, P.G. Pringle, B.L. Shaw), (341) 543

## Sodium

- Carbonyliron trinuclear derivatives from reactions of disodium octacarbonyldiferrate with (dialkylamino)dichlorophosphines (R.B. King, G.S. Chorgade), (341) 407
- Indenylsodium · *N,N,N',N'*-tetramethyl-1,2-diaminoethane,  $\eta^1/\eta^2$  infinite chain X-ray structure of (C. Schade, P.v.R. Schleyer, P. Gregory, H. Dietrich, W. Mahdi), (341) 19

## Sulphur

- ( $\mu$ - $\sigma$ , $\pi$ -Acetylide) ( $\mu$ -alkane- and  $\mu$ -arene-thiolate)bis(tricarbonyliron) complexes, synthesis and reactivity of (D. Seyferth, J.B. Hoke, D.R. Wheeler), (341) 421
- Di- $\eta^5$ -cyclopentadienyl-tungsten(IV) and -molybdenum(IV) crown ether complexes, synthesis and electrochemistry of (E. Fu, M.L.H. Green, V.J. Lowe, S.R. Marder), (341) C39
- Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands; synthesis and X-ray crystal and molecular structure of  $[\{\text{Fe}(\text{CO})_3(\mu_3\text{-S})\}_2\text{Mo}(\text{NN-Me}_2)_2(\text{PPh}_3)](\text{Fe-Fe}) \cdot \text{CH}_2\text{Cl}_2$  (P.T. Bishop, J.R. Dilworth, S. Morton, J.A. Zubieta), (341) 373
- Organometallic compounds, primary aminomethylation via *N,N*-bis(trimethylsilyl)methylthiomethylamine of (L. Fiocca, K. Fiorenza, G. Reginato, A. Ricci, P. Dembech, G. Seconi), (341) C23
- Platinum(IV) derivatives of macrocyclic thioethers, preparation and dynamic behaviour of (E.W. Abel, P.D. Beer, I. Moss, K.G. Orrell, V. Šik, P.A. Bates, M.B. Hursthouse), (341) 559

## Tantalum

- Dimethyl{tris(trimethylsilyl)methyl}silanolato-tantalum(V), -chromium(III) and -manganese(II), formation of (H. Blanchard, M.B. Hursthouse, A.C. Sullivan), (341) 367

## Tin

- Allyl-, crotyl-, 1-methylallyl-, cyclohex-2-enyl-, and cinnamyl-stannation of carbonyl compounds in water (D. Furlani, D. Marton, G. Tagliavini, M. Zordan), (341) 345

Methyltin trihalides and tin tetrahalides, *cis*- and *trans*-influences in octahedral complexes with tertiary phosphines of (O.A. Reutov, C.S. Petrosyan, N.S. Yashina, E.I. Gefel), (341) C31

Organometallic compounds, primary amino-methylation via *N,N*-bis(trimethylsilyl)methylthiomethylamine of (L. Fiocca, K. Fiorenza, G. Reginato, A. Ricci, P. Dembech, G. Seconi), (341) C23

Tris(pyrazolyl)boratotin(II) compounds, synthesis and structures of (A.H. Cowley, R.L. Geerts, C.M. Nunn, C.J. Carrano), (341) C27

## Tungsten

Carbonyl containing carbynetungsten complex with W in high oxidation state, ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(I<sub>2</sub>)(CO)W≡CNEt<sub>2</sub>, spectroscopic characterisation of (A.C. Filippou, E.O. Fischer), (341) C35

Di- $\eta^5$ -cyclopentadienyltungsten(IV) and -molybdenum(IV) crown, ether complexes, synthesis and electrochemistry of (E. Fu, M.L.H. Green, V.J. Lowe, S.R. Marder), (341) C39

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2-) ligands; synthesis and X-ray crystal and molecular structure of [(Fe(CO)<sub>3</sub>( $\mu_3$ -S))<sub>2</sub>Mo(NN-

Me<sub>2</sub>)<sub>2</sub>(PPh<sub>3</sub>)](*Fe-Fe*) · CH<sub>2</sub>Cl<sub>2</sub> (P.T. Bishop, J.R. Dilworth, S. Morton, J.A. Zubieta), (341) 373

[Pt(C≡CH)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-*P*)<sub>2</sub>], synthesis and formation of heterobimetallic Pt-Ag, Pt-Au, Pt-Rh, Pt-Ir, and Pt-W derivatives of (S.W. Carr, P.G. Pringle, B.L. Shaw), (341) 543

Tungsten-cobalt ion containing complexes, synthesis via alkylidyne group coupling reactions of; structure of [WCo{ $\mu$ -C(C<sub>6</sub>H<sub>4</sub>Me-4)C(O)C(C<sub>6</sub>H<sub>4</sub>Me-4)}(CO)<sub>5</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>)] (I.J. Hart, A.E. Jardin, J.C. Jeffery, F.G.A. Stone), (341) 391

## Zinc

Zinc, cadmium and mercury alkyls and amides, bond structures in; thermolysis of Zn-C, M-N (M = Zn, Cd, Hg) bonds (I.E. Gümürküoğlu, J. Jeffery, M.F. Lappert, J.B. Pedley, A.K. Rai), (341) 53

## Book review

Gmelin handbook of inorganic chemistry, 8th, edit., Mn—manganese, Part D5, Coordination compounds 5 (J. Chatt), (341) C53