

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 330 (1987)**SUBJECT INDEX****Aluminium**

Aluminohydridoruthenium(II) complexes, preparation of (D.H. Lee, H. Suzuki, Y. Moro-oka), (330) C20

Bismuth

Mixed clusters of bismuth with osmium and ruthenium, preparation and characterisation of; crystal and molecular structures of $\text{Os}_3(\mu\text{-H})_3(\text{CO})_9(\mu_3\text{-Bi})$, $\text{Os}_4(\text{CO})_{12}(\mu_4\text{-Bi})_2$, $\text{Ru}_3(\mu\text{-H})_3(\text{CO})_9(\mu_3\text{-Bi})$, and $\text{Ru}_4^+(\text{CO})_{12}(\mu_4\text{-Bi})_2$ (H.G. Ang, C.M. Hay, B.F.G. Johnson, J. Lewis, P.R. Raithby, A.J. Whittom), (330) C5

Chromium

2,2'-Bipyridine and 4,4'-diphenyl-2,2'-bipyridine and their $\text{M}(\text{CO})_4$ complexes, electrochemical reduction of (D. Miholová, B. Gaš, S. Záliš, J. Klima, A.A. Vlček), (330) 75
Ephedrine analogs, asymmetric synthesis of (A. Solladié-Cavallo, G. Lapitajs, P. Buchert, A. Klein, S. Colonna, A. Manfredi), (330) 357
Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrmann), (330) 365

Cobalt

$(\eta^5\text{-C}_5\text{H}_5)\text{Fe}[\eta^5\text{-C}_5\text{H}_4\text{CCo}_3(\text{CO})_9]$ and $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}[\eta^5\text{-C}_5\text{H}_4\text{CCo}_3(\eta^5\text{-C}_5\text{H}_5)_3\text{CH}]$, crystal and electronic structures of (S.B. Colbran, L.R. Hanton, B.H. Robinson, W.T. Robinson, J. Simpson), (330) 415

Cobalt-mixed Schiff base/oxime chelates, elec-

trochemistry of (G. Costa, C. Tavagnacco, A. Puxeddu, G. Balducci, R. Kumar), (330) 185

Cobalt-nickel carbide bimetallic clusters; synthesis and crystal structure of the dianions $[\text{Co}_2\text{Ni}_{10}(\text{CO})_{20}\text{C}]^{2-}$ and $[\text{Co}_3\text{Ni}_9(\text{CO})_{20}\text{C}]^{2-}$ (A. Ceriotti, R. Della Pergola, G. Longoni, M. Manassero, N. Masciocchi, M. Sansoni), (330) 237

Dialkylaminotrimethylsilylacetylenes, reactions with metal carbonyls of (R.B. King, R.M. Murray, R.E. Davis, P.K. Ross), (330) 115

Dicobalt octacarbonyl, mechanistic studies on disproportionation with hard Lewis bases of (A. Sisak, L. Markó), (330) 201

Organocobalt chelates with tridentate Schiff bases, template synthesis of; crystal structure of $[\text{MeCo}(7\text{-Me-salen-}N\text{-Me})(N\text{-Me-en})]\text{I}$ (I.Ya. Levitin, M.V. Tsikalova, V.I. Bakhmutov, A.I. Yanovsky, Yu.T. Struchkov, M.E. Vol'pin), (330) 161

Germanium

Bivalent group 14 metal amides and alkyls, addition reactions of organic halides of acid anhydrides to (M.F. Lappert, M.C. Misra, M. Onyszchuk, R.S. Rowe, P.P. Power, M.J. Slade), (330) 31

Iridium

η^6 -Arene-rhodium(III) and -iridium(III) complexes, $[(\text{Me}_2\text{SiC}_6\text{H}_5)_4\text{M}_2\text{H}_2]$ ($\text{M} = \text{Rh}, \text{Ir}$), synthesis and structure determination of (M.-J. Fernandez, M.A. Esteruelas, L.A. Oro, J. Ruiz, A.J. Smith, P.M. Maitlis), (330) 179

Cyclopentadienyl(olefin)(triisopropylphosphine)-iridium and cyclopentadienyl(bis-olefin)iridium, preparation and reactions of (M. Dziallas, A. Höhn, H. Werner), (330) 207

Rhodium(I) dimeric complex with bridging σ - and π -bonded 2,5-dimethylpyrrolido ligands, synthesis, structure and reactions of (K. Yünlü, F. Basolo, A.L. Rheingold), (330) 221

Iron

- [Bis(diphenylphosphino)ethane]tricarbonyliron-(0), crystal and molecular structure of (L.P. Battaglia, D. Delledonne, M. Nardelli, C. Pelizzi, G. Predieri, G.P. Chiusoli), (330) 101
 $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}[\eta^5\text{-C}_5\text{H}_4\text{CCo}_3(\text{CO})_9]$ and $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}[\eta^5\text{-C}_5\text{H}_4\text{CCo}_3(\eta^5\text{-C}_5\text{H}_5)_3\text{CH}]$, crystal and electronic structures of (S.B. Colbran, L.R. Hanton, B.H. Robinson, W.T. Robinson, J. Simpson), (330) 415
 Dialkylaminotrimethylsilylacetylenes, reactions with metal carbonyls of (R.B. King, R.M. Murray, R.E. Davis, P.K. Ross), (330) 115
 Organoiron complexes containing selenium atom bridges, structure of (C. Hecht, E. Herdtweck, J. Rohrmann, W.A. Herrmann, W. Beck, P. Fritz), (330) 389

Lead

- Bivalent group 14 metal amides and alkyls, addition reactions of organic halides of acid anhydrides to (M.F. Lappert, M.C. Misra, M. Onyszchuk, R.S. Rowe, P.P. Power, M.J. Slade), (330) 31

Lithium

- Hexameric lithium dimethylnaphthylsilanoate, $[\text{LiOSiNpMe}_2]_6$, crystal and molecular structure of (T.A. Bazhenova, R.M. Lobkovskaya, R.P. Shibaeva, A.E. Shilov, A.K. Shilova), (330) 9
 Tris(trimethylsilyl)methylsilicon compounds, reactions with organolithium reagents of (D.B. Azarian, C. Eaborn, P.D. Lickiss), (330) 1

Manganese

- $\text{C}_5\text{H}_5\text{MnL}_2\text{HSiR}_3$ complexes, MO analysis of the MnSiH three-centre interaction in (H. Rabaâ, J.-Y. Saillard, U. Schubert), (330) 397
 Pentacarbonyl-rhenate and -manganate nucleophilic addition to π -bonded dienes, cyclodienes, trimethylmethane, cycloheptatrienyl and alkyne ligands (H.-J. Müller, W. Beck), (330) C13

Metallocenes

- Cyclopentadienylthallium(I) compounds with bulky cyclopentadienyl ligands, preparation and characterisation of (H. Schumann, C. Janiak, H. Khani), (330) 347

Tetrachlorodimethoxycyclopentadiene and nickelocene-dimethyl acetylenedicarboxylate adduct, Diels–Alder reaction between, crystal structure of the products (M.A. Battiste, B.G. Griggs Jr., D. Sackett, J.M. Coxon, P.J. Steel), (330) 437

Molybdenum

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrmann), (330) 365

Pentacarbonyl-rhenate and -manganate nucleophilic addition to π -bonded dienes, cyclodienes, trimethylmethane, cycloheptatrienyl and alkyne ligands (H.-J. Müller, W. Beck), (330) C13

Nickel

Cobalt-nickel carbide bimetallic clusters; synthesis and crystal structure of the dianions $[\text{Co}_2\text{Ni}_{10}(\text{CO})_{20}\text{C}]^{2-}$ and $[\text{Co}_3\text{Ni}_9(\text{CO})_{20}\text{C}]^{2-}$ (A. Ceriotti, R. Della Pergola, G. Longoni, M. Manassero, N. Masciocchi, M. Sansoni), (330) 237

Tetrachlorodimethoxycyclopentadiene and nickelocene-dimethyl acetylenedicarboxylate adduct, Diels–Alder reaction between, crystal structure of the products (M.A. Battiste, B.G. Griggs Jr., D. Sackett, J.M. Coxon, P.J. Steel), (330) 437

Niobium

Hexacarbonyl-group 5 metal derivatives, reactions with 9,10-phenanthrenequinone of (F. Calderazzo, G. Pampaloni), (330) 47

Osmium

Mixed clusters of bismuth with osmium and ruthenium, preparation and characterisation of; crystal and molecular structures of $\text{Os}_3(\mu\text{-H})_3(\text{CO})_9(\mu_3\text{-Bi})$, $\text{Os}_4(\text{CO})_{12}(\mu_4\text{-Bi})_2$, $\text{Ru}_3(\mu\text{-H})_3(\text{CO})_9(\mu_3\text{-Bi})$, and $\text{Ru}_4\text{-}(\text{CO})_{12}(\mu_4\text{-Bi})_2$ (H.G. Ang, C.M. Hay, B.F.G. Johnson, J. Lewis, P.R. Raithby, A.J. Whittom), (330) C5

Palladium

- Catalytic carbopalladation of ω -methylenebicyclo[n.1.0]alkanes (W.A. Donaldson, C.A. Brodt), (330) C33
- Cyclopalladation of benzylidenebenzylamines (P.W. Clark, S.F. Dyke, G. Smith, C.H.L. Kennard), (330) 447
- trans*-Diarylbis(diethylphenylphosphine)palladium(II) complexes with aryl iodides, mechanisms of reactions giving biaryls of (F. Ozawa, T. Hidaka, T. Yamamoto, A. Yamamoto), (330) 253

Phosphorus

- [Bis(diphenylphosphino)ethane]tricarbonyliron-(0), crystal and molecular structure of (L.P. Battaglia, D. Delledonne, M. Nardelli, C. Pelizzi, G. Predieri, G.P. Chiusoli), (330) 101
- σ -Cyclobutyl-platinum bond formation by intramolecular activation of a cyclobutylphosphine; synthesis and structure of $[\text{Pt}(\text{P(t-Bu)}_2\text{CH}_2\text{CHCH}_2\text{CH}_2\text{CH})_2(\mu\text{-Br})_2$ (B.L. Simms, J.A. Ibers), (330) 279
- Cyclopentadienyl(olefin)(trisopropylphosphine)-iridium and cyclopentadienyl(bis-olefin)iridium, preparation and reactions of (M. Dziallas, A. Höhn, H. Werner), (330) 207
- Cyclopentadienylruthenium(II) complexes, cleavage of aromatic and vinylic C–H bonds by (H. Lehmkühl, M. Bellenbaum, J. Grundke), (330) C23
- Di- and tri-organotin(IV) diphenyldithiophosphinates, preparation and characterisation of (C. Silvestru, F. Ilies, I. Haiduc, M. Gielen, J.J. Zuckerman), (330) 315
- trans*-Diarylbis(diethylphenylphosphine)palladium(II) complexes with aryl iodides, mechanisms of reactions giving biaryls of (F. Ozawa, T. Hidaka, T. Yamamoto, A. Yamamoto), (330) 253
- Mono- and di-hydrido-bridged platinum(II)-tungsten(IV) complexes; X-ray crystal structure of $[\text{Cp}_2\text{W}(\mu\text{-H})_2\text{PtPh}(\text{PEt}_3)_2]\text{[BPh}_4]$ and $[\text{Cp}_2(\text{H})\text{W}(\mu\text{-H})\text{PtPh}(\text{PEt}_3)_2]\text{[BPh}_4]$ (A. Albinati, R. Naegeli, A. Togni, L.M. Venanzi), (330) 85
- Pentacarbonyl-rhenate and -manganate nucleophilic addition to π -bonded dienes, cyclo-dienes, trimethylmethane, cycloheptatrienyl and alkyne ligands (H.-J. Müller, W. Beck), (330) C13
- Pentachlorotantalum reduction in pure trimethylphosphine; synthesis of compounds containing $\text{Ta}\text{-}\eta^2\text{-CHPMMe}_2$; crystal structure of $[\text{Ta}(\eta^2\text{-CHPMe}_2)(\eta\text{-C}_4\text{H}_6)(\text{PMe}_3)_2\text{Cl}]$

(M.L.H. Green, P.M. Hare, J.A. Bandy), (330) 61

o-Phenylenediphosphine derivatives, unexpected redox behaviour during cyclisation reactions of (K. Issleib, H. Schmidt, E. Leisring), (330) 17

Platinum η^2 -bonded nitroso complexes, reactivity of; crystal structure of $\text{Pt}(\text{PPh}_3)_2(\text{PhNO})$ (M. Pizzotti, F. Porta, S. Cenini, F. Demartin, N. Masciocchi), (330) 265

Tris(triphenylphosphine)ruthenium polyhydride complexes, catalysis of hydrogenation of benzophenone by (D.E. Linn, Jr., J. Halpern), (330) 155

Platinum

σ -Cyclobutyl-platinum bond formation by intramolecular activation of a cyclobutylphosphine; synthesis and structure of $[\text{Pt}(\text{P(t-Bu)}_2\text{CH}_2\text{CHCH}_2\text{CH}_2\text{CH})_2(\mu\text{-Br})_2$ (B.L. Simms, J.A. Ibers), (330) 279

Mono- and di-hydrido-bridged platinum(II)-tungsten(IV) complexes; X-ray crystal structure of $[\text{Cp}_2\text{W}(\mu\text{-H})_2\text{PtPh}(\text{PEt}_3)_2]\text{[BPh}_4]$ and $[\text{Cp}_2(\text{H})\text{W}(\mu\text{-H})\text{PtPh}(\text{PEt}_3)_2]\text{[BPh}_4]$ (A. Albinati, R. Naegeli, A. Togni, L.M. Venanzi), (330) 85

Platinum η^2 -bonded nitroso complexes, reactivity of; crystal structure of $\text{Pt}(\text{PPh}_3)_2(\text{PhNO})$ (M. Pizzotti, F. Porta, S. Cenini, F. Demartin, N. Masciocchi), (330) 265

Platinum(II) complexes with asymmetric olefin ligands, preparation, circular dichroism and substitution reactions of (K. Saito, K. Kashiwabara), (330) 291

Unsaturated esters, asymmetric hydroformylation with $\text{PtCl}(\text{SnCl}_3)[(R,R)\text{-DIOP}]$ as catalyst of (L. Kollár, G. Consiglio, P. Pino), (330) 305

Rhenium

cis-(CO)₄(SnPh₃)Re[C(OEt)NR₂] (R = i-Pr, cyclohexyl), behaviour toward Lewis acids of (A.C. Filippou, E.O. Fischer, H.G. Alt), (330) 325

Pentacarbonyl-rhenate and -manganate nucleophilic addition to π -bonded dienes, cyclo-dienes, trimethylmethane, cycloheptatrienyl and alkyne ligands (H.-J. Müller, W. Beck), (330) C13

Rhodium

η^6 -Arene-rhodium(III) and -iridium(III) complexes, $[(\text{Me}_2\text{SiC}_6\text{H}_5)_4\text{M}_2\text{H}_2]$ (M = Rh, Ir),

- synthesis and structure determination of (M.-J. Fernandez, M.A. Esteruelas, L.A. Oro, J. Ruiz, A.J. Smith, P.M. Maitlis), (330) 179
- Dialkylaminotrimethylsilylacetylenes, reactions with metal carbonyls of (R.B. King, R.M. Murray, R.E. Davis, P.K. Ross), (330) 115
- Methyl- and aryl-(carbonyl)(iodo)pentamethylcyclopentadienylrhodium complexes, direct formation of ketones by reaction with organic iodides of (F.P. Fanizzi, G.J. Sunley, P.M. Maitlis), (330) C31
- Methyl(phenyl)rhodium carbonyl complexes, promotion by organic halides of acetophenone formation from (G.J. Sunley, F.P. Fanizzi, I.M. Saez, P.M. Maitlis), (330) C27
- Rhodium(I) dimeric complex with bridging σ - and π -bonded 2,5-dimethylpyrrolido ligands, synthesis, structure and reactions of (K. Yünlü, F. Basolo, A.L. Rheingold), (330) 221

Ruthenium

- Aluminohydrideruthenium(II) complexes, preparation of (D.H. Lee, H. Suzuki, Y. Morooka), (330) C20
- Cyclopentadienylruthenium(II) complexes, cleavage of aromatic and vinylic C-H bonds by (H. Lehmkühl, M. Bellenbaum, J. Grundke), (330) C23
- Mixed clusters of bismuth with osmium and ruthenium, preparation and characterisation of; crystal and molecular structures of $Os_3(\mu\text{-H})_3(CO)_9(\mu_3\text{-Bi})$, $Os_4(CO)_{12}(\mu_4\text{-Bi})_2$, $Ru_3(\mu\text{-H})_3(CO)_9(\mu_3\text{-Bi})$, and $Ru_4(CO)_{12}(\mu_4\text{-Bi})_2$ (H.G. Ang, C.M. Hay, B.F.G. Johnson, J. Lewis, P.R. Raithby, A.J. Whittom), (330) C5
- Ruthenium-catalysed carbonylation of amines, solvent effects in; selective synthesis of dialkylformamides (G. Bitsis, G. Jenner), (330) 429
- Triruthenium cluster, double oxidative addition of C-H bonds on; synthesis and characterisation of $Ru_3(\mu\text{-H}_2, \eta^2, \mu_3\text{-C(OEt)}=\text{C(H)})\text{-}(CO)_9$ and $Ru_3(\mu\text{-H}_2, \eta^2, \mu_3\text{-C(OEt)}\text{N(Me)}\text{-C(H)})\text{(CO)}_9$ (C.M. Jensen, H.D. Kaesz), (330) 133
- Tris(triphenylphosphine)ruthenium polyhydride complexes, catalysis of hydrogenation of benzophenone by (D.E. Linn, Jr., J. Halpern), (330) 155

Samarium

- Cyclooctatetraenide derivatives of divalent samarium (A.L. Wayda, S. Cheng, I. Mukerji), (330) C17

Selenium

- Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

- Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrmann), (330) 365

- Organoiron complexes containing selenium atom bridges, structure of (C. Hecht, E. Herdtweck, J. Rohrmann, W.A. Herrmann, W. Beck, P. Fritz), (330) 389

- Selenium and tellurium heterocyclic compounds, charge transfer complexes from (K.Y. Abis, W.R. McWhinnie), (330) 337

Silicon

- η^6 -Arene-rhodium(III) and -iridium(III) complexes, $[(Me_2SiC_6H_5)_4M_2H_2]$ ($M = Rh, Ir$), synthesis and structure determination of (M.-J. Fernandez, M.A. Esteruelas, L.A. Oro, J. Ruiz, A.J. Smith, P.M. Maitlis), (330) 179

- $C_5H_5MnL_2HSiR_3$ complexes, MO analysis of the MnSiH three-centre interaction in (H. Rababá, J.-Y. Saillard, U. Schubert), (330) 397

- Dialkylaminotrimethylsilylacetylenes, reactions with metal carbonyls of (R.B. King, R.M. Murray, R.E. Davis, P.K. Ross), (330) 115

- Hexameric lithium dimethylnaphthylsilanoate, $[LiOSiNpMe_2]_6$, crystal and molecular structure of (T.A. Bazhenova, R.M. Lobkovskaya, R.P. Shibaeva, A.E. Shilov, A.K. Shilova), (330) 9

- α -Phenylenediphosphine derivatives, unexpected redox behaviour during cyclisation reactions of (K. Issleib, H. Schmidt, E. Leissring), (330) 17

- Tris(trimethylsilyl)methylsilicon compounds, reactions with organolithium reagents of (D.B. Azarian, C. Eaborn, P.D. Lickiss), (330) 1

Sulphur

- Di- and tri-organotin(IV) diphenyldithiophosphinates, preparation and characterisation of (C. Silvestru, F. Ilies, I. Haiduc, M. Gielen, J.J. Zuckerman), (330) 315

- Five-coordinate carbyne-tungsten complex with a 1,2-dithiole ligand, synthesis of (A.C. Filippou, E.O. Fischer), (330) C1

- Hydrogen chalcogenido-chromium, -molybdenum and -tungsten, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrmann), (330) 365

Tantalum

Hexacarbonyl-group 5 metal derivatives, reactions with 9,10-phenanthrenequinone of (F. Calderazzo, G. Pampaloni), (330) 47

Pentachlorotantalum reduction in pure trimethylphosphine; synthesis of compounds containing $Ta\eta^2-CHPMe_2$; crystal structure of $[Ta(\eta^2-CHPMe_2)(\eta-C_4H_6)(PMe_3)_2Cl]$ (M.L.H. Green, P.M. Hare, J.A. Bandy), (330) 61

Tellurium

Selenium and tellurium heterocyclic compounds, charge transfer complexes from (K.Y. Abis, W.R. McWhinnie), (330) 337

Thallium

Cyclopentadienylthallium(I) compounds with bulky cyclopentadienyl ligands, preparation and characterisation of (H. Schumann, C. Janiak, H. Khani), (330) 347

Tin

Bivalent group 14 metal amides and alkyls, oxidative addition reactions of organic halides or acid anhydrides to (M.F. Lappert, M.C. Misra, M. Onyszchuk, R.S. Rowe, P.P. Power, M.J. Slade), (330) 31

cis-(CO)₄(SnPh₃)Re[C(OEt)NR₂] (R = i-Pr, cyclohexyl), behaviour towards Lewis acids of (A.C. Fillippou, E.O. Fischer, H.G. Alt), (330) 325

Di- and tri-organotin(IV) diphenyldithiophosphinates, preparation and characterisation of (C. Silvestru, F. Ilies, I. Haiduc, M. Gielen, J.J. Zuckerman), (330) 315

Dialkyldihalogenotin, highly selective synthesis directly from tin and alkyl halides or (R. Ugo, A. Chiesa, A. Fusi), (330) 25

Tungsten

Five-coordinate carbyne-tungsten complex with a 1,2-dithiolene ligand, synthesis of (A.C. Fillippou, E.O. Fischer), (330) C1

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, preparation and reactive behaviour of (R.A. Fischer, W.A. Herrmann), (330) 377

Hydrogen chalcogenido-chromium, -molybdenum and -tungsten complexes, synthesis of (R.A. Fischer, H.-J. Kneuper, W.A. Herrmann), (330) 365

Mono- and di-hydrido-bridged platinum(II)-tungsten(IV) complexes; X-ray crystal structure of $[Cp_2W(\mu-H)_2PtPh(PEt_3)_2][BPh_4]$ and $[Cp_2(H)W(\mu-H)PtPh(PEt_3)_2][BPh_4]$. (A. Albinati, R. Naegeli, A. Togni, L.M. Venanzi), (330) 85

Vanadium

Hexacarbonyl-group 5 metal derivatives, reactions with 9,10-phenanthrenequinone of (F. Calderazzo, G. Pampaloni), (330) 47