

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 322 (1987)
SUBJECT INDEX
Aluminium

Methylaluminium complexes with anisole, reaction mechanisms of (K.B. Starowieyski, Z. Rzepkowska), (322)309

Trimeric aluminium phosphamide $[(CH_3)_2AlP(CH_3)_2]_3$, molecular structure determined by gas electron diffraction (A. Haaland, J. Hougen, H.V. Volden, G. Hanika, H.H. Karsch), (322)C24

Boron

Stannacyclopentadienes, preparation via organoboration of diethyldimethylstannane with *B*-alkyl-9-borabicyclo[3.3.1]nonanes (C. Bihlmayer, S.T. Abu-Orabi, B. Wrackmeyer), (322)25

Cadmium

Dicyclopentadienylpyridinecadmium complex, structure of (B. Fischer, G.P.M. van Mier, J. Boersma, W.J.J. Smeets, A.L. Spek), (322)C37

Chromium

Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322)331

Cobalt

Cobalt and ruthenium catalysts for hydrocarbonylation of butanols (P. Andrianary, G. Jenner), (322)89
Hydrocobaloxime addition to (*H*)-1-phenyl-

propene, stereochemistry of forward and reverse reactions in (S. Derenne, A. Laudemer, M.D. Johnson), (322)229

Pentamethylcyclopentadienyl complexes: $[(\eta^5-C_5Me_5)Ru(PPh_3)(L)Cl]$ (L = Co, *t*-BuNC) and $[(\eta^5-C_5Me_5)Ru(L)_2Cl]$ (L = *t*-BuNC, norbornadiene), preparation and reactivity of (F.M. Conroy-Lewis, S.J. Simpson), (322)221

Phenylpropylbis(dimethylglyoximate)pyridine-cobalt(III) in aqueous sulphuric acid, kinetics, and mechanism of decomposition of (S. Derenne, A. Gaudemer, M.D. Johnson), (322)239

Copper

Copper(I) complexes with ethylene, structural study of; crystal structures of $[Cu(2,2'$ -pyridine)(ethylene)]ClO₄ and $[Cu(1,10$ -phenanthroline)(ethylene)]ClO₄ (H. Masuda, N. Yamamoto, T. Taga, K. Machida, S. Kitagawa, M. Munakata), (322)121

Germanium

α -Triorganostannyllithiums with Group IVB organometallic halides, reactions of; formation of α -trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322)151

Iridium

Orthometallated iridium(III) compounds, synthesis by chemical and electrochemical methods of (P. Lahuerta, J. Latorre, I. Solana), (322)377

Iron

Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322)331

Carbanion addition to a metallated acetaldehyde, regioselective alkene synthesis (D.F. Marten, M.N. Akbari), (322)99

Carbonyliron compounds, reactions with ketenimines of (T. Sielisch, U. Behrens), (322)203

[CpFeP₂L]⁺ cations, (Cp = C₅H₅, C₅Me₅; L = CO vs. CH₃CN; P = phosphine, phosphite), photosynthesis, reactivity and electrochemical properties of (J. Ruiz, E. Roman, D. Astruc), (322)C13

Diphosphazane- and diphosphine-bridged iron and ruthenium derivatives; dependence of the nature of the hydride ligand on the metal and the bridging diphosphorus ligand (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer, K.G. Moodley), (322)C7

Ligand-iron(0) systems, 1,3-diene reactions with CO₂ at; formation of carboxylates and their reactions (H. Hoberg, K. Jenni), (322)193

μ -Methyleneiron complex, double acetylene insertion into; formation of μ -(divinyl)-carbeneiron complex after double hydrogen migration (D. Navarre, A. Parlier, H. Rudler, J.C. Daran), (322)103

Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schlöter, J. Heidrich, W. Beck), (322)77

Lead

α -Triorganostannylnylnyllithiums with Group IVB organometallic halides, reactions of; formation of α -trimethylplumbylnylnyllithiums (T.N. Mitchell, W. Reimann), (322)151

Lithium

Allyl(pentamethyldiethylenetriamine)lithium, Li-C₃H₅(Me₂NC₂H₄N(Me)C₂H₄NMe₂), preparation and crystal structure of (U. Schümann, E. Weiss, H. Dietrich, W. Mahdi), (322)299

1-Amido-2-vinylcyclopropanes, preparation from monohalogenated allyllithium compounds and α -ethylenic tertiary-amides (P. Ongoka, B. Mauze, L. Miginiac), (322)131

Carbanion addition to a metallated acetaldehyde, regioselective alkene synthesis (D.F. Marten, M.N. Akbari), (322)99

Diene(polyfluorophenyl)platinum(II) complexes, preparations and ligand displacement reactions of (G.B. Deacon, K.T. Nelson-Reed), (322)257

α -Triorganostannylnylnyllithiums with Group IVB organometallic halides, reactions of; formation of α -trimethylplumbylnylnyllithiums (T.N. Mitchell, W. Reimann), (322)151

Vinylnyllithiums containing triorganostannyl groups on the α -carbon atom, preparation and stability of (T.N. Mitchell, W. Reimann), (322)141

Magnesium

Carbanion addition to a metallated acetaldehyde, regioselective alkene synthesis (D.F. Marten, M.N. Akbari), (322)99

Manganese

Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schlöter, J. Heidrich, W. Beck), (322)77

Mercury

Organoplatinum(II) formate complexes, preparation, characterisation and reactions of (M. Crespo, J. Sales), (322)405

Phenylmercury dithiolates, preparation and characterisation of; crystal and molecular structure of (C₆H₅)Hg(S₂COR) (R = Me; ⁱPr) and (C₆H₅)Hg(S₂CNEt₂) (E.R.T. Tiekink), (322)1

Metalloenes

Permethyltrocene chloride, synthesis and coordination chemistry of (K.H. den Haan, J.H. Teuben), (322)321

ansa-Titanocene chiral derivative with trimethylene-bridged tetrahydroindenyl ligands, synthesis of (W. Röhl, L. Zsolnai, G. Huttner, H.H. Brintzinger), (322)65

Molybdenum

- (η^3 -Allyl)dicarbonylmolybdenum(II) complexes of the unsymmetrical diphosphenes $\text{Ph}_2\text{PP}(\text{C}_6\text{H}_4\text{X})$ ($\text{X} = m\text{-F}$, $p\text{-F}$ or $m\text{-CF}_3$) (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercykutty), (322)71
- Benzaldehyde and acetophenone cationic complexes, formation by hydride or methyl abstraction from ($\eta^5\text{-C}_5\text{H}_5$)(CO)₃MH ($\text{M} = \text{Mo}$, W) and (CO)₅ReCH₃ with benzylium hexafluoroantimonate (M. Appel, W. Sacher, W. Beck), (322)351
- Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322)331
- Carbonyldi- η -cyclopentadienylhydridoniobium, insertion reactions with heteroallenes of (G.E. Herberich, H. Mayer), (322)C29
- Dicyclopentadienyldiphenylphosphinehydridomolybdenum(IV) chloride, preparation and reactions with electron poor alkynes; formation of molybdaphosphacyclobutanes and X-ray structure of [($\eta^5\text{-C}_5\text{H}_5$)₂MoCH(CF₃)-CH(CF₃)PPh₂]Cl · H₂O (M.M. Kubicki, R. Kergoat, M. Cariou, J.E. Guerschais, P. L'Haridon), (322)357
- Molybdenum and tungsten cyclopentadienyl-pentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structure of [MoTi(SC₆F₅)₂Cp] ($\text{L} = \text{SC}_6\text{F}_5$, CO) (W.A.W.A. Bakar, J.L. Davidson, K.J. McCullough, K.W. Muir), (322)C1
- Organometallic derivatives with anions of fluoro-sulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322)77

Neodymium

- Cyclopentadienylneodymium dichloride, crystal structure of (G. Yang, Y. Fan, Z. Jin, Y. Xin, W. Chen), (322)57

Nickel

- Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322)331
- (tmeda)Ni($\eta^2\text{-C}_4\text{H}_6$)₂ and {(tmeda)Ni($\eta^2\text{-C}_4\text{H}_6$)}₂($\eta^2, \eta^2\text{-C}_4\text{H}_6$), preparation and properties of (W. Schröder, K.R. Pörschke), (322)385

Palladium

- Ruthenium-palladium and ruthenium-rhodium complexes linked by pyrazolate groups and chlorine atoms, synthesis of; crystal structure of [(*p*-cymene)ClRu($\mu\text{-Cl}$)($\mu\text{-pz}$)Pd(C₈H₁₁)] (M.P. Garcia, A. Portilla, L.A. Oro, C. Foces-Foces, F.H. Cano), (322)111

Phosphorus

- (η^3 -Allyl)dicarbonylmolybdenum(II) complexes of the unsymmetrical diphosphenes $\text{Ph}_2\text{PP}(\text{C}_6\text{H}_4\text{X})$ ($\text{X} = m\text{-F}$, $p\text{-F}$ or $m\text{-CF}_3$) (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercykutty), (322)71
- [CpFeP₂L]⁺ cations, (Cp = C₅H₅, C₅Me₅; L = CO vs. CH₃CN; P = phosphine, phosphite), photosynthesis, reactivity and electrochemical properties of (J. Ruiz, E. Roman, D. Astruc), (322)C13
- Dicyclopentadienyldiphenylphosphinehydridomolybdenum(IV) chloride, preparation and reactions with electron poor alkynes; formation of molybdaphosphacyclobutanes and X-ray structure of [($\eta^5\text{-C}_5\text{H}_5$)₂MoCH(CF₃)-CH(CF₃)PPh₂]Cl · H₂O (M.M. Kubicki, R. Kergoat, M. Cariou, J.E. Guerschais, P. L'Haridon), (322)357
- Diphosphazane- and diphosphine-bridged iron and ruthenium derivatives; dependence of the nature of the hydride ligand on the metal and the bridging diphosphorus ligand (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer, K.G. Moodley), (322)C7
- Ligand-iron(0) systems, 1,3-diene reactions with CO₂ at; formation of carboxylates and their reactions (H. Hoberg, K. Jenni), (322) 193
- Me₃SnO₂PCl₂ and Me₃SnO₂PMe₂, crystal structures of; vibrational spectra of Me₃SnO₂PMe₂ (F. Weller, A.-F. Shihada), (322)185
- Organometallic derivatives with anions of fluoro-sulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322)77
- Pentamethylcyclopentadienyl complexes: [($\eta^5\text{-C}_5\text{Me}_5$)Ru(PPh₃)(L)Cl] ($\text{L} = \text{Co}$, *t*-BuNC) and [($\eta^5\text{-C}_5\text{Me}_5$)Ru(L)₂Cl] ($\text{L} = \text{t-BuNC}$, norbornadiene), preparation and reactivity of (F.M. Conroy-Lewis, S.J. Simpson), (322)221
- Platinum(II)/tin(II) systems, catalytic olefin hydrogenation supported on phosphinated polystyrenes by; a solid-state ³¹P NMR study (H.C. Clark, C.A. Fyfe, P.J. Hayes, I. McMahon, J.A. Davies, R.E. Wasylshen), (322) 393

Trimeric aluminium phosphamide $[(CH_3)_2AlP(CH_3)_2]_3$, molecular structure determined by gas electron diffraction (A. Haaland, J. Hougen, H.V. Volden, G. Hanika, H.H. Karsch), (322)C24

Platinum

Diene(polyfluorophenyl)platinum(II) complexes, preparations and ligand displacement reactions of (G.B. Deacon, K.T. Nelson-Reed), (322)257

Organoplatinum(II) formate complexes, preparation, characterisation and reactions of (M. Crespo, J. Sales), (322)405

Platinum(II)/tin(II) systems, catalytic olefin hydrogenation supported on phosphinated polystyrenes by; a solid-state ^{31}P NMR study (H.C. Clark, C.A. Fyfe, P.J. Hayes, I. McMahon, J.A. Davies, R.E. Wasylshen), (322) 393

Rhenium

Benzaldehyde and acetophenone cationic complexes, formation by hydride or methyl abstraction from $(\eta^5-C_5H_5)(CO)_3MH$ ($M = Mo, W$) and $(CO)_5ReCH_3$ with benzylium hexafluoroantimonate (M. Appel, W. Sacher, W. Beck), (322)351

Organometallic derivatives with anions of fluoro-sulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322)77

Re_7 carbido-carbonyl complexes, synthesis of; X-ray crystal structure of the anion $[Re_7C(CO)_{22}]^-$ (T. Beringhelli, G. D'Alfonso, M. De Angelis, G. Ciani, A. Sironi), (322)C21

Rhodium

Carbonyl-rhodium(I) and -rhodium(II) complexes containing *N*-thionitrosodimethylamine (G. Tresoldi, S. Sergi, S.L. Schiavo, P. Piraino), (322)369

Homogeneous rhodium catalyst for ethylene glycol formation from synthesis gas (Y. Kiso, M. Tanaka, T. Hayashi, K. Saeki), (322) C32

Rhodium(I) anionic and neutral complexes containing trichlorostannato ligands, isolation and reactions of (V. Garcia, M.A. Garralda, E. Zugasti), (322)249

Ruthenium-palladium and ruthenium-rhodium complexes linked by pyrazolate groups and chlorine atoms, synthesis of; crystal structure of $[(p\text{-cymene})ClRu(\mu\text{-Cl})(\mu\text{-pz})Pd(C_8H_{11})]$ (M.P. Garcia, A. Portilla, L.A. Oro, C. Foces-Foces, F.H. Cano), (322)111

Ruthenium

Cobalt and ruthenium catalysts for hydro-carbonylation of butanols (P. Andrianary, G. Jenner), (322)89

Diphosphazane- and diphosphine-bridged iron and ruthenium derivatives; dependence of the nature of the hydride ligand on the metal and the bridging diphosphorus ligand (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer, K.G. Moodley), (322)C7

Pentamethylcyclopentadienyl complexes: $[(\eta^5-C_5Me_5)Ru(PPh_3)(L)Cl]$ ($L = Co, t\text{-BuNC}$) and $[(\eta^5-C_5Me_5)Ru(L)_2Cl]$ ($L = t\text{-BuNC, norbornadiene}$), preparation and reactivity of (F.M. Conroy-Lewis, S.J. Simpson), (322) 221

Pyrazolate-bridged ruthenium(I) complexes, synthesis of; X-ray structure of bis- μ -(3,5-dimethylpyrazolate)bis(tricarbonylruthenium(I))(Ru-Ru) (J.A. Cabeza, C. Landazuri, L.A. Oro, A. Tiripicchio, M. Tiripicchio-Camellini), (322)C16

Ruthenium-palladium and ruthenium-rhodium complexes linked by pyrazolate groups and chlorine atoms, synthesis of; crystal structure of $[(p\text{-cymene})ClRu(\mu\text{-Cl})(\mu\text{-pz})Pd(C_8H_{11})]$ (M.P. Garcia, A. Portilla, L.A. Oro, C. Foces-Foces, F.H. Cano), (322)111

Silicon

Organosilicon compounds, recent developments in structural chemistry of (*Review*) (V.E. Shklover, Yu.T. Struchkov), (322) 269

Sila-retinol, the first sila-substituted vitamin (R. Münstedt, U. Wannagat), (322)11

α -Triorganostannyllithiums with Group IVB organometallic halides, reactions of; formation of α -trimethylplumbylvinylolithiums (T.N. Mitchell, W. Reimann), (322)151

Sulphur

Carbonyldi- η -cyclopentadienylhydridoniobium, insertion reactions with heteroallenes of (G.E. Herberich, H. Mayer), (322)C29

- Carbonyl-rhodium(I) and -rhodium(III) complexes containing *N*-thionitrosodimethylamine (G. Tresoldi, S. Sergi, S.L. Schiavo, P. Piraino), (322)369
- Molybdenum and tungsten cyclopentadienyl-pentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structures of $[\text{MoTi}(\text{SC}_6\text{F}_5)_2\text{Cp}]$ ($\text{L} = \text{SC}_6\text{F}_5, \text{CO}$) (W.A.W.A. Bakar, J.L. Davidson, W.E. Lindsell, K.J. McCullough, K.W. Muir), (322)C1
- Organometallic derivatives with anions of fluoro-sulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322)77
- Phenylmercury dithiolates, preparation and characterisation of; crystal and molecular structure of $(\text{C}_6\text{H}_5)_2\text{Hg}(\text{S}_2\text{COR})$ ($\text{R} = \text{Me}; ^i\text{Pr}$) and $(\text{C}_6\text{H}_5)_2\text{Hg}(\text{S}_2\text{CNEt}_2)$ (E.R.T. Tiekink), (322)1
- Phenylpropylbis(dimethylglyoximate)pyridine-cobalt(III) in aqueous sulphuric acid, kinetics, and mechanism of decomposition of (S. Derenne, A. Gaudemer, M.D. Johnson), (322)239
- Thienyltetraorganotin(IV) compounds, Mössbauer and NMR studies of intramolecular coordination in; X-ray crystal structure of $\{C, N\text{-}[3\text{-}(2\text{-pyridyl})\text{-}2\text{-thienyl}]\text{tri}(p\text{-tolyl})\text{-tin(IV)}$ (V.G. Kumar Das, L.K. Mun, C. Wei, S.J. Blunden, T.C.W. Mak), (322)163
- Mahon, J.A. Davies, R.E. Wasylshen), (322)393
- Rhodium(I) anionic and neutral complexes containing trichlorostannato ligands, isolation and reactions of (V. Garcia, M.A. Garralda, E. Zugasti), (322)249
- Selective allylation in the presence of tin or zinc of carbonyl compounds in aqueous media (C. Einhorn, J.-L. Luche), (322)177
- Stannacyclopentadienes, preparation via organoboration of diethnyldimethylstannane with *B*-alkyl-9-borabicyclo[3.3.1]nonanes (C. Bihlmayer, S.T. Abu-Orabi, B. Wrackmeyer), (322)25
- Thienyltetraorganotin(IV) compounds, Mössbauer and NMR studies of intramolecular coordination in; X-ray crystal structure of $\{C, N\text{-}[3\text{-}(2\text{-pyridyl})\text{-}2\text{-thienyl}]\text{tri}(p\text{-tolyl})\text{-tin(IV)}$ (V.G. Kumar Das, L.K. Mun, C. Wei, S.J. Blunden, T.C.W. Mak), (322)163
- α -Triorganostannyllithiums with Group IVB organometallic halides, reactions of; formation of α -trimethylplumbylvinylithiums (T.N. Mitchell, W. Reimann), (322)151
- Triphenyltin(IV) 8-quinolyloxyacetate hydrate, $[\text{Ph}_3\text{SnO}_2\text{CCH}_2(8\text{-C}_9\text{H}_6\text{NO}) \cdot \text{H}_2\text{O}]_n$, organotin ester derivative built of hydrogen-bonded helical chains (V.G. Kumar Das, C. Wei, S. Wing, T.C.W. Mak), (322)23
- Vinylithiums containing triorganostanyl groups on the α -carbon atom, preparation and stability of (T.N. Mitchell, W. Reimann), (322)141

Thallium

- Molybdenum and tungsten cyclopentadienyl-pentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structures of $[\text{MoTi}(\text{SC}_6\text{F}_5)_2\text{Cp}]$ ($\text{L} = \text{SC}_6\text{F}_5, \text{CO}$) (W.A.W.A. Bakar, J.L. Davidson, K.J. McCullough, K.W. Muir), (322)C1

Tin

- Benzyltin compounds, ^1H CIDNP investigation of photolysis of (A. Standt, H. Dreeskamp), (322)49
- $\text{Me}_3\text{SnO}_2\text{PCL}_2$ and $\text{Me}_3\text{SnO}_2\text{PMe}_2$, crystal structures of; vibrational spectra of $\text{Me}_3\text{SnO}_2\text{PMe}_2$ (F. Weller, A.-F. Shihada), (322)185
- Platinum(II)/tin(II) systems, catalytic olefin hydrogenation supported on phosphinated polystyrenes by; a solid-state ^{31}P NMR study (H.C. Clark, C.A. Fyfe, P.J. Hayes, I. Mc-

Titanium

- ansa*-Titanocene chiral derivative with trimethylene-bridged tetrahydroindenyl ligands, synthesis of (W. Röhl, L. Zsolnai, G. Huttner, H.H. Brintzinger), (322)65

Tungsten

- Benzaldehyde and acetophenone cationic complexes, formation by hydride or methyl abstraction from $(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{MH}$ ($\text{M} = \text{Mo}, \text{W}$) and $(\text{CO})_5\text{ReCH}_3$ with benzylium hexafluoroantimonate (M. Appel, W. Sacher, W. Beck), (322)351
- Molybdenum and tungsten cyclopentadienyl-pentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structures of $[\text{MoTi}(\text{SC}_6\text{F}_5)_2\text{Cp}]$ ($\text{L} = \text{SC}_6\text{F}_5, \text{CO}$) (W.A.W.A. Bakar, J.L.

Davidson, K.J. McCullough, K.W. Muir),
(322)C1

Organometallic derivatives with anions of fluoro-
sulphonic acid, and perfluoro sulphonic and
carboxylic acids (M. Appel, K. Schloter, J.
Heidrich, W. Beck), (322)77

Yttrium

Permethyltrocene chloride, synthesis and co-
ordination chemistry of (K.H. den Haan, J.H.
Teuben), (322)321

Zinc

Selective allylation in the presence of tin or zinc
of carbonyl compounds in aqueous media (C.
Einhorn, J.-L. Luche), (322)177

Book reviews

A pictorial approach to molecular bonding; by
J.G. Verkade (322)C41

Metal clusters in catalysis; edited by B.C. Gates,
L. Guzzi and H. Knözinger (P.A. Chaloner),
(322)C27