

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 335 (1987)

SUBJECT INDEX

Aluminium

$(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{Cl})(\mu_2\text{-H})_2\text{Ti}(\eta^5\text{-C}_5\text{H}_5)_2$, catalyst-presursor for hydrogenation in the $[(\eta^5\text{-C}_5\text{H}_5)_2\text{TiCl}]_2 \cdot \text{LiAlH}_4$ system, molecular structure and physico-chemical properties of (A.I. Sizov, I.V. Molodnitskaya, B.M. Bulychev, E.V. Evdokimova, G.L. Soloveichik, A.I. Gusev, E.B. Chuklanova, V.I. Andrianov), (335)323

Dicyclopentadienyl-yttrium and -aluminium hydrido-chloride complexes; crystal and molecular structures of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Y}(\mu_2\text{-Cl})(\mu_3\text{-H})\text{Y}(\eta^5\text{-C}_5\text{H}_5)_2](\mu_2\text{-H})_2\text{AlH} \cdot \text{NEt}_3 \cdot \text{C}_6\text{H}_6$ (A.B. Erofeev, B.M. Bulychev, V.K. Bel'skii, G.L. Soloveichik), (335)189

Dihalogeno(organylthio)alane, preparation and properties of (G.G. Hoffmann), (335)143

Arsenic

Octacarbonyl[bis(diphenylarsenido)]dirhenium, $\text{Re}_2(\text{CO})_8[\mu\text{-As}(\text{C}_6\text{H}_5)_2]_2$, synthesis and molecular structure of (A.-J. DiMaio, S.J. Geib, A.L. Rheingold), (335)97

Phosphanes and arsanes, reactions with diselenium complexes of (L.-R. Frank, K. Evertz, L. Zsolnai, G. Huttner), (335)179

Bismuth

Organo-molybdenum and -tungsten complexes containing bismuth, synthesis of (W. Clegg, N.A. Compton, R.J. Errington, N.C. Norman), (335)C1

Chromium

$(\eta^6\text{-Anisole})(\eta^2\text{-benzene})\text{dicarbonylchromium}(0)$, intermediate on photochemical carbonyl substitution of $(\eta^6\text{-anisole})\text{tricarboxylchromium}(0)$ in benzene (S. Oishi), (335)207

$(\text{C}_5\text{Me}_5)_2\text{Mo}_2\text{P}_x\text{S}_y$ complexes ($x = 2, 4$; $y = 5 - x$), P/S ligands in (H. Brunner, U. Klement,

W. Meier, J. Wachter, O. Serhadle, M.L. Ziegler), (335)339

Crystalline inorganic and organometallic complexes, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoldi, A.P. Chagas), (335)71

Isocyanidoferrocene derivatives, preparation, complexation and redox properties of (T. El-Shihi, F. Sigmüller, R. Herrmann, M.F.N.N. Carvalho, A.J.L. Pombeiro), (335)239

Tetracarbonyl[$\eta^4\text{-(1,1,3,4-tetramethylsiloole)}$]chromium, crystal structure of (G.E. Herberich, B. Hessner, E. Colomer, M. Lheureux), (335)91

1,3,5-Triphenylbenzenetricarbonylchromium complexes, X-ray crystallographic and high-field NMR spectroscopic study of (B. Mailvaganam, B.E. McCarry, B.G. Sayer, R.E. Perrier, R. Faggiani, M.J. McGlinchey), (335)213

Cobalt

Enantioselective hydrosilylation, complexes with free donor groups as co-catalysts for (H. Brunner, H. Fisch), (335)15

Stereochemically active lone pairs of electrons in group 14 compounds; crystal structure of $\{\eta^5\text{-C}_5\text{H}_5\text{Co}[\text{P}(\text{OC}_2\text{H}_5)_2\text{O}]_3\}_2\text{M}^{\text{II}}$ ($\text{M} = \text{Sn}, \text{Pb}$) (E.M. Holt, W. Kläui, J.J. Zuckerman), (335)29

Germanium

Germylemercurate complexes, reactivity of (L.V. Pankratov, I.M. Penyafina, L.N. Zakharov, M.N. Bochkarev, G.A. Razuvaev, Yu.K. Grishin, Yu.A. Ustynyuk, Yu.T. Struchkov), (335)313

Organylgermanium sesquichlorochalcogenides, $(\text{RGe})_{2n}\text{Y}_{3n-1}\text{Cl}_2$ ($n = 1-3$; $\text{Y} = \text{O}, \text{S}, \text{Se}$; $\text{R} = \text{t-Bu}, \text{mesityl}$), preparation and X-ray analysis of (H. Puff, K. Braun, S. Franken, T.R. Kök, W. Schuh), (335)157

Gold

Amorphous organogold compounds, radial distribution function study of molecular structure of (V.I. Korsunsky, K.I. Grandberg, E.I. Smyslova, T.V. Baukova), (335)277

Iridium

Cyclometallated transition metal complexes, formation by metal exchange in organomercury complexes of (E.C. Constable, T.A. Leese), (335)293

Hydride, alkyl and halide iridium and zirconium complexes, MO study of stereoselective addition to (L. Zhu, N.M. Kostic), (335)395

Iron

(*t*-Butylthio)(hydrido)nonacarbonyliron, Fe₃(CO)₉(μ₂-H)(μ₃-S-*t*-Bu), kinetic investigations of deprotonation by amines of (L.-R. Frank, A. Winter, G. Huttner), (335)249

Cycloaddition of tetracyanoethene to Mn, Fe and Ni complexes, hydration of a W complex; X-ray structures of Fe{C[=C(CN)₂]-CPh=C(CN)₂}₂(CO)₂(η-C₅H₅) and Ni{C[=C(CN)₂]CPh=C(CN)₂}₂·4-(PPh₃)(η-C₅H₅) (M.I. Bruce, D.N. Duffy, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (335)365

Enantioselective hydrosilylation, complexes with free donor groups as co-catalysts for (H. Brunner, H. Fisch), (335)15

[10]Ferrocenophanedioxime with bridging heteroatoms and its nickel(II) complex, synthesis of (M. Ertas, V. Ahsen, A. Gül, Ö. Bekároğlu), (335)105

Isocyanidoferrocene derivatives, preparation, complexation and redox properties of (T. El-Shihi, F. Sigmüller, R. Herrmann, M.F.N.N. Carvalho, A.J.L. Pombeiro) (335)239

Mono- and bi-dentate xanthate complexes, η⁵-C₅R₅Fe(CO)(η¹-SC(S)OEt)L and η⁵-C₅R₅Fe(η²-S₂COEt)L (R = H, Me; L = PBu₃, PPh₃, P(OEt)₃, P(OPh)₃), synthesis, characterisation and electrochemistry of (M. Morán, I. Cuadrado, J.R. Masaguer, J. Losada), (335)255

Lead

Dihalogeno(organylthio)alane, preparation and properties of (G.G. Hoffmann), (335)143

Stereochemically active lone pairs of electrons in group 14 compounds; crystal structure of {η⁵-C₅H₅Co[P(OC₂H₅)₂O]₃}₂M^{II} (M = Sn,

Pb) (E.M. Holt, W. Kläui, J.J. Zuckerman), (335)29

Lithium

Alkyluranium(III) complexes, (η⁵-C₅H₅)₃URLi, ligand exchange reactions of (M. Foyentin, G. Folcher, M. Ephritikhine), (335)201

Magnesium

2-(2-Alkenyl)thiazolidines, regioselective synthesis from thiazolines and allylic Grignard reagents of (J. Laduranty, F. Barbot, L. Miginiac), (335)283

Manganese

Crystalline inorganic and organometallic complexes, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoidi, A.P. Chagas), (335)71

Cycloaddition of tetracyanoethene to Mn, Fe and Ni complexes, hydration of a W complex; X-ray structures of Fe{C[=C(CN)₂]-CPh=C(CN)₂}₂(CO)₂(η-C₅H₅) and Ni{C[=C(CN)₂]CPh=C(CN)₂}₂(PPh₃)(η-C₅H₅) (M.I. Bruce, D.N. Duffy, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (335)365

1-Methylphenylimidazolomanganese(I) cyclometallated complexes, preparation and IR and ¹H NMR spectra of (A. Suárez, J.M. Vila, M.T. Pereira, E. Gayoso, M. Gayoso), (335)359

Mercury

Cyclometallated transition metal complexes, formation by metal exchange in organomercury complexes of (E.C. Constable, T.A. Leese), (335)293

Germylemercurate complexes, reactivity of (L.V. Pankratov, I.M. Penyagina, L.N. Zakharov, M.N. Bochkarev, G.A. Razuvaev, Yu.K. Grishin, Yu.A. Ustynuk, Yu.T. Struchkov), (335)313

Metalloenes

Alkyluranium(III) complexes, (η⁵-C₅H₅)₃URLi, ligand exchange reactions of (M. Foyentin, G. Folcher, M. Ephritikhine), (335)201

Bis(trimethylsilylcyclopentadienyl)niobium, synthesis and reactivity towards cumulene

- ligands of (A. Antiñolo, S. Garcia-Lledó, J. Martínez de Ilarduya, A. Otero), (335)85
- (η^5 -C₅H₅)₂Ti(μ_2 -H)₂Al(Cl)(μ_2 -H)₂Ti(η^5 -C₅H₅)₂, catalyst-precursor for hydrogenation in the [(η^5 -C₅H₅)₂TiCl]₂ · LiAlH₄ system, molecular structure and physico-chemical properties of (A.I. Sizov, I.V. Molodnitskaya, B.M. Bulychev, E.V. Evdokimova, G.L. Soloveichik, A.I. Gusev, E.B. Chuklanova, V.I. Andrianov), (335)323
- Dicyclopentadienyl-yttrium and -aluminium hydrido-chloride complexes; crystal and molecular structures of [(η^5 -C₅H₅)₂Y(η_2 -Cl)(μ_3 -H)Y(η^5 -C₅H₅)₂](μ_2 -H)₂AlH · NEt₃ · C₆H₆ (A.B. Erofeev, B.M. Bulychev, V.K. Bel'skii, G.L. Soloveichik), (335)189
- [10]Ferrocenophanedioxime with bridging heteroatoms and its nickel(II) complex, synthesis of (M. Ertas, V. Ahsen, A. Gül, Ö. Bekároğlu), (335)105
- Isocyanidoferrocene derivatives, preparation, complexation and redox properties of (T. El-Shihi, F. Siglmüller, R. Herrmann, M.F.N.N. Carvalho, A.J.L. Pombreira), (335)239
- Mono- and bi-dentate xanthate complexes, η^5 -C₅R₅Fe(CO)(η^1 -SC(S)OEt)L and η^5 -C₅R₅Fe(η^2 -S₂COEt)L (R = H, Me; L = PBu₃, PPh₃, P(OEt)₃, P(OPh)₃), synthesis, characterisation and electrochemistry of (M. Morán, I. Cuadrado, J.R. Masaguer, J. Losada), (355)255
- Molybdenum**
- (C₅Me₅)₂Mo₂P_xS_y complexes (x = 2, 4; y = 5 - x), P/S ligands in (H. Brunner, U. Klement W. Meier, J. Wachter, O. Serhadle, M.L. Ziegler), (335)33
- Crystalline inorganic and organometallic complexes, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoidi, A.P. Chagas), (335)71
- Enantioselective hydrosilylation, complexes with free donor groups as co-catalysts for (H. Brunner, H. Fisch), (335)15
- Metallophosphonium complexes derived from related cyclic and acyclic aminohalophosphines, synthesis and structure of (L.H. Hutchins, H.-U. Reisacher, G.L. Wood, E.N. Duesler, R.T. Paine), (335)229
- Organo-molybdenum and -tungsten complexes containing bismuth, synthesis of (W. Clegg, N.A. Compton, R.J. Errington, N.C. Norman), (335)C1

Nickel

- Cycloaddition of tetracyanoethene to Mn, Fe and Ni complexes, hydration of a W complex; X-ray structures of Fe{C[=C(CN)₂]CPh=C(CN)₂}(CO)₂(η -C₅H₅) and Ni{C[=C(CN)₂]CPh=C(CN)₂}(PPh₃)(η -C₅H₅) (M.I. Bruce, D.N. Duffy, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (335)365
- [10]Ferrocenophanedioxime with bridging heteroatoms and its nickel(II) complex, synthesis of (M. Ertas, V. Ahsen, A. Gül, Ö. Bekároğlu), (335)105
- Polymer-supported 2,2'-dipyridylmethane, catalytic activity of transition metal complexes in hydrogenations and oligomerisations (C. Moberg, L. Rákös), (335)125

Niobium

- Bis(trimethylsilylcyclopentadienyl)niobium, synthesis and reactivity towards cumulene ligands of (A. Antiñolo, S. Garcia-Lledó, J. Martínez de Ilarduya, A. Otero), (335)85
- Heterocumulene insertion into M-H bonds of (C₅H₅)₂M(L)H (M = Nb, Ta; L = CO, PMe₂Ph) (J.-F. Leboeuf, J.-C. Leblanc, C. Moise), (335)331

Osmium

- [Os(N)(CH₂S₂Me₃)₄][N-n-Bu₄], kinetic investigation of reaction with methyl iodide of (P.A. Shapley, Z.Y. Own), (335)269
- Tris(alkyne)triosmium cluster with an open structure; crystal structure of [Os₃(CO)₈(Me₂C₂)₃] (B.F. Johnson, R. Khattar, J. Lewis, P.R. L. Shy), (335)C17

Palladium

- η^3 -Allylpalladium complexes, mechanisms of nucleophilic addition to and influence of ligands on rates and regiochemistry (B. Åkermark, K. Zetterberg, S. Hansson, B. Krakenberger, A. Vitagliano), (335)133
- Cyclometallated transition metal complexes, formation by metal exchange in organomercury complexes of (E.C. Constable, T.A. Leese), (335)293
- Polymer-supported 2,2'-dipyridylmethane, catalytic activity of transition metal complexes in hydrogenations and oligomerisations (C. Moberg, L. Rákös), (335)125

Phosphorus

Carbonylhydridotris(triphenylphosphine)rhodium(I), $\text{RhH}(\text{CO})(\text{PPh}_3)_3$, and phosphinomethylzirconium as catalytic system for hydroformylation of 1-hexene (R. Choukroun, D. Gervais, P. Kalck, F. Senocq), (335)C9

$(\text{C}_5\text{Me}_5)_2\text{Mo}_2\text{P}_x\text{S}_y$ complexes ($x = 2, 4$; $y = 5 - x$), P/S ligands in (H. Brunner, U. Klement, W. Meier, J. Wachter, O. Serhadle, M.L. Ziegler), (335)339

Heterocumulene insertion into M-H bonds of $(\text{C}_5\text{H}_5)_2\text{M}(\text{L})\text{H}$ (M = Nb, Ta; L = CO, PMe_2Ph) (J.-F. Leboeuf, J.-C. Leblanc, C. Moise), (335)331

Metallophosphonium complexes derived from related cyclic and acyclic aminohalophosphines, synthesis and structure of (L.H. Hutchins, H.-U. Reisacher, G.L. Wood, E.N. Duesler, R.T. Paine), (335)229

Methanolhydrocarbonylation, synthesis, properties and chemistry of multidentate alkoxyethylphosphanes and their behaviour as directing ligands for (E. Lindner, S. Meyer, P. Wegner, B. Karle, A. Sickinger, B. Steger), (335)59

Mono- and bi-dentate xanthate complexes, $\eta^5\text{-C}_5\text{R}_5\text{Fe}(\text{CO})(\eta^1\text{-SC}(\text{S}(\text{OEt})\text{L}))$ and $\eta^5\text{-C}_5\text{R}_5\text{Fe}(\eta^2\text{-S}_2\text{COEt})\text{L}$ (R = H, Me; L = PBu_3 , PPh_3 , $\text{P}(\text{OEt})_3$, $\text{P}(\text{OPh})_3$), synthesis, characterisation and electrochemistry of (M. Morán, I. Cuadrado, J.R. Masaguer, J. Losada), (335)255

Oxo-phosphonato-rhenium complexes, formation from $[\text{ReOCl}_3(\text{PPh}_3)_2]$ and methyl phosphites of; crystal structure of $[\text{ReOCl}(\text{OMe})\{\text{P}(\text{O})(\text{OMe})_2\}(\text{PPh}_3)_2]$ (M.F.N.N. Carvalho, A.J.L. Pombeiro, D.L. Hughes, R.L. Richards), (335)C23

Phosphanes and arsanes, reactions with diselenium complexes of (L.-R. Frank, K. Evertz, I. Zsolnai, G. Huttner), (335)179

Tetrakis(μ -pyrophosphito)diplatinum(II) tetra-anion, thermal and photochemical addition of alkyl and aryl halides to (D.M. Roundhill, M.K. Dickson, S.J. Atherton), (335)413

Platinum

Tetrakis(μ -pyrophosphito)diplatinum(II) tetra-anion, thermal and photochemical addition of alkyl and aryl halides to (D.M. Roundhill, M.K. Dickson, S.J. Atherton), (335)413

Rhenium

Octacarbonyl[bis(diphenylarsenido)]dirhenium, $\text{Re}_2(\text{CO})_8[\mu\text{-As}(\text{C}_6\text{H}_5)_2]_2$, synthesis and

molecular structure of (A.-J. DiMaio, S.J. Geib, A.L. Rheingold), (335)97

Oxo-phosphonato-rhenium complexes, formation from $[\text{ReOCl}_3(\text{PPh}_3)_2]$ and methyl phosphites of; crystal structure of $[\text{ReOCl}(\text{OMe})\{\text{P}(\text{O})(\text{OMe})_2\}(\text{PPh}_3)_2]$ (M.F.N.N. Carvalho, A.J.L. Pombeiro, D.L. Hughes, R.L. Richards), (335)C23

Rhodium

2-Acylnorbornadienerhodium complexes, structure, reactivity and nature of the hydrogen bond in cationic products from *O*-protonation of (I.T. Chizhevsky, N.V. Rastova, N.E. Klobova, P.V. Petrovskii, L.E. Vinogradova), (335)109

Carbonylhydridotris(triphenylphosphine)rhodium(I), $\text{RhH}(\text{CO})(\text{PPh}_3)_3$, and phosphinomethylzirconium as catalytic system for hydroformylation of 1-hexene (R. Choukroun, D. Gervais, P. Kalck, F. Senocq), (335)C9

(Cyclooctadiene)(imine)rhodium(I) complexes containing multi-dentate ligands, preparation and characterisation of (H. Brunner, H. Fisch), (335)1

Rhodium(III) cyclometallated Schiff's base complexes derived from 2-benzylidene-3-methylpyridines, synthesis, structure and NMR spectra of; crystal structure of $[\text{RhH}\{2\text{-}(3\text{-nitrobenzylidene})\text{-3-methylpyridine}\}(\text{PPh}_3)_2]$ (A. Albinati, C. Arz, P.S. Pregosin), (335)379
cis-fac and *cis-mer* Water-soluble rhodium(III) dihydrides, formation and behaviour of (C. Larpent, H. Patin), (335)C13

Ruthenium

1-Alkylbenzimidazoles as unique promoters for homogeneous ruthenium catalyst for direct ethylene glycol formation from synthesis gas (Y. Kiso, K. Saeki, T. Hayashi, M. Tanaka, Y. Matsunaga, M. Ishino, M. Tamura, T. Deguchi, S. Nakamura), (335)C27

Cyclometallated transition metal complexes, formation by metal exchange in organomercury complexes of (E.C. Constable, T.A. Leese), (335)293

Selenium

Organylgermanium sesquichlorochalcogenides, $(\text{RGe})_2\text{Y}_{3n-1}\text{Cl}_2$ ($n = 1-3$; Y = O, S, Se; R = *t*-Bu, mesityl), preparation and X-ray analysis of (H. Puff, K. Braun, S. Franken, T.R. Kök, W. Schuh), (335)157

Phosphanes and arsanes, reactions with diselenium complexes of (L.-R. Frank, K. Evertz, L. Zsolnai, G. Huttner), (335)179

Silicon

Alkyluranium(III) complexes, ($\eta^5\text{-C}_5\text{H}_5$)₃URLi, ligand exchange reactions of (M. Foyentin, G. Folcher, M. Ephritikhine), (335)201

Bis(trimethylsilylcyclopentadienyl)niobium, synthesis and reactivity towards cumulene ligands of A. Antiñolo, S. Garcia-Lledó, J. Martinez de Ilarduya, A. Otero), (335)85

(Cyclooctadiene)(imine)rhodium(I) complexes containing multi-dentate ligands, preparation and characterisation of (H. Brunner, H. Fisch), (335)1

Dihalogeno(organylthio)alane, preparation and properties of (G.G. Hoffmann), (335)143

Enantioselective hydrosilylation, complexes with free donor groups as co-catalysts for (H. Brunner, H. Fisch), (335)15

HO(SiPh₂)₄OH and HO(SiPh₂)₇OH, crystal and molecular structures of (Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov, V.V. Dement'ev, T.M. Frunze, B.A. Antipova), (335)157

[Os(N)(CH₂SiMe₃)₄][N-n-Bu₄], kinetic investigation of reaction with methyl iodide of (P.A. Shapley, Z.Y. Own), (335)269

α - and β -Silylstyrenes and their adducts with dichlorocarbene, ¹H, ¹³C and ²⁹Si NMR of (E. Liepinš, Yu. Goldberg, I. Iovel, E. Lukevics), (335)301

Sulphur

2-(2-alkenyl)thiazolidines, regioselective synthesis from thiazolines and allylic Grignard reagents of (J. Laduranty, F. Barbot, L. Miginiac), (335)283

(t-Butylthio)(hydrido)nonacarbonyltrüron, Fe₃(CO)₉(μ_2 -H)(μ_3 -S-t-Bu), kinetic investigations of deprotonation by amines of (L.-R. Frank, A. Winter, G. Huttner), (335)249

(C₅Me₅)₂Mo₂P_xS_y, complexes ($x = 2, 4$; $y = 5 - x$), P/S ligands in (H. Brunner, U. Klement, W. Meier, J. Wachter, O. Serhadle, M.L. Ziegler), (335)339

Dihalogeno(organylthio)alane, preparation and properties of (G.G. Hoffmann), (335)143

Heterocumulene insertion into M-H bonds of (C₅H₅)₂M(L)H (M = Nb, Ta; L = CO, PMe₂Ph) (J.-F. Leboeuf, J.-C. Leblanc, C. Moise), (335)331

Mono- and bi-dentate xanthate complexes, $\eta^5\text{-C}_5\text{R}_5\text{Fe}(\text{CO})(\eta^1\text{-SC}(\text{S})\text{OEt})\text{L}$ and $\eta^5\text{-C}_5\text{R}_5\text{-}$

$\text{Fe}(\eta^2\text{-S}_2\text{COEt})\text{L}$ (R = H, Me; L = PBu₃, PPh₃, P(OEt)₃, P(OPh)₃), synthesis, characterisation and electrochemistry of (M. Morán, I. Cuadrado, J.R. Masaguer, J. Losada), (335)255

Organylgermanium sesquichlorochalcogenides, (RGe)_{2n}Y_{3n-1}Cl₂ ($n = 1-3$; Y = O, S, Se; R = t-Bu, mesityl), preparation and X-ray analysis of (H. Puff, K. Braun, S. Franken, T.R. Kök, W. Schuh), (335)157

Tantalum

Heterocumulene insertion into M-H bonds of (C₅H₅)₂M(L)H (M = Nb, Ta; L = CO, PMe₂Ph) (J.-F. Leboeuf, J.-C. Leblanc, C. Moise), (335)331

Tin

Bis(trimethylstannyl)dihydropentalenes, synthesis, structure and fluxional behaviour of isomers of (Yu.A. Ustynyuk, A.K. Shestakova, V.A. Chertkov, N.N. Zemlyansky, I.V. Borisova, A.I. Gusev, E.B. Tchuklanova, E.A. Chernyshev), (335)43

Stereochemically active lone pairs of electrons in group 14 compounds; crystal structure of { $\eta^5\text{-C}_5\text{H}_5\text{Co}[\text{P}(\text{OC}_2\text{H}_5)_2\text{O}]_3$ }₂M^{II} (M = Sn, Pb) (E.M. Holt, W. Kläui, J.J. Zuckerman), (335)29

Titanium

($\eta^5\text{-C}_5\text{H}_5$)₂Ti(μ_2 -H)₂Al(Cl)(μ_2 -H)₂Ti($\eta^5\text{-C}_5\text{H}_5$)₂, catalyst-precursor for hydrogenation in the [($\eta^5\text{-C}_5\text{H}_5$)₂TiCl]₂ · LiAlH₄ system, molecular structure and physico-chemical properties of (A.I. Sizov, I.V. Molodnitskaya, B.M. Bulychev, E.V. Evdokimova, G.L. Soloveichik, A.I. Gusev, E.G. Chuklanova, V.I. Andrianov), (335)323

Crystalline inorganic and organometallic complexes, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoidi, A.P. Chagas), (335)71

Tungsten

(C₅Me₅)₂Mo₂P_xS_y, complexes ($x = 2, 4$; $y = 5 - x$), P/S ligands in (H. Brunner, U. Klement, W. Meier, J. Wachter, O. Serhadle, M.L. Ziegler), (335)339

Crystalline inorganic and organometallic complexes, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho

Simões, C. Teixeira, C. Airoidi, A.P. Chagas), (335)71

Cycloaddition of tetracyanoethene to Mn, Fe and Ni complexes, hydration of a W complex; X-ray structures of $\text{Fe}\{\text{C}[\text{C}(\text{CN})_2]\text{CPh}=\text{C}(\text{CN})_2\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)$ and $\text{Ni}\{\text{C}[\text{C}(\text{CN})_2]\text{CPh}=\text{C}(\text{CN})_2\}(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)$ (M.I. Bruce, D.N. Duffy, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (335)365

Enantioselective hydrosilylation, complexes with free donor groups as co-catalysts for (H. Brunner, H. Fisch), (335)15

Methanolhydrocarbonylation, synthesis, properties and chemistry of multidentate alkoxyethylphosphanes and their behaviour as directing ligands for (F. Lindner, S. Meyer, P. Wegner, B. Karle, A. Sickinger, B. Steger), (335)59

Organo-molybdenum and -tungsten complexes containing bismuth, synthesis of (W. Clegg, N.A. Compton, R.J. Errington, N.C. Norman), (335)C1

Polarised hydridic tungsten-hydrogen complexes, reactions of (P. Kundel, H. Berke), (335)353

Uranium

Alkyluranium(III) complexes, $(\eta^5\text{-C}_5\text{H}_5)_3\text{URLi}$, ligand exchange reactions of (M. Foyentin, G. Folcher, M. Ephritikhine), (335)201

Yttrium

Dicyclopentadienyl-yttrium and -aluminium hydrido-chloride complexes; crystal and molecular structures of $\{(\eta^5\text{-C}_5\text{H}_5)_2\text{Y}(\mu_2\text{-Cl})(\mu_3\text{-H})\text{Y}(\eta^5\text{-C}_5\text{H}_5)_2\}(\mu_2\text{-H})_2\text{AlH} \cdot \text{NEt}_3 \cdot \text{C}_6\text{H}_6$ (A.B. Erofeev, B.M. Bulychev, V.K. Bel'skii, G.L. Soloveichik), (335)189

Zinc

Crystalline inorganic and organometallic complexes, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoidi, A.P. Chagas), (335)71

Zirconium

Carbonylhydridotris(triphenylphosphine)rhodium(I), $\text{RhH}(\text{CO})(\text{PPh}_3)_3$, and phosphinomethylzirconium as catalytic system for hydroformylation of 1-hexene (R. Choukroun, D. Gervais, P. Kalek, F. Senocq), (335)C9

Hydride, alkyl and halide iridium and zirconium complexes, MO study of stereoselective addition to (L. Zhu, N.M. Kostic), (335)395

Book reviews

Gmelin handbook of inorganic chemistry, 8th edit., F — Perfluorohalogenoorgano compounds of main group elements, Supplement Vol. 3, Compounds with elements of the main group 6 (S^{IV} , S^{VI} , Se, and Te) with I (C. Eaborn), (335)C21

New synthetic methodology and functionally interesting compounds; edited by Z. Yoshida (P.A. Chaloner), (335)C6

Preparative polar organometallic chemistry 1; by L. Brandsma and H. Verkruijse (P.A. Chaloner), (335)C7

The chemistry of the metal-carbon bond, Volume 4, The use of organometallic compounds in organic synthesis, edited by F.R. Hartley (C. Eaborn), (335)C20