

- | | | |
|---------------------------|-------------------------------|-------------------------------|
| Pelinski, L., (309) 299 | Scherer, O.J., (309) 77 | Vegas, A., (309) 169 |
| Periasamy, M., (309) C39 | Semple, G., (309) C7 | Vicente, J., (309) 369 |
| Pierens, R.K., (309) 293 | Sitzmann, H., (309) 77 | |
| Pietroni, B.R., (309) 363 | Skelton, B.W., (309) 157 | Wachter, J., (309) 313 |
| Pratten, S.J., (309) 293 | Smith, A.K., (309) C56 | Wagner, F.E., (309) 363 |
| Pursiainen, J., (309) 187 | Smith, G., (309) 117 | Wang, Y., (309) 225 |
| Raabé, E., (309) 143 | Solans, X., (309) 369 | Watanabe, Y., (309) 333 |
| Rao, S.A., (309) C39 | Steigel, A., (309) 241 | Weber, P., (309) 313 |
| Renaud, S., (309) C11 | Sundermeyer, J., (309) C21 | Weichmann, H., (309) 267, 273 |
| Rettig, S.J., (309) C59 | Takano, T., (309) 209 | White, A.H., (309) 117, 157 |
| Reventos, L.B., (309) 179 | Taylor, A.D., (309) 25 | Williams, M.L., (309) 157 |
| Rimmelin, J., (309) 355 | Töfke, S., (309) 87 | Wimmer, P., (309) C4 |
| Román, E., (309) 323 | tom Dieck, H., (309) 345 | Wochner, F., (309) 65 |
| Ros, J., (309) 169 | Torres, M.R., (309) 169 | Wolmershäuser, G., (309) 77 |
| Rossetto, G., (309) 55 | Traldi, P., (309) 283 | Wu, F.J., (309) 225 |
| Roullier, L., (309) C11 | Tsuji, Y., (309) 333 | Wulff, G., (309) 241 |
| Saeki, K., (309) C26 | Tzschach, A., (309) C47 | Young, C.G., (309) 313 |
| Sakurai, H., (309) 247 | Ubeda, M.A., (309) 199 | |
| Sampson, C.N., (309) C21 | Van Meerssche, M., (309) 267, | Zanella, P., (309) 55 |
| Santos, A., (309) 169 | 273 | Ziegler, M.L., (309) 313 |
| Sanz, F., (309) 199 | | Zsolnai, L., (309) C18 |

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 309 (1986)

SUBJECT INDEX

Aluminium

Hydroalumination of olefins by $\text{LiAlH}_4/\text{UCl}_4$ system (J.-F. Le Marechal, M. Ephritikhine, G. Folcher), (309) C1

Arcas, M. Mora, X. Solans, M. Font-Altaba), (309) 369

Antimony

8-Quinolatotriorganoantimony(V) complexes, chelation in solution studied by multinuclear NMR and electronic spectroscopy of (V.K. Jain, J. Mason, R.C. Mehrotra), (309) 45

Boron

Bis- and tris-(pyrazolyl)borate complexes of methyltin chlorides, preparation of; X-ray structure of five-coordinate [bis(pyrazolyl)borate]chlorodimethyltin(IV) (S.K. Lee, B.K. Nicholson), (309) 257

Copper(I) alkylborohydrides from alkenes using $\text{CuCl}/\text{NaBH}_4$ reagent system (S.A. Rao, M. Periasamy), (309) C39

Hexamethylbenzene-ruthenaborane and -osmaborane, synthesis and chemical use of (M. Bown, N.N. Greenwood, J.D. Kennedy), (309) C67

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

N-Substituted-2-carboxamidophenylboronic acid anhydrides, preparation of (J. Altman, H. Böhnke, A. Steigel, G. Wulff), (309) 241

Arsenic

Carbonylcyclopentadienylmolybdenum clusters containing $(\text{As}_2)_2$ or $(\text{P}_2)_2$ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77

ortho-Nitrophenyltriphenylarsinegold(I), crystal and molecular structure of (J. Vicente, A.

Chromium

Anisotropic optical polarisabilities of $\text{LCr}(\text{CO})_5$ ($\text{L} = \text{PMe}_3, \text{NMe}_3, \text{NH}_3$); π -backbonding in (M.J. Aroney, M.K. Cooper, R.K. Pierens, S.J. Pratten), (309) 293

Arenetricarbonylchromium complexes, influence of substituents on regiospecificity and stereospecificity of (J. Brocard, L. Pelinski, J. Lebibi), (309) 299

Carbonylcyclopentadienylmolybdenum clusters containing $(\text{As}_2)_2$ or $(\text{P}_2)_2$ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77

$[\eta^5-(\text{C}_5\text{H}_4\text{CHO})\text{Cr}(\text{CO})_3]$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of $(\eta^6\text{-fulvenylbenzoate})$ tricarbonylchromium and $(\eta^5\text{-C}_5\text{H}_4\text{CHO})\text{Cr}(\text{CO})_3\text{Au}(\text{PPh}_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307

Tricarbonyl(fulvene)chromium complexes, reactions with HgCl_2 and SnCl_4 of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (309) 109

Cobalt

$[\text{Co}_8(\text{CO})_{18}\text{C}]^{2-}$, electrochemical behaviour compared with those of $[\text{M}_6(\text{CO})_{15}\text{C}]^{2-}$ ($\text{M} = \text{Co, Rh}$) and $[\text{Fe}_6(\text{CO})_{16}\text{C}]^{2-}$ carbido clusters (J. Rummelin, P. Lemoine, M. Gross, R. Mathieu, D. De Montauzon), (309) 355

Dodecacarbonyltetracobalt, identification of reaction products with bis(diphenylphosphino)ethane of (S. Aime, R. Gobetto, G. Janon, D. Osello), (309) C51

$\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_{10}(\text{dppe})$ and $\text{HRuCo}_3(\text{CO})_{10}(\text{dppe})$, synthesis and characterisation of (J. Pursiainen, T.A. Pakkanen), (309) 187

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

Copper

Copper(I) alkylborohydrides from alkenes using $\text{CuCl}/\text{NaBH}_4$ reagent systems (S.A. Rao, M. Periasamy), (309) C39

Germanium

Alkene coordination at divalent germanium in $(\eta^2\text{-Me}_4\text{C}_2\text{H})\text{Me}_2\text{Si}(\eta^5\text{-Me}_4\text{C}_5)\text{Ge}^+$ GeCl_3^- (F.X. Kohl, R. Dickbreder, P. Jutzi, G. Müller, B. Huber), (309) C43

Gold

$[\eta^5\text{-C}_5\text{H}_4\text{CHO}]\text{Cr}(\text{CO})_3$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of $(\eta^6\text{-fulvenylbenzoate})$ tricarbonylchromium and $(\eta^5\text{-C}_5\text{H}_4\text{CHO})\text{Cr}(\text{CO})_3\text{Au}(\text{PPh}_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

Gold-197 Mössbauer investigation of gold(I) derivatives of five- and six-membered nitrogen-containing heterocycles (F. Bonati, A. Burini, B.R. Pietroni, S. Calogero, F.E. Wagner), (309) 363

ortho-Nitrophenyltriphenylarsinegold(I), crystal and molecular structure of (J. Vicente, A. Arcas, M. Mora, X. Solans, M. Font-Altaba), (309) 369

Iridium

Phosphine ligand effects on homogeneous hydrogenation of carbon monoxide catalysed by iridium carbonyls (T. Takano, T. Deguchi, M. Ishino, S. Nakamura), (309) 209

Iron

$\eta^2\text{-Acyliron}$ complexes; crystal structure of $[\text{Fe}(\text{I})(\eta^2\text{-C(O)-i-Pr})(\text{CO})(\text{PEt}_3)_2]$ (R. Birk, H. Berke, G. Huttner, L. Zsolnai), (309) C18

$[\text{Co}_8(\text{CO})_{18}\text{C}]^{2-}$, electrochemical behaviour compared with those of $[\text{M}_6(\text{CO})_{15}\text{C}]^{2-}$ ($\text{M} = \text{Co, Rh}$) and $[\text{Fe}_6(\text{CO})_{16}\text{C}]^{2-}$ carbido clusters (J. Rummelin, P. Lemoine, M. Gross, R. Mathieu, D. De Montauzon), (309) 355

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, halogenation and stepwise decarbonylation of; crystal structures $[\text{Fe}_2\text{I}(\text{CO})_5\{\mu\text{-}(\text{MeO})_2\text{PN}(\text{Et})\text{P}(\text{O}-\text{Me})_2\}_2]\text{PF}_6^-$ and $[\text{Ru}_2\{\mu\text{-I}\}\text{I}(\text{CO})_3\{\mu\text{-}(\text{i-PrO})_2\text{PN}(\text{Et})\text{P}(\text{i-PrO})_2\}_2]$ (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer, C.C. Allen, J.C.A. Boeyens), (309) C21

Iron–rhodium heterobimetallic complexes, use of bidentate phosphine ligands in synthesis of (R.H. Dawson, A.K. Smith), (309) C56

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

Phosphaferrocenes, $\eta^5\text{-C}_5\text{Me}_5\text{Fe}\text{-}\eta^5\text{-PC}_4(\text{R}_4)$, preparation, electrochemical properties and structures of (E. Román, A.M. Leiva, M.A. Casasempere, C. Charrier, F. Mathey, M.T. Garland, J.-Y. Le Marouille), (309) 323

Lithium

Hydroalumination of olefins by $\text{LiAlH}_4/\text{UCl}_4$ system (J.-F. Le Marechal, M. Ephritikhine, G. Folcher), (309) C1

N-Substituted-2-carboxamidophenylboronic acid anhydrides, preparation of (J. Altman, H. Böhnke, A. Steigel, G. Wulff), (309) 241

Tetraalkyl esters of methylene bis-phonic acid, relative reactivities of (D.W. Hutchinson, G. Semple), (309) C7

Magnesium

Trichloromethyl-substituted alcohols, one-pot synthesis of (H. Brunner, P. Wimmer), (309) C4

Mercury

Tricarbonyl(fulvene)chromium complexes, reactions with HgCl_2 and SnCl_4 of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (309) 109

Metallocenes

Phosphaferrocenes, $\eta^5\text{-C}_5\text{Me}_5\text{Fe}\text{-}\eta^5\text{-PC}_4(\text{R}_4)$, preparation, electrochemical properties and structures of (E. Román, A.M. Leiva, M.A. Casasempere, C. Charrier, F. Mathey, M.T. Garland, J.-Y. Le Marouille), (309) 323

Titanocene chloride, activation of N=N bond in benzo[c]cinnoline by (S. Renaud, Y. Mugnier, L. Roullier, E. Laviron), (309) C11

Trioxo(η^5 -pentamethylcyclopentadienyl)rhenium(VII), transfer of oxygen ligands to

organozirconium(II) compounds by (W.A. Herrmann, T. Cuena, U. Küstdardt), (309) C15

Zirconocene bridged and unbridged alkyl derivatives, hydrogenolysis of (F. Wochner, H.H. Brintzinger), (309) 65

Molybdenum

Alkynyl- and dialkynyl-tungsten(IV) and -molybdenum(IV) asymmetrical-substituted complexes; crystal structure of $[\text{W}_2\text{Cl}_8\text{-}(\text{PhC}\equiv\text{C-C}\equiv\text{CSiMe}_3)\text{(pyridine)}_2]$ (M. Kersting, K. Dehncke, D. Fenske), (309) 125

Benzyltricarbonyl- η^5 -cyclopentadienylmolybdenum(II) and related substituted benzyl complexes, crystal structures of (J.D. Cotton, C.H.L. Kennard, R.D. Markwell, G. Smith, A.H. White), (309) 117

Bisacetonitriledihalogenotrincarbonyl-molybdenum(II) and -tungsten(II) seven-coordinate complexes, synthesis and spectral properties of (P.K. Baker, S.G. Fraser, E.M. Keys), (309) 319

Carbonylcyclopentadienylmolybdenum clusters containing $(\text{As}_2)_2$ or $(\text{P}_2)_2$ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77

[$\eta^5\text{-}(\text{C}_5\text{H}_4\text{CHO})\text{Cr}(\text{CO})_3$] anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^6 -fulvenylbenzoate)tricarbonylchromium and ($\eta^5\text{-C}_5\text{H}_4\text{CHO}$)- $\text{Cr}(\text{CO})_3\text{Au}(\text{PPh}_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

$(\text{C}_5\text{Me}_5)_2\text{Mo}_2(\mu\text{-SCH}_3)_2(\mu\text{-S})_2$ isomers, preparation, separation and characterisation of (H. Brunner, W. Meier, J. Wachter, P. Weber, M.L. Ziegler, J.H. Enemark, C.G. Young), (309) 313

Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307

Nickel

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

Osmium

Hexamethylbenzene-ruthenaborane and -osma-borane, synthesis and chemical use of (M. Bown, N.N. Greenwood, J.D. Kennedy), (309) C67

Metal complex of unsubstituted sulphine (M. Herberhold, A.F. Hill), (309) C29

Palladium

Palladium- and rhodium-catalysed synthesis of esters by reactions in mixtures of butadiene, carbon dioxide and oxiranes (A. Behr, U. Kanne), (309) 215

Phosphanate ylide-palladium(II) and -platinum(II), oxidative addition and reductive elimination; crystal and molecular structures of *cis*- and *trans*-[Pt(PPh₃)₂(I)(CH₂P(O)-(OCH₃)₂)] (I.J.B. Lin, L.T.C. Kao, F.J. Wu, G.H. Lee, Y. Wang), (309) 225

RuCl₂(PPh₃)₃HCOOH/Et₃N, hydrogen source for selective reduction of aromatic nitro compounds catalysed by Pd on carbon (B.T. Khai, A. Arcelli), (309) C63

Phosphorus

η^2 -Acyliron complexes; crystal structure of [Fe(I)(η^2 -C(O)-i-Pr)(CO)(PEt₃)₂] (R. Birk, H. Berke, G. Huttner, L. Zsnolnai), (309) C18

{3-[t-Butyl(phenyl)phosphino]propyl}dimethyltin chloride, crystal and molecular structure of (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 267

Carbonylcyclopentadienylmolybdenum clusters containing (As₂)₂ or (P₂)₂ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77

Carbonylruthenium clusters containing aryl diazo ligands; X-ray structure of Ru₃(μ_3 -PPhCH₂PPh₂)(μ - η^1 -N=NC₆H₃Cl₂-2,4)(CO)₉ (M.I. Bruce, M.L. Williams, B.W. Skelton, A. White), (309) 157

[η^5 -(C₅H₄CHO)Cr(CO)₃] anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^6 -fulvenylbenzoate)tricarbonylchromium and (η^5 -C₅H₄CHO)Cr(CO)₃Au(PPh₃) (F. Edelmann, S. Töfke, U. Behrens), (309) 87

Cyclic triorganotin dithiophosphinates, structural aspects of; crystal structure of

[Me₂SnSP(S)CH₂CH₂] \cdot HMPT (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 273

1,4-Dienes prepared from terminal alkynes in the presence of zinc, regiospecificity and utility in synthesis of (P. Knochel, J.F. Normant), (309) 1

o(Diphenylphosphine)phenylbromomagnesium, reaction with tin(II) chloride of; formation of a species with Sn^{II}-Sn^{IV} bond (K. Jurkschat, H.-P. Abicht, A. Tschach, B. Mahieu), (309) C47

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, halogenation and stepwise decarbonylation of; crystal structures [Fe₂I(CO)₅{ μ -(MeO)₂PN(Et)-P(OMe)₂}₂][PF₆] and [Ru₂(μ -I)I(CO)₃{ μ -(i-PrO)₂PN(Et)P(i-PrO)₂}₂] (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer, C.C. Allen, J.C.A. Boeyens), (309) C21

Dodecarbonyltetracobalt, identification of reaction products with bis(diphenylphosphino)-ethane of (S. Aime, R. Gobetto, G. Jannon, D. Osello), (309) C51

Hydridocarbonylchlorotris(triphenylphosphine)-ruthenium(II), insertion reactions of; X-ray structure of carbonylchloro(*cis*-1,2-diphenylethynyl)bis(triphenylphosphine)ruthenium(II) (M.R. Torres, A. Vegas, A. Santos, J. Ros), (309) 169

Iron-rhodium heterobimetallic complexes, use of bidentate phosphine ligands in synthesis of (R.H. Dawson, A.K. Smith), (309) C56

Metal complex of unsubstituted sulphine (M. Herberhold, A.F. Hill), (309) C29

Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

Phosphaferrocenes, η^5 -C₅Me₅Fe- η^5 -PC₄(R₄), preparation, electrochemical properties and structures of (E. Román, A.M. Leiva, M.A. Casasempere, C. Charrier, F. Mathey, M.T. Garland, J.-Y. Le Marouille), (309) 323

Phosphanate ylide-palladium(II) and -platinum(II), oxidative addition and reductive elimination; crystal and molecular structures of *cis*- and *trans*-[Pt(PPh₃)₂(I)(CH₂P(O)-(OCH₃)₂)] (I.J.B. Lin, L.T.C. Kao, F.J. Wu, G.H. Lee, Y. Wang), (309) 225

Phosphine ligand effects on homogeneous hydrogenation of carbon monoxide catalysed by

- iridium carbonyls (T. Takano, T. Deguchi, M. Ishino, S. Nakamura), (309) 209
- cis*-Rh(oq)Br(P(*o*-C₆F₄)Ph₂)L (oq = oxyquinoxinato) compounds, synthesis of; molecular structure of *cis*-Rh(oq)Br(P(*o*-C₆F₄)Ph₂)-(PPh₃) (F. Barceló, P. Lahuerta, M.A. Ubeda, A. Cantarero, F. Sanz), (309) 199
- RuCl₂(PPh₃)₃HCOOH/Et₃N, hydrogen source for selective reduction of aromatic nitro compounds catalysed by Pd on carbon (B.T. Khai, A. Arcelli), (309) C63
- Tetraalkyl esters of methylene bis-phononic acid, relative reactivities of (D.W. Hutchinson, G. Semple), (309) C7
- Trichloromethyl-substituted alcohols, one-pot synthesis of (H. Brunner, P. Wimmer), (309) C4

Platinum

- Phosphanate ylide-palladium(II) and -platinum(II), oxidative addition and reductive elimination; crystal and molecular structures of *cis*- and *trans*-[Pt(PPh₃)₂(I)(CH₂P(O)(OCH₃)₂)] (I.J.B. Lin, L.T.C. Kao, F.J. Wu, G.H. Lee, Y. Wang), (309) 225

Rhenium

- Trioxo(η^5 -pentamethylcyclopentadienyl)rhenium(VII), transfer of oxygen ligands to organozirconium(III) compounds by (W.A. Herrmann, T. Cuenca, U. Küsthhardt), (309) C15

Rhodium

- [Co₈(CO)₁₈C]²⁻, electrochemical behaviour compared with those of [M₆(CO)₁₅C]²⁻ (M = Co, Rh) and [Fe₆(CO)₁₆C]²⁻ carbido clusters (J. Rimmelin, P. Lemoine, M. Gross, R. Mathieu, D. de Montauzon), (309) 355
- Iron-rhodium heterobimetallic complexes, use of bidentate phosphine ligands in synthesis of (R.H. Dawson, A.K. Smith), (309) C56
- Palladium- and rhodium-catalysed synthesis of esters by reactions in mixtures of butadiene, carbon dioxide and oxiranes (A. Behr, U. Kanne), (309) 215
- Rhodium(I) and ruthenium(II) complexes containing unsaturated N-ligands, regio- and stereo-selective hydrosilylation of isoprene

- with (M. Brockmann, H. tom Dieck, I. Kleinwächter), (309) 345
- η^1 -Ylidic enaminerhodium(III) complex, formation using triethylamine for a base-promoted reaction of (S.N. Gamage, R.H. Morris, S.J. Rettig, B.R. James), (309) C59

Ruthenium

- Carbynlruthenium clusters containing aryl diazo ligands; X-ray structure of Ru₃(μ_3 -PPhCH₂PPh₂)(μ - η^1 -N=NC₆H₃Cl₂-2,4)(CO)₉ (M.I. Bruce, M.L. Williams, B.W. Skelton, A. White), (309) 157
- Carbynlruthenium homogeneous catalyst, effect of imidazole compounds in hydrogenation of carbon monoxide on (Y. Kiso, K. Saeki), (309) C26
- Cyclopentadienylruthenium complexes containing (S,S) donor ligands (L.B. Reventos, A.G. Alonso), (309) 179
- Diphosphazane-bridge nonacarbonyl-iron and -ruthenium derivatives, halogenation and stepwise decarbonylation of; crystal structures of [Fe₂I(CO)₅{ μ -(MeO)₂PN(Et)P(OMe)₂}₂]PF₆ and [Ru₂(μ -I)I(CO)₃{ μ -(i-PrO)₂PN(Et){(i-PrO)₂}₂}] (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer, C.C. Allen, J.C.A. Boeyens), (309) C21

- Dodecacarbonyltriruthenium catalysed carbonylation of amines and hydroamidation of olefins (Y. Tsuji, T. Ohsumi, T. Kondo, Y. Watanabe), (309) 333
- Hexamethylbenzene-ruthenaborane and -osma-borane, synthesis and chemical use of (M. Bown, N.N. Greenwood, J.D. Kennedy), (309) C67

- H₃Ru₃Co(CO)₁₀(dppe) and HRuCo₃(CO)₁₀(dppe), synthesis and characterisation of (J. Pursiainen, T.A. Pakkanen), (309) 187
- Hydridocarbonylchlorotris(triphenylphosphine)-ruthenium(II), insertion reactions of; X-ray structure of carbonylchloro(*cis*-1,2-diphenylethylyn)bis(triphenylphosphine)ruthenium(II) (M.R. Torres, A. Vegas, A. Santos, J. Ros), (309) 169

- Rhodium(I) and ruthenium(II) complexes containing unsaturated N-ligands, regio- and stereo-selective hydrosilylation of isoprene with (M. Brockmann, H. tom Dieck, I. Kleinwächter), (309) 345
- cis*-Rh(oq)Br(P(*o*-C₆F₄)Ph₂)L (oq = oxyquinoxinato) compounds, synthesis of; molecular structure of *cis*-Rh(oq)Br(P(*o*-C₆F₄)Ph₂)

- (PPh_3) (F. Barceló, P. Lahuerta, M.A. Ubeda, A. Cantarero, F. Sanz), (309) 199
RuCl₂(PPh_3)₃/NCOOH/Et₃N, hydrogen source for selective reduction of aromatic nitro compounds catalysed by Pd on carbon (B.T. Khai, A. Arcelli), (309) C63

Silicon

- Alkene coordination at divalent germanium in ($\eta^2\text{-Me}_4\text{C}_5\text{H}$) $\text{Me}_2\text{Si}(\eta^2\text{-Me}_4\text{C}_5)\text{Ge}^+$ GeCl_3^- (F.X. Kohl, R. Dickbreder, P. Jutzi, G. Müller, B. Huber), (309) C43
 Alkynyl- and dialkynyl-tungsten(IV) and -molybdenum(IV) asymmetrically-substituted complexes; crystal structure of $[\text{W}_2\text{Cl}_8(\text{PhC}\equiv\text{C-C}\equiv\text{CSiMe}_3)(\text{pyridine})_2]$ (M. Kersting, K. Dehnike, D. Fenske), (309) 125
 cis- and trans-1,2-Bis(trimethylsilyl)cyclopropane, reactions of (M. Grignon-Dubois, J. Dunogués), (309) 35
 Dicyclohexylsilanediol and bis(hydroxydimethylsilyl)bis(trimethylsilyl)methane, crystal structures of (N.H. Buttrus, C. Eaborn, P.B. Hitchcock, P.D. Lickiss, A.D. Taylor), (309) 25
 1,4-Dienes prepared from terminal alkynes in the presence of zinc, regiospecificity and utility in synthesis of (P. Knochel, J.F. Normant), (309) 1
 Rhodium(I) and ruthenium(II) complexes containing unsaturated N-ligands, regio- and stereo-selective hydrosilylation of isoprene with (M. Brockmann, H. tom Dieck, I. Kleinwächter), (309) 345
 Sterically-crowded silanes, preparation and order of steric bulkiness of (Y. Nakadaira, K. Oharu, H. Sakurai), (309) 247
 Trichloromethyl-substituted alcohols, one-pot synthesis of (H. Brunner, W. Wimmer), (309) C4

Sulphur

- (C_5Me_5)₂ $\text{Mo}_2(\mu\text{-SCH}_3)_2(\mu\text{-S})_2$ isomers, preparation, separation and characterisation of (H. Brunner, W. Meier, J. Wachter, P. Weber, M.L. Ziegler, J.H. Enemark, C.G. Young), (309) 313
 Cyclic triorganotin dithiophosphinates, structural aspects of; crystal structure of [$\text{Me}_2\text{SnSP(S)CH}_2\text{CH}_2$] \cdot HMPT (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 273

- Cyclopentadienylruthenium complexes containing (S,S) donor ligands (L.B. Reventos, A.G. Alonso), (309) 179
 Metal complex of unsubstituted sulphine (M. Herberhold, A.F. Hill), (309) C29

Thorium

- Uranium(IV) and thorium(IV) amides containing cyclopentadienyl ligands (F. Ossola, G. Rossetto, P. Zanella, G. Paolucci, R.D. Fischer), (309) 55

Tin

- Bis- and tris-(pyrazolyl)borate complexes of methyltin chlorides, preparation of; X-ray structure of five-coordinate [bis(pyrazolyl) borate]chlorodimethyltin(IV) (S.K. Lee, B.K. Nicholson), (309) 257
 (3-[t-Butyl(phenyl)phosphino]propyl)dimethyltin chloride, crystal and molecular structure of (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 267
 [$\eta^5\text{-}(\text{C}_5\text{H}_4\text{CHO})\text{Cr}(\text{CO})_3$] anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^6 -fulvenylbenzoate)tricarbonylchromium and ($\eta^5\text{-C}_5\text{H}_4\text{CHO})\text{Cr}(\text{CO})_3\text{Au}(\text{PPh}_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87
 Cyclic triorganotin dithiophosphinates, structural aspects of; crystal structure of [$\text{Me}_2\text{SnSP(S)CH}_2\text{CH}_2$] \cdot HMPT (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 273
 o-(Diphenylphosphine)phenylbromomagnesium, reaction with tin(II) chloride of; formation of a species with Sn^{II} \cdots Sn^{IV} bond (K. Jurkschat, H.-P. Abicht, A. Tzschach, B. Mahieu), (309) C47
 Tricarbonyl(fulvene)chromium complexes, reactions with HgCl_2 and SnCl_4 of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (309) 109

Titanium

- Titanocene chloride, activation of N=N bond in benzof[*c*]cinnoline by (S. Renaud, Y. Mugnier, L. Roullier, E. Laviron), (309) C11

Tungsten

- Alkynyl- and dialkynyl-tungsten(IV) and -molybdenum(IV) asymmetrical-substituted complexes; crystal structure of $[W_2Cl_8\cdot(PhC\equiv C-C\equiv CSiMe_3)(pyridine)_2]$ (M. Kersting, K. Dehncke, D. Fenske), (309) 125
- Bisacetonitriledihalogenotricarbonyl-molybdenum(II) and -tungsten(II) seven-coordinate complexes, synthesis and spectral properties of (P.K. Baker, S.G. Fraser, E.M. Keys), (309) 319
- $[\eta^5-(C_5H_4CHO)Cr(CO)_3]$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of (η^5 -fulvenylbenzoate)tricarbonylchromium and ($\eta^5-C_5H_4CHO$)Cr(CO)₃Au(PPh₃) (F. Edelmann, S. Töfke, U. Behrens), (309) 87
- o*-(Diphenylphosphine)phenylbromomagnesium, reaction with tin(II) chloride of; formation of a species with Sn^{II}—Sn^{IV} bond (K. Jurkschat, H.-P. Abicht, A. Tzschach, B. Mahieu), (309) C47
- Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307

Uranium

- Hydroalumination of olefins by LiAlH₄/UCl₄ system (J.-F. Le Marechal, M. Ephritikhine, G. Folcher), (309) C1
- Tricyclopentadienyluranium η^2 -iminoalkyl(cycloalkyl) derivatives, mass spectrometric behaviour of (G. Paolucci, S. Daolio, P. Traldi), (309) 283
- Uranium(IV) and thorium(IV) amides containing cyclopentadienyl ligands (F. Ossola, G. Rossetto, P. Zanella, G. Paolucci, R.D. Fischer), (309) 55

Zinc

- 1,4-Dienes prepared from terminal alkynes in the presence of zinc, regiospecificity and utility

in synthesis of (P. Knochel, J.F. Normant), (309) 1

Zirconium

- Trioxo(η^5 -pentamethylcyclopentadienyl)rhenium(VII), transfer of oxygen ligands to organozirconium(III) compounds by (W.A. Herrmann, T. Cuenca, U. Küsthhardt), (309) C15

- Zirconocene bridged and unbridgedalkyl derivatives, hydrogenolysis of (F. Wochner, H.H. Bräntzinger), (309) 65

Book reviews

- Ab initio molecular orbital theory; by W.J. Hehre, L. Random, P.v.R. Schleyer and J.A. Pople (J.N. Murrell), (309) C72

- Catalysis science and technology, Vol. 7; edited by J.R. Anderson and M. Boudart (G.J. Leigh), (309) C36

- Gmelin handbook of inorganic chemistry, 8th ed., Th—Thorium, Supplement vol. C5: Compounds with S, Se, Te, and B (K.R. Seddon), (309) C34

- Gmelin handbook of inorganic chemistry, 8th edition, U — Uranium, Supplement Vol. C5: Uranium dioxide, UO₂, Physical properties, Electrochemical behaviour (K.R. Seddon), (309) C72

- Handbook of heterocyclic chemistry; by A.R. Katritzky (D.W. Young), (309) C70

- Houben-Weyl Methoden der organischen Chemie, Carbocyclische π -electronen-Systeme, 4th edition, Vol. V, part 2c; edited by H. Kropf (P.A. Chaloner), (309) C70

- Magnetochemistry; by R.L. Carlin (K.R. Seddon), (309) C35

- Topics in current chemistry, Vol. 130, Synthetic organic chemistry; edited by F.L. Boschke (P.A. Chaloner), (309) C74