

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 354 (1988)

SUBJECT INDEX

Arsenic

Diarsenyl complex $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2\text{Fe-As[Cr(CO)}_5\text{]=AsR}$ and metallated cyclo-tetraarsane $[(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2\text{FeAsAsR}]_2$ ($\text{R} = 2,4,6\text{-t-Bu}_3\text{C}_6\text{H}_2$), formation, structures and spectra of (L. Weber, D. Bungardt), (354) C1

Gallium-arsenic six-membered wing, twist-boat conformation in: crystal structure of $[(\text{Me}_3\text{SiCH}_2)_2\text{AsGaBr}_2]_3$ (R.L. Wells, A.P. Purdy, A.T. McPhail, C.G. Pitt), (354) 287

Boron

Organouranium(IV) salts, $[(\text{C}_5\text{H}_5)_3\text{U(NCR)}_2][\text{B(C}_6\text{H}_5)_4]$, preparation and selected properties of (H. Aslan, K. Yünlü, R.D. Fischer, G. Bombieri, F. Benetollo), (354) 63

Chromium

Aziridinocarbene-chromium and -tungsten complexes, transformation into nitriles and olefins of (B. Denise, A. Parlier, H. Rudler), (354) C23

Diarsenyl complex $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2\text{Fe-As[Cr(CO)}_5\text{]=AsR}$ and metallated cyclo-tetraarsane $[(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2\text{FeAsAsR}]_2$ ($\text{R} = 2,4,6\text{-t-Bu}_3\text{C}_6\text{H}_2$), formation, structures and spectra of (L. Weber, D. Bungardt), (354) C1

1,8-Diaza-6-(2',4',6'-tri-*t*-butylphenylphosphanylidene)bicyclo[5.4.0]undec-7-ene, formation and reaction of (R. Appel, L. Krieger), (354) 309

Tricarbonylchromium complexes of methyl *O*-methylpodocarpate, differentiation of diastereomers by high field NMR spectroscopy (B. Mailvaganam, R.E. Perrier, B.G. Sayer, B.E. McCarry, R.A. Bell, M.J. McGlinchey), (354) 325

Cobalt

Effect of ultrasound and of phosphine and phosphine oxides on the Khand reaction (D.C. Billington, I.M. Helps, P.L. Pauson, W. Thomson, D. Willison), (354) 233

Copper

Disilanes, efficient formation and cleavage of; silylation with silylmetal reagents (A. Fürstner, H. Weidemann), (354) 15

Gallium

Gallium-arsenic six-membered wing, twist-boat conformation in: crystal structure of $[(\text{Me}_3\text{SiCH}_2)_2\text{AsGaBr}_2]_3$ (R.L. Wells, A.P. Purdy, A.T. McPhail, C.G. Pitt), (354) 287

Germanium

- (Hydroxymethyl)dimethylgermanium and (hydroxymethyl)diphenylgermanium, synthesis and properties of (R. Tacke, B. Becker), (354) 147
- Monogermanes, gas-phase ion-molecule reactions with oxygen and ammonia of (P. Benzi, L. Operti, G.A. Vaglio, P. Volpe, M. Speranza, R. Gabrielli), (354) 39
- Trimethylgermylation and trimethylsilylation of *N,N*-dialkylacetamides, application of anions to Peterson-type reaction of (S. Urayama, S. Inoue, Y. Sato), (354) 155

Gold

- [2-((Dimethylamino)methyl)phenyl-*C*¹*N*](phenyl)gold(III) complexes, synthesis of; crystal structure of modifications of chloro[2-((dimethylamino)methyl)phenyl-*C*¹*N*](phenyl)gold(III) (J. Vicente, M.T. Chidote, M.D. Bermúdez, M.J. Sanchez-Santano, P.G. Jones), (354) 381

Hafnium

- (η^5 -Pentamethylcyclopentadienyl)(η^7 -cycloheptatrienyl)-zirconium and -hafnium, crystal and molecular structure of (R.D. Rogers, J.H. Teuben), (354) 169

Iron

- Bis(diphosphine)chlorohydroiron complexes, reinvestigation of (M.V. Baker, L.D. Field), (354) 351
- Diarsenyl complex (η^5 -C₅Me₅)(CO)₂Fe-As[Cr(CO)₅]=AsR and metallated cyclooctaarsane [(η^5 -C₅Me₅)(CO)₂FeAsAsR]₂ (R = 2,4,6-*t*-Bu₃C₆H₂), formation, structures and spectra of (L. Weber, D. Bungardt), (354) C1
- 1,8-Diaza-6-(2',4',6'-tri-*t*-butylphenylphosphanylidene)bicyclo[5.4.0]undec-7-ene, formation and reaction of (R. Appel, L. Krieger), (354) 309
- Dimethyl ester of (2,3,4,5- η)(2*E*,4*E*)-nonadienylphosphonic acid tricarbonyliron, syntheses, characterisation and reactivity of (P. Pinsard, J.P. Lellouche, J.P. Beaucourt, R. Grec), (354) 193
- Fe($\overline{\text{C}}=\overline{\text{C}}\text{F}\overline{\text{C}}\overline{\text{F}}_2\overline{\text{C}}\overline{\text{F}}_2$)(CO)₂(η -C₅H₅), stability towards isomerisation by ring-opening of; X-ray crystal structures of Fe($\overline{\text{C}}=\overline{\text{C}}\text{F}\overline{\text{C}}\overline{\text{F}}_2\overline{\text{C}}\overline{\text{F}}_2$)(CO)(L)(η -C₅H₅) (L = CO and PPh₃) (M.I. Bruce, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (354) 103
- cis*-(Hydride)(η^2 -dihydrogen)iron stable complex, formation and properties of (C. Bianchini, M. Peruzzini, F. Zanobini), (354) C19
- Isopropyl-substituted cyclopentadienyl ligands, synthesis of (H. Sitzman), (354) 203
- Vinyl selenides, formation by trapping subsequent to oxidative release from tricarbonyliron complexes of (K.H. Pannell, A.J. Mayr, B. Carrasco-Flores), (354) 97

Lithium

- Fluorooxiranes and fluorosilyloxiranes, preparation of (T. Dubuffet, R. Sauvêtre, J.-F. Normant), (354) I
- Lithiating reagents in reaction with 2-, 3- and 4-pivalamidoquinolines (A. Godard, J.-M. Jacquelin, G. Quéguiner), (354) 273

Manganese

- Disilanes, efficient formation and cleavage of; silylation with silylmethyl reagents (A. Fürstner, H. Weidemann), (354) 15

Mercury

- Cyclopentadienyluranium(III) anionic complexes, formation and reactions of (J.-F. Le Maréchal, E. Bulot, D. Baudry, M. Ephritikhine, D. Hauchard, R. Godard), (354) C17

Methylmercury solid state derivatives, ^{199}Hg - ^{13}C scalar coupling in (A.M. Hounslow, S.F. Lincoln, E.R.T. Tiekink), (354) C9

Molybdenum

Cyclopentadienylmolybdenum cationic complexes, coordination of ER_2 (E = S, Se, Te) in (N. Kuhn, H. Schumann, E. Zauder), (354) 161

1,8-Diaza-6-(2',4',6'-tri-*t*-butylphenylphosphanylidene)bicyclo[5.4.0]undec-7-ene, formation and reaction of (R. Appel, L. Krieger), (354) 309

cis-Dicarbonylbis(tributylphosphane)molybdenum complexes of the four bidiazines (S. Ernst, S. Kohlmann, W. Kaim), (354) 177

Dicyclopentadienyl-molybdenum and -tungsten complexes with methyl-, amino- and cyano-pyridines, synthesis, spectra and electrochemistry of (R.G. Costa, A.R. Dias, J.C. Kotz), (354) 341

Isopropyl-substituted cyclopentadienyl ligands, synthesis of (H. Sitzman), (354) 203

Nickel

Nickel complexes and 2,2'-bipyridine, catalysis of electrosynthesis of aryl thioethers starting from thiophenol and aromatic halides of (G. Meyer, M. Troupel), (354) 249

Osmium

Alkylideneosmium complexes, interaction with tosyl-NSO of (M. Herberhold, A.F. Hill), (354) 227

Carbonylosmium cluster complexes, HPLC of (R. Khattar, B.F.G. Johnson, J. Lewis), (354) 221

Palladium

$\text{Pd}_2\text{Br}_4(\text{CO})_2$ and $[\text{PdI}_3(\text{CO})]^-$, preparation of; crystal structures of $[\text{Bu}_4\text{N}][\text{PdX}_3(\text{CO})]$ (X = Cl, Br) (B.P. Andreini, D.B. Dell'Amico, F. Calderazzo, M.G. Venturi, G. Pelizzi), (354) 369

Phosphorus

O-Alkyl-*O'*-triorganostannyl phosphonates, formation and spectra of (J.N. Pandey, G. Srivastava), (354) 301

Areneruthenium dichloride dimers, $[\text{RuCl}_2(\eta^6\text{-arene})]_2$, regeneration from their monomeric adducts with amines or phosphines of (P. Pertici, S. Bertozzi, R. Lazzaroni, G. Vitulli, M.A. Bennett), (354) 117

Bis(diphosphine)chlorohydroidoiron complexes, reinvestigation of (M.V. Baker, L.D. Field), (354) 351

$[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PPh}_3)(\text{ClCH}_2\text{Cl})]^+ \text{BF}_4^-$, generation and oxidative addition product of (C.H. Winter, J.A. Gladysz), (354) C33

1,8-Diaza-6-(2',4',6'-tri-*t*-butylphenylphosphanylidene)bicyclo[5.4.0]undec-7-ene, formation and reaction of (R. Appel, L. Krieger), (354) 309

cis-Dicarbonylbis(tributylphosphane)molybdenum complexes of the four bidiazines (S. Ernst, S. Kohlmann, W. Kaim), (354) 177

Dimethyl ester of (2,3,4,5- η)(2*E*,4*E*)-nonadienylphosphonic acid tricarbonyliron, syntheses, characterisation and reactivity of (P. Pinsard, J.P. Lellouche, J.P. Beaucourt, R. Gree), (354) 193

Effect of ultrasound and of phosphine and phosphine oxides on the Khand reaction (D.C. Billington, I.M. Helps, P.L. Pauson, W. Thomson, D. Willison), (354) 233

(Methylenechlorophosphine)pentacarbonyltungsten, synthesis, spectroscopic properties and chemistry of (B. Deschamps, F. Mathey), (354) 83

Tris(diphenylphosphino)ethene, synthesis, NMR spectra, crystal structure, and solid state and solution conformations of (J.L. Bookham, W. McFarlane, I.J. Colquhoun, M. Thornton-Pett), (354) 313

Platinum

Bis(diphenylphosphino)methane and bis(diphenylphosphinomethyl)phenylphosphine palladium(II) and platinum(II) complexes, characterisation by fast atom bombardment mass spectrometry of (K.A. Asker, A.M. Greenway, K.R. Seddon, A.A. Shimran), (354) 257

Platinum(II)/halide exchange, dimerization, isomerization; ^{13}C NMR data and crystal and molecular structure of $\text{Pt}_2\text{I}_4(\text{CO})_2$ (B.P. Andreini, D.B. Dell'Amico, F. Calderazzo, M.G. Venturi, G. Pelizzi, A. Segre), (354) 357

Potassium

Disilanes, efficient formation and cleavage of; silylation with silylmetal reagents (A. Fürstner, H. Weidemann), (354) 15

Rhenium

$[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PPh}_3)(\text{ClCH}_2\text{Cl})]^+ \text{BF}_4^-$, generation and oxidative addition product of (C.H. Winter, J.A. Gladysz), (354) C33

Pentacarbonylrhenium(I) cationic complexes with tetrahydrothiophene, 1,4-dithiane, 1,3-dithiane and 1,3,5-trithiane, properties of (J. Heidrich, W. Beck), (354) 91

Rhodium

Pentadecacarbonylhexarhodium dianionic cluster, formation upon adsorption of $\text{Rh}_6(\text{CO})_{16}$ on partially-hydroxylated magnesia of (P. Dufour, L. Huang, A. Choplin, R. Sanchez-Delgado, A. Théolier, J.-M. Basset), (354) 243

Triruthenium-carbonylrhodium cluster, $[\text{Ru}_3\text{Rh}(\mu\text{-H})_2(\text{CO})_{10}(\eta^5\text{-C}_5\text{H}_5)]$, synthesis and X-ray crystal structure of (P. Sundberg, B.F.G. Johnson, J. Lewis, P.R. Raithby), (354) 131

Ruthenium

Areneruthenium dichloride dimers, $[\text{RuCl}_2(\eta^6\text{-arene})]_2$, regeneration from their monomeric adducts with amines or phosphines of (P. Pertici, S. Bertozzi, R. Lazzaroni, G. Vitulli, M.A. Bennett), (354) 117

1,2-Dicarbethoxy-1,2,3,6-tetrahydropyridazine, homogeneous isomerisation by ruthenium complexes of (G. Menchi, U. Matteloli, A. Scrivanti, S. Paganelli, C. Botteghi), (354) 215

Dicarbonyl-dithiolate complexes, $[\text{Ru}(\text{SR})_2(\text{CO})_2(\text{PR}'_3)_2]$, preparation and properties of (R.M. Catala, D. Cruz-Garriz, H. Torrens, R.L. Richards), (354) 123

Triruthenium-carbonylrhodium cluster, $[\text{Ru}_3\text{Rh}(\mu\text{-H})_2(\text{CO})_{10}(\eta^5\text{-C}_5\text{H}_5)]$, synthesis and X-ray crystal structure of (P. Sundberg, B.F.G. Johnson, J. Lewis, P.R. Raithby), (354) 131

Selenium

Cyclopentadienylmolybdenum cationic complexes, coordination of ER_2 (E = S, Se, Te) in (N. Kuhn, H. Schumann, E. Zauder), (354) 161

^{77}Se and ^{125}Te NMR, substituent effects and polarizability (N.P. Luthra, A.M. Boccanfuso, R.B. Dunlap, J.D. Odom), (354) 51

Vinyl selenides, formation by trapping subsequent to oxidative release from tricarbonyliron complexes of (K.H. Pannell, A.J. Mayr, B. Carrasco-Flores), (354) 97

Silicon

Disilanes, efficient formation and cleavage of; silylation with silylmetal reagents (A. Fürstner, H. Weidemann), (354) 15

- Functionalised siloxanes, ^{29}Si NMR spectroscopy of (H. Jancke, J. Schulz, E. Popowski, H. Kelling), (354) 23
- Gallium-arsenic six-membered ring, twist-boat conformation in: crystal structure of $[(\text{Me}_3\text{SiCH}_2)_2\text{AsGaBr}_2]_3$ (R.L. Wells, A.P. Purdy, A.T. McPhail, C.G. Pitt), (354) 287
- (Hydroxymethyl)[(trimethylsilyl)methyl]silane esters, synthesis and thermally-induced rearrangement of (R. Tacke, R. Rohr-Aehle), (354) 139
- Siloxanes, cleavage by boron trifluoride of (U. Scheim, A. Porzel, K. Rühlmann), (354) 31
- Silylene and disilylene, cycloaddition to a 2,2'-bipyridyl of (M. Weidenbruch, A. Schäfer, H. Marsmann), (354) C12
- Trimethylgermylation and trimethylsilylation of *N,N*-dialkylacetamides, application of anions to Peterson-type reaction of (S. Urayama, S. Inoue, Y. Sato), (354) 155

Sodium

- Cyclopentadienyluranium(III) anionic complexes, formation and reactions of (J.-F. Le Maréchal, E. Bulot, D. Baudry, M. Ephritikhine, D. Hauchard, R. Godard), (354) C17
- Isopropyl-substituted cyclopentadienyl ligands, synthesis of (H. Sitzman), (354) 203

Sulphur

- Cyclopentadienylmolybdenum cationic complexes, coordination of ER_2 (E = S, Se, Te) in (N. Kuhn, H. Schumann, E. Zauder), (354) 161
- Dicarbonyl-dithiolate complexes, $[\text{Ru}(\text{SR})_2(\text{CO})_2(\text{PR}'_3)_2]$, preparation and properties of (R.M. Catala, D. Cruz-Garritz, H. Torrens, R.L. Richards), (354) 123
- Nickel complexes and 2,2'-bipyridine, catalysis of electrosynthesis of aryl thioethers starting from thiophenol and aromatic halides of (G. Meyer, M. Troupel), (354) 249
- Pentacarbonylrhenium(I) cationic complexes with tetrahydrothiophene, 1,4-dithiane, 1,3-dithiane and 1,3,5-trithiane, properties of (J. Heidrich, W. Beck), (354) 91

Tellurium

- Cyclopentadienylmolybdenum cationic complexes, coordination of ER_2 (E = S, Se, Te) in (N. Kuhn, H. Schumann, E. Zauder), (354) 161
- ^{77}Se and ^{125}Te NMR, substituent effects and polarizability (N.P. Luthra, A.M. Boccanfuso, R.B. Dunlap, J.D. Odom), (354) 51

Thallium

- (Pentabenzylcyclopentadienyl)thallium(I), $(\text{PhCH}_2)_5\text{C}_5\text{Tl}$, crystal modification of (H. Schumann, C. Janiak, M.A. Khan, J.J. Zuckerman), (354) 7
- (Pentamethylcyclopentadienyl)thallium, molecular gas-phase structure of (R. Blom, H. Werner, J. Wolf), (354) 293

Tin

- O*-Alkyl-*O'*-triorganostannyl phosphonates, formation and spectra of (J.N. Pandey, G. Srivastava), (354) 301

Tungsten

- Aziridinocarbene-chromium and -tungsten complexes, transformation into nitriles and olefins of (B. Denise, A. Parlier, H. Rudler), (354) C23
- Dicyclopentadienyl-molybdenum and -tungsten complexes with methyl-, amino- and cyano-pyridines, synthesis, spectra and electrochemistry of (R.G. Costa, A.R. Dias, J.C. Kotz), (354) 341

(Methylenechlorophosphine)pentacarbonyltungsten, synthesis, spectroscopic properties and chemistry of (B. Deschamps, F. Mathey), (354) 83

Uranium

Cyclopentadienyluranium(III) anionic complexes, formation and reactions of (J.-F. Le Maréchal, E. Bulot, D. Baudry, M. Ephritikhine, D. Hauchard, R. Godard), (354) C17

Organouranium(IV) salts, $[(C_5H_5)_3U(NCR)_2][B(C_6H_5)_4]$, preparation and selected properties of (H. Aslan, K. Yünlü, R.D. Fischer, G. Bombieri, F. Benetollo), (354) 63

Vanadium

Disilanes, efficient formation and cleavage of; silylation with silylmetal reagents (A. Fürstner, H. Weidemann), (354) 15

Zirconium

$[(C_5H_5)_2Zr(OCOCF_3)(\mu-OH)]_2$, preparation and structure of (S. Klima, U. Thewalt), (354) 77

$(\eta^5\text{-Pentamethylcyclopentadienyl})(\eta^7\text{-cycloheptatrienyl})\text{-zirconium}$ and -hafnium, crystal and molecular structure of (R.D. Rogers, J.H. Teuben), (354) 169

Book reviews

Gmelin–Durrer metallurgy of iron, Vol. 9, Practice of steelmaking 3; edit. by H. Trenkler, W. Krieger (J.D. Smith), (354) C27

Gmelin handbook of inorganic chemistry, 8th edit., B — Boron compounds, 3rd Supplement, Vol. 3; by A. Meller (J.D. Smith), (354) C7

Laboratory guide to proton NMR spectroscopy; by S.A. Richards (P.D. Lickiss), (354) C6

Mechanisms of inorganic and organometallic reactions, Vol. 5; edit. by M.V. Twigg (M.F. Lappert), (354) C29

Organic reactions, Volumes 35 and 36; edit. by A.S. Kende (P.A. Chaloner), (354) C28

Organic syntheses, collective Vol. 6; edit. by W.E. Noland (P.A. Chaloner), (354) C30

The organometallic chemistry of the transition metals; by R.H. Crabtree (M.F. Lappert), (354) C26