

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 352 (1988)**

---

**SUBJECT INDEX****Aluminium**

- Allylbis-ligand-nickel(II) hexafluorophosphate,  $[\text{C}_3\text{H}_5\text{NiL}_2]\text{PF}_6$  and  $[\text{C}_3\text{H}_5\text{Ni}(\text{Br})\text{P}(\text{OThym})_3]/\text{Et}_2\text{AlCl}$  as catalysts for dimerisation of propene (E. Balbolov, M. Mitkova, K. Kurtev, J.-P. Gehrke, R. Taube), (352) 247
- Dialkylaluminium (*N*-methylsilyl)amides, mass spectrometry of (M. Bartoszek, M. Paech, G. Sonnek), (352) 73

**Antimony**

- Allylbis-ligand-nickel(II) hexafluorophosphate,  $[\text{C}_3\text{H}_5\text{NiL}_2]\text{PF}_6$  and  $[\text{C}_3\text{H}_5\text{Ni}(\text{Br})\text{P}(\text{OThym})_3]/\text{Et}_2\text{AlCl}$  as catalysts for dimerisation of propene (E. Balbolov, M. Mitkova, K. Kurtev, J.-P. Gehrke, R. Taube), (352) 247
- Antimony(I) coordinatively stabilised chelates (A. Lombard, G. Huttner), (352) 303
- Dichloroantimony-bridged manganese dimetal compounds, synthesis and reactivity of (A. Lombard, G. Huttner, L. Zsolnai), (352) 295
- Tris(2,4,6-trimethylphenyl)antimony dihydroxide, molecular and crystal structure of (T. Westhoff, F. Huber, R. Rüther, H. Preut), (352) 107

**Boron**

- Aminooxycarbenerhenium complexes, synthesis and reactions of (A.-J. Wang, R.J. Angelici), (352) 157

**Chromium**

- Dichloroantimony-bridged manganese dimetal compounds, synthesis and reactivity of (A. Lombard, G. Huttner, L. Zsolnai), (352) 295

**Cobalt**

- Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273
- $[\text{Co}^{\text{I}}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{PCH}_2\text{PPh}_2\text{-}P, P')_2]_2\{\text{Co}^{\text{II}}_2[\mu\text{-Ph}_2\text{P}(\text{O})\text{CH}_2\text{CH}_2\text{P}(\text{O})\text{Ph}_2]\text{Cl}_6\}$ , a polynuclear cobalt carbonyl ion-pair complex (Z.-Z. Zhang, H.-K. Wang, Z. Xi, H.-G. Wang, R.-J. Wang), (352) C22

**Copper**

- 4-Copper-3-phenylsydnone, cross-coupling with aryl and vinyl halides catalysed by palladium(0) complexes (V.N. Kanilin, She Fan Min), (352) C34
- Pt-Cu, Pt-Ag and Pt-Au clusters, synthesis of; crystal structure of the  $\text{Cu}^{\text{I}}\text{-Pt}^{\text{0}}$  cluster  $[\text{CuPt}_3(\mu\text{-CO})_3(\text{PPh}_3)_5]\text{BF}_4$  (P. Braunstein, S. Freyburger, O. Bars), (352) C29

## Gold

- Organogold(I) compounds, interaction with tetraalkylthiuram disulphides of (E.G. Perevalova, K.I. Grandberg, V.P. Dyadchenko, O.N. Kalinin), (352) C37
- Pt–Cu, Pt–Ag and Pt–Au clusters, synthesis of; crystal structure of the Cu<sup>1</sup>–Pt<sup>0</sup> cluster [CuPt<sub>3</sub>(μ-CO)<sub>3</sub>(PPh<sub>3</sub>)<sub>5</sub>]BF<sub>4</sub> (P. Braunstein, S. Freyburger, O. Bars), (352) C29

## Hafnium

- [2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115

## Iron

- $\eta^1$ :  $\eta^3$ -Allyl-bridged bimetallic complexes, [ $\eta^3$ -{2-( $\eta^5$ -Cp)(OC)(PR<sub>3</sub>)Fe-allyl}Pt(PPh<sub>3</sub>)<sub>2</sub>]PR<sub>6</sub> (PR<sub>3</sub> = PPh<sub>2</sub>H, PPh<sub>2</sub>Me), synthesis and structural characterization of (M.R. Gregg, J. Powell, J.F. Sawyer), (352) 357
- Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273
- 1,1'';1',1'''-Bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diylidicarbonyl)bisferrocene, X-ray structure of (M.C. Gossel, M.R. Goldspink, J.P. Knychala, A.K. Cheetham, J.A. Hriljac), (352) C13
- 4-Copper-3-phenylsydnone, cross-coupling with aryl and vinyl halides catalysed by palladium(0) complexes (V.N. Kanilin, She Fan Min), (352) C34
- ( $\eta^5$ -Cyclopentadienyl- $\eta^6$ -areneiron) chiral cations, preparation and electrochemical reduction of (M. Le Rudulier, C. Moinet), (352) 337
- [2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115
- Metal cyanide boron trifluoride stable adducts, crystal structure of ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(Ph<sub>3</sub>P)<sub>2</sub>Ru(CNBF<sub>3</sub>) (W. Weigand, U. Nagel, W. Beck), (352) 191
- [NEt<sub>4</sub>]<sub>2</sub>[HFe<sub>3</sub>Rh(CO)<sub>12</sub>], tetranuclear hydridocarbonyl cluster, synthesis and crystal structure of (R. Della Pergola, L. Garlaschelli, F. Demartin, M. Manassero, N. Masciocchi, G. Longoni), (352) C59
- Organometallic Beckmann rearrangement; isolation of Cp(CO)(Ph<sub>3</sub>P)FeN=CCH<sub>3</sub><sup>+</sup> BF<sub>4</sub><sup>-</sup> from a vinylidene precursor (A.G.M. Barrett, N.E. Carpenter, M. Sabat), (352) C8
- [Ru<sub>3</sub>(CO)<sub>9</sub>{ $\mu_3$ - $\sigma$ , $\sigma$ , $\eta^3$ -C=CCHMe<sub>2</sub>(PPh<sub>2</sub>)}] and [Fe<sub>3</sub>(CO)<sub>9</sub>{ $\mu_3$ - $\sigma$ , $\sigma$ , $\eta^3$ -C=CCHMe<sub>2</sub>(Ph<sub>2</sub>PO)}], synthesis and structures of (D.E. Fogg, S.A. MacLaughlin, K. Kwek, A.A. Cherkas, N.J. Taylor, A.J. Carty), (352) C17
- Sulphur-capped triangular cluster, Cp<sub>2</sub>W<sub>2</sub>Fe(CO)<sub>7</sub>(S), structural characterisation of (P.D. Williams, M.D. Curtis), (352) 169

## Lithium

- Aminooxycarbenerhenium complexes, synthesis and reactions of (A.-J. Wang, R.J. Angelici), (352) 157
- 4-Copper-3-phenylsydnone, cross-coupling with aryl and vinyl halides catalysed by palladium(0) complexes (V.N. Kanilin, She Fan Min), (352) C34
- Diphosphinomethanide ligands, [(R<sub>2</sub>P)<sub>2</sub>CX]<sup>-</sup>, coordination to Li<sup>+</sup>; crystal structures of {(THF)Li[(Ph<sub>2</sub>P)<sub>2</sub>CH]}<sub>2</sub>, {(THF)Li[(Me<sub>2</sub>P)<sub>2</sub>C(SiMe<sub>3</sub>)]}<sub>2</sub> and {(TMEDA)Li[(Me<sub>2</sub>P)<sub>2</sub>C(SiMe<sub>3</sub>)]} (H.H. Karsch, B. Deubelly, G. Müller), (352) 47
- Lithium-halogen interchange reactions, mechanism of (Review) (W.F. Bailey, J.J. Patricia), (352) 1
- Phosphonium diylids, reactivity with aldehydes and ketones of (H.-J. Cristau, Y. Ribeill, L. Chiche, F. Plénat), (352) C47
- Phosphonium diylids, reactivity with esters and amides of (H.-J. Cristau, Y. Ribeill), (352) C51
- Tris(trimethylsilyl)silyllithium, reaction with aliphatic ketones of (R. Wustrack, H. Oehme), (352) 95

## Magnesium

Grignard reagent of 1-methylcyclobutylmethyl bromide, rearrangement of; origin of methyl-substituent effect (E.A. Hill, M.W. Hallade), (352) 263

## Manganese

Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273

Dichloroantimony-bridged manganese dimetal compounds, synthesis and reactivity of (A. Lombard, G. Huttner, L. Zsolnai), (352) 295

## Metalloenes

Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273

1,1'';1',1'''-Bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diylidicarbonyl)bisferrocene, X-ray structure of (M.C. Grossel, M.R. Goldspink, J.P. Knychala, A.K. Cheetham, J.A. Hriljac), (352) C13 ( $\eta^5$ -Cyclopentadienyl- $\eta^6$ -areneiron) chiral cations, preparation and electrochemical reduction of (M. Le Rudulier, C. Moinet), (352) 337

[2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115

Organogold(I) compounds, interaction with tetraalkylthiuram disulphides of (E.G. Perevalova, K.I. Grandberg, V.P. Dyadchenko, O.N. Kalinin), (352) C37

( $R_3P$ )<sub>2</sub>Ru(CO)<sub>2</sub>Cl<sub>2</sub> and ( $R_3P$ )<sub>3</sub>Ru(CO)Cl<sub>2</sub> complexes, electrochemistry of (E.B. Milosavljević, Lj. Solujić, D.W. Krassowski, J.H. Nelson), (352) 177

Titanium and zirconium low-valent reagents generated from Cp<sub>2</sub>TiCl<sub>2</sub> and Cp<sub>2</sub>ZrCl<sub>2</sub> with magnesium and 1,2-dibromoethane, reactions of (S.A. Rao, M. Periasamy), (352) 125

## Molybdenum

1,8-Cyclotetradecadiyne-molybdenum(II) and -tungsten(II) complexes, structure and reactions of (E.M. Armstrong, P.K. Baker), (352) 133

Hexacarbonylbis( $\eta^5$ -methylcyclopentadienyl)dimolybdenum, photochemical reaction with cyclic conjugated dienes of (C.G. Kreiter, G. Wendt, J. Kaub), (352) 307

[Mo{ $\eta^4$ -C(CF<sub>3</sub>)=C(CF<sub>3</sub>)C(CF<sub>3</sub>)=C(CF<sub>3</sub>)SPr<sup>1</sup>}](PEt<sub>3</sub>)( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)] and [Mo{ $\eta^1$ -C(CF<sub>3</sub>)=C(CF<sub>3</sub>)SC<sub>6</sub>F<sub>5</sub>}(CF<sub>3</sub>C≡CCF<sub>3</sub>)(O)( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)]<sub>2</sub>, crystal and molecular structures of (W.A.W.A. Bakar, L. Carlton, J.L. Davidson, L. Manojlović-Muir, K.W. Muir), (352) C54

## Nickel

Allylbis-ligand-nickel(II) hexafluorophosphate, [C<sub>3</sub>H<sub>5</sub>NiL<sub>2</sub>]PF<sub>6</sub> and [C<sub>3</sub>H<sub>5</sub>Ni(Br)P(OT<sub>hym</sub>)<sub>3</sub>]/Et<sub>2</sub>AlCl as catalysts for dimerisation of propene (E. Balbolov, M. Mitkova, K. Kurtev, J.-P. Gehrke, R. Taube), (352) 247

*trans*-Bis(dimethylphenylphosphine)bis(2-tolyl)nickel(II), crystal structures of *anti* and *syn* isomers of (K. Miki, M. Tanaka, N. Kasai, M. Wada), (352) 385

Bis(diphenylphosphino)acetylene as bridging ligand between homo- and hetero-metallic clusters (E. Sappa), (352) 327

Nickel complexes as catalysts in electrochemical carboxylation of terminal alkynes; unusual regioselectivity (E. Duñach, J. Perichon), (352) 239

## Osmium

Bis(diphenylphosphino)acetylene as bridging ligand between homo- and hetero-metallic clusters (E. Sappa), (352) 327

## Palladium

- 2-Amino-5-nitrophenylpalladium(II) compounds, synthesis and reactivity of (J. Vicente, J.A. Abad, J.A. Sanchez), (352) 257
- 4-Copper-3-phenylsydnone, cross-coupling with aryl and vinyl halides catalysed by palladium(0) complexes (V.N. Kanilin, She Fan Min), (352) C34

## Phosphorus

- Alkylidyne-rhenium complexes, synthesis of; crystal structure of *trans*-[ReF(≡CCH<sub>2</sub>Bu-t)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]BF<sub>4</sub> (A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (352) C5
- Allylbis-ligand-nickel(II) hexafluorophosphate, [C<sub>3</sub>H<sub>5</sub>NiL<sub>2</sub>]PF<sub>6</sub> and [C<sub>3</sub>H<sub>5</sub>Ni(Br)P(OThym)<sub>3</sub>]/Et<sub>2</sub>AlCl as catalysts for dimerisation of propene (E. Balbolov, M. Mitkova, K. Kurtev, J.-P. Gehrke, R. Taube), (352) 247
- $\eta^1$ :  $\eta^3$ -Allyl-bridged bimetallic complexes, [ $\eta^3$ -{2-( $\eta^5$ -Cp)(OC)(PR<sub>3</sub>)Fe-allyl}Pt(PPh<sub>3</sub>)<sub>2</sub>]PR<sub>6</sub> (PR<sub>3</sub> = PPh<sub>2</sub>H, PPh<sub>2</sub>Me), synthesis and structural characterization of (M.R. Gregg, J. Powell, J.F. Sawyer), (352) 357
- trans*-Bis(dimethylphenylphosphine)bis(2-tolyl)nickel(II), crystal structures of *anti* and *syn* isomers of (K. Miki, M. Tanaka, N. Kasai, M. Wada), (352) 385
- Bis(diphenylphosphino)acetylene as bridging ligand between homo- and hetero-metallic clusters (E. Sappa), (352) 327
- [Co<sup>I</sup>(CO)(Ph<sub>2</sub>PCH<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>-*P, P'*)<sub>2</sub>]<sub>2</sub>{Co<sup>II</sup><sub>2</sub>{ $\mu$ -Ph<sub>2</sub>P(O)CH<sub>2</sub>CH<sub>2</sub>P(O)Ph<sub>2</sub>}Cl<sub>6</sub>}, a polynuclear cobalt carbonyl ion-pair complex (Z.-Z. Zhang, H.-K. Wang, Z. Xi, H.-G. Wang, R.-J. Wang), (352) C22
- Diethylaminocarbonyltungsten complexes, reactions with electrophiles of (A.C. Filippou, E.O. Fischer), (352) 149
- Diphosphinomethanide ligands, [(R<sub>2</sub>P)<sub>2</sub>CX]<sup>-</sup>, coordination to Li<sup>+</sup>; crystal structures of {(THF)Li[(Ph<sub>2</sub>P)<sub>2</sub>CH]}<sub>2</sub>, {(THF)Li[(Me<sub>2</sub>P)<sub>2</sub>C(SiMe<sub>3</sub>)]}<sub>2</sub> and {[TMEDA)Li[(Me<sub>2</sub>P)<sub>2</sub>C(SiMe<sub>3</sub>)]} (H.H. Karsch, B. Deubelly, G. Müller), (352) 47
- Metal cyanide boron trifluoride stable adducts, crystal structure of ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(Ph<sub>3</sub>P)<sub>2</sub>Ru(CNBF<sub>3</sub>) (W. Weigand, U. Nagel, W. Beck), (352) 191
- Organometallic Beckmann rearrangement; isolation of Cp(CO)(Ph<sub>3</sub>P)FeN=CCH<sub>3</sub><sup>+</sup> BF<sub>4</sub><sup>-</sup> from a vinylidene precursor (A.G.M. Barrett, N.E. Carpenter, M. Sabat), (352) C8
- Phosphonium diylids, reactivity with aldehydes and ketones of (H.-J. Cristau, Y. Ribeill, L. Chiche, F. Plénat), (352) C47
- Phosphonium diylids, reactivity with esters and amides of (H.-J. Cristau, Y. Ribeill), (352) C51
- (R<sub>3</sub>P)<sub>2</sub>Ru(CO)<sub>2</sub>Cl<sub>2</sub> and (R<sub>3</sub>P)<sub>3</sub>Ru(CO)Cl<sub>2</sub> complexes, electrochemistry of (E.B. Milosavljević, Lj. Solujić, D.W. Krassowski, J.H. Nelson), (352) 177
- [Ru<sub>3</sub>(CO)<sub>9</sub>{ $\mu_3$ - $\sigma, \sigma, \eta^3$ -C=ĊHMe<sub>2</sub>(PPh<sub>2</sub>)}] and [Fe<sub>3</sub>(CO)<sub>9</sub>{ $\mu_3$ - $\sigma, \sigma, \eta^3$ -C=ĊHMe<sub>2</sub>(Ph<sub>2</sub>PO)}], synthesis and structures of (D.E. Fogg, S.A. MacLaughlin, K. Kwek, A.A. Cherkas, N.J. Taylor, A.J. Carty), (352) C17
- Ruthenium trinuclear complex, modification with chiral diphosphane ligands of (G. Süss-Fink, H. Jungbluth), (352) 185
- Sulphur dioxide insertion into M-C(*sp*) bonds of Ru(C<sub>2</sub>Ph)(PPh<sub>3</sub>)<sub>2</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>); X-ray crystal structure of Ru( $\eta^2$ -S<sub>2</sub>CC<sub>2</sub>Ph)(PPh<sub>3</sub>)( $\eta$ -C<sub>5</sub>H<sub>5</sub>) (M.I. Bruce, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (352) 199
- Triphenylphosphinerhodium(I) complexes, stabilisation of enols by (C.S. Chin, J. Park, S.Y. Lee, C. Kim), (352) 379

## Platinum

- $\eta^1$ :  $\eta^3$ -Allyl-bridged bimetallic complexes, [ $\eta^3$ -{2-( $\eta^5$ -Cp)(OC)(PR<sub>3</sub>)Fe-allyl}Pt(PPh<sub>3</sub>)<sub>2</sub>]PR<sub>6</sub> (PR<sub>3</sub> = PPh<sub>2</sub>H, PPh<sub>2</sub>Me), synthesis and structural characterization of (M.R. Gregg, J. Powell, J.F. Sawyer), (352) 357
- Metal cyanide boron trifluoride stable adducts, crystal structure of ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(Ph<sub>3</sub>P)<sub>2</sub>Ru(CNBF<sub>3</sub>) (W. Weigand, U. Nagel, W. Beck), (352) 191

Platinum triangular clusters with 42 to 48 valence electrons, MO analysis of bonding in (D.G. Evans), (352) 397

Pt–Cu, Pt–Ag and Pt–Au clusters, synthesis of; crystal structure of the  $\text{Cu}^{\text{I}}\text{–Pt}^{\text{0}}$  cluster  $[\text{CuPt}_3(\mu\text{-CO})_3(\text{PPh}_3)_5]\text{BF}_4$  (P. Braunstein, S. Freyburger, O. Bars), (352) C29

Trimethylplatinum bromide, crystal structure of  $[(\text{Me}_3\text{PtBr})_4] \cdot 0.5$  toluene (W. Massa, G. Baum, B.-S. Seo, J. Lorberth), (352) 415

## Potassium

Cyclooctatetraenylpotassium,  $\text{C}_8\text{H}_8\text{K} \cdot (\text{OC}_4\text{H}_8)_3$ , crystal structure of (N. Hu, L. Gong, Z. Jin, W. Chen), (352) 61

2,4-Dimethylpentadienylpotassium tetramethylethylenediamine complex, preparation and crystal structure of (L. Gong, N. Hu, Z. Jin, W. Chen), (352) 67

## Rhenium

Alkyldiene-rhenium complexes, synthesis of; crystal structure of *trans*- $[\text{ReF}(\equiv\text{CCH}_2\text{Bu-t})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]\text{BF}_4$  (A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (352) C5

Aminooxycarbenerhenium complexes, synthesis and reactions of (A.-J. Wang, R.J. Angelici), (352) 157

Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273

## Rhodium

$\eta^2$ -Alkenerhodium(I) complexes,  $^{13}\text{C}\text{--}^{13}\text{C}$  coupling constants in (J.W. Fitch, E.B. Ripplinger, B.A. Shoulders, S.D. Sorey), (352) C25

Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273

$[\text{NEt}_4]_2[\text{HFe}_3\text{Rh}(\text{CO})_{12}]$ , tetranuclear hydridocarbonyl cluster, synthesis and crystal structure of (R. Della Pergola, L. Garlaschelli, F. Demartin, M. Manassero, N. Masciocchi, G. Longoni), (352) C59

Rhodium binuclear methylene- and alkyne-bridged complexes without M–M bonds (I.R. McKeer, S.J. Sherlock, M. Cowie), (352) 205

Rhodium complexes as catalysts for crossed aldol-type reactions (S. Sato, I. Matsuda, Y. Izumi), (352) 223

Triphenylphosphinerhodium(I) complexes, stabilisation of enols by (C.S. Chin, J. Park, S.Y. Lee, C. Kim), (352) 379

## Ruthenium

Bis(diphenylphosphino)acetylene as bridging ligand between homo- and hetero-metallic clusters (E. Sappa), (352) 327

Metal cyanide boron trifluoride stable adducts, crystal structure of  $(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_3\text{P})_2\text{Ru}(\text{CNBF}_3)$  (W. Weigand, U. Nagel, W. Beck), (352) 191

$(\text{R}_3\text{P})_2\text{Ru}(\text{CO})_2\text{Cl}_2$  and  $(\text{R}_3\text{P})_3\text{Ru}(\text{CO})\text{Cl}_2$  complexes, electrochemistry of (E.B. Milosavljević, Lj. Solujić, D.W. Krassowski, J.H. Nelson), (352) 177

$[\text{Ru}_3(\text{CO})_9\{\mu_3\text{-}\sigma, \sigma, \eta^3\text{-C}=\overline{\text{C}}\text{HMe}_2(\text{PPh}_2)\}]$  and  $[\text{Fe}_3(\text{CO})_9\{\mu_3\text{-}\sigma, \sigma\text{-}\eta^3\text{-C}=\overline{\text{C}}\text{HMe}_3(\text{Ph}_2\text{PO})\}]$ , synthesis and structures of (D.E. Fogg, S.A. MacLaughlin, K. Kwek, A.A. Cherkas, N.J. Taylor, A.J. Carty), (352) C17

Ruthenium trinuclear complex, modification with chiral diphosphane ligands of (G. Süß-Fink, H. Jungbluth), (352) 185

Sulphur dioxide insertion into M–C(*sp*) bonds of  $\text{Ru}(\text{C}_2\text{Ph})(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$ ; X-ray crystal structure of  $\text{Ru}(\eta^2\text{-S}_2\text{CC}_2\text{Ph})(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)$  (M.I. Bruce, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (352) 199

Tetracarbonylruthenium hydrido anion, catalytic activity for hydroformylation of olefins of (T. Hayashi, Z.H. Gu, T. Sakakura, M. Tanaka), (352) 373

Undecacarbonyltriruthenium hydrido anion,  $[\text{HRu}_3(\text{CO})_{11}]^-$ , in situ synthesis on the surface of hydroxylated aluminum oxide (J.J. Bergmeister, III, B.E. Hanson), (352) 367

## Silicon

- $\eta^2$ -Alkenerhodium(I) complexes,  $^{13}\text{C}$ - $^{13}\text{C}$  coupling constants in (J.W. Fitch, E.B. Ripplinger, B.A. Shoulders, S.D. Sorey), (352) C25
- Dialkylaluminium (*N*-methylsilyl)amides, mass spectrometry of (M. Bartoszek, M. Paech, G. Sonneck), (352) 73
- Diphosphinomethanide ligands,  $[(\text{R}_2\text{P})_2\text{CX}]^-$ , coordination to  $\text{Li}^+$ ; crystal structures of  $\{(\text{THF})\text{Li}[(\text{Ph}_2\text{P})_2\text{CH}]\}_2$ ,  $\{(\text{THF})\text{Li}[(\text{Me}_2\text{P})_2\text{C}(\text{SiMe}_3)]\}_2$  and  $\{[\text{TMEDA}]\text{Li}[(\text{Me}_2\text{P})_2\text{C}(\text{SiMe}_3)]\}$  (H.H. Karsch, B. Deubelly, G. Müller), (352) 47
- Rhodium complexes as catalysts for crossed aldol-type reactions (S. Sato, I. Matsuda, Y. Izumi), (352) 223
- Silane-silanol dehydrocondensation; microscopic reverse of hydrogen activation by an organometallic oxide complex (R.J. Klingler, T.R. Krause, J.W. Rathke), (352) 81
- N,N,N'*-Tris(trimethylsilyl)organoamidines as reagents (K. Dehnicke, C. Ergezinger, E. Hartmann, A. Zinn), (352) C1
- Tris(trimethylsilyl)silyllithium, reaction with aliphatic ketones of (R. Wustrack, H. Oehme), (352) 95

## Silver

- Pt-Cu, Pt-Ag and Pt-Au clusters, synthesis of; crystal structure of the  $\text{Cu}^{\text{I}}\text{-Pt}^{\text{0}}$  cluster  $[\text{CuPt}_3(\mu\text{-CO})_3(\text{PPh}_3)_5]\text{BF}_4$  (P. Braunstein, S. Freyburger, O. Bars), (352) C29

## Sulphur

- Carbonyltungsten thiosemicarbazone compounds, formation and structure of (J. Valdés-Martinez, A. Sierra-Romero, C. Alvarez-Toledano, R.A. Toscano, H. Garcia-Tapia), (352) 321
- 2,2-Dialkyl-1,3,2-dithiastannolanes, structures of (A.G. Davies, S.D. Slater, D.C. Povey, G.W. Smith), (352) 283
- Dichloroantimony-bridged manganese dimetal compounds, synthesis and reactivity of (A. Lombard, G. Huttner, L. Zsolnai), (352) 295
- Organogold(I) compounds, interaction with tetraalkylthiuram disulphides of (E.G. Perevalova, K.I. Grandberg, V.P. Dyadchenko, O.N. Kalinin), (352) C37
- Sulphur-capped triangular cluster,  $\text{Cp}_2\text{W}_2\text{Fe}(\text{CO})_7(\text{S})$ , structural characterisation of (P.D. Williams, M.D. Curtis), (352) 169
- Sulphur dioxide insertion into  $\text{M-C}(sp)$  bonds of  $\text{Ru}(\text{C}_2\text{Ph})(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$ ; X-ray crystal structure of  $\text{Ru}(\eta^2\text{-S}_2\text{CC}_2\text{Ph})(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)$  (M.I. Bruce, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (352) 199

## Thallium

- Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273

## Tin

- 2,2-Dialkyl-1,3,2-dithiastannolanes, structures of (A.G. Davies, S.D. Slater, D.C. Povey, G.W. Smith), (352) 283

## Titanium

- Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273
- [2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115
- Titanium and zirconium low-valent reagents generated from  $\text{Cp}_2\text{TiCl}_2$  and  $\text{Cp}_2\text{ZrCl}_2$  with magnesium and 1,2-dibromoethane, reactions of (S.A. Rao, M. Periasamy), (352) 125

## Tungsten

- Carbonyltungsten thiosemicarbazone compounds, formation and structure of (J. Valdés-Martínez, A. Sierra-Romero, C. Alvarez-Toledano, R.A. Toscano, H. Garcia-Tapia), (352) 321
- 1,8-Cyclotetradecadiyne-molybdenum(II) and -tungsten(II) complexes, structure and reactions of (E.M. Armstrong, P.K. Baker), (352) 133
- Diethylaminocarbonyltungsten complexes, reactions with electrophiles of (A.C. Filippou, E.O. Fischer), (352) 149
- Isonitrile-substituted diethylaminocarbonyltungsten, thermodynamic equilibrium between neutral and cationic state of (A.C. Filippou, E.O. Fischer), (352) 141
- Sulphur-capped triangular cluster,  $\text{Cp}_2\text{W}_2\text{Fe}(\text{CO})_7(\text{S})$ , structural characterisation of (P.D. Williams, M.D. Curtis), (352) 169

## Zirconium

- [2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115
- Titanium and zirconium low-valent reagents generated from  $\text{Cp}_2\text{TiCl}_2$  and  $\text{Cp}_2\text{ZrCl}_2$  with magnesium and 1,2-dibromoethane, reactions of (S.A. Rao, M. Periasamy), (352) 125

## Book reviews

- Advances in organometallic chemistry, Vol. 28; edited by F.G.A. Stone and R. West (M.F. Lappert), (352) C65
- Asymmetric synthesis; construction of chiral molecules using amino acids; by G.M. Coppola and H.F. Schuster (P.A. Chaloner), (352) C67
- Comprehensive organometallic analysis; by T.R. Crompton (P.A. Chaloner), (352) C42
- Dictionary of organometallic compounds: third supplement; edited by J.E. Macintyre (C. Eaborn), (352) C45
- Gmelin handbook of inorganic chemistry, 8th edit., Sn — Organotin compounds, Part 14 (C. Eaborn) (352) C43
- Inorganic reactions and methods, Vol. 11. The formation of bonds to elements of Group IVB (C, Si, Ge, Sn, Pb) (Part 3); edited by J.J. Zuckermann (C. Eaborn) (352) C70
- Landolt-Börnstein. Numerical data and functional relationships in science and technology. New series, Group II, Volume 17, Subvolume c. Magnetic properties of free radicals: Conjugated carbon-centred and nitrogen radicals, edited by H. Fischer, (R.A. Jackson), (352) C69
- Phase equilibria in binary halides; by V.I. Posypaiko and E.A. Alekseeva (K.R. Seddon), (352) C66
- Reactions of coordinated ligands, Vol. 1; edited by P.S. Braterman (M.F. Lappert) (352) C68
- Stereochemical and stereophysical behaviour of macrocycles; edited by I. Bernal (K.R. Seddon), (352) C44
- Synthesis of macrocycles — The design of selective complexing agents; edited by R.M. Izatt and J.J. Christensen (K.R. Seddon), (352) C44
- The art of scientific writing; by H.F. Ebel, C. Bliefert and W.E. Russey (C. Eaborn) (352) C63