

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 355 (1988)**SUBJECT INDEX****Aluminium**

(*N,N,N',N'-Tetramethylethylenediamine(dimethyl)nickel(II), reactions of* (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525

Arsenic

Arsinidene-bridged tri-, tetra- and penta-nuclear carbonylosmium clusters, synthesis and characterisation of (K. Guldner, B.F.G. Johnson, J. Lewis), (355) 419

Boron

(*1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of (C₅Me₅)Rh(C₄H₄B₂Cl₂)* (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473

1,3,2,4-Diphosphadiborabicyclo[1.1.0]butanes, synthesis, structure of; formation of complexes from (P. Kölle, G. Linti, H. Nöth, K. Polborn), (355) 7

Cadmium

[MC₂O₂(CO)₈] (M = Zn, Cd, Hg), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1

Chromium

Acetylene as building block for carbene and vinylidene ligands on chromium (H.G. Alt, H.E. Engelhardt, A.C. Filippou), (355) 139

$\eta^4\cdot^{(2)}\cdot 5H\text{-Benzocycloheptenedicarbonyltrimethylphosphitechromium(0)}$, an unusual electron-deficient complex (C.G. Kreiter, G. Michael, J. Kaub), (355) 149

Biphenylene as ligand in dia- and para-magnetic chromocenes (C. Elschenbroich, J. Schneider, W. Massa, G. Baum, H. Mellinghoff), (355) 163

Carbonylchromium photogenerated catalyst used in formate reduction of aldehydes (D.E. Linn, Jr., R.B. King, A.D. King, Jr.), (355) C1

Tetracarbonylcarbene chelated chromium, molybdenum and tungsten complexes, preparation and configuration of (K.H. Dötz, H.-G. Erben, W. Staudacher, K. Harms, G. Müller, J. Riede), (355) 177

Cobalt

(*1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of (C₅Me₅)Rh(C₄H₄B₂Cl₂)* (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473

($\eta^5\text{-Formylcyclopentadienyl})\text{dicarbonylcobalt}$ and ($\eta^5\text{-acetyl)cyclopentadienyl})\text{dicarbonylcobalt}$, formation and reactions of (W.P. Hart, M.D. Rausch), (355) 455

Hetero-metal cluster formation by C-H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427

[MC₂O₂(CO)₈] (M = Zn, Cd, Hg), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1

2-Phenyl-3a,4,5,6,7,7a-hexahydro-4,7-methanoindan-1-on optically pure complex, formation by the asymmetric Khand reaction of (P. Bladon, P.L. Pauson, H. Brunner, R. Eder), (355) 449

Triphenylstannyl-substituted mononuclear carbene cobalt complexes, preparation and properties of (A.C. Filippou, E. Herdtweck, H.G. Alt), (355) 437

Gold

Chemo- and stereo-selective reactions of $[\text{Fe}(\text{CO})_2\text{Cp}]^+$ and $[\text{AuPPh}_3]^+$ with $[\text{W}(\text{CO})_5\{\text{C}(\text{OEt})-\text{Ph}\}\text{C}(\text{Ph})=\text{C}=\text{S}\}]^-$; crystal structures of *Z*- $[\text{W}(\text{CO})_5\{\text{C}(\text{SFe}[\text{CO}]_2\text{Cp})\text{C}(\text{Ph})=\text{C}(\text{OEt})\text{Ph}\}]$ and *E*- $[\text{W}(\text{CO})_5\{\text{S}=\text{C}(\text{AuPPh}_3)\text{C}(\text{Ph})=\text{C}(\text{OEt})\text{Ph}\}]$ (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

Hafnium

(Di- η -cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a di-nuclear hafnium complex with Se_4 and O bridges (N. Albrecht, E. Weiss), (355) 89

η^2 -Iminoacylmetallocene substituted ylides, isonitrile insertion into the M=C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121

Iridium

μ_2 - η^2 -Trimethylsilyl ethynyl-rhodium and -iridium complexes, synthesis, structure and reactivity of (J. Müller, M. Tschampel, J. Pickardt), (355) 513

Iron

Chemo- and stereo-selective reactions of $[\text{Fe}(\text{CO})_2\text{Cp}]^+$ and $[\text{AuPPh}_3]^+$ with $[\text{W}(\text{CO})_5\{\text{C}(\text{OEt})-\text{Ph}\}\text{C}(\text{Ph})=\text{C}=\text{S}\}]^-$; crystal structures of *Z*- $[\text{W}(\text{CO})_5\{\text{C}(\text{SFe}[\text{CO}]_2\text{Cp})\text{C}(\text{Ph})=\text{C}(\text{OEt})\text{Ph}\}]$ and *E*- $[\text{W}(\text{CO})_5\{\text{S}=\text{C}(\text{AuPPh}_3)\text{C}(\text{Ph})=\text{C}(\text{OEt})\text{Ph}\}]$ (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

(1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of $(\text{C}_5\text{Me}_5)\text{Rh}(\text{C}_4\text{H}_4\text{B}_2\text{Cl}_2)$ (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473

Hetero-metal cluster formation by C-H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427

Mono- and di-nuclear ferrocenophanes with aromatic thioester bridges (M. Herberhold, C. Dörnhöfer, H.I. Hayen, B. Wrackmeyer), (355) 325

Trimethylenemethaneiron complexes, preparation by methylation of allenes with carbeneiron complexes (R. Aumann, H.-D. Melchers), (355) 351

$[\text{W}(\equiv\text{CSiPh}_3)(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, reactions of low valent metal species with; crystal structure of the ketenyl complex $[\text{WFe}\{\mu\text{-C}(\text{SiPh}_3)\text{CO}\}(\text{CO})_5(\eta\text{-C}_5\text{H}_5)]$ (J.C. Jeffery, M.A. Ruiz, F.G.A. Stone), (355) 231

Magnesium

(*N,N,N',N'*-Tetramethylethylenediamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525

Manganese

$[(\text{C}_5\text{H}_5)(\text{CO})_2\text{Mn}]_2\text{SePh}^+$, electrocyclic ring opening of (H. Braunwarth, F. Ettel, G. Huttner), (355) 281

Mercury

$[\text{MCo}_2(\text{CO})_8]$ ($\text{M} = \text{Zn}, \text{Cd}, \text{Hg}$), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1

Metallocenes

Biphenylene as ligand in dia- and para-magnetic chromocenes (C. Elschenbroich, J. Schneider, W. Massa, G. Baum, H. Mellinghoff), (355) 163

η^2 -Iminoacylmetallocene substituted ylides, isonitrile insertion into the M=C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121

Mono- and di-nuclear ferrocenophanes with aromatic thioester bridges (M. Herberhold, C. Dörnhöfer, H.I. Hayen, B. Wrackmeyer), (355) 325

$[\text{Re}(\eta^6\text{-C}_9\text{H}_8)(\eta^5\text{-C}_9\text{H}_7)]$, synthesis, characterisation and reactivity of, precursor to μ_2 - η^3 : η^5 -indenyl derivatives (M.L.H. Green, N.D. Lowe, D. O'Hare), (355) 315

Molybdenum

Bipyridinedicarbonitrile-molybdenum and -tungsten complexes, preparation, characterisation and reactions of (P.N.W. Baxter, J.A. Connor), (355) 193

- $\eta^5\text{-C}_5\text{H}_5(\text{CO})_3\text{Mo}(\mu\text{-}\eta^1, \eta^2\text{-CS}_2)\text{Mo}(\text{CO})_2\text{-}\eta^5\text{-C}_5\text{H}_5$, $\eta^1, \eta^2\text{-CS}_2$ bridged complex, structure of (W. Deutsch, A. Gieren, C. Ruiz-Perez, K.E. Schwarzhans), (355) 197
- Di- η -cyclopentadienyl-molybdenum and -tungsten fragments, synthetic and electrochemical studies on electroactive ionophores based on (E. Fu, J. Granell, M.L.H. Green, V.J. Lowe, S.R. Marder, G.C. Saunders, M. Tuddenham), (355) 205
- Hetero-metal cluster formation by C–H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427
- Pd₂Mo, PdPtMo and Pd₂W mixed-metal clusters containing Ph₂PCH₂PPh₂ (dppm), synthesis and reactivity of; molecular structure of [Pd₂MoCl(η -C₅H₅)₂(μ ₃-CO)₂(μ -dppm)₂] (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot), (355) 533
- Tetracarbonylcarbene chelated chromium, molybdenum and tungsten complexes, preparation and configuration of (K.H. Dötz, H.-G. Erben, W. Staudacher, K. Harms, G. Müller, J. Riede), (355) 177

Nickel

- Hetero-metal cluster formation by C–H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427
- (N,N,N',N'-Tetramethylethylenediamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525

Osmium

- Arsinidene-bridged tri-, tetra- and penta-nuclear carbonylosmium clusters, synthesis and characterisation of (K. Guldner, B.F.G. Johnson, J. Lewis), (355) 419
- [C₆R₆M(L)] (M = Ru, Os), inter- and intra-molecular C–H activation with (H. Werner, H. Kletzin, K. Roder), (355) 401
- M₃{ μ -H, μ -O=CNMe₂} (CO)₁₀ (M = Ru, Os), reaction with but-2-yne of; crystal and molecular structures of M₃{ η^3 -CH₂CHC(H)CH₃} { μ -(CO), μ -O=CNMe₂} (CO)₈ (M = Ru, Os) and Ru₂{ μ -O=CMe= C Me}{ η^2 -CMe=CHMe} { μ O=CNMe₂} (CO)₅ (N.M. Boag, W.J. Sieber, C.E. Kampe, C.B. Knobler, H.D. Kaesz), (355) 385

Palladium

- Pd₂Mo, PdPtMo and Pd₂W mixed-metal clusters containing Ph₂PCH₂PPh₂ (dppm), synthesis and reactivity of; molecular structure of [Pd₂MoCl(η -C₅H₅)₂(μ ₃-CO)₂(μ -dppm)₂] (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot), (355) 533

Phosphorus

- 2-Aminoethylphosphines, cyclization behaviour of (K. Issleib, H. Schmidt, E. Leissing), (355) 71
- [Bis(dimethylphosphino)ethane](trichloro)cyclopentadienyltitanium(IV), preparation and crystal structure of (D.L. Hughes, G.J. Leigh, D.G. Walker), (355) 113
- Chemo- and stereo-selective reactions of [Fe(CO)₂Cp]⁺ and [AuPPh₃]⁺ with [W(CO)₅{C(OEt)-Ph}C(Ph)=C=S}]⁻; crystal structures of Z-[W(CO)₅{C(SFe[CO]₂Cp)C(Ph)=C(OEt)Ph}] and E-[W(CO)₅{S=C(AuPPh₃)C(Ph)=C(OEt)Ph}] (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337
- Cyclopentanone-phospha-, -oxa-, -thia- or -aza-tungsta complexes, synthesis of (F.R. Kreissl, M. Wolfgruber), (355) 267
- 1,3,2,4-Diphosphadiborabicyclo[1.1.0]butanes, synthesis, structure of; formation of complexes from (P. Kölle, G. Linti, H. Nöth, K. Polborn), (355) 7
- Gaseous methylenebis(phosphane), CH₂(PH₂)₂, structural studies on (P.C. Knüppel, G. Pawelke, H. Sommer, O. Stelzer, H. Oberhammer, M.F. Lappert, R.J. Suffolk, J.D. Watts), (355) 55
- η^2 -Iminoacylmetallocene substituted ylides, isonitrile insertion into the M=C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121
- Pd₂Mo, PdPtMo and Pd₂W mixed-metal clusters containing Ph₂PCH₂PPh₂ (dppm), synthesis and reactivity of; molecular structure of [Pd₂MoCl(η -C₅H₅)₂(μ ₃-CO)₂(μ -dppm)₂] (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot), (355) 533
- 2-Phenyl-3a,4,5,6,7,7a-hexahydro-4,7-methanoindan-1-one optically pure complex, formation by the asymmetric Khand reaction of (P. Bladon, P.L. Pauson, H. Brunner, R. Eder), (355) 449
- Rhodium(I), rhodium(II) and rhodium(III) complexes with o-benzene dithiolate(2-), o-methylthiobenzene thiolate(1-), 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecanate(2-), CO and PPh₃, synthesis and properties of (D. Sellmann, A. Fetz, M. Moll, F. Knoch), (355) 495

- Silylalkyl(ether-phosphanes), preparation, characterisation and reactions of (E. Lindner, A. Bader, E. Glaser, B. Pfeiderer, W. Schumann, E. Bayer), (355) 45
 $(N,N,N',N'$ -Tetramethylethylene(diamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525
Triphenylstannyl-substituted mononuclear carbene cobalt complexes, preparation and properties of (A.C. Filippou, E. Herdtweck, H.G. Alt), (355) 437

Platinum

- Pd₂Mo, PdPtMo and Pd₂W mixed-metal clusters containing Ph₂PCH₂PPh₂ (dppm), synthesis and reactivity of; molecular structure of [Pd₂MoCl(η -C₅H₅)(μ_3 -CO)₂(μ -dppm)₂] (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot), (355) 533

Rhenium

- π -Aromatic organorhenium oxides and halides, synthesis and structures of (W.A. Herrmann, M. Flöel, J. Kulpe, J.K. Felixberger, E. Herdtweck), (355) 297
Diacyl-bridged octacarbonyldirhenium complexes, stabilisation of an intermediate in decarbonylation of (M.J. Schweiger, U. Nagel, W. Beck), (355) 289
[Re(η^6 -C₉H₈)(η^5 -C₉H₇)], synthesis, characterisation and reactivity of, precursor to $\mu_2\text{-}\eta^3\text{:}\eta^5$ -indenyl derivatives (M.L.H. Green, N.D. Lowe, D. O'Hare), (355) 315

Rhodium

- (1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of (C₅Me₅)Rh(C₄H₄B₂Cl₂) (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473
(η^2 -Ethylene)(4-methyl-4-*exo*-n-butyl-1-*anti*- η^2 -methylene[(2,5- η^4 -cyclohexadiene)rhodium-2,4-*O,O'*-pentanedionate])rhodium-2,4-*O,O'*-pentanedionate, crystal and molecular structure of (O.A. Reutov, V.A. Nikanorov, V.I. Rozenberg, A.I. Yanovsky, Yu.T. Struchkov, V.V. Kaverin, V.P. Yur'ev), (355) 485
Rhodium(I), rhodium(II) and rhodium(III) complexes with *o*-benzene dithiolate(2-), *o*-methylthiobenzene thiolate(1-), 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecanate(2-), CO and PPh₃, synthesis and properties of (D. Sellmann, A. Fetz, M. Moll, F. Knoch), (355) 495
 $\mu_2\text{-}\eta^2$ -Trimethylsilylethylnyl-rhodium and -iridium complexes, synthesis, structure and reactivity of (J. Müller, M. Tschampel, J. Pickardt), (355) 513

Ruthenium

- [C₆R₆M(L)] (M = Ru, Os), inter- and intra-molecular C-H activation with (H. Werner, H. Kletzin, K. Roder), (355) 401
Cyclopentadienyl- η^5 -thiopheneruthenium cation, C-S bond cleavage and subsequent reactions of the butadiene-thiolate product of (J.W. Hachgenei, R.J. Angelici), (355) 359
Hetero-metal cluster formation by C-H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427
[H₃Ru₄(CO)₁₂]⁻ as catalyst in hydrogenation and hydro-coupling of acetacetic amides and esters (G.F. Schmidt, J. Reiner, G. Süss-Fink), (355) 379
M₃{ μ -H, μ -O=CNMe₂}(CO)₁₀ (M = Ru, Os), reaction with but-2-yne of; crystal and molecular structures of M₃{ η^3 -CH₂CHC(H)CH₃}{{ μ -(CO), μ -O=CNMe₂}(CO)₈ (M = Ru, Os) and Ru₂{ μ -O=CMe=CMe(η^2 -CMe=CHMe)}{{ μ -O=CNMe₂}(CO)₅ (N.M. Boag, W.J. Sieber, C.E. Kampe, C.B. Knobler, H.D. Kaesz), (355) 385

Selenium

- [(C₅H₅)(CO)₂Mn]₂SePh⁺, electrocyclic ring opening of (H. Braunwarth, F. Ettel, G. Huttner), (355) 281
(Di- η -cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a di-nuclear hafnium complex with Se₄ and O bridges (N. Albrecht, E. Weiss), (355) 89

Silicon

- Ethoxy- and ethylthio-(triphenylsilyl) ketenes from carbene complexes (CO)₅WC(XEt)SiPh₃ (X = O, S) (U. Schubert, J. Kron, H. Hörmig), (355) 243
Silylalkyl(ether-phosphanes), preparation, characterisation and reactions of (E. Lindner, A. Bader, E. Glaser, B. Pfeiderer, W. Schumann, E. Bayer), (355) 45

[W(=CSiPh₃)(CO)₂(η-C₅H₅)], reactions of low valent metal species with; crystal structure of the ketenyl complex [WFe{μ-C(SiPh₃)CO}(CO)₅(η-C₅H₅)] (J.C. Jeffery, M.A. Ruiz, F.G.A. Stone), (355) 231

Sulphur

η⁵-C₅H₅(CO)₃Mo(μ-η¹,η²-CS₂)Mo(CO)₂-η⁵-C₅H₅, η¹,η²-CS₂ bridged complex, structure of (W. Deutsch, A. Gieren, C. Ruiz-Perez, K.E. Schwarzhans), (355) 197

Chemo- and stereo-selective reactions of [Fe(CO)₂Cp]⁺ and [AuPPh₃]⁺ with {W(CO)₅{C(OEt)-Ph}C(Ph)=C=S}⁻; crystal structures of Z-[W(CO)₅{C(SFe[CO]₂Cp)C(Ph)=C(OEt)Ph}] and E-[W(CO)₅{S=C(AuPPh₃)C(Ph)=C(OEt)Ph}] (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

Cyclopentadienyl-η⁵-thiopheneruthenium cation, C-S bond cleavage and subsequent reactions of the butadiene-thiolate product of (J.W. Hachgenei, R.J. Angelici), (355) 359

Cyclopentanone-phospha-, -oxa-, -thia- or -aza-tungsta complexes, synthesis of (F.R. Kreissl, M. Wolfgruber), (355) 267

Ethoxy- and ethylthio-(triphenylsilyl) ketenes from carbene complexes (CO)₅WC(XEt)SiPh₃ (X = O, S) (U. Schubert, J. Kron, H. Hörmig), (355) 243

Mono- and di-nuclear ferrocenophanes with aromatic thioester bridges (M. Herberhold, C. Dörnhöfer, H.I. Hayen, B. Wrackmeyer), (355) 325

Rhodium(I), rhodium(II) and rhodium(III) complexes with o-benzene dithiolate(2-), o-methylthiobenzene thiolate(1-), 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecanate(2-), CO and PPh₃, synthesis and properties of (D. Sellmann, A. Fetz, M. Moll, F. Knoch), (355) 495

Tin

Crowded organotin compounds, synthesis and properties of (S.M. Dhaher, C. Eaborn, J.D. Smith), (355) 33

Monostannylated derivatives of bicyclo[3.2.1]octa-2,6-dienes, selective metallation of (N. Hertkorn, F.H. Köhler), (355) 19

Triphenylstannyll-substituted mononuclear carbene cobalt complexes, preparation and properties of (A.C. Filippou, E. Herdtweck, H.G. Alt), (355) 437

Titanium

Arenetitanium(II) complexes, synthesis and reactivity of (P. Biagini, F. Calderazzo, G. Pampaloni), (355) 99

[Bis(dimethylphosphino)ethane](trichloro)cyclopentadienyltitanium(IV), preparation and crystal structure of (D.L. Hughes, G.J. Leigh, D.G. Walker), (355) 113

(Di-η-cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a di-nuclear hafnium complex with Se₄ and O bridges (N. Albrecht, E. Weiss), (355) 89

Tungsten

μ-Benzylidenebis(pentacarbonyltungsten) complexes, thermolysis and reactions with alkynes of (H. Fischer, J. Schmid, J. Riede), (355) 219

Bipyridinedicarbonitrile-molybdenum and -tungsten complexes, preparation, characterisation and reactions of (P.N.W. Baxter, J.A. Connor), (355) 193

Carbynetungsten Fischer-type complexes, products of reactions with Phillips catalysts of (K. Weiss, M. Denzner), (355) 273

Chemo- and stereo-selective reactions of [Fe(CO)₂Cp]⁺ and [AuPPh₃]⁺ with {W(CO)₅{C(OEt)-Ph}C(Ph)=C=S}⁻; crystal structures of Z-[W(CO)₅{C(SFe[CO]₂Cp)C(Ph)=C(OEt)Ph}] and E-[W(CO)₅{S=C(AuPPh₃)C(Ph)=C(OEt)Ph}] (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

Cyclopentanone-phospha-, -oxa-, -thia- or -aza-tungsta complexes, synthesis of (F.R. Kreissl, M. Wolfgruber), (355) 267

Di-η-cyclopentadienyl-molybdenum and -tungsten fragments, synthetic and electrochemical studies on electroactive ionophores based on (E. Fu, J. Granell, M.L.H. Green, V.J. Lowe, S.R. Marder, G.C. Saunders, M. Tuddenham), (355) 205

Ethoxy- and ethylthio-(triphenylsilyl) ketenes from carbene complexes (CO)₅WC(XEt)SiPh₃ (X = O, S) (U. Schubert, J. Kron, H. Hörmig), (355) 243

- trans*-(Me₃CO)₃W≡CCH=CHC≡W(OCMe₃)₃, *cis,cis*-(Me₃CO)₂W≡CCH=CHC≡CCH=CH-C≡W(OCMe₃)₃, and related metal-capped ene-ynes, synthesis and evaluation as catalysts for preparing polydiacetylenes of (S.A. Krouse, R.R. Schrock), (355) 257
- Pd₂Mo, PdPtMo and Pd₂W mixed-metal clusters containing Ph₂PCH₂PPh₂ (dppm), synthesis and reactivity of; molecular structure of [Pd₂MoCl(η-C₅H₅)(μ₃-CO)₂(μ-dppm)₂] (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot), (355) 533
- Tetracarbonylcarbene chelated chromium, molybdenum and tungsten complexes, preparation and configuration of (K.H. Dötz, H.-G. Erben, W. Staudacher, K. Harms, G. Müller, J. Riede), (355) 177
- [W(≡CSIPh₃)(CO)₂(η-C₅H₅)], reactions of low valent metal species with; crystal structure of the ketenyl complex [WFe{μ-C(SiPh₃)CO}(CO)₅(η-C₅H₅)] (J.C. Jeffery, M.A. Ruiz, F.G.A. Stone), (355) 231

Uranium

Organouranium(IV) pseudo salts containing (C₅H₅)₃U and one loosely coordinated tetraphenylborate or triphenylmethylborate unit (H. Aslan, J. Förster, K. Yünlü, R.D. Fischer), (355) 79

Zinc

[MCo₂(CO)₈] (M = Zn, Cd, Hg), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1

Zirconium

(Di-η-cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a di-nuclear hafnium complex with Se₄ and O bridges (N. Albrecht, E. Weiss), (355) 89

η²-Iminoacylmethallocene substituted ylides, isonitrile insertion into the M=C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121