

## JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 377 (1989)

### SUBJECT INDEX

#### Aluminium

(C<sub>2</sub>H<sub>5</sub>O)<sub>2</sub>AlC<sub>2</sub>H<sub>5</sub>, mechanism of the reaction with XeF<sub>2</sub> by <sup>1</sup>H and <sup>19</sup>F CIDNP of (R.A. Sadykov, V.N. Yakovlev, R.G. Bulgakov, V.P. Kazakov, G.A. Tolstikov) (377) 1

#### Cadmium

Trimetallic anionic compounds containing Fe-E-M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of [N(PPh<sub>3</sub>)<sub>2</sub>]<sub>2</sub>[(OC)<sub>4</sub>Fe-Hg-Fe(CO)<sub>4</sub>] (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

#### Chromium

Aminocarbenechromium *N*-disubstituted complexes, nitrogen to carbon migration of the benzyl and allyl groups following alkyne insertions in (B. Denise, R. Goumont, A. Parlier, H. Rudler, J.-C. Daran, J. Vaissermann), (377) 89

Arenetricarbonylchromium complexes, aromatic nucleophilic substitution at CH<sub>3</sub>O in (F. Rose-Munch, E. Rose, A. Semra), (377) C9

Carbon monoxide substitution reactions of the seventeen-electron complex {(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)Cr(CO)<sub>3</sub>}, mechanism of (W.C. Watkins, D.H. Macartney, M.C. Baird), (377) C52

Cr(CO)<sub>5</sub>(H<sub>2</sub>) and Cr(CO)<sub>4</sub>(H<sub>2</sub>)<sub>2</sub>, ab initio investigation of (G. Pacchioni), (377) C13

(*N,N*-Dibenzyl)benzene coordination of sulphenamide to pentacarbonylchromium(0) via the sulphur atom; crystal structure of (C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>)<sub>2</sub>NS(C<sub>6</sub>H<sub>5</sub>)Cr(CO)<sub>5</sub> (M.L. Rodriguez, C. Ruiz-Pérez, I. Brito, C. Diaz, J. Cuevas, G. González, V. Manriquez), (377) 235

Selenobenzaldehyde chromium and tungsten complexes, synthesis, structure and η<sup>1</sup>/η<sup>2</sup> isomerism of (H. Fischer, S. Zeuner, U. Gerbing, J. Riede, C.G. Kreiter), (377) 105

#### Cobalt

Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145

<sup>199</sup>Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85

#### Copper

Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145

Heteronuclear cluster compounds containing M(PR<sub>3</sub>) (M = Cu, Ag or Au; R = alkyl or aryl), synthesis via group 11 metal exchange reactions of (S.S.D. Brown, I.D. Salter), (377) C31

Mixed-metal cluster compound [Cu<sub>2</sub>Ru<sub>4</sub>(μ<sub>3</sub>-H)<sub>2</sub>(CO)<sub>12</sub>{P(CH<sub>2</sub>Ph)<sub>3</sub>]<sub>2</sub>], synthesis and X-ray structure analysis of (P.J. McCarthy, I.D. Salter, K.P. Armstrong, M.M. McPartlin, H.R. Powell), (377) C73

#### Gold

Heteronuclear cluster compounds containing M(PR<sub>3</sub>) (M = Cu, Ag or Au; R = alkyl or aryl), synthesis via group 11 metal exchange reactions of (S.S.D. Brown, I.D. Salter), (377) C31

## Iridium

- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151
- Bis( $\eta^4$ -cyclohexa-1,3-diene)iridium-2-furyl, -2-thienyl and -2-*N*-methylpyrrolyl compounds, formation and characterisation of (J. Müller, C. Friedrich), (377) C27

## Iron

- Bis(cyclopentadienyldicarbonyliron)sodium tetrahydrofuran and (cyclopentadienyldicarbonyliron)sodium tetramethylethylenediamine complexes, crystal structure of (N. Hu, G. Nie, Z. Jin, W. Chen), (377) 137
- Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145
- Diphenylphosphinomethaneiron(II) complexes, [FeCp(dppm)(L)]<sup>+</sup>PF<sub>6</sub><sup>-</sup> (L = CO and CH<sub>3</sub>CN), synthesis, redox properties, and crystal structures of (J. Ruiz, M.-T. Garland, E. Román, D. Astruc), (377) 309
- Fe<sub>3</sub>(CO)<sub>10</sub>( $\mu_3$ -RP), addition reactions with XCN<sup>-</sup> (X = S, Se, Te) and R'XXR' (X = Se, Te) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25
- Ferrocene-chalcogenols Fe(C<sub>5</sub>H<sub>5</sub>)(C<sub>5</sub>H<sub>4</sub>EH) and Fe(C<sub>5</sub>H<sub>4</sub>EH)<sub>2</sub> (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhöfer, J. Ott-Lastic), (377) 281
- <sup>199</sup>Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- Homoleptic trifluoromethylisocyanide-iron complexes, Fe(CNCF<sub>3</sub>)<sub>5</sub> and Fe<sub>2</sub>(CNCF<sub>3</sub>)<sub>9</sub> (D. Lentz), (377) 305
- Pd(BF<sub>4</sub>)<sub>2</sub> and Pt(BF<sub>4</sub>)<sub>2</sub> complexes of 1,1'-bis[(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327
- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23
- Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of [N(PPH<sub>3</sub>)<sub>2</sub>]<sub>2</sub>[(OC)<sub>4</sub>Fe–Hg–Fe(CO)<sub>4</sub>] (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

## Lanthanum

- $\eta^6$ -Benzenelanthanoidtris(aluminum tetrachlorides) (Ln = La, Nd, Sm), synthesis and structure of (B. Fan, Q. Shen, Y. Lin), (377) 51

## Lutetium

- Lanthanoide triflate and monocyclopentadienyllanthanoide compounds, chemistry of (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich), (377) C5

## Manganese

- Dicarbonyl(alkene)(arene)manganese cations, kinetic study of nucleophilic addition to the alkene in (T. Hanna, N.S. Lennhoff, D.A. Sweigart), (377) 133
- <sup>199</sup>Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- Polymetallic compounds of extended polyaromatic ligands; rhenium and manganese carbonyl derivatives of truxene (T.L. Tisch, T.J. Lynch, R. Dominquez), (377) 265

## Mercury

- 4-Halomercury crotonates, synthesis of (E. Boudjana, N.H. Dinh), (377) 171
- <sup>199</sup>Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of [N(PPH<sub>3</sub>)<sub>2</sub>]<sub>2</sub>[(OC)<sub>4</sub>Fe–Hg–Fe(CO)<sub>4</sub>] (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

## Metalloenes

- Ferrocene-chalcogenols  $\text{Fe}(\text{C}_5\text{H}_5)(\text{C}_5\text{H}_4\text{EH})$  and  $\text{Fe}(\text{C}_5\text{H}_4\text{EH})_2$  ( $\text{E} = \text{S}, \text{Se}, \text{Te}$ ), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhöfer, J. Ott-Lastic), (377) 281
- $\text{Pd}(\text{BF}_4)_2$  and  $\text{Pt}(\text{BF}_4)_2$  complexes of 1,1'-bis(alkyl- or phenyl)-chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327
- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23

## Molybdenum

- Arsenic-molybdenum-rhodium cluster, formation by reaction of  $\text{As}(\text{C}_5\text{H}_5)_3\text{Mo}_3(\text{CO})_6$  with  $\text{C}_5\text{H}_5\text{Rh}(\text{CO})_2$  (H.-P. Neumann, M.L. Ziegler), (377) 255
- cis*-1,3-Bis(diphenylphosphino)dicyclopentadiene tetracarbonylmolybdenum, synthesis and crystal structure of (W.K. Wong, F.L. Chow, H. Chen, T.C.W. Mak), (377) C65
- Dicarbonyl( $\eta^5$ -indenyl)( $\eta^3$ -pentadienyl)molybdenum and its phosphine derivatives, synthesis, characterization and structure of (G.-H. Lee, S.-M. Peng, F.-C. Liu, R.-S. Liu), (377) 123
- Dicarbonyltriphenylphosphine( $\eta^6$ -1,3,5-triethyl-2,4,6-tris(trimethylsilylmethyl)benzene)molybdenum(0), crystal structure of (J.A. Chudek, G. Hunter, R.L. MacKay, G. Färber, W. Weissensteiner), (377) C69
- $^{199}\text{Hg}$  NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- $[\text{MCl}_2(\text{CNBu}^t)_3(\text{PMe}_3)_2]$  ( $\text{M} = \text{Mo}$  or  $\text{W}$ ) synthesis and reactivity of, preparation of  $[\text{MCl}(\text{CNBu}^t)_4(\text{PMe}_3)_2]\text{Cl}$  and  $[\text{M}(\text{SnCl}_3)(\text{CNBu}^t)_3(\text{PMe}_3)_3](\text{SnCl}_3)$  derivatives; crystal structure of  $[\text{MoCl}(\text{CNBu}^t)_4(\text{PMe}_3)_2]\text{Cl} \cdot 2\text{Me}_2\text{CO}$  (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241
- Trimetallic anionic compounds containing Fe-E-M skeletons ( $\text{E} = \text{Zn}, \text{Cd}, \text{Hg}$ ;  $\text{M} = \text{Fe}, \text{Mo}, \text{W}$ ); crystal structure of  $[\text{N}(\text{PPh}_3)_2]_2[(\text{OC})_4\text{Fe}-\text{Hg}-\text{Fe}(\text{CO})_4]$  (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

## Neodymium

- $\eta^6$ -Benzenelanthanoidtris(aluminum tetrachlorides) ( $\text{Ln} = \text{La}, \text{Nd}, \text{Sm}$ ), synthesis and structure of (B. Fan, Q. Shen, Y. Lin), (377) 51

## Nickel

- Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145
- $\text{CNBu}^t$  multiple insertion reactions into nickel-alkyl bonds (E. Carmona, J.M. Marín, P. Palma, M.L. Poveda), (377) 157
- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23

## Osmium

- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151
- $\text{HOs}_3(\text{CO})_9(\text{C}\equiv\text{CSiMe}_3)$ , synthesis and crystal structure of (B.F.G. Johnson, J. Lewis, M. Monari, D. Braga, F. Grepioni), (377) C1
- Triosmium complexes,  $\text{Os}_3(\text{CO})_{10}(\mu\text{-Br})(\text{CH}=\text{CHPh})$  and  $\text{Os}_3(\text{CO})_9(\mu\text{-H})(\mu\text{-Br})(\text{C}=\text{CHPh})$ , synthesis, structure and reactivity studies of (Y. Chi, B.-F. Chen, S.-L. Wang, R.-K. Chiang, L.-S. Hwang), (377) C59

## Palladium

- $\text{Pd}(\text{BF}_4)_2$  and  $\text{Pt}(\text{BF}_4)_2$  complexes of 1,1'-bis(alkyl- or phenyl)-chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327
- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23

## Phosphorus

- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151
- cis*-1,3-Bis(diphenylphosphino)dicyclopentadiene tetracarbonylmolybdenum, synthesis and crystal structure of (W.K. Wong, F.L. Chow, H. Chen, T.C.W. Mak), (377) C65
- Decaruthenium hydrido cluster; synthesis and crystal structure of  $[\text{N}(\text{PPh}_3)_2]_2[\text{Ru}_{10}\text{C}(\text{CO})_{24}] \cdot \text{C}_6\text{H}_{14}$  and  $[\text{N}(\text{PPh}_3)_2][\text{HRu}_{10}\text{C}(\text{CO})_{24}]$  (P.J. Bailey, B.F.G. Johnson, J. Lewis, M. McPartlin, H.R. Powell), (377) C17
- Dicarbonyl( $\eta^5$ -indenyl)( $\eta^3$ -pentadienyl)molybdenum and its phosphine derivatives, synthesis, characterization and structure of (G.-H. Lee, S.-M. Peng, F.-C. Liu, R.-S. Liu), (377) 123
- Dicarbonyltriphenylphosphine( $\eta^6$ -1,3,5-triethyl-2,4,6-tris(trimethylsilylmethyl)benzene)molybdenum(0), crystal structure of (J.A. Chudek, G. Hunter, R.L. MacKay, G. Färber, W. Weissensteiner), (377) C69
- Diphenylphosphinomethaneiron(II) complexes,  $[\text{FeCp}(\text{dppm})(\text{L})]^+ \text{PF}_6^-$  (L = CO and  $\text{CH}_3\text{CN}$ ), synthesis, redox properties, and crystal structures of (J. Ruiz, M.-T. Garland, E. Román, D. Astruc), (377) 309
- $\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-RP})$ , addition reactions with  $\text{XCN}^-$  (X = S, Se, Te) and  $\text{R}'\text{XXR}'$  (X = Se, Te) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25
- $[\text{HRu}_3(\text{CO})_8(\text{PPh}_3)(\text{PPhC}_6\text{H}_4)]^-$ , reactions with  $\text{Br}_2$  and  $\text{I}_2$  of; synthesis and molecular structure of  $\text{Ru}_2(\text{CO})_5(\text{PPh}_3)(\mu_2\text{-PPh}_2)(\mu_2\text{-I})$  (H. Jungbluth, H. Stöckli-Evans, G. Süss-Fink), (377) 339
- $[\text{MCl}_2(\text{CNBu}^t)_3(\text{PMe}_3)_2]$  (M = Mo or W) synthesis and reactivity of, preparation of  $[\text{MCl}(\text{CNBu}^t)_4(\text{PMe}_3)_2]\text{Cl}$  and  $[\text{M}(\text{SnCl}_3)(\text{CNBu}^t)_3(\text{PMe}_3)_3](\text{SnCl}_3)$  derivatives; crystal structure of  $[\text{MoCl}(\text{CNBu}^t)_4(\text{PMe}_3)_2]\text{Cl} \cdot 2\text{Me}_2\text{CO}$  (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241
- Primary vinylphosphines, preparative synthesis by chemoselective reduction of the corresponding vinylphosphonates of (J.L. Cabioch, J.M. Denis), (377) 227
- Rhodium(I) complexes with 1,*n*-bis(diphenylphosphino)alkane ligands ( $n = 3-6$ ) (M.A. Garralda, L. Ibarlucea), (377) 367
- $[\text{Ru}_4(\mu_3\text{-}\eta^2\text{-CO})(\text{CO})_9\{\mu\text{-(RO)}_2\text{PN}(\text{Et})\text{P}(\text{OR})_2\}_2]$  (R = Me or  $\text{Pr}^i$ ), synthesis of; crystal structure of  $[\text{Ru}_4(\mu_3\text{-}\eta^2\text{-CO})(\text{CO})_9\{\mu\text{-(MeO)}_2\text{PN}(\text{Et})\text{P}(\text{OMe})_2\}_2]$  (J.S. Field, R.J. Haines, J.A. Jay), (377) C35

## Platinum

- $\text{Pd}(\text{BF}_4)_2$  and  $\text{Pt}(\text{BF}_4)_2$  complexes of 1,1'-bis[(alkyl- or phenyl-)chalcogenoferrocenes], synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327

## Rhenium

- $^{199}\text{Hg}$  NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- 2,4-Pentadienylrhenium(III) complex, intramolecular alkyne/allyl coupling to (R.A. Fischer, W.A. Herrmann), (377) 275

## Rhodium

- Arsenic-molybdenum-rhodium cluster, formation by reaction of  $\text{As}(\text{C}_5\text{H}_5)_3\text{Mo}_3(\text{CO})_6$  with  $\text{C}_5\text{H}_5\text{Rh}(\text{CO})_2$  (H.-P. Neumann, M.L. Ziegler), (377) 255
- Polymetallic compounds of extended polyaromatic ligands; rhenium and manganese carbonyl derivatives of truxene (T.L. Tisch, T.J. Lynch, R. Dominquez), (377) 265
- Rhodium(I) complexes with 1,*n*-bis(diphenylphosphino)alkane ligands ( $n = 3-6$ ) (M.A. Garralda, L. Ibarlucea), (377) 367
- Rhodium(I)- or ruthenium(II)-catalysed direct coupling of vinyl ketones with aldehydes and the subsequent reduction to give aldol derivatives *anti*-selectively (S. Sato, I. Matsuda, M. Shibata), (377) 347

## Ruthenium

- $\eta^6$ -Arene-ruthenium(II) complexes of  $\alpha$ -amino acids with coordinating side chains, synthesis and structural characterization of (W.S. Sheldrick, S. Heeb), (377) 357
- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151

- Decaruthenium hydrido cluster; synthesis and crystal structure of  $[\text{N}(\text{PPh}_3)_2]_2[\text{Ru}_{10}\text{C}(\text{CO})_{24}] \cdot \text{C}_6\text{H}_{14}$  and  $[\text{N}(\text{PPh}_3)_2][\text{HRu}_{10}\text{C}(\text{CO})_{24}]$  (P.J. Bailey, B.F.G. Johnson, J. Lewis, M. McPartlin, H.R. Powell), (377) C17
- $^{199}\text{Hg}$  NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- $[\text{HRu}_3(\text{CO})_8(\text{PPh}_3)(\text{PPhC}_6\text{H}_4)]^-$ , reactions with  $\text{Br}_2$  and  $\text{I}_2$  of; synthesis and molecular structure of  $\text{Ru}_2(\text{CO})_5(\text{PPh}_3)(\mu_2\text{-PPH}_2)(\mu_2\text{-I})$  (H. Jungbluth, H. Stöckli-Evans, G. Süss-Fink), (377) 339
- Mixed-metal cluster compound  $[\text{Cu}_2\text{Ru}_4(\mu_3\text{-H})_2(\text{CO})_{12}(\text{P}(\text{CH}_2\text{Ph})_3)_2]$ , synthesis and X-ray structure analysis of (P.J. McCarthy, I.D. Salter, K.P. Armstrong, M.M. McPartlin, H.R. Powell), (377) C73
- Rhodium(I)- or ruthenium(II)-catalysed direct coupling of vinyl ketones with aldehydes and the subsequent reduction to give aldol derivatives *anti*-selectively (S. Sato, I. Matsuda, M. Shibata), (377) 347
- $[\text{Ru}_4(\mu_3\text{-}\eta^2\text{-CO})(\text{CO})_9\{\mu\text{-(RO)}_2\text{PN}(\text{Et})\text{P}(\text{OR})_2\}_2]$  (R = Me or Pr<sup>i</sup>), synthesis of; crystal structure of  $[\text{Ru}_4(\mu_3\text{-}\eta^2\text{-CO})(\text{CO})_9\{\mu\text{-(MeO)}_2\text{PN}(\text{Et})\text{P}(\text{OMe})_2\}_2]$  (J.S. Field, R.J. Haines, J.A. Jay), (377) C35
- Ruthenium higher oxidation state ruthenium complexes, electrochemical generation in  $(\eta^5\text{-C}_5\text{Me}_5)\text{Ru}(\text{L})\text{Cl}_2$  (L = tertiary phosphines) of (M.-a. Haga, H. Sakamoto, H. Suzuki), (377) C77
- $(\mu\text{-S}_5)[\text{RuC}_5\text{H}_5(\text{CO})_2]_2$ , synthesis and reaction with acid chlorides of, preparation of  $\text{RuC}_5\text{H}_5(\text{CO})_2\text{SCOR}$  and molecular structure of  $\text{RuC}_5\text{H}_5(\text{CO})_2\text{SCO}(2\text{-O}_2\text{NC}_6\text{H}_4)$  (M.O. El-Hinnawi, M.L. Sumadi, F.T. Esmaldi, I. Jibril, W. Imhof, G. Huttner), (377) 373

## Samarium

- $\eta^6$ -Benzenelanthanoidtris(aluminum tetrachlorides) (Ln = La, Nd, Sm), synthesis and structure of (B. Fan, Q. Shen, Y. Lin), (377) 51

## Selenium

- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151
- $\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-RP})$ , addition reactions with  $\text{XCN}^-$  (X = S, Se, Te) and  $\text{R}'\text{XXR}'$  (X = Se, Te) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25
- Ferrocene-chalcogenols  $\text{Fe}(\text{C}_5\text{H}_5)(\text{C}_5\text{H}_4\text{EH})$  and  $\text{Fe}(\text{C}_5\text{H}_4\text{EH})_2$  (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhöfer, J. Ott-Lastic), (377) 281
- $\text{Pd}(\text{BF}_4)_2$  and  $\text{Pt}(\text{BF}_4)_2$  complexes of 1,1'-bis[(alkyl- or phenyl)chalcogenoferrocenes], synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327
- Selenobenzaldehyde chromium and tungsten complexes, synthesis, structure and  $\eta^1/\eta^2$  isomerism of (H. Fischer, S. Zeuner, U. Gerbing, J. Riede, C.G. Kreiter), (377) 105

## Silicon

- Cyclotrisiloxanes, stereochemistry of nucleophilic substitution at the Si atom in (R. Gewald, K. Rühlmann, U. Scheim, A. Porzel), (377) 9
- 1,4-Disila[6]radialanes in two stable conformational isomers, formation of (A. Maercker, F. Brauers, W. Brieden, B. Engelen), (377) C45
- $\text{HOS}_3(\text{CO})_9(\text{C}\equiv\text{CSiMe}_3)$ , synthesis and crystal structure of (B.F.G. Johnson, J. Lewis, M. Monari, D. Braga, F. Grepioni), (377) C1
- Lanthanoide triflate and monocyclopentadienyllanthanoide compounds, chemistry of (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich), (377) C5
- 1-( $\gamma$ -Mercaptopropyl)silatrane, crystal structure of (P. Hensei, I. Kovács, V. Fülöp), (377) 19
- Oligosiloxanes containing acetoxyl and hydroxyl end groups; kinetics of their condensation catalyzed by uncharged nucleophiles in an acid-base inert solvent (M. Cypryk, S. Rubinsztajn, J. Chojnowski), (377) 197
- 1-Vinyl-1-chloro-3-neopentylsilaethene, [2 + 4]-cycloaddition reactions of (N. Auner), (377) 175

## Silver

- Heteronuclear cluster compounds containing  $\text{M}(\text{PR}_3)$  (M = Cu, Ag or Au; R = alkyl or aryl), synthesis via group 11 metal exchange reactions of (S.S.D. Brown, I.D. Salter), (377) C31

## Sulphur

- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151
- (*N,N*-Dibenzyl)benzene coordination of sulphenamide to pentacarbonylchromium(0) via the sulphur atom; crystal structure of  $(C_6H_5CH_2)_2NS(C_6H_5)Cr(CO)_5$  (M.L. Rodriguez, C. Ruiz-Pérez, I. Brito, C. Diaz, J. Cuevas, G. González, V. Manriquez), (377) 235
- Ferrocene-chalcogenols  $Fe(C_5H_5)(C_5H_4EH)$  and  $Fe(C_5H_4EH)_2$  (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhöfer, J. Ott-Lastic), (377) 281
- Lanthanoide triflate and monocyclopentadienyllanthanoide compounds, chemistry of (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich), (377) C5
- 1-( $\gamma$ -Mercaptopropyl)silatrane, crystal structure of (P. Hencsei, I. Kovács, V. Fülöp), (377) 19
- Organotin thiosemicarbazates, crystal structure of triphenyltin 1-amino-4-(2-hydroxyphenyl)-2,3-diazapenta-(*E*)-1,(*E*)-3-dienyl-1-thiolate (S.W. Ng, V.G. Kumar Das, B.W. Skelton, A.H. White), (377) 211
- $Pd(BF_4)_2$  and  $Pt(BF_4)_2$  complexes of 1,1'-bis(alkyl- or phenyl)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327
- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23
- ( $\mu$ - $S_5$ )[ $RuC_5H_5(CO)_2$ ] $_2$ , synthesis and reaction with acid chlorides of, preparation of  $RuC_5H_5(CO)_2SCOR$  and molecular structure of  $RuC_5H_5(CO)_2SCO(2-O_2NC_6H_4)$  (M.O. El-Hinnawi, M.L. Sumadi, F.T. Esmaldi, I. Jibril, W. Imhof, G. Huttner), (377) 373
- Triphenyl(*N,N*-diisopropyl)dithiocarbamato)tellurium(IV), crystal structure of (J.E. Drake, M.L.Y. Wong), (377) 43

## Tellurium

- $Fe_3(CO)_{10}(\mu_3-RP)$ , addition reactions with  $XCN^-$  (X = S, Se, Te) and  $R'XXR'$  (X = Se, Te) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25
- Ferrocene-chalcogenols  $Fe(C_5H_5)(C_5H_4EH)$  and  $Fe(C_5H_4EH)_2$  (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhöfer, J. Ott-Lastic), (377) 281
- Triphenyl(*N,N*-diisopropyl)dithiocarbamato)tellurium(IV), crystal structure of (J.E. Drake, M.L.Y. Wong), (377) 43

## Thorium

- Tris(indenyl)actinide hydrocarbyls, actinide–ligand bond disruption enthalpies in (S. Bettonville, J. Goffart, J. Fuger), (377) 59

## Tin

- $[MCl_2(CNBu^1)_3(PMe_3)_2]$  (M = Mo or W) synthesis and reactivity of, preparation of  $[MCl(CNBu^1)_4(PMe_3)_2]Cl$  and  $[M(SnCl_3)(CNBu^1)_3(PMe_3)_3](SnCl_3)$  derivatives; crystal structure of  $[MoCl(CNBu^1)_4(PMe_3)_2]Cl \cdot 2Me_2CO$  (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241
- Organotin thiosemicarbazates, crystal structure of triphenyltin 1-amino-4-(2-hydroxyphenyl)-2,3-diazapenta-(*E*)-1,(*E*)-3-dienyl-1-thiolate (S.W. Ng, V.G. Kumar Das, B.W. Skelton, A.H. White), (377) 211
- Tin(II) chiral alkoxide, asymmetric induction with (J. Augé, G. Bourleaux), (377) 205
- Tin(IV) coordination environment in di-*n*-butyltin di-*p*-bromobenzoate (S.W. Ng, V.G. Kumar Das, B.W. Skelton, A.H. White), (377) 221

## Tungsten

- $[MCl_2(CNBu^1)_3(PMe_3)_2]$  (M = Mo or W) synthesis and reactivity of, preparation of  $[MCl(CNBu^1)_4(PMe_3)_2]Cl$  and  $[M(SnCl_3)(CNBu^1)_3(PMe_3)_3](SnCl_3)$  derivatives; crystal structure of  $[MoCl(CNBu^1)_4(PMe_3)_2]Cl \cdot 2Me_2CO$  (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241
- Selenobenzaldehyde chromium and tungsten complexes, synthesis, structure and  $\eta^1/\eta^2$  isomerism of (H. Fischer, S. Zeuner, U. Gerbing, J. Riede, C.G. Kreiter), (377) 105

Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of  $[\text{N}(\text{PPh}_3)_2]_2[(\text{OC})_4\text{Fe–Hg–Fe}(\text{CO})_4]$  (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

## Uranium

Tris(indenyl)actinide hydrocarbyls, actinide–ligand bond disruption enthalpies in (S. Bettonville, J. Goffart, J. Fuger), (377) 59

## Zinc

Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of  $[\text{N}(\text{PPh}_3)_2]_2[(\text{OC})_4\text{Fe–Hg–Fe}(\text{CO})_4]$  (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

## Zirconium

$\text{C}_5\text{H}_5\text{ZrCl}_3$ , organometallic Lewis acid, molecular structure of a  $\text{H}_2\text{O}$  adduct of (G. Erker, C. Sarter, S. Werner, C. Krüger), (377) C55

Di- $\mu$ -chlorobis[trichloro(ethylacetate)]dizirconium(IV), crystal structure of (P. Sobota, M.O. Mustafa, T. Lis), (377) 69

Hydrozirconation–isomerisation reaction, aspects of (U. Annby, J. Alvhäll, S. Gronowitz, A. Hallberg), (377) 75

## Book reviews

Dictionary of organometallic compounds. Fourth supplement; by J.E. Macintyre (C. Eaborn), (377) C42  
 Gmelin handbook of inorganic chemistry. Ge — organogermanium compounds, part 2, (C. Eaborn), (377) C43

Organic and inorganic low-dimensional crystalline materials (NATO ASI series B: Physics volume 168); edited by P. Delhaes and M. Drillon (K. Prassides), (377) C40

Organometallic Chemistry, Volume 17, (Specialist Periodical Report), Senior Reporters, E.W. Abel, F.G.A. Stone (P.A. Chaloner), (377) C81

Reactions of Coordinated Ligands, Volume 2, edited by P.S. Braterman (P.A. Chaloner), (377) C83

Topics in current chemistry, Volume 148, Electrochemistry III; by E. Steckhan (P.A. Chaloner), (377) C41