

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 351 (1988)-375 (1989)****SUBJECT INDEX****Aluminium**

$[AlCl_3(C_6H_5COOC_2H_5)]$ , crystal structure and properties of (P. Sobota, M.O. Mustafa, J. Utko, T. Lis), (368) 257

Alkylferrocenes in molten salt mixtures, substituent effects on (D.W. Slocum, A.L. Edgecombe, J.S. Fowler, H.F. Gibbard, J. Phillips), (363) 151

Alkylnitrides in reactions with  $PRhCOPd-X(PPh_3)_2$  ( $X = I, Cl$ ) under CO; formation of  $\alpha$ -diketones and  $\alpha$ -hydroxyketones (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125

5,1'-Alkynyl- and 5,1'-alkenyl-1,3-cyclohexadiene-tricarbonyliron complexes, synthesis using aluminium reagents of (B.R. Reddy), (375) C51

Allylbis-ligand-nickel(II) hexafluorophosphate,  $[C_3H_5NiL_2]PF_6$  and  $[C_3H_5Ni(Br)-P(OThym)_3]/Et_2AlCl$  as catalysts for dimerisation of propene (E. Balabolov, M. Mitkova, K. Kurtev, J.-P. Gehrke, R. Taube), (352) 247

Bis(trimethylsilyl)carbodiimide,  $(CH_3)_3SiN=C=NSi(CH_3)_3$ , reactions with trimethyl-aluminium, -gallium and -indium of (R. Lechler, H.-D. Hausen, J. Weidlein), (359) 1

$(C_3H_5)_2ZrCl(AlCl_4)$ , crystal and molecular structure and unusual hydrocarbon solubility properties of; relevance to Ziegler-Natta polymerization chemistry (M.V. Gaudet, M.J. Zaworotko, T.S. Cameron, A. Linden), (367) 267

(Cyclododecatriene)nickel(0) complexes, reactions with  $LiH_2Al-i-Bu_2$  and  $LiAlH_4$  and NMR spectra of (K.R. Pörschke, G. Wilke), (358) 519

Dialkylaluminium (*N*-methylsilyl)amides, mass spectrometry of (M. Bartoszek, M. Paech, G. Sonnek), (352) 73

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoldi, A.P. Chagas), (361) 319

1-Pentene, asymmetric deuteration and deuteriooligomerization of (P. Pino, M. Galimberti), (370) 1

Polymethylcyclopentadienyltitanocene tetrahydridoaluminates, spectroscopic study of their reaction with butadiene (K. Mach, H. Antropiusová, V. Varga, V. Hanuš), (358) 123

Reaction of  $MgCl_2$  with  $AlCl_3$  in ethyl acetate; crystal structure of  $[Mg(CH_3OCOC_2H_5)_6][AlCl_4]_2$  (J. Utko, P. Sobota, T. Lis, K. Majewska), (359) 295

Tertiary amines with secondary doubly unsaturated groups, regiospecific synthesis of (D. Mesnard, L. Miginiac), (373) 1

(*N,N,N',N'*-Tetramethylethylenediamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525

Trialkylaluminium, chemically induced dynamic nuclear polarization in reactions with benzoyl peroxide of (R.A. Sadykov, N.M. Shishlov), (369) 1

Trimethylaluminum mediated halomethylation of [(arene)<sub>2</sub>Fe]<sup>2+</sup> cations (M.D. Clerk, K.C. Sturge, M.J. Zaworotko, P.S. White), (368) C33

**Antimony**

Alkylantimony dichloride and dibromide, formation and NMR spectra of (M. Ates, H.J. Breunig, S. Güleç), (364) 67

Allylbis-ligand-nickel(II) hexafluorophosphate,  $[C_3H_5NiL_2]PF_6$  and  $[C_3H_5Ni(Br)-P(OThym)_3]/Et_2AlCl$  as catalysts for dimerisation of propene (E. Balabolov, M. Mitkova, K. Kurtev, J.-P. Gehrke, R. Taube), (352) 247

Antimony, annual survey 1986 (L.D. Freedman, G.O. Doak), (351) 25

Antimony, annual survey 1987 (L.D. Freedman, G.O. Doak), (360) 263

Antimony(I) coordinatively stabilised chelates (A. Lombard, G. Huttner), (352) 303

Antimony-iron and bismuth-iron anionic clusters, synthesis of (M. Ferrer, O. Rossell, M. Seco, P. Braunstein), (364) C5

[ $\eta^2$ -Bis(diphenylstibino)methane]bis(phenyl)-platinum(II)-substituted compounds, photochemical investigations of (H.-A. Brune, R. Klotzbücher, G. Schmidtberg), (371) 113

- Dichloroantimony-bridged manganese dimetal compounds, synthesis and reactivity of (A. Lombard, G. Huttner, L. Zsolnai), (352) 295
- Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281
- Hexaorgano-substituted triatomics,  $R'_3M'XM''-R''_3$ , and related species, structures of (C. Glidewell), (356) 151
- Organoniobium(V) perfluoroborate, arsenate and antimonate complexes, formation and characterisation of (P. Gowik, T. Klapötke), (368) 35
- Organo-transition-metal hexafluoro arsenates and antimonates, chemical and biological aspects of (P. Gowik, T. Klapötke), (372) 33
- Tributylstibine, reaction of  $\alpha$ -halogeno carboxylic derivatives with carbonyl compounds promoted by (Y.-Z. Huang, C. Chen, Y. Shen), (366) 87
- Trihalogenodiphenylantimony,  $Ph_2SbX_3$  ( $X = Cl, Br$ ), Lewis acidity of; crystal structures of  $Ph_2SbCl_3 \cdot H_2O$  and  $Ph_2SbBr_3 \cdot MeCN$  (T.T. Bamboye, M.J. Begley, D.B. Sowerby), (362) 77
- Tris(2,4,6-trimethylphenyl)antimony dihydroxide, molecular and crystal structure of (T. Westhoff, F. Huber, R. Rüther, H. Preut), (352) 107
- ## Arsenic
- Arsinidene-bridged tri-, tetra- and penta-nuclear carbonylosmium clusters, synthesis and characterisation of (K. Guldner, B.F.G. Johnson, J. Lewis), (355) 419
- [ $\eta^2$ -1,2-Bis(diphenylarsino)ethane]bis(4-fluorophenyl)platinum(II) and [ $\eta^2$ -1,2-bis(diphenylarsino)benzene]bis[4-(trifluoromethyl)phenyl]platinum(II), crystal and molecular structures of (H.-A. Brune, R. Klotzbücher, K. Berhalter, T. Debaerdemaeker), (369) 321
- Bis(phenyl)diarsaneplatinum(II) compounds photochemical investigations of (H.-A. Brune, R. Klotzbücher, G. Schmidtberg), (365) 389
- Bis(triphenylarsine oxide)(*p*-chlorophenyl)diphenyltin(IV) tetraphenylborate, [(*p*-ClC<sub>6</sub>H<sub>4</sub>)Ph<sub>2</sub>Sn(Ph<sub>3</sub>AsO)<sub>2</sub>][BPh<sub>4</sub>]<sup>-</sup>, synthesis and crystal structure of (N.W. Kong, C. Wei, V.G. Kumar Das, R.J. Butcher), (361) 53
- Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307
- [( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>Me)Cr( $\mu$ , $\eta^5$ -As<sub>5</sub>)Cr( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>Me)], a triple-decker sandwich complex with cyclic As<sub>5</sub>, structure of (O.J. Scherer, W. Wiedemann, G. Wolmershäuser), (361) C11
- Diarsenyl complex ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>2</sub>Fe-As[Cr(CO)<sub>5</sub>]-AsR and metallated cyclo-tetraarsane [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>2</sub>FeAsAsR]<sub>2</sub> ( $R = 2,4,6-t$ -Bu<sub>3</sub>C<sub>6</sub>H<sub>2</sub>), formation, structures and spectra of (L. Weber, D. Bungardt), (354) C1
- Diastereoselective synthesis of a resolved secondary arsine complex: asymmetric synthesis of (*R*)-(-)<sub>589</sub>-ethylmethylphenylarsine (G. Salem, S.B. Wild), (370) 33
- (Di- $\eta^5$ -cyclopentadienyl)bis(hexafluoroarsenato)-titanium(IV): synthesis, characterisation and structure of (T. Klapötke, U. Thewalt), (356) 173
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Gallium-arsenic six-membered ring, twist-boat conformation in: crystal structure of [(Me<sub>3</sub>SiCH<sub>2</sub>)<sub>2</sub>AsGaBr<sub>2</sub>]<sub>3</sub> (R.L. Wells, A.P. Purdy, A.T. McPhail, C.G. Pitt), (354) 287
- Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281
- Group 15 ligand-substituted derivatives of M<sub>3</sub>(CO)<sub>12</sub> (M = Ru, Os), stereochemistry of; synthesis and characterisation of tetra-substituted ruthenium complexes; X-ray structures of Ru<sub>3</sub>(CO)<sub>8</sub>(L)<sub>4</sub> (L = PMe<sub>2</sub>Ph and P(OR)<sub>3</sub>, R = Me, Et and Ph) (M.I. Bruce, M.J. Liddell, O. bin Shawkataly, I.R. Bytheway, B.W. Skelton, A.H. White), (369) 217
- Heterocyclic compounds containing a P=C or As=C bond, investigation by UV photoelectron spectroscopy of (L. Nyulászi, G. Csonka, J. Réffy, T. Veszprémi, J. Heinicke), (373) 49
- Hexaorgano-substituted triatomics,  $R'_3M'XM''-R''_3$ , and related species, structures of (C. Glidewell), (356) 151
- C-Imidazollyllithium derivatives, reactions with tris[ $\mu$ -(1-alkylimidazolato-*N*<sup>3</sup>,*C*<sup>2</sup>)]tri-gold(I) and -silver(I) of; crystal structure of bis(1-benzylimidazolin-2-yliden)gold(I) chloride (F. Bonati, A. Burini, B.R. Pietroni, B. Bovio), (375) 147
- Organoelement-benzasole derivatives of P, As, Si and Sn, synthesis and pyrolysis of (J. Heinicke), (364) C17
- Organoniobium(V) perfluoroborate, arsenate and antimonate complexes, formation and characterisation of (P. Gowik, T. Klapötke), (368) 35
- Organo-transition-metal hexafluoro arsenates and antimonates, chemical and biological aspects of (P. Gowik, T. Klapötke), (372) 33

- Os<sub>3</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-AsC<sub>6</sub>H<sub>3</sub>CH<sub>3</sub>)(μ<sub>3</sub>-C<sub>6</sub>H<sub>4</sub>CH<sub>3</sub>)**, synthesis and crystal structure of (B.F.G. Johnson, J. Lewis, A.J. Massey, D. Braga, F. Grepioni), (369) C43
- Pentacarbonyldiphosphorhenium monomeric and bridged complexes and reactions with nucleophiles of** (P. Steil, U. Nagel, W. Beck), (366) 313
- 3-Substituted benzazaphospholes and benzazarsoles, investigation by UV-photoelectron spectroscopy of** (L. Nyulászi, G. Csonka, J. Réffy, T. Vesprémi, J. Heinicke), (373) 57
- Tetrakis(pentafluorophenyl)diarsine, (C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>-AsAs(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>**, tetrakis(pentafluorophenyl)-diarsenic(III) oxide, (C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>AsOAs(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>, and tris(pentafluorophenyl)arsine, crystal and molecular structures of (A.L. Rheingold, D.L. Staley, M.E. Fountain), (365) 123
- Tetrapnicogen trisulphide cage molecules, cleavage by cobalt(II) ligand of; crystal structure of [(tppme)Co(A<sub>2</sub>S)]BF<sub>4</sub> and [(tppme)-Co(PAsS)]BF<sub>4</sub>** (M. Di Vaira, P. Stopponi, M. Peruzzini), (364) 399
- Thallium(III) chloride reactions with (aryl)silver(I), complexes of; crystal structure of [Tl(mes)<sub>2</sub>][TlCl<sub>3</sub>(mes)]** (mes = mesityl) (A. Laguna, E.J. Fernández, A. Mendiola, E. Ruiz-Romero, P.G. Jones), (365) 201
- Transition metal complexes of (2-(2-methoxyethoxy)ethyl)diphenylphosphine and (2-(2-methoxyethoxy)ethyl)dimethylarsine, synthesis and characterization of** (V.V.S. Reddy, J.E. Whitten, K.A. Redmill, A. Varshney, G.M. Gray), (372) 207
- Tri-n-butylarsine-promoted reaction of bromomalonic esters with aldehydes, α,β-unsaturated esters from** (Y. Shen, B. Yang), (375) 45
- (Trimethylsilyl)(cyclopropyl)acetylenes and terminal cyclopropylacetylenes, synthesis via an arsonium ylide under phase-transfer conditions of** (Y. Shen, Q. Liao), (371) 31
- 2,4,6-Tris(trifluoromethyl)phenyl substituent, examples for electronic and sterically stabilised low-coordinated elements** (M. Scholz, H.W. Roesky, D. Stalke, K. Keller, F.T. Edelmann), (366) 73
- ## Bismuth
- Antimony-iron and bismuth-iron anionic clusters, synthesis of** (M. Ferrer, O. Rossell, M. Seco, P. Braunstein), (364) C5
- Bi-Co heteronuclear carbonyl compounds; synthesis and crystal structure of [Co(CO)<sub>3</sub>-(μ<sub>3</sub>-Bi)]<sub>4</sub>** (G. Ciani, M. Moret, A. Fumagalli, S. Martinengo), (362) 291
- Bismuth, annual survey 1986** (G.O. Doak, L.D. Freedman), (351) 63
- Bismuth, annual survey 1987** (G.O. Doak, L.D. Freedman), (360) 297
- Cluster compounds containing d- and p-block metals; molecular structure of μ<sub>3</sub>-Bi[Fe(C<sub>5</sub>H<sub>5</sub>)(CO)]<sub>3</sub>** (J.M. Wallis, G. Müller, J. Riede, H. Schmidbaur), (369) 165
- Group V and VI metals and metalloids, preparation of benzoyl derivatives of** (A. Asthana, R.C. Srivastava), (366) 281
- Organometallic chemistry, use of a domestic microwave oven in** (M. Ali, S.P. Bond, S.A. Mbogo, W.R. McWhinnie, P.M. Watts), (371) 11
- ## Boron
- Alkylmetals in reactions with PRhCO-PdX(PPh<sub>3</sub>)<sub>2</sub> (X = I, Cl) under CO; formation of α-diketones and α-hydroxyketones** (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125
- Aminooxycarbenerhenium complexes, synthesis and reactions of** (A.-J. Wang, R.J. Angelici), (352) 157
- Areneuranium borohydrides: synthesis and crystal structure of (η-C<sub>6</sub>Me<sub>6</sub>)U(BH<sub>4</sub>)<sub>3</sub>** (D. Baudry, E. Bulot, P. Charpin, M. Ephritikhine, M. Lance, M. Nierlich, J. Vigner), (371) 155
- Aryltrimethylsilanes and arylidimethylphosphaneboranes multinuclear NMR spectroscopy of** (J.A. Albanese, D.E. Gingrich, C.D. Schaeffer, Jr., S.M. Coley, J.C. Otter, M.S. Samples, C.H. Yoder), (365) 23
- 1,2-Azaborolyiron complexes, enantiomeric purity of** (G. Schmidt, T. Rohling), (375) 21
- Benzotriazole, regiochemistry of the reaction with KBH<sub>4</sub> of; synthesis of poly(azolyl)borate ligands** (F.J. Lalor, S. Miller, N. Garvey), (356) C57
- [1,3-Bis(diisopropylamino)-1,3-dibora-5-cyclohexene-2,4-diyl]dicarbonyl(trimethylphosphine)iron, crystal structure of** (G.E. Herberich, B. Hessner, N. Klaff, H. Ohst), (375) 161
- (η<sup>5</sup>-Borole)iron and (η<sup>5</sup>-borole)(η<sup>5</sup>-cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of** (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362) 243
- Boron, boranes in organic synthesis, annual survey 1986** (G.W. Kaballoca, L.H.M. Guindi), (360) 1
- Boron hydride insertion into Zr-C bond of dimeric (η<sup>2</sup>-formaldehyde)zirconocene** (G. Erker, U. Hoffmann, R. Zwettler, G. Krüger), (367) C15

- Boronic esters, recovery of pinanediol in asymmetric synthesis via one-carbon homologation of (H.C. Brown, M.V. Rangaishenvi), (358) 15
- Cyclopentadienylnickel complexes applied in dehydrated complexation of borolenes (G.E. Herberich, I. Hausmann, B. Hessner, M. Negele), (362) 259
- (1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of  $(C_5Me_5)Rh(C_4H_4B_2Cl_2)$  (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473
- (1,1-Dichloroalkyl)lithium, reactions with boronic acid of; facile synthesis of tertiary carbinols (B. Junchai, Z. Weike, D. Hongxun), (367) C9
- Difluorenyl(diorganylarnino)borane, formation and characterisation of (W. Maringgele, M. Noltemeyer, A. Meller), (365) 187
- 2,3-Dihydro-4*H*-1,3,2-thiazaborine-4-ones, synthesis and properties of (C.D. Habben), (361) 289
- 1,3,2,4-Diphosphadiborabicyclo[1.1.0]butanes, synthesis, structure of; formation of complexes from (P. Kölle, G. Linti, H. Nöth, K. Polborn), (355) 7
- Docosahedral carbaboranetungsten-alkylidyne complexes, synthesis of compounds with heteronuclear metal–metal bonds (D.D. Devore, S.J.B. Henderson, J.A.K. Howard, F.G.A. Stone), (358) C6
- Halogenated carboranes, preparation by pyrolysis of (W. Haubold, W. Keller), (361) C54
- 2,4,6,8,9,10-Hexachloro-2,4,6,8,9,10-hexa-boradamantane (W. Haubold, W. Keller, G. Sawitzki), (367) 19
- Hydridotris(3-t-butylpyrazolyl)boratothallium(I), structure and spectroscopy of (A.H. Cowley, R.L. Geerts, C.M. Nunn, S. Trofimenko), (365) 19
- Methyl ketone complexes of chiral Lewis acid  $[(\eta^5-C_5H_5)Re(NO)(PPh_3)]^+$ , stereoselective reduction by  $K(s-C_4H_9)_3BH$ ; synthesis of optically active secondary alcohols and derivatives (D.M. Dalton, J.A. Gladysz), (370) C17
- Methyl-substituted cyclopropylmethylboranes, ring cleavage rearrangement of (E.A. Hill, Y.-W. Park), (356) 1
- Methyl 4-tri-*n*-butylstannylbenzoate, *P*-(methoxycarbonyl)phenylmercuric chloride and *P*-(methoxycarbonyl)phenylboronic acid, synthesis and iodination of (M.D. Hylarides, D.S. Wilbur, S.W. Hadley, A.R. Fritzberg), (367) 259
- Monomeric phosphinoboranes, synthesis and rearrangements of (H.H. Karsch, G. Hanika, B. Huber, J. Riede, G. Müller), (361) C25
- Organometal substituted stannacyclopenta-
- dienes, synthesis and polynuclear NMR spectroscopy of (B. Wrackmeyer), (364) 331
- Organouranium(IV) salts,  $[(C_5H_5)_3U(NCR)_2] \cdot [B(C_6H_5)_4]$ , preparation and selected properties of (H. Aslan, K. Yünlü, R.D. Fischer, G. Bombieri, F. Benetollo), (354) 63
- Rhodacarboranes with a  $\eta^2, \eta^3$ -2-methylenenorbornadienyl ligand at the rhodium vertex, synthesis of (L.I. Zakharkin, I.T. Chizhevsky, G.G. Zhigareva, P.V. Petrovskii, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (358) 449
- 3,3-Tetra- and 3,3-penta-methyleneallylboranes, preparation of 1-substituted 1-vinylcycloalkanes from (Yu.N. Bubnov, V.I. Zheludeva, A.V. Ignatenko), (359) 151
- B*-Triethylboroxin with ethylenediamine complexes and derivatives thereof (J.F. Mariategui, K. Niedenzu), (369) 137
- Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53
- Trityl tetraphenylborate as reagent in organometallic chemistry (D.A. Straus, C. Zhang, T.D. Tilley), (369) C13
- ## Cadmium
- Alkylmetals in reactions with  $PRhCO-PdX(PPh_3)_2$  ( $X = I, Cl$ ) under CO; formation of  $\alpha$ -diketones and  $\alpha$ -hydroxyketones (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125
- [2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362) 147
- $[MC_2O_2(CO)_8]$  ( $M = Zn, Cd, Hg$ ), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1
- Pentafluorophenyl-zinc and -cadmium compounds, formation and structure of  $(C_6F_5)_2Zn(thf)_2$  and tetrameric  $C_6F_5CdOH$  (M. Weidenbruch, M. Herrndorf, A. Schäfer, S. Pohl, E. Saak), (361) 139
- Trifluoromethyl cadmates: formation and  $^{19}F$  and  $^{113}Cd$  NMR spectroscopic investigations of (D. Naumann, W. Tyrra), (368) 131
- Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an  $\eta^6$ -arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

## Cerium

- Monopentamethylcyclopentadienyl-lanthanum and -cerium alkoxides, formation of; crystal structure of  $(C_5Me_5Ce(OCMe_3)_2)_2$  (H.J. Heeres, J.H. Teuben, R.D. Rogers), (364) 87  
 Monopentamethylcyclopentadienyl-yttrium, -lanthanum, and -cerium derivatives, synthesis of (M. Booij, N.H. Kiers, H.J. Heeres, J.H. Teuben), (364) 79

## Chromium

- Acetylene as building block for carbene and vinylidene ligands on chromium (H.G. Alt, H.E. Engelhardt, A.C. Filippou), (355) 139  
 Alkoxy- or alkylthio-substituted silylcarbene complexes,  $(CO)_5MC(XEt)SiR_3$  ( $M = Cr, Mo, W; X = O, S$ ) and ketene derivatives,  $R_3Si(EtX)C=C=O$ , synthesis of (J. Kron, U. Schubert), (373) 203  
 Alkyl-substituted  $\eta^6$ -benzenetricarbonylchromium(0) complexes, stability and gas chromatography of (E. Patsalides, S.J. Pratten, K. Robards), (364) 169  
 Allyl- and diene-carbonyl cationic complexes of group 6-9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351  
 Antiferromagnetic clusters  $(Cp_2Cr_2SCMe_3)(\mu_3-S)_2RhL_2$  ( $L_2 = \pi-C_8H_{12}$  or  $(CO)_2$ ) with long Cr-Rh bonds, synthesis and molecular structures of (A.A. Pasynskii, I.L. Eremenko, V.R. Zalmanovich, V.V. Kaverin, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (356) 57  
 $\eta^6$ -Arenetricarbonylchromium(0)  $\pi$ -complexes, failing nucleophilic substitution of hydrogen in (S. Ostrowski, M. Mąkosza), (367) 95  
 Arenetricarbonylchromium complexes, nucleophilic aromatic substitution in (F. Rose-Munch, E. Rose, A. Semra, Y. Jeannin, F. Robert), (353) 53  
 Arenetricarbonylchromium(0) complexes: scope and limitations of (G.B.M. Kostermans, M. Bobeldijk, P.J. Kwakman, W.H. de Wolf, F. Bickelhaupt), (363) 291  
 Aziridinocarbene-chromium and -tungsten complexes, transformation into nitriles and olefins of (B. Denise, A. Parlier, H. Rudler), (354) C23  
 Benchrotenic alcohols, asymmetric synthesis with baker's yeast of (J. Gillois, G. Jaouen, D. Buisson, R. Azerad), (367) 85  
 $\eta^{4:(2)}-5H$ -Benzocycloheptenedicarbonyltrimethylphosphitechromium(0), an unusual electron-deficient complex (C.G. Kreiter, G. Michael, J. Kaub), (355) 149

- Biphenylene as ligand in dia- and para-magnetic chromocenes (C. Elschenbroich, J. Schneider, W. Massa, G. Baum, H. Mellinghoff), (355) 163  
 Bis-acylation of aminocarbene complexes to 2-azaallenyl complexes (K.H. Dötz, D. Grotjahn, K. Harms), (375) C47  
 Bis-arene-chromium complexes, electronic structure of (Yu.V. Chizhov, M.M. Timoshenko, L.P. Yur'eva, N.N. Zaitseva, I.A. Urelets, D.N. Kravtsov, N.L. Asfandiarov), (361) 79  
 Bis(arene)chromium nitriles, cathodic processes involving nitriles; cyano derivatives of benzene and dibenzenechromium with (L.N. Nekrasov, S.M. Peregudova, L.P. Yur'eva, D.N. Kravtsov, I.A. Urelets, N.N. Zaitseva), (365) 269  
 Bis(diarene)chromium[tricarbonylchromium] mono- and di-substituted complexes, synthesis and space-grouping in (T.M. Pettijohn, J.J. Lagowski), (356) 67  
 1,1'-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of  $M_2(CO)_{10}(\mu-P-P)$ ,  $M(CO)_4(\eta^2-P-P)$  and  $M(CO)_5(\eta^1-P-P)$  ( $M = Cr, Mo, W; P-P = Fe(C_5H_4PPh_2)_2$ ) (T.S.A. Hor, L.-T. Phang), (373) 319  
 Bis(pyrazolyl)methanetetracarbonyl-chromium(0), -molybdenum(0) and -tungsten(0), formation and characterisation of (G.G. Lobbia, F. Bonati), (366) 121  
 Bis(trimethylcyclopentadienyldicarbonyl-chromium), crystal and molecular structure of  $[(CH_3)_3C_5H_2Cr(CO)_2]_2$  (T.K. Gasanov, I.R. Latifov, A.N. Shnulin), (361) 173  
 Bis( $\eta^5$ -1,2,4-triphosphacyclopentadienyl)chromocene,  $[Cr(\eta^5-C_2-t-Bu_2P_3)_2]$ , crystal and molecular structure of (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (356) C1  
 Carbonylchromium photogenerated catalyst used in formate reduction of aldehydes (D.E. Linn, Jr., R.B. King, A.D. King, Jr.), (355) C1  
 Carbonylchromocene unbridged and tetramethylmethylethanediyl-bridged complexes, electrochemical reactions of (E.U. van Raaij, S. Mönkeberg, H. Kiese, H.-H. Brintzinger), (356) 307  
 Carbonylchromocene unbridged and tetramethylmethylethanediyl-bridged complexes, reversible coordination of CO ligand to (E.U. van Raaij, H.H. Brintzinger), (356) 315  
 $C=C$  bonds conjugated with benzenetricarbonylchromium, Friedel-Crafts acylation of (M.-C. Senechal-Tocquer, J.-Y. Le Bihan, D. Gentric, D. Senechal, B. Caro), (356) C5  
 $(C_5H_5)_2Cr_2(CO)_4(\mu-\eta^2-P_2)$ , coordination to metal carbonyl fragments of; crystal structure of  $(C_5H_5)_2Cr_2(CO)_4(\mu-\eta^2-P_2)$

- [Cr(CO)<sub>5</sub>]<sub>2</sub> (L.Y. Goh, R.C.S. Wong, T.C.W. Mak), (364) 363
- (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Cr<sub>2</sub>(CO)<sub>4</sub>Se, thermolytic degradation of and crystal structures of the cubane-like clusters (C<sub>5</sub>H<sub>5</sub>)<sub>4</sub>(μ<sub>3</sub>-CO)<sub>2</sub>(μ<sub>3</sub>-Se)<sub>2</sub> and (C<sub>5</sub>H<sub>5</sub>)<sub>4</sub>Cr(μ<sub>3</sub>-O)<sub>2</sub>(μ<sub>3</sub>-Se)<sub>2</sub> (L.Y. Goh, T.C.W. Mak), (363) 77
- (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Cr<sub>2</sub>(μ-SCMe<sub>3</sub>)(μ<sub>3</sub>-S)<sub>2</sub>M(μ<sub>3</sub>-S)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>6</sub> (M = Fe, Rh) and (MeC<sub>5</sub>H<sub>4</sub>)<sub>2</sub>Cr<sub>2</sub>(μ-SCMe<sub>3</sub>)(μ<sub>3</sub>-S)Co(μ<sub>3</sub>-S)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>6</sub>, molecular structure and magnetic properties of (I.L. Eremenko, A.A. Pasynskii, A.S. Katugin, V.R. Zalmanovitch, B. Orazsakhatov, S.A. Sleptsova, A.I. Nekhaev, V.V. Kaverin, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky, V.E. Shklover, Yu.T. Struchkov), (365) 325
- C<sub>5</sub>H<sub>5</sub>Fe(CO)<sub>2</sub>(η<sup>1</sup>-CH<sub>2</sub>SCH<sub>3</sub>), photochemical behaviour and use in formation of C<sub>5</sub>H<sub>5</sub>Fe(CO)<sub>2</sub>[η<sup>1</sup>-CH<sub>2</sub>S(CH<sub>3</sub>)MLn] with M = Cr, Mo, W, Mn (A. Leboeuf, J.C. Leblanc, C. Moise), (372) 391
- o*-, *m*-, and *p*-Chlorotoluenetricarbonylchromium, aromatic nucleophilic substitution in (F. Rose-Munch, E. Rose, A. Semra, C. Bois), (363) 103
- (C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>)(CO)<sub>2</sub>Cr(C<sub>2</sub>H<sub>2</sub>), reactions with PMe<sub>3</sub> and HNMe<sub>2</sub> of, solid state structure of (C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>)(CO)<sub>2</sub>Zr(PMe<sub>3</sub>) and (C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>)(CO)<sub>2</sub>Zr[C(Me)NMe<sub>2</sub>] (R.D. Rogers, H.G. Alt, H.E. Engelhardt), (366) 305
- [(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>Me)Cr(μ,η<sup>5</sup>-As<sub>5</sub>)Cr(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>Me)], a triple-decker sandwich complex with cyclic As<sub>5</sub>, structure of (O.J. Scherer, W. Wiedemann, G. Wolmershäuser), (361) C11
- Chromium(III) and chromium(IV) π-aromatic complexes, preparation and structures of (W.A. Herrmann, W.R. Thiel, E. Herdtweck), (353) 323
- Chromium, tungsten, iron, and ruthenium complexes of the 4-membered ring diazene 3,4-diazatricyclo[4.2.1.0<sup>2,5</sup>]non-3-ene (M.N. Ackermann, D.E. Adams, J. Pranata, C.F. Yamauchi), (369) 55
- Cobaltinium pentacarbonylmanganate(-I), photoredox reaction induced by outer-sphere metal to metal charge transfer excitation of (H. Kunkely, A. Vogler), (372) C29
- (CO)<sub>2</sub>(NO)Cr(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>)CH<sub>2</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>)Fe-[vinyl-(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>)], synthesis, spectra and crystal structure of (Y.-P. Wang, T.-S. Lin, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (371) 57
- (CO)<sub>2</sub>(NO)Cr(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>)C(O)(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>)Fe(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>), synthesis, spectra and crystal structure of (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (371) 71
- $\text{Cp}^*\text{ZrCH}=\text{CHC}=\text{M}(\text{CO})_5$  (M = Cr, Mo, W)
- Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315
- Cyclic dithio- and diaminocarbene coordinated trichloromethyl isocyanide complexes, reactions of (W.P. Fehlhammer, G. Beck), (369) 105
- Cycloaminocarbene-chromium complexes, ring-opening upon alkyne insertions reactions of (H. Rudler, A. Parlier, R. Yefsah, B. Denise, J.C. Daran, J. Vaissermann, C. Knobler), (358) 245
- (η<sup>5</sup>-Cyclopentadienyl)- and (pentamethyl-η<sup>5</sup>-cyclopentadienyl)-chromium(III) dihalogenide, antiferromagnetic dinuclear complexes (F.H. Köhler, J. Lachmann, G. Müller, H. Zeh, H. Brunner, J. Pfauntsch, J. Wachter), (365) C15
- Cyclopentadienylchromium sulphide, reactivity towards atmospheric oxygen of; X-ray analysis of Cp<sup>\*</sup>Cr<sub>2</sub>(μ,η<sup>2</sup>-S<sub>2</sub>)(μ-S<sub>2</sub>) (Cp<sup>\*</sup> = η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>) (H. Brunner, J. Pfauntsch, J. Wachter, B. Nuber, M.L. Ziegler), (359) 179
- Diarsenyl complex (η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>2</sub>Fe-As[Cr(CO)<sub>5</sub>]AsR and metallated cyclo-tetraarsane [(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>2</sub>FeAsAsR]<sub>2</sub> (R = 2,4,6-t-Bu<sub>3</sub>C<sub>6</sub>H<sub>2</sub>), formation, structures and spectra of (L. Weber, D. Bungardt), (354) C1
- 1,8-Diaza-6-(2',4',6'-tri-t-butylphenylphosphorylidene)bicyclo[5.4.0]undec-7-ene, formation and reaction of (R. Appel, L. Krieger), (354) 309
- Dichloroantimony-bridged manganese dimetal compounds, synthesis and reactivity of (A. Lombard, G. Huttner, L. Zsolnai), (352) 295
- 2,6-Dimethylchlorobenzene-tricarbonylchromium, aromatic nucleophilic substitution in (F. Rose-Munch, E. Rose, A. Semra, M. Thiloche), (363) 123
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Fluorobenzene-tricarbonylchromium, aromatic nucleophilic substitution in (F. Rose-Munch, J. Garcia-Oricain, L. Mignon, E. Rose, A. Semra, C. Knobler), (363) 297
- π-Fluorobenzene-tricarbonylchromium phenylation of cyclic and acyclic pentadienyl carbanions by (A. Ceccon, A. Gambaro, F. Gottardi, F. Manoli, A. Venzo), (363) 91
- Group 6 metal tetracarbonyl complexes, *cis*-[M(CO)<sub>4</sub>{(C<sub>5</sub>H<sub>4</sub>ECH<sub>3</sub>)<sub>2</sub>Fe}] (M = Cr, Mo, W; E = S or Se); crystal structure of 1,1'-bis(methylseleno)ferrocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell,

- A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (367) 275
- Halfsandwich complexes of manganese and rhenium, degradation of  $S_8$  with (M. Herberhold, B. Schmidkonz), (358) 301
- Heterocycle formation by [4+2]-cycloaddition of transition-metal coordinated hetero olefins to butadienes, regioselectivity of (H. Fischer, U. Gerbin, J. Riede), (364) 155
- Heterotrimetallic complexes of chromium and rhodium, synthesis, exchange reactions and structures of (J. Suffert, R. Ziessel), (395) C45
- Hexacarbonylchromium,  $\text{Cr}(\text{CO})_6$ , low-temperature photolysis with *ortho*- and *para*-quinone isomers of (R.R. Andréa, D.J. Stukens, F. Hartl, A. Viček, Jr.), (359) 49
- Indanetricarbonylchromium, regioselectivity of nucleophilic addition to; crystal structures of 1-*syn*- and 1-*anti*-methoxyindanetricarbonylchromium (B. Ohlsson, C. Ullenius, S. Jagner, C. Grivet, E. Wenger, E.P. Kündig), (365) 243
- Manganese, chromium and tungsten mono-nuclear  $\sigma$ - and  $\pi$ -coordinated complexes with tetracyanoethene and tetracyano-*p*-chinodimethane (B. Olbrich-Deussner, R. Gross, W. Kaim), (366) 155
- (*ortho*- and (*meta*-MeC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>Me)Cr(CO)<sub>2</sub>L (L = (+)-neomenthyl-PPh<sub>2</sub>), diastereoisomer separation and absolute configuration of (G. Jaouen, J.A.S. Howell, M.-C. Tirvengadum, P. McArdle, D. Cunningham), (370) 51
- Metal carbenes and metal carbonyls, metathesis and reduction reactions of nitroso compounds with (J.W. Herndon, L.A. McMullen), (368) 83
- Metallo tetrahedral clusters (MeC<sub>5</sub>H<sub>4</sub>)<sub>4</sub>Cr<sub>4</sub>( $\mu_3$ -E)<sub>4</sub> (E = O, S, Se), influence of bridging ligands on geometry and magnetic properties of (I.L. Eremenko, S.E. Nefedov, A.A. Pasynskii, B. Orazsakhatov, O.G. Ellert, Yu.T. Struchkov, A.I. Yanovsky, D.V. Zagorevsky), (368) 185
- R- $\alpha$ -Methyl-*o*-methoxybenzyl methyl ether, asymmetric synthesis via the diastereoselective functionalisation of (+)-(*o*-methoxybenzyl methyl ether)chromium tricarbonyl of (S.G. Davies, C.L. Goodfellow), (370) C5
- Mononuclear (CH<sub>3</sub>)<sub>n</sub>CpM(CO)<sub>3</sub><sup>-</sup> Na<sup>+</sup> and dimeric [(CH<sub>3</sub>)<sub>n</sub>CpM(CO)<sub>2</sub>]<sub>2</sub> complexes, NMR studies of (I.R. Lyatifov, T.K. Gasanov, P.V. Petrovskii, A.I. Lutsenko), (361) 181
- MPt( $\mu$ -H) $\mu$ -P-n-Pr<sub>2</sub>)Pt(CO)(PCy<sub>3</sub>) in reaction with Pt(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>(PCy<sub>3</sub>), mechanism of "Pt(PCy<sub>3</sub>)" addition (J. Powell, M.R. Gregg), (356) C61
- Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65
- Organometallic solid state chemistry (M.L.H. Green, J. Qin, D. O'Hare), (358) 375
- Pentacarbonylchromium fragment, linkage to a ( $\mu$ - $\eta^2$ -P<sub>2</sub>)Cr<sub>2</sub> core of; crystal structure of Cp<sub>2</sub>Cr<sub>2</sub>(CO)<sub>4</sub>( $\mu$ - $\eta^2$ -P<sub>2</sub>)[Cr(CO)<sub>5</sub>] (L.Y. Goh, R.C.S. Wong, T.C.W. Mak), (373) 71
- Pentacarbonylmetal- and carbonylnitrosyl-cobaldiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197
- Pentacarbonylmetal complexes of organophosphorus chlorides with K<sub>2</sub>SN<sub>2</sub>, X-ray structure of (CO)<sub>5</sub>Cr[P(t-Bu)NSNSNH] (A. Gieren, C. Ruiz-Pérez, T. Hübner, M. Herberhold, K. Schamel, K. Guldner), (366) 105
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of [Cp(CO)<sub>2</sub>Mo( $\mu$ -PCy<sub>2</sub>)Pd-(PCy<sub>2</sub>H)<sub>2</sub>] and [(CO)<sub>4</sub>Mn( $\mu$ -PCy<sub>2</sub>)Pd(PCy<sub>2</sub>-H)<sub>2</sub>] (Cy = c-C<sub>6</sub>H<sub>11</sub>) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camelini), (368) C5
- Ruthenium carbonyl hydroformylation system, EXAFS infrared and kinetic studies on (J. Evans, G. Jingxing, H. Leach, A.C. Street), (372) 61
- Silyl group influence on reactivity and formation of M-C double bonds (U. Schubert), (358) 215
- Tetracarbonylcarbene chelated chromium, molybdenum and tungsten complexes, preparation and configuration of (K.H. Dötz, H.-G. Erben, W. Staudacher, K. Harms, G. Müller, J. Riede), (355) 177
- Tetrafluorodilacyclobutene and cyclic dienes, cycloaddition reactions mediated by transition metal carbonyls between (C.H. Lin, C.Y. Lee, T.T. Jzang, C.C. Lin, C.S. Liu), (356) 315
- Thio-, seleno, and telluro-aldehydes as ligands in mono- and di-nuclear heterometal complexes, synthesis, structure, protonation and methylation of (H. Werner, W. Paul, W. Knaup, J. Wolf, G. Müller, J. Riede), (358) 95
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivkh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129
- Transition-metal coordinated heteroolefins applied in synthesis; influence of alkyne on reactivity and stereoselectivity with hetero-aldehydic and -ketonic complexes (H. Fischer, J. Hofmann, U. Gerbing, A. Tirilomis), (358) 229

Tricarbonyl(boat *p*-xylene)chromium complexes, ab initio calculations of the charge densities in (I. Ono, S. Mita, S. Kondo, N. Mori), (367) 81

Tricarbonylchromium complexes of aromatic *N,N*-dialkylamides, barriers to rotation about the C(O)-N bond in (A. Gryff-Keller, P. Szczecinski, H. Koziel), (372) 225

Tricarbonylchromium complexes of methyl *O*-methylpodocarpate, differentiation of diastereomers by high field NMR spectroscopy (B. Mailvaganam, R.E. Perrier, B.G. Sayer, B.E. McCarry, R.A. Bell, M.J. McGlinchey), (354) 325

Tricarbonyl( $\eta^6$ -cyclooctatetraene)-chromium and -tungsten, two-dimensional NMR exchange spectroscopy of (E.W. Abel, K.G. Orrell, K.B. Qureshi, V. Šík, D. Stephenson), (353) 337

Tri-nuclear 5-thio(seleno)pyrazolealdiminato-bis-chelates containing an  $\eta^6$ -arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53

## Cobalt

Alkylidyne complex, [W(=CR)(CO)<sub>2</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>)], reactions with dicobalttetrahedranes of; crystal structure of [Co<sub>2</sub>W( $\mu_3$ -PhCCHCR)( $\mu$ -CO)(CO)<sub>5</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>)].H<sub>2</sub>O (R = C<sub>6</sub>H<sub>4</sub>Me-4) (G.A. Carriedo, V. Riera, M.G. Sanchez, Y. Jeannin, M. Piloche-Levisalles), (361) 197

Alkyne coordination and scission by a tetrametallic framework; crystal structure of [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Fe<sub>2</sub>Co<sub>2</sub>( $\mu$ -CO)(CO)<sub>4</sub>{ $\mu_3$ -C(CF<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (R. Rumin, F. Petillon, L. Manojlović-Muir, K.W. Muir), (371) C9

Allyl- and diene-carbonyl cationic complexes of group 6-9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351

Benzotriazole, regiochemistry of the reaction with KBH<sub>4</sub> of; synthesis of poly(azolyl)borate ligands (F.J. Lalor, S. Miller, N. Garvey), (356) C57

Benzoyl(carbonyl)transition metal complexes reactions with LiNMe<sub>2</sub> or; reaction route to  $\alpha$ -keto amide through an acyl(carbamoyl)-cobalt intermediate (N. Kawasaki, K. Masuzoe, F. Ozawa, A. Yamamoto), (361) C37

Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273

Benzylidyne-capped tricobalt cluster, <sup>13</sup>C relaxation and phenyl group rotation in (S.P. Wang, A.F.T. Chen, M.G. Richmond, M. Schwartz), (371) 81

Bi-Co heteronuclear carbonyl compounds; synthesis and crystal structure of [Co(CO)<sub>3</sub>( $\mu_3$ -Bi)]<sub>4</sub> (G. Ciani, M. Moret, A. Fumagalli, S. Martinengo), (362) 291

Bis(dimethylphosphino)ethane, reactions with Co<sub>4</sub>(CO)<sub>10</sub>( $\mu_4$ -PPh)<sub>2</sub> of; synthesis, structure, and solution dynamics of Co<sub>4</sub>(CO)<sub>8</sub>( $\mu_4$ -PPh)<sub>2</sub>(dmpe) (C.L. Schulman, M.G. Richmond, W.H. Watson, A. Nagl), (368) 367

Carbenium ions, stabilisation by two adjacent organometallic moieties: synthesis, NMR and synthetic application of (L.L. Troitskaya, V.I. Sokolov, V.I. Bakhmutov, O.A. Reutov, M. Gruselle, C. Cordier, G. Jaouen), (364) 195

Carbonyl-cobalt and -molybdenum clusters in immunology, synthesis and binding properties of mycotoxin derivatives of zearalenone (M. Gruselle, P. Deprez, A. Vessières, S. Greenfield, G. Jaouen, J.-P. Larue, D. Thouvenot), (359) C53

Carbonyl complexes, role in homogeneous hydrogenation of CO (B.D. Dombek), (372) 151

Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307

C<sub>5</sub>H<sub>5</sub>Co(SMe<sub>2</sub>)<sub>2</sub>, intermediate in synthesis and reactivity of diarylmethyl compounds (N. Kuhn, E. Zauder), (362) 217

(C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Cr<sub>2</sub>( $\mu$ -SCMe<sub>3</sub>)( $\mu_3$ -S)<sub>2</sub>M( $\mu_3$ -S)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>6</sub> (M = Fe, Rh) and (MeC<sub>5</sub>H<sub>4</sub>)<sub>2</sub>Cr<sub>2</sub>( $\mu$ -SCMe<sub>3</sub>)( $\mu_3$ -S)Co( $\mu_3$ -S)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>6</sub>, molecular structure and magnetic properties of (I.L. Eremenko, A.A. Pasynskii, A.S. Katugin, V.R. Zalmanovitch, B. Oratzsakhatov, S.A. Sleptsova, A.I. Nekhaev, V.V. Kaverin, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky, V.E. Shklover, Yu.T. Struchkov), (365) 325

( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>CoRh( $\mu$ -CO)<sub>2</sub>, reaction with sulphur and selenium of (H. Brunner, N. Janietz, J. Wachter, B. Nuber, M.L. Ziegler), (367) 197

Cobalt and iron dinuclear complexes with bis(trifluoromethyl) and bis(ethoxycarbonyl thioketenes as ligands (K. Seitz, J. Benecke, U. Behrens), (371) 247

Cobalt(II) and iron(II), sensitized photoreduction of structural characterization of [Co(CO)(*o*-C<sub>6</sub>H<sub>4</sub>[PPh<sub>2</sub>]<sub>2</sub>)<sub>2</sub>]PF<sub>6</sub> (J.T. Lin, S.Y. Wang, S.K. Yeh, Y.L. Chow), (359) C17

- Cobalt dinuclear ring-bridged complexes, synthesis and reactions of (H. Werner, F. Lippert, T. Bohley), (369) C27
- Cobalt nitrido-carbonyl high nuclearity cluster, synthesis and crystal structure of the anion  $[\text{Co}_{14}\text{N}_3(\text{CO})_{26}]^{3-}$  (S. Martinengo, G. Ciani, A. Sironi), (358) C23
- Cobalt(II) reductive carbonylation in the presence of diphenylphosphine; synthesis and structure of  $(\text{PPN})[\text{Co}(\text{CO})_3(\text{PPh}_2\text{OMe})]$  and  $\text{MeCCoCo}(\text{CO})_2(\text{PPh}_2\text{H})(\text{PPh}_2\text{OMe})$  (S. Vastag, L. Markó, A.L. Rheingold), (372) 141
- Cobalt, rhodium and iridium, annual survey 1986 (J.T. Mague), (351) 215
- Cobaltacyclopentadiene complexes, reactions with organic azides directed toward synthesis of highly substituted pyrroles of (P. Hong, H. Yamazaki), (373) 133
- Cobaltacyclopentene complex formation by the reaction of 2-ethynylpyridine with  $[\text{Co}(\eta^5\text{-C}_5\text{H}_5)(\text{PPh}_3)_2]$  of (Y. Wakatsuki, H. Yoshimura, H. Yamazaki), (366) 215
- Cobaltinium pentacarbonylmanganate(-I), photoredox reaction induced by outer-sphere metal to metal charge transfer excitation of (H. Kunkely, A. Vogler), (372) C29
- $[\text{Co}_2(\text{CO})_4\{\mu\text{-}(\text{CH}_2\text{O})_2\text{PN}(\text{Et})\text{P}(\text{OCH}_2)_2\}_2]$ , a molecule with a symmetrical formula but an unsymmetrical structure (G. de Leeuw, J.S. Field, R.J. Haines), (359) 245
- $[\text{Co}^{\text{I}}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{PCH}_2\text{PPh}_2\text{-}P\text{'})_2]_2\text{-}[\text{Co}^{\text{II}}_2\{\mu\text{-}\text{Ph}_2\text{P}(\text{O})\text{CH}_2\text{CH}_2\text{P}(\text{O})\text{Ph}_2\}\text{Cl}_6]$ , a polynuclear cobalt carbonyl ion-pair complex (Z.-Z. Zhang, H.-K. Wang, Z. Xi, H.-G. Wang, R.-J. Wang), (352) C22
- ( $\eta^5$ -Cyclopentadienyl)cobalt, thermal and photochemical degenerate "walk" along  $\eta^4$ -bound 1,3,5-hexatriene in (J.A. King Jr., K.P.C. Vollhardt), (369) 245
- Cyclopentadienylcobalt 1,2-diselenolene complexes, preparation and properties of (C.P. Morley, R.R. Vaughan, B.J. Wheatley), (353) C39
- $\eta^5$ -Cyclopentadienyldicarbonylcobalt, reaction with *N*-phenyldialkynylimines of (Y. Ito, M. Inouye, M. Murakami, M. Shiro), (359) C57
- (1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of  $(\text{C}_5\text{Me}_5)\text{Rh}(\text{C}_4\text{H}_4\text{B}_2\text{Cl}_2)$  (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473
- Dicarbonylcyclopentadienylmethylthiolato-iron(II), reactions with monocyanoacetylene of; crystal structures of  $[\text{FeC}(\text{O})\text{C}(\text{CN})=\text{CH}(\text{SCH}_3)(\eta^5\text{-C}_5\text{H}_5)(\text{CO})]$  and of  $[\mu\text{-}\eta^2\text{-FeC=CCN}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2]\text{[Co}(\text{CO})_3\text{]}_2$  (R. Kergoat, M.M. Kubicki, L.C. Gomes de Lima, H. Scordia, J.E. Guerchais, P. L'Haridon), (367) 143
- (-)436-(*S*)-(-)-Diphenyl-1-phenylethylamino-phosphine( $\eta^5$ -pentamethylcyclopentadienyl)-(dimethylphosphonato)cobalt(III), preparation, crystal structure, absolute configuration and conformational analysis of (C. Jablonski, T. Burrow, P.G. Jones), (370) 173
- Effect of ultrasound and of phosphine and phosphine oxides on the Khand reaction (D.C. Billington, I.M. Helps, P.L. Pauson, W. Thomson, D. Willison), (354) 233
- Fluorocarbon containing clusters (D. Lentz, H. Michael), (372) 109
- ( $\eta^5$ -Formylcyclopentadienyl)dicarbonylcobalt and ( $\eta^5$ -acetyl)cyclopentadienyl)dicarbonylcobalt, formation and reactions of (W.P. Hart, M.D. Rausch), (355) 455
- $[\mu\text{-Ge}\{\text{Co}(\text{CO})_4\}\text{Me}]_2\text{Co}_2(\text{CO})_6$  and  $[\mu\text{-Ge}\{\text{Co}(\text{CO})_4\}\text{Me}]_2\text{Fe}_2(\text{CO})_7$ , synthesis and crystal structures of (S.G. Anema, K.M. MacKay, B.K. Nicholson), (371) 233
- Group 4 metallocene derived carbene complex chemistry (G. Erker, F. Sosna, U. Hoffmann) (372) 41
- Heptacarbonylcobaltrhodium cluster,  $\text{CoRh}(\text{CO})_7$ , low-temperature activation of molecular hydrogen in  $\text{CO}/\text{H}_2$  mixtures in the presence of (I.T. Horváth, M. Garland, G. Bor, P. Pino), (358) C17
- Hetero-metal cluster formation by C-H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427
- Hetero-metallic complexes,  $[\text{WReCo}_2(\mu_3\text{-CC}_6\text{H}_4\text{Me}-4)(\text{CO})_{15}]$  and  $[\text{ReCo}_2(\mu_3\text{-CC}_6\text{H}_4\text{Me}-4)(\text{CO})_{10}]$ , reactions with secondary and tertiary phosphines of (M.R. Bradford, J.C. Jeffery, K.M. Johnson, S.E. Phillips), (362) 205
- Iron-cobalt bimetallic catalysis, method for carbonylation of aryl iodides under mild conditions (J.-J. Brunet, M. Taillefer), (361) C1
- Lithium diisopropylamide, regioselective addition to ( $\eta^4$ -1,3-butadiene) $\text{Co}(\text{CO})_3\text{BF}_4$  of (M. Miller, K.M. Nicholas), (362) C15
- $[\text{MC}_2(\text{CO})_8]$  ( $\text{M} = \text{Zn}, \text{Cd}, \text{Hg}$ ), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1
- $\text{Me}_n\text{CpM}(\text{CO})_2$  ( $\text{M} = \text{CO}, \text{Rh}$ ) analogs,  $^1\text{H}$ ,  $^{13}\text{C}$ ,  $^{17}\text{O}$  NMR and IR (CO-region) spectroscopic and mass-spectrometric studies of (I.R. Lyatifov, G.M. Jafarov, V.N. Babin, P.V. Petrovskii, V.D. Zagorevskii), (368) 223
- Mesitylene-solvated cobalt atoms, catalytic activity in cocyclization of  $\alpha, \omega$ -diynes and nitriles of (G. Vitulli, S. Bertozzi, P. Pertici, R. Lazaroni, P. Salvadori, A. Colligiani), (353) C35
- Mesitylenetetracobaltnonacarbonyl, reaction with  $[\text{Mo}(\text{CO})_3\text{C}_5\text{H}_5]_2$  of; syntheses and

- structures of the clusters  $C_5H_5(CO)_2MoCo_3$ - $(CO)_6(\mu-CO)_3$  and  $(C_5H_5)_2(CO)_3Mo_2Co_2$ - $(CO)_4(\mu-CO)_3$  (V.S. Kaganovich, Yu.L. Slovokhotov, A.V. Mironov, Yu.T. Struchkov, M.I. Rybinskaya), (372) 339
- Mixed metal clusters, structural and reactivity trends (T.A. Pakkanen, J. Pursiainen, T. Venäläinen, T.T. Pakkanen), (372) 129
- Mixed metal clusters  $HRuCo_2Rh(CO)_{12}$ ,  $HRuCoRh_2(CO)_{12}$  and  $H_2Ru_2CoRh(CO)_{12}$ , characterisation by  $^1H$  NMR spectroscopy of (J. Pursiainen, T.A. Pakkanen), (362) 375
- Octacarbonyldicobalt,  $Co_2(C)O_8$ -mediated and -catalyzed carbonylation of diaryl diselenides and ditellurides with CO (S. Uemura, H. Takahashi, K. Ohe, N. Sugita), (361) 63
- Octacarbonyldicobalt complex with *N*-methyl-bis( $\alpha$ , $\alpha$ -dimethylpropargyl)amine, crystal structure and reactivity of (L.P. Battaglia, D. Delledonne, M. Nardelli, G. Predieri, G.P. Chiusoli, M. Costa, C. Pelizzi), (363) 209
- Octacarbonyldicobalt promoted dihydrogen activation by highly polarizing  $Co^{2+}$  cations (G. Fachinetti, T. Funaioli, M. Marcucci), (353) 393
- Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65
- 1-Oxaspiro[4.4]non-3,6,8-trien-2-one, formation from acetylene and CO in the presence of carbonylcobalt of (E.V. Dehmlow, A. Winterfeldt, J. Pickardt), (363) 223
- Pentacarbonylmetal- and carbonylnitrosyl-cobaldiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197
- Pentamethylcyclopentadienyl(halo)ruthenium-(III, -III/II or -II) and pentamethylcyclopentadienyl(alcoxo)ruthenium(II) complexes, formation and characterisation of (U. Koelle, J. Kossakowski), (362) 383
- Phenylacetylene-derived metallacycles containing cobalt and mercury, structure and reactivity of (S.J. Tyler, J.M. Burlitch), (361) 231
- 2-Phenyl-3 $\alpha$ ,4,5,6,7,7 $\alpha$ -hexahydro-4,7-methanindan-1-on optically pure complex, formation by the asymmetric Khand reaction of (P. Bladon, P.L. Pauson, H. Brunner, R. Eder), (355) 449
- Polycobaltinium macrocyclic receptor molecules, synthesis and electrochemistry of (P.D. Beer, A.D. Keefe), (375) C40
- Rhodium dihydride complex  $[RhH_2(cHex-DAB)(PPh_3)_2][PF_6]$  ( $cHex-DAB = C_6H_{11}-N=CHCH=N-C_6H_{11}$ ) with  $[PPh_4][Co(CO)_4]$  and  $[PPh_4][HFe(CO)_4]$ , reactions of; crystal structure of  $[RhH_2(cHex-$
- $DAB)(PPh_3)_2][Co(CO)_4]$  (M. Iglesias, C. del Pino, A.S. José, S. Martinez-Carrera, J. Ros), (366) 391
- $R_3PAuN_3$ , cluster synthesis by photolysis of; crystal structure of  $[(Ph_3PAu)_7Mo(CO)_3]OH$  and  $[(Ph_3PAu)_6AuCo_2(CO)_6]NO_3$  (G. Beuter, J. Strähle), (372) 67
- $(R)(R')P=Co(CO)_3$ , a neutral phosphonium  $P=Co$  bond ion complex with (H. Lang, O. Orama), (371) C48
- Ruthenium clusters as catalysts for C–C and C–N addition reactions of carbodiimides (G.F. Schmidt, G. Süss-Fink), (356) 207
- $Sn(C_6H_4CH_2NMe_2-o)$ , synthesis and crystal structure of; reaction with  $Co(\eta^5-C_5H_5)(\eta^2-C_2H_4)_2$  (K. Angermund, K. Jonas, C. Krüger, J.L. Latten, H.-H. Tsay), (353) 17
- Tetracobalt cluster  $Co_4(CO)_{10}(\mu-PPh)_2$ , reaction of  $Ph_2PH$  with; sequential CO replacement and X-ray crystal structure of  $Co_4(CO)_8(\mu_4-PPh)_2(Ph_2PH)_2$  (M.-J. Don, M.G. Richmond, W.H. Watson, A. Nagl), (372) 417
- Tetrafluorodisilacyclobutene and cyclic dienes, cycloaddition reactions mediated by transition metal carbonyls between (C.H. Lin, C.Y. Lee, T.T. Jzang, C.C. Lin, C.S. Liu), (356) 315
- Tetrakis- and hexakis-(trimethylsilyl)cobaltocenium ions, ring rotation hindrance in (J. Okuda), (367) C1
- Tetrapnicogen trisulphide cage molecules, cleavage by cobalt(II) ligand of; crystal structure of  $[(tppme)Co(A_2S)]BF_4$  and  $[(tppme)-Co(PAsS)]BF_4$  (M. Di Vaira, P. Stoppioni, M. Peruzzini), (364) 399
- Titanocene and vanadocene, bi- and poly-metallic cobalt complexes derived from (J. Martin, M. Fauconet, C. Moïse), (371) 87
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivkh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129
- Transition metal electrophilic cations, rearrangements and polymerisations in reactions with olefins and small ring compounds of (A. Sen, T.-W. Lai, R.R. Thomas), (358) 567
- Transition-metal Lewis acid adducts of  $trans-[ReCl(CNR)(Ph_2PCH_2CH_2PPh_2)_2]$ , ( $R = alkyl$ ), synthesis of; chemical and quantum-chemical study of electrophilic  $\beta$ -addition to ligating isocyanide (M.F.N.N. Carvalho, A.J.L. Pombeiro, E.G. Bakalbassis, C.A. Tsipis), (371) C26
- Trimethylphosphinecobalt(I) complexes: reaction with cyclopentatriene and cyclooctatetraene; crystal structure of  $[Co(\eta^4-C_7H_8)(PMes_3)_3]BPPh_4$  (L.C. Ananias de Carvalho, M. Dartiguenave, Y. Dartiguenave), (367) 187

Triphenylstannyl-substituted mononuclear carbene cobalt complexes, preparation and properties of (A.C. Filippou, E. Herdtweck, H.G. Alt), (355) 437

1,2,4-Triphosphacyclopentadienyl and 1,3-diphosphacyclopentadienyl anions, oxidative coupling of; synthesis and molecular structure of the novel pentaphosphorus cage compound  $P_5C_5Bu_5^+$  (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (375) C31

Tripledecker complexes with bridging  $1H$ -borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53

Tris(phenylethynyl)phosphane, coordination in; synthesis and characterisation of  $\{(C_6H_5C\equiv CC_6H_5)P[(\eta^2-C\equiv CC_6H_5)Co_2(CO)_5]\}_2$  (H. Lang, L. Zsolnai), (369) 131

Trisubstituted alkenes employed in catalytic Khand reaction (D.C. Billington, W.J. Kerr, P.L. Pauson, C.F. Farnocchi), (356) 213

## Copper

$\alpha$ -Alkoxy- and  $\alpha$ -alkyl-substituted organocuprates, regioselectivity of addition of in-situ trimethylsilyl chloride to enals (R.J. Lindemann, J.R. McKenzie), (361) 31

Benzotriazole, regiochemistry of the reaction with  $KBH_4$  of; synthesis of poly(azolyl)borate ligands (F.J. Lalor, S. Miller, N. Garvey), (356) C57

$(C_5Cl_4R)Mn(CO)_3$  and  $(C_5Cl_4R)Rh(COD)$  derivatives, preparation of; crystal structure of  $(C_5Cl_4CONH_2)Mn(CO)_3$  (K. Sünkel, D. Steiner), (368) 67

4-Copper-3-phenylsydnone, cross-coupling with aryl and vinyl halides catalysed by palladium(0) complexes (V.N. Kanilin, She Fan Min), (352) C34

Copper(I) promoted C–C bond forming reactions, direct activation of allyl alcohols by (J.B. Baruah, A.G. Samuelson), (361) C57

Copper(I)-pyrazole complexes synthesis and characterization of; X-ray crystal structure of  $[Cu(pzH)_2(CO)Cl]$  (pz = pyrazole,  $C_3H_4N_2$ ) (M.A. Angaroni, G.A. Ardizzolia, T. Berenghelli, G. D'Alfonso, G. La Monica, N. Masciocchi, M. Moret), (363) 409

$Cu^1$ -macrocyclic tridentate amine systems, reactions with  $CO$ ,  $C_2H_4$  and cyclic olefins of (P. Chaudhuri, K. Oder), (367) 249

$\beta,\beta$ -Disubstituted acrylates, simple three-step synthesis of (V. Calò, L. Lopez, G. Pesce), (353) 405

Polymeric complex between methyl acrylate and copper(I) chloride, synthesis and structure of (M. Håkansson, S. Jagner), (361) 269

Pt–Cu, Pt–Ag and Pt–Au clusters, synthesis of; crystal structure of the  $Cu^1$ – $Pt^0$  cluster  $[CuPt_3(\mu-CO)_3(PPh_3)_5]BF_4^-$  (P. Braunstein, S. Freyburger, O. Bars), (352) C29

Pt-phosphine- $SnCl_2$  and Pt-bisphosphine- $CuCl_2$  (or  $CuCl$ ) catalytic systems, asymmetric hydroformylation with (L. Kollár, J. Bakos, I. Tóth, B. Heil), (370) 257

Trimethylsilane-halide activated organocopper compounds, NMR studies (M. Bergdahl, E.-L. Lindstedt, T. Olsson), (365) C11

## Erbium

2,2'-Bis(diphenylphosphino)biphenyl, synthesis of (T.K. Miyamoto, Y. Matsuura, K. Okude, H. Ichida, Y. Sasaki), (373) C8

## Europium

Naphthalene complexes of ytterbium, synthesis and reactivity of (M.N. Bochkarev, A.A. Trifonov, E.A. Fedorova, N.S. Emelyanova, T.A. Basalgina, G.S. Kalinina, G.A. Razuvaev), (372) 217

## Gallium

Bis(trimethylsilyl)carbodiimide,  $(CH_3)_3SiN=C=NSi(CH_3)_3$ , reactions with trimethylaluminium, -gallium and -indium of (R. Lechler, H.-D. Hausen, J. Weidlein), (359) 1

Gallium-arsenic six-membered ring, twist-boat conformation in: crystal structure of  $[(Me_3SiCH_2)_2AsGaBr_2]_3$  (R.L. Wells, A.P. Purdy, A.T. McPhail, C.G. Pitt), (354) 287

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airolídi, A.P. Chagas), (361) 319

Tetrakis[bis(trimethylsilyl)methyl]digallane(4) with Ga–Ga bonds, synthesis and molecular structure of (W. Uhl, M. Layh, T. Hildenbrand), (364) 289

## Germanium

Acylgermanes, reaction with triethylgermyllithium of (I.S. Biltueva, D.A. Bravo-Zhivotovskii, I.D. Kalikhman, V.Yu. Vitkovskii, S.G. Shevchenko, N.S. Vyazankin, M.G. Voronkov), (368) 163

- Aryl-substituted trigermanes, photochemistry of (M. Wakasa, I. Yoneda, K. Mochida), (366) C1
- $\sigma$ -Bonded allyl compounds,  $\sigma$ - $\pi$  interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21
- Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307
- 1,3-Di-t-butylcyclopentadienyl as  $\pi$ -ligand in complex chemistry of germanium, tin and lead (P. Jutzi, R. Dickbreder), (373) 301
- 4,8-Dichloroocta-t-butyltetracyclo-[3.3.0.0<sup>2,7</sup>.0<sup>3,6</sup>]octaggermane, preparation and structure of (A. Sekiguchi, H. Naito, H. Nameki, K. Ebata, C. Kabuto, H. Sakurai), (368) C1
- Dimethylgermylenes, thermal and photolytical synthesis and reactions with alkynyl, propargyl and allenyl halides of (G. Billeb, H. Brauer, S. Maslov, W.P. Neumann), (373) 11
- 1,3-Dioxa-6-aza-2-germacyclooctanes, <sup>73</sup>Ge NMR spectra of (E. Kupče, E. Lukevics, O.D. Flid, N.A. Viktorov, T.K. Gar), (372) 187
- Electron impact induced fragmentation products of Si(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub>, Ge(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub> and Sn(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub>, structures of (B. Pelli, A. Sturaro, P. Traldi, F. Ossola, M. Porchia, G. Rossetto, P. Zanella), (353) 1
- [ $\mu$ -Ge{Co(CO)<sub>4</sub>}Me]<sub>2</sub>Co<sub>2</sub>(CO)<sub>6</sub> and [ $\mu$ -Ge{Co(CO)<sub>4</sub>}Me]<sub>2</sub>Fe<sub>2</sub>(CO)<sub>7</sub>, synthesis and crystal structures of (S.G. Anema, K.M. MacKay, B.K. Nicholson), (371) 233
- Germanium and silicon hydrotrioxides, generation of singlet state oxygen by (M. Koenig, J. Barrau, N. Ben Hamida), (356) 133
- Germa-1-pyrazoline, synthesis and decomposition via a germirane intermediate of (M.P. Egorov, S.P. Kolesnikov, O.M. Nefedov, A. Krebs), (375) C5
- Germylamines, cyclogermazanes and transient germaimines, reactions with di-t-butyl-3,5-orthoquinone of (M. Rivière-Baudet, P. Rivière, A. Khallaayoun, J. Satgé, K. Rauzy), (358) 77
- Hexaorgano-substituted triatomics, R'<sub>3</sub>M'XM''-R'<sub>3</sub>, and related species, structures of (C. Glidewell), (356) 151
- (Hydroxymethyl)dimethylgermanium and (hydroxymethyl)diphenylgermanium, synthesis and properties of (R. Tacke, B. Becker), (354) 147
- Main-group IV tetravalent elements,  $\pi$ -bonding to (C. Janiak, M. Schwichtenberg, F.E. Hahn), (365) 37
- Metal-metal spin coupling through chalcogenides; crystal structure of [(2-MeC<sub>6</sub>H<sub>4</sub>)
- CH<sub>2</sub>)<sub>3</sub>Sn]<sub>2</sub>O and [(1-MeC<sub>6</sub>H<sub>4</sub>)<sub>3</sub>Sn]<sub>2</sub>O (T.P. Lockhart, H. Puff, W. Schuh, H. Reuter, T.N. Mitchell), (366) 61
- Monogermane, gas-phase ion-molecule reactions with carbon oxides and ethylene of; formation of Ge-C bonds (P. Benzi, L. Operti, G.A. Vaglio, P. Volpe, M. Speranza, R. Gabrielli), (373) 289
- Monogermanes, gas-phase ion-molecule reactions with oxygen and ammonia of (P. Benzi, L. Operti, G.A. Vaglio, P. Volpe, M. Speranza, R. Gabrielli), (354) 39
- Organogermanium anions, substituent effects on the structure and reactivity of (S.D. Pigarev, D.A. Bravo-Zhvotovskii, I.D. Kalikhman, N.S. Vyazankin, M.G. Voronkov), (369) 29
- Organogermanium functional bicyclic compounds, formation of (P. Mazerolles, C. Laurent, A. Faucher), (366) 57
- Organogermanium hexacoordinate compounds, <sup>73</sup>Ge NMR of (E. Kupče, L.M. Ignatovich, E. Lukevics), (372) 189
- Organometallic reactions, rate coefficients for complex reactions from 'pseudo-first-order' rate coefficients and related information (J.R. Chipperfield), (363) 253
- Perchlorophenyl-germanium compounds; crystal and molecular structure of perchlorotriphenylgermane (L. Fajari, L. Juliá, J. Riera, E. Molins, C. Miraviltes), (363) 31
- Si-C and Ge-C bonds, cleavage with lithium aluminium hydride of (V. Gevorgyan, L. Borisova, E. Lukevics), (368) 19
- Tetrakis(2,6-diisopropylphenyl)digermane, synthesis of and its reductive cleavage to the corresponding digermanyllithium(DME) complex (J. Park, S.A. Batcheller, S. Masmune), (367) 39
- Trimethylgermylation and trimethylsilylation of N,N-dialkylacetamides, application of anions to Peterson-type reaction of (S. Urayama, S. Inoue, Y. Sato), (354) 155
- [2-(Trimethylgermyl)-2-(trimethylsilyl)ethyl]dimethylammonium N-methylide and related compounds, anionic rearrangement of the germyl and silyl groups in (S. Inoue, S. Urayama, H. Sugiura, Y. Sato), (363) 25
- Trimethyl-group 14 cations, distinguishing 1,2-cyclopentanediol isomers via gas-phase reactions with (W.J. Meyerhoffer, M.M. Bursey), (373) 143

## Gold

- Bis(triphenylphosphine)gold tricyanomethanide, [(PPh<sub>3</sub>)<sub>2</sub>Au]<sup>+</sup> [C(CN)<sub>3</sub>]<sup>-</sup>, synthesis and crystal structure of (T.V. Baukova, D.N. Kravtsov, L.G. Kuz'mina, N.V. Dvortsova,

- M.A. Poray-Koshits, E.G. Perevalova), (372) 465
- Chemo- and stereo-selective reactions of  $[Fe(CO)_2Cp]^+$  and  $[AuPPh_3]^+$  with  $[W(CO)_5\{C(OEt)-(Ph)C(Ph)=C=S\}]^-$ ; crystal structures of Z-[ $W(CO)_5\{C(SFe[CO]_2-Cp)C(Ph)=C(OEt)Ph\}$ ] and E-[ $W(CO)_5\{S=C(AuPPh_3)C(Ph)=C(OEt)Ph\}$ ] (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337
- Cycloaurated derivatives of 2-phenylpyridine, formation of (E.C. Constable, T.A. Leese), (363) 419
- [2-(Dimethylamino)methyl]phenyl- $C^1N$ (pentfluorophenyl)gold(III) complexes synthesis of (J. Vicente, M.D. Bermúdez, M.T. Chicote, M.J. Sanchez-Santano), (371) 129
- [2-(Dimethylamino)methyl]phenyl- $C^1N$ (phenyl)gold(III) complexes, synthesis of; crystal structure of modifications of chloro[2-(dimethylamino)methyl]phenyl- $C^1N$ (phenyl)gold(III) (J. Vicente, M.T. Chidote, M.D. Bermúdez, M.J. Sanchez-Santano, P.G. Jones), (354) 381
- Docosahedral carbaboranetungsten-alkylidyne complexes, synthesis of compounds with heteronuclear metal–metal bonds (D.D. Devore, S.J.B. Henderson, J.A.K. Howard, F.G.A. Stone), (358) C6
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Electron-rich metal centres (Au, Pt) as sources of organometallic complexes with unusual features (R. Usón), (372) 171
- Gold-containing derivatives of cyclopropane-carboxylic acid amides (E.G. Perevalova, I.G. Bolesov, Y.S. Kalyuzhnaya, T.I. Voyevodskaya, L.G. Kuzmina, V.I. Korsunsky, K.I. Grandberg), (369) 267
- C-Imidazolyl lithium derivatives, reactions with tris[ $\mu$ -(1-alkylimidazolato- $N^3, C^2$ )]tri-gold(I) and -silver(I); crystal structure of bis(1-benzylimidazolin-2-yliden)gold(I) chloride (F. Bonati, A. Burini, B.R. Pietroni, B. Bovio), (375) 147
- Large organometallic clusters, electronic structure of (R.E. Benfield), (372) 163
- Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morvillo, J.M. Brown), (361) 249
- Organogold(I) compounds, interaction with tetraalkylthiuram disulphides of (E.G. Perevalova, K.I. Grandberg, V.P. Dyadchenko, O.N. Kalinin), (352) C37
- $Ph_3PAu-CHPh-SO_2-t-Bu$ , synthesis and crystal structure of (H.-J. Kneuper, K. Harms, G. Boche), (364) 275
- Pt–Cu, Pt–Ag and Pt–Au clusters, synthesis of; crystal structure of the  $Cu^I-Pt^0$  cluster  $[CuPt_3(\mu-CO)_3(PPh_3)_5]BF_4$  (P. Braunstein, S. Freyburger, O. Bars), (352) C29
- $R_3PAuN_3$ , cluster synthesis by photolysis of; crystal structure of  $[(Ph_3PAu)_7Mo(CO)_3]OH$  and  $[(Ph_3PAu)_6AuCo_2(CO)_6]NO_3$  (G. Beuter, J. Strähle), (372) 67
- 6-(2'-Thienyl)-2,2'-bipyridine, direct cycloauration of (E.C. Constable, R.P.G. Henney, T.A. Leese), (361) 277
- ## Hafnium
- Bis(pentamethylcyclopentadienyldivinyl-titanium, -zirconium and -hafnium compounds, formation of titanacyclobutane and -zirconacyclopent-2-ene derivatives of (R. Beckhaus, K.-H. Thiele, D. Ströhle), (369) 43
- Chalcogenametallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362) 311
- (Di- $\eta$ -cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a dinuclear hafnium complex with  $Se_4$  and O bridges (N. Albrecht, E. Weiss), (355) 89
- 1,3-Diene-group 4 metal electron-deficient complexes, properties of (B. Hessen, J.H. Teuben), (358) 135
- [2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115
- Group 4 metallocene derivatives with symmetrically substituted, dimethylsilanediyl-bridged ligand frameworks, diastereomers of; crystal structure of  $R,S-Me_2Si(3-t-Bu-5-MeC_5H_2)_2-ZrCl_2$  (H. Wiesenfeldt, A. Reinmuth, E. Barsties, K. Evertz, H.-H. Brintzinger), (369) 359
- Heptacarbonylhafnium,  $Hf(CO)_7$ , synthesis of anionic derivatives,  $[(C_5H_5)Hf(CO)_4]^-$  and  $[(C_5Me_5)Hf(CO)_4]^-$ , of (S.R. Frerichs, J.E. Ellis), (359) C41
- $\eta^2$ -Iminoacylmetallocene substituted ylides, isonitrile insertion into the  $M=C$  bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121
- Metallabicyclo-octadienes and -nonadienes of di-cyclopentadienyl-titanium, -zirconium and -hafnium, formation and characterisation of (S.M. Yousaf, M.F. Farona, R.J. Shiveley Jr., W.J. Youngs), (363) 281
- Metallocenylides of zirconium and hafnium ( $C_5H_5)_2M(R)=CHPPh_3$ ), carbonylation of

- (G. Erker, U. Korek, R. Schlund, C. Krüger), (364) 133  
**Mononuclear zirconium trivalent organometallic Zr and Hf metallocenes, structure of** (I.F. Urazowski, V.I. Ponomaryev, I.E. Nifant'ev, D.A. Lemenovskii), (368) 287  
**( $\eta^5$ -Pentamethylcyclopentadienyl)( $\eta^7$ -cycloheptatrienyl)-zirconium and -hafnium, crystal and molecular structure of** (R.D. Rogers, J.H. Teuben), (354) 169  
**Titanium, zirconium and hafnium, annual survey 1982** (E.A. Mintz), (357) 1

## Indium

- Bis(trimethylsilyl)carbodiimide, ( $\text{CH}_3)_3\text{SiN}=\text{C}-\text{NSi}(\text{CH}_3)_3$ , reactions with trimethylaluminium, -gallium and -indium of** (R. Lechler, H.-D. Hausen, J. Weidlein), (359) 1  
 **$\text{CH}_3[2,6-\{(\text{C}_2\text{H}_5)_2\text{NCH}_2\}_2\text{C}_6\text{H}_3]\text{InCl}$ , intramolecular stabilized diorganoindium chloride, synthesis and molecular structure of** (H. Schumann, W. Wassermann, A. Dietrich), (365) 11  
**Dimethylindium dialkylamides and organylphosphides, X-ray crystal structure of ( $\text{Me}_2\text{InNR}_2$ )<sub>2</sub> ( $\text{R} = \text{Et}, \text{Pr}^i, \text{SiMe}_3$ ) and ( $\text{Me}_2\text{InP-Bu}^i_2$ )<sub>2</sub>** (K.A. Aitchison, J.D.J. Backer-Dirks, D.C. Bradley, M.M. Faktor, D.M. Frigo, M.B. Hursthouse, B. Hussain, R.L. Short), (366) 11  
**Indium(I) iodide mediation of Barbier allylation and Reformatsky reaction of carbonyl compounds** (S. Araki, H. Ito, N. Katsumura, Y. Butsugan), (369) 291

**Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran** (M. Bressan, A. Morvillo, J.M. Brown), (361) 249

**Pentabenzylcyclopentadienylindium(I), synthesis and crystal structure of** (H. Schumann, C. Janiak, F. Görilitz, J. Loebel, A. Dietrich), (363) 243

**1-Pentene, asymmetric deuteration and deuteriooligomerization of** (P. Pino, M. Galimberti), (370) 1

**Phosphidoindium compounds, preparation of; crystal structures of  $\text{In}(\text{PBu}^i_2)_3$  and  $[\text{Et}_2\text{In-PBu}^i_2]_2$**  (N.W. Alcock, I.A. Degnan, M.G.H. Wallbridge, H.R. Powell, M. McPartlin, G.M. Sheldrick), (361) C33

**Tetrakis[bis(trimethylsilyl)methyl]diindane(4) with In-In bond, formation and structure of** (W. Uhl, M. Layh, W. Hiller), (368) 139

## Iridium

**Allyl- and diene-carbonyl cationic complexes of group 6-9 metals, synthesis in the presence**

- of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351  
**Bis( $(S,S)$ -2,3-bis(diphenylphosphino)butane]iridium(I), stereochemistry of hydrogen addition to; crystal structure of bis( $(S,S)$ -2,3-bis(diphenylphosphino)butane]iridium(I) tetrafluoroborate** (J.M. Brown, P.L. Evans, P.J. Maddox, K.H. Sutton), (359) 115  
**Bis(hydrocarbyl)iridium(III) five-coordinate complexes,  $\text{Ir}(\text{R})\text{R}'[\text{N}(\text{Si}(\text{Me}_2\text{CH}_2\text{PPh}_2)_2)]$ , synthesis and structure of** (M.D. Fryzuk, P.A. MacNeil, R.L. Massey, R.G. Ball), (368) 231  
**( $\eta^5\text{-C}_5\text{H}_5$ )<sub>2</sub>W<sub>2</sub>Ir<sub>2</sub>(CO)<sub>7</sub>(CHCO<sub>2</sub>Et)<sub>2</sub>, crystal structure of** (M.R. Churchill, L.V. Biondi), (353) 73  
**( $\eta^5\text{-C}_5\text{H}_5$ )<sub>2</sub>W<sub>2</sub>Ir<sub>2</sub>(CO)<sub>4</sub>( $\mu$ -CO)<sub>2</sub>( $\mu_3$ -Ph)( $\mu_3$ - $\eta^3$ -C<sub>3</sub>Ph<sub>3</sub>)**, a "60-electron" cluster with a triangulated rhomboidal W<sub>2</sub>Ir<sub>2</sub> skeleton, crystal structure of (M.R. Churchill, L.V. Biondi), (366) 265  
**Cobalt, rhodium and iridium, annual survey 1986** (J.T. Mague), (351) 215  
**Cycloheptatrienyl bridged heterobimetallic complexes, synthesis and reactivity of ( $\mu$ -C<sub>7</sub>H<sub>7</sub>)Ru(CO)<sub>3</sub>Ir(CO)<sub>2</sub>** (S.T. Astely, J. Takats), (363) 167  
**Dioctadienyldiiridium dichloro-bridged complex, investigation of adsorption reactions on  $\gamma$ -alumina of** (P. Esteban, J. Real, J.C. Bayón, H. Dexpert, D. Bain, G. Maire), (356) 113  
**Diolefin- and carbonyl-rhodium(I) and -iridium(I) complexes with phosphine sulphide ligands; crystal structure of [Rh(COD)(Et<sub>2</sub>P(S)(S)PEt<sub>2</sub>)]ClO<sub>4</sub>** (C. Claver, A. Ruiz, A.M. Masdeu, J. Viñas, T. Saballs, F.J. Lahoz, F.J. Plou), (373) 269  
**Electron-rich alkanes (enetetramines), coordination chemistry of** (M.F. Lappert), (358) 185  
**Ion pairing in solutions of Na[HIr<sub>4</sub>(CO)<sub>11</sub>], evidence for Na<sup>+</sup> interaction with one of the bridging carbonyls** (D.M. Vandenberg, T. Chin-Choy, P.C. Ford), (366) 257  
**[Ir(COD)(tris(pyrazol-1-yl)methane)]<sup>+</sup> and [Ir(COD)(tris(pyrazol-1-yl)ethane)]<sup>+</sup> cations, alcohol activation by; formation of [(tpzm)-IrH(CO<sub>2</sub>R')<sup>+</sup>(CO)]<sup>+</sup> and [(tpze)IrH(CO<sub>2</sub>R')<sup>+</sup>(CO)]<sup>+</sup> (R' = Me, Et, i-Pr)** (M.A. Esteruelas, L.A. Oro, R.M. Claramunt, C. López, J.L. Lavandera, J. Elguero), (366) 245  
**Iridium(III) and rhodium(III) complexes: [ $(\eta^5\text{-Me}_5\text{C}_5)_\text{Ir}(\text{L L})\text{X}$ ]<sup>+</sup> and [ $(\eta^5\text{-Me}_5\text{C}_5)_\text{Rh}(\text{LL})\text{Cl}$ ]<sup>+</sup>; LL = 2,2'-bipyridine or 1,10-phenanthroline; X = Cl or H, synthesis and molecular structure of; single crystal structures of [ $(\eta^5\text{-Me}_5\text{C}_5)_\text{Ir}(\text{bpy})\text{Cl}$ ]Cl and [ $(\eta^5\text{-Me}_5\text{C}_5)_\text{Rh}(\text{phen})\text{Cl}$ ]ClO<sub>4</sub>** (M.-T. Youinou, R. Ziessel), (363) 197

- Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343
- 2-(3-Nitrobenzylidene)benzimidazole (A), reactions with Rh, Ir and Pt; crystal structure of [Rh(A)(4-picoline)(1,5-COD)](CF<sub>3</sub>SO<sub>3</sub>) (A. Albinati, C. Arz, P.S. Pregosin), (356) 367
- Organometallic compounds, application of microwave dielectric loss heating effects for the rapid and convenient synthesis of (D.R. Baghurst, D.M.P. Mingos, M.J. Watson), (368) C43
- [Os<sub>3</sub>M(μ-H)<sub>3</sub>(CO)<sub>12</sub>] (M = Rh, Ir) mixed metal clusters, synthesis and characterisation of; X-ray structure of [Os<sub>3</sub>Rh(μ-H)<sub>3</sub>(CO)<sub>12</sub>] (P. Sundberg, B. Norén, B.F.G. Johnson, J. Lewis, P.R. Raithby), (353) 383
- Pentacoordinate iridium(I) complexes with chiral Schiff bases, enantioselective hydrogen transfer reactions from propan-2-ol to ketones catalysed by (G. Zassinovich, R. Bettella, G. Mestroni, N. Bresciani-Pahor, S. Geremia, L. Randaccio), (370) 187
- 3-Phenylprop-2-en-1-ol, dehydrogenation, hydrogenolysis, isomerization and hydrogenation with carbonylperchloratobis(triphenylphosphine)iridium(I) and carbonyldihydrido-perchloratobis(triphenylphosphine)iridium(III) of (C.S. Chin, J.H. Shin, J.B. Kim), (356) 381
- Platinum metal thioether macrocyclic complexes, synthesis and crystal structure of *cis*-[IrCl<sub>2</sub>(L)]BPh<sub>4</sub> (L = 1,4,8,11-tetrathiacyclotetradecane) (A.J. Blake, R.O. Gould, G. Reid, M. Schröder), (356) 389
- Polysiloxane-phosphine ligands, complexes and hydrogenation catalysts of (R.V. Parish, D. Habibi, V. Mohammadi), (369) 17
- Rh( $\eta^4$ -C<sub>8</sub>H<sub>12</sub>) $\{\eta^5$ -C<sub>5</sub>(CO<sub>2</sub>Me)<sub>5</sub>}, Rh(azb)<sub>2</sub>-{C<sub>5</sub>(CO<sub>2</sub>Me)<sub>5</sub>}, and [M(CO){OC(OH)Me}-(PPh<sub>3</sub>)<sub>2</sub>][C<sub>5</sub>(CO<sub>2</sub>Me)<sub>5</sub>] (M = Rh and Ir), crystal structures of (M.I. Bruce, P.A. Humphrey, B.W. Skelton, A.H. White), (361) 369
- Rhodium(I) and iridium(I) *N*-substituted imidazole derivatives with and without metal–metal interaction; crystal structure of *cis*-(CO)<sub>2</sub>RhCl(*N*-methylimidazole) (F. Bonati, L.A. Oro, M.T. Pinillos, C. Tejel, M.C. Apreda, C. Foces-Foces, F.H. Cano), (369) 253
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivkh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129
- Transition metal complexes, reaction with methyl formate of (W. Keim, J. Becker, A.M. Trzeciak), (372) 447
- $\mu_2\eta^2$ -Trimethylsilylethyanyl-rhodium and -iridium complexes, synthesis, structure and reactivity of (J. Müller, M. Tschampel, J. Pickardt), (355) 513
- Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53
- ### Iron
- $\mu(\alpha,\omega)$ -Alkanediyl-iron(II) and -tungsten(II) complexes, mechanisms of reactions with tertiary phosphines and halogens of (J.R. Moss, L.G. Scott), (363) 351
- Alkylferrocenes in molten salt mixtures, substituent effects on (D.W. Slocum, A.L. Edgecombe, J.S. Fowler, H.F. Gibbard, J. Phillips), (363) 151
- Alkyl-metal sonochemically-assisted synthesis (C. Roger, M.-J. Tudoret, V. Guerchais, C. Lapinte) (365) 347
- $\alpha$ -Alkyl succinates, differentially protected asymmetric synthesis of (G. Bashiardes, S.P. Collingwood, S.G. Davies, S.C. Preston), (364) C29
- (Alkyne)carbonyliron compound, solid state <sup>13</sup>C CP-MAS NMR spectra (A. Aime, M. Botta, G.E. Hawkes, K.D. Sales, L.-Y. Lian), (368) 331
- Alkyne coordination and scission by a tetrametallic framework; crystal structure of [ $(\eta^5$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Fe<sub>2</sub>Co<sub>2</sub>(μ-CO)(CO)<sub>4</sub>{μ<sub>3</sub>-C(CF<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (R. Rumin, F. Petillon, L. Manojlović-Muir, K.W. Muir), (371) C9
- 5,1'-Alkynyl- and 5,1'-alkenyl-1,3-cyclohexadienetricarbonyliron complexes, synthesis using aluminium reagents of (B.R. Reddy), (375) C51
- Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivkh, O.V. Gusev, M.I. Rybinskaya), (362) 351
- $\eta^1$ :  $\eta^3$ -Allyl-bridged bimetallic complexes. [ $\eta^3$ -{2-( $\eta^5$ -Cp)(OC)(PR<sub>3</sub>)Fe-allyl}Pt(PPh<sub>3</sub>)<sub>2</sub>]PR<sub>6</sub> (PR<sub>3</sub> = PPh<sub>2</sub>H, PPh<sub>2</sub>Me), synthesis and structural characterization of (M.R. Gregg, J. Powell, J.F. Sawyer), (352) 357
- Antimony-iron and bismuth-iron anionic clusters, synthesis of (M. Ferrer, O. Rossell, M. Seco, P. Braunstein), (364) C5
- Arylation of a carbanion derived from a pyridazine; a route to a functionalized arene (R.C. Cambie, S.J. Janssen, P.S. Rutledge, P.D. Woodgate), (359) C14

- 1,2-Azaborolyiron complexes, enantiomeric purity of** (G. Schmidt, T. Rohling), (375) 21
- Benzotriazole, regiochemistry of the reaction with  $\text{KBF}_4$  of; synthesis of poly(azolyl)borate ligands** (F.J. Lalor, S. Miller, N. Garvey), (356) C57
- Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of** (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273
- Benzylidene chiral-at-iron complexes: ( $S_{\text{Fe}}S_C$ ) and ( $R_{\text{Fe}}S_C$ ) $\text{Cp}(\text{CO})(\text{Ph}_2\text{R}^*\text{P})\text{Fe}=\text{CHC}_6\text{H}_5^+$**  ( $\text{R}^* = (S)$ -2-methylbutyl) and ( $S_{\text{Fe}}$ )- and ( $R_{\text{Fe}}$ )- $\text{Cp}(\text{CO})(\text{PEt}_3)\text{Fe}=\text{CHC}_6\text{H}_5^+$ , enantioselective benzylidene transfer reactions with (M. Brookhart, R.C. Buck), (370) 111
- Bimetallic acetyl complexes: ( $\eta^5$ -indenyl) $_2(\text{CO})_3^-$   $\text{Fe}_2(\text{COCH}_3)^-$  and ( $\eta^5$ -indenyl)( $\eta^5$ - $C_5\text{H}_5$ )-( $\text{CO}$ ) $_3\text{Fe}_2(\text{COCH}_3)^-$ : role in carbonylation reaction of** (T.C. Forschner, A.R. Cutler, R.K. Kullnig), (356) C12
- Bimetallic hydrocarbon-bridged complexes by nucleophilic attack of carbonylmellitates to coordinated unsaturated hydrocarbons** (W. Beck, B. Niemer, J. Breimair, J. Heidrich), (372) 79
- Bis-arene iron dication, synthetic problems and reaction with nucleophiles of** (D. Mandon, D. Astruc), (369) 383
- Bis( $\eta^6$ -arene)iron(II) salts, spectroscopic study of** (S. Abdul-Rahman, A. Houlton, R.M.G. Roberts, J. Silver), (359) 331
- 1,1'-Bis[1-carboxymethyl]thioalkyl]ferrocenes and 1,1'-bis[1-(carboxymethyl)thio-1-phenylmethyl]ferrocene, synthesis and characterization of** (D. Scutaru, I. Mazilu, L. Tataru, T. Lixandru, C. Simionescu), (373) 245
- 1,1'-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of  $M_2(\text{CO})_{10}(\mu\text{-P-P})$ ,  $M(\text{CO})_4(\eta^2\text{-P-P})$  and  $M(\text{CO})_5(\eta^1\text{-P-P})$  ( $M = \text{Cr, Mo, W}$ ; P-P =  $\text{Fe}(\text{C}_5\text{H}_4\text{PPh}_2)_2$ )** (T.S.A. Hor, L.-T. Phang), (373) 319
- Bis(diphosphine)chlorohydridoiron complexes, reinvestigation of** (M.V. Baker, L.D. Field), (354) 351
- Bis-ferrocene calix[4]arene hydrophobic receptor molecules and crystal structure of** (P.D. Beer, A.D. Keefe, M.G.B. Drew), (353) C10
- 1',6-Bis(*p*-halobenzyl)biferrocenium salts, valence delocalization in; zigzag configuration for polyiodide ion  $I_5^-$**  (T.-Y. Dong, M.-Y. Hwang, C.-C. Schei, S.-M. Peng, S.-K. Yeh), (369) C33
- Bis( $\eta^5$ -pentamethylcyclopentadienyl)metal derivatives and related complexes, mass spectroscopy of** (F. Geoffrey, N. Cloke, J.P. Day, A.M. Greenway, K.R. Seddon, A.A. Shimran, A.C. Swain), (372) 231
- 1,1'',1',1'''-Bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyl)dicarbonyl)biferrocene, X-ray structure of** (M.C. Grossel, M.R. Goldspink, J.P. Knychala, A.K. Cheetham, J.A. Hriljac), (352) C13
- 1,6-Bis(triphenylmethyl)biferrocenium triiodide, electron transfer in** (T.-Y. Dong, T.-L. Hsu), (367) 313
- ( $\eta^5$ -Borole)iron and ( $\eta^5$ -borole)( $\eta^5$ -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of** (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362) 243
- [( $\eta^5$ -t-Bu $C_5\text{H}_4$ ) $_2\text{Zr}^{\text{IV}}(\eta^1\text{-1},\eta^1\text{-1'})(<\math>\eta^5\text{-}(\text{C}_5\text{H}_4)_2\text{-Fe}^{\text{II}}]$ , electrooxidation example of electrocatalytic process with endergonic cross electron-transfer** (A. Da Rold, Y. Mugnier, R. Broussier, B. Gautheron, E. Laviron), (362) C27
- ( $\eta^4$ -Butadienyl)tricarbonyliron complexed functionalized phosphonate, synthesis and reactions of** (P. Pinsard, J.-P. Lellouche, J.-P. Beauchourt, L. Toupet, L. Schio, R. Grée), (371) 219
- Carbenium ions, stabilisation by two adjacent organometallic moieties: synthesis, NMR and synthetic application of** (L.L. Troitskaya, V.I. Sokolov, V.I. Bakhmutov, O.A. Reutov, M. Gruselle, C. Cordier, G. Jaouen), (364) 195
- Carbon monoxide commercial conversion to fuels and chemicals** (M.E. Dry), (372) 117
- Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of** (H. Schumann und K.H. Köhricht), (373) 307
- Carbonyliron complexes, formation of coordination Si=C bonds to** (N. Auner, J. Grobe, T. Schäfer, B. Krebs, M. Dartmann), (363) 7
- Carbonyliron dinuclear carbene complexes, kinetics of thermally replacement of CO in** (A. Darchen, E.K. Lhadi, H. Patin), (363) 137
- Chalcogens, contrasting roles in synthesis of mixed metal complexes  $(\text{CO})_6\text{Fe}_2(\mu_3\text{-E})_2\text{M}(\text{PPh}_3)_2$  (E = Te, Se, S; M = Ni, Pd, Pt) of** (P. Mathur, I.J. Mavunkal, V. Rugmini), (367) 243
- [( $\eta^5\text{-}C_5\text{H}_5$ ) $(\text{CO})_2\text{Fe}(\text{P}(\text{O})(\text{NEt}_2)_2)_2\text{FeCl}_2$ , synthesis and structure of** (H. Nakazawa, Y. Kadoi, T. Mizuta, K. Miyoshi, H. Yoneda), (366) 333
- ( $C_5\text{H}_5$ ) $_2\text{Cr}_2(\mu\text{-SCMe}_3)(\mu_3\text{-S})_2\text{M}(\mu_3\text{-S})_2\text{Fe}_2\text{-}(\text{CO})_6$  ( $M = \text{Fe, Rh}$ ) and ( $\text{MeC}_5\text{H}_4$ ) $_2\text{Cr}_2(\mu\text{-SCMe}_3)(\mu_3\text{-S})\text{Co}(\mu_3\text{-S})_2\text{Fe}_2(\text{CO})_6$ , molecular structure and magnetic properties of** (I.L. Eremenko, A.A. Pasynskii, A.S. Katugin, V.R. Zalmanovitch, B. Orazsakhatov, S.A. Sleptsova, A.I. Nekhaev, V.V. Kaverin, O.G.

- Ellert, V.M. Novotortsev, A.I. Yanovsky, V.E. Shklover, Yu.T. Struchkov), (365) 325
- Chemoo- and stereo-selective reactions of  $[\text{Fe}(\text{CO})_2\text{Cp}]^+$  and  $[\text{AuPPh}_3]^+$  with  $[\text{W}(\text{CO})_5(\text{C}(\text{OEt})(\text{Ph})\text{C}(\text{Ph})=\text{C}=\text{S})]^-$ ; crystal structures of  $Z\text{-}[\text{W}(\text{CO})_5\{\text{C}(\text{SFe}[\text{CO}]_2\text{Cp})\text{C}(\text{Ph})=\text{C}(\text{OEt})\text{Ph}\}]$  and  $E\text{-}[\text{W}(\text{CO})_5\{\text{S}=\text{C}(\text{AuPPh}_3)\text{C}(\text{Ph})=\text{C}(\text{OEt})\text{Ph}\}]$  (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337
- $\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\eta^1\text{-CH}_2\text{SCH}_3)$ , photochemical behaviour and use in formation of  $\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2[\eta^1\text{-CH}_2\text{S}(\text{CH}_3)\text{MLn}]$  with  $\text{M} = \text{Cr}, \text{Mo}, \text{W}, \text{Mn}$  (A. Leboeuf, J.C. Leblanc, C. Moise), (372) 391
- $\eta^5\text{-C}_5\text{H}_5\text{Fe}(\text{CO})_2(\eta^1\text{-C}_5\text{H}_4\text{X})$  ( $\text{X} = \text{CH}_3, \text{CONHTs}$ ) complexes, investigation of; crystal and molecular structure of  $5\text{-}[\eta^5\text{-C}_5\text{H}_5\text{Fe}(\text{CO})_2]\text{-}1\text{-}[\text{TsNHCO}]$ cyclopentadiene (M.E. Wright, J.F. Hoover, R.S. Glass, V.W. Day), (364) 373
- Chiral ferrocenylphosphines with  $C_2$  symmetry, formation of (T. Hayashi, A. Yamamoto, M. Hojo, K. Kishi, Y. Ito, E. Nishioka, H. Miura, K. Yanagi), (370) 129
- $[(\text{C}_5\text{H}_4\text{Me})\text{FeCO}]_3\text{NO}$  and  $[(\text{C}_5\text{Me}_5)\text{FeCO}]_3\text{NO}$ , synthesis and structure of (J. Müller, I. Sonn, T. Akhnoukh), (367) 133
- $(\eta^5\text{-C}_5\text{H}_5)_2\text{NiFe}_3(\text{CO})_7(\mu\text{-PPh}_2)(\mu_4\text{-}\eta^2\text{-HC}\equiv\text{CPri})$ , synthesis and crystal structure of (E. Sappa, D. Belletti, A. Tiripicchio, M. Tiripicchio Camellini), (359) 419
- $[(\eta^5\text{-C}_5\text{H}_4\text{R})\text{Fe}(\text{CO})(\text{PPh}_3)]\text{I}$  ( $\text{R} = \text{CHPh}_2, \text{I}, \text{CH}(\text{CH}_3)_2$ ), NMR and X-ray structure of (J. du Toit, D.C. Levendis, J.C.A. Boeyens, M.S. Loonat, L. Carlton, W. Pickl, N.J. Coville), (368) 339
- Chromium, tungsten, iron, and ruthenium complexes of the 4-membered ring diazene 3,4-diazatricyclo[4.2.1.0<sup>2,5</sup>]non-3-ene (M.N. Ackermann, D.E. Adams, J. Pranata, C.F. Yamauchi), (369) 55
- Cluster compounds containing *d*- and *p*-block metals; molecular structure of  $\mu_3\text{-Bi}[\text{Fe}(\text{C}_5\text{H}_5)(\text{CO})_3]$  (J.M. Wallis, G. Müller, J. Riede, H. Schmidbaur), (369) 165
- Cobalt(II) and iron(II), sensitized photoreduction of structural characterization of  $[\text{Co}(\text{CO})(o\text{-C}_6\text{H}_4[\text{PPh}_2]_2)_2]\text{PF}_6$  (J.T. Lin, S.Y. Wang, S.K. Yeh, Y.L. Chow), (359) C17
- Cobalt and iron dinuclear complexes with bis(trifluoromethyl) and bis(ethoxycarbonyl thioketenes as ligands (K. Seitz, J. Benecke, U. Behrens), (371) 247
- $(\text{CO})_2(\text{NO})\text{Cr}(\eta^3\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_4)\text{Fe}[\text{vinyl}(\eta^5\text{-C}_5\text{H}_4)]$ , synthesis, spectra and crystal structure of (Y.-P. Wang, T.-S. Lin, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (371) 57
- $(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{C}(\text{O})(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$ , synthesis, spectra and crystal structure of (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (371) 71
- 4-Copper-3-phenylsydnone, cross-coupling with aryl and vinyl halides catalysed by palladium(0) complexes (V.N. Kanilin, She Fan Min), (352) C34
- $[(\text{C}_5\text{R}_5)\text{Fe}(\text{CO})_2\text{J}_2$  ( $\text{R} = \text{H}, \text{Me}$ ), reaction with phosphorus ylids of (C. Caballero, J.A. Chávez, O. Göknur, I. Löchel, B. Nuber, H. Pfisterer, M.L. Ziegler, P. Albuquerque, L. Eguren, R.P. Korswagen), (371) 329
- $\eta^5\text{-C}_5\text{R}_5\text{Fe}(\text{CO})_2(\text{CH}_2)_3\text{Si}(\text{OCH}_3)_3$  ( $\text{R} = \text{H}$  or  $\text{Me}$ ), synthesis and properties of (M. Moran, C. Pascual, I. Cuadrado, J.R. Masaguer, J. Losada), (363) 157
- Cyclodextrin complexes of acylferrocenes, preparation and induced Cotton effects in circular dichroism spectra of (V.I. Sokolov, V.L. Bondareva, I.F. Golovaneva), (358) 401
- Cycloheptatrienyl bridged heterobimetallic complexes, synthesis and reactivity of ( $\mu\text{-C}_7\text{H}_7$ ) $\text{Ru}(\text{CO})_3\text{Ir}(\text{CO})_2$  (S.T. Astely, J. Takats), (363) 167
- ( $\eta^5\text{-Cyclopentadienyl-}\eta^6\text{-areneiron}$ ) chiral cations, preparation and electrochemical reduction of (M. Le Rudulier, C. Moinet), (352) 337
- Cyclopentadienyldicarbonyliron *S*-bonded monothiocarboxylates,  $\text{FeCp}(\text{CO})_2\text{SCOR}$ , synthesis and characterisation of; crystal structure of  $\text{FeCp}(\text{CO})_2\text{SCO}(\text{NC}_6\text{H}_4\text{NO}_2)_2$  (M.A. El-Hinnawi, A.M. Al-Ajlouni, J.S. AbuNasser, A.K. Powell, H. Vahrenkamp), (359) 79
- Cyclopentadienyldicarbonyliron iodide,  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}(\text{CO})_2\text{I}$ , photosubstitution of iodide in; synthesis of cyclopentadienyldicarbonyl- and carbonyl-phosphine complexes containing  $\eta^1\text{-N-imidato}(1-)$  ligands (J. Zakrzewski), (359) 215
- Cyclopentadienyldicarbonyliron complexes of *o*-, *m*- and *p*-dichlorobenzenes, mono- and di-substitution reactions of (C.C. Lee, C.H. Zhang, A.S. Abd-El-Aziz, A. Piórko, R.G. Sutherland), (364) 217
- Cyclosilanyl transition metal compounds,  $\text{Si}_6\text{Me}_{11}[\text{Fe}(\text{CO})_2\text{C}_5\text{H}_5]$ ,  $(\text{Si}_6\text{Me}_{10})[\text{Fe}(\text{CO})_2\text{C}_5\text{H}_5]_2$ , and  $\text{Si}_6\text{Me}_{11}[\text{Mo}(\text{CO})_3\text{C}_5\text{H}_5]$ , preparation of (E. Hengge, M. Eibl, F. Schrank), (369) C23
- Diarsenyl complex  $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2\text{Fe-As-[Cr}(\text{CO})_5\text{=AsR}$  and metallated cyclotetraar-

- sane  $[(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2\text{FeAsAsR}]_2$  ( $\text{R} = 2,4,6\text{-t-Bu}_3\text{C}_6\text{H}_2$ ), formation, structures and spectra of (L. Weber, D. Bungardt), (354) C1
- Diastereoselective synthesis of a resolved secondary arsine complex: asymmetric synthesis of (*R*)- $(-)_{589}$ -ethylmethylphenylarsine (G. Salem, S.B. Wild), (370) 33
- 1,8-Diaza-6-(2',4',6'-tri-t-butylphenylphosphanylidene)bicyclo[5.4.0]undec-7-ene, formation and reaction of (R. Appel, L. Krieger), (354) 309
- (1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of  $(\text{C}_5\text{Me}_5)\text{Rh}(\text{C}_4\text{H}_4\text{B}_2\text{Cl}_2)$  (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473
- Dicarbonylbis(trimethylphosphite)iron groupings, reactions with propinal acetals of (C. Löwe, H.-U. Hund, H. Berke), (372) 295
- Dicarbonylcyclopentadienylmethylthiolatoiron(II), reactions with monocyanoacetylene of; crystal structures of  $[\text{Fe}(\text{O})(\text{C}(\text{CN})=\text{CH}(\dot{\text{S}}\text{-CH}_3))(\eta^5\text{-C}_5\text{H}_5)(\text{CO})]$  and of  $[\mu\text{-}\eta^2\text{-Fe}(\text{C}=\text{CCN})(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2][\text{Co}(\text{CO})_3]_2$  (R. Kerfoot, M.M. Kubicki, L.C. Gomes de Lima, H. Scordia, J.E. Guerchais, P. L'Haridon), (367) 143
- Dicarbonylnitrosyl( $\eta^3$ -propenyl)iron, alkylation of; nature of the reactive intermediate (J.-L.A. Roustan, F. Houlihan), (353) 215
- Dichlorobis( $\pi$ -cyclopentadienyl)dicarbonyl-iron(IV) reaction with polydentate  $\sigma$ -nuclear substituted  $\alpha$ -hydroxybenzylidene-hydrazonomethyl)phenols, and syntheses and molecular structures of complexes formed by (F.-Q. Liu, J.-T. Wang, R.-J. Wang, H.-G. Wang, X.-K. Yao), (371) 35
- Diferra( $\mu$ -alkylidene)carbene complex, C-C bond formation with isocyanate  $\text{RNCX}$  ( $\text{R} = \text{Et, Ph; X = O, S}$ ) of; X-ray structure of  $[\text{Fe}_2(\text{CO})_6\{\mu\text{-}\eta^2\text{-MeCC}(\text{NEt})_2\text{CONR}\}]$ , (V. Crocq, J.-C. Daran, Y. Jeannin), (373) 85
- [2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362) 147
- [2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115
- Dimethyl ester of (2,3,4,5- $\eta$ )(2*E*,4*E*)-nonadienylphosphonic acid tricarbonyliron, syntheses, characterisation and reactivity of (P. Pinsard, J.P. Lellouche, J.P. Beaucourt, R. Gree), (354) 193
- Dinitrosyldicarbonyliron and nitrosyltricarbonylcobalt, catalysis of alkylation of crotyl and  $\alpha$ -methylallyl acetates by (J.-L. Roustan, M. Bisnaire, G. Park, P. Guillaume), (356) 195
- 1,3-Diselena- and 1,3-dithia-[3]ferrocenophane derivatives, Mössbauer and electrochemical studies on (A.G. Osborne, R.E. Hollands, A.G. Nagy), (373) 229
- 1,η-Dithia[n]ferrocenophanes, orbital interactions in (T. Vondrák, M. Sato), (364) 207
- Docosahedral carbaboranetungsten-alkylidyne complexes, synthesis of compounds with heteronuclear metal-metal bonds (D.D. Devore, S.J.B. Henderson, J.A.K. Howard, F.G.A. Stone), (358) C6
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- $\text{Fe}(\text{C}=\text{CFC}_2\dot{\text{C}}\text{F}_2)(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5)$ , stability towards isomerisation by ring-opening of; X-ray crystal structures of  $\text{Fe}(\text{C}=\text{CFC}_2\dot{\text{C}}\text{F}_2)-(\text{CO})(\text{L})(\eta^5\text{-C}_5\text{H}_5)$  ( $\text{L} = \text{CO}$  and  $\text{PPh}_3$ ) (M.I. Bruce, M.J. Liddell, M.R. Snow, E.R.T. Tiekkink), (354) 103
- $\text{Fe}[\text{C}_5(\text{CH}_2\text{Ph})_5]_2$  and  $\text{Lu}(\text{C}_8\text{H}_8)[\text{C}_5(\text{CH}_2\text{Ph})_5]$ , synthesis and structure of (H. Schumann, C. Janiak, R.D. Köhn, J. Loebel, A. Dietrich), (365) 137
- $[\text{Fe}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CO})_2]$ , preparation starting from  $[\text{Fe}_2(\eta^5\text{-C}_5\text{H}_4\text{CH}(\text{NMe}_3)_2-\text{CH}(\text{NMe}_2)\text{C}_5\text{H}_4)(\text{CO})_2(\mu\text{-CO})_2]^-$  salts of (M.G. Cox, P. Soye, A.R. Manning), (369) C21
- $[\text{FeC}_5\text{H}_5(\text{CO})_2(\text{M}(\text{X})\text{R}_2)]$  ( $\text{R} = \text{CHSiMe}_3)_2$ ,  $\text{M} = \text{Sn, Pb; X = H, F, Cl, Br, I}$ , synthesis and characterisation of (M.F. Lappert, M.J. McGeary, R.V. Parish), (373) 107
- $[\text{Fe}(\text{C}_5\text{H}_5)(\text{L})]^+$  ( $\text{L} = 1,4,7\text{-trithiacyclononane}$ ), synthesis, electrochemistry and single crystal X-ray structure of (A.J. Blake, R.D. Crofts, G. Reid, M. Schröder), (359) 371
- $[\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{S})_2\text{Mo}(\text{NO})(\text{HB}(3,5\text{-Me}_2\text{C}_3\text{N}_2\text{-H})_3)]$ , synthesis, electrochemistry and molecular structure of (R.P. Sidebotham, P.D. Beer, T.A. Hamor, C.J. Jones, J.A. McCleverty), (371) C31
- $[\text{Fe}(\text{CO})_3(\text{C}_6\text{H}_7)]^+$  group, masking of peptide bonds by (L.A.P. Kane-Maguire, R. Kanitz), (353) C33
- $\text{Fe}(\text{CO})_2(\text{dppe})(\text{SR})_2$  and  $\text{Fe}_3(\text{CO})_6(\text{SAr})_6$  complexes synthesis and some reactions of; crystal structure of *cis,cis,cis*- $\text{Fe}(\text{CO})_2(\text{dppe})(\text{SPH})_2$  (J. Takács, L. Markó, L. Párkányi), (361) 109
- $\text{Fe}(\text{CO})_3(\text{i-Pr}_2\text{Ph-DAB})$  and  $\text{Ru}(\text{CO})_3(\text{i-Pr}_2\text{CH-DAB})$  ( $\text{DAB} = 1,4\text{-diaza-1,3-butadiene}$ ), flash-photolysis and low-temperature study of influence of substitution of CO by  $\text{PR}_3$  on the photochemistry of (H.K. van Dijk, J.J. Kok, D.J. Stufkens, A. Oskam), (362) 163

- Fe-Mo-S complexes in the light of the molecular orbital theory (L. Szterenberg, B. Jeżowska-Trzebiatowska), (371) 361
- Ferri-azidosilanes and ferriosilyliminophosphoranes, synthesis and reactivity of (U. Wachtler, W. Malisch, E. Kolba, J. Matreux), (363) C36
- Ferrocene, annual survey 1987 (B.W. Rockett, G. Marr), (357) 247
- Ferrocene redox-active benzo crown ether complex; crystal structure of ferrocene benzo-15-crown-5 sodium (P.D. Beer, H. Sikanyika, C. Blackburn, J.F. McAleer, M.G.B. Drew), (356) C19
- Ferrocene redox-active centre, ammonium redox-responsive receptors attached to di- and tri-aza crown ether macrocycles, formation and electrochemistry of (P.D. Beer, D.B. Crowe, B. Main), (375) C35
- Ferrocenophane derivatives containing chelated ligands, synthesis of (R. Sihler, U. Werz, H.-A. Brune), (368) 213
- $\beta$ -Ferrocenylacrylonitrile, behaviour in reactions with organic bases of (Z.V. Todres, D.S. Ermekov), (369) 371
- cis- $\beta$ -Ferrocenylacrylonitrile, molecular geometry of (Z.V. Todres, A.I. Yanovsky, D.S. Ermekov, Yu.T. Struchkov), (369) 377
- Ferrocenylamines and ferrocenylphosphines, Mössbauer studies on (A. Houlton, P.T. Bishop, R.M.G. Roberts, J. Silver, M. Herberhold), (364) 381
- Ferroporphyrins and cytochrome P-450, reactions with iodine(III) derivatives of; formation of  $\sigma$ -aryliron(III) and *N*-arylporphyrinyliron(II) starting from diaryliodonium salts (J.-P. Battioni, D. Dupré, M. Delaforge, M. Jaouen, D. Mansuy), (358) 389
- Fluorocarbon containing clusters (D. Lentz, H. Michael), (372) 109
- Fluxional [2,2]-sigmahaptotropic rearrangement by the spin saturation transfer technique and line shape analysis, kinetic studies of (Z. Goldschmidt, H.E. Gottlieb), (361) 207
- [ $\mu$ -Ge{Co(CO)<sub>4</sub>}Me]<sub>2</sub>Co<sub>2</sub>(CO)<sub>6</sub> and [ $\mu$ -Ge{Co(CO)<sub>4</sub>}Me]<sub>2</sub>Fe<sub>2</sub>(CO)<sub>7</sub>, synthesis and crystal structures of (S.G. Anema, K.M. Mackay, B.K. Nicholson), (371) 233
- Group 4 metallocene derived carbene complex chemistry (G. Erker, F. Sosna, U. Hoffmann) (372) 41
- Half-sandwich arene-iron complex, synthesis and reactivity of; structure of [C<sub>6</sub>H<sub>3</sub>Fe(C<sub>3</sub>H<sub>5</sub>)-(CO)]PF<sub>6</sub> (M.J. Begley, S.G. Puntambekar, A.H. Wright), (362) C11
- Halomethylidicarbonylcyclopentadienyliron complexes with tertiary phosphine, amine and sulphur ligands, reactions of (G.C.A. Bellinger, H.B. Friedrich, J.R. Moss), (366) 175
- Hetero-metal cluster formation by C-H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427
- Hexaethylbenzeneiron  $\pi$  complexes, conformational variability in; crystal and molecular structure of [(C<sub>6</sub>Et<sub>6</sub>)(C<sub>5</sub>H<sub>5</sub>)Fe]BPh<sub>4</sub> (R.H. Dubois, M.J. Zaworotko, P.S. White), (362) 155
- Homochiral  $\pi$ -complexes with planar chirality; synthetic equivalents of chiral cyclohexadiene dications (P.W. Howard, G.R. Stephenson, S.C. Taylor), (370) 97
- ( $\mu$ -H)<sub>2</sub>Os<sub>3</sub>(CO)<sub>9</sub>( $\mu$ <sub>3</sub>-Te), synthesis, characterization, and X-ray crystal structure (H.-T. Schacht, A.K. Powell, H. Vahrenkamp, M. Koike, H.-J. Kneuper, J.R. Shapley), (368) 269
- cis-(Hydride)( $\eta$ <sup>2</sup>-dihydrogen)iron stable complex, formation and properties of (C. Bianchini, M. Peruzzini, F. Zanobini), (354) C19
- Hydrosilyliron phosphite-substituted (anionic) complexes, preparation and stereochemistry of (M. Knorr, U. Schubert), (365) 151
- ( $\eta$ <sup>5</sup>-Indenyl)(CO)<sub>2</sub>Fe<sup>13</sup>C(O)CH<sub>3</sub> labeled complexes, interconversion of acetyl- and terminal-carbonyl groups in (T.C. Forschner, A.R. Cutler), (361) C41
- Ion group metallocenes, photoreaction of (P. Bergamini, S. Di Martino, A. Maldotti, S. Sostero, O. Traverso), (365) 341
- Iron carbene complexes, [(Fe(CO)<sub>3</sub>(L){C(OEt)-R}] (L = CO, PPh<sub>3</sub>; R = C<sub>6</sub>H<sub>4</sub>NMe<sub>2</sub>, Bu, CH(SPh)CH<sub>2</sub>Bu), syntheses and characterization of (S. Lotz, J.L.M. Dillen, M.M. van Dyk), (371) 371
- Iron-cobalt bimetallic catalysis, method for carbonylation of aryl iodides under mild conditions (J.-J. Brunet, M. Taillefer), (361) C1
- Iron complexes containing carbonyl and sulphur ligands, structural and Mössbauer investigations of (F.J. Berry, C.J. Jones, J.A. McCleverty, J. Sharpe, N.A. Bailey, M. Deadman), (353) 209
- Iron to cyclopentadienyl ligand silyl group migration in ( $\eta$ <sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)Fe(CO)<sub>2</sub>SiR<sub>3</sub> stereochemistry at silicon of (S.R. Berryhill, R.J.P. Corru), (370) C1
- Isopropyl-substituted cyclopentadienyl ligands, synthesis of (H. Sitzman), (354) 203
- $\beta$ -Keto phosphines derived from ferrocene; syntheses and structures of [Ph<sub>2</sub>PCH<sub>2</sub>-C(O)( $\eta$ <sup>5</sup>-C<sub>5</sub>H<sub>4</sub>)Fe( $\eta$ <sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)](L<sup>1</sup>) and *trans*-[PdCl<sub>2</sub>L<sup>1</sup><sub>2</sub>] (P. Braunstein, T.M. Gomes Carneiro, D. Matt, F. Balegroune, D. Grandjean), (367) 117
- Ligand-bridged iron binuclear complexes, molecular orbital analysis by UV photoelectron spectroscopy of (M.V. Andreucci, M. Bossa,

- C. Cauletti, R. Paolesse, G. Ortaggi, T. Vondrak, M.N. Pinacastelli, M. Casarin M. Dal Colle, G. Granozzi), (366) 343
- $(\text{MeCN})_2(\text{CO})_6\text{Mo}_2(\mu\text{-SPh})_2$  and  $\text{Mo}_2\text{Fe}_7\text{S}_8(\text{CO})_{22}$ , formation of clusters by oxidative addition of organic molecular structures of (I.L. Eremenko, A.A. Pasynskii, A.S. Abdulaev, A.S. Aliev, B. Orazsakhatov, S.A. Sleptsova, A.I. Nekhaev, V.E. Shklover, Yu.T. Struchkov), (365) 297
- $[\text{Me}_2\text{SSMe}]\text{BF}_4^-$ , reactions with organometallic complexes having metal–metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195
- Metal carbenes and metal carbonyls, metathesis and reduction reactions of nitroso compounds with (J.W. Herndon, L.A. McMullen), (368) 83
- Metal cyanide boron trifluoride stable adducts, crystal structure of  $(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_3\text{P})_2\text{-Ru}(\text{CNBF}_3)$  (W. Weigand, U. Nagel, W. Beck), (352) 191
- (Methyl 2-butenoate)iron complexes, synthesis, characterization and structure of (M. Cheng, Y.-J. Wu, S.-L. Wang, R. Liu), (373) 119
- Mixed metal clusters, structural and reactivity trends (T.A. Pakkanen, J. Pursiainen, T. Venäläinen, T.T. Pakkanen), (372) 129
- Mono- and di-nuclear ferrocenophanes with aromatic thioester bridges (M. Herberhold, C. Dörnhöfer, H.I. Hayen, B. Wrackmeyer), (355) 325
- $[\text{NEt}_4]_2[\text{HFe}_3\text{Rh}(\text{CO})_{12}]$ , tetrานuclear hydrido-carbonyl cluster, synthesis and crystal structure of (R. Della Pergola, L. Garlaschelli, F. Demartin, M. Manassero, N. Masciocchi, G. Longoni), (352) C59
- Nitrosyl complexes, double electron transfer reductions of;  $\text{NO}_3^- \rightleftharpoons \text{NH}_3$  conversion in the nitrogen cycle (D. Sellmann), (372) 99
- Nonacarbonyldi-iron and -ruthenium ditertiary phosphine and diphosphazane ligand-bridged complexes (J.S. Field, A.M.A. Francis, R.J. Haines), (356) C23
- Open, half-open, and closed ferrocenes in solution, structural characterization by  $^{57}\text{Fe}$  and  $^{13}\text{C}$  NMR spectroscopy of (R. Benn, A. Rufińska, M.S. Kralik, R.D. Ernst), (375) 115
- Organoiron chemistry, annual survey 1987 (R.C. Kerber), (360) 319
- Organometallic Beckmann rearrangement; isolation of  $\text{Cp}(\text{CO})(\text{Ph}_3\text{P})\text{FeN}=\text{CCH}_3^+$   $\text{BF}_4^-$  from a vinylidene precursor (A.G.M. Barrett, N.E. Carpenter, M. Sabat), (352) C8
- Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65
- Organometallic route to *cis,trans*-dienols, model studies for (M. Hastings, G.R. Stephenson), (375) C27
- Organometallic solid state chemistry (M.L.H. Green, J. Qin, D. O'Hare), (358) 375
- $[\text{Os}_3(\text{CHCf})(\text{CO})_{10}]$  ( $\text{CHCf}$  = ethynylferrocene), conversion into  $[\text{Os}_3(\text{S})(\text{CHCf})(\text{CO})_9]$  by reaction with sulphur of; crystal structures of these clusters and of  $[\text{Os}_3\text{H}(\text{C}_2\text{Fc})(\text{CO})_9]$  (K.I. Hardcastle, A.J. Deeming, D. Nuel, N.I. Powell), (375) 217
- Pentacarbonyliron used for isomerisation of functionalised 1,5-dienes (J. Rodriguez, P. Brun, B. Waegell), (359) 343
- Pentacoordinate iron complexes,  $\eta^2$ -coordination in (R. Birk, H. Berke, H.-U. Hund, G. Hütner, L. Zsolnai, L. Dahlenburg, U. Behrens, T. Sielisch), (372) 397
- 1,2,3,4,6-Pentamethylfulvene, precursor to substituted transition metal complexes (D.M. Bensley, Jr., E.A. Mintz), (353) 93
- Pericyclic organometallic reactions, mechanism of; competitive [4,4]-sigmahaptotropic rearrangement versus metal–hydride shift (Z. Goldschmidt, E. Genizi, H.E. Gottlieb), (368) 351
- Permethylated  $\alpha$ -metallocenylcarbocations and metallocenium cation radicals of the iron sub-group, related interconversions of (M.I. Rybinskaya, A.Z. Kreindlin, S.S. Fadeeva), (358) 363
- Phosphaferrocenium cations, reactions with nucleophiles of (P. Lemoine), (359) 61
- $(\text{Ph}_3\text{P})_2\text{Fe}(\text{CO})_3$ , expedient synthesis of (J.J. Brunet, F.B. Kindela, N. Neibecker), (368) 209
- Porphyrin-ferrocene-quinone linked molecule, synthesis and electrochemistry of (P.D. Beer, S.S. Kurek), (366) C6
- Potassium tetracarbonylhيدridoferrate, reaction with ethyl acrylate in ethanol of (J.-J. Brunet, E. Passelaigue), (375) 203
- $\eta$ -Pyrrolylmetal clusters, *ortho*-metallation with triosmium clusters of (A.J. Arce, C. Acuña, A.J. Deeming), (356) C47
- Rhodium-catalysed carbonylation of *N,N*-allylethylamine, crystal structure of the formed cluster cation and cluster anion (J. Podlahova, J. Podlaha, A. Jegorov, J. Hašek), (359) 401
- Rhodium(I) complexes of  $\beta$ -diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141
- Rhodium dihydride complex  $[\text{RhH}_2(\text{cHex-DAB})(\text{PPh}_3)_2][\text{PF}_6^-]$  ( $\text{cHex-DAB} = \text{C}_6\text{H}_{11}-\text{N=CHCH=NC}_6\text{H}_{11}$ ) with  $[\text{PPh}_4^-]\text{[Co}(\text{CO})_4]$  and  $[\text{PPh}_4^-]\text{[HFe}(\text{CO})_4]$ , reactions of; crystal structure of  $[\text{RhH}_2(\text{cHex-DAB})(\text{PPh}_3)_2]\text{[Co}(\text{CO})_4]$  (M. Iglesias, C. del Pino, A.S. José, S. Martínez-Carrera, J. Ros), (366) 391
- $[(\mu-\eta^2\text{-ROC}(1)\text{S})\text{Fe}_2(\text{CO})_6(\mu\text{-SMe})]$ , regioselectivity and stereoselectivity of replacement of

- CO in (H. Patin, A. Darchen, E.K. Lhadi), (375) 91
- $[(\mu\text{-}\eta^2\text{-ROC}(1\text{S})\text{Fe}_2\text{L}^1\text{L}^2(\text{CO})_4(\mu\text{-SMe})]$ , structure of and CO disubstitution in (H. Patin, A. Le Rouzic, E.K. Lhadi, A. Darchen, A. Mousser, D. Grandjean), (375) 101
- $[\text{Ru}_3(\text{CO})_9\{\mu_3\text{-}\sigma,\sigma,\eta^3\text{-C}=\text{CCHMe}_2(\text{PPh}_2)\}]$  and  $[\text{Fe}_3(\text{CO})_9\{\mu_3\text{-}\sigma,\sigma\text{-}\eta^3\text{-C}=\text{CCHMe}_3(\text{Ph}_2\text{PO})\}]$ , synthesis and structures of (D.E. Fogg, S.A. MacLaughlin, K. Kwek, A.A. Cherkas, N.J. Taylor, A.J. Carte), (352) C17
- Ruthenium dinuclear cluster with N- and O-containing bridges, reactions with  $\text{CO}_2$  of (F. Neumann, G. Süss-Fink), (367) 175
- (Sorbic acid) $\text{Fe}(\text{CO})_2\text{L}$  complexes with  $\text{L} = \text{CO}$ ,  $\text{P}(\text{OPh})_3$ ,  $\text{PPh}_3$ , and  $\text{PEt}_3$ , photolytic preparation, spectral properties, and bonding of (É.H. Santos, E. Stein, E.J.S. Vichi, E.B. Saitovitch), (375) 197
- Sulphur-capped triangular cluster,  $\text{Cp}_2\text{W}_2\text{Fe}(\text{CO})_7(\text{S})$ , structural characterisation of (P.D. Williams, M.D. Curtis), (352) 169
- Tetracarbonyliron-methylene-triphenylphosphine ylide adducts, mild phase-transfer syntheses and reactions of (H. des Abbayes, J.-C. Clement, P. Laurent, J.-J. Yaouanc, G. Tanguy, B. Weinberger), (359) 205
- Tetrafluorodisilacyclobutene and cyclic dienes, cycloaddition reactions mediated by transition metal carbonyls between (C.H. Lin, C.Y. Lee, T.T. Jzang, C.C. Lin, C.S. Liu), (356) 315
- 1,1',3,3'-Tetrakis(trimethylsilyl)ferrocene, crystal structure and dynamic solution behaviour of (J. Okuda, E. Herdtweck), (373) 99
- Tetrakis(trimethylsilyl)-ferrocenes and -titanocenes, hindered rotation of the ring ligands in (J. Okuda), (356) C43
- Tetranuclear hydroxocarbonyl-molybdenum and -tungsten complexes,  $[\text{Et}_4\text{N}]_4[\text{Mo}(\text{CO})_3(\mu_3\text{-OH})]_4$  and  $[\text{Et}_4\text{N}]_4[\text{W}(\text{CO})_3(\mu_3\text{-OH})]_4$ , synthesis and characterization of (J.T. Lin, S.K. Yeh, G.H. Lee, Y. Wang), (361) 89
- 1-Thia-3-azabutadienes, selective complexation with carbonyl iron of (M. Bouzid, J.P. Pradère, P. Palvadeau, J.P. Vénien, L. Toupet), (369) 205
- Tin-iron carbonyl clusters from the reaction of stannane,  $\text{SnH}_4$ , with  $\text{Fe}_2(\text{CO})_9$ ; the crystal structure of  $\text{SnFe}_5(\text{CO})_{19}$  (S.G. Anema, K.M. Mackay, B.K. Nicholson), (372) 25
- Transition metal dinuclear  $\mu$ -alkylidene complexes as models for transformation of  $\text{CH}_2\text{X}_2$  ( $\text{X} = \text{Cl}, \text{Br}, \text{I}$ ) into malonic acid derivatives (B. Denise, D. Navarre, H. Rundler, J.C. Daran), (375) 273
- Transition metal isoxazole derivatives, preparation of (V.N. Kalinin, T.V. Rozantseva, P.V. Petrovskii, A.S. Batsanov, Yu.T. Struchkov), (372) 287
- Tricarbonyl( $\eta^5$ -cyclohexadienyl)iron(1+), 1-methoxy-substituted complex, alkylation of (I.M. Palotai, G.R. Stephenson, W.J. Ross, D.E. Tupper), (364) C11
- Tricarbonyl(cyclohexadienyl)iron(1+) cations with oxygenated side-chains, preparation of (G.P. Randall, G.R. Stephenson, E.J.T. Chrystal), (353) C47
- Tricarbonyl( $\eta^5$ -cyclohexadienyl)iron(1+) complexes, preparation by hydride abstraction of (W.D. Meng, G.R. Stephenson), (371) 355
- Tricarbonyl( $\eta^4$ -heptafulvene)iron complexes, substituent effects on the 1,3-haptotropic rearrangement of (Z. Goldschmidt, D. Hezroni, H.E. Gottlieb, S. Antebi), (373) 235
- Tricarbonyl(2-methoxycyclohexadienyl)iron(II) cation, steric and electronic influences on the addition of pyridines to (T.I. Odiaka), (356) 199
- Triferrocenyltungsten(VI) complexes, preparation and reactivity of (M. Herberhold, H. Kriesel), (371) 205
- Trimethylaluminum mediated halomethylation of  $[(\text{arene})_2\text{Fe}]^{2+}$  cations (M.D. Clerk, K.C. Sturge, M.J. Zaworotko, P.S. White), (368) C33
- Trimethylenemethaneiron complexes, preparation by methylation of allenes with carbeneiron complexes (R. Aumann, H.-D. Melchers), (355) 351
- Triorganostannylylferrocenes, diorganostannyldi-ferrocenes, diorganochlorostannylylferrocenes, and 1,1'-bis(diorganochlorostannylyl)ferrocenes, synthesis of (Z. Kabouche, N.H. Dinh), (375) 191
- 1,2,4-Triphosphacyclopentadienyl and 1,3-diphosphacyclopentadienyl anions, oxidative coupling of; synthesis and molecular structure of the novel pentaphosphorus cage compound  $\text{P}_5\text{C}_5\text{Bu}_3'$  (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (375) C31
- Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53
- [Tris(trimethylsilyl)cyclopentadienyl](arene)iron cationic complexes, synthesis of (J. Okuda), (375) C13
- Undecacarbonyltriferrate reactions, with  $\alpha,\beta$ -unsaturated acyl halides; decomposition of  $[\mu_3\text{-RCH}=\text{CHCOOCFe}_2(\text{CO})_{10}]^-$  to  $[\eta^2\text{-RCH}=\text{CHFe}_2(\text{CO})_7]$  (A. Ishihara, T.-A. Mitsudo, Y. Watanabe), (368) 199
- $\mu$ -Vinylcarbynyldiiron complexes, barriers to vinyl rotation in (C.P. Casey, M.S. Konings, S.R. Marder, Y. Takezawa), (358) 347

Vinyl selenides, formation by trapping subsequent to oxidative release from tricarbonyliron complexes of (K.H. Pannell, A.J. Mayr, B. Carrasco-Flores), (354) 97

$W(CO)_5CNH$ ,  $Fe(CN)_2(CNH)_4$  and  $[FeCp(dppe)CNH]BF_4$ , reactions with highly alkylated olefins of; hydroisocyanation (E. Bär, W.P. Fehlhammer), (353) 197

$[W(\equiv CSiPh_3)(CO)_2(\eta-C_5H_5)]$ , reactions of low valent metal species with; crystal structure of the ketenyl complex  $[WFe\{\mu-C(SiPh_3)CO\}(CO)_5(\eta-C_5H_5)]$  (J.C. Jeffery, M.A. Ruiz, F.G.A. Stone), (355) 231

$(\mu_3-X)_2Fe_3(CO)_9$  ( $X = RP$ , Se, Te) bridging groups, addition of alkynes to (T. Fässler, D. Buchholz, G. Huttner, L. Zsolnai), (369) 297

## Lanthanum

Mono-, bis- and tris-(*t*-butylcyclopentadienyl)-lanthanoid complexes, formation of (A.L. Wayda), (361) 73

Monopentamethylcyclopentadienyl-lanthanum and -cerium alkoxides, formation of; crystal structure of  $(C_5Me_5Ce(OCMe_3)_2)_2$  (H.J. Heeres, J.H. Teuben, R.D. Rogers), (364) 87

Monopentamethylcyclopentadienyl-yttrium, -lanthanum, and -cerium derivatives, synthesis of (M. Booij, N.H. Kiers, H.J. Heeres, J.H. Teuben), (364) 79

## Lead

Aromatic *p*-block elements; tetrameric  $\eta^6$ -coordinated hexamethylbenzene complex with  $Sn(AICl_4)Cl$  and chlorobenzene (H. Schmidbauer, T. Probst, B. Huber, G. Müller, C. Krüger), (365) 53

$\sigma$ -Bonded allyl compounds,  $\sigma$ - $\pi$  interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21

1,3-Di-*t*-butylcyclopentadienyl as  $\pi$ -ligand in complex chemistry of germanium, tin and lead (P. Jutzi, R. Dickbreder), (373) 301

$[FeC_5H_5(CO)_2\{M(X)R_2\}]$  ( $R = CHSiMe_3$ ) $_2$ ,  $M = Sn, Pb$ ;  $X = H, F, Cl, Br, I$ , synthesis and characterisation of (M.F. Lappert, M.J. McGeary, R.V. Parish), (373) 107

Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281

Hexaorgano-substituted triatomics,  $R'_3M'X M''R''_3$ , and related species, structures of (C. Glidewell), (356) 151

Lead, annual survey 1984 (J. Wolters, D. de Vos), (351) 1

Triorganotin and triorganolead derivatives of glutamic and aspartic acid; crystal structure of trimethyltin glutamate (F. Huber, B. Mundus-Glowacki, H. Preut), (365) 111

## Lithium

Acylgermanes, reaction with triethylgermyllithium of (I.S. Biltueva, D.A. Bravo-Zhivotovskii, I.D. Kalikhman, V.Yu. Vitkovskii, S.G. Shevchenko, N.S. Vyazankin, M.G. Voronkov), (368) 163

Alkyllithium air-sensitive compounds, extent of aggregation by fast-atom-bombardment, mass spectrometry of (A.K. Abdul-Sada, A.M. Greenway, K.R. Seddon), (375) C17

Aminooxycarbenerhenium complexes, synthesis and reactions of (A.-J. Wang, R.J. Angelici), (352) 157

Benzoyl(carbonyl)transition metal complexes reactions with  $LiNMe_2$  or; reaction route to  $\alpha$ -keto amide through an acyl(carbamoyl)-cobalt intermediate (N. Kawasaki, K. Masuzoe, F. Ozawa, A. Yamamoto), (361) C37

Boronic esters, recovery of pinanediol in asymmetric synthesis via one-carbon homologation of (H.C. Brown, M.V. Rangaishenvi), (358) 15

Butyllithium and heavier alkali metal *t*-pentoxide complex bases, properties and reaction with organic halogenides of (L. Lochmann), (364) 281

$CH_3[2,6-[(C_2H_5)_2NCH_2]_2C_6H_3]InCl$ , intramolecular stabilized diorganoindium chloride, synthesis and molecular structure of (H. Schumann, W. Wassermann, A. Dietrich), (365) 11

4-Copper-3-phenylsydnone, cross-coupling with aryl and vinyl halides catalysed by palladium(0) complexes (V.N. Kanilin, She Fan Min), (352) C34

(Cyclododecatriene)nickel(0) complexes, reactions with  $LiH_2Al-i-Bu_2$  and  $LiAlH_4$  and NMR spectra of (K.R. Pörschke, G. Wilke), (358) 519

1,3-Di-*t*-butyl substituted cyclopentadienyl-titanium complexes, new structural aspects of (I.F. Urazowski, V.I. Ponomaryov, O.G. El'lert, I.E. Nifant'ev, D.A. Lemenovskii), (356) 181

(1,1-Dichloroalkyl)lithium, reactions with boronic acid of; facile synthesis of tertiary carbinols (B. Junchai, Z. Weike, D. Hongxun), (367) C9

Dilithiation of *N,N'*-diphenylthiourea,  $PhNHC(=S)NHPh$ , structure of the product,  $[PhNLiC(=NPh)SLi \cdot 2HMPA]_2$ , and sup-

- porting ab initio MO calculations on model systems (D.R. Armstrong, R.E. Mulvey, D. Barr, R. Snaith, D.S. Wright, W. Clegg, S.M. Hodgson), (362) C1
- N,C*-Dilithio reagent obtained from *ortho*-*N*-trimethylsilyltoluidine, intriguing behaviour of (B. Wrackmeier, H. Zhou), (375) 1
- Diphosphinomethanide ligands,  $[(R_2P)_2CX]^-$ , coordination to  $Li^+$ ; crystal structures of  $\{(\text{THF})\text{Li}[(\text{Ph}_2\text{P})_2\text{CH}]_2\}$ ,  $\{(\text{THF})\text{Li}[(\text{Me}_2\text{P})_2\text{C}(\text{SiMe}_3)]\}_2$  and  $\{[\text{TMEDA}]\text{Li}[(\text{Me}_2\text{P})_2\text{C}(\text{SiMe}_3)]\}$  (H.H. Karsch, B. Deubelly, G. Müller), (352) 47
- Ethylene-lithium complexes, structures and bonding of (S.P. So), (361) 283
- $\text{Et}_3\text{SiCF=CFM}$  ( $M = \text{Li}, \text{ZnBr}$ ), preparation and reactivity of (P. Martinet, R. Sauvêtre, J.-F. Normant), (367) 1
- $\text{Fe}[\text{C}_5(\text{CH}_2\text{Ph})_5]_2$  and  $\text{Lu}(\text{C}_8\text{H}_8)[\text{C}_5(\text{CH}_2\text{Ph})_5]$ , synthesis and structure of (H. Schumann, C. Janiak, R.D. Köhn, J. Loebel, A. Dietrich), (365) 137
- Fluorocodlemones, preparation by Pd-catalysed cross-coupling reactions of (F. Tellier, R. Sauvêtre, J.-F. Normant), (364) 17
- Fluorooxiranes and fluorosilyloxiranes, preparation of (T. Dubuffet, R. Sauvêtre, J.-F. Normant), (354) 1
- Gold-containing derivatives of cyclopropane-carboxylic acid amides (E.G. Perevalova, I.G. Bolesov, Y.S. Kalyuzhnaya, T.I. Voyevodskaya, L.G. Kuzmina, V.I. Korsunsky, K.I. Grandberg), (369) 267
- $[\text{Li}(\text{PPh}(\text{SiMe}_3)(\text{tmida}))_2$  (from  $\text{Mg}(\text{PPh})_2$ -(tmida) or  $\text{Li}(\text{PPh})(\text{tmida})$ ), synthesis of; X-ray structure of the *trans*-isomer (E. Hey, C.L. Raston, B.W. Skelton, A.H. White), (362) 1
- Lithiating reagents in reaction with 2-, 3- and 4-pivalamidoquinolines (A. Godard, J.-M. Jacquelain, G. Quéguiner), (354) 273
- Lithiation of silyl ethers in hydrocarbon solvents by t-butyllithium,  $^{13}\text{C}$  and  $^6\text{Li}$  NMR study of (T.F. Bates, R.D. Thomas), (359) 285
- Lithiodi-t-butylfluorosilylphenylphosphane, eight-membered crystal structure of  $(\text{SiFLiP})_2$  (D. Stalke, M. Meyer, M. Andrianarison, U. Klingebiel, G.M. Sheldrick), (366) C15
- 1-Lithio-2-methoxybenzene, molecular structure in the solid state and in solution of (S. Harder, J. Boersma, L. Brandsma, G.P.M. van Mier, J.A. Kinters), (364) 1
- 1-( $\alpha$ -Lithiomethyl)-2-[( $\alpha$ -lithiomethyl)thio]benzene, reactions with electrophiles of (S. Cabiddu, C. Floris, G. Gelli, S. Melis), (366) 1
- Lithium diisopropylamide, regioselective addition to  $(\eta^4\text{-1,3-butadiene})\text{Co}(\text{CO})_3\text{BF}_4$  of (M. Miller, K.M. Nicholas), (362) C15
- Lithium-halogen interchange reactions, mechanism of (Review) (W.F. Bailey, J.J. Patricia), (352) 1
- 1,2,3,4,6-Pentamethylfulvene, precursor to substituted transition metal complexes (D.M. Bensley, Jr., E.A. Mintz), (353) 93
- Phenyllithium and methyl-substituted phenyllithium derivatives,  $^{13}\text{C}$  and  $^7\text{Li}$  NMR study of (E. Wehman, J.T.B.H. Jastrzebski, J.-M. Ernsting, D.M. Grove, G. van Koten), (353) 133
- Phenyllithium compounds containing *ortho*-directing  $\text{NMe}_2$  and  $\text{CH}_2\text{NMe}_2$  groups,  $^{13}\text{C}$  and  $^7\text{Li}$  NMR study of (E. Wehman, J.T.B.H. Jastrzebski, J.M. Ernsting, D.M. Grove, G. van Koten), (353) 145
- Phosphonium diylids, reactivity with aldehydes and ketones of (H.-J. Cristau, Y. Ribeill, L. Chiche, F. Plénat), (352) C47
- Phosphonium diylids, reactivity with esters and amides of (H.-J. Cristau, Y. Ribeill), (352) C51
- $\eta^5$ -Pyrrolyl ligand in  $(\eta^5\text{-C}_4\text{H}_4\text{N})(\text{Ph}_3\text{P})_2\text{ReH}_2$ , direct deprotonation of (J. Zakrzewski), (362) C31
- Silylsilver complexes, formation of (U. Schubert, H. Wagner), (361) C15
- Tertiary amines with secondary doubly unsaturated groups, regiospecific synthesis of (D. Mesnard, L. Miginiac), (373) 1
- Tetrakis(2,6-diisopropylphenyl)digermene, synthesis of and its reductive cleavage to the corresponding digermanyllithium(DME) complex (J. Park, S.A. Batcheller, S. Masmune), (367) 39
- C-Triorganostannyl-imidazoles, -benzoxazoles and -benzothiazoles, synthesis, characterisation and reactivity of (K.C. Molloy, P.C. Waterfield, M.F. Mahon), (365) 61
- Tris(trimethylsilyl)silyllithium, reaction with aliphatic ketones of (R. Wustrack, H. Oehme), (352) 95
- Trityllithium, synthesis of a secondary chiral amine via  $\beta$ -elimination of (J.-C. Plaquevent, A. Ravard), (361) C51
- $\alpha,\beta$ -Unsaturated carbene-tungsten complex,  $(\text{CO})_5\text{W}[\text{C}(\text{OCH}_3)\text{CH}=\text{CH}_2]$ , synthesis and reactivity of (D.W. Macomber, M. Liang, P. Madhukar, A.G. Verma), (316) 187

## Lutetium

- $\text{Fe}[\text{C}_5(\text{CH}_2\text{Ph})_5]_2$  and  $\text{Lu}(\text{C}_8\text{H}_8)[\text{C}_5(\text{CH}_2\text{Ph})_5]$ , synthesis and structure of (H. Schumann, C. Janiak, R.D. Köhn, J. Loebel, A. Dietrich), (365) 137
- Mono-, bis- and tris-(t-butylcyclopentadienyl)-lanthanoid complexes, formation of (A.L. Wayda), (361) 73

## Magnesium

- Alkyl- and aryl-organorhenium complexes, synthesis and characterisation of (W.A. Herrmann, M. Flöel, E. Herdtweck), (358) 321
- Alkylmetals in reactions with  $\text{PRhCOPdX}(\text{PPh}_3)_2$  ( $X = \text{I}, \text{Cl}$ ) under CO; formation of  $\alpha$ -diketones and  $\alpha$ -hydroxyketones (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125
- $[(\text{Dineopentylmagnesium})_2 \cdot (\text{neopentylmagnesium bromide})_2]_n$ , crystal and molecular structure of (P.R. Markies, G. Schat, O.S. Akkerman, F. Bickelhaupt, W.J.J. Smeets, A.J.M. Duisenberg, A.L. Spek), (375) 11
- Grignard reactions of 1-phenylethyl chloride with aldehydes and ketones, reactivity of benzyl Grignard reagent (C. Bernardon), (367) 11
- Grignard reagent of 1-methylcyclobutylmethyl bromide, rearrangement of; origin of methyl-substituent effect (E.A. Hill, M.W. Hallade), (352) 263
- Nickel-phosphine complex, monophenylation and partial reduction of 1,1-dihalogeno-2-phenyl-1-alkenes in presence of (Y. Okamoto, Y. Yoshikawa, T. Hayashi), (359) 243
- 1,2,3,4,6-Pentamethylfulvene, precursor to substituted transition metal complexes (D.M. Bensley, Jr., E.A. Mintz), (353) 93
- Phenylmagnesium carboxylates, synthesis of (P.N. Kapoor, A.K. Bhagi, H.K. Sharma, R.N. Kapoor), (369) 281
- Reaction of  $\text{MgCl}_2$  with  $\text{AlCl}_3$  in ethyl acetate; crystal structure of  $[\text{Mg}(\text{CH}_3\text{OCOC}_2\text{H}_5)_6] \cdot [\text{AlCl}_4]_2$  (J. Utko, P. Sobota, T. Lis, K. Majewska), (359) 295
- $[\text{Rh}(\text{CO})_2\text{X}]_2$  ( $\text{X} = \text{Cl}, \text{CH}_3\text{COO}$ ) supported on highly decarbonated magnesium oxide: strong effect of chloride ion on surface organometallic chemistry (C. Dossi, R. Psaro, R. Ugo), (359) 105
- Silicon hypervalent derivatives, reactivity of; one step synthesis of mono- and di-hydrogenosilanes (A. Boudin, G. Cerveau, C. Chuit, R.J.P. Corriu, C. Reye), (362) 265
- Tertiary amines with secondary doubly unsaturated groups, regiospecific synthesis of (D. Mesnard, L. Miginiac), (373) 1
- (*N,N,N',N'*-Tetramethylethylenediamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525
- Transition metal catalysed asymmetric cross coupling reactions; crystal structures of  $[\text{Ph}_2\text{PCH}_2\text{CH}\{(\text{CH}_2)_3\text{SMe}\}\text{NMe}_2] \cdot \text{PdCl}_2$  and  $[\text{Ph}_2\text{PCH}_2\text{CH}\{(\text{CH}_2)_2\text{SMe}\}\text{NMe}_2] \cdot \text{PdCl}_2$  (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357

## Manganese

- Alkylmetals in reactions with  $\text{PRhCOPdX}(\text{PPh}_3)_2$  ( $\text{X} = \text{I}, \text{Cl}$ ) under CO; formation of  $\alpha$ -diketones and  $\alpha$ -hydroxyketones (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125
- Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351
- Benzotriazole, regiochemistry of the reaction with  $\text{KBH}_4$  of; synthesis of poly(azolyl)borate ligands (F.J. Lalor, S. Miller, N. Garvey), (356) C57
- Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (352) 273
- Bimetallic hydrocarbon-bridged complexes by nucleophilic attack of carbonylmеталlates to coordinated unsaturated hydrocarbons (W. Beck, B. Niemer, J. Breimair, J. Heidrich), (372) 79
- $(\text{C}_5\text{Cl}_4\text{R})\text{Mn}(\text{CO})_3$  and  $(\text{C}_5\text{Cl}_4\text{R})\text{Rh}(\text{COD})$  derivatives, preparation of; crystal structure of  $(\text{C}_5\text{Cl}_4\text{CONH}_2)\text{Mn}(\text{CO})_3$  (K. Sünkel, D. Steiner), (368) 67
- $[(\text{C}_5\text{H}_5)(\text{CO})_2\text{Mn}]_2\text{SePh}^+$ , electrocyclic ring opening of (H. Braunwarth, F. Ettel, G. Huttner), (355) 281
- $\text{C}_5\text{H}_5(\text{CO})_2\text{MnTCNE}$ , synthesis from  $[\text{C}_5\text{H}_5(\text{CO})_2\text{MnXPh}]_n$  ( $\text{X} = \text{S}, \text{Se}, \text{Te}, n = 1, 2$ ) of; solid state structure and magnetism of (H. Braunwarth, G. Huttner, L. Zsolnai), (372) C23
- $\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\eta^1\text{-CH}_2\text{SCH}_3)$ , photochemical behaviour and use in formation of  $\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2[\eta^1\text{-CH}_2\text{S}(\text{CH}_3)\text{MLn}]$  with  $\text{M} = \text{Cr}, \text{Mo}, \text{W}, \text{Mn}$  (A. Leboeuf, J.C. Leblanc, C. Moïse), (372) 391
- $[(\text{C}_5\text{Me}_5(\text{CO})_2\text{Mn})_2\text{P}]^+ \text{X}^-$  ( $\text{X} = \text{CF}_3\text{SO}_3, \text{PF}_6$ ), the first dimetallaphosphacumulene (A. Strube, J. Heuser, G. Huttner, H. Lang), (356) C9
- Cobaltincinium pentacarbonylmanganate(–I), photoredox reaction induced by outer-sphere metal to metal charge transfer excitation of (H. Kunkely, A. Vogler), (372) C29
- Cymantrenacylene complexes, 1,2-halogeno displacement in (C. Löwe, H.-U. Hund, H. Berke), (371) 311
- (*exo*-5-Dialkylphosphono-*exo*-6-*R*- $\eta^4$ -cyclohexadiene)manganese dicarbonylnitrosyl compounds, conversion of arenes to cyclohexa-1,3-dienes via (T.-H. Hyeon, Y.K. Chung), (372) C12

- Dichloroantimony-bridged manganese dimetal compounds, synthesis and reactivity of (A. Lombard, G. Huttner, L. Zsolnai), (352) 295
- Halfsandwich complexes of manganese and rhenium, degradation of S<sub>8</sub> with (M. Herberhold, B. Schmidkonz), (358) 301
- [HB(pz)<sub>3</sub>](CO)<sub>2</sub>W(η<sup>2</sup>-C(SMe)SMe)<sup>+</sup>, synthesis and reactions of (R.A. Doyle, R.J. Angelici), (375) 73
- Isotopically labelled [MnRe(CO)<sub>10</sub>]<sup>+</sup>, mass spectral investigation of site selective CO loss from (N.J. Coville, P. Johnston), (363) 343
- ortho*-Manganated aryl-ketones, aldehydes and amides, reactions with alkynes of; synthesis of inden-1-ols and indenones (N.P. Robinson, L. Main, B.K. Nicholson), (364) C37
- Manganese, chromium and tungsten mono-nuclear σ- and π-coordinated complexes with tetracyanoethene and tetracyano-*p*-chinodimethane (B. Olbrich-Deussner, R. Gross, W. Kaim), (366) 155
- Manganese, technetium and rhenium, annual survey 1986 (P.M. Treichel), (357) 25
- [Me<sub>2</sub>SSMe]BF<sub>4</sub>, reactions with organometallic complexes having metal-metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195
- Mn(η<sup>5</sup>-CH<sub>3</sub>C<sub>5</sub>H<sub>4</sub>)(CO)<sub>3-n</sub>(PPh<sub>3</sub>)<sub>n</sub> (*n* = 0, 1, 2) complexes, kinetics of photosubstitution of CO and PPh<sub>3</sub> in (G. Teixeira, T. Aviléz, A.R. Dias, F. Pina), (353) 83
- [Na·15-crown-5][Mn(CO)<sub>5</sub>], synthesis, structure and solution behaviour of (A. Alvanipour, H. Zhang, J.L. Atwood), (358) 295
- Pentacarbonyl(phosphane)rhenium cationic complexes, synthesis and reactions with nucleophiles of (P. Steil, W. Sacher, P.M. Fritz, W. Beck), (362) 363
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of [Cp(CO)<sub>2</sub>Mo(μ-PCy<sub>2</sub>)Pd(PCy<sub>2</sub>-H)<sub>2</sub>] and [(CO)<sub>4</sub>Mn(μ-PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H)<sub>2</sub>] (Cy = c-C<sub>6</sub>H<sub>11</sub>) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5
- η-Pyrrolylmethyl clusters, *ortho*-metallation with triosmium clusters of (A.J. Arce, C. Acuña, A.J. Deeming), (356) C47
- Thio-, seleno, and telluro-aldehydes as ligands in mono- and di-nuclear heterometal complexes, synthesis, structure, protonation and methylation of (H. Werner, W. Paul, W. Knaup, J. Wolf, G. Müller, J. Riede), (358) 95
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129
- Ylide-manganese complexes, protonation with HBF<sub>4</sub> of; molecular structure of [C<sub>5</sub>H<sub>5</sub>(CO)<sub>2</sub>MnCH<sub>2</sub>CH(Pt<sub>3</sub>)<sub>2</sub>]BF<sub>4</sub> (H.G. Alt, H.E. Engelhardt, R.D. Rogers), (362) 117

## Mercury

- Alkylmetals in reactions with PPh<sub>3</sub>O<sup>+</sup>X<sup>-</sup> (X = I, Cl) under CO; formation of α-diketones and α-hydroxyketones (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125
- μ-Arylnitrilobis(ethane-2,1-diyl)dimercury(II) complexes, synthesis of; crystal structure of 2,4,6-Me<sub>3</sub>C<sub>6</sub>H<sub>2</sub>N(CH<sub>2</sub>CH<sub>2</sub>HgCl)<sub>2</sub> (G.B. Deacon, B.M. Gatehouse, L.W. Guddat, S.C. Ney), (375) C1
- σ-Bonded allyl compounds, σ-π interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21
- (Chloromethyl)mercury(II) chloride and (bromo-methyl)mercury(II) bromide, force constant calculations for (M.D. Armitage, H.G.M. Edwards, V. Fawcett), (371) 1
- Cyclopentadienyluranium(III) anionic complexes, formation and reactions of (J.-F. Le Maréchal, E. Bulot, D. Baudry, M. Ephrithikhine, D. Hauchard, R. Godard), (354) C17
- [2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362) 147
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- 1-Halosilatrane, synthesis and electronic structure of (M.G. Voronkov, V.P. Baryshok, L.P. Petukhov, V.I. Rakhlin, R.G. Mirskov, V.A. Pestunovich), (358) 39
- Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoldi, A.P. Chagas), (361) 319
- [MCo<sub>2</sub>(CO)<sub>8</sub>] (M = Zn, Cd, Hg), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1
- Methylmercury solid state derivatives, <sup>199</sup>Hg-<sup>13</sup>C scalar coupling in (A.M. Hounslow, S.F. Lincoln, E.R.T. Tiekkink), (354) C9
- Methyl 4-tri-n-butylstannylbenzoate, *P*-(methoxycarbonyl)phenylmercuric chloride and *P*-(methoxycarbonyl)phenylboronic acid, synthesis and iodination of (M.D. Hylarides, D.S. Wilbur, S.W. Hadley, A.R. Fritzberg), (367) 259
- Mono- and di-aryltin(IV) complexes containing 2-(phenylazo)phenyl, synthesis by use of organomercury compounds of (J. Vicente, M.T. Chicote, R.M. Carreño, M.C. Ramirez-de-Arellano), (368) 263
- Organometallic chemistry, use of a domestic microwave oven in (M. Ali, S.P. Bond, S.A. Mbogo, W.R. McWhinnie, P.M. Watts), (371) 11

- Palladium-catalysed acyldemetalation and carbonylation of organomercurials for synthesis of unsymmetrical ketones (N.A. Bumagin, P.G. More, I.P. Beletskaya), (365) 379
- Palladium-catalysed cross-coupling reactions of organomercurials with organic halides (N.A. Bumagin, P.G. More, I.P. Beletskaya), (364) 231
- Phenylacetylene-derived metallacycles containing cobalt and mercury, structure and reactivity of (S.J. Tyler, J.M. Burlitch), (361) 231
- (Phenylazophenyl-*C,N'*)mercury(II) chloride, crystal structure of (M. Ali, W.R. McWhinnie, T.A. Hamor), (371) C37
- $[(\text{Ph}_3\text{P})_2\text{Pt}]$ , generation from  $[(\text{Ph}_3\text{P})_2\text{Pt}(\text{HCl})]$  under phase transfer catalysis: synthetic application (V.V. Grushin, I.S. Akhrem, M.E. Vol'pin), (371) 403
- Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an  $\eta^6$ -arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303
- Triorganostannylferrocenes, diorganostannyldiferrocenes, diorganochlorostannylferrocenes, and 1,1'-bis(diorganochlorostannyl)ferrocenes, synthesis of (Z. Kabouche, N.H. Dinh), (375) 191
- ## Metallocenes
- t*-Alkylcyclopentadienyl-substituted ( $\eta^4$ -*s-cis*-butadiene)-zirconocene complexes, hindered (RCp)-M rotation in (G. Erker, R. Nolte, C. Krüger, R. Schlund, R. Benn, H. Grondey, R. Mynott), (364) 119
- Alkylferrocenes in molten salt mixtures, substituent effects on (D.W. Slocum, A.L. Edgecombe, J.S. Fowler, H.F. Gibbard, J. Phillips), (363) 151
- $\alpha$ -Alkyl succinates, differentially protected asymmetric synthesis of (G. Bashiardes, S.P. Collingwood, S.G. Davies, S.C. Preston), (364) C29
- Allylniobocene compounds, formation by hydro-metallation of conjugated dienes with  $\text{NbH}(\text{C}_5\text{H}_5)_2$ (olefin) of (H. Yasuda, T. Arai, T. Okamoto, A. Nakamura), (361) 161
- Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (325) 273
- ( $\eta^2$ -Benzylideneaniline)di- $\eta^5$ -cyclopentadienyl-molybdenum, crystal and molecular structure of (J. Okuda, G.E. Herberich, E. Raabe, I. Bernal), (353) 65
- Biphenylene as ligand in dia- and para-magnetic chromocenes (C. Elschenbroich, J. Schneider, W. Massa, G. Baum, H. Mellinghoff), (355) 163
- 1,1'-Bis[1-carboxymethyl]thioalkyl]ferrocenes and 1,1'-bis[1-(carboxymethyl)thio-1-phenylmethyl]ferrocene, synthesis and characterization of (D. Scutaru, I. Mazilu, L. Tataru, T. Lixandru, C. Simionescu), (373) 245
- Bis(diarene)chromium[tricarbonylchromium] mono- and di-substituted complexes, synthesis and space-grouping in (T.M. Pettijohn, J.J. Lagowski), (356) 67
- 1,1'-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of  $\text{M}_2(\text{CO})_{10}(\mu\text{-P-P})$ ,  $\text{M}(\text{CO})_4(\eta^2\text{-P-P})$  and  $\text{M}(\text{CO})_5(\eta^1\text{-P-P})$  ( $\text{M} = \text{Cr}, \text{Mo}, \text{W}; \text{P-P} = \text{Fe}(\text{C}_5\text{H}_4\text{PPh}_2)_2$ ) (T.S.A. Hor, L.-T. Phang), (373) 319
- Bis-ferrocene calix[4]arene hydrophobic receptor molecules and crystal structure of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (353) C10
- 1',6-Bis(*p*-halobenzyl)biferrocenium salts, valence delocalization in; zigzag configuration for polyiodide ion  $\text{I}_5^-$  (T.-Y. Dong, M.-Y. Hwang, C.-C. Schei, S.-M. Peng, S.-K. Yeh), (369) C33
- 1,1'';1',1'''-Bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyldicarbonyl)biferrrocene, X-ray structure of (M.C. Grossel, M.R. Goldspink, J.P. Knychala, A.K. Cheetham, J.A. Hriljac), (352) C13
- Bis(trimethylsilyl)phosphidobis(tetrahydrofuran)lithium as a reducing agent; X-ray structure of  $[\text{UCp}_2'(\mu\text{-Cl})_2\text{Li}(\text{THF})_2]$  ( $\text{Cp}'' = \eta^-\text{C}_5\text{H}_3(\text{SiMe}_3)_2$ ; 1,3;  $\text{THF} = \text{OC}_4\text{H}_8$ ) (P.C. Blake, E. Hey, M.F. Lappert, J.L. Atwood, H. Zhang), (353) 307
- 1,6-Bis(triphenylmethyl)biferrocenium triiodide, electron transfer in (T.-Y. Dong, T.-L. Hsu), (367) 313
- Bis( $\eta^5$ -1,2,4-triphosphacyclopentadienyl)chromocene,  $[\text{Cr}(\eta^5\text{-C}_2\text{-t-Bu}_2\text{P}_3)_2]$ , crystal and molecular structure of (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (356) C1
- ( $\eta^5$ -Borole)iron and ( $\eta^5$ -borole)( $\eta^5$ -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362) 243
- Boron hydride insertion into Zr-C bond of dimeric ( $\eta^2$ -formaldehyde)zirconocene (G. Erker, U. Hoffmann, R. Zwettler, G. Krüger), (367) C15
- $[(\eta^5\text{-t-Bu}_2\text{C}_5\text{H}_4)_2\text{Zr}^{\text{IV}}(\eta^1\text{-1},\eta^1\text{-1'})(\eta^5\text{-}(\text{C}_5\text{H}_4)_2\text{-Fe}^{\text{II}})]$ , electrooxidation example of electrocatalytic process with endergonic cross electron-transfer (A. Da Rold, Y. Mugnier, R.

- Broussier, B. Gautheron, E. Lavoron), (362) C27
- Carbenium ions, stabilisation by two adjacent organometallic moieties: synthesis, NMR and synthetic application of (L.L. Troitskaya, V.I. Sokolov, V.I. Bakhmutov, O.A. Reutov, M. Gruselle, C. Cordier, G. Jaouen), (364) 195
- Carbonylchromocene unbridged and tetramethyl-ylethanediyl-bridged complexes, electrochemical reactions of (E.U. van Raaij, S. Mönkeberg, H. Kiese, H.-H. Brintzinger), (356) 307
- Carbonylchromocene unbridged and tetramethyl-ylethanediyl-bridged complexes, reversible coordination of CO ligand to (E.U. van Raaij, H.H. Brintzinger), (356) 315
- Chalcogenametallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362) 311
- Chiral ferrocenylphosphines with  $C_2$  symmetry, formation of (T. Hayashi, A. Yamamoto, M. Hojo, K. Kishi, Y. Ito, E. Nishioka, H. Miura, K. Yanagi), (370) 129
- $[(\eta^5\text{-C}_5\text{H}_4\text{Me})\text{Cr}(\mu, \eta^5\text{-As}_5)\text{Cr}(\eta^5\text{-C}_5\text{H}_4\text{Me})]$ , a triple-decker sandwich complex with cyclic  $\text{As}_5$ , structure of (O.J. Scherer, W. Wiedemann, G. Wolmershäuser), (361) C11
- $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Nb}(\text{CH}_3)_2]^+[\text{AsF}_6]^-$  and  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Mo}(\text{CH}_3)_2]^{2+}[\text{AsF}_6]^{-2}$ , high valence state niobocene and molybdenocene complexes, preparation of (P. Gowik, T. Klapötke), (375) C20
- $(\text{C}_5\text{H}_5)_2\text{Ti}[(\text{CF}_3)_2\text{CCS}]_2$ , synthesis and structure of (J. Benecke, U. Behrens), (363) C15
- $(\text{C}_5\text{H}_5)_2\text{Ti}(\text{PMMe}_3)(\text{C}_2\text{H}_2)$ , C-C addition reactions with  $\text{CO}_2$ , acetone, acetaldehyde and ethylene of (H.G. Alt, G.S. Herrmann, M.D. Rausch, D.T. Mallin), (356) C53
- $[(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CF}_3\text{SO}_3)(\text{bipy})]^+ \text{CF}_3\text{SO}_3^-$  five-coordinate  $(\text{C}_5\text{H}_5)_2\text{Zr}^{\text{IV}}$ -complex, formation of (U. Thewalt, W. Lasser), (363) C12
- $(\text{C}_5\text{H}_5)_2\text{Zr}(\text{C}_2\text{H}_4)(\text{PMMe}_3)$ , the first ethylenezirconium compound (H.G. Alt, C.E. Denner, U. Thewalt, M.D. Rausch), (356) C83
- $[\text{C}_5\text{Me}_5\text{RuC}_5\text{Me}_4\dot{\text{C}}\text{H}_2]^+ \cdot \text{BPh}_4^- \cdot \text{CH}_2\text{Cl}_2$ , crystal and molecular structure of (A.I. Yanovsky, Yu.T. Struchkov, A.Z. Kreindlin, M.I. Rybinskaya), (369) 125
- $(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_4)\text{Fe}[\text{vinyl-(}\eta^5\text{-C}_5\text{H}_4\text{)}]$ , synthesis, spectra and crystal structure of (Y.-P. Wang, T.-S. Lin, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (371) 57
- $(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{C(O)}(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$ , synthesis, spectra and crystal structure of (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (371) 71
- Cyclodextrin complexes of acylferrocenes, preparation and induced Cotton effects in circular dichroism spectra of (V.I. Sokolov, V.L. Bondareva, I.F. Golovanova), (358) 401
- Cycloheptatrienyl-molybdenum and -tungsten, synthesis and redox chemistry of phosphine- and phosphite-substituted halide and acetonitrile derivatives of (C. Bitcon, R. Breeze, P.F. Miller, M.W. Whitley), (364) 181
- Cycloheteropentasilanes,  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}[\text{Si}(\text{C}_6\text{H}_5)_2]_4$  and  $\text{O}[\text{Si}(\text{C}_6\text{H}_5)_2]_5$ , crystal structures of (V.A. Igonin, Yu.E. Ovchinnikov, V.V. Dement'ev, V.E. Shklover, T.V. Timofeeva, T.M. Frunze, Yu.T. Struchkov), (371) 187
- $(\eta^5\text{-Cyclopentadienyl})$ - and (pentamethyl- $\eta^5$ -cyclopentadienyl)-chromium(III) dihalogenide, antiferromagnetic dinuclear complexes (F.H. Köhler, J. Lachmann, G. Müller, H. Zeh, H. Brunner, J. Pfautsch, J. Wachter), (365) C15
- $(\eta^5\text{-Cyclopentadienyl-}\eta^6\text{-areneiron})$  chiral cations, preparation and electrochemical reduction of (M. Le Rudulier, C. Moinet), (352) 337
- Depalladation of organometallic compounds, C-C bond formation induced by (M. Pfeffer, M.A. Rotteveel, J.-P. Sutter, A. De Cian, J. Fischer), (371) C21
- 4,8-Dichloroocta-t-butyltetracyclo-[3.3.0.0<sup>2,7</sup>.0<sup>3,6</sup>]octagermane, preparation and structure of (A. Sekiguchi, H. Naito, H. Nameki, K. Ebata, C. Kabuto, H. Sakurai), (368) C1
- Di- $\eta^5$ -cyclopentadienyltantalum chemistry reactions of trihydride derivative with acetylenes of (G.E. Herberich, I. Savvopoulos), (362) 345
- Dicyclopentadienyltitanium dihalides, electronic structure as indicated by UV photoelectron spectroscopy of (T. Vondrák, K. Mach, V. Varga), (367) 69
- Dicyclopentadienyltricarbonyldirhodium, search for  $^{13}\text{C}$  equilibrium isotope effects in (S. Berger, M. Ochs), (367) 343
- Dihydrido( $\eta$ -cyclopentadienyl)bis(triphenylphosphine)ruthenium(IV) cations, formation and properties of (T. Wilczewski), (361) 219
- [2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362) 147
- [2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115
- 1,3-Diselena- and 1,3-dithia-[3]ferrocenophane derivatives, Mössbauer and electrochemical

- studies on (A.G. Osborne, R.E. Hollands, A.G. Nagy), (373) 229
- 1,*n*-Dithia[*n*]ferrocenophanes, orbital interactions in (T. Vondrák, M. Sato), (364) 207
- $\text{Fe}[\text{C}_5(\text{CH}_2\text{Ph})_5]_2$  and  $\text{Lu}(\text{C}_8\text{H}_8)[\text{C}_5(\text{CH}_2\text{Ph})_5]$ , synthesis and structure of (H. Schumann, C. Janiak, R.D. Köhn, J. Loebel, A. Dietrich), (365) 137
- [ $\text{Fe}(\eta^5\text{C}_5\text{H}_4\text{S})_2\text{Mo}(\text{NO})\{\text{HB}(3,5\text{-Me}_2\text{C}_3\text{N}_2\text{H}_3)\}$ ], synthesis, electrochemistry and molecular structure of (R.P. Sidebotham, P.D. Beer, T.A. Hamor, C.J. Jones, J.A. McCleverty), (371) C31
- Ferrocene, annual survey 1987 (B.W. Rockett, G. Marr), (357) 247
- Ferrocene redox-active benzo crown ether complex; crystal structure of ferrocene benzo-15-crown-5 sodium (P.D. Beer, H. Sikanyika, C. Blackburn, J.F. McAleer, M.G.B. Drew), (356) C19
- Ferrocene redox-active centre, ammonium redox-responsive receptors attached to di- and tri-aza crown ether macrocycles, formation and electrochemistry of (P.D. Beer, D.B. Crowe, B. Main), (375) C35
- Ferrocenophane derivatives containing chelated ligands, synthesis of (R. Sihler, U. Werz, H.-A. Brune), (368) 213
- $\beta$ -Ferrocenylacrylonitrile, behaviour in reactions with organic bases of (Z.V. Todres, D.S. Ermekov), (369) 371
- cis*- $\beta$ -Ferrocenylacrylonitrile, molecular geometry of (Z.V. Todres, A.I. Yanovsky, D.S. Ermekov, Yu.T. Struchkov), (369) 377
- Ferrocenylamines and ferrocenylphosphines, Mössbauer studies on (A. Houlton, P.T. Bishop, R.M.G. Roberts, J. Silver, M. Herberhold), (364) 381
- Group 4 *ansa*-metallocene complexes containing a 1-sila-3-metallacyclobutane ring, synthesis and structural characterization of (A. Kabi-Satpathy, C.S. Bajgur, K.P. Reddy, J.L. Petersen), (364) 105
- Group 4 metallocene derivatives with symmetrically substituted, dimethylsilanediyl-bridged ligand frameworks, diastereomers of; crystal structure of *R,S*-Me<sub>2</sub>Si(3-t-Bu-5-MeC<sub>5</sub>H<sub>2</sub>)<sub>2</sub>·ZrCl<sub>2</sub> (H. Wiesenfeldt, A. Reinmuth, E. Barsties, K. Evertz, H.-H. Brintzinger), (369) 359
- Group 4 metallocene derived carbene complex chemistry (G. Erker, F. Sosna, U. Hoffmann) (372) 41
- Group 6 metal tetracarbonyl complexes, *cis*-[M(CO)<sub>4</sub>{(C<sub>5</sub>H<sub>4</sub>ECH<sub>3</sub>)<sub>2</sub>Fe}] (M = Cr, Mo, W; E = S or Se); crystal structure of 1,1'-bis(methylseleno)ferrocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (367) 275
- Half-sandwich arene-iron complex, synthesis and reactivity of; structure of [C<sub>6</sub>H<sub>3</sub>Fe(C<sub>3</sub>H<sub>5</sub>)-(CO)]PF<sub>6</sub> (M.J. Begley, S.G. Puntambekar, A.H. Wright), (362) C11
- Half-sandwich complexes of manganese and rhenium, degradation of S<sub>8</sub> with (M. Herberhold, B. Schmidkonz), (358) 301
- Halogenohydridobis(silylated cyclopentadienyl)-niobium complexes, synthesis and characterization of (A. Antíñolo, M. Fajardo, F.A. Jalón, C. López Mardomingo, A. Otero, C. Sanz-Bernabé), (369) 187
- $\eta^2$ -Iminoacylmethallocene substituted ylides, isonitrile insertion into the M=C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121
- Ion group metallocenes, photoreaction of (P. Bergamini, S. Di Martino, A. Maldotti, S. Sostero, O. Traverso), (365) 341
- $\beta$ -Keto phosphines derived from ferrocene; syntheses and structures of [Ph<sub>2</sub>PCH<sub>2</sub>C(O)-( $\eta^5\text{C}_5\text{H}_4$ )Fe( $\eta^5\text{C}_5\text{H}_5$ )](L<sup>1</sup>) and *trans*-[PdCl<sub>2</sub>L<sup>1</sup><sub>2</sub>] (P. Braunstein, T.M. Gomes Carneiro, D. Matt, F. Balegroune, D. Grandjean), (367) 117
- [(Me<sub>3</sub>Si)<sub>2</sub>N]<sub>2</sub>UCH<sub>2</sub>SiMe<sub>2</sub>NSiMe<sub>3</sub>, stereochemistry of insertion of cyclic ketones into the U-C bond of (A. Dormond, A. Elbouadili, C. Moïse), (369) 171
- Metallocene niobium(III) isocyanide complexes with oxidizing reagents, reactions of (M. Gómez, J.M. Martínez de Ilarduya, P. Royo), (369) 197
- $\alpha$ -Metallocenylcarbocation, stabilisation of; synthesis, properties and crystal structure of [C<sub>5</sub>Me<sub>5</sub>OsC<sub>5</sub>Me<sub>4</sub>CH<sub>2</sub><sup>+</sup>]BPh<sub>4</sub><sup>-</sup>·CH<sub>2</sub>Cl<sub>2</sub> (M.I. Rybinskaya, A.Z. Kreidlin, Yu.T. Struchkov, A.I. Yanovsky), (359) 233
- Molybdenocene and tungstenocene carbonyl complexes, CO-induced ring-slippage reactions of (S. Mönkeberg, E. van Raaij, H. Kiese, H.-H. Brintzinger), (365) 285
- Mono- and di-nuclear ferrocenophanes with aromatic thioester bridges (M. Herberhold, C. Dörnhöfer, H.I. Hayen, B. Wrackmeyer), (355) 325
- Mononuclear zirconium trivalent organometallic Zr and H metallocenes, structure of (I.F. Urazowski, V.I. Ponomaryev, I.E. Nifant'ev, D.A. Lemenovskii), (368) 287
- Nb<sub>2</sub>( $\eta^5\text{C}_5\text{H}_5$ )<sub>4</sub>Cl<sub>4</sub>Cl<sub>2</sub>S (S = *N,N*-dimethylformamide) formed by reduction of Nb( $\eta^5\text{C}_5\text{H}_5$ )<sub>2</sub>Cl<sub>2</sub>, electrochemical characteristics of (A. Fakhr, H. Nabaoui, Y. Mugnier, L. Roullier, R. Broussier, B. Gautheron, E. Laviron), (364) 149
- [Ni( $\eta^5\text{P}_3\text{C}_2\text{R}_2$ ) $(\eta^3\text{P}_2\text{C}_3\text{R}_3)$ ] (R = Bu<sup>1</sup>), synthesis, and crystal and molecular structure of (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (373) C17

- Open, half-open, and closed ferrocenes in solution, structural characterization by  $^{57}\text{Fe}$  and  $^{13}\text{C}$  NMR spectroscopy of (R. Benn, A. Rufińska, M.S. Kralik, R.D. Ernst), (375) 115
- Organogold(I) compounds, interaction with tetraalkylthiuram disulphides of (E.G. Perevalova, K.I. Grandberg, V.P. Dyadchenko, O.N. Kalinin), (352) C37
- Organoiron chemistry, annual survey 1987 (R.C. Kerber) (360) 319
- Organometallic solid state chemistry (M.L.H. Green, J. Qin, D. O'Hare), (358) 375
- Organo-transition-metal hexafluoro arsenates and antimonates, chemical and biological aspects of (P. Gowik, T. Klapötke), (372) 33
- $[\text{Os}_3(\text{CHCFc})(\text{CO})_{10}]$  ( $\text{CHCFc}$  = ethynylferrocene), conversion into  $[\text{Os}_3(\text{S})(\text{CHCFc})(\text{CO})_9]$  by reaction with sulphur of; crystal structures of these clusters and of  $[\text{Os}_3\text{H}(\text{C}_2\text{Fc})(\text{CO})_9]$  (K.I. Hardcastle, A.J. Deeming, D. Nuel, N.I. Powell), (375) 217
- Palladium(0)-mediated reactions of  $\text{BrZnCH}(\text{CH}_3)\text{COO}'\text{Bu}$  with vinyl and aryl triflates, influence of catalyst on (F. Orsini, F. Pelizzoni, L.M. Vallarino), (367) 375
- Pentadienyluranium borohydride complexes and their cyclopentadienyl analogues; crystal structures of ( $\eta$ -2,4-Me<sub>2</sub>C<sub>5</sub>H<sub>5</sub>)U(BH<sub>4</sub>)<sub>3</sub> and ( $\eta$ -C<sub>5</sub>H<sub>5</sub>)U(BH<sub>4</sub>)<sub>3</sub> (D. Baudry, E. Bulot, P. Charpin, M. Ephritikhine, M. Lance, M. Nierlich, J. Vigner), (371) 163
- Pentamethylcyclopentadienyl(halo)ruthenium-(III, -III/II or -II) and pentamethylcyclopentadienyl(alcoxo)ruthenium(II) complexes, formation and characterisation of (U. Koelle, J. Kossakowski), (362) 383
- (Pentamethylcyclopentadienyl)(octadienyl)zirconium, ( $\eta^5\text{-C}_5\text{Me}_5$ )( $\eta^8\text{-C}_8\text{H}_8$ )Zr, mixed sandwich complex of zirconium(III), structure of (R.D. Rogers, J.H. Teuben), (359) 41
- Permethylated  $\alpha$ -metallocenylcarbocations and metallocenium cation radicals of the iron sub-group, related interconversions of (M.I. Rybińska, A.Z. Kreindlin, S.S. Fadeeva), (358) 363
- Phosphaferrocenium cations, reactions with nucleophiles of (P. Lemoine), (359) 61
- Polymethylcyclopentadienyltitanocene tetrahydridoaluminates, spectroscopic study of their reaction with butadiene (K. Mach, H. Antropiusová, V. Varga, V. Hanuš), (358) 123
- Porphyrin-ferrocene-quinone linked molecule, synthesis and electrochemistry of (P.D. Beer, S.S. Kurek), (366) C6
- $\eta$ -Pyrrolylmetal clusters, *ortho*-metallation with triosmium clusters of (A.J. Arce, C. Acuña, A.J. Deeming), (356) C47
- $(\text{RC}_5\text{H}_4)_2\text{Zr}(\text{CH}_2\text{OCH}_3)_2$ , DNMR and thermal analysis of; insertion of a methylene group from metallaoxirane into a Zr-C  $\sigma$ -bond (G. Erker, R. Schlund, M. Albrecht, C. Sarter), (353) C27
- [ $\text{Re}(\eta^6\text{-C}_9\text{H}_8)(\eta^5\text{-C}_9\text{H}_7)$ ], synthesis, characterisation and reactivity of, precursor to  $\mu_2$ - $\eta^3$ :  $\eta^5$ -indenyl derivatives (M.L.H. Green, N.D. Lowe, D. O'Hare), (355) 315
- Rhodium(I) complexes of  $\beta$ -diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141
- Ring-substituted titanocene derivatives containing chloro and carbomethoxy substituents, formation of (M.D. Rausch, J.F. Lewison, W.P. Hart), (358) 161
- $(\text{R}_3\text{P})_2\text{Ru}(\text{CO})_2\text{Cl}_2$  and  $(\text{R}_3\text{P})_3\text{Ru}(\text{CO})\text{Cl}_2$  complexes, electrochemistry of (E.B. Milošavljević, Lj. Solujić, D.W. Krassowski, J.H. Nelson), (352) 177
- $\text{Sn}(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\text{-}o)$ , synthesis and crystal structure of; reaction with  $\text{Co}(\eta^5\text{-C}_5\text{H}_5)(\eta^2\text{-C}_2\text{H}_4)_2$  (K. Angermund, K. Jonas, C. Krüger, J.L. Latten, H.-H. Tsay), (353) 17
- Tetrakis- and hexakis-(trimethylsilyl)cobaltocenium ions, ring rotation hindrance in (J. Okuda), (367) C1
- 1,1',3,3'-Tetrakis(trimethylsilyl)ferrocene, crystal structure and dynamic solution behaviour of (J. Okuda, E. Herdtweck), (373) 99
- Tetrakis(trimethylsilyl)-ferrocenes and -titancenes, hindered rotation of the ring ligands in (J. Okuda), (356) C43
- Titanium and zirconium low-valent reagents generated from  $\text{Cp}_2\text{TiCl}_2$  and  $\text{Cp}_2\text{ZrCl}_2$  with magnesium and 1,2-dibromoethane, reactions of (S.A. Rao, M. Periasamy), (352) 125
- Titanocene and vanadocene, bi- and poly-metallic cobalt complexes derived from (J. Martin, M. Fauconet, C. Moïse), (371) 87
- Titanocene and vanadocene dichlorides, kinetics of substitution in acetonitrile of (R. bin Ali, J. Burgess, A.T. Casey), (362) 305
- Titanocene and zirconocene chiral derivatives with symmetrically substituted, tetramethyl-ethanediyl-bridged ligands (S. Gutmann, P. Burger, H.-U. Hund, J. Hofmann, H.-H. Bräntzinger), (369) 343
- Titanocene(IV) and zirconocene(IV) complexes with pyrazine tetracarboxylate ligands, preparation and properties of (T. Güthner, U. Thewalt), (371) 43
- Triferrocenyltungsten(VI) complexes, preparation and reactivity of (M. Herberhold, H. Kriesel), (371) 205
- Trimethylaluminum mediated halomethylation of [(arene)<sub>2</sub>Fe]<sup>2+</sup> cations (M.D. Clerk, K.C. Sturge, M.J. Zaworotko, P.S. White), (368) C33

Triorganostannylferrocenes, diorganostannyldi-ferrocenes, diorganochlorostannylferrocenes, and 1,1'-bis(diorganochlorostannyl)ferrocenes, synthesis of (Z. Kabouche, N.H. Dinh), (375) 191

Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53

Vinyltitanocene complexes prepared from  $(C_5H_5)_2(PMe_3)(C_2H_2)$ , alcohols and water (H.G. Alt, G.S. Herrmann, M.D. Rausch), (356) C50

Zirconocene acetylenedicarboxylate, preparation and crystal structure of polymeric form of (U. Thewalt, T. Güthner), (361) 309

Zirconocene and hafnocene dihydrides  $[(\eta^5-RC_5H_4)_2M(H)(\mu-H)]_2$  ( $M = Zr, Hf$ ), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193

## Molybdenum

Alkoxy- or alkylthio-substituted silylcarbene complexes,  $(CO)_5MC(XEt)SiR_3$  ( $M = Cr, Mo, W; X = O, S$ ) and ketene derivatives,  $R_3Si(EtX)C=C=O$ , synthesis of (J. Kron, U. Schubert), (373) 203

Alkyl-metal sonochemically-assisted synthesis (C. Roger, M.-J. Tudoret, V. Guerchais, C. Lapinte) (365) 347

Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351

$(\eta^2\text{-Benzylideneaniline})\text{di-}\eta^5\text{-cyclopentadienyl-molybdenum}$ , crystal and molecular structure of (J. Okuda, G.E. Herberich, E. Raabe, I. Bernal), (353) 65

Bipyridinedicarbonitrile-molybdenum and -tungsten complexes, preparation, characterisation and reactions of (P.N.W. Baxter, J.A. Connor), (355) 193

1,1'-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of  $M_2(CO)_{10}(\mu\text{-P-P})$ ,  $M(CO)_4(\eta^2\text{-P-P})$  and  $M(CO)_5(\eta^1\text{-P-P})$  ( $M = Cr, Mo, W$ ; P–P = Fe( $C_5H_4PPh_2)_2$ ) (T.S.A. Hor, L.-T. Phang), (373) 319

Bis( $\eta^5$ -pentamethylcyclopentadienyl)metal derivatives and related complexes, mass spectroscopy of (F. Geoffrey, N. Cloke, J.P. Day, A.M. Greenway, K.R. Seddon, A.A. Shimran, A.C. Swain), (372) 231

Bis(pyrazolyl)methanetetracarbonyl-chromium(0), -molybdenum(0) and -tungsten(0), formation and characterisation of (G.G. Lobbia, F. Bonati), (366) 121

Carbenium ions, stabilisation by two adjacent organometallic moieties: synthesis, NMR and synthetic application of (L.L. Troitskaya, V.I. Sokolov, V.I. Bakhmutov, O.A. Reutov, M. Gruselle, C. Cordier, G. Jaouen), (364) 195

Carbonyl-cobalt and -molybdenum clusters in immunology, synthesis and binding properties of mycotoxin derivatives of zearalenone (M. Gruselle, P. Deprez, A. Vessières, S. Greenfield, G. Jaouen, J.-P. Larue, D. Thouvenot), (359) C53

Carbonylmolybdenum(II) 16-electron derivatives,  $[Mo(CO)_2Br_2(N-N)]$  ( $N-N$  = nitrogen bidentate ligands), syntheses and structure of (K.-B. Shiu, K.-S. Liou, S.-L. Wang, C.P. Cheng, F.-J. Wu), (359) C1

$\eta^5\text{-C}_5H_5(CO)_3Mo(\mu\text{-}\eta^1, \eta^2\text{-CS}_2)Mo(CO)_2\text{-}\eta^5\text{-C}_5H_5$ ,  $\eta^1, \eta^2\text{-CS}_2$  bridged complex, structure of (W. Deutsch, A. Gieren, C. Ruiz-Perez, K.E. Schwarzhans), (355) 197

$C_5H_5Fe(CO)_2(\eta^1\text{-CH}_2S(CH_3))$ , photochemical behaviour and use in formation of  $C_5H_5Fe(CO)_2[\eta^1\text{-CH}_2S(CH_3)MLn]$  with  $M = Cr, Mo, W, Mn$  (A. Leboeuf, J.C. Leblanc, C. Moïse), (372) 391

$\{\eta^5\text{-C}_5H_5Mo(CO)_2L\}^+$  ( $L = CO, PPh_3$ ), chemistry of (P.R. Drake, M.C. Baird), (363) 131

$[(\eta^5\text{-C}_5H_5)_2Nb(CH_3)_2]^+ [AsF_6]^-$  and  $[(\eta^5\text{-C}_5H_5)_2Mo(CH_3)_2]^{2+} [AsF_6]^-_2$ , high valence state niobocene and molybdenocene complexes, preparation of (P. Gowik, T. Klapötke), (375) C20

$Cp'(CO)_2(CNR)MH$   $Cp' = \eta^5\text{-C}_5H_5, \eta^5\text{-C}_5Me_5$ ;  $R = Me, ^1Bu; M = Mo, W$ ), formation and characterisation of; molecular structure of  $C_5Me_5(CO)_2(CN^1Bu)MoH$  (H.G. Alt, H.E. Engelhardt, T. Frister, R.D. Rogers), (366) 297

$Cp_2^*Zr-\overline{CH-O-C=CH}-M(CO)_5$  ( $M = Cr, Mo, W$ ) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315

Cyanamide-derived bis(cyanoimido) complexes,  $trans-[M(NCN)_2(Ph_2PCH_2CH_2PPh_2)_2]$  ( $M = Mo$  or  $W$ ), synthesis of; crystal structure of the Mo compound (A.J.L. Pombeiro, M.F.C.G. Silva, D.L. Hughes, R.L. Richards), (371) C45

Cycloheptatrienyl-molybdenum and -tungsten complexes, synthesis and redox chemistry of phosphine- and phosphite-substituted halide and acetonitrile derivatives of (C. Bitcon, R.

- Breeze, P.F. Miller, M.W. Whiteley), (364) 181
- Cycloheptatrienyl-molybdenum and -tungsten complexes, synthesis and substitution chemistry of carbonylacetonitrile derivatives of (R. Breeze, M.S. Plant, A. Ricalton, D.J. Sutton, M.W. Whiteley), (356) 343
- Cyclopentadienylmolybdenum cationic complexes, coordination of  $\text{ER}_2$  ( $\text{E} = \text{S}, \text{Se}, \text{Te}$ ) in (N. Kuhn, H. Schumann, E. Zauder), (354) 161
- Cyclopentadienyl-substituted isonitril-complexes of molybdenum(IV); synthesis and structure of (A.C. Filippou, W. Grünleitner, E. Herdtweck), (373) 325
- Cyclosilyl transition metal compounds,  $\text{Si}_6\text{Me}_{11}[\text{Fe}(\text{CO})_2\text{C}_5\text{H}_5]$ ,  $(\text{Si}_6\text{Me}_{10})[\text{Fe}(\text{CO})_2\text{C}_5\text{H}_5]_2$ , and  $\text{Si}_6\text{Me}_{11}[\text{Mo}(\text{CO})_3\text{C}_5\text{H}_5]$ , preparation of (E. Hengge, M. Eibl, F. Schrank), (369) C23
- 1,8-Cyclotetradecadiyne-molybdenum(II) and -tungsten(II) complexes, structure and reactions of (E.M. Armstrong, P.K. Baker), (352) 133
- Di- and tri-metal compounds prepared from the alkylidyne-molybdenum complexes  $[\text{Mo}(\equiv\text{Cr})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$  ( $\text{R} = \text{C}_6\text{H}_4\text{OMe}-2, \text{C}_6\text{H}_4\text{NMe}_2-4$  or  $\text{C}_6\text{H}_3\text{Me}-2,6$ ) and  $[\text{MoFe}(\mu\text{-CC}_6\text{H}_4\text{Me}-4)(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$  (A.F. Hill, F. Marken, B.A. Nasir, F.G.A. Stone), (363) 311
- 1,8-Diaza-6-(2',4',6'-tri-t-butylphenylphosphanylidene)bicyclo[5.4.0]undec-7-ene, formation and reaction of (R. Appel, L. Krieger), (354) 309
- cis-Dicarbonylbis(tributylphosphane)molybdenum complexes of the four bidiazines (S. Ernst, S. Kohlmann, W. Kaim), (354) 177
- Dicyclopentadienyl-molybdenum and -tungsten complexes with methyl-, amino- and cyano-pyridines, synthesis, spectra and electrochemistry of (R.G. Costa, A.R. Dias, J.C. Kotz), (354) 341
- Di- $\eta$ -cyclopentadienyl-molybdenum and -tungsten fragments, synthetic and electrochemical studies on electroactive ionophores based on (E. Fu, J. Granell, M.L.H. Green, V.J. Lowe, S.R. Marder, G.C. Saunders, M. Tuddenham), (355) 205
- Dimolybdenum complex,  $\eta^5\text{-C}_5\text{H}_5(\text{CO})_2\text{Mo}(\mu\text{-CNPh})\text{Mo}(\text{NPh})\eta^5\text{-C}_5\text{H}_5$ , CO-induced, reversible insertion of imido ligand into  $\eta^1 : \eta^2$ -isocyanide bridge in (H. Brunner, W. Meier, J. Wachter, I. Bernal, E. Raabe), (326) 95
- Dimolybdenum unsaturated compound  $[\text{Mo}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-CH}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_2]$ , synthesis and reactivity of; crystal structure of  $[\text{Mo}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-I})(\mu\text{-CH}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_2\text{I}] \cdot \text{CH}_2\text{Cl}_2$  (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (375) C23
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- $[\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{S})_2\text{Mo}(\text{NO})(\text{HB}(3,5\text{-Me}_2\text{C}_3\text{N}_2\text{-H})_3)]$ , synthesis, electrochemistry and molecular structure of (R.P. Sidebotham, P.D. Beer, T.A. Hamor, C.J. Jones, J.A. McCleverty), (371) C31
- Fe-Mo-S complexes in the light of the molecular orbital theory (L. Szterenberg, B. Jeżowska-Trzebiatowska), (371) 361
- Group 6 metal tetracarbonyl complexes, *cis*- $[\text{M}(\text{CO})_4((\text{C}_5\text{H}_4\text{ECH}_3)_2\text{Fe})]$  ( $\text{M} = \text{Cr}, \text{Mo}, \text{W}; \text{E} = \text{S}$  or  $\text{Se}$ ); crystal structure of 1,1'-bis(methylseleno)ferrocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (367) 275
- $[\text{HB}(\text{pz})_3](\text{CO})_2\text{W}(\eta^2\text{-C}(\text{SMe})\text{SMe})^+$ , synthesis and reactions of (R.A. Doyle, R.J. Angelici), (375) 73
- Hetero-metal cluster formation by C-H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427
- Hexacarbonylbis( $\eta^5$ -methylcyclopentadienyl)dimolybdenum, photochemical reaction with cyclic conjugated dienes of (C.G. Kreiter, G. Wendt, J. Kaub), (352) 307
- Hydridotris(benzotriazol-1-yl)borate derivatives of the group 6 metal carbonyls, synthesis and structure of (K.-B. Shiu, F.-M. Shen, S.-L. Wang, S.-C. Wei), (372) 251
- Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoldi, A.P. Chagas), (361) 319
- Isopropyl-substituted cyclopentadienyl ligands, synthesis of (H. Sitzman), (354) 203
- Keteneiminemolybdenum dinuclear complexes, formation and reactions of (T. Sielisch, W. Ziegler, U. Behrens), (359) 315
- Ligand-centred coupling of alkynyl radical cations  $[\text{Mo}(\text{C}\equiv\text{CR})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\eta\text{-C}_7\text{H}_7)]^+$  ( $\text{R} = \text{Ph}$  or  $\text{Bu}^n$ ): crystal structure of  $[\text{Mo}_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2(\eta\text{-C}_7\text{H}_7)_2(\mu\text{-C}_4\text{R}_2)][\text{PF}_6]_2$  ( $\text{R} = \text{Ph}$ ) (R.L. Beedoes, C. Bitcon, A. Ricalton, M.W. Whiteley), (367) C21
- $[\text{M}(\eta^5\text{-C}_5\text{H}_5)_2\text{HX}]$  ( $\text{M} = \text{Mo}, \text{W}; \text{X} = \text{Cl}, \text{Br}, \text{I}$ ), reactivity of (C.G. de Azevedo, A.R. Dias, A.M. Martins, C.C. Romao), (368) 57
- $(\text{MeCN})_2(\text{CO})_6\text{Mo}_2(\mu\text{-SPh})_2$  and  $\text{Mo}_2\text{Fe}_7\text{S}_8\text{(CO)}_{22}$ , formation of clusters by oxidative addition of organic molecular structures of (I.L. Eremenko, A.A. Pasynskii, A.S. Abdulaev, A.S. Aliiev, B. Orazsakhatov, S.A.

- Sleptsova, A.I. Nekhaev, V.E. Shklover, Yu.T. Struchkov), (365) 297
- Mesitylenetetracobaltnonacarbonyl, reaction with  $[Mo(CO)_3C_5H_5]_2$  of; syntheses and structures of the clusters  $C_5H_5(CO)_2MoCo_3(CO)_6(\mu\text{-CO})_3$  and  $(C_5H_5)_2(CO)_3Mo_2Co_2(CO)_4(\mu\text{-CO})_3$  (V.S. Kaganovich, Yu.L. Slovokhotov, A.V. Mironov, Yu.T. Struchkov, M.I. Rybinskaya), (372) 339
- $[Me_2SSMe]BF_4$ , reactions with organometallic complexes having metal–metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195
- $[Mo(\mu\text{-Br})\{C_5(CH_3)_5\}(CH_3)(NO)]_2$ , air-decomposition of; crystal structure of  $[Mo\{\eta^1-C(CF_3)=C(CF_3)SC_6F_5\}(CF_3C=CCF_3)(O)(\eta^5-C_5H_5)]$ , crystal and molecular structures of (W.A.W.A. Bakar, L. Carlton, J.L. Davidson, L. Manojlović-Muir, K.W. Muir), (352) C54
- $[Mo(CO)_3(NCMe)_3]$ , oxidation with  $SnCl_4$  of, formation and reactions of  $[MoCl(SnCl_3)(CO)_3(NCMe)_2][MoCl(SnCl_3)(CO)_3(NCMe)_2]$  (P.K. Baker, A. Bury), (359) 189
- trans*- $[MoH_4(Ph_2PCH_2CH_2PPh_2)_2]$ , reactions with  $RCO_2C\equiv CH$  ( $R = Me$  or  $Et$ ) in the presence of acids of (N. Kashef, R.L. Richards), (365) 309
- Molybdenocene and tungstenocene carbonyl complexes, CO-induced ring-slippage reactions of (S. Mönkeberg, E. van Raaij, H. Kiese, H.-H. Brintzinger), (365) 285
- Molybdenum(II) and tungsten(II) cationic seven-coordinate complexes, synthesis of (P.K. Baker, M. Bamber, G.W. Rogers), (367) 101
- Molybdenum complex as catalyst for  $C=C$  bond formation one-pot reaction (X. Lu, H. Fang, Z. Ni), (373) 77
- Molybdenum(VI)(oxo-diperoxo) non-racemic complexes, enantioselective epoxidation of unfunctionalized simple olefins by (V. Schurig, K. Hintzer, U. Leyrer, C. Mark, P. Pitchen, H.B. Kagan), (370) 81
- Molybdenum tetracarbonyl complexes of chelating dithioethers, multinuclear ( $^1H$ ,  $^{13}C$  and  $^{95}Mo$ ) NMR investigation of sulphur inversion in (E.W. Abel, D.E. Budgen, I. Moss, K.G. Orrell, V. Šík), (362) 105
- Mononuclear  $(CH_3)_nCpM(CO)_3^-Na^+$  and dimeric  $[(CH_3)_nCpM(CO)_2]_2$  complexes, NMR studies of (I.R. Lyatifov, T.K. Gasanov, P.V. Petrovski, A.I. Lutsenko), (361) 181
- Mononuclear electron-rich transition metal centres, reactions of alkynes at (A.J.L. Pombeiro), (358) 273
- $MPt(\mu\text{-H})\mu\text{-P-n-Pr}_2Pt(CO)(PCy_3)$  in reaction with  $Pt(C_2H_4)_2(PCy_3)$ , mechanism of "Pt(PCy<sub>3</sub>)" addition (J. Powell, M.R. Gregg), (356) C61
- Nitrosyl complexes, double electron transfer reductions of;  $NO_3^- \rightleftharpoons NH_3$  conversion in the nitrogen cycle (D. Sellmann), (372) 99
- Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65
- Organometallic solid state chemistry (M.L.H. Green, J. Qin, D. O'Hare), (358) 375
- Organomolybdenum optically active compounds, synthesis and properties of (K.J. Moriarty, M.D. Rausch), (370) 75
- $Pd_2Mo$ ,  $PdPtMo$  and  $Pd_2W$  mixed-metal clusters containing  $Ph_2PCH_2PPh_2$  (dppm), synthesis and reactivity of; molecular structure of  $[Pd_2MoCl(\eta\text{-C}_5H_5)(\mu_3\text{-CO})_2(\mu\text{-dppm})_2]$  (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot, (355) 533
- Pentacarbonylcyclopentadienylcycloheptatrienyl binuclear complexes,  $[M(CO)_3(\eta\text{-C}_5R_5)M'CO_2(\eta\text{-C}_7H_7)]$  ( $M, M' = Mo$  or  $W$ ;  $R = H$  or  $Me$ ), synthesis and spectroscopic properties of (A. Ricalton, M.W. Whiteley), (361) 101
- Pentacarbonylmetal- and carbonylnitrosyl-cobaldiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197
- (Pentamethylcyclopentadienyl)-molybdenum and -tungsten, reactions and properties of oxo and peroxy derivatives of (J.W. Faller, Y. Ma), (368) 45
- $\eta^3$ -Phosphaallyl-molybdenum and -tungsten complexes, synthesis and crystal structure of (C. Hugel-Le Goff, F. Mercier, L. Ricard, F. Mathey), (363) 325
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of  $[Cp(CO)_2Mo(\mu\text{-PCy}_2)Pd(PCy_2H)_2]$  and  $[(CO)_4Mn(\mu\text{-PCy}_2)Pd(PCy_2H)_2]$  ( $Cy = c\text{-C}_6H_{11}$ ) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5
- Phosphine- and carbonyl-molybdenum dimers with double hydrogen bridge, electronic structure of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (369) 69
- $R_3PAuN_3$ , cluster synthesis by photolysis of; crystal structure of  $[(Ph_3PAu)_7Mo(CO)_3]OH$  and  $[(Ph_3PAu)_6AuCo_2(CO)_6]NO_3$  (G. Beuter, J. Strähle), (372) 67

- Ruthenium carbonyl hydroformylation system, EXAFS infrared and kinetic studies on (J. Evans, G. Jingxing, H. Leach, A.C. Street), (372) 61
- Silyl group influence on reactivity and formation of M-C double bonds (U. Schubert), (358) 215
- Tetracarbonylcarbene chelated chromium, molybdenum and tungsten complexes, preparation and configuration of (K.H. Dötz, H.-G. Erben, W. Staudacher, K. Harms, G. Müller, J. Riede), (355) 177
- Tetrafluorodisilacyclobutene and cyclic dienes, cycloaddition reactions mediated by transition metal carbonyls between (C.H. Lin, C.Y. Lee, T.T. Jzang, C.C. Lin, C.S. Liu), (356) 315
- Tetranuclear hydroxocarbonyl-molybdenum and -tungsten complexes,  $[\text{Et}_4\text{N}]_4[\text{Mo}(\text{CO})_3(\mu_3\text{-OH})_4]$  and  $[\text{Et}_4\text{N}]_4[\text{W}(\text{CO})_3(\mu_3\text{-OH})_4]$ , synthesis and characterization of (J.T. Lin, S.K. Yeh, G.H. Lee, Y. Wang), (361) 89
- Thio-, seleno, and telluro-aldehydes as ligands in mono- and di-nuclear heterometal complexes, synthesis, structure, protonation and methylation of (H. Werner, W. Paul, W. Knaup, J. Wolf, G. Müller, J. Riede), (358) 95
- $\text{Ti}(\text{C}_5\text{H}_4)\text{P}(\text{CH}_3)_2$ ,  $[(\eta^5\text{-C}_5\text{H}_4)\text{P}(\text{CH}_3)_2]_2\text{ZrCl}_2$  and the heterobinuclear complex  $\{[\mu\text{-}\eta^5\text{-C}_5\text{H}_4]\text{P}(\text{CH}_3)_2\}\text{ZrCl}_2\}$   $\text{Mo}(\text{CO})_4$ , synthesis and characterization of (D. Morcos, W. Tikkanen), (371) 15
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivkh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129
- Transition metal complexes of (2-(2-methoxyethoxy)ethyl)diphenylphosphine and (2-(2-methoxyethoxy)ethyl)dimethylarsine, synthesis and characterization of (V.V.S. Reddy, J.E. Whitten, K.A. Redmill, A. Varshney, G.M. Gray), (372) 207
- Transition metal electrophilic cations, rearrangements and polymerisations in reactions with olefins and small ring compounds of (A. Sen, T.-W. Lai, R.R. Thomas), (358) 567
- Transition metal isoxazole derivatives, preparation of (V.N. Kalinin, T.V. Rozantseva, P.V. Petrovskii, A.S. Batsanov, Yu.T. Struchkov), (372) 287
- Transition metal oxide clusters as catalysts in oxidation of cyclohexene with t-butyl hydroperoxide (C. Zhang, Y. Ozawa, Y. Hayashi, K. Isobe), (373) C21
- Trimethylphosphine-molybdenum and -tungsten complexes containing dinitrogen, ethylene,  $\text{CO}_2$  and related ligands (E. Carmona), (358) 283
- 2-Trimethylsilylnorbornadiene reaction with hexacarbonylmolybdenum of (T.J. Chow, C.-C. Cheng), (368) 323
- Triphenylphosphine oxide cocrystallization of a tris(diazaphosphole)molybdenum complex (E.G. Bent, R. Schaeffer, R.C. Haltiwanger, A.D. Norman), (364) C25
- Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53
- ## Neodymium
- Metallacyclopophazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40
- Mono-2,4-dimethylpentadienyldichloroneodymium(III)-0.33 tetrahydrofuran,  $[\text{Nd}_6(2,4\text{-C}_7\text{H}_{11})_6\text{Cl}_{12}(\text{THF})_2]$ , pre-catalyst for 1,4-*cis*-polymerisation of butadiene (J. Sieler, A. Simon, K. Peters, R. Taube, M. Geitner), (362) 297
- ## Nickel
- Alkylmetal bimetallic systems, synthesis and characterisation of  $\text{Ni}[\text{Salen}]\cdot\text{Zn}(\text{C}_2\text{H}_5)_2$  adduct (S.J. Dzugan, V.L. Goedken), (356) 249
- Alkyne complexes of  $\eta^5$ -cyclopentadienylmethylnickel, formation and thermolysis of (H. Lehmkühl, F. Danowski, G. Mehler, J. Popławska, S. Pasynkiewicz), (363) 387
- Allylbis-ligand-nickel(II) hexafluorophosphate,  $[\text{C}_3\text{H}_5\text{NiL}_2]\text{PF}_6$  and  $[\text{C}_3\text{H}_5\text{Ni}(\text{Br})\text{P}(\text{O-Thym})_3]/\text{Et}_2\text{AlCl}$  as catalysts for dimerisation of propene (E. Balabolov, M. Mitkova, K. Kurtev, J.-P. Gehrke, R. Taube), (352) 247
- $\eta^6$ -Arenenickel(II) complexes, polyarene and fused arene systems, preparation of (S.-B. Choe, K.J. Klabunde), (359) 409
- Benzotriazole, regiochemistry of the reaction with  $\text{KBH}_4$  of; synthesis of poly(azolyl)borate ligands (F.J. Lalor, S. Miller, N. Garvey), (356) C57
- 2,2-Bipyridine-nickel complexes as catalysts for electrosynthesis of symmetrical ketones from organic halides (L. Garnier, Y. Rollin, J. Périchon), (367) 347
- trans*-Bis(dimethylphenylphosphine)bis(2-tolyl)-nickel(II), crystal structures of *anti* and *syn* isomers of (K. Miki, M. Tanaka, N. Kasai, M. Wada), (352) 385

- Bis(diop)metal(0) compounds, dynamic behaviour of (E.M. Campi, P.S. Elmes, W.R. Jackson, R.J. Thomson, J.A. Weigold), (371) 393
- Bis(diphenylphosphino)acetylene as bridging ligand between homo- and hetero-metallic clusters (E. Sappa), (352) 327
- Bis(methyl acrylate)(pyridine)nickel(0), preparation crystal structure and reactivity of (R. Sustmann, P. Hopp, R. Boese), (375) 259
- Chalcogens, contrasting roles in synthesis of mixed metal complexes  $(CO)_6Fe_2(\mu_3-E)_2M(PPh_3)_2$  ( $E = Te, Se, S; M = Ni, Pd, Pt$ ) of (P. Mathur, I.J. Mavunkal, V. Rugmini), (367) 243
- Chiral metal complexes of 2,3-bis(dimethylphosphino)maleic anhydride and of 2,3-bis(dimethylphosphino)maleimide derivatives, homogeneous asymmetric catalysis by (A. Kinting, C. Döbler), (370) 351
- $(\eta^5-C_5H_5)NiFe_3(CO)_7(\mu-PPh_2)(\mu_4,\eta^2-HC\equiv CPr^i)$ , synthesis and crystal structure of (E. Sappa, D. Belletti, A. Tiripicchio, M. Tiripicchio Camellini), (359) 419
- (Cyclododecatriene)nickel(0) complexes, reactions with  $LiH_2Al-i-Bu_2$  and  $LiAlH_4$  and NMR spectra of (K.R. Pörschke, G. Wilke), (358) 519
- Cyclopentadienylnickel complexes applied in dehydrated complexation of borolenes (G.E. Herberich, I. Hausmann, B. Hessner, M. Negele), (362) 259
- Cyclopentadienyl(triphenylphosphine)( $\alpha$ -benzenesulphonylalkyl)nickel complexes, synthesis, structure, and stability of (M. Julia, H. Lauron, J.N. Verpeaux, Y. Jeannin, C. Bois), (358) C11
- 1,1-Difluoroethenenickel-ligand complexes, preparation and structure of (H. Hoberg, D. Guhl), (373) C27
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Hetero-metal cluster formation by C—H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427
- $[M(C_6H_4N=NPh)(\eta^5-C_5H_5)]$  complexes ( $M = Ni, Pd$  and  $Pt$ ), crystal structures of (G.K. Anderson, R.J. Cross, K.W. Muir, L. Manojlović-Muir), (362) 225
- Methylmethoxycarbene complex and corresponding vinyl complex of nickel(II), crystal structures of (D. Xu, K. Miki, M. Tanaka, N. Kasai, N. Yasuoka, M. Wada), (371) 267
- Mono[tris(trimethylsilyl)cyclopentadienyl]nickel complexes, synthesis of (J. Okuda), (353) C1
- Nickel-catalysed electrochemical carboxylation of terminal alkynes, ligand-directed reaction products in (E. Labb  , E. Du  nach, J. P  richon), (353) C51
- Nickel-catalysed reductive electrocarboxylation of disubstituted alkynes (E. Du  nach, S. D  rien, J. P  richon), (364) C33
- Nickel complexes and 2,2'-bipyridine, catalysis of electrosynthesis of aryl thioethers starting from thiophenol and aromatic halides of (G. Meyer, M. Troupel), (354) 249
- Nickel complexes as catalysts for electrochemical synthesis of ketones from acid chlorides and alkyl and aryl halides (H. Marzouk, Y. Rollin, J.C. Folest, J.Y. N  d  lec, J. P  richon), (369) C47
- Nickel complexes as catalysts in electrochemical carboxylation of terminal alkynes; unusual regioselectivity (E. Du  nach, J. Perichon), (352) 239
- Nickel complexes containing phosphorus(III) ligands and their related Ziegler catalysts, electrochemical studies of (A.A. Pozdeeva, U.M. Dzhemilev, N.R. Popod'ko, R.I. Khusnutdinov, S.I. Zhdanov, G.A. Tolstikov), (367) 205
- Nickel(0) induced and catalysed coupling of phenylisocyanat with functional alkenes (H. Hoberg, D. Guhl), (375) 245
- Nickel, palladium and platinum, annual survey 1982 (P.A. Chaloner), (357) 51
- Nickel, palladium and platinum, annual survey 1983 (P.A. Chaloner), (374) 349
- Nickel-phosphine complex, monophenylation and partial reduction of 1,1-dihalogeno-2-phenyl-1-alkenes in presence of (Y. Okamoto, Y. Yoshikawa, T. Hayashi), (359) 243
- Nickela-heterocycles as intermediates in preparative isocyanate chemistry (H. Hoberg), (358) 507
- $[Ni(\eta^5-P_3C_2R_2)(\eta^3-P_2C_3R_3)]$  ( $R = Bu^t$ ), synthesis, and crystal and molecular structure of (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (373) C17
- Oligomerisation of ethene with catalysts exhibiting enzyme-like activities (S.J. Brown, A.F. Masters), (367) 371
- Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65
- Organometallic complexes, extent and direction of optical induction (T. Bartik, I. Gerdes, P. Heimbach, H.-G. Schulte), (367) 359
- Polyhalogenoalkane addition to olefins, homogeneously catalysed by divalent arynickel complexes (D.M. Grove, A.H.M. Verschuren, G. van Koten, J.A.M. van Beek), (372) C1
- Tetrafluorodisilacyclobutene and cyclic dienes, cycloaddition reactions mediated by transition metal carbonyls between (C.H. Lin, C.Y. Lee, T.T. Jzang, C.C. Lin, C.S. Liu), (356) 315

(*N,N,N',N'*-Tetramethylethylenediamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525

(Tmeda)Ni(H<sub>2</sub>C=CHCOOCH<sub>3</sub>)<sub>2</sub>, synthesis and structure of (W. Kaschube, K.R. Pörschke, K. Seevogel, C. Krüger), (367) 233

Transition metal catalysed asymmetric cross coupling reactions; crystal structures of [Ph<sub>2</sub>PCH<sub>2</sub>CH{(CH<sub>2</sub>)<sub>2</sub>SMe}NMe<sub>2</sub>]·PdCl<sub>2</sub> and [Ph<sub>2</sub>PCH<sub>2</sub>CH{(CH<sub>2</sub>)<sub>2</sub>SMe}NMe<sub>2</sub>]·PdCl<sub>2</sub> (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357

Transition metal electrophilic cations, rearrangements and polymerisations in reactions with olefins and small ring compounds of (A. Sen, T.-W. Lai, R.R. Thomas), (358) 567

Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η<sup>6</sup>-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

## Niobium

Allylniobocene compounds, formation by hydro-metallation of conjugated dienes with NbH(C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(olefin) of (H. Yasuda, T. Arai, T. Okamoto, A. Nakamura), (361) 161

[Nb(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Nb(CH<sub>3</sub>)<sub>2</sub>]<sup>+</sup>[AsF<sub>6</sub>]<sup>-</sup> and [(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Mo(CH<sub>3</sub>)<sub>2</sub>]<sup>2+</sup>[AsF<sub>6</sub>]<sup>-</sup><sub>2</sub>, high valence state niobocene and molybdenocene complexes, preparation of (P. Gowik, T. Klapötke), (375) C20

(C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>NbH and (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>TaH, π-coordination of N=N and C=N bonds in (J.F. Leboeuf, J.C. Leblanc, C. Moïse), (364) C22

Halogenohydridobis(silylated cyclopentadienyl)-niobium complexes, synthesis and characterization of (A. Antíñolo, M. Fajardo, F.A. Jalón, C. López Mardomingo, A. Otero, C. Sanz-Bernabé), (369) 187

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airolde, A.P. Chagas), (361) 319

Metallocene niobium(III) isocyanide complexes with oxidizing reagents, reactions of (M. Gómez, J.M. Martínez de Ilarduya, P. Royo), (369) 197

Monocyclopentadienylniobium(V) derivatives with nitrogen and phosphorus donor ligands, synthesis and characterisation of (A.M. Andreu, F.A. Jalón, A. Otero), (353) 185

Nb<sub>2</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>4</sub>Cl<sub>4</sub>Cl<sub>2</sub>S (S = *N,N*-dimethyl-formamide) formed by reduction of Nb(η<sup>5</sup>-

C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Cl<sub>2</sub>, electrochemical characteristics of (A. Fakhr, H. Nabaoui, Y. Mugnier, L. Roulier, R. Broussier, B. Gautheron, E. Laviron), (364) 149

Nb[η<sup>5</sup>-1,3-C<sub>5</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>Cl<sub>2</sub>, pseudo-reversibility of the first reduction stage of (H. Nabaoui, Y. Mugnier, A. Fakhr, E. Laviron, A. Antíñolo, F.A. Jalón, M. Fajardo, A. Otero), (375) 67

Niobium(V) cationic complexes, catalytic oxidation of triphenylphosphine by (H. Nabaoui, Y. Mugnier, A. Fakhr, E. Laviron, J. Mofidi, A. Antíñolo, F.A. Jalón, M. Fajardo, A. Otero), (362) C8

Organoniobium(V) perfluoroborate, arsenate and antimonate complexes, formation and characterisation of (P. Gowik, T. Klapötke), (368) 35

Tantalum complex containing a side-bonded diphenyldiphosphene, synthesis of (J.C. Leblanc, C. Moïse), (364) C3

Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53

## Osmium

Acylphosphido and η<sup>2</sup>-phosphaalkenyl complexes of osmium (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (353) 355

Alkylideneosmium complexes, interaction with tosyl-NSO of (M. Herberhold, A.F. Hill), (354) 227

η<sup>3</sup>-Allylundecacarbonylosmium tetrafluoroborate, synthesis, crystal and molecular structure of (T. Asunta, K. Rissanen, V.V. Krivikh, M.I. Rybinskaya), (372) 411

Aromatic olefinic ruthenium(0) and osmium(0) complexes, C<sub>6</sub>Me<sub>6</sub>Ru(CO)(C<sub>2</sub>H<sub>3</sub>R) and C<sub>6</sub>H<sub>6</sub>Os(L)(C<sub>2</sub>H<sub>4</sub>), direct reductive synthesis of (H. Werner, K. Roder), (367) 339

Arsinidene-bridged tri-, tetra- and penta-nuclear carbonylosmium clusters, synthesis and characterisation of (K. Guldner, B.F.G. Johnson, J. Lewis), (355) 419

Bis-alkynyl- and hydrido-alkynyl-osmium(II) and -ruthenium(II) complexes containing triisopropylphosphine as ligand, formation of (H. Werner, U. Meyer, M.A. Esteruelas, E. Sola, L.A. Oro), (366) 187

Bis(diphenylphosphino)acetylene as bridging ligand between homo- and hetero-metallic clusters (E. Sappa), (352) 327

(η<sup>5</sup>-Borole)iron and (η<sup>5</sup>-borole)(η<sup>5</sup>-cyclopentadienyl)hydrido-iron, -ruthenium and -osmium

- complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362) 243
- Carbonyl cluster dianion,  $[\text{OsRh}_4(\text{CO})_9(\mu_2\text{-CO})_6]^{2-}$ , synthesis and solution structure of (A. Fumagalli, L. Garlaschelli, R. Della Perogola), (362) 197
- Carbynylosmium cluster complexes, HPLC of (R. Khattar, B.F.G. Johnson, J. Lewis), (354) 221
- $\text{C}_5\text{H}_5\text{WOs}_3(\text{CO})_9(\mu\text{-O})(\mu_3\text{-CCH}_2\text{Tol})$ , interaction with phosphorus donors of; crystal structure of  $\text{C}_5\text{H}_5\text{WOs}_3(\text{CO})_8(\text{PPh}_2\text{Me})(\mu\text{-O})(\mu_3\text{-CCH}_2\text{Tol})$  (Y. Chi, J.R. Shapley, M.R. Churchill, J.C. Fettinger), (372) 273
- $\eta^5\text{-C}_5\text{Me}_5\text{Os}(\text{CO})_2\text{CH}_2\text{Ph}$ , radical formation during attempted photochemical substitution of (L.J. Johnston, M.C. Baird), (358) 405
- $[\text{C}_6\text{R}_6\text{M(L)}]$  ( $\text{M} = \text{Ru, Os}$ ), inter- and intramolecular C–H activation with (H. Werner, H. Kletzin, K. Roder), (355) 401
- Group 15 ligand-substituted derivatives of  $\text{M}_3(\text{CO})_{12}$  ( $\text{M} = \text{Ru, Os}$ ), stereochemistry of; synthesis and characterisation of tetra-substituted ruthenium complexes; X-ray structures of  $\text{Ru}_3(\text{CO})_8(\text{L})_4$  ( $\text{L} = \text{PMe}_2\text{Ph}$  and  $\text{P}(\text{OR})_3$ ,  $\text{R} = \text{Me, Et}$  and  $\text{Ph}$ ) (M.I. Bruce, M.J. Liddell, O. bin Shawkataly, I.R. Bytheway, B.W. Skelton, A.H. White), (369) 217
- $(\mu\text{-H})\text{Os}_3(\text{CO})_{10}(\mu_3\text{-CPh})$ , reaction with diphenylacetylene of; crystal structure of  $\text{Os}_3(\text{CO})_8(\mu, \eta^2\text{-CPhCHPh})(\mu, \eta^3\text{-C}_3\text{Ph}_3)$  (M.R. Churchill, J.W. Ziller, J.R. Shapley, W.-Y. Yeh), (353) 103
- $(\mu\text{-H})_2\text{Os}_3(\text{CO})_9(\mu_3\text{-Te})$ , synthesis, characterization, and X-ray crystal structure (H.-T. Schacht, A.K. Powell, H. Vahrenkamp, M. Koike, H.-J. Kneuper, J.R. Shapley), (368) 269
- $[\text{HOs}_3(\text{CO})_{10}(\mu\text{-TeC}_6\text{H}_4\text{OMe})]$ , synthesis, characterisation and conversion into  $[\text{Os}_3\text{Te}_2(\text{CO})_9]$  of (P. Mathur, D. Chakrabarty), (373) 129
- Hydrido(methyl)osmium compounds,  $\text{C}_6\text{H}_6\text{OsH}(\text{CH}_3)(\text{PR}_3)$ , synthesis, properties and reactivity of (K. Roder, H. Werner), (367) 321
- Ion group metallocenes, photoreaction of (P. Bergamini, S. Di Martino, A. Maldotti, S. Sostero, O. Traverso), (365) 341
- Large organometallic clusters, electronic structure of (R.E. Benfield), (372) 163
- $[\text{MCl}(\text{C}_6\text{H}_4\text{Me}-4)(\text{CO})(\text{PPh}_3)_2]$  ( $\text{M} = \text{Ru, Os}$ ), reactions of  $\text{SO}_2$  with; role of the adduct  $[\text{OsCl}(\text{C}_6\text{H}_4\text{Me}-4)(\text{CO})(\text{PPh}_3)_2(\text{SO}_2)]$  (M. Herberhold, A.F. Hill), (353) 243
- ortho*-Metallation at triosmium clusters, trapping of an unstable tautomer of indole by (K.I. Hardcastle, H. Minassian, A.J. Arce, Y. De Sanctis, A.J. Deeming), (368) 119
- $\alpha$ -Metallocenylcarbocation, stabilisation of; synthesis, properties and crystal structure of  $[\text{C}_5\text{Me}_5\text{OsC}_5\text{Me}_4\text{CH}_2^+]\text{BPh}_4^- \cdot \text{CH}_2\text{Cl}_2$  (M.I. Rybinskaya, A.Z. Kreidlin, Yu.T. Struchkov, A.I. Yanovsky), (359) 233
- Methylene-osmium(II) and -ruthenium(II) stable complexes, migration of  $\sigma$ -aryl ligand to CO in (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper, L.J. Wright), (358) 411
- $\text{M}_3\{\mu\text{-H}, \mu\text{-O}=\text{CNMe}_2\}(\text{CO})_{10}$  ( $\text{M} = \text{Ru, Os}$ ), reaction with but-2-yne of; crystal and molecular structures of  $\text{M}_3\{\eta^3\text{-CH}_2\text{CHC(H)-CH}_3\}\{\mu\text{-CO}, \mu\text{-O}=\text{CNMe}_2\}(\text{CO})_8$  ( $\text{M} = \text{Ru, Os}$ ) and  $\text{Ru}_2\{\mu\text{-O}=\text{CMe=CMe}(\eta^2\text{-CMe=CHMe})\}\{\mu\text{-O}=\text{CNMe}_2\}(\text{CO})_5$  (N.M. Boag, W.J. Sieber, C.E. Kampe, C.B. Knobler, H.D. Kaesz), (355) 385
- Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65
- $[\text{Os}_3(\text{CHCFc})(\text{CO})_{10}]$  ( $\text{CHCFc}$  = ethynylferrocene), conversion into  $[\text{Os}_3(\text{S})(\text{CHCFc})(\text{CO})_9]$  by reaction with sulphur of; crystal structures of these clusters and of  $[\text{Os}_3\text{H}(\text{C}_2\text{Fc})(\text{CO})_9]$  (K.I. Hardcastle, A.J. Deeming, D. Nuel, N.I., Powell), (375) 217
- $\text{Os}_3(\text{CO})_9(\text{alkyne})(\text{L})$  ( $\text{L} = \text{CO, PR}_3$ ), alkyne and carbonyl dynamics in (E. Rosenberg, J. Bracker-Novak, R.W. Gellert, S. Aime, R. Gobetto, D. Osella), (365) 163
- $\text{Os}_3(\text{CO})_9(\mu_3\text{-AsC}_6\text{H}_3\text{CH}_3)(\mu_3\text{-C}_6\text{H}_4\text{CH}_3)$ , synthesis and crystal structure of (B.F.G. Johnson, J. Lewis, A.J. Massey, D. Braga, F. Grepioni), (369) C43
- $\text{Os}_3(\text{CO})_8(\eta^1\text{-C(OMe)Ph})(\mu_3\text{-CPh})(\mu_3\text{-COMe})$ , cluster with a carbene and two carbyne ligands, synthesis, characterization, and crystal structure of (W.-Y. Yeh, S.R. Wilson, J.R. Shapley), (371) 257
- $\text{Os}_3(\text{CO})_{10}(\text{NCCH}_3)_2$ , reactions with benzotriazole of (S. Aime, M. Botta, R. Gobetto, D. Osella, F. Padovan), (353) 251
- Osmaoxaziridine  $[\text{Os}(\text{Cl}(\text{NO})(\text{ONC}_6\text{H}_5)(\text{P-Ph}_3)_2)]$ , synthesis and protonation of (M. Herberhold, A.F. Hill), (363) 371
- $[\text{Os}_3\text{M}(\mu\text{-H})_3(\text{CO})_{12}]$  ( $\text{M} = \text{Rh, Ir}$ ) mixed metal clusters, synthesis and characterisation of; X-ray structure of  $[\text{Os}_3\text{Rh}(\mu\text{-H})_3(\text{CO})_{12}]$  (P. Sundberg, B. Norén, B.F.G. Johnson, J. Lewis, P.R. Raithby), (353) 383
- $\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PCy}_3)$ , reaction with 1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane of; X-ray crystal structure of  $\text{Os}_3\text{Pt}(\mu_3\text{-S})_2(\text{CO})_9(\text{PCy}_3)$  ( $\eta\text{-C}=\text{C}_6\text{H}_6\text{Me}_4$ ) (P. Ewing, L.J. Farrugia), (373) 259

- Permethylated  $\alpha$ -metallocenylcarbocations and metallocenium cation radicals of the iron sub-group, related interconversions of (M.I. Rybinskaya, A.Z. Kreindlin, S.S. Fadeeva), (358) 363
- Phosphido-bridged hexaosmium "raft" clusters, synthesis and characterisation of; crystal structure of  $\text{Os}_6\text{H}_2(\text{CO})_{18}(\mu_3\text{-PPPh})$  (C.M. Hay, J.G. Jeffrey, B.F.G. Johnson, J. Lewis, P.R. Raithby), (359) 87
- $\eta$ -Pyrrolylmetal clusters, *ortho*-metallation with triosmium clusters of (A.J. Arce, C. Acuña, A.J. Deeming), (356) C47
- $\text{RuCl}\{\text{P(OMe)}_3\}_2(\eta\text{-C}_5\text{H}_5)$  and isomers of  $\text{Ru}\{\text{Cl}=\text{C}(\text{CN})_2\}\text{CPh}=\text{C}(\text{CN})_2\}\{\text{P(OMe)}_3\}_2$ - $(\eta\text{-C}_5\text{H}_5)$ , X-ray structures of (M.I. Bruce, M.P. Cifuentes, M.R. Snow, E.R.T. Tiekkink), (359) 379
- Ruthenium and osmium, annual survey 1985 (P.A. Shapley), (351) 89
- Ruthenium and osmium, annual survey 1986 (P.A. Shapley), (351) 145
- Tungsten-triosmium clusters, crystal structure and solution dynamics of  $(\text{C}_5\text{Me}_5)\text{WOs}_3(\text{CO})_{12}\text{H}$  (S.-M. Peng, G.-H. Lee, Y. Chi, C.-L. Peng, L.-S. Hwang), (371) 197
- ## Palladium
- 2-Alkenylphenols, asymmetric cyclization catalysed by palladium(II) and titanium(IV) complexes of (T. Hosokawa, T. Kono, T. Shinohara, S.-I. Murahashi), (370) C13
- Alkylmetals in reactions with  $\text{PRhCOPdX-(PPPh}_3)_2$  ( $X = \text{I}, \text{Cl}$ ) under CO; formation of  $\alpha$ -diketones and  $\alpha$ -hydroxyketones (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125
- $\eta^3$ -Allylpalladium chiral complexes, dynamic behaviour and X-ray analysis of (E. Cesarotti, M. Grassi, L. Prati, F. Demartin), (370) 407
- 2-Amino-5-nitrophenylpalladium(II) compounds, synthesis and reactivity of (J. Vicente, J.A. Abad, J.A. Sanchez), (352) 257
- Bis(diop)metal(0) compounds, dynamic behaviour of (E.M. Campi, P.S. Elmes, W.R. Jackson, R.J. Thomson, J.A. Weigold), (371) 393
- Bis-silyl-palladium complexes,  $(\text{R}_3'\text{P})_2\text{Pd}(\text{Si-R}_3)_2$ , influence of substituents at silicon on stability and decomposition products of (U. Schubert, C. Müller), (373) 165
- Bis(triphenylphosphine)palladium(0), preparation and reactions of (H. Urata, H. Suzuki, Y. Moro-oka, T. Ikawa), (364) 235
- Bis(triphenylphosphine)palladium(0) stabilization by chloride ions of (C. Amatore, M. Azzabi, A. Jutand), (363) C41
- Boron oxide in palladium catalysed allylic alkylation, effective activation of allylic ethers by (X. Lu, X. Jiang), (359) 139
- Chalcogens, contrasting roles in synthesis of mixed metal complexes  $(\text{CO})_6\text{Fe}_2(\mu_3\text{-E})_2\text{M-(PPPh}_3)_2$  ( $\text{E} = \text{Te, Se, S}; \text{M} = \text{Ni, Pd, Pt}$ ) of (P. Mathur, I.J. Mavunkal, V. Rugmini), (367) 243
- Chiral metal complexes of 2,3-bis(dimethylphosphino)maleic anhydride and of 2,3-bis(dimethylphosphino)maleimide derivatives, homogeneous asymmetric catalysis by (A. Kintjeng, C. Döbler), (370) 351
- 4-Copper-3-phenylsydnone, cross-coupling with aryl and vinyl halides catalysed by palladium(0) complexes (V.N. Kanilin, She Fan Min), (352) C34
- Cyclometallated palladium(II) and platinum(II) complexes derived from a chiral alkylbipyridine ligand, reactions with CO of (M.A. Cinelli, S. Gladiali, G. Minghetti), (363) 401
- Cyclopalladated complexes, ligand exchange reactions of N-donor ligands in (R.M. Ceder, M. Gómez, J. Sales), (361) 391
- Cyclopalladation of bis(pyrazolyl)methane derivatives, synthesis of a stable 5.6.5 chelate ring system with  $\text{C}_{sp^3}\text{-Pd}$  bonds (O. Juanes, J. De Mendoza, J.C. Rodriguez-Ubis), (363) 393
- Depalladation of organometallic compounds, C-C bond formation induced by (M. Pfeffer, M.A. Rotteveel, J.-P. Sutter, A. De Cian, J. Fischer), (371) C21
- $\mu$ -Dichlorobis(chloro(benzoylmethylenetri-n-butylphosphorane)palladium(II)), synthesis and molecular structure of (J.A. Albanese, D.L. Staley, A.L. Rheingold, J.L. Burmeister), (375) 265
- 2-Diphenylphosphinomethylene-6-diphenylphosphinomethylene-6-diphenylphosphinomethylene-pyridine-palladium(II) and -platinum(II) complexes; synthesis and crystal structures of  $[\text{PtCl}\{(2\text{-CH}_2\text{PPh}_2)_6\text{-}(\text{CH}_2\text{PPh}_2)\text{pyridine}\}]$  and  $[\text{Pd}(\text{COOMe})\{(2\text{-CH}_2\text{PPh}_2)_6\text{-}(\text{CH}_2\text{PPh}_2)\text{pyridine}\}]$  (A. Sacco, G. Vasapollo, C.F. Nobile, A. Piergiovanni, M.A. Pellinghelli, M. Lanfranchi), (356) 397
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Fluorocodlemones, preparation by Pd-catalysed cross-coupling reactions of (F. Tellier, R. Sauvêtre, J.-F. Normant), (364) 17
- $[\text{M}(\text{C}_6\text{H}_4\text{N=NPh})(\eta^5\text{-C}_5\text{H}_5)]$  complexes ( $\text{M} = \text{Ni, Pd and Pt}$ ), crystal structures of (G.K. Anderson, R.J. Cross, K.W. Muir, L. Manojlović-Muir), (362) 225
- $[\text{MCl}_2(\text{Ph}_2\text{PCH}_2\text{SCH}_3)_2]$  ( $\text{M} = \text{Pd or Pt}$ ), reactions with  $[\text{Rh}_2(\mu\text{-Cl})_2(\text{CO})_4]$  of; prepara-

- tion of  $\text{Ph}_2\text{PCH}_2\text{SCH}_3$ -bridged Pd–Rh complex (G.K. Anderson), (368) 385
- Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343
- Methyl 4-tri-n-butylstannylbenzoate, *P*-(methoxycarbonyl)phenylmercuric chloride and *P*-(methoxycarbonyl)phenylboronic acid, synthesis and iodination of (M.D. Hylarides, D.S. Wilbur, S.W. Hadley, A.R. Fritzberg), (367) 259
- Montmorillonitesilylaminepalladium(II) chloride, selective hydrodebromination of aryl bromides by (Y.V. Subba Rao, K. Mukkanti, B.M. Choudary), (367) C29
- Nickel, palladium and platinum, annual survey 1982 (P.A. Chaloner), (357) 51
- Nickel, palladium and platinum, annual survey 1983 (P.A. Chaloner), (374) 349
- 2-Nitrophenylsulphenylaniline derivative, *ortho*-palladation of (A. Guarneri, A.W. Parkins), (361) 399
- Organopalladium complexes with bidentate phosphorus and nitrogen containing ligands (W. de Graaf, S. Harder, J. Boersma, G. van Koten, J.A. Kanters), (358) 545
- Oxidative addition–reductive elimination reactions; crystal structure of  $\text{Me}_2(p\text{-BrC}_6\text{H}_4\text{CH}_2)\text{Pd}(\text{phen})\text{Br}$  (A.J. Canty, A.A. Watson, B.W. Skelton, A.H. White), (367) C25
- Palladium acetate, reactions with azepine and diazepine derivatives of (K. Saito, Y. Horie, K. Takahashi), (363) 231
- Palladium-catalysed acyldemettallation and carbonylation of organomercurials for synthesis of unsymmetrical ketones (N.A. Bumagin, P.G. More, I.P. Beletskaya), (365) 379
- Palladium-catalysed allylic acetoxylation, influence of added acids on (B. Åkermark, S. Hansson, T. Rein, J. Vågberg, A. Heumann, J.-E. Bäckvall), (369) 433
- Palladium-catalysed asymmetric synthesis of axially chiral molecules (J.C. Fiaud, J.Y. Legros), (370) 383
- Palladium-catalysed carbonylation of aryl iodides in aqueous media (N.A. Bumagin, K.V. Nikitin, I.P. Beletskaya), (358) 563
- Palladium-catalysed cross-coupling of bromobenzenes, containing an acetyl or formyl group, with organozinc reagents (Y. Okamoto, K. Yoshioka, T. Yamana, H. Mori), (369) 285
- Palladium-catalysed cross-coupling reactions of organomercurials with organic halides (N.A. Bumagin, P.G. More, I.P. Beletskaya), (364) 231
- Palladium catalysed coupling reactions of aryl halides with acrylic acid and acrylonitrile in aqueous media, synthesis of substituted cinnamic acids and cinnamonnitriles via (N.A. Bumagin, P.G. More, I.P. Beletskaya), (371) 397
- Palladium-catalysed preparation of *exo*-aryl derivatives of the norbornane skeleton (A. Arcadi, F. Marinelli, E. Bernocchi, S. Cacchi, G. Ortari), (368) 249
- Palladium-catalysed synthesis of coumarin (Z.-w. An, M. Catellani, G.P. Chiusoli), (371) C51
- Palladium-catalysed synthesis of piperidines by [3 + 3] cycloaddition of trimethylenemethane to activated aziridenes (R.B. Bambal, R.D.W. Kemmitt), (362) C18
- Palladium-catalysed telomerization of butadiene with diethylamine, stereochemistry of (T. Antonsson, A. Langlét, C. Moberg), (363) 237
- Palladium(II)-chloranilate complexes, factors influencing linkage isomer preference in (W.-Y. Jeong, R.A. Holwerda), (372) 453
- Palladium(II) complexes as catalyst in light-promoted oxidation of terminal alkenes (J. Muzart, P. Pale, J.-P. Pete), (353) 267
- Palladium(0)-mediated reactions of  $\text{BrZnCH}(\text{CH}_3)\text{COO}^+\text{Bu}$  with vinyl and aryl triflates, influence of catalyst on (F. Orsini, F. Pelizzoni, L.M. Vallarino), (367) 375
- Palladium P–N chelates as catalysts in asymmetric cross-coupling reactions (K.V. Baker, J.M. Brown, N.A. Cooley, G.D. Hughes, R.J. Taylor), (370) 397
- $\text{Pd}_2\text{Br}_4(\text{CO})_2$  and  $[\text{PdI}_3(\text{CO})]^-$ , preparation of; crystal structures of  $[\text{Bu}_4\text{N}]^+[\text{PdX}_3(\text{CO})]^-$  ( $X = \text{Cl}, \text{Br}$ ) (B.P. Andreini, D.B. Dell'Amico, F. Calderazzo, M.G. Venturi, G. Pelizzi), (354) 369
- $[\text{Pd}\{\text{CH}\{(\text{P}(2\text{-C}_6\text{H}_4)\text{Ph}_2)\}(\text{Co}_2\text{Me})\}(\mu\text{-Cl})]_2$  and derivatives and  $[\text{PdCl}_2\{\text{CH}(\text{PPh}_3)\text{CO}_2\text{Me}\}]_2$ , synthesis of (J. Vicente, M.T. Chicote, J. Fernandez-Baeza), (364) 407
- $(\text{Pd}(\text{CNR})(\eta^3\text{-2-XC}_3\text{H}_4)[\text{Ph}_3\text{PC}(\text{H})\text{COMe}])\text{BF}_4^-$  ( $X = \text{H}, \text{Me}; \text{R} = p\text{-C}_6\text{H}_4\text{OMe}, \text{C}(\text{Me})_3, \text{Me}, \text{C}_6\text{H}_{11}, p\text{-C}_6\text{H}_4\text{NO}_2$ ), complexes formation and characterization of; crystal structure of  $(\text{Pd}[\text{CNCMe}_3](\eta^3\text{-2-MeC}_3\text{H}_4)[\text{Ph}_3\text{PC}(\text{H})\text{COMe}])\text{BF}_4^-$  (G. Facchin, R. Bertani, L. Zanotto, M. Calligaris, G. Nardin), (366) 409
- Pd–HCl bi-functional catalyst for the carbonylation of methoxyoctadienes (M.C. Bonnet, D. Neibecker, B. Stitou, I. Tkatchenko), (366) C9
- $\text{Pd}_2\text{Mo}$ ,  $\text{PdPtMo}$  and  $\text{Pd}_2\text{W}$  mixed-metal clusters containing  $\text{Ph}_2\text{PCH}_2\text{PPh}_2$  (dppm), synthesis and reactivity of; molecular structure of  $[\text{Pd}_2\text{MoCl}(\eta\text{-C}_5\text{H}_5)(\mu_3\text{-CO})_2(\mu\text{-dppm})_2]$  (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot), (355) 533

- Perhaloaryl-palladium and -platinum anionic complexes as sources of homo- and heteronuclear compounds (R. Usón, J. Forniés, M. Tomás), (358) 525
- Phenothiazinonepalladium  $\sigma$ -bonded complexes, synthesis and spectroscopic characterization of (H. Konishi, C. Matsumura, T. Okano, J. Kiji), (364) 245
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of  $[\text{Cp}(\text{CO})_2\text{Mo}(\mu\text{-PCy}_2)\text{Pd}(\text{PCy}_2\text{H})_2]$  and  $[(\text{CO})_4\text{Mn}(\mu\text{-PCy}_2)\text{Pd}(\text{PCy}_2\text{H})_2]$  ( $\text{Cy} = \text{c-C}_6\text{H}_{11}$ ) (P. Braunstein, E. De Jesús, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5
- Photogenerated  $[\text{Pd}(\text{CNMe})_3]^{+}$  radicals, activation of unsaturated alkyl chlorides by; formation of  $\eta^3$ -allyl and "oxaallyl" palladium complexes (F.R. Lemke, C.P. Kubiak), (373) 391
- Transition metal catalysed asymmetric cross coupling reactions; crystal structures of  $[\text{Ph}_2\text{PCH}_2\text{CH}((\text{CH}_2)_3\text{SMe})\text{NMe}_2]\cdot\text{PdCl}_2$  and  $[\text{Ph}_2\text{PCH}_2\text{CH}((\text{CH}_2)_2\text{SMe})\text{NMe}_2]\cdot\text{PdCl}_2$  (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357
- Transition metal complexes, reaction with methyl formate of (W. Keim, J. Becker, A.M. Trzeciak), (372) 447
- Transition metal complexes of (2-(2-methoxyethoxy)ethyl)diphenylphosphine and (2-(2-methoxyethoxy)ethyl)dimethylarsine, synthesis and characterization of (V.V.S. Reddy, J.E. Whitten, K.A. Redmill, A. Varshney, G.M. Gray), (372) 207
- Transition metal dinuclear  $\mu$ -alkylidene complexes as models for transformation of  $\text{CH}_2\text{X}_2$  ( $\text{X} = \text{Cl}, \text{Br}, \text{I}$ ) into malonic acid derivatives (B. Denise, D. Navarre, H. Rundler, J.C. Daran), (375) 273
- Transition metal electrophilic cations, rearrangements and polymerisations in reactions with olefins and small ring compounds of (A. Sen, T.-W. Lai, R.R. Thomas), (358) 567
- Trimethylpalladium(IV) complexes of flexible bidentate ligands, conformational and fluxional effects in related  $\text{Me}_3\text{Pd}^{\text{IV}}$  and  $\text{Me}_3\text{Pt}^{\text{IV}}$  systems (P.K. Byers, A.J. Carty, R.T. Honeyman, A.A. Watson), (363) C22
- Trimethylplatinum(IV) mixed halide methylthio bridged tetramers; syntheses and fluxional properties of (E.W. Abel, K.G. Orrell, D. Stephenson), (373) 401
- $\alpha$ -Trimethylsilyl-8-methylquinoline ligand, palladation and reactions of the resulting Pd-C bond with alkynes of (M.T. Pereira, M. Pfeffer, M.A. Rotteveel), (375) 139
- 2,4,6-Trinitrophenylpalladium(II) anionic complexes; crystal structure of *cis*- $[\text{PdCl}_2\{2,4,6\text{-C}_6\text{H}_2(\text{NO}_2)_3\}\{\text{S}(\text{O})\text{Me}_2\}]^-$  (J. Vicente, A. Arcas, M.V. Borrachero, E. Molins, C. Miravitles), (359) 127
- Tris(tribenzylideneacetetylacetone)tripalladium: preparation of; a correction (A.M. Echavarren, J.K. Stille), (356) C35
- ## Phosphorus
- Acylaminoacrylic acid ethyl ester and (*Z*)-acylaminocinnamic acid methyl ester, asymmetric hydration catalysed by DIOP-rhodium derivative of (U. Werz, H.-A. Brune), (365) 367
- Acylphosphido and  $\eta^2$ -phosphaalkenyl complexes of osmium (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (353) 355
- $\mu(\alpha, \omega)$ -Alkanediyl-iron(II) and -tungsten(II) complexes, mechanisms of reactions with tertiary phosphines and halogens of (J.R. Moss, L.G. Scott), (363) 351
- Alkylidyne-rhenium complexes, synthesis of; crystal structure of *trans*- $[\text{ReF}(\equiv\text{CCH}_2\text{But})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]\text{BF}_4^-$  (A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (352) C5
- Alkylmetals in reactions with  $\text{PRhCOPdX-(PPPh}_3)_2$  ( $\text{X} = \text{I}, \text{Cl}$ ) under CO; formation of  $\alpha$ -diketones and  $\alpha$ -hydroxyketones (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125
- O*-Alkyl-*O'*-triorganostannylyl phosphonates, formation and spectra of (J.N. Pandey, G. Srivastava), (354) 301
- Allylbis-ligand-nickel(II) hexafluorophosphate,  $[\text{C}_3\text{H}_5\text{NiL}_2]\text{PF}_6^-$  and  $[\text{C}_3\text{H}_5\text{Ni}(\text{Br})\text{P(O-Thym)}_3]/\text{Et}_2\text{AlCl}$  as catalysts for dimerisation of propene (E. Balabolov, M. Mitkova, K. Kurtev, J.-P. Gehrke, R. Taube), (352) 247
- $\eta^1 : \eta^3$ -Allyl-bridged bimetallic complexes,  $[\eta^3\text{-}(2-(\eta^5\text{-Cp})(\text{OC})(\text{PR}_3)\text{Fe-allyl})\text{Pt}(\text{PPh}_3)_2]\text{PR}_6^-$  ( $\text{PR}_3 = \text{PPh}_2\text{H}, \text{PPh}_2\text{Me}$ ), synthesis and structural characterization of (M.R. Gregg, J. Powell, J.F. Sawyer), (352) 357
- (2-Allylphenyldiphenylphosphine)tetracarbonyltungsten(0), olefin isomerization in (I.-H. Wang, G.R. Dobson), (356) 77
- 2-Aminoethylphosphines, cyclization behaviour of (K. Issleib, H. Schmidt, E. Leissring), (355) 71
- Areneruthenium dichloride dimers,  $[\text{RuCl}_2(\eta^6\text{-arene})]_2$ , regeneration from their monomeric adducts with amines or phosphines of (P. Pertici, S. Bertozzi, R. Lazzaroni, G. Vitulli, M.A. Bennett), (354) 117

- Aromatic olefinic ruthenium(0) and osmium(0) complexes,  $C_6Me_6Ru(CO)(C_2H_3R)$  and  $C_6H_6Os(L)(C_2H_4)$ , direct reductive synthesis of (H. Werner, K. Roder), (367) 339
- Aryl-platinum compounds with large area aryl ligands, synthesis of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (365) 403
- 1,2-Azaborolylliron complexes, enantiomeric purity of (G. Schmidt, T. Rohling), (375) 21
- Bis-alkynyl- and hydrido-alkynyl-osmium(II) and -ruthenium(II) complexes containing triisopropylphosphine as ligand, formation of (H. Werner, U. Meyer, M.A. Esteruelas, E. Sola, L.A. Oro), (366) 187
- Bis[(*S,S*)-2,3-bis(diphenylphosphino)butane]iridium(I), stereochemistry of hydrogen addition to; crystal structure of bis[*(S,S*)-2,3-bis(diphenylphosphino)butane]iridium(I) tetrafluoroborate (J.M. Brown, P.L. Evans, P.J. Maddox, K.H. Sutton), (359) 115
- [*(2,3,5,6-η*)-Bicyclo[2.2.1]hepta-2,5-diene]*P,O*-diphenyl(phenylsulphinylmethyl)phosphine]-rhodium(I) trifluoromethane sulphonate and asymmetric analogues, synthesis, crystal structure, and catalytic chemistry of (N.W. Alcock, J.M. Brown, P.L. Evans), (356) 233
- [Bis(dibenzylmethylphosphino)]bis(diethylsulphido]platinum(II) chloride, synthesis and structure of (H.-P. Abicht, K. Jurkschat, K. Peters, E.-M. Peters, H.G. von Schnerring), (364) 415
- [1,3-Bis(diisopropylamino)-1,3-dibora-5-cyclohexene-2,4-diyl]dicarbonyl(trimethylphosphine)iron, crystal structure of (G.E. Herberich, B. Hessner, N. Klaff, H. Ohst), (375) 161
- Bis(2-dimethylchlorostannylethyl)phenylphosphine oxide, molecular structure and stereoisomerization (M. Dargatz, H. Hartung, E. Kleinpeter, B. Rensch, D. Schollmeyer, H. Weichmann), (361) 43
- trans*-Bis(dimethylphenylphosphine)bis(2-tolyl)-nickel(II), crystal structures of *anti* and *syn* isomers of (K. Miki, M. Tanaka, N. Kasai, M. Wada), (352) 385
- Bis(dimethylphosphino)ethane, reactions with  $Co_4(CO)_{10}(\mu_4-PPPh)_2$  of; synthesis, structure, and solution dynamics of  $Co_4(CO)_8(\mu_4-PPPh)_2(dmpe)$  (C.L. Schulman, M.G. Richmond, W.H. Watson, A. Nagl), (368) 367
- [Bis(dimethylphosphino)ethane](trichloro)cyclopentadienyltitanium(IV), preparation and crystal structure of (D.L. Hughes, G.J. Leigh, D.G. Walker), (355) 113
- 1,2-Bis(diphenylphosphinoxy)ethane and methyl diphenylphosphine oxide, formation of organotin halide adducts with (C.H. Yoder, S.M. Coley, S.P. Kneizys, J.N. Spencer), (362) 59
- Bis(diphenylphosphino)acetylene as bridging ligand between homo- and hetero-metallic clusters (E. Sappa), (352) 327
- 2,2'-Bis(diphenylphosphino)biphenyl, synthesis of (T.K. Miyamoto, Y. Matsuura, K. Okude, H. Ichida, Y. Sasaki), (373) C8
- 1,1'-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of  $M_2(CO)_{10}(\mu-P-P)$ ,  $M(CO)_4(\eta^2-P-P)$  and  $M(CO)_5(\eta^1-P-P)$  ( $M = Cr, Mo, W$ ;  $P-P = Fe(C_5H_4PPh_2)_2$ ) (T.S.A. Hor, L.-T. Phang), (373) 319
- Bis(diphosphine)chlorohydridoiron complexes, reinvestigation of (M.V. Baker, L.D. Field), (354) 351
- Bis( $\mu$ -hydridocyclopentadienyldicarbonyltungsten complexes,  $[C_5R_5W(CO)_2(\mu-H)]_2$  ( $R = H, Me$ ), reactions with  $SOCl_2$ ,  $Br_2$ ,  $I_2$ ,  $HCl$ ,  $CF_3COOH$ ,  $PMc_3$ ,  $NO$ ,  $ClNO$  and  $CS_2$  (H.G. Alt, T. Frister, E.E. Trapl, H.E. Engelhardt), (362) 125
- ( $P(R, S), 3R, 4R, P'(R, S))$ -3,4-Bis(phenylphosphino)pyrrolidine complexes, preparation of pure 1,2-bisphosphane ligands catalysed by (U. Nagel, B. Rieger, A. Bublewitz), (370) 223
- Bis(phosphine)platinum ethene complexes, substitution reactions of (P.A. Chaloner, G.T.L. Broadwood-Strong), (362) C21
- Bis-silyl-palladium complexes,  $(R_3'P)_2Pd(SiR_3)_2$ , influence of substituents at silicon on stability and decomposition products of (U. Schubert, C. Müller), (373) 165
- Bis(trimethylsilyl)isocyanamine and its isomers, reactions with chlorotriphenylphosphonium chloride of; crystal structure of  $[Ph_3PCNN\{C(PPh_3)_2N\}N][PF_6]_2$  (G. Zinner, G. Beck, W.P. Fehlhammer, N. Wiberg), (368) 23
- Bis(trimethylsilyl)phosphidobis(tetrahydrofuran)lithium as a reducing agent; X-ray structure of  $[UCP_2''(\mu-Cl)_2Li(THF)_2]$  ( $Cp'' = \eta^5-C_5H_3(SiMe_3)_2-1,3$ ;  $THF = OC_4H_8$ ) (P.C. Blake, E. Hey, M.F. Lappert, J.L. Atwood, H. Zhang), (353) 307
- Bis(triphenylphosphine)gold tricyanomethanide,  $\{(PPh_3)_2Au\}^+ [C(CN)_3]^-$ , synthesis and crystal structure of (T.V. Baukova, D.N. Kravtsov, L.G. Kuz'mina, N.V. Dvortsova, M.A. Poray-Koshits, E.G. Perevalova), (372) 465
- Bis(triphenylphosphine)palladium(0), preparation and reactions of (H. Urata, H. Suzuki, Y. Moro-oka, T. Ikawa), (364) 235
- Bis( $\eta^5$ -1,2,4-triphosphacyclopentadienyl)chromocene,  $[Cr(\eta^5-C_2-t-Bu_2P_3)_2]$ , crystal and molecular structure of (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (356) C1
- ( $\eta^5$ -Borole)iron and ( $\eta^5$ -borole)( $\eta^5$ -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium

- complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362) 243
- ( $\eta^4$ -Butadienyl)tricarbonyliron complexed functionalized phosphonate, synthesis and reactions of (P. Pinsard, J.-P. Lelouche, J.-P. Beaucourt, L. Toupet, L. Schio, R. Grée), (371) 219
- t-Butyl-substituted tin-phosphor compounds, preparation and structure of (D. Hänsgen, H. Aldenhoven, M. Nieger), (367) 47
- Carbonylcyclopentadienylphosphinerhodium dinuclear compounds, synthesis, oxidation and acid reactions of (T.E. Bitterwolf, W.C. Spink, M.D. Rausch), (363) 189
- Carbonyliron dinuclear carbene complexes, kinetics of thermally replacement of CO in (A. Darchen, E.K. Lhadi, H. Patin), (363) 137
- Carbonylphosphineplatinum high-nuclearity icosahedral clusters; synthesis and crystal structure of  $\text{Pt}_{17}(\mu_2\text{-CO})_4(\text{CO})_8(\text{PEt}_3)_8$  (S.S. Kurasov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), (361) 405
- Carbonyl-phosphine-ruthenium(II) complexes, ( $\text{R}_2\text{P}$ )<sub>2</sub>Ru(CO)<sub>2</sub>Cl<sub>2</sub> and ( $\text{R}_3\text{P}$ )<sub>3</sub>Ru(CO)Cl<sub>2</sub>, homogeneous hydrogenation of 1-hexene by (D.W. Krassowski, J.H. Nelson), (356) 93
- ( $\text{C}_5\text{Cl}_4\text{R}$ )Mn(CO)<sub>3</sub> and ( $\text{C}_5\text{Cl}_4\text{R}$ )Rh(COD) derivatives, preparation of; crystal structure of ( $\text{C}_5\text{Cl}_4\text{CONH}_2$ )Mn(CO)<sub>3</sub> (K. Sünkel, D. Steiner), (368) 67
- [( $\eta^5\text{-C}_5\text{H}_5$ ) $\text{CO}$ )<sub>2</sub>Fe{P(O)(N $\text{Et}_2$ )<sub>2</sub>}]<sub>2</sub>FeCl<sub>2</sub>, synthesis and structure of (H. Nakazawa, Y. Kadoi, T. Mizuta, K. Miyoshi, H. Yoneda), (366) 333
- $\text{C}_5\text{H}_5\text{Co(SMe}_2)_2$ , intermediate in synthesis and reactivity of dienylmetal compounds (N. Kuhn, E. Zauder), (362) 217
- ( $\text{C}_5\text{H}_5$ )<sub>2</sub>Cr<sub>2</sub>(CO)<sub>4</sub>( $\mu$ - $\eta^2\text{-P}_2$ ), coordination to metal carbonyl fragments of; crystal structure of ( $\text{C}_5\text{H}_5$ )<sub>2</sub>Cr<sub>2</sub>(CO)<sub>4</sub>( $\mu$ - $\eta^2\text{-P}_2$ )[Cr(CO)<sub>5</sub>]<sub>2</sub> (L.Y. Goh, R.C.S. Wong, T.C.W. Mak), (364) 363
- Chemo- and stereo-selective reactions of [Fe(CO)<sub>2</sub>Cp]<sup>+</sup> and [AuPPh<sub>3</sub>]<sup>+</sup> with [W(CO)<sub>5</sub>{C(OEt)-(Ph)C(Ph)=C=S}]<sup>-</sup>; crystal structures of Z-[W(CO)<sub>5</sub>{C(SFe[CO]<sub>2</sub>Cp)C(Ph)=C(OEt)Ph}] and E-[W(CO)<sub>5</sub>{S=C(AuPPh<sub>3</sub>)C(Ph)=C(OEt)Ph}] (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337
- $\eta^5\text{-C}_5\text{H}_5\text{Fe(CO)}_2(\eta^1\text{-C}_5\text{H}_4\text{X})$  (X = CH<sub>3</sub>, CONHTs) complexes, investigation of; crystal and molecular structure of 5-[ $\eta^5\text{-C}_5\text{H}_5\text{Fe(CO)}_2$ ]-1-[TsNHCO]cyclopentadiene (M.E. Wright, J.F. Hoover, R.S. Glass, V.W. Day), (364) 373
- Chiral modified dinuclear cluster Ru<sub>2</sub>(CO)<sub>4</sub>( $\eta^2\text{-OOCR}$ )<sub>2</sub>( $\eta^2\text{-DIOP}$ ), as catalyst for asymmetric hydration of hydroxyacetone (G.F. Schmidt, G. Süss-Fink), (362) 179
- Chiral sulphonated phosphinerhodium complexes, influence of water on enantioselectivity in reduction of dehydro-aminoacids by (L. Lecomte, D. Sinou, J. Bakos, I. Tóth, B. Heil), (370) 277
- (C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>)(CO)<sub>2</sub>Cr(C<sub>2</sub>H<sub>2</sub>), reactions with PMe<sub>3</sub> and HNMe<sub>2</sub> of, solid state structure of (C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>)(CO)<sub>2</sub>Zr(PMe<sub>3</sub>) and (C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>)(CO)<sub>2</sub>Zr[C(Me)NMe<sub>2</sub>] (R.D. Rogers, H.G. Alt, H.E. Engelhardt), (366) 305
- {( $\eta^5\text{-C}_5\text{H}_5\text{Mo(CO)}_2\text{L}$ )<sup>+</sup> (L = CO, PPh<sub>3</sub>)}, chemistry of (P.R. Drake, M.C. Baird), (363) 131
- [( $\eta^5\text{-C}_5\text{H}_4\text{R}$ )Fe(CO)(PPh<sub>3</sub>)]<sup>+</sup> (R = CHPh<sub>2</sub>, I, CH(CH<sub>3</sub>)<sub>2</sub>), NMR and X-ray structure of (J. du Toit, D.C. Levendis, J.C.A. Boeyens, M.S. Loonat, L. Carlton, W. Pickl, N.J. Coville), (368) 339
- Chromium(III) and chromium(IV)  $\pi$ -aromatic complexes, preparation and structures of (W.A. Herrmann, W.R. Thiel, E. Herdtweck), (353) 323
- [( $\eta^5\text{-C}_5\text{H}_5$ )Ru(PPh<sub>3</sub>)(CN<sup>1</sup>Bu)(IR)]PF<sub>6</sub>, (R = CH<sub>3</sub>, CH<sub>2</sub>SiMe<sub>3</sub>), preparation of; crystal structures of [ $(\eta^5\text{-C}_5\text{H}_5)$ Ru(PPh<sub>3</sub>)(CN<sup>1</sup>Bu)] and [ $(\eta^5\text{-C}_5\text{H}_5)$ Ru(PPh<sub>3</sub>)(CN<sup>1</sup>Bu)(I-CH<sub>3</sub>)]PF<sub>6</sub> (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (366) 357
- ( $\eta\text{-C}_6\text{H}_6$ )U(BH<sub>4</sub>)<sub>3</sub>L<sub>2</sub> complexes in solution (L = THF, DME, HMPA, Ph<sub>3</sub>PO), structure and ligand exchange reactions of (D. Baudry, P. Dorion, M. Ephritikhine), (356) 165
- (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Zr(C<sub>2</sub>H<sub>4</sub>)(PMe<sub>3</sub>), the first ethylenecirconium compound (H.G. Alt, C.E. Denner, U. Thewalt, M.D. Rausch), (356) C83
- [ $(\text{C}_5\text{Me}_5\text{CO})_2\text{Mn}_2\text{P}$ ]<sup>+</sup> X<sup>-</sup> (X = CF<sub>3</sub>SO<sub>3</sub>, PF<sub>6</sub>), the first dimetallaphosphacumulene (A. Strube, J. Heuser, G. Huttner, H. Lang), (356) C9
- $\eta^5\text{-C}_5\text{Me}_5\text{Os(CO)}_2\text{CH}_2\text{Ph}$ , radical formation during attempted photochemical substitution of (L.J. Johnston, M.C. Baird), (358) 405
- [( $\eta^5\text{-C}_5\text{Me}_5$ )Re(NO)(PPh<sub>3</sub>)(ClCH<sub>2</sub>Cl)]<sup>+</sup> BF<sub>4</sub><sup>-</sup>, generation and oxidative addition product of (C.H. Winter, J.A. Gladysz), (354) C33
- Cobalt dinuclear ring-bridged complexes, synthesis and reactions of (H. Werner, F. Lippert, T. Bohley), (369) C27
- Cobalt(II) reductive carbonylation in the presence of diphenylphosphine; synthesis and structure of (PPN)[Co(CO)<sub>3</sub>(PPh<sub>2</sub>OMe)] and MeCOCo(CO)<sub>2</sub>(PPh<sub>2</sub>H)(PPh<sub>2</sub>OMe) (S. Vastag, L. Markó, A.L. Rheingold), (372) 141
- [Co<sub>2</sub>(CO)<sub>4</sub>{ $\mu$ -(CH<sub>2</sub>O)<sub>2</sub>PN(Et)P(OCH<sub>2</sub>)<sub>2</sub>}]<sub>2</sub>, a molecule with a symmetrical formula but an

- unsymmetrical structure (G. de Leeuw, J.S. Field, R.J. Haines), (359) 245
- $[\text{Co}^{\text{I}}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{PCH}_2\text{PPh}_2-P,P')_2]_{2-}$  { $\text{Co}^{\text{II}}_2[\mu\text{-Ph}_2\text{P(O)CH}_2\text{CH}_2\text{P(O)Ph}_2]\text{Cl}_6$ }, a polynuclear cobalt carbonyl ion-pair complex (Z.-Z. Zhang, H.-K. Wang, Z. Xi, H.-G. Wang, R.-J. Wang), (352) C22
- $[(\text{C}_5\text{R}_5)\text{Fe}(\text{CO})_2]_2$  ( $\text{R} = \text{H, Me}$ ), reaction with phosphorus ylids of (C. Caballero, J.A. Chávez, O. Göknur, I. Löchel, B. Nuber, H. Pfisterer, M.L. Ziegler, P. Albuquerque, L. Eguren, R.P. Korswagen), (371) 329
- Cyanamide-derived bis(cyanoimido) complexes, *trans*- $[\text{M}(\text{NCN})_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$  ( $\text{M} = \text{Mo or W}$ ), synthesis of; crystal structure of the Mo compound (A.J.L. Pombeiro, M.F.C.G. Silva, D.L. Hughes, R.L. Richards), (371) C45
- Cyclic dithio- and diaminocarbene coordinated trichloromethyl isocyanide complexes, reactions of (W.P. Fehlhammer, G. Beck), (369) 105
- Cycloheptatrienyl-molybdenum and -tungsten, synthesis and redox chemistry of phosphine- and phosphite-substituted halide and acetonitrile derivatives of (C. Bitcon, R. Breeze, P.F. Miller, M.W. Whiteley), (364) 181
- ( $\eta^5$ -Cyclopentadienyl)- and (pentamethyl- $\eta^5$ -cyclopentadienyl)-chromium(III) dihalogenide, antiferromagnetic dinuclear complexes (F.H. Köhler, J. Lachmann, G. Müller, H. Zeh, H. Brunner, J. Pfauntsch, J. Wachter), (365) C15
- Cyclopentadienylchromium sulphide, reactivity towards atmospheric oxygen of; X-ray analysis of  $\text{Cp}_2^*\text{Cr}_2(\mu, \eta^2\text{-S}_2)(\mu\text{-S}_2)$  ( $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$ ) H. Brunner, J. Pfauntsch, J. Wachter, B. Nuber, M.L. Ziegler), (359) 179
- Cyclopentadienylidicarbonyliron iodide, ( $\eta^5\text{-C}_5\text{H}_5$ ) $\text{Fe}(\text{CO})_2\text{I}$ , photosubstitution of iodide in; synthesis of cyclopentadienyliron dicarbonyl- and carbonyl-phosphine complexes containing  $\eta^1\text{-N-imidato(1-)}$  ligands (J. Zakrzewski), (359) 215
- Cyclopentadienyl(triphenylphosphine)( $\alpha$ -benzenesulphonylalkyl)nickel complexes, synthesis, structure, and stability of (M. Julia, H. Lauron, J.N. Verpeaux, Y. Jeannin, C. Bois), (358) C11
- Cyclopentanone-phospha-, -oxa-, -thia- or -azatungsten complexes, synthesis of (F.R. Kreissl, M. Wolfgruber), (355) 267
- (*exo*-5-Dialkylphosphono-*exo*-6- $\text{R}\cdot\eta^4$ -cyclohexadiene)manganese dicarbonylnitrosyl compounds, conversion of arenes to cyclohexa-1,3-dienes via (T.-H. Hyeon, Y.K. Chung), (372) C12
- Di- and tri-organotin(IV) dimethyldithiophosphinates, synthesis and characterization of (C. Silvestru, I. Haiduc), (365) 83
- 1,8-Diaza-6-(2',4',6'-tri-*t*-butylphenylphosphanyliden)bicyclo[5.4.0]undec-7-ene, formation and reaction of (R. Appel, L. Krieger), (354) 309
- $\alpha$ -Diazophosphane, structural characterization of; crystal structure of bis[bis(diisopropylamino)phosphanyl]diazomethane [ $(i\text{-Pr}_2\text{N})_2\text{P}]_2\text{CN}_2$ ] (M.J. Menu, M. Dartiguenave, Y. Dartiguenave, J.J. Bonnet, G. Bertrand, A. Baeiredo), (372) 201
- cis*-Dicarbonylbis(tributylphosphane)molybdenum complexes of the four bidiazines (S. Ernst, S. Kohlmann, W. Kaim), (354) 177
- $\mu$ -Dichlorobis[chloro(benzoylmethylenetri-*n*-butylphosphorane)palladium(II)], synthesis and molecular structure of (J.A. Albanese, D.L. Staley, A.L. Rheingold, J.L. Burmeister), (375) 265
- Diethylaminocarbonyltungsten complexes, reactions with electrophiles of (A.C. Filippou, E.O. Fischer), (352) 149
- 1,1-Difluoroethenenickel-ligand complexes, preparation and structure of (H. Hoberg, D. Guhl), (373) C27
- Dihydrido( $\eta$ -cyclopentadienyl)bis(triphenylphosphine)ruthenium(IV) cations, formation and properties of (T. Wilczewski), (361) 219
- Dimethyl ester of (2,3,4,5- $\eta$ )(2*E,4E*)-nonadienylphosphonic acid tricarbonyliron, syntheses, characterisation and reactivity of (P. Pinsard, J.P. Lellouche, J.P. Beaucourt, R. Gree), (354) 193
- Dimethylindium dialkylamides and organylphosphides, X-ray crystal structure of  $(\text{Me}_2\text{InNR}_2)_2$  ( $\text{R} = \text{Et, Pr}^i, \text{SiMe}_3$ ) and  $(\text{Me}_2\text{InPBu}'_2)_2$  (K.A. Aitchison, J.D.J. Backer-Dirks, D.C. Bradley, M.M. Faktor, D.M. Frigo, M.B. Hursthause, B. Hussain, R.L. Short), (366) 11
- Dimolybdenum unsaturated compound  $[\text{Mo}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-CH}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_2]$ , synthesis and reactivity of; crystal structure of  $[\text{Mo}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-I})(\mu\text{-CH}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_2][\text{TlI}_4]\text{CH}_2\text{Cl}_2$  (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (375) C23
- Dinaphthylplatinum(II) compounds, synthesis of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (362) 63
- Diolefin- and carbonyl-rhodium(I) and -iridium(I) complexes with phosphine sulphide ligands; crystal structure of  $[\text{Rh}(\text{COD})(\text{Et}_2\text{P(S)PEt}_2)]\text{ClO}_4$  (C. Claver, A. Ruiz, A.M. Masdeu, J. Viñas, T. Saballs, F.J. Lahoz, F.J. Plou), (373) 269

- (*meso-cis*-2,10-Diphenyl-6-aza-*kN*-2,10-diphospha-*k*<sup>2</sup>P-bicyclo[9.4.0]pentadeca-11(1),12,14-triene)(bicyclo[2.2.1]heptadiene)rhodium(I) hexafluorophosphate, structure of (S.-T. Liu, M.-C. Cheng, S.-M. Peng), (368) C38
- (-)436-(*S*)-(-)-Diphenyl-1-phenylethylaminophosphine( $\eta^5$ -pentamethylcyclopentadienyl)(dimethylphosphonato)cobalt(III), preparation, crystal structure, absolute configuration and conformational analysis of (C. Jablonski, T. Burrow, P.G. Jones), (370) 173
- 2-Diphenylphosphinomethylenide-6-diphenylphosphinomethylene-6-diphenylphosphinomethylene-pyridine-palladium(II) and -platinum(II) complexes; synthesis and crystal structures of [PtCl{2-(CH<sub>2</sub>PPh<sub>2</sub>)<sub>6</sub>-(CH<sub>2</sub>PPh<sub>2</sub>)pyridine}] and [Pd(COOMe){(2-CH<sub>2</sub>PPh<sub>2</sub>)<sub>6</sub>-(CH<sub>2</sub>PPh<sub>2</sub>)pyridine}] (A. Sacco, G. Vasapollo, C.F. Nobile, A. Piergiovanni, M.A. Pellinghelli, M. Lanfranchi), (356) 397
- 1,3,2,4-Diphosphadiborabicyclo[1.1.0]butanes, synthesis, structure of; formation of complexes from (P. Kölle, G. Linti, H. Nöth, K. Polborn), (355) 7
- Diphosphinomethanide ligands, [(R<sub>2</sub>P)<sub>2</sub>CX]<sup>-</sup>, coordination to Li<sup>+</sup>; crystal structures of {(THF)Li[(Ph<sub>2</sub>P)<sub>2</sub>CH]<sub>2</sub>}, {(THF)Li[(Me<sub>2</sub>P)<sub>2</sub>C(SiMe<sub>3</sub>)]<sub>2</sub>} and {[TMEDA)Li[(Me<sub>2</sub>P)<sub>2</sub>C(SiMe<sub>3</sub>)]} (H.H. Karsch, B. Deubelly, G. Müller), (352) 47
- Effect of ultrasound and of phosphine and phosphine oxides on the Khand reaction (D.C. Billington, I.M. Helps, P.L. Pauson, W. Thomson, D. Willison), (354) 233
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Ethyl  $\alpha$ -acylaminoacrylate and (*Z*)-methyl  $\alpha$ -acylamino cinnamate, asymmetric hydration catalysed by [Rh(diop-derivative)(solvent)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup> of (U. Werz, H.-A. Brune), (363) 377
- Ferrio-azidosilanes and ferriosilyliminophosphoranes, synthesis and reactivity of (U. Wachtler, W. Malisch, E. Kolba, J. Matreux), (363) C36
- Ferrocenophane derivatives containing chelated ligands, synthesis of (R. Sihler, U. Werz, H.-A. Brune), (368) 213
- Gaseous methylenebis(phosphane), CH<sub>2</sub>(PH<sub>2</sub>)<sub>2</sub>, structural studies on (P.C. Knüppel, G. Pawelke, H. Sommer, O. Stelzer, H. Oberhammer, M.F. Lappert, R.J. Suffolk, J.D. Watts), (355) 55
- Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281
- Group 15 ligand-substituted derivatives of M<sub>3</sub>(CO)<sub>12</sub> (M = Ru, Os), stereochemistry of; synthesis and characterisation of tetra-substituted ruthenium complexes; X-ray structures of Ru<sub>3</sub>(CO)<sub>8</sub>(L)<sub>4</sub> (L = PMe<sub>2</sub>Ph and P(OR)<sub>3</sub>, R = Me, Et and Ph) (M.I. Bruce, M.J. Liddell, O. bin Shawkataly, I.R. Bytheway, B.W. Skelton, A.H. White), (369) 217
- Half-sandwich arene-iron complex, synthesis and reactivity of; structure of [C<sub>6</sub>H<sub>3</sub>Fe(C<sub>3</sub>H<sub>5</sub>)(CO)]PF<sub>6</sub> (M.J. Begley, S.G. Puntambekar, A.H. Wright), (362) C11
- Halomethyldicarbonylcyclopentadienyliron complexes with tertiary phosphine, amine and sulphur ligands, reactions of (G.C.A. Bellinger, H.B. Friedrich, J.R. Moss), (366) 175
- Heterocyclic compounds containing a P=C or As=C bond, investigation by UV photoelectron spectroscopy of (L. Nyulászi, G. Csonka, J. Réffy, T. Vesprémi, J. Heinicke), (373) 49
- Hetero-metallic complexes, [W ReCo<sub>2</sub>(μ<sub>3</sub>-CC<sub>6</sub>H<sub>4</sub>Me-4)(CO)<sub>15</sub>] and [ReCo<sub>2</sub>(μ<sub>3</sub>-CC<sub>6</sub>H<sub>4</sub>Me-4)(CO)<sub>10</sub>], reactions with secondary and tertiary phosphines of (M.R. Bradford, J.C. Jeffery, K.M. Johnson, S.E. Phillips), (362) 205
- Hexahydrido( $\eta^5$ -pentamethylcyclopentadienyl)-rhenium(VII), ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)ReH<sub>6</sub>, reactivity of (W.A. Herrmann, H.G. Theiler, E. Herdtweck, P. Kiprof), (367) 291
- Hexaorgano-substituted triatomics, R'<sub>3</sub>M'XM'' R'', and related species, structures of (C. Glidewell), (356) 151
- Hydridodiphenylphosphinomethylzirconium(III) species, formation by reduction of (C<sub>5</sub>H<sub>4</sub>-t-Bu)Zr(CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (R. Choukroun, D. Gervais, C.-E. Rifai), (368) C11
- Hydrido(methyl)osmium compounds, C<sub>6</sub>H<sub>6</sub>OsH-(CH<sub>3</sub>)(PR<sub>3</sub>), synthesis, properties and reactivity of (K. Röder, H. Werner), (367) 321
- $\eta^2$ -Iminoacylmetallocene substituted ylides, isonitrile insertion into the M=C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121
- Indenylruthenium(II) complexes containing optically active diphosphines; X-ray structures of (S,S)-( $\eta^5$ -C<sub>9</sub>H<sub>7</sub>)Ru(Ph<sub>2</sub>PCH(CH<sub>3</sub>)CH-CH(CH<sub>3</sub>)PPh<sub>2</sub>)Cl and of its  $\eta^5$ -C<sub>5</sub>H<sub>5</sub> analogue (F. Morandini, G. Consiglio, A. Sironi, M. Moret), (370) 305
- $\beta$ -Keto phosphines derived from ferrocene; syntheses and structures of [Ph<sub>2</sub>PCH<sub>2</sub>C(O)-( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)Fe( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)](L<sup>1</sup>) and trans-[PdCl<sub>2</sub>L<sup>1</sup>]<sub>2</sub> (P. Braunstein, T.M. Gomes Carneiro, D. Matt, F. Balegroune, D. Grandjean), (367) 117
- Ligand-centred coupling of alkynyl radical cations [Mo(C≡CR)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)( $\eta$ -C<sub>7</sub>H<sub>7</sub>)]<sup>+</sup> (R = Ph or Bu<sup>n</sup>); crystal structure of [M<sub>2</sub>O<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>( $\eta$ -C<sub>7</sub>H<sub>7</sub>)<sub>2</sub>( $\mu$ -C<sub>4</sub>R<sub>2</sub>)]PF<sub>6</sub><sub>2</sub> (R = Ph) (R.L. Bed-

- does, C. Bitcon, A. Ricalton, M.W. Whiteley), (367) C21
- $\eta^1$ -Ligated halogenophosphaalkenes; crystal structures of *trans*-[RhCl(PPh<sub>3</sub>)<sub>2</sub>{ $\eta^1$ -PX=C(SiMe<sub>3</sub>)<sub>2</sub>}] (X = F or Cl) (P.B. Hitchcock, M.F. Meidine, J.F. Nixon, H. Wang, D. Gudat, E. Niecke), (368) C29
- [Li(PPh(SiMe<sub>3</sub>)(tmeda)]<sub>2</sub> (from Mg(PPh)<sub>2</sub>(tmeda) or Li(PPh)(tmeda)), synthesis of; X-ray structure of the *trans*-isomer (E. Hey, C.L. Raston, B.W. Skelton, A.H. White), (362) 1
- Lithiodi-t-butylfluorosilylphenylphosphane, eight-membered crystal structure of (SiFLiP)<sub>2</sub> (D. Stalke, M. Meyer, M. Andrianarison, U. Klingebiel, G.M. Sheldrick), (366) C15
- Maleic anhydride complex, Ru( $\eta^2$ -C<sub>4</sub>H<sub>2</sub>O<sub>3</sub>)-(CO)(CN-*p*-tolyl)(PPh<sub>3</sub>)<sub>2</sub>, crystal structure of (C.E.F. Rickard, W.R. Roper, L.J. Wright, L. Young), (364) 391
- (*ortho*- and (*meta*-MeC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>Me)Cr(CO)<sub>2</sub>L (L = (+)-neomenthyl-PPh<sub>2</sub>), diastereoisomer separation and absolute configuration of (G. Jaouen, J.A.S. Howell, M.-C. Tirvengadum, P. McArdle, D. Cunningham), (370) 51
- Metal cyanide boron trifluoride stable adducts, crystal structure of ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(Ph<sub>3</sub>P)<sub>2</sub>Ru-(CNBF<sub>3</sub>) (W. Weigand, U. Nagel, W. Beck), (352) 191
- (Methylenechlorophosphine)pentacarbonyltungsten, synthesis, spectroscopic properties and chemistry of (B. Deschamps, F. Mathey), (354) 83
- Metallacyclophosphazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40
- Metallocenyldes of zirconium and hafnium (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>M(R)(=CHPPh<sub>3</sub>), carbonylation of (G. Erker, U. Korek, R. Schlund, C. Krüger), (364) 133
- Metallophosphine, Ph<sub>2</sub>PW(CO)<sub>3</sub>Cp, as precursor of the "Ph<sub>2</sub>PW(CO)<sub>2</sub>" fragment; ethylene-like displacement with platinum(0) from complexes of (P. Braunstein, E. de Jésus), (365) C19
- Mn( $\eta^5$ -CH<sub>3</sub>C<sub>5</sub>H<sub>4</sub>)(CO)<sub>3-n</sub>(PPh<sub>3</sub>)<sub>n</sub> (n = 0, 1, 2) complexes, kinetics of photosubstitution of CO and PPh<sub>3</sub> in (G. Teixeira, T. Aviléz, A.R. Dias, F. Pina), (353) 83
- trans*-[MoH<sub>4</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], reactions with RCO<sub>2</sub>C≡CH (R = Me or Et) in the presence of acids of (N. Kashef, R.L. Richards), (365) 309
- Molybdenum(II) and tungsten(II) cationic seven-coordinate complexes, synthesis of (P.K. Baker, M. Bamber, G.W. Rogers), (367) 101
- Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morville, J.M. Brown), (361) 249
- Monomeric phosphinoboranes, synthesis and rearrangements of (H.H. Karsch, G. Hanika, B. Huber, J. Riede, G. Müller), (361) C25
- Mono[tris(trimethylsilyl)cyclopentadienyl]nickel complexes, synthesis of (J. Okuda), (353) C1
- Nickel complexes containing phosphorus(III) ligands and their related Ziegler catalysts, electrochemical studies of (A.A. Pozdeeva, U.M. Dzhemilev, N.R. Popod'ko, R.I. Khusnutdinov, S.I. Zhdanov, G.A. Tolstikov), (367) 205
- Nickel(0) induced and catalysed coupling of phenylisocyanat with functional alkenes (H. Hoberg, D. Guhl), (375) 245
- Nickel-phosphine complex, monophenylation and partial reduction of 1,1-dihalogeno-2-phenyl-1-alkenes in presence of (Y. Okamoto, Y. Yoshikawa, T. Hayashi), (359) 243
- Nickela-heterocycles as intermediates in preparative isocyanate chemistry (H. Hoberg), (358) 507
- Niobium(V) cationic complexes, catalytic oxidation of triphenylphosphine by (H. Nabaoui, Y. Mugnier, A. Fakhr, E. Laviron, J. Mofidi, A. Antíñolo, F.A. Jalón, M. Fajardo, A. Otero), (362) C8
- [Ni( $\eta^5$ -P<sub>3</sub>C<sub>2</sub>R<sub>2</sub>)( $\eta^3$ -P<sub>2</sub>C<sub>3</sub>R<sub>3</sub>)] (R = Bu<sup>t</sup>), synthesis, and crystal and molecular structure of (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (373) C17
- Organoelement-benzasole derivatives of P, As, Si and Sn, synthesis and pyrolysis of (J. Heinicke), (364) C17
- Organometallic Beckmann rearrangement; isolation of Cp(CO)(Ph<sub>3</sub>P)FeN=CCH<sub>3</sub><sup>+</sup> BF<sub>4</sub><sup>-</sup> from a vinylidene precursor (A.G.M. Barrett, N.E. Carpenter, M. Sabat), (352) C8
- Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65
- Organometallic complexes, extent and direction of optical induction (T. Bartik, I. Gerdes, P. Heimbach, H.-G. Schulte), (367) 359
- Organopalladium complexes with bidentate phosphorus and nitrogen containing ligands (W. de Graaf, S. Harder, J. Boersma, G. van Koten, J.A. Kanters), (358) 545
- Organotin trihalides in solution, stoichiometry of (J.N. Spencer, B.G. Enders, A. Grushow, S.P. Kneizys, W.L. Nachlis, D. Mokrynska, S.M. Coley, J.C. Otter, C.H. Yoder), (362) 53
- Orthometallated rhodium(III) compounds, synthesis and reactivity of; crystal structure of RhCl(CO)[P(*o*-ClC<sub>6</sub>H<sub>4</sub>)Ph<sub>2</sub>]<sub>2</sub> (P.

- Lahuerta, J. Latorre, R. Martínez-Máñez, F. Sanz), (356) 355
- $\text{Os}_3(\text{CO})_9(\text{alkyne})(\text{L})$  ( $\text{L} = \text{CO}, \text{PR}_3$ ), alkyne and carbonyl dynamics in (E. Rosenberg, J. Bracker-Novak, R.W. Gellert, S. Aime, R. Gobetto, D. Osella), (365) 163
- Palladium complexes as catalyst in reduction of aromatic acyl fluorides (R. Braden, T. Himmer), (367) C12
- Palladium P–N chelates as catalysts in asymmetric cross-coupling reactions (K.V. Baker, J.M. Brown, N.A. Cooley, G.D. Hughes, R.J. Taylor), (370) 397
- $[\text{Pd}\{\text{CH}\{\text{P}(2-\text{C}_6\text{H}_4)\text{Ph}_2\}\{\text{Co}_2\text{Me}\}\}(\mu\text{-Cl})]_2$  and derivatives and  $[\text{PdCl}_2\{\text{CH}(\text{PPh}_3)\text{CO}_2\text{Me}\}_2]$ , synthesis of (J. Vicente, M.T. Chicote, J. Fernandez-Baeza), (364) 407
- $\text{Pd}_2\text{Mo}$ ,  $\text{PdPtMo}$  and  $\text{Pd}_2\text{W}$  mixed-metal clusters containing  $\text{Ph}_2\text{PCH}_2\text{PPh}_2$  (dppm), synthesis and reactivity of; molecular structure of  $[\text{Pd}_2\text{MoCl}(\eta\text{-C}_5\text{H}_5)(\mu_3\text{-CO})_2(\mu\text{-dppm})_2]$  (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot, (355) 533
- Pentacarbonyldiphosphane-*rhodium* monomeric and bridged complexes and reactions with nucleophiles of (P. Steil, U. Nagel, W. Beck), (366) 313
- Pentacarbonylmethyl- and carbonylnitrosyl-cobaltdiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis-(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197
- Pentacarbonylmethyl complexes of organophosphorus chlorides with  $\text{K}_2\text{SN}_2$ , X-ray structure of  $(\text{CO})_5\text{Cr}[\bar{\text{P}}(\text{i-Bu})\text{NSNSNH}]$  (A. Gieren, C. Ruiz-Pérez, T. Hübner, M. Herberhold, K. Schamel, K. Guldner), (366) 105
- Pentacarbonyl(phosphane)-*rhenium* cationic complexes, synthesis and reactions with nucleophiles of (P. Steil, W. Sacher, P.M. Fritz, W. Beck), (362) 363
- Peralkyldiphosphine-*rhodium* optically active complexes, preparation and use in asymmetric catalytic hydrogenation of ketones of (K. Tani, K. Suwa, E. Tanigawa, T. Ise, T. Yamagata, Y. Tatsumo, S. Otsuka), (370) 203
- Perhaloaryl-palladium and -platinum anionic complexes as sources of homo- and heteronuclear compounds (R. Usón, J. Forniés, M. Tomás), (358) 525
- 2-Phenyl-3*a*,4,5,6,7,7*a*-hexahydro-4,7-methanindan-1-on optically pure complex, formation by the asymmetric Khand reaction of (P. Bladon, P.L. Pauson, H. Brunner, R. Eder), (355) 449
- 3-Phenylprop-2-en-1-ol, dehydrogenation, hydrogenolysis, isomerization and hydrogenation with carbonylperchloratobis(triphenylphosphine)iridium(I) and carbonyldihydrido-perchloratobis(triphenylphosphine) iridium(III) of (C.S. Chin, J.H. Shin, J.B. Kim), (356) 381
- $\eta^3$ -Phosphaallyl-molybdenum and -tungsten complexes, synthesis and crystal structure of (C. Hugel-Le Goff, F. Mercier, L. Ricard, F. Mathey), (363) 325
- Phosphaferrocenium cations, reactions with nucleophiles of (P. Lemoine), (359) 61
- cis*-Phosphanyl-tetracarbonyltungsten(0) mono- and di-nuclear complexes of pyridines, synthesis and spectroscopy of (B. Olbrich-Deussner, W. Kaim), (361) 335
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of  $[\text{Cp}(\text{CO})_2\text{Mo}(\mu\text{-PCy}_2)\text{Pd}(\text{PCy}_2\text{H})_2]$  and  $[(\text{CO})_4\text{Mn}(\mu\text{-PCy}_2)\text{Pd}(\text{PCy}_2\text{H})_2]$  ( $\text{Cy} = \text{c-C}_6\text{H}_{11}$ ) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5
- Phosphido-bridged hexaosmium “raft” clusters, synthesis and characterisation of; crystal structure of  $\text{Os}_6\text{H}_2(\text{CO})_{18}(\mu_3\text{-PPh})$  (C.M. Hay, J.G. Jeffrey, B.F.G. Johnson, J. Lewis, P.R. Raithby), (359) 87
- Phosphidoindium compounds, preparation of; crystal structures of  $\text{In}(\text{PBu}_2^t)_3$  and  $[\text{Et}_2\text{In-PBu}_2^t]_2$  (N.W. Alcock, I.A. Degnan, M.G.H. Wallbridge, H.R. Powell, M. McPartlin, G.M. Sheldrick), (361) C33
- Phosphine- and carbonyl-molybdenum dimers with double hydrogen bridge, electronic structure of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (369) 69
- Phosphine-assisted synthesis of  $(\eta\text{-C}_5\text{Me}_5)\text{Ta}(\text{CO})_4$ , isolation and crystal structure of intermediate  $(\eta\text{-C}_5\text{Me}_5)\text{TaCl}_2(\text{CO})_2(\text{PM}_3)$  (V.C. Gibson, T.P. Kee, W. Clegg), (353) C23
- Phosphinoruthenium(II) oxidative cleavage of styrene with oxygen catalysed by (M. Bonaldo, F. Borin, M. Bressan, A. Morvillo), (363) 175
- Phosphonium diylids, reactivity with aldehydes and ketones of (H.-J. Cristau, Y. Ribeill, L. Chiche, F. Plénat), (352) C47
- Phosphonium diylids, reactivity with esters and amides of (H.-J. Cristau, Y. Ribeill), (352) C51
- $\text{Ph}_3\text{PAu}-\text{CHPh}-\text{SO}_2\text{-t-Bu}$ , synthesis and crystal structure of (H.-J. Kneuper, K. Harms, G. Boche), (364) 275
- $(\text{Ph}_3\text{P})_2\text{Fe}(\text{CO})_3$ , expedient synthesis of (J.J. Brunet, F.B. Kindela, N. Neibecker), (368) 209

- Polyhalogenoalkane addition to olefins, homogeneously catalysed by divalent arylnickel complexes (D.M. Grove, A.H.M. Verschuur, G. van Koten, J.A.M. van Beek), (372) C1
- Polysiloxane-phosphine ligands, complexes and hydrogenation catalysts of (R.V. Parish, D. Habibi, V. Mohammadi), (369) 17
- trans*-[PtCl(COCH<sub>2</sub>CH<sub>2</sub>Ph)(PPh<sub>3</sub>)<sub>2</sub>]·EtOH, isolation and molecular structure of; intermediate in hydroformylation styrene promoted catalytic system (R. Graziani, G. Cavinato, U. Casellato, L. Toniolo), (353) 125
- Pt-phosphine-SnCl<sub>2</sub> and Pt-bisphosphine-CuCl<sub>2</sub> (or CuCl) catalytic systems, asymmetric hydroformylation with (L. Kollár, J. Bakos, I. Tóth, B. Heil), (370) 257
- Pt(Ph<sub>2</sub>PCH<sub>2</sub>CMe<sub>2</sub>Ö) chelates SO<sub>2</sub>, CO, or 3,5-Me<sub>2</sub>C<sub>6</sub>H<sub>3</sub>NC insertion into the Pt–O bonds of; crystal structure of [PtCl(Ph<sub>2</sub>PCH<sub>2</sub>-CMe<sub>2</sub>ÖCNC<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>-3,5)(Ph<sub>2</sub>PCH<sub>2</sub>CMe<sub>2</sub>-OH)] (N.W. Alcock, A.W.G. Platt, H.H. Powell, P.G. Pringle), (361) 409
- 2-Pyridylplatinum(II) complexes, [PtCl(C<sub>5</sub>H<sub>4</sub>N-C<sup>2</sup>)(L)<sub>2</sub>] (L = tertiary phosphine), preparation and reactions of (B. Crociani, F. Di Bianca, A. Giovenco, A. Berton, R. Bertani), (361) 255
- Rh( $\eta^4$ -C<sub>8</sub>H<sub>12</sub>) $\{\eta^5$ -C<sub>5</sub>(CO<sub>2</sub>Me)<sub>5</sub>}, Rh(azb)<sub>2</sub>(C<sub>5</sub>-(CO<sub>2</sub>Me)<sub>5</sub>), and [M(CO)(OC(OH)Me)-(PPh<sub>3</sub>)<sub>2</sub>][C<sub>5</sub>(CO<sub>2</sub>Me)<sub>5</sub>] (M = Rh and Ir), crystal structures of (M.I. Bruce, P.A. Humphrey, B.W. Skelton, A.H. White), (361) 369
- [Rh(COD)(*p*-tolyl-N=PPh<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>NH-*p*-tolyl)][Rh(COD)Cl<sub>2</sub>], preparation and crystal structure of (P. Imhoff, C.J. Elsevier), (361) C61
- Rh<sub>2</sub>(O<sub>2</sub>CCH<sub>3</sub>)<sub>3</sub>[((C<sub>6</sub>H<sub>4</sub>)PPh<sub>2</sub>)(HO<sub>2</sub>CCH<sub>3</sub>)<sub>2</sub>], synthesis, crystal structure and reactivity of (P. Lahuerta, J. Payá, E. Peris, M.A. Pellinghelli, A. Tiripicchio), (373) C5
- Rhodium(I)-[2,3- $\alpha$ -bis(diphenylphosphino)- $\beta$ -D-glucopyranoside] chelates with free hydroxyl groups as catalysts in asymmetric hydrogenation (R. Selke), (370) 249
- Rhodium-catalysed carbonylation of *N,N*-allylethylamine, crystal structure of the formed cluster cation and cluster anion (J. Podlahova, J. Podlaha, A. Jegorov, J. Hašek), (359) 401
- Rhodium(I)-catalyzed hydrogen-transfer reaction of secondary alcohols and imines, mechanism of (H.-A. Brune, J. Unsin, R. Hemmer, M. Reichhardt), (369) 335
- Rhodium(I) chelates prepared by precipitation from equilibrium between neutral and cationic complexes and hydrolysis of bonded ligands (R. Selke), (370) 241
- Rhodium complexes of improved (2S,4S)-*N*-(t-butoxycarbonyl)-4-(diphenylphosphino)-2-[(diphenylphosphino)methyl]pyrrolidine (BPPM) analogues, efficient asymmetric hydrogenation of itaconic acid derivatives catalysed by (K. Inoguchi, T. Morimoto, K. Achiwa), (370) C9
- Rhodium complexes with (−)-(S,4S)-2,4-bis(diphenylphosphino)pentane, synthesis and stereochemistry of (J. Bakos, I. Tóth, G. Szalontai, V. Fülop, B. Heil), (371) 101
- Rhodium complexes with *N*-cyanomethyleneimine as ligand (M. Steinmetz, H. Werner), (369) 309
- Rhodium dihydride complex [RhH<sub>2</sub>(cHex-DAB)(PPh<sub>3</sub>)<sub>2</sub>][PF<sub>6</sub>] (cHex-DAB = C<sub>6</sub>H<sub>11</sub>N=C(H)CH=NC<sub>6</sub>H<sub>11</sub>) with [PPh<sub>4</sub>][Co(CO)<sub>4</sub>] and [PPh<sub>4</sub>][HFe(CO)<sub>4</sub>], reactions of; crystal structure of [RhH<sub>2</sub>(cHex-DAB)(PPh<sub>3</sub>)<sub>2</sub>][Co(CO)<sub>4</sub>] (M. Iglesias, C. del Pino, A.S. José, S. Martinez-Carrera, J. Ros), (366) 391
- Rhodium(I), rhodium(II) and rhodium(III) complexes with *o*-benzene dithiolate(2-), *o*-methylthiobenzene thiolate(1-), 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecanate(2-), CO and PPh<sub>3</sub>, synthesis and properties of (D. Sellmann, A. Fetz, M. Moll, F. Knoch), (355) 495
- Rhodium-trialkylphosphine-nitrogen base catalyst: carbon monoxide hydrogenation to ethylene glycol with (Y. Hara, E. Watanabe, K. Wada, T. Onoda), (359) 97
- [RhRu<sub>3</sub>( $\mu$ -H)<sub>2</sub>( $\mu$ -CO)(CO)<sub>9</sub>( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)] cleavage with elimination of benzene on reaction with (Ph<sub>2</sub>PCH<sub>2</sub>)<sub>3</sub>CMe of; structural characterisation and non-rigidity of [Ru<sub>3</sub>( $\mu$ -H){ $\mu$ -PPhCH<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>)<sub>2</sub>CMe}(CO)<sub>8</sub>] (J.-L. Le Grand, W.E. Lindsell, K.J. McCullough), (373) C1
- (R<sub>3</sub>P)<sub>2</sub>Ru(CO)<sub>2</sub>Cl<sub>2</sub> and (R<sub>3</sub>P)<sub>3</sub>Ru(CO)Cl<sub>2</sub> complexes, electrochemistry of (E.B. Milosavljević, Lj. Solujić, D.W. Krassowski, J.H. Nelson), (352) 177
- (R)(R')P=Co(CO)<sub>3</sub>, a neutral phosphonium P=Co bond ion complex with (H. Lang, O. Orama), (371) C48
- RuCl(P(OMe)<sub>3</sub>)<sub>2</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>) and isomers of Ru[C=C(CN)<sub>2</sub>]CPh=C(CN)<sub>2</sub>{P(OMe)<sub>3</sub>}<sub>2</sub>-( $\eta$ -C<sub>5</sub>H<sub>5</sub>), X-ray structures of (M.I. Bruce, M.P. Cifuentes, M.R. Snow, E.R.T. Tieckink), (359) 379
- [Ru<sub>3</sub>(CO)<sub>9</sub>{μ<sub>3</sub>-σ,σ, $\eta^3$ -C=CCHMe<sub>2</sub>(PPh<sub>2</sub>)<sub>2</sub>} ] and [Fe<sub>3</sub>(CO)<sub>9</sub>{μ<sub>3</sub>-σ,σ- $\eta^3$ -C=CCHMe<sub>2</sub>(Ph<sub>2</sub>PO)}], synthesis and structures of (D.E. Fogg, S.A. MacLaughlin, K. Kwek, A.A. Cherkas, N.J. Taylor, A.J. Carty), (352) C17

- [Ru(CO)Cl(HC=CHR)(PPh<sub>3</sub>)<sub>2</sub>] (R = n-C<sub>3</sub>H<sub>7</sub>, CMe<sub>3</sub>, SiMe<sub>3</sub>, Ph) addition reactions with 3,5-dimethylpyrazole or, crystal structure of [Ru(CO)Cl(HC=CHC<sub>3</sub>H<sub>7</sub>)(PPh<sub>3</sub>)<sub>2</sub>(Me<sub>2</sub>-Hpz)] (M.R. Torres, A. Santos, A. Perales, J. Ros), (353) 221
- Ru<sub>3</sub>(CO)<sub>12-n</sub>(PPh<sub>2</sub>H)<sub>n</sub> (n = 2, 3), HRu<sub>3</sub>-(CO)<sub>3</sub>(CO)<sub>10</sub>(μ-PPh<sub>2</sub>), HRu<sub>3</sub>(CO)<sub>9</sub>(μ-PPh<sub>2</sub>) and HRu<sub>3</sub>(CO)<sub>7</sub>(μ-PPh<sub>2</sub>)<sub>3</sub> as catalysts in selective hydrogenation of diphenylacetylene and isomerization of *cis*-stilbene (M. Castiglioni, R. Giordano, E. Sappa), (369) 419
- Ru<sub>3</sub>(CO)<sub>12-n</sub>(PPh<sub>2</sub>H)<sub>n</sub> (n = 2, 3), HRu<sub>3</sub>-(CO)<sub>10</sub>(μ-PPh<sub>2</sub>), HRu<sub>3</sub>(CO)<sub>9</sub>(μ-PPh<sub>2</sub>), H<sub>2</sub>Ru<sub>3</sub>(CO)<sub>8</sub>(μ-PPh<sub>2</sub>)<sub>2</sub> and HRu<sub>3</sub>(CO)<sub>7</sub>(μ-PPh<sub>2</sub>)<sub>3</sub>, selective hydrogenation of t-butylacetylene in the presence of; spectroscopic identification of alkyne-substituted cluster intermediates (M. Castiglioni, R. Giordano, E. Sappa), (362) 399
- Ru<sub>3</sub>(CO)<sub>9</sub>(PPh<sub>3</sub>)<sub>3</sub>, starting material for synthesis of binuclear ruthenium(I) complexes; crystal structure of Ru<sub>2</sub>(μ-L<sub>2</sub>)(CO)<sub>4</sub>(PPh<sub>3</sub>)<sub>2</sub> (H<sub>2</sub>L<sub>2</sub> = 1,8-diaminonaphthalene) (P.L. Andreu, J.A. Cabeza, V. Riera, F. Robert, Y. Jeannin), (372) C15
- Ru<sub>3</sub>(μ<sub>5</sub>-η<sup>2</sup>-P-C<sub>2</sub>PPh<sub>2</sub>)(μ-PPh<sub>2</sub>)(CO)<sub>13</sub> reactions with CO or dihydrogen or; X-ray crystal structures of Ru<sub>5</sub>(μ-H)(μ<sub>5</sub>-CCH<sub>2</sub>PPh<sub>2</sub>)(μ-PPh<sub>2</sub>)(CO)<sub>13</sub>, Ru<sub>5</sub>(μ-H)<sub>2</sub>(μ<sub>4</sub>-CCH<sub>2</sub>PPh<sub>2</sub>)(μ-PPh<sub>2</sub>)(CO)<sub>12</sub> and Ru<sub>5</sub>C(μ-H)<sub>3</sub>(μ-PPh<sub>2</sub>)(CO)<sub>11</sub>(PMePh<sub>2</sub>) (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), (369) 393
- Ruthenium clusters as catalysts for C-C and C-N addition reactions of carbodiimides (G.F. Schmidt, G. Süss-Fink), (356) 207
- Ruthenium dinuclear cluster with N- and O-containing bridges, reactions with CO<sub>2</sub> of (F. Neumann, G. Süss-Fink), (367) 175
- Ruthenium(II) monomeric complexes containing diazene and isocyanide ligands: preparation and properties of; crystal structure of [Ru(4-CH<sub>3</sub>C<sub>6</sub>H<sub>4</sub>N=NH)(4-CH<sub>3</sub>C<sub>6</sub>H<sub>4</sub>NC)(P(O-Et)<sub>3</sub>)<sub>4</sub>](PF<sub>6</sub>)<sub>2</sub> (G. Albertin, S. Antoniutti, E. Bordignon, G. Pelizzi, F. Vitali), (353) 229
- Ruthenium trinuclear complex, modification with chiral diphosphane ligands of (G. Süss-Fink, H. Jungbluth), (352) 185
- Ru-X-C (X = F or H) interactions in complex compounds; preparation and crystal structures of [Ru{SC<sub>6</sub>F<sub>4</sub>(F-2)}(SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>-(PMe<sub>2</sub>Ph)<sub>2</sub>] and [Ru(SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>{PC<sub>6</sub>H<sub>4</sub>(H-2)-(C<sub>6</sub>H<sub>5</sub>)<sub>2</sub>}<sub>2</sub>] (R.-M. Catalá, D. Cruz-Garritz, P. Sosa, P. Terreros, H. Torrens, A. Hills, D.L. Hughes, R.L. Richards), (359) 219
- 4-Silaphosphorinanes, formation and characterisation of (M.L.J. Hackney, R.C. Haltiwanger, P.F. Brandt, A.D. Norman), (359) C36
- Silicon centre, modification of reactivity by remote phosphorus group at (J. Kowalski, J. Chojnowski), (356) 285
- Silylalkyl(ether-phosphanes), preparation, characterisation and reactions of (E. Lindner, A. Bader, E. Glaser, B. Pfleiderer, W. Schumann, E. Bayer), (355) 45
- Silylsilver complexes, formation of (U. Schubert, H. Wagner), (361) C15
- (Sorbic acid)Fe(CO)<sub>2</sub>L complexes with L = CO, P(OPh)<sub>3</sub>, PPh<sub>3</sub>, and PEt<sub>3</sub>, photolytic preparation, spectral properties, and bonding of (É.H. Santos, E. Stein, E.J.S. Vichi, E.B. Saitovitch), (375) 197
- Sterically hindered stannylporphines, reactions of; syntheses of a Sn-substituted diphosphene (D. Hänsgen, H. Aldenhoven, M. Nieger), (375) C9
- 3-Substituted benzazaphospholes and benzazarsoles, investigation by UV-photoelectron spectroscopy of (L. Nyulászi, G. Csonka, J. Réffy, T. Veszprémi, J. Heinicke), (373) 57
- Sulphur dioxide insertion into M-C(sp) bonds of Ru(C<sub>2</sub>Ph)(PPh<sub>3</sub>)<sub>2</sub>(η-C<sub>5</sub>H<sub>5</sub>); X-ray crystal structure of Ru(η<sup>2</sup>-S<sub>2</sub>CC<sub>2</sub>Ph)(PPh<sub>3</sub>)(η-C<sub>5</sub>H<sub>5</sub>) (M.I. Bruce, M.J. Liddell, M.R. Snow, E.R.T. Tieckink), (352) 199
- Tantalum complex containing a side-bonded diphenyldiphosphene, synthesis of (J.C. Leblanc, C. Moïse), (364) C3
- Tetracarbonyliron-methylene-triphenylphosphine ylide adducts, mild phase-transfer syntheses and reactions of (H. des Abbayes, J.-C. Clement, P. Laurent, J.-J. Yaouanc, G. Tanguy, B. Weinberger), (359) 205
- Tetracobalt cluster Co<sub>4</sub>(CO)<sub>10</sub>(μ-PPh<sub>2</sub>), reaction of Ph<sub>2</sub>PH with; sequential CO replacement and X-ray crystal structure of Co<sub>4</sub>(CO)<sub>8</sub>(μ<sub>4</sub>-PPh<sub>2</sub>)(Ph<sub>2</sub>PH)<sub>2</sub> (M.-J. Don, M.G. Richmond, W.H. Watson, A. Nagl), (372) 417
- (N,N,N',N'-Tetramethylethylene(diamine)(dimethyl)nickel(II), reactions of (W. Kaschube, K.R. Pörschke, G. Wilke), (355) 525
- Tetra(phosphino)ethene, [PhPCH<sub>2</sub>CH<sub>2</sub>P(Ph)-C=]<sub>2</sub>, synthesis, characterisation, and crystal structure of (D.M. Anderson, P.B. Hitchcock, M.F. Lappert), (363) C7
- Tetrapnicogen trisulphide cage molecules, cleavage by cobalt(II) ligand of; crystal structure of [(tppme)Co(A<sub>2</sub>S)]BF<sub>4</sub> and [(tppme)Co(PAsS)]BF<sub>4</sub> (M. Di Vaira, P. Stoppioni, M. Peruzzini), (364) 399
- Thiolate-amine complexes [Ru(CO)<sub>2</sub>(bmae)] and [Ru(CO)<sub>2</sub>(<sup>bu</sup>bmae)] (<sup>bu</sup>bmae<sup>2-</sup> = 1,2-bis(2-mercaptoanilino)ethane(-2); <sup>bu</sup>bmae = 1,2-bis(2-mercapto-3,5-di-t-butylalainino)ethane(-2)), UV photolysis of (D. Sellmann, O. Käppler, F. Knoch), (367) 161

- Thio-, seleno, and telluro-aldehydes as ligands in mono- and di-nuclear heterometal complexes, synthesis, structure, protonation and methylation of (H. Werner, W. Paul, W. Knaup, J. Wolf, G. Müller, J. Riede), (358) 95
- Transition metal catalysed asymmetric cross coupling reactions; crystal structures of  $[\text{Ph}_2\text{PCH}_2\text{CH}((\text{CH}_2)_3\text{SMe})\text{NMe}_2] \cdot \text{PdCl}_2$  and  $[\text{Ph}_2\text{PCH}_2\text{CH}((\text{CH}_2)_3\text{SMe})\text{NMe}_2] \cdot \text{PdCl}_2$  (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357
- Transition metal complexes of (2-(2-methoxyethoxy)ethyl)diphenylphosphine and (2-(2-methoxyethoxy)ethyl)dimethylarsine, synthesis and characterization of (V.V.S. Reddy, J.E. Whitten, K.A. Redmill, A. Varshney, G.M. Gray), (372) 207
- Transition metal dinuclear  $\mu$ -alkylidene complexes as models for transformation of  $\text{CH}_2\text{X}_2$  ( $\text{X} = \text{Cl}, \text{Br}, \text{I}$ ) into malonic acid derivatives (B. Denise, D. Navarre, H. Rundler, J.C. Daran), (375) 273
- Trimethylphosphinecobalt(I) complexes: reaction with cyclopentatriene and cyclooctatetraene; crystal structure of  $[\text{Co}(\eta^4\text{C}_7\text{H}_8)(\text{PMc}_3)_3]\text{BPh}_4$  (L.C. Ananias de Carvalho, M. Dartiguenave, Y. Dartiguenave), (367) 187
- Trimethylphosphine-molybdenum and -tungsten complexes containing dinitrogen, ethylene,  $\text{CO}_2$  and related ligands (E. Carmona), (358) 283
- $\beta$ -Trimethylstannyl)alkyldiphenylphosphines, preparation of (T.N. Mitchell, H.-J. Belt), (368) 167
- Trinuclear ruthenium clusters with  $\mu_3\text{-S}$  and  $\mu_3\text{-PR}$  bridges (E. Lindner, H. Rothfuss), (353) C42
- Triphenylphosphine oxide cocrystallization of a tris(diazaphosphole)molybdenum complex (E.G. Bent, R. Schaeffer, R.C. Haltiwanger, A.D. Norman), (364) C25
- Triphenylphosphinerhodium(I) complexes, stabilisation of enols by (C.S. Chin, J. Park, S.Y. Lee, C. Kim), (352) 379
- Triphenylstannyl-substituted mononuclear carbene cobalt complexes, preparation and properties of (A.C. Filippou, E. Herdtweck, H.G. Alt), (355) 437
- Triphenyltellurium(IV) dithiocarbamates, xanthates, and dithiophosphates, formation and characterisation of (A.K. Singh, J.K. Basumatary), (364) 73
- 1,2,4-Triphosphacyclopentadienyl and 1,3-diphosphacyclopentadienyl anions, oxidative coupling of; synthesis and molecular structure of the novel pentaphosphorus cage compound  $\text{P}_5\text{C}_5\text{Bu}_5$  (R. Bartsch, P.B. Hitchcock, J.F. Nixon), (375) C31
- Tris(diphenylphosphino)ethene, synthesis, NMR spectra, crystal structure, and solid state and solution conformations of (J.L. Bookham, W. McFarlane, I.J. Colquhoun, M. Thornton-Pett), (354) 313
- Tris(phenylethynyl)phosphane, coordination in; synthesis and characterisation of  $\{(\text{C}_6\text{H}_5\text{C}\equiv\text{CC}_6\text{H}_5)\text{P}[(\eta^2\text{-C}\equiv\text{CC}_6\text{H}_5)\text{Co}_2(\text{CO})_5]\}_2$  (H. Lang, L. Zsolnai), (369) 131
- [Tris(trimethyl)- and [tris(dimethylphenyl)silyl]methyl derivatives of phosphorus; crystal structure of [tris(dimethylphenylsilyl)]methylphosphorous dichloride (S.S. Al-Juaid, S.M. Dhaher, C. Eaborn, P.B. Hitchcock, C.A. McGeary, J.D. Smith), (366) 39
- 2,4,6-Tris(trifluoromethyl)phenyl substituent, examples for electronic and sterically stabilised low-coordinated elements (M. Scholz, H.W. Roesky, D. Stalke, K. Keller, F.T. Edelmann), (366) 73
- Vanadium diphosphene complex, *trans*- $[\{\text{V}(\eta^5\text{C}_5\text{H}_5)(\text{CO})_3\}_2(\text{PMes}_2)]$ , synthesis and characterization of (R.A. Bartlett, H.V.R. Dias, P.P. Power), (362) 87
- Vinyltitanocene complexes prepared from  $(\text{C}_5\text{H}_5)_2(\text{PMc}_3)(\text{C}_2\text{H}_2)$ , alcohols and water (H.G. Alt, G.S. Herrmann, M.D. Rausch), (356) C50
- $\text{W}(\text{CO})_5\text{CNH}$ ,  $\text{Fe}(\text{CN})_2(\text{CNH})_4$  and  $[\text{FeCp}(\text{dppe})\text{CNH}]\text{BF}_4$ , reactions with highly alkylated olefins of; hydroisocyanation (E. Bär, W.P. Fehlhammer), (353) 197
- $(\mu_3\text{-X})_2\text{Fe}_3(\text{CO})_9$  ( $\text{X} = \text{RP, Se, Te}$ ) bridging groups, addition of alkynes to (T. Fässler, D. Buchholz, G. Huttner, L. Zsolnai), (369) 297
- Ylide-manganese complexes, protonation with  $\text{HBF}_4$  of; molecular structure of  $[\text{C}_5\text{H}_5(\text{CO})_2\text{MnCH}_2\text{CH}(\text{PEt}_3)]\text{BF}_4$  (H.G. Alt, H.E. Engelhardt, R.D. Rogers), (362) 117
- Zirconacyclopentene and alkoxy ethyl complexes, formation of (H.G. Alt, C.E. Denner), (368) C15

## Platinum

- $\eta^1$ :  $\eta^3$ -Allyl-bridged bimetallic complexes,  $[\eta^3\text{-}(2-(\eta^5\text{-Cp})(\text{OC})(\text{PR}_3)\text{Fe-allyl})\text{Pt}(\text{PPPh}_3)_2]\text{PR}_6$  ( $\text{PR}_3 = \text{PPh}_2\text{H, PPh}_2\text{Me}$ ), synthesis and structural characterization of (M.R. Gregg, J. Powell, J.F. Sawyer), (352) 357
- Aryl(halogeno)platinum(II) compounds with substituted naphthyl ligands, synthesis and stereochemistry of (H.-A. Brune, G. Schmidtberg, C. Weisemann), (371) 121
- Aryl-platinum compounds with large area aryl ligands, synthesis of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (365) 403

- [**Bis(dibenzylmethylphosphino][bis(diethylsulphido]platinum(II) chloride, synthesis and structure of** (H.-P. Abicht, K. Jurkschat, K. Peters, E.-M. Peters, H.G. von Schnering), (364) 415
- Bis(diop)metal(0) compounds, dynamic behaviour of** (E.M. Campi, P.S. Elmes, W.R. Jackson, R.J. Thomson, J.A. Weigold), (371) 393
- [ $\eta^2$ -1,2-Bis(diphenylarsino)ethane]bis(4-fluorophenyl)platinum(II) and [ $\eta^2$ -1,2-bis(diphenylarsino)benzene]bis[4-(trifluoromethyl)phenyl]platinum(II), crystal and molecular structures of (H.-A. Brune, R. Klotzbücher, K. Berhalter, T. Debaerdemaeker), (369) 321
- Bis(diphenylphosphino)methane and bis(diphenylphosphinomethyl)phenylphosphine palladium(II) and platinum(II) complexes, characterisation by fast atom bombardment mass spectrometry of** (K.A. Asker, A.M. Greenway, K.R. Seddon, A.A. Shimran), (354) 257
- [ $\eta^3$ -Bis(diphenylstibino)methane]bis(phenyl)platinum(II)-substituted compounds, photochemical investigations of (H.-A. Brune, R. Klotzbücher, G. Schmidberg), (371) 113
- Bis(ethenyldimethylsilylmethyl)platinum(II) complexes containing nitrogen donor ligands; synthesis and spectroscopic characteristics of** (R.D. Kelly, G.B. Young), (361) 123
- Bis(phenyl)diarsaneplatinum(II) compounds photochemical investigations of** (H.-A. Brune, R. Klotzbücher, G. Schmidberg), (365) 389
- Bis(phosphine)platinum ethene complexes, substitution reactions of** (P.A. Chaloner, G.T.L. Broadwood-Strong), (362) C21
- Carbonylphosphineplatinum high-nucularity icosahedral clusters; synthesis and crystal structure of**  $\text{Pt}_{17}(\mu_2\text{-CO})_4(\text{CO})_8(\text{PEt}_3)_8$  (S.S. Kurasov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), (361) 405
- Chalcogens, contrasting roles in synthesis of mixed metal complexes** ( $\text{CO}$ )<sub>6</sub> $\text{Fe}_2(\mu_3\text{-E})_2\text{M}(\text{PPh}_3)_2$  (E = Te, Se, S; M = Ni, Pd, Pt) of (P. Mathur, I.J. Mavunkal, V. Rugmini), (367) 243
- Chloro(diene)polyfluorophenylplatinum(II) complexes, preparations of; structure of chloro (dicyclopentadiene)pentafluorophenylplatinum(II)** (G.B. Deacon, B.M. Gatehouse, K.T. Nelson-Reed), (359) 267
- Complexed cyclic N,O-acetals, asymmetric synthesis by use of platinum(II) complexes of; crystal structure of** *trans*-[ $\text{PtCl}_2(\text{C}_2\text{H}_4)\text{-}(2-p\text{-NO}_2\text{C}_6\text{H}_4\text{CHNH}(\text{CH}_2)_3\text{O})$ ]. (A. Albinati, C. Arz, P.S. Pregosin), (371) C18
- Cyclometallated palladium(II) and platinum(II) complexes derived from a chiral alkylbipyridine ligand, reactions with CO of** (M.A. Cinelli, S. Gladiali, G. Minghetti), (363) 401
- Dinaphthylplatinum(II) compounds, synthesis of** (C. Weisemann, G. Schmidberg, H.-A. Brune), (362) 63
- Dineopentylplatinum(II) complexes with bidentate heteroaromatic N-donor ligands, preparation of** (V. Christou, G.B. Young), (368) 391
- Electron-rich alkanes (enetetramines), coordination chemistry of** (M.F. Lappert), (358) 185.
- Electron-rich metal centres (Au, Pt) as sources of organometallic complexes with unusual features** (R. Usón), (372) 171
- [ $\text{M}(\text{C}_6\text{H}_4\text{N}=\text{NPh})(\eta^3\text{-C}_5\text{H}_5)$ ] complexes (M = Ni, Pd and Pt), crystal structures of (G.K. Anderson, R.J. Cross, K.W. Muir, L. Manojlović-Muir), (362) 225
- [ $\text{MCl}_2(\text{Ph}_2\text{PCH}_2\text{SCH}_3)_2$ ] (M = Pd or Pt), reactions with [ $\text{Rh}_2(\mu\text{-Cl})_2(\text{CO})_4$ ] of; preparation of  $\text{Ph}_2\text{PCH}_2\text{SCH}_3$ -bridged Pd–Rh complex (G.K. Anderson), (368) 385
- Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation** (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343
- Metal cyanide boron trifluoride stable adducts, crystal structure of** ( $\eta^5\text{-C}_5\text{H}_5$ ) $(\text{Ph}_3\text{P})_2\text{Ru}(\text{CNBF}_3)$  (W. Weigand, U. Nagel, W. Beck), (352) 191
- Metallophosphine,  $\text{Ph}_2\text{PW}(\text{CO})_3\text{Cp}$ , as precursor of the “ $\text{Ph}_2\text{PW}(\text{CO})_2$ ” fragment; ethylene-like displacement with platinum(0) from complexes of** (P. Braunstein, E. de Jesús), (365) C19
- MPt( $\mu\text{-H}$ ) $\mu\text{-P-n-Pr}_2$ Pt(CO)(PCy<sub>3</sub>) in reaction with**  $\text{Pt}(\text{C}_2\text{H}_4)_2(\text{PCy}_3)$ , mechanism of “Pt(PCy<sub>3</sub>)” addition (J. Powell, M.R. Gregg), (356) C61
- Nickel, palladium and platinum, annual survey 1982** (P.A. Chaloner), (357) 51
- Nickel, palladium and platinum, annual survey 1983** (P.A. Chaloner), (374) 349
- 2-(3-Nitrobenzylidene)benzimidazole (A), reactions with Rh, Ir and Pt; crystal structure of** [ $\text{Rh}(\text{A})(4\text{-picoline})(1,5\text{-COD})](\text{CF}_3\text{SO}_3)$  (A. Albinati, C. Arz, P.S. Pregosin), (356) 367
- Norbornadiene (NBD) displacement from**  $\text{Pt}(\text{CF}_3)_2(\text{NBD})$  by weak donor ligands L, and reactions of *cis*- $\text{Pt}(\text{CF}_3)_2\text{L}_2$  with water and acids (T.B. Appleton, R.D. Berry, J.R. Hall, D.W. Neale), (364) 249
- Os<sub>3</sub>Pt( $\mu\text{-H}$ )<sub>2</sub>(CO)<sub>10</sub>(PCy<sub>3</sub>)**, reaction with 1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane of; X-ray crystal structure of Os<sub>3</sub>Pt( $\mu_3\text{-S}$ )<sub>2</sub>(CO)<sub>9</sub>(PCy<sub>3</sub>) ( $\eta\text{-C}_6\text{H}_6\text{Me}_4$ ) (P. Ewing, L.J. Farrugia), (373) 259
- Pd<sub>2</sub>Mo, PdPtMo and Pd<sub>2</sub>W mixed-metal clusters containing**  $\text{Ph}_2\text{PCH}_2\text{PPh}_2$  (dppm), synthesis and reactivity of; molecular structure of [Pd<sub>2</sub>MoCl( $\eta\text{-C}_5\text{H}_5$ ) $(\mu_3\text{-CO})_2(\mu\text{-dppm})_2$ ] (P. Braunstein, M. Ries, C. de Méric

- de Bellefon, Y. Dusausoy, J.-P. Mangeot, (355) 533
- Perhaloaryl-palladium and -platinum anionic complexes as sources of homo- and heteronuclear compounds (R. Usón, J. Forniés, M. Tomás), (358) 525
- $[(\text{Ph}_3\text{P})_2\text{Pt}]$ , generation from  $[(\text{Ph}_3\text{P})_2\text{Pt}(\text{HCl})]$  under phase transfer catalysis: synthetic application (V.V. Grushin, I.S. Akhrem, M.E. Vol'pin), (371) 403
- Platinum-catalysed hydrosilylation of  $\text{PhCH}=\text{CH}_2$  with  $\text{Et}_3\text{SiH}$ , mechanistic aspects of (W. Caseri, P.S. Pregosin), (356) 259
- Platinum catalysts for homogeneous catalytic hydrosilylation of C=C bond (R. Skoda-Földes, L. Kollár, B. Heil), (366) 275
- Platinum(II) derivatives, reaction with bis(pyrazolyl)propane of; cleavage of a  $\text{C}(sp^3)-\text{N}$  bond in a bis(pyrazolyl)alkane promoted by platinum(II) derivatives; crystal structure of *cis*- $\text{Pt}(\text{pzH})_2\text{Cl}_2$  ( $\text{pzH}$  = pyrazole) (M.A. Cinelli, S. Stoccero, G. Minghetti, A.L. Bandini, G. Banditelli, B. Bovio), (372) 311
- Platinum(II)/halide exchange, dimerization, isomerization;  $^{13}\text{C}$  NMR data and crystal and molecular structure of  $\text{Pt}_2\text{I}_4(\text{CO})_2$  (B.P. Andreini, D.B. Dell'Amico, F. Calderazzo, M.G. Venturi, G. Pelizzi, A. Segre), (354) 357
- Platinum hydride complex  $[(\text{PPh}_3)_3\text{PtH}]^+$ , interaction with carbon monoxide and ethylene in trifluoroacetic acid solutions of (V.D. Chinakov, G.N. Il'inich, V.N. Zudin, V.A. Likholobov, V.M. Nekipelov), (366) 421
- Platinum triangular clusters with 42 to 48 valence electrons, MO analysis of bonding in (D.G. Evans), (352) 397
- trans*- $[\text{PtCl}(\text{COCH}_2\text{CH}_2\text{Ph})(\text{PPh}_3)_2]\cdot\text{EtOH}$ , isolation and molecular structure of; intermediate in hydroformylation styrene promoted catalytic system (R. Graziani, G. Cavinato, U. Casellato, L. Toniolo), (353) 125
- Pt-Cu, Pt-Ag and Pt-Au clusters, synthesis of; crystal structure of the  $\text{Cu}^{\text{I}}-\text{Pt}^{\text{0}}$  cluster  $[\text{CuPt}_3(\mu-\text{CO})_3(\text{PPh}_3)_5]\text{BF}_4^-$  (P. Braunstein, S. Freyburger, O. Bars), (352) C29
- Pt-phosphine-SnCl<sub>2</sub> and Pt-bisphosphine-CuCl<sub>2</sub> (or CuCl) catalytic systems, asymmetric hydroformylation with (L. Kollár, J. Bakos, I. Tóth, B. Heil), (370) 257
- Pt( $\text{Ph}_2\text{PCH}_2\text{CMe}_2\text{O}$ ) chelates SO<sub>2</sub>, CO, or 3,5-Me<sub>2</sub>C<sub>6</sub>H<sub>3</sub>NC insertion into the Pt-O bonds of; crystal structure of  $[\text{PtCl}(\text{Ph}_2\text{PCH}_2\text{CMe}_2-\text{OCNC}_6\text{H}_3\text{Me}_2-3,5)(\text{Ph}_2\text{PCH}_2\text{CMe}_3\text{OH})]$  (N.W. Alcock, A.W.G. Platt, H.H. Powell, P.G. Pringle), (361) 409
- 2-Pyridylplatinum(II) complexes,  $[\text{PtCl}(\text{C}_5\text{H}_4\text{N}-\text{C}^2)(\text{L})_2]$  ( $\text{L}$  = tertiary phosphine), prepara-
- tion and reactions of (B. Crociani, F. Di Bianca, A. Giovenco, A. Berton, R. Bertani), (361) 255
- Transition metal complexes of (2-(2-methoxyethoxy)ethyl)diphenylphosphine and (2-(2-methoxyethoxy)ethyl)dimethylarsine, synthesis and characterization of (V.V.S. Reddy, J.E. Whitten, K.A. Redmill, A. Varshney, G.M. Gray), (372) 207
- Trimethyl(naphthyl)stannane and tri-n-butyl-(naphthyl)stannane, synthesis of substituted derivatives of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (361) 299
- Trimethylplatinum bromide, crystal structure of  $[(\text{Me}_3\text{PtBr})_4]\cdot 0.5$  toluene (W. Massa, G. Baum, B.-S. Seo, J. Lorberth), (352) 415

## Potassium

- Alkali metal (Na, K) cyclooctatetraenides, vibrational spectra of (O.G. Garkusha, I.A. Garbuzova, B.V. Lokshin, Z.V. Todres), (371) 279
- Butyllithium and heavier alkali metal t-pentoxide complex bases, properties and reaction with organic halogenides of (L. Lochmann), (364) 281
- Cyclooctatetraenylpotassium,  $\text{C}_8\text{H}_8\text{K}\cdot(\text{OC}_4\text{H}_8)_3$ , crystal structure of (N. Hu, L. Gong, Z. Jin, W. Chen), (352) 61
- 2,4-Dimethylpentadienylpotassium tetramethyl-ethylenediamine complex, preparation and crystal structure of (L. Gong, N. Hu, Z. Jin, W. Chen), (352) 67
- Disilanes, efficient formation and cleavage of; silylation with silylmetal reagents (A. Fürstner, H. Weidemann), (354) 15
- $\text{Fe}[\text{C}_5(\text{CH}_2\text{Ph})_5]_2$  and  $\text{Lu}(\text{C}_8\text{H}_8)[\text{C}_5(\text{CH}_2\text{Ph})_5]$ , synthesis and structure of (H. Schumann, C. Janiak, R.D. Köhn, J. Loebel, A. Dietrich), (365) 137
- 1-Halosilatranes, synthesis and electronic structure of (M.G. Voronkov, V.P. Baryshok, L.P. Petukhov, V.I. Rakhlina, R.G. Mirskov, V.A. Pestunovich), (358) 39
- Heptacarbonylhafnium,  $\text{Hf}(\text{CO})_7$ , synthesis of anionic derivatives,  $[(\text{C}_5\text{H}_5)\text{Hf}(\text{CO})_4]^-$  and  $[(\text{C}_5\text{Me}_5)\text{Hf}(\text{CO})_4]^-$ , of (S.R. Frerichs, J.E. Ellis), (359) C41
- Methylpotassium, structure refinement by neutron diffraction of (E. Weiss, T. Lambertsen, B. Schubert, J.K. Cockcroft), (358) 1
- Pentacarbonylmetal complexes of organophosphorus chlorides with  $\text{K}_2\text{SN}_2$ , X-ray structure of  $(\text{CO})_5\text{Cr}[\text{P}(\text{i-Bu})\text{NSNSNH}]$  (A. Gieren, C. Ruiz-Pérez, T. Hübler, M. Herberhold, K. Schamel, K. Guldner), (366) 105

Potassium five-coordinate dihydridosilicates, synthesis and reactivity of (B. Becker, R.J.P. Corriu, C. Guérin, B. Henner, Q. Wang), (368) C25

Silylpotassium, synthetic route using crown ethers, potassium, and silane to and use to prepare methylsilane and disilylmethane of (B.F. Fieselmann, C.R. Dickson), (363) 1

## Praseodymium

Metallacyclophosphazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40

## Rhenium

Alkyl- and aryl-organorhenium complexes, synthesis and characterisation of (W.A. Herrmann, M. Flöel, E. Herdtweck), (358) 321

Alkyldyne-rhenium complexes, synthesis of; crystal structure of *trans*-[ReF( $\equiv$ CCH<sub>2</sub>Bu-t)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]BF<sub>4</sub> (A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (352) C5

Alkyltin-activated Re<sub>2</sub>O<sub>7</sub>/Al<sub>2</sub>O<sub>3</sub>, metathesis of carbonyl-protected ketone in (S. Warwel, G. Pütz), (364) 323

Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351

Aminooxycarbenerhenium complexes, synthesis and reactions of (A.-J. Wang, R.J. Angelici), (352) 157

$\pi$ -Aromatic organorhenium oxides and halides, synthesis and structures of (W.A. Herrmann, M. Flöel, J. Kulpe, J.K. Felixberger, E. Herdtweck), (355) 297

Arylrhenium oxides, ( $\sigma$ -aryl)ReO<sub>3</sub>, synthesis and characterisation of (W.A. Herrmann, M. Ladwig, P. Kiprof, J. Riede), (371) C13

Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273

Bimetallic hydrocarbon-bridged complexes by nucleophilic attack of carbonylmnettates to coordinated unsaturated hydrocarbons (W. Beck, B. Niemer, J. Breimair, J. Heidrich), (372) 79

Bis( $\eta^5$ -pentamethylcyclopentadienyl)metal derivatives and related complexes, mass spectroscopy of (F. Geoffrey, N. Cloke, J.P. Day, A.M. Greenway, K.R. Seddon, A.A. Shimran, A.C. Swain), (372) 231

Carbyne, aminocarbyne and  $\eta^2$ -vinyl complexes *trans*-[ReCl(LH)(dppe)<sub>2</sub>][BF<sub>4</sub>] (LH = CCH<sub>2</sub>-t-Bu, CCH<sub>2</sub>Ph, CNH<sub>2</sub>,  $\eta^2$ -C(CH<sub>2</sub>Ph)CH<sub>2</sub>) and their parent vinylidene, isocyanide and allene compounds, redox properties of (M.A.N.D.A. Lemos, A.J.L. Pombeiro), (356) C79

[( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)Re(NO)(PPh<sub>3</sub>)(CICH<sub>2</sub>Cl)]<sup>+</sup> BF<sub>4</sub><sup>-</sup>, generation and oxidative addition product of (C.H. Winter, J.A. Gladysz), (354) C33

Diacyl-bridged octacarbonyldirhenium complexes, stabilisation of an intermediate in decarbonylation of (M.J. Schweiger, U. Nagel, W. Beck), (355) 289

Four isomeric ( $\alpha$ -diimine)Re(CO)<sub>3</sub>Hal complexes, synthesis, electrochemistry and emission spectroscopy in solution of (W. Kaim, H.E.A. Kramer, C. Vogler, J. Rieker), (367) 107

Halfsandwich complexes of manganese and rhenium, degradation of S<sub>8</sub> with (M. Herberhold, B. Schmidkonz), (358) 301

Hetero-metallic complexes, [WReCo<sub>2</sub>( $\mu_3$ -CC<sub>6</sub>H<sub>4</sub>Me-4)(CO)<sub>15</sub>] and [ReCo<sub>2</sub>( $\mu_3$ -CC<sub>6</sub>H<sub>4</sub>Me-4)(CO)<sub>10</sub>], reactions with secondary and tertiary phosphines of (M.R. Bradford, J.C. Jeffery, K.M. Johnson, S.E. Phillips), (362) 205

Hexahydrido( $\eta^5$ -pentamethylcyclopentadienyl)-rhenium(VII), ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)ReH<sub>6</sub>, reactivity of (W.A. Herrmann, H.G. Theiler, E. Herdtweck, P. Kiprof), (367) 291

Hexamethyldistannane addition to organometallic oxide with Sn–Sn bond cleavage (W.A. Herrmann, D.W. Marz), (362) C5

Isotopically labelled [MnRe(CO)<sub>10</sub>]<sup>+</sup>, mass spectral investigation of site selective CO loss from (N.J. Coville, P. Johnston), (363) 343

Manganese, technetium and rhenium, annual survey 1986 (P.M. Treichel), (357) 25

[Me<sub>2</sub>SSMe]BF<sub>4</sub>, reactions with organometallic complexes having metal–metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195

Methyl ketone complexes of chiral Lewis acid [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)Re(NO)(PPh<sub>3</sub>)]<sup>+</sup>, stereoselective reduction by K(s-C<sub>4</sub>H<sub>9</sub>)<sub>3</sub>BH; synthesis of optically active secondary alcohols and derivatives (D.M. Dalton, J.A. Gladysz), (370) C17

Methyltrioxorhenium, condensation reactions with 8-hydroxyquinoline and 2-hydroxyaniline of (J. Takacs, P. Kiprof, J.G. Kuchler, W.A. Herrmann), (369) C1

Methyl(trioxo)rhenium(VII), formation of adducts with bases and aromatic compounds; structure of CH<sub>3</sub>ReO<sub>3</sub>·H<sub>2</sub>NC<sub>6</sub>H<sub>5</sub> (W.A. Herrmann, G. Weichselbaumer, E. Herdtweck), (372) 371

- Methyl(trioxo)rhenium, reactions with bases of; crystal structure of sodium benzo-15-crown-15-perrhenate (W.A. Herrmann, J.G. Kuchler, G. Weichselbaumer, E. Herdtweck, P. Kirpof), (372) 351
- Mononuclear electron-rich transition metal centres, reactions of alkynes at (A.J.L. Pombeiro), (358) 273
- Organometallic solid state chemistry (M.L.H. Green, J. Qin, D. O'Hare), (358) 375
- Pentacarbonyldiphosphorhenium monomeric and bridged complexes and reactions with nucleophiles of (P. Steil, U. Nagel, W. Beck), (366) 313
- Pentacarbonyl(phosphane)rhenium cationic complexes, synthesis and reactions with nucleophiles of (P. Steil, W. Sacher, P.M. Fritz, W. Beck), (362) 363
- Pentacarbonylrhenium(I) cationic complexes with tetrahydrothiophene, 1,4-dithiane, 1,3-dithiane and 1,3,5-trithiane, properties of (J. Heidrich, W. Beck), (354) 91
- Pentacarbonylrhenium(0) radical, decay kinetics of spin adducts formed by nitrosodurene by (C.P. Cheng, H.S. Chen, S.R. Wang), (359) 71
- ( $\eta^5$ -Pentamethylcyclopentadienyl)( $\eta^2$ -diphenylethynyl)oxorhenium(III), redox chemistry and nucleophilicity of the oxo-function in (W.A. Herrmann, R.A. Fischer, W. Amslinger, E. Herdtweck), (362) 333
- $\eta^5$ -Pyrrolyl ligand in ( $\eta^5$ -C<sub>4</sub>H<sub>4</sub>N)(Ph<sub>3</sub>P)<sub>2</sub>ReH<sub>2</sub>, direct deprotonation of (J. Zakrzewski), (362) C31
- [Re( $\eta^6$ -C<sub>9</sub>H<sub>8</sub>)( $\eta^5$ -C<sub>9</sub>H<sub>7</sub>)], synthesis, characterisation and reactivity of, precursor to  $\mu_2$ - $\eta^3$ : $\eta^5$ -indenyl derivatives (M.L.H. Green, N.D. Lowe, D. O'Hare), (355) 315
- cis-Re(O,O'-NO<sub>2</sub>)(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub> containing the unusual O,O'-chelating nitrite ligand, synthesis and reaction with CO of; evidence for Re-N interaction (K.L. Leighton, K.R. Grundy, K.N. Robertson), (371) 321
- Rhenium carbonyl thiolate complexes, Et<sub>4</sub>N-[Re<sub>2</sub>(μ-SR)<sub>3</sub>(CO)<sub>6</sub>], synthesis and reactivity of (P.M. Treichel, M.H. Tegen), (358) 339
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivykh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129
- Transition-metal Lewis acid adducts of *trans*-[ReCl(CNR)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], (R = alkyl), synthesis of; chemical and quantum-chemical study of electrophilic β-addition to ligating isocyanide (M.F.N.N. Carvalho, A.J.L. Pombeiro, E.G. Bakalbassis, C.A. Tsipis), (371) C26
- Triangulo rhenium metal cluster compounds vibrational characteristics of μ-bridging hydride ligands in (C.E. Anson, U.A. Jaya-
- soriya, G. D'Alfonso, P.L.L. Stanghellini), (372) 85
- Triindenyl[tris(rhenium tricarbonyl)], synthesis of (M.C. Helvenston, T.J. Lynch), (359) C50
- $\sigma$ , $\pi$ -Vinyl-bridged dirhenium complex, [Re-(CO)<sub>5</sub>( $\mu$ -η<sup>1</sup>: η<sup>2</sup>-CH=CH<sub>2</sub>)Re(CO)<sub>5</sub>]<sup>+</sup> BF<sub>4</sub><sup>-</sup>, formation of (P. Steil, W. Beck, F.G.A. Stone), (368) 77
- ## Rhodium
- Acetylacetato- and cyclopentadienyl-rhodium complexes with potentially dipolar two-ring semiquinoid ligands, crystal structure and stereodynamic behaviour of (V.A. Nikanorov, V.I. Bakhmutov, M.V. Galakhov, S.V. Sergeev, E.V. Stepanova, A.I. Yanovsky, Yu.T. Struchkov, V.I. Rozenberg, O.A. Reutov), (358) 463
- Acylaminoacrylic acid ethyl ester and (Z)-acylaminoacrylic acid methyl ester, asymmetric hydration catalysed by DIOP-rhodium derivative of (U. Werz, H.-A. Brune), (365) 367
- N-Allylamides of organic acids, rhodium-catalysed coupling of (G.P. Chiusoli, M. Costa, F. Pivetti), (373) 385
- Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351
- $\eta^2$ -Alkenerhodium(I) complexes, <sup>13</sup>C–<sup>13</sup>C coupling constants in (J.W. Fitch, E.B. Rippinger, B.A. Shoulders, S.D. Sorey), (352) C25
- cis-(Alkyl)( $\eta^2$ -dioxygen)rhodium complex, oxygen atom transfer to organic and inorganic substrates from (C. Bianchini, C. Mealli, A. Meli, D.M. Proserpio, M. Peruzzini, F. Vizza, P. Frediani), (369) C6
- Antiferromagnetic clusters (Cp<sub>2</sub>Cr<sub>2</sub>SCMe<sub>3</sub>)( $\mu_3$ -S)<sub>2</sub>RhL<sub>2</sub> (L<sub>2</sub> = π-C<sub>8</sub>H<sub>12</sub> or (CO)<sub>2</sub>) with long Cr–Rh bonds, synthesis and molecular structures of (A.A. Pasynskii, I.L. Eremenko, V.R. Zalmanovich, V.V. Kaverin, B. Oraszakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (356) 57
- Arylnitroso nitrogen-bonded complex, crystal structure of RhCl(NBD)(*p*-BrC<sub>6</sub>H<sub>4</sub>NO) (G. Vasapollo, A. Sacco, C.F. Nobile, M.A. Peiltingelli, M. Lanfranchi), (353) 119
- Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273
- [(2,3,5,6-η)-Bicyclo[2.2.1]hepta-2,5-diene][*P*,*O*-diphenyl(phenylsulphinylmethyl)phosphine]-rhodium(I) trifluoromethane sulphonate and asymmetric analogues, synthesis, crystal

- structure, and catalytic chemistry of (N.W. Alcock, J.M. Brown, P.L. Evans), (356) 233
- 4,5-Bis[(diphenylphosphino)methyl]-2,2-dimethylidioxolanerhodium(I), asymmetric hydrogenation of 3-phenyl-3-butenoic acid catalysed by (K. Yamamoto, K. Ikeda, L.K. Yin), (370) 319
- Bis( $\eta^5$ -pentamethylcyclopentadienyl)metal derivatives and related complexes, mass spectroscopy of (F. Geoffrey, N. Cloke, J.P. Day, A.M. Greenway, K.R. Seddon, A.A. Shimran, A.C. Swain), (372) 231
- (P(*R,S*),3R,4R,P'(*R,S*))-3,4-Bis(phenylphosphino)pyrrolidine complexes, preparation of pure 1,2-bisphosphane ligands catalysed by (U. Nagel, B. Rieger, A. Bublewitz), (370) 223
- ( $\eta^5$ -Borole)iron and ( $\eta^5$ -borole)( $\eta^5$ -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362) 243
- Carbonyl cluster dianion, [OsRh<sub>4</sub>(CO)<sub>9</sub>( $\mu_2$ -CO)<sub>6</sub>]<sup>2-</sup>, synthesis and solution structure of (A. Fumagalli, L. Garlaschelli, R. Della Pergola), (362) 197
- Carbonyl complexes, role in homogeneous hydrogenation of CO (B.D. Dombek), (372) 151
- Carbonylcyclopentadienylphosphinerhodium di-nuclear compounds, synthesis, oxidation and acid reactions of (T.E. Bitterwolf, W.C. Spink, M.D. Rausch), (363) 189
- (C<sub>5</sub>Cl<sub>4</sub>R)Mn(CO)<sub>3</sub> and (C<sub>5</sub>Cl<sub>4</sub>R)Rh(COD) derivatives, preparation of; crystal structure of (C<sub>5</sub>Cl<sub>4</sub>CONH<sub>2</sub>)Mn(CO)<sub>3</sub> (K. Sünkel, D. Steiner), (368) 67
- [(CH<sub>3</sub>C(CH<sub>2</sub>PPPh<sub>2</sub>)<sub>3</sub>)<sub>2</sub>( $\mu$ -CO)<sub>2</sub>]·(CH<sub>3</sub>)<sub>2</sub>CO dimer, reactivity of the metal–metal bond in; synthesis and X-ray structure of a paramagnetic dinuclear rhodium complex (F. Cecconi, C.A. Ghilardi, S. Midollini, A. Orlandini, P. Zanello, B.T. Heaton, L. Huang, J.A. Iggo, S. Bordoni), (353) C5
- (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Cr<sub>2</sub>( $\mu$ -SCMe<sub>3</sub>)( $\mu_3$ -S)<sub>2</sub>M( $\mu_3$ -S)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>6</sub> (M = Fe, Rh) and (MeC<sub>5</sub>H<sub>4</sub>)<sub>2</sub>Cr<sub>2</sub>( $\mu$ -SCMe<sub>3</sub>)( $\mu_3$ -S)Co( $\mu_3$ -S)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>6</sub>, molecular structure and magnetic properties of (I.L. Eremenko, A.A. Pasynskii, A.S. Katugin, V.R. Zalmanovitch, B. Orazsakhatov, S.A. Sleptsova, A.I. Nekhaev, V.V. Kaverin, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky, V.E. Shklover, Yu.T. Struchkov), (365) 325
- Chiral hydrosilanerhodium-(+)- and -(−)-diop complexes as catalysts for asymmetric hydrogenation of steroid ketones (G. Göndös, L. Gera, M. Bartók, J.C. Orr), (373) 365
- Chiral metal complexes of 2,3-bis(dimethylphosphino)maleic anhydride and of 2,3-bis(dimethylphosphino)maleimide derivatives, homogeneous asymmetric catalysis by (A. Kinting, C. Döbler), (370) 351
- Chiral sulphonated phosphinerhodium complexes, influence of water on enantioselectivity in reduction of dehydro-aminoacids by (L. Lecomte, D. Sinou, J. Bakos, I. Tóth, B. Heil), (370) 277
- (η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>CoRh(μ-CO)<sub>2</sub>, reaction with sulphur and selenium of (H. Brunner, N. Janietz, J. Wachter, B. Nuber, M.L. Ziegler), (367) 197
- Cycloheptatrienyl bridged heterobimetallic complexes, synthesis and reactivity of ( $\mu$ -C<sub>7</sub>H<sub>7</sub>)Ru(CO)<sub>3</sub>Ir(CO)<sub>2</sub> (S.T. Astely, J. Takats), (363) 167
- (1,2-Dibora-3,5-cyclohexadiene)metal complexes; crystal structure of (C<sub>5</sub>Me<sub>5</sub>)Rh(C<sub>4</sub>H<sub>4</sub>B<sub>2</sub>Cl<sub>2</sub>) (G.E. Herberich, B. Hessner, M. Hostalek), (355) 473
- Dicyclopentadienyltricarbonyldirhodium, search for <sup>13</sup>C equilibrium isotope effects in (S. Berger, M. Ochs), (367) 343
- $\eta^4$ -Diene-rhodium(I) and main group metal derivatives of functionally substituted cyclopentadienes, NMR of (M. Arthurs, P. Gross, G. Kubal, L. Paniwnyk, E. Curzon), (366) 223
- Diene-rhodium(I) mixed bridged complex [(COD)Rh(μ-Cl)(μ-OAc)Rh(COD)], synthesis and reactions of (W.S. Sheldrick, B. Günther), (375) 233
- β-Diketonato(1,5-cyclooctadiene)rhodium(I) complexes, kinetics of substitution by benzoyl-1,1,1-trifluoroacetone in (J.H. Potgieter), (366) 369
- Diolefins- and carbonyl-rhodium(I) and -iridium(I) complexes with phosphine sulphide ligands; crystal structure of [Rh(COD)-(Et<sub>2</sub>P(S)(S)PEt<sub>2</sub>)ClO<sub>4</sub>] (C. Claver, A. Ruiz, A.M. Masdeu, J. Viñas, T. Saballs, F.J. Lahoz, F.J. Plou), (373) 269
- (meso-cis-2,10-Diphenyl-6-aza-*kN*-2,10-diphospho-*k*<sup>2</sup> *P*-bicyclo[9.4.0]pentadeca-11(1),12,14-triene)(bicyclo[2.2.1]heptadiene)rhodium(I) hexafluorophosphate, structure of (S.-T. Liu, M.-C. Cheng, S.-M. Peng), (368) C38
- Docosahedral carbaboranetungsten-alkylidyne complexes, synthesis of compounds with heteronuclear metal–metal bonds (D.D. Devore, S.J.B. Henderson, J.A.K. Howard, F.G.A. Stone), (358) C6
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Enantioselective hydrosilylation of ketones with [Rh(COD)Cl]<sub>2</sub> and optically active nitrogen ligands (C. Botteghi, A. Schionato, G. Chelucci, H. Brunner, A. Kürzinger, U. Obermann), (370) 17
- Ethyl α-acylaminoacrylate and (*Z*)-methyl α-

- acylaminocinnamate, asymmetric hydration catalysed by  $[\text{Rh}(\text{diop-derivative})(\text{solvent})_2]^+ \text{BF}_4^-$  of (U. Werz, H.-A. Brune), (363) 377
- ( $\eta^2$ -Ethylene)(4-methyl-4-*exo*-n-butyl-1-*anti*- $\eta^2$ -methylene[(2,5- $\eta^4$ -cyclohexadiene)rhodium-2,4-*O,O'*-pentanedionate]rhodium-2,4-*O,O'*-pentanedionate, crystal and molecular structure of (O.A. Reutov, V.A. Nikanorov, V.I. Rozenberg, A.I. Yanovsky, Yu.T. Struchkov, V.V. Kaverin, V.P. Yur'ev), (355) 485
- Heptacarbonylcobaltrhodium cluster,  $\text{CoRh}(\text{CO})_7$ , low-temperature activation of molecular hydrogen in  $\text{CO}/\text{H}_2$  mixtures in the presence of (I.T. Horváth, M. Garland, G. Bor, P. Pino), (358) C17
- Heterotrimetallic complexes of chromium and rhodium, synthesis, exchange reactions and structures of (J. Suffert, R. Ziessel), (395) C45
- Hydrosilylation of 2- and 4-alkylcyclohexanones on rhodium(I) complexes (K. Felföldi, I. Kapocsi, M. Bartók), (362) 411
- Iridium(III) and rhodium(III) complexes:  $[(\eta^5\text{-Me}_5\text{C}_5)_2\text{Ir}(\text{LL})\text{X}]^+$  and  $[(\eta^5\text{-Me}_5\text{C}_5)_2\text{Rh}(\text{LL})\text{Cl}]^+$ ; LL = 2,2'-bipyridine or 1,10-phenanthroline; X = Cl or H, synthesis and molecular structure of; single crystal structures of  $[(\eta^5\text{-Me}_5\text{C}_5)_2\text{Ir}(\text{bpy})\text{Cl}]\text{Cl}$  and  $[(\eta^5\text{-Me}_5\text{C}_5)_2\text{Rh}(\text{phen})\text{Cl}]\text{ClO}_4$  (M.-T. Younin, R. Ziessel), (363) 197
- Large organometallic clusters, electronic structure of (R.E. Benfield), (372) 163
- $\eta^1$ -Ligated halogenophosphaalkenes; crystal structures of *trans*- $[\text{RhCl}(\text{PPh}_3)_2\{\eta^1\text{-PX=C(SiMe}_3)_2\}]$  (X = F or Cl) (P.B. Hitchcock, M.F. Meidine, J.F. Nixon, H. Wang, D. Gudat, E. Niecke), (368) C29
- $[\text{MCl}_2(\text{Ph}_2\text{PCH}_2\text{SCH}_3)_2]$  (M = Pd or Pt), reactions with  $[\text{Rh}_2(\mu\text{-Cl})_2(\text{CO})_4]$  of; preparation of  $\text{Ph}_2\text{PCH}_2\text{SCH}_3$ -bridged Pd–Rh complex (G.K. Anderson), (368) 385
- $\text{Me}_2\text{CpM}(\text{CO})_2$  (M = CO, Rh) analogs,  $^1\text{H}$ ,  $^{13}\text{C}$ ,  $^{17}\text{O}$  NMR and IR (CO-region) spectroscopic and mass-spectrometric studies of (I.R. Lyatifov, G.M. Jafarov, V.N. Babin, P.V. Petrovskii, V.D. Zagorevskii), (368) 223
- Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343
- Mixed metal clusters  $\text{HRuCo}_2\text{Rh}(\text{CO})_{12}$ ,  $\text{HRuCoRh}_2(\text{CO})_{12}$  and  $\text{H}_2\text{Ru}_2\text{CoRh}(\text{CO})_{12}$ , characterisation by  $^1\text{H}$  NMR spectroscopy of (J. Pursiainen, T.A. Pakkanen), (362) 375
- Mixed metal clusters, structural and reactivity trends (T.A. Pakkanen, J. Pursiainen, T. Venäläinen, T.T. Pakkanen), (372) 129
- Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morville, J.M. Brown), (361) 249
- $[\text{NEt}_4]_2[\text{HFe}_3\text{Rh}(\text{CO})_{12}]$ , tetrานuclear hydrido-carbonyl cluster, synthesis and crystal structure of (R. Della Pergola, L. Garlaschelli, F. Demartin, M. Manassero, N. Masciocchi, G. Longoni), (352) C59
- 2-(3-Nitrobenzylidene)benzimidazole (A), reactions with Rh, Ir and Pt; crystal structure of  $[\text{Rh}(\text{A})(4\text{-picoline})(1,5\text{-COD})](\text{CF}_3\text{SO}_3)$  (A. Albinati, C. Arz, P.S. Pregosin), (356) 367
- Organometallic compounds, application of microwave dielectric loss heating effects for the rapid and convenient synthesis of (D.R. Baghurst, D.M.P. Mingos, M.J. Watson), (368) C43
- Orthometallated rhodium(III) compounds, synthesis and reactivity of; crystal structure of  $\text{RhCl}(\text{CO})[\text{P}(\text{o-C}_6\text{H}_4)\text{Ph}_2]_2$  (P. Lahuerta, J. Latorre, R. Martinez-Máñez, F. Sanz), (356) 355
- $[\text{Os}_3\text{M}(\mu\text{-H})_3(\text{CO})_{12}]$  (M = Rh, Ir) mixed metal clusters, synthesis and characterisation of; X-ray structure of  $[\text{Os}_3\text{Rh}(\mu\text{-H})_3(\text{CO})_{12}]$  (P. Sundberg, B. Norén, B.F.G. Johnson, J. Lewis, P.R. Raithby), (353) 383
- Pentadecacarbonylhexarhodium dianionic cluster, formation upon adsorption of  $\text{Rh}_6(\text{CO})_{16}$  on partially-hydroxylated magnesia of (P. Dufour, L. Huang, A. Choplin, R. Sanchez-Delgado, A. Théolier, J.-M. Basset), (354) 243
- Peralkyldiphosphine-rhodium optically active complexes, preparation and use in asymmetric catalytic hydrogenation of ketones of (K. Tani, K. Suwa, E. Tanigawa, T. Ise, T. Yamagata, Y. Tatsumo, S. Otsuka), (370) 203
- Photogenerated  $[\text{Pd}(\text{CNMe})_3]^{+\cdot}$  radicals, activation of unsaturated alkyl chlorides by; formation of  $\eta^3$ -allyl and “oxaallyl” palladium complexes (F.R. Lemke, C.P. Kubiak), (373) 391
- Polysiloxane-phosphine ligands, complexes and hydrogenation catalysts of (R.V. Parish, D. Habibi, V. Mohammadi), (369) 17
- 2-Pyridonate (OPy)-rhodium complexes, crystal structure of  $[\{\text{Rh}(\mu\text{-OPy})(\text{CO})_2\}_2]$  (M.A. Ciriano, B.E. Villarroya, L.A. Oro, M.C. Apreda, C. Foces-Foces, F.H. Cano), (366) 377
- Reinvestigation of the reaction of acid chloride with Wilkinson's catalyst; crystal and molecular structure of *cis*- $\text{RhCl}_2(\text{PPh}_3)_2(\text{CO-C}_2\text{H}_5)$  complex (J.-Y. Shie, Y.-C. Lin, Y. Wang), (371) 383
- $\text{Rh}(\eta^4\text{-C}_8\text{H}_{12})\{\eta^5\text{-C}_5(\text{CO}_2\text{Me})_5\}$ ,  $\text{Rh}(\text{azb})_2\{\text{C}_5(\text{CO}_2\text{Me})_5\}$ , and  $[\text{M}(\text{CO})\{\text{OC(OH)Me}\}]$

- ( $\text{PPh}_3)_2\llbracket \text{C}_5(\text{CO}_2\text{Me})_5 \rrbracket$  ( $\text{M} = \text{Rh}$  and  $\text{Ir}$ ), crystal structures of (M.I. Bruce, P.A. Humphrey, B.W. Skelton, A.H. White), (361) 369
- $\text{Rh}(\eta^5\text{-C}_5\text{H}_4\text{Z})(\text{PPh}_3)_2$  ( $\text{Z} = \text{H}$ ,  $\text{CO}_2\text{Me}$ ), reaction of elemental sulfur with formation of  $\text{RhS}_4$ ,  $\text{RhS}_5$ ,  $\text{RhS}_6$ , and  $(\text{RhS}_2)_2$  catenated metallacycle complexes (Y. Wakatsuki, H. Yamazaki, C. Cheng), (372) 437
- $[\text{Rh}(\text{CO})_2\text{I}_2]^-$ . ion-pairing in salts of (A. Fulford, P.M. Maitlis), (366) C20
- $[\text{Rh}(\text{CO})_2\text{X}]_2$  ( $\text{X} = \text{Cl}$ ,  $\text{CH}_3\text{COO}$ ) supported on highly decarbonated magnesium oxide: strong effect of chloride ion on surface organometallic chemistry (C. Dossi, R. Psaro, R. Ugo), (359) 105
- Rhodacarboranes with a  $\eta^2, \eta^3$ -2-methylenenorbornadienyl ligand at the rhodium vertex, synthesis of (L.I. Zakharkin, I.T. Chizhevsky, G.G. Zhigareva, P.V. Petrovskii, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (358) 449
- Rhodium/alkyl phenanthroline catalysts, enantioselective transfer hydrogenation of acetophenone by (S. Gladiali, G. Chelucci, F. Socolini, G. Delogu, G. Chessa), (370) 285
- Rhodium-amine complexes as transfer hydrogenation catalysts (P. Kvintovics, B. Heil), (361) 117
- Rhodium(I) and iridium(I) *N*-substituted imidazole derivatives with and without metal–metal interaction; crystal structure of *cis*-( $\text{CO}$ )<sub>2</sub> $\text{RhCl}(N\text{-methylimidazole})$  (F. Bonati, L.A. Oro, M.T. Pinillos, C. Tejel, M.C. Apreda, C. Foces-Foces, F.H. Cano), (369) 253
- Rhodium binuclear methylene- and alkyne-bridged complexes without M–M bonds (I.R. McKeer, S.J. Sherlock, M. Cowie), (352) 205
- Rhodium(I)-[2,3-*o*-bis(diphenylphosphino)- $\beta$ -D-glucopyranoside] chelates with free hydroxyl groups as catalysts in asymmetric hydrogenation (R. Selke), (370) 249
- Rhodium-catalysed carbonylation of *N,N*-allylethylamine, crystal structure of the formed cluster cation and cluster anion (J. Podlahova, J. Podlaha, A. Jegorov, J. Hašek), (359) 401
- Rhodium-catalysed C–C coupling involving ring-opening of strained molecules, addition to olefins and aromatic substitution (G.P. Chiusoli, M. Costa, L. Melli), (358) 495
- Rhodium-catalysed C–C coupling reactions of *N*-allylamides of organic acids (G.P. Chiusoli, M. Costa, F. Pivetti), (373) 377
- Rhodium(I)-catalysed hydrogen-transfer reaction of secondary alcohols and imines, mechanism of (H.-A. Brune, J. Unsin, R. Hemmer, M. Reichhardt), (369) 335
- Rhodium-catalysed isomerisation of 1,3-diene monoepoxides to  $\alpha,\beta$ -unsaturated carbonyl compounds (S. Sato, I. Matsuda, Y. Izumi), (359) 255
- Rhodium catalysed reaction of ethylene and syngas with alkylamines, selective preparation of *n*-propylamines by (M.D. Jones), (366) 403
- Rhodium catalysts, hydrocarbonylation of ethyl formate in the presence of (A.M. Raspolli Galetti, G. Braca, G. Sbrana), (356) 221
- Rhodium catalysts,  $\text{RhH}(\text{CO})_2\text{L}_2$ , modified with aminophosphinephosphinite ligands, asymmetric hydroformylation of styrene by (Y. Pottier, A. Mortreux, F. Petit), (370) 333
- Rhodium(I) chelates prepared by precipitation from equilibrium between neutral and cationic complexes and hydrolysis of bonded ligands (R. Selke), (370) 241
- Rhodium complex-catalyzed hydrogenation reactions, *para*-hydrogen-induced polarization in (R.U. Kirss, R. Eisenberg), (359) C22
- Rhodium complexes as catalysts for crossed aldol-type reactions (S. Sato, I. Matsuda, Y. Izumi), (352) 223
- Rhodium(I) complexes of (−)-(2*S,4S*)-(2,4-bis(diphenylphosphino)pentane, asymmetric hydrogenation of acetophenonebenzylimine and acetophenone by (J. Bakos, I. Tóth, B. Heil, G. Szalontai, L. Párkányi, V. Fülöp), (370) 263
- Rhodium(I) complexes of chiral bis-diphenylphosphines derived from D-glucose and D-galactose, chiroptical properties and enantioselectivity in hydrogenation with (V. Šunjić, I. Habuš, G. Šnatzke), (370) 295
- Rhodium(I) complexes of  $\beta$ -diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141
- Rhodium complexes of improved (2*S,4S*)-*N*-(t-butoxycarbonyl)-4-(diphenylphosphino)-2-[*(diphenylphosphino)methyl*]pyrrolidine (BPPM) analogues, efficient asymmetric hydrogenation of itaconic acid derivatives catalysed by (K. Inoguchi, T. Morimoto, K. Achiwa), (370) C9
- Rhodium complexes with (−)-(2,4-bis(diphenylphosphino)pentane, synthesis and stereochemistry of (J. Bakos, I. Tóth, G. Szalontai, V. Fülöp, B. Heil), (371) 101
- Rhodium complexes with *N*-cyanomethyleneimine as ligand (M. Steinmetz, H. Werner), (369) 309
- Rhodium(I), rhodium(II) and rhodium(III) complexes with *o*-benzene dithiolate(2<sup>-</sup>), *o*-methylthiobenzene thiolate(1<sup>-</sup>), 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecanate(2<sup>-</sup>), CO and  $\text{PPh}_3$ , synthesis and properties of (D. Sellmann, A. Fetz, M. Moll, F. Knoch), (355) 495

- Rhodium dihydride complex  $[\text{RhH}_2(\text{cHex-DAB})(\text{PPh}_3)_2][\text{PF}_6]$  ( $\text{cHex-DAB} = \text{C}_6\text{H}_{11}-\text{N}=\text{CHCH}=\text{NC}_6\text{H}_{11}$ ) with  $[\text{PPh}_4][\text{Co}(\text{CO})_4]$  and  $[\text{PPh}_4][\text{HFe}(\text{CO})_4]$ , reactions of; crystal structure of  $[\text{RhH}_2(\text{cHex-DAB})(\text{PPh}_3)_2][\text{Co}(\text{CO})_4]$  (M. Iglesias, C. del Pino, A.S. José, S. Martinez-Carrera, J. Ros), (366) 391
- Rhodium-trialkylphosphine-nitrogen base catalyst; carbon monoxide hydrogenation to ethylene glycol with (Y. Hara, E. Watanabe, K. Wada, T. Onoda), (359) 97
- Rhodium-zirconium and rhodium-titanium cationic bimetallic complexes, characterisation and catalytic activation of (R. Choukroun, A. Iraqi, C. Rifai, D. Gervais), (353) 45
- $[\text{RhRu}_3(\mu-\text{H})_2(\mu-\text{CO})(\text{CO})_9(\eta^5-\text{C}_5\text{H}_5)]$  cleavage with elimination of benzene on reaction with  $(\text{Ph}_2\text{PCH}_2)_3\text{CMe}$  of; structural characterisation and non-rigidity of  $[\text{Ru}_3(\mu-\text{H})(\mu-\text{PPhCH}_2(\text{Ph}_2\text{PCH}_2)_2\text{CMe})(\text{CO})_8]$  (J.-L. Le Grand, W.E. Lindsell, K.J. McCullough), (373) C1
- Surface-supported metal carbonyl clusters, IR investigation of behaviour of  $\text{Rh}_6(\text{CO})_{16}$  supported on decarbonated magnesium oxide (C. Dossi, R. Psaro, R. Ugo), (353) 259
- Thio-, seleno, and telluro-aldehydes as ligands in mono- and di-nuclear heterometal complexes, synthesis, structure, protonation and methylation of (H. Werner, W. Paul, W. Knaup, J. Wolf, G. Müller, J. Riede), (358) 95
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivkh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129
- Transition metal complexes, reaction with methyl formate of (W. Keim, J. Becker, A.M. Trzeciak), (372) 447
- Transition metal oxide clusters as catalysts in oxidation of cyclohexene with t-butyl hydroperoxide (C. Zhang, Y. Ozawa, Y. Hayashi, K. Isobe), (373) C21
- $\mu_2\eta^2$ -Trimethylsilylethylnyl-rhodium and -iridium complexes, synthesis, structure and reactivity of (J. Müller, M. Tschampel, J. Pickardt), (355) 513
- Triphenylphosphincrhodium(I) complexes, stabilisation of enols by (C.S. Chin, J. Park, S.Y. Lee, C. Kim), (352) 379
- Tripledecker complexes with bridging  $1\text{H}$ -borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53
- Triruthenium-carbonylrhodium cluster,  $[\text{Ru}_3\text{Rh}(\mu-\text{H})_2(\text{CO})_{10}(\eta^5-\text{C}_5\text{H}_5)]$ , synthesis and X-ray crystal structure of (P. Sundberg, B.F.G. Johnson, J. Lewis, P.R. Raithby), (354) 131

## Ruthenium

- N*-Alkylation of amines, as homogeneous catalysis system for synthesis of cyclic mono- and di-amines (G. Bitsi, E. Schleiffer, F. Antoni, G. Jenner), (373) 343
- Alkyl-metal sonochemically-assisted synthesis (C. Roger, M.-J. Tudoret, V. Guerchais, C. Lapinte) (365) 347
- Areneruthenium dichloride dimers,  $[\text{RuCl}_2(\eta^6\text{-arene})]_2$ , regeneration from their monomeric adducts with amines or phosphines of (P. Pertici, S. Bertozzi, R. Lazzaroni, G. Vitulli, M.A. Bennett), (354) 117
- Aromatic olefinic ruthenium(0) and osmium(0) complexes,  $\text{C}_6\text{Me}_6\text{Ru}(\text{CO})(\text{C}_2\text{H}_3\text{R})$  and  $\text{C}_6\text{H}_6\text{Os}(\text{L})(\text{C}_2\text{H}_4)$ , direct reductive synthesis of (H. Werner, K. Roder), (367) 339
- Bimetallic hydrocarbon-bridged complexes by nucleophilic attack of carbonylmетallates to coordinated unsaturated hydrocarbons (W. Beck, B. Niemer, J. Breimair, J. Heidrich), (372) 79
- Bis-alkynyl- and hydrido-alkynyl-osmium(II) and -ruthenium(II) complexes containing triisopropylphosphine as ligand, formation of (H. Werner, U. Meyer, M.A. Esteruelas, E. Sola, L.A. Oro), (366) 187
- Bis(diphenylphosphino)acetylene as bridging ligand between homo- and hetero-metallic clusters (E. Sappa), (352) 327
- Bis( $\eta^5$ -pentamethylcyclopentadienyl)metal derivatives and related complexes, mass spectroscopy of (F. Geoffrey, N. Cloke, J.P. Day, A.M. Greenway, K.R. Seddon, A.A. Shimran, A.C. Swain), (372) 231
- Bis(pentamethylcyclopentadienyl)tetracarbonyl-dirhenium, reactions with  $\text{S}_8$  of (H. Brunner, N. Janietz, J. Wachter, B. Nuber, M.L. Ziegler), (356) 85
- ( $\eta^5$ -Borole)iron and ( $\eta^5$ -borole)( $\eta^5$ -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362) 243
- Carbonyl complexes, role in homogeneous hydrogenation of CO (B.D. Dombek), (372) 151
- Carbonyl-phosphine-ruthenium(II) complexes,  $(\text{R}_2\text{P})_2\text{Ru}(\text{CO})_2\text{Cl}_2$  and  $(\text{R}_3\text{P})_3\text{Ru}(\text{CO})\text{Cl}_2$ , homogeneous hydrogenation of 1-hexene by (D.W. Krassowski, J.H. Nelson), (356) 93
- Carbonylrhodium high nuclearity clusters; synthesis and crystal structure of  $(\text{NMe}_4)_3[\text{Rh}_{14}\text{H}(\text{CO})_{25}] \cdot \text{Me}_2\text{CO}$  (G. Ciani, M. Moret, A. Sironi, S. Martinengo), (363) 181
- Chiral modified dinuclear cluster  $\text{Ru}_2(\text{CO})_4(\eta^2\text{-OOCR})_2(\eta^2\text{-DIOP})$ , as catalyst for asymmet-

- ric hydration of hydroxyacetone (G.F. Schmidt, G. Süss-Fink), (362) 179
- Chromium, tungsten, iron, and ruthenium complexes of the 4-membered ring diazene 3,4-diazatricyclo[4.2.1.0<sup>2,5</sup>]non-3-ene (M.N. Ackermann, D.E. Adams, J. Pranata, C.F. Yamauchi), (369) 55
- $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)(\text{CN}^+\text{Bu})(\text{IR})]\text{PF}_6$ , ( $\text{R} = \text{CH}_3, \text{CH}_2\text{SiMe}_3$ ), preparation of; crystal structures of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)(\text{CN}^+\text{Bu})\text{I}]$  and  $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)(\text{CN}^+\text{Bu})-(\text{ICH}_3)]\text{PF}_6$  (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (366) 357
- $[\text{C}_5\text{Me}_4\text{RuC}_5\text{Me}_4\dot{\text{C}}\text{H}_2]^+ \cdot \text{BPh}_4^- \cdot \text{CH}_2\text{Cl}_2$ , crystal and molecular structure of (A.I. Yanovsky, Yu.T. Struchkov, A.Z. Kreindlin, M.I. Rybinskaya), (369) 125
- $[\text{C}_6\text{R}_6\text{M(L)}]$  ( $\text{M} = \text{Ru, Os}$ ), inter- and intramolecular C–H activation with (H. Werner, H. Kletzin, K. Roder), (355) 401
- Cycloheptatriene as dienyl-yl-ligand to ruthenium (H. tom Dieck, I. Kleinwächter, E.T.K. Haupt, D. Bolze-Kuhrt), (365) 351
- Cycloheptatrienyl bridged heterobimetallic complexes, synthesis and reactivity of ( $\mu\text{-C}_7\text{H}_7\text{Ru}(\text{CO})_3\text{Ir}(\text{CO})_2$ ) (S.T. Astely, J. Takats), (363) 167
- Cyclopentadienylruthenium(III) complexes of aromatic amino acid derivatives, synthesis and characterization of (R.M. Moriarty, Y.Y. Ku, U.S. Gill), (362) 187
- Cyclopentadienyl- $\eta^5$ -thiopheneruthenium cation, C–S bond cleavage and subsequent reactions of the butadiene-thiolate product of (J.W. Hachgene, R.J. Angelici), (355) 359
- 1,2-Dicarbethoxy-1,2,3,6-tetrahydropyridazine, homogeneous isomerisation by ruthenium complexes of (G. Menchi, U. Mattelloli, A. Scrivanti, S. Paganelli, C. Botteghi), (354) 215
- Dicarbonyl-dithiolate complexes,  $[\text{Ru}(\text{SR})_2(\text{CO})_2(\text{PR}'_3)_2]$ , preparation and properties of (R.M. Catala, D. Cruz-Garritz, H. Torrens, R.L. Richards), (354) 123
- Dihydrido( $\eta$ -cyclopentadienyl)bis(triphenylphosphine)ruthenium(IV) cations, formation and properties of (T. Wilczewski), (361) 219
- (E)-1,2-Disilylenes, synthesis from triorganosilylene with the aid of  $\text{Ru}_3(\text{CO})_{12}$  and hydrosilane of (Y. Seki, K. Takeshita, K. Kawamoto), (369) 117
- Dodecacarbonyltetrarutheniumditellurium,  $\text{Ru}_4\text{Te}_2(\text{CO})_2$ , synthesis and characterisation of (P. Mathur, B.H.S. Thimmappa), (365) 363
- Dodecacarbonyltriruthenium, hydride addition to; synthesis and characterization of the transient formyl cluster complex  $\text{Ru}_3(\text{CO})_{11}(\text{CHO})^-$  (J.A. Partin, M.G. Richmond), (353) C13
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- $\text{Fe}(\text{CO})_3(\text{i-Pr}_2\text{Ph-DAB})$  and  $\text{Ru}(\text{CO})_3(\text{i-Pr}_2\text{CH-DAB})$  (DAB = 1,4-diaza-1,3-butadiene), flash-photolysis and low-temperature study of influence of substitution of CO by PR<sub>3</sub> on the photochemistry of (H.K. van Dijk, J.J. Kok, D.J. Stukens, A. Oskam), (362) 163
- Group 15 ligand-substituted derivatives of  $\text{M}_3(\text{CO})_{12}$  ( $\text{M} = \text{Ru, Os}$ ), stereochemistry of; synthesis and characterisation of tetra-substituted ruthenium complexes; X-ray structures of  $\text{Ru}_3(\text{CO})_8(\text{L})_4$  ( $\text{L} = \text{PMe}_2\text{Ph}$  and  $\text{P}(\text{OR})_3$ ,  $\text{R} = \text{Me, Et and Ph}$ ) (M.I. Bruce, M.J. Liddell, O. bin Shawkataly, I.R. Bytheway, B.W. Skelton, A.H. White), (369) 217
- Hetero-metal cluster formation by C–H cleavage of cluster-bound acetylene ligands (W. Bernhardt, H. Vahrenkamp), (355) 427
- $(\mu\text{-H})_2\text{Ru}_3(\mu_3\text{-}\eta^2\text{-CHC(O)OCH}_3)(\text{CO})_8(\text{PPh}_3)$ , synthesis, characterization, and crystal structure of (T.S. Janik, M.R. Churchill, T.P. Duggan, J.B. Keister), (353) 343
- $[\text{H}_3\text{Ru}_4(\text{CO})_{12}]^-$  as catalyst in hydrogenation and hydro-coupling of acetacetic amides and esters (G.F. Schmidt, J. Reiner, G. Süss-Fink), (355) 379
- Indenylruthenium(II) complexes containing optically active diphosphines; X-ray structures of (*S,S*)-(η<sup>5</sup>-C<sub>9</sub>H<sub>7</sub>)Ru{Ph<sub>2</sub>PCH(CH<sub>3</sub>)CH-(CH<sub>3</sub>)PPh<sub>2</sub>}Cl and of its η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub> analogue (F. Morandini, G. Consiglio, A. Sironi, M. Moret), (370) 305
- Ion group metallocenes, photoreaction of (P. Bergamini, S. Di Martino, A. Maldotti, S. Sostero, O. Traverso), (365) 341
- Maleic anhydride complex,  $\text{Ru}(\eta^2\text{-C}_4\text{H}_2\text{-O}_3)(\text{CO})(\text{CN-}p\text{-tolyl})(\text{PPh}_3)_2$ , crystal structure of (C.E.F. Rickard, W.R. Roper, L.J. Wright, L. Young), (364) 391
- $[\text{MCl}(\text{C}_6\text{H}_4\text{Me-4})(\text{CO})(\text{PPh}_3)_2]$  ( $\text{M} = \text{Ru, Os}$ ), reactions of SO<sub>2</sub> with; role of the adduct  $[\text{OsCl}(\text{C}_6\text{H}_4\text{Me-4})(\text{CO})(\text{PPh}_3)_2(\text{SO}_2)]$  (M. Herberhold, A.F. Hill), (353) 243
- Metal cyanide boron trifluoride stable adducts, crystal structure of ( $\eta^5\text{-C}_5\text{H}_5\text{(Ph}_3\text{P})_2\text{Ru-(CNBF}_3\text{)}$  (W. Weigand, U. Nagel, W. Beck), (352) 191
- Methylene-osmium(II) and -ruthenium(II) stable complexes, migration of σ-aryl ligand to CO in (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper, L.J. Wright), (358) 411
- η<sup>6</sup>-Methyl-*o*-toluate chiral complex  $[\text{RuCl}_2(\eta^6\text{-o-MeC}_6\text{H}_4\text{CO}_2\text{Me})]_2$ , resolution of; crystal structure and absolute configuration of  $\text{RuCl}_2(\eta^6\text{-o-MeC}_6\text{H}_4\text{CO}_2\text{Me})(+)-\text{neomenthylidiphenylphosphine}$  (P. Salvadori, P. Pertici, F. Marchetti, R. Lazzaroni, G. Vitulli, M.A. Bennett), (370) 155

- $M_3\{\mu\text{-H}, \mu\text{-O}=\text{CNMe}_2\}(\text{CO})_{10}$  ( $M = \text{Ru, Os}$ ), reaction with but-2-yne of; crystal and molecular structures of  $M_3\{\eta^3\text{-CH}_2\text{CHC(H)-CH}_3\}\{\mu\text{-CO}, \mu\text{-O}=\text{CNMe}_2\}(\text{CO})_8$  ( $M = \text{Ru, Os}$ ) and  $\text{Ru}_2\{\mu\text{-O}=\text{CMe=CMe}(\eta^2\text{-CMe=CHMe})\}\{\mu\text{-O}=\text{CNMe}_2\}(\text{CO})_5$  (N.M. Boag, W.J. Sieber, C.E. Kampe, C.B. Knobler, H.D. Kaesz), (355) 385
- Mixed metal clusters  $\text{HRuCo}_2\text{Rh}(\text{CO})_{12}$ ,  $\text{HRuCoRh}_2(\text{CO})_{12}$  and  $\text{H}_2\text{Ru}_2\text{CoRh}(\text{CO})_{12}$ , characterisation by  $^1\text{H}$  NMR spectroscopy of (J. Pursiainen, T.A. Pakkanen), (362) 375
- Mixed metal clusters, structural and reactivity trends (T.A. Pakkanen, J. Pursiainen, T. Venäläinen, T.T. Pakkanen), (372) 129
- Nonacarbonyldi-iron and -ruthenium ditertiary phosphine and diphosphazane ligand-bridged complexes (J.S. Field, A.M.A. Francis, R.J. Haines), (356) C23
- Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65
- Organometallic solid state chemistry (M.L.H. Green, J. Qin, D. O'Hare), (358) 375
- Paracyclophane-ruthenium(II) complexes; crystal structure of  $[\text{Ru}(\eta^6\text{-C}_{16}\text{H}_{16})\text{Cl}(\text{C}_5\text{H}_5\text{N})_2]\text{[PF}_6]$  (M.R.J. Elsegood, D.A. Tocher), (356) C29
- Pentamethylcyclopentadienyl(halo)ruthenium-(III, -III/II or -II) and pentamethylcyclopentadienyl(alcoxo)ruthenium(II) complexes, formation and characterisation of (U. Koelle, J. Kossakowski), (362) 383
- Permethylated  $\alpha$ -metallocenylcarbocations and metallocenium cation radicals of the iron sub-group, related interconversions of (M.I. Rybinskaya, A.Z. Kreindlin, S.S. Fadeeva), (358) 363
- Phosphinoruthenium(II) oxidative cleavage of styrene with oxygen catalysed by (M. Bonaldo, F. Borin, M. Bressan, A. Morvillo), (363) 175
- Polysiloxane-phosphine ligands, complexes and hydrogenation catalysts of (R.V. Parish, D. Habibi, V. Mohammadi), (369) 17
- $[\text{Rh}(\text{COD})(p\text{-tolyl-N=PPh}_2\text{CHPPh}_2\text{NH}-p\text{-tolyl})]\text{[Rh}(\text{COD})\text{Cl}_2]$ , preparation and crystal structure of (P. Imhoff, C.J. Elsevier), (361) C61
- $[\text{Rh}(\text{CO})_2\text{I}_2]^-$ . ion-pairing in salts of (A. Fulford, P.M. Maitlis), (366) C20
- $\text{Rh}_2(\text{O}_2\text{CCH}_3)_3[(\text{C}_6\text{H}_4)\text{PPh}_2](\text{HO}_2\text{CCH}_3)_2$ , synthesis, crystal structure and reactivity of (P. Lahuerta, J. Payá, E. Peris, M.A. Pellinghelli, A. Tiripicchio), (373) C5
- $[\text{RhRu}_3(\mu\text{-H})_2(\mu\text{-CO})(\text{CO})_9(\eta^5\text{-C}_5\text{H}_5)]$  cleavage with elimination of benzene on reaction with  $(\text{Ph}_2\text{PCH}_2)_3\text{CMe}$  of; structural characterisa-
- tion and non-rigidity of  $[\text{Ru}_3(\mu\text{-H})\{\mu\text{-PPhCH}_2(\text{Ph}_2\text{PCH}_2)_2\text{CMe}\}(\text{CO})_8]$  (J.-L. Le Grand, W.E. Lindsell, K.J. McCullough), (373) C1
- $(\text{R}_3\text{P})_2\text{Ru}(\text{CO})_2\text{Cl}_2$  and  $(\text{R}_3\text{P})_3\text{Ru}(\text{CO})\text{Cl}_2$  complexes, electrochemistry of (E.B. Milosavljević, Lj. Solujić, D.W. Krassowski, J.H. Nelson), (352) 177
- $\text{RuCl}\{\text{P}(\text{OMe})_3\}_2(\eta\text{-C}_5\text{H}_5)$  and isomers of  $\text{Ru}[\text{C}=\text{C}(\text{CN})_2]\text{CPh}=\text{C}(\text{CN})_2\{\text{P}(\text{OMe})_3\}_2$  ( $\eta\text{-C}_5\text{H}_5$ ), X-ray structures of (M.I. Bruce, M.P. Cifuentes, M.R. Snow, E.R.T. Tiekkink), (359) 379
- $\text{RuCl}(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_4\text{C}_2\text{CO}_2\text{Me})$ , preparation and X-ray structure of (M.I. Bruce, K.P. Grundy, M.J. Liddell, M.R. Snow, E.R.T. Tiekkink), (375) 131
- $[\text{Ru}_3(\text{CO})_9\{\mu_3\text{-}\sigma, \sigma, \eta^3\text{-C}=\overline{\text{C}}\text{CHMe}_2(\text{PPh}_2)\}]$  and  $[\text{Fe}_3(\text{CO})_9\{\mu_3\text{-}\sigma, \sigma, \eta^3\text{-C}=\overline{\text{C}}\text{CHMe}_3(\text{Ph}_2\text{PO})\}]$ , synthesis and structures of (D.E. Fogg, S.A. MacLaughlin, K. Kwek, A.A. Cherkas, N.J. Taylor, A.J. Carty), (352) C17
- $[\text{Ru}(\text{CO})\{\text{C}_6\text{H}_3\text{MeC(O)C}_6\text{H}_4\text{Me}\}(\text{C}\equiv\text{CPh})(\text{P-Me}_2\text{Ph})_2]$ , synthesis and crystal structure of (M. Hellwell, K.M. Stell, R.J. Mawby), (356) C32
- $[\text{Ru}(\text{CO})\text{Cl}(\text{HC=CHR})(\text{PPh}_3)_2]$  ( $R = n\text{-C}_3\text{H}_7$ ,  $\text{CMe}_3$ ,  $\text{SiMe}_3$ ,  $\text{Ph}$ ) addition reactions with 3,5-dimethylpyrazole of, crystal structure of  $[\text{Ru}(\text{CO})\text{Cl}(\text{HC=CHC}_3\text{H}_7)(\text{PPh}_3)_2(\text{Me}_2\text{Hpz})]$  (M.R. Torres, A. Santos, A. Perales, J. Ros), (353) 221
- $[\text{Ru}(\text{CO})\text{H}(\text{MeCN})_2(\text{PPh}_3)_2]\text{A}$  ( $A = \text{ClO}_4$ ,  $\text{PF}_6$ ), reactions with alkynes of; crystal structure of  $[\text{Ru}(\text{CO})(\text{MeOOCC=CHCOOMe})(\text{MeCN})_2\text{-(PPh}_3)_2\text{ClO}_4$  (J. López, A. Romero, A. Santos, A. Vegas, A.M. Echavarren, P. Noheda), (373) 249
- $\text{Ru}_3(\text{CO})_{12-n}(\text{PPh}_2\text{H})_n$  ( $n = 2, 3$ ),  $\text{HRu}_3(\text{CO})_3\text{-(CO)}_{10}(\mu\text{-PPh}_2)$ ,  $\text{HRu}_3(\text{CO})_9(\mu\text{-PPh}_2)$  and  $\text{HRu}_3(\text{CO})_7(\mu\text{-PPh}_2)_3$  as catalysts in selective hydrogenation of diphenylacetylene and isomerization of *cis*-stilbene (M. Castiglioni, R. Giordano, E. Sappa), (369) 419
- $\text{Ru}_3(\text{CO})_{12-n}(\text{PPh}_2\text{H})_n$  ( $n = 2, 3$ ),  $\text{HRu}_3(\text{CO})_{10}(\mu\text{-PPh}_2)$ ,  $\text{HRu}_3(\text{CO})_9(\mu\text{-PPh}_2)$ ,  $\text{H}_2\text{Ru}_3(\text{CO})_8(\mu\text{-PPh}_2)_2$  and  $\text{HRu}_3(\text{CO})_7(\mu\text{-PPh}_2)_3$ , selective hydrogenation of t-butylacetylene in the presence of; spectroscopic identification of alkyne-substituted cluster intermediates (M. Castiglioni, R. Giordano, E. Sappa), (362) 399
- $[\text{Ru}(\text{CO})(\text{PPh}_3)_2(\text{L})(\text{OSNR})]$  ( $\text{L} = \text{CO, CN}^+\text{Bu, CN C}_6\text{H}_3\text{Me}_2\text{-2,6; R = C}_6\text{H}_4\text{Me-2, C}_6\text{H}_4\text{Me-4}$ ), synthesis of (M. Herberhold, A.F. Hill), (368) 111
- $\text{Ru}_3(\text{CO})_9(\text{PPh}_3)_3$ , starting material for synthesis of binuclear ruthenium(I) complexes;

- crystal structure of  $\text{Ru}_2(\mu\text{-L}_2)(\text{CO})_4(\text{PPh}_3)_2$  ( $\text{H}_2\text{L}_2 = 1,8\text{-diaminonaphthalene}$ ) (P.L. Andreu, J.A. Cabeza, V. Riera, F. Robert, Y. Jeannin), (372) C15
- $\text{Ru}_3(\mu_3\text{-NPh})(\mu\text{-diphenylphosphinomethane})$ - $(\text{CO})_8$ , reaction with alkynes of; crystal structure of  $[\text{Ru}_2(\mu\text{-}[(\text{PPh}_2)_2\text{CH}_2])(\text{CO})_4(\mu\text{-}\eta^3\text{-HC=CPhC(O)NPh})]$  (M. Pizzotti, S. Cenini, C. Crotti, F. Demartin), (375) 123
- $\text{Ru}_3(\mu_3\text{-NPh})(\mu\text{-}[(\text{PPh}_2)_2\text{CH}_2])(\text{CO})_8$ , synthesis and crystal structure of (M. Pizzotti, F. Porta, S. Cenini, F. Demartin), (356) 105
- $\text{Ru}_3(\mu_5\text{-}\eta^2\text{-P}_2\text{CPh}_2)(\mu\text{-PPh}_2)(\text{CO})_{13}$  reactions with CO or dihydrogen of; X-ray crystal structures of  $\text{Ru}_5(\mu\text{-H})(\mu_5\text{-CCHPPh}_2)(\mu\text{-PPh}_2)(\text{CO})_{13}$ ,  $\text{Ru}_5(\mu\text{-H})_2(\mu_4\text{-CCH}_2\text{-PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_{12}$  and  $\text{Ru}_5\text{C}(\mu\text{-H})_3(\mu\text{-PPh}_2)(\text{CO})_{11}(\text{PMcPh}_2)$  (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), (369) 393
- Ruthenium and osmium, annual survey 1985 (P.A. Shapley), (351) 89
- Ruthenium and osmium, annual survey 1986 (P.A. Shapley), (351) 145
- Ruthenium(I) binuclear complexes bridged by anionic groups, synthesis of X-ray structures of pyrazolate- and oxypyridinate-bridged complexes (S.J. Sherlock, M. Cowie, E. Singleton, M.M. de V. Steyn), (361) 353
- Ruthenium carbonyl hydroformylation system, EXAFS infrared and kinetic studies on (J. Evans, G. Jingxing, H. Leach, A.C. Street), (372) 61
- Ruthenium cluster as catalyst for carbonylation of cyclic amines (G. Süss-Fink, M. Langenbahn, T. Jenke), (368) 103
- Ruthenium-cluster-catalysed transfer hydrogenation of carbon tetrahalides: isolation and X-ray structure of the intermediate,  $\text{Ru}_3(\text{CO})_7\text{Cl}_2(\text{OC}_6\text{H}_{11})_2$  (S. Bhaduri, N.Y. Sapre, K.R. Sharma, P.G. Jones), (364) C8
- Ruthenium clusters as catalysts for C-C and C-N addition reactions of carbodiimides (G.F. Schmidt, G. Süss-Fink), (356) 207
- Ruthenium complex catalyzed allylation of aldehydes with allylic acetates (Y. Tsuji, T. Mukai, T. Kondo, Y. Watanabe), (369) C51
- Ruthenium complex-catalyzed hydrogen transfer, biphasic reduction of unsaturated aldehydes to unsaturated alcohols by (F. Joó, A. Bényei), (363) C19
- Ruthenium complex, cyclization of aminoalcohols on (K. Felföldi, M.S. Klyavlin, M. Bartók), (362) 193
- Ruthenium dinuclear cluster with N- and O-containing bridges, reactions with  $\text{CO}_2$  of (F. Neumann, G. Süss-Fink), (367) 175
- Ruthenium(II) monomeric complexes containing diazene and isocyanide ligands: preparation and properties of; crystal structure of  $[\text{Ru}(4\text{-CH}_3\text{C}_6\text{H}_4\text{N=NH})(4\text{-CH}_3\text{C}_6\text{H}_4\text{NC})\{\text{P}(\text{OEt})_3\}_4](\text{PF}_6)_2$  (G. Albertin, S. Antoniutti, E. Bordignon, G. Pelizzi, F. Vitali), (353) 229
- Ruthenium trinuclear complex, modification with chiral diphosphane ligands of (G. Süss-Fink, H. Jungbluth), (352) 185
- $\text{Ru-X-C}$  ( $\text{X} = \text{F}$  or  $\text{H}$ ) interactions in complex compounds; preparation and crystal structures of  $[\text{Ru}(\text{SC}_6\text{F}_4(\text{F}-2))(\text{SC}_6\text{F}_5)_2(\text{PMe}_2\text{Ph})_2]$  and  $[\text{Ru}(\text{SC}_6\text{F}_5)_2(\text{PC}_6\text{H}_4(\text{H}-2)(\text{C}_6\text{H}_5)_2)_2]$  (R.-M. Catalá, D. Cruz-Garritz, P. Sosa, P. Terreros, H. Torrens, A. Hills, D.L. Hughes, R.L. Richards), (359) 219
- Sulphur dioxide insertion into M-C(*sp*) bonds of  $\text{Ru}(\text{C}_2\text{Ph})(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$ ; X-ray crystal structure of  $\text{Ru}(\eta^2\text{-S}_2\text{CC}_2\text{Ph})(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)$  (M.I. Bruce, M.J. Liddell, M.R. Snow, E.R.T. Tiekkink), (352) 199
- Tetracarbonylruthenium hydrido anion, catalytic activity for hydroformylation of olefins of (T. Hayashi, Z.H. Gu, T. Sakakura, M. Tanaka), (352) 373
- Tetrafluorodisilacyclobutene, cycloaddition reactions with 1,3-butadienes mediated by  $\text{Ru}_3(\text{CO})_{12}$  of (C.Y. Huang, C.S. Liu), (373) 353
- Thiolate-amine complexes  $[\text{Ru}(\text{CO})_2(\text{bmae})]$  and  $[\text{Ru}(\text{CO})_2(\text{b}^{\text{u}}\text{bmae})]$  ( $\text{bmae}^{2-} = 1,2\text{-bis}(2\text{-mercaptoanilino})\text{ethane}(-2)$ ;  $\text{b}^{\text{u}}\text{bmae} = 1,2\text{-bis}(2\text{-mercapto-3,5-di-t-butylalainino})\text{ethane}(-2)$ ), UV photolysis of (D. Sellmann, O. Käppler, F. Knoch), (367) 161
- Transition metal complexes of (2-(2-methoxyethoxy)ethyl)diphenylphosphine and (2-(2-methoxyethoxy)ethyl)dimethylarsine, synthesis and characterization of (V.V.S. Reddy, J.E. Whitten, K.A. Redmill, A. Varshney, G.M. Gray), (372) 207
- Tricarbonyltetraphenylcyclopentadienone ruthenium(0), as catalyst in reduction of nitroaromatics with CO and  $\text{H}_2\text{O}$  (Y. Shvo, D. Czarkie), (368) 357
- Trinuclear ruthenium clusters with  $\mu_3\text{-S}$  and  $\mu_3\text{-PR}$  bridges (E. Lindner, H. Rothfuss), (353) C42
- Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53
- Triruthenium-carbonylrhodium cluster,  $[\text{Ru}_3\text{Rh}(\mu\text{-H})_2(\text{CO})_{10}(\eta^5\text{-C}_5\text{H}_5)]$ , synthesis and X-ray crystal structure of (P. Sundberg, B.F.G. Johnson, J. Lewis, P.R. Raithby), (354) 131
- Undecacarbonyltriruthenium hydrido anion,  $[\text{HRu}_3(\text{CO})_{11}]^-$ , in situ synthesis on the surface of hydroxylated aluminum oxide (J.J. Bergmeister, III, B.E. Hanson), (352) 367

## Samarium

Bis(pentamethylcyclopentadienyl)samarium dimethoxyethane, synthesis and crystal structure of (S.J. Swamy, J. Loebel, J. Pickardt, H. Schumann), (353) 27

Mono-, bis- and tris-(*t*-butylcyclopentadienyl)-lanthanoid complexes, formation of (A.L. Wayda), (361) 73

Naphthalene complexes of ytterbium, synthesis and reactivity of (M.N. Bochkarev, A.A. Trifonov, E.A. Fedorova, N.S. Emelyanova, T.A. Basalgina, G.S. Kalinina, G.A. Razuvaev), (372) 217

## Selenium

Acetylacetone-selenium derivatives,  $[\text{Se}(\text{CH}_3\text{C}(\text{O})\text{CC}(\text{O})\text{CH}_3)]_2$  and  $[\text{PhSe}]_2[\text{CH}_2\text{C}(\text{O})\text{CC}(\text{O})\text{CH}_3]$ , crystal and molecular structures of (R.J. Adrien, R.W. Gable, B.F. Hoskins, D. Dakternieks), (359) 33

$(\text{C}_5\text{Cl}_4\text{R})\text{Mn}(\text{CO})_3$  and  $(\text{C}_5\text{Cl}_4\text{R})\text{Rh}(\text{COD})$  derivatives, preparation of; crystal structure of  $(\text{C}_5\text{Cl}_4\text{CONH}_2)\text{Mn}(\text{CO})_3$  (K. Sünkel, D. Steiner), (368) 67

Chalcogenamettallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362) 311

Chalcogens, contrasting roles in synthesis of mixed metal complexes  $(\text{CO})_6\text{Fe}_2(\mu_3\text{-E})_2\text{M}(\text{PPh}_3)_2$  ( $\text{E} = \text{Te}, \text{Se}, \text{S}; \text{M} = \text{Ni}, \text{Pd}, \text{Pt}$ ) of (P. Mathur, I.J. Mavunkal, V. Rugmini), (367) 243

$[(\text{C}_5\text{H}_5)(\text{CO})_2\text{Mn}]_2\text{SePh}^+$ , electrocyclic ring opening of (H. Braunwarth, F. Ettel, G. Huttner), (355) 281

$\text{C}_5\text{H}_5(\text{CO})_2\text{MnTCNE}$ , synthesis from  $[\text{C}_5\text{H}_5(\text{CO})_2\text{MnXPh}]_n$  ( $\text{X} = \text{S}, \text{Se}, \text{Te}, n = 1, 2$ ) of; solid state structure and magnetism of (H. Braunwarth, G. Huttner, L. Zsolnai), (372) C23

$(\text{C}_5\text{H}_5)_2\text{Cr}_2(\text{CO})_4\text{Se}$ , thermolytic degradation of and crystal structures of the cubane-like clusters  $(\text{C}_5\text{H}_5)_4(\mu_3\text{-CO})_2(\mu_3\text{-Se})_2$  and  $(\text{C}_5\text{H}_5)_4\text{Cr}(\mu_3\text{-O})_2(\mu_3\text{-Se})_2$  (L.Y. Goh, T.C.W. Mak), (363) 77

$(\eta^5\text{-C}_5\text{Me}_5)_2\text{CoRh}(\mu\text{-CO})_2$ , reaction with sulphur and selenium of (H. Brunner, N. Janietz, J. Wachter, B. Nuber, M.L. Ziegler), (367) 197

Cyclopentadienylcobalt 1,2-diselenolene complexes, preparation and properties of (C.P. Morley, R.R. Vaughan, B.J. Wheatley), (353) C39

Cyclopentadienylmolybdenum cationic complexes, coordination of  $\text{ER}_2$  ( $\text{E} = \text{S}, \text{Se}, \text{Te}$ ) in (N. Kuhn, H. Schumann, E. Zauder), (354) 161

( $\text{Di}-\eta$ -cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a dinuclear hafnium complex with  $\text{Se}_4$  and O bridges (N. Albrecht, E. Weiss), (355) 89

Dimolybdenum unsaturated compound  $[\text{Mo}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-CH}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_2]$ , synthesis and reactivity of; crystal structure of  $[\text{Mo}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-I})(\mu\text{-CH}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_2]\text{[TlI}_4\text{]} \cdot \text{CH}_2\text{Cl}_2$  (V. Riera, M.A. Ruiz, F. Villafaña, C. Bois, Y. Jeannin), (375) C23

1,3-Diselena- and 1,3-dithia-[3]ferrocenophane derivatives, Mössbauer and electrochemical studies on (A.G. Osborne, R.E. Hollands, A.G. Nagy), (373) 229

Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185

Group 6 metal tetracarbonyl complexes, *cis*- $[\text{M}(\text{CO})_4((\text{C}_5\text{H}_4\text{ECH}_3)_2\text{Fe})]$  ( $\text{M} = \text{Cr}, \text{Mo}, \text{W}; \text{E} = \text{S or Se}$ ); crystal structure of 1,1'-bis(methylseleno)ferrocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (367) 275

Heterocycle formation by [4 + 2]-cycloaddition of transition-metal coordinated hetero olefins to butadienes, regioselectivity of (H. Fischer, U. Gerbin, J. Riede), (364) 155

Metallobutrahedral clusters  $(\text{MeC}_5\text{H}_4)_4\text{Cr}_4(\mu_3\text{-E})_4$  ( $\text{E} = \text{O}, \text{S}, \text{Se}$ ), influence of bridging ligands on geometry and magnetic properties of (I.L. Eremenko, S.E. Nefedov, A.A. Pasynskii, B. Oraszakhatov, O.G. Ellert, Yu.T. Struchkov, A.I. Yanovsky, D.V. Zagorevsky), (368) 185

Octacarbonyldicobalt,  $\text{Co}_2(\text{C})\text{O}_8$ -mediated and -catalyzed carbonylation of diaryl diselenides and ditellurides with CO (S. Uemura, H. Takahashi, K. Ohe, N. Sugita), (361) 63

$^{77}\text{Se}$  and  $^{125}\text{Te}$  NMR, substituent effects and polarizability (N.P. Luthra, A.M. Boccanfuso, R.B. Dunlap, J.D. Odom), (354) 51

Tetranuclear hydroxocarbonyl-molybdenum and -tungsten complexes,  $[\text{Et}_4\text{N}]_4[\text{Mo}(\text{CO})_3(\mu_3\text{-OH})]_4$  and  $[\text{Et}_4\text{N}]_4[\text{W}(\text{CO})_3(\mu_3\text{-OH})]_4$ , synthesis and characterization of (J.T. Lin, S.K. Yeh, G.H. Lee, Y. Wang), (361) 89

Thio-, seleno, and telluro-aldehydes as ligands in mono- and di-nuclear heterometal complexes, synthesis, structure, protonation and methylation of (H. Werner, W. Paul, W. Knaup, J. Wolf, G. Müller, J. Riede), (358) 95

- Transition-metal coordinated heteroolefins applied in synthesis; influence of alkyne on reactivity and stereoselectivity with hetero-aldehydic and -ketonic complexes (H. Fischer, J. Hofmann, U. Gerbing, A. Tirilomis), (358) 229
- Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an  $\eta^6$ -arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303
- Vinyl selenides, formation by trapping subsequent to oxidative release from tricarbonyliron complexes of (K.H. Pannell, A.J. Mayr, B. Carrasco-Flores), (354) 97
- $(\mu_3\text{-X})_2\text{Fe}_3(\text{CO})_9$ , ( $\text{X} = \text{RP}$ , Se, Te) bridging groups, addition of alkynes to (T. Fässler, D. Buchholz, G. Huttner, L. Zsolnai), (369) 297
- Zirconocene and hafnocene dihydrides  $[(\eta^5\text{-RC}_5\text{H}_4)_2\text{M(H)(}\mu\text{-H)}]_2$  ( $\text{M} = \text{Zr}$ , Hf), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193
- ## Silicon
- Acylaminoacrylic acid ethyl ester and (*Z*)-acylaminoacrylic acid methyl ester, asymmetric hydration catalysed by DIOP-rhodium derivative of (U. Werz, H.-A. Brune), (365) 367
- Acylgermanes, reaction with triethylgermyllithium of (I.S. Biltueva, D.A. Bravo-Zhivotovskii, I.D. Kalikhman, V.Yu. Vitkovskii, S.G. Shevchenko, N.S. Vyazankin, M.G. Voronkov), (368) 163
- $\eta^2$ -Alkenerhodium(I) complexes,  $^{13}\text{C}-^{13}\text{C}$  coupling constants in (J.W. Fitch, E.B. Ripplinger, B.A. Shoulders, S.D. Sorey), (352) C25
- $\alpha$ -Alkoxy- and  $\alpha$ -alkyl-substituted organocuprates, regioselectivity of addition of in-situ trimethylsilyl chloride to enals (R.J. Lindermann, J.R. McKenzie), (361) 31
- Alkoxy- or alkylthio-substituted silylcarbene complexes,  $(\text{CO})_5\text{MC(XEt)SiR}_3$  ( $\text{M} = \text{Cr}$ , Mo, W; X = O, S) and ketene derivatives,  $\text{R}_3\text{Si(EtX)C=C=O}$ , synthesis of (J. Kron, U. Schubert), (373) 203
- Alkoxsilylene (alkoxsilanediyl), formation and characterisation of (G. Maier, H.P. Reisenauer, K. Schöttler, U. Wessolek-Kraus), (366) 25
- Alkyl- and aryl-organorhenium complexes, synthesis and characterisation of (W.A. Herrmann, M. Flöel, E. Herdtweck), (358) 321
- 2-Alkyl-2,3,6,7-tetrahydrooxepines and -oxocins, synthesis from allylsilanes of (B. Guyot, J. Pernet, L. Migniniac), (373) 279
- Alkytin-activated  $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ , metathesis of carbonyl-protected ketone in (S. Warwel, G. Pütz), (364) 323
- Alkyne complexes of  $\eta^5$ -cyclopentadienylmethyl-nickel, formation and thermolysis of (H. Lehmkuhl, F. Danowski, G. Mehler, J. Popławska, S. Pasynkiewicz), (363) 387
- Alkynes and alkynylsilanes, halogenation of (M.I. Al-Hassan), (372) 183
- 1-[*N*-(2-Aminoethyl)aminoalkyl]silatrane and their complexes with  $\text{CuCl}_2$  (M.G. Voronkov, V.P. Baryshok, N.F. Lazareva, V.V. Saraev, T.I. Vakulskaya, P. Hencsei, I. Kovacs), (368) 155
- $\eta^6$ -Arenenickel(II) complexes, polyarene and fused arene systems, preparation of (S.-B. Choe, K.J. Klabunde), (359) 409
- Aryl-containing silsesquioxanes, polyhedral oligosilsesquioxanes via catalytic hydrogenation of (F.J. Feher, T.A. Budzichowski), (373) 153
- Aryldimethylchlorosilanes, reactions with benzylidemethylsilanol of,  $^1\text{H}$  NMR investigation of (K. Rühlmann, H. Grosse-Ruyken, D. Scheller, U. Scheim), (356) 39
- Aryltrimethylsilanes and aryldimethylphosphaneboranes multinuclear NMR spectroscopy of (J.A. Albanese, D.E. Gingrich, C.D. Schaeffer, Jr., S.M. Coley, J.C. Otter, M.S. Samples, C.H. Yoder), (365) 23
- Benzene radical cations with chlorosilyl substituents: an ESR study (C.J. Rhodes), (356) 17
- Bis(ethenyldimethylsilylmethyl)platinum(II) complexes containing nitrogen donor ligands; synthesis and spectroscopic characteristics of (R.D. Kelly, G.B. Young), (361) 123
- Bis(hydrocarbyl)iridium(III) five-coordinate complexes,  $\text{Ir}(\text{R})\text{R}'[\text{N}(\text{Si}(\text{Me}_2\text{CH}_2\text{PPh}_2)_2)]$ , synthesis and structure of (M.D. Fryzuk, P.A. MacNeil, R.L. Massey, R.G. Ball), (368) 231
- Bis(phenyl)diarsaneplatinum(II) compounds photochemical investigations of (H.-A. Brune, R. Klozbücher, G. Schmidtberg), (365) 389
- 1,2-Bis(silyl)ethenes, synthesis by metathesis of vinylsilanes of (B. Marciniec, H. Maciejewski, J. Guliński, L. Rzejak), (362) 273
- Bis-silyl-palladium complexes,  $(\text{R}_3'\text{P})_2\text{Pd}(\text{SiR}_3)_2$ , influence of substituents at silicon on stability and decomposition products of (U. Schubert, C. Müller), (373) 165
- Bis(trimethylsilyl)carbodiimide,  $(\text{CH}_3)_3\text{SiN=C=NSi}(\text{CH}_3)_3$ , reactions with trimethylaluminium, -gallium and -indium of (R. Lechler, H.-D. Hausen, J. Weidlein), (359) 1

- 5,8-Bis(trimethylsilyl)-5,8-dihydropteridine and its deaza derivative, stabilisation of (C. Besenbacher, W. Kaim), (362) 37
- Bis(trimethylsilyl)isocyanamine and its isomers, reactions with chlorotriphenylphosphonium chloride of; crystal structure of  $[\text{Ph}_3\text{PCNN}(\text{C}(\text{PPh}_3)_2\text{N})\text{N}][\text{PF}_6]_2$  (G. Zinner, G. Beck, W.P. Fehlhammer, N. Wiberg), (368) 23
- N,N,N'*-Tris(trimethylsilyl)organoamidines as reagents (K. Dehnicke, C. Ergezinger, E. Hartmann, A. Zinn), (352) C1
- Bis(trimethylsilyl)phosphidobis(tetrahydrofuran)lithium as a reducing agent; X-ray structure of  $[\text{UCp''}_2(\mu\text{-Cl})_2\text{Li}(\text{THF})_2]$  ( $\text{Cp''} = \eta\text{-C}_5\text{H}_3(\text{SiMe}_3)_2$ ; 1,3; THF =  $\text{OC}_4\text{H}_8$ ) (P.C. Blake, E. Hey, M.F. Lappert, J.L. Atwood, H. Zhang), (353) 307
- $\sigma$ -Bonded allyl compounds,  $\sigma$ - $\pi$  interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21
- Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307
- Carbonyliron complexes, formation of coordination  $\text{Si}=\text{C}$  bonds to (N. Auner, J. Grobe, T. Schäfer, B. Krebs, M. Dartmann), (363) 7
- $(\text{C}_5\text{Cl}_4\text{R})\text{Mn}(\text{CO})_3$  and  $(\text{C}_5\text{Cl}_4\text{R})\text{Rh}(\text{COD})$  derivatives, preparation of; crystal structure of  $(\text{C}_5\text{Cl}_4\text{CONH}_2)\text{Mn}(\text{CO})_3$  (K. Sünkel, D. Steiner), (368) 67
- $(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{Me}_5)\text{Zr}[\text{Si}(\text{SiMe}_3)_3]\text{X}$  ( $\text{X} = \text{Cl}, \text{Me}$ ) complexes, reactions with CO and 2,6- $\text{Me}_2\text{C}_6\text{H}_3\text{NC}$  of; crystal structure of  $(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{Me}_5)\text{Zr}[\eta^2\text{-C}(\text{N-2,6-Me}_2\text{C}_6\text{H}_3)\text{-Si}(\text{SiMe}_3)_3\text{Cl}$  (F.H. Elsner, T.D. Tilley, A.L. Rheingold, S.J. Geib), (358) 169
- Chiral hydrosilanerhodium-(+)- and -(-)-diop complexes as catalysts for asymmetric hydrogenation of steroid ketones (G. Göndös, L. Gera, M. Bartók, J.C. Orr), (373) 365
- Chlorodesilylation of fluorovinylsilanes, retention of configuration (F. Tellier, R. Sauvêtre, J.-F. Normant), (362) 23
- $\eta^5\text{-C}_5\text{R}_5\text{Fe}(\text{CO})_2(\text{CH}_2)_3\text{Si}(\text{OCH}_3)_3$  ( $\text{R} = \text{H}$  or  $\text{Me}$ ), synthesis and properties of (M. Moran, C. Pascual, I. Cuadrado, J.R. Masaguer, J. Losada), (363) 157
- Cycloheteropentasilanes,  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}[\text{Si}(\text{C}_6\text{H}_5)_2]_4$  and  $\text{O}[\text{Si}(\text{C}_6\text{H}_5)_2]_5$ , crystal structures of (V.A. Igonin, Yu.E. Ovchinnikov, V.V. Dement'ev, V.E. Shklover, T.V. Timofeeva, T.M. Frunze, Yu.T. Struchkov), (371) 187
- Cyclohexasilanyl derivatives, preparation and properties of (E. Hengge, M. Eibl), (371) 137
- Cyclosilanyl transition metal compounds,  $\text{Si}_6\text{Me}_{11}[\text{Fe}(\text{CO})_2\text{C}_5\text{H}_5]$ ,  $(\text{Si}_6\text{Me}_{10})[\text{Fe}$  ( $\text{CO})_2\text{C}_5\text{H}_5]$ , and  $\text{Si}_6\text{Me}_{11}[\text{Mo}(\text{CO})_3\text{C}_5\text{H}_5]$ , preparation of (E. Hengge, M. Eibl, F. Schrank), (369) C23
- Dialkyaluminium (*N*-methylsilyl)amides, mass spectrometry of (M. Bartoszek, M. Paech, G. Sonnek), (352) 73
- Dichloroneopentylsilaelathene, formation and [2+4] cycloaddition of (N. Auner), (353) 275
- N,C*-Dilithio reagent obtained from *ortho*-*N*-trimethylsilyltoluidine, intriguing behaviour of (B. Wrackmeier, H. Zhou), (375) 1
- Diorganotin(IV) heptacoordinated complexes,  $^{1}\text{H}$ ,  $^{13}\text{C}$  and  $^{119}\text{Sn}$  NMR spectra of (M. Careri, A. Mangia, G. Predieri, C. Vignali), (375) 39
- Diphosphinomethanide ligands,  $[(\text{R}_2\text{P})_2\text{CX}]^-$ , coordination to  $\text{Li}^+$ ; crystal structures of  $\{(\text{THF})\text{Li}[(\text{Ph}_2\text{P})_2\text{CH}]\}_2$ ,  $\{(\text{THF})\text{Li}[(\text{Me}_2\text{P})_2\text{C}(\text{SiMe}_3)]\}_2$  and  $\{[\text{TMEDA}]\text{Li}[(\text{Me}_2\text{P})_2\text{C}(\text{SiMe}_3)]\}$  (H.H. Karsch, B. Deubelly, G. Müller), (352) 47
- Disilanes, efficient formation and cleavage of; silylation with silylmetal reagents (A. Fürstner, H. Weidemann), (354) 15
- (*E*)-1,2-Disilylethenes, synthesis from triorganosilylethene with the aid of  $\text{Ru}_3(\text{CO})_{12}$  and hydrosilane of (Y. Seki, K. Takeshita, K. Kawamoto), (369) 117
- Electron impact induced fragmentation products of  $\text{Si}(\text{C}_6\text{H}_5)_4$ ,  $\text{Ge}(\text{C}_6\text{H}_5)_4$  and  $\text{Sn}(\text{C}_6\text{H}_5)_4$ , structures of (B. Pelli, A. Sturaro, P. Traldi, F. Ossola, M. Porchia, G. Rosetto, P. Zanella), (353) 1
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Enantioselective hydrosilylation of ketones with  $[\text{Rh}(\text{COD})\text{Cl}]_2$  and optically active nitrogen ligands (C. Botteghi, A. Schionato, G. Chelucci, H. Brunner, A. Kürzinger, U. Obermann), (370) 17
- Ethoxy- and ethylthio-(triphenylsilyl) ketenes from carbene complexes  $(\text{CO})_5\text{WC}(\text{XEt})\text{-SiPh}_3$  ( $\text{X} = \text{O}, \text{S}$ ) (U. Schubert, J. Kron, H. Hörnig), (355) 243
- Ethyl  $\alpha$ -acylaminoacrylate and (*Z*)-methyl  $\alpha$ -acylaminoacinnamate, asymmetric hydration catalysed by  $[\text{Rh}(\text{diop-derivative})(\text{solvent})_2]^+\text{BF}_4^-$  of (U. Werz, H.-A. Brune), (363) 377
- Ethylnilsilanes, synthesis and properties of (E. Hengge, A. Baumegger), (369) C39
- $\text{Et}_3\text{SiCF=CFM}$  ( $\text{M} = \text{Li}, \text{ZnBr}$ ), preparation and reactivity of (P. Martinet, R. Sauvêtre, J.-F. Normant), (367) 1
- $[\text{FeC}_5\text{H}_5(\text{CO})_2\{\text{M}(\text{X})\text{R}_2\}]$  ( $\text{R} = \text{CHSiMe}_3$ ), ( $\text{M} = \text{Sn}, \text{Pb}$ ;  $\text{X} = \text{H}, \text{F}, \text{Cl}, \text{Br}, \text{I}$ ), synthesis and characterisation of (M.F. Lappert, M.J. McGeary, R.V. Parish), (373) 107

- Ferrio-azidosilanes and ferriosilyliminophosphoranes, synthesis and reactivity of (U. Wachtler, W. Malisch, E. Kolba, J. Matreux), (363) C36
- Five-coordinate hydridosilicates, general route to, (B. Becker, R. Corriu, G. Guérin, B. Henner, Q. Wang), (359) C33
- Fluoride ion-induced hydrosilylation of aldehydes and ketones under phase-transfer conditions (Yu. Goldberg, E. Abele, M. Shymanska, E. Lukevics), (372) C9
- Fluorocodlemones, preparation by Pd-catalysed cross-coupling reactions of (F. Tellier, R. Sauvêtre, J.-F. Normant), (364) 17
- N*-(Fluorodimethylsilylmethyl)pyrrolidone-2, molecular and crystal structure of (A.A. Marcharashvili, V.E. Shklover, N.Yu. Chernikova, M.Yu. Antipin, Yu.T. Struchkov, Yu.I. Baukov, G.I. Oleneva, E.P. Kramarova, A.G. Shipov), (359) 13
- Functionalised siloxanes,  $^{29}\text{Si}$  NMR spectroscopy of (H. Jancke, J. Schulz, E. Popowski, H. Kelling), (354) 23
- Gallium-arsenic six-membered wing, twist-boat conformation in: crystal structure of  $[(\text{Me}_3\text{SiCH}_2)_2\text{AsGaBr}_2]_3$  (R.L. Wells, A.P. Purdy, A.T. McPhail, C.G. Pitt), (354) 287
- Germanium and silicon hydrotrioxides, generation of singlet state oxygen by (M. Koenig, J. Barrau, N. Ben Hamida), (356) 133
- Group 4 *ansa*-metallocene complexes containing a 1-sila-3-metallacyclobutane ring, synthesis and structural characterization of (A. Kabi-Satpathy, C.S. Bajgur, K.P. Reddy, J.L. Petersen), (364) 105
- Group 4 metallocene derivatives with symmetrically substituted, dimethylsilanediyl-bridged ligand frameworks, diastereomers of; crystal structure of *R,S*- $\text{Me}_2\text{Si}(3\text{-t-Bu-5-Me}_5\text{H}_2)_2\text{ZrCl}_2$  (H. Wiesenfeldt, A. Reinmuth, E. Barsties, K. Evertz, H.-H. Brintzinger), (369) 359
- Halogenohydridobis(silylated cyclopentadienyl)-niobium complexes, synthesis and characterization of (A. Antiñolo, M. Fajardo, F.A. Jalón, C. López Mardomingo, A. Otero, C. Sanz-Bernabé), (369) 187
- 1-Halosilatrane, synthesis and electronic structure of (M.G. Voronkov, V.P. Baryshok, L.P. Petukhov, V.I. Raklin, R.G. Mirskov, V.A. Pestunovich), (358) 39
- Hexaorgano-substituted triatomics,  $\text{R}'_3\text{M}'\text{XM}''-\text{R}''_3$ , and related species, structures of (C. Glidewell), (356) 151
- Hydrosilylation of 2- and 4-alkylcyclohexanones on rhodium(I) complexes (K. Felföldi, I. Kapocsi, M. Bartók), (362) 411
- Hydrosilyliron phosphite-substituted (anionic) complexes, preparation and stereochemistry of (M. Knorr, U. Schubert), (365) 151
- (Hydroxymethyl)[(trimethylsilyl)methyl]silane esters, synthesis and thermally-induced rearrangement of (R. Tacke, R. Rohr-Aehle), (354) 139
- Hypervalent silicon hydrides, evidence in the reaction of optically active 1-NpPhMeSiH(D) with hydrides (J.L. Brefort, R.J.P. Corriu, C. Guérin, B. Henner), (370) 9
- Hypervalent silicon hydrides, intermediacy in exchange reactions of di- and tri-hydrogenosilanes catalysed by hydrides ( $\text{NaH}$ ,  $\text{KH}$  and  $\text{LiAlH}_4$ ) of (B. Becker, R.J.P. Corriu, C. Guérin, B.J.L. Henner), (369) 147
- Iron to cyclopentadienyl ligand silyl group migration in  $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2\text{SiR}_3$  stereochemistry at silicon of (S.R. Berryhill, R.J.P. Corriu), (370) C1
- $\eta^1$ -Ligated halogenophphaalkenes; crystal structures of *trans*-[ $\text{RhCl}(\text{PPh}_3)_2\{\eta^1\text{-PX=CSiMe}_3)_2\}$ ] ( $\text{X} = \text{F}$  or  $\text{Cl}$ ) (P.B. Hitchcock, M.F. Meidine, J.F. Nixon, H. Wang, D. Gudat, E. Niecke), (368) C29
- [ $\text{Li}(\text{PPh}(\text{SiMe}_3)(\text{tmEDA}))_2$  (from  $\text{Mg}(\text{PHPh})_2$ - $(\text{tmEDA})$  or  $\text{Li}(\text{PHPh})(\text{tmEDA})$ ), synthesis of; X-ray structure of the *trans*-isomer (E. Hey, C.L. Raston, B.W. Skelton, A.H. White), (362) 1
- Lithiation of silyl ethers in hydrocarbon solvents by t-butyllithium,  $^{13}\text{C}$  and  $^6\text{Li}$  NMR study of (T.F. Bates, R.D. Thomas), (359) 285
- Lithiodi-t-butylfluorosilylphenylphosphane, eight-membered crystal structure of  $(\text{SiFLiP})_2$  (D. Stalke, M. Meyer, M. Andrianarison, U. Klingebiel, G.M. Sheldrick), (366) C15
- 1-( $\alpha$ -Lithiomethyl)-2-[ $(\alpha$ -lithiomethyl)thio]benzene, reactions with electrophiles of (S. Cabiddu, C. Floris, G. Gelli, S. Melis), (366) 1
- Metal controlled enantioselectivity in catalytic asymmetric hydrosilylation (A. Kinting, H.-J. Kreuzfeld, H.-P. Abicht), (370) 343
- Metallacyclophosphazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40
- Methyl(trioxo)rhenium, reactions with bases of; crystal structure of sodium benzo-15-crown-15-perrhenate (W.A. Herrmann, J.G. Kuchler, G. Weichselbaumer, E. Herdtweck, P. Kirpof), (372) 351
- Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morville, J.M. Brown), (361) 249
- Mono[tris(trimethylsilyl)cyclopentadienyl]nickel complexes, synthesis of (J. Okuda), (353) C1

- Nb[ $\eta^5$ -1,3-C<sub>5</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>Cl<sub>2</sub>, pseudo-reversibility of the first reduction stage of (H. Nabaoui, Y. Mugnier, A. Fakhr, E. Lavorin, A. Antiñolo, F.A. Jalon, M. Fajardo, A. Otero), (375) 67
- Octamethylcyclotetrasiloxane, allyloxy- and allyl(allyloxy)-dimethylsilanes and 2,2,6-trimethyl-2-silapryrane as potential sources of dimethylsilanone, matrix IR spectroscopic study of vacuum pyrolysis of (V.N. Khabashesku, Z.A. Kerzina, A.K. Maltsev, O.K. Nefedov), (364) 301
- Oligosiloxanes with hydroxyalkyl substituents, synthesis and characterization of (F. Braun, L. Willner, M. Hess, R. Kosfeld), (366) 53
- Organoelement-benzasole derivatives of P, As, Si and Sn, synthesis and pyrolysis of (J. Heinicke), (364) C17
- Organometal substituted stannacyclopentadienes, synthesis and polynuclear NMR spectroscopy of (B. Wrackmeyer), (364) 331
- Organosilanediols, hydrogen bonding in; crystal structure of di-*o*-tolylsilanediol (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, P.D. Lickiss), (362) 17
- Organosilanetriols, hydrogen-bonding in; crystal structures of tris(trimethylsilyl)silyl- and tris(trimethylsilyl)methyl-silanetriols (S.S. Al-Juaid, N.H. Butrus, R.I. Damja, Y. Derouiche, C. Eaborn, P.B. Hitchcock, P.D. Lickiss), (371) 287
- Organosilicons, interaction of fluoride ion with; facile isomerizations and new reactions of silicon hydrides (C. Blankenship, S.E. Cremer), (371) 19
- 1-Organylsilatranes, thermochemistry of (M.G. Voronkov, V.P. Baryshok, V.A. Klyuchnikov, A.N. Korchagina, V.I. Pepekin), (359) 169
- (Organylthioalkyl)trialkoxysilanes and 1-(organylthioalkyl)silatranes, thermochemistry of (M.G. Voronkov, M.S. Sorokin, V.A. Klyuchnikov, G.N. Shvetz, V.I. Pepekin), (359) 301
- ( $\mu$ -O)[Ti(C<sub>5</sub>Me<sub>5</sub>)R<sub>2</sub>]<sub>2</sub> (R = Me, CH<sub>2</sub>Ph, or CH<sub>2</sub>SiMe<sub>3</sub>), preparation of; crystal structure of the derivative with R = CH<sub>2</sub>SiMe<sub>3</sub> (P. Gómez-Sal, M. Mena, F. Palacios, P. Royo, R. Serrano, S.M. Carreras), (375) 59
- Palladium complexes as catalyst in reduction of aromatic acyl fluorides (R. Braden, T. Himmeler), (367) C12
- Pentacoordinate silicon intermediates in substitution reactions of organosilanes; nucleophilic attack at silicon and its adjacent carbon (J.J. Eisch, C.S. Chiu), (358) C1
- Pentacoordinated silicon organic derivatives with Si  $\leftarrow$  Cl coordinate bond, evidence for; molecular structure of chloro [1-{1,1-dimethyl-2-(4'-methoxybenzoyl)-hydrazonium}-methyl]dimethylsilane (A.A. Macharashvili, V.E. Shlikover, Yu.T. Struchkov, B.A. Gostevskii, I.D. Kalikhman, O.B. Bannikova, M.G. Voronkov, V.A. Pestunovich), (356) 23
- Pentavalent hydridosilicates: reactivity of potassium tetraethoxyhydridosilicate of (R. Corriu, C. Guérin, B. Henner, Q. Wang), (365) C7
- Platinum-catalysed hydrosilylation of PhCH=CH<sub>2</sub> with Et<sub>3</sub>SiH, mechanistic aspects of (W. Caseri, P.S. Pregosin), (356) 259
- Platinum catalysts for homogeneous catalytic hydrosilylation of C=C bond (R. Skoda-Földes, L. Kollár, B. Heil), (366) 275
- Polychloromethanes, selective silylation by electroreduction of (P. Pons, C. Biran, M. Bordeau, J. Dunoguès), (358) 31
- Polycyclic ketones, insertion into methylene-uranium bond of [(Me<sub>3</sub>Si)<sub>2</sub>N]<sub>2</sub>UCH<sub>2</sub>SiMe<sub>2</sub>-NSiMe<sub>3</sub> (A. Dormond, C. Moïse, A. Elbouadili, H. Bitar), (371) 175
- trans*-Poly[(disilanylene)ethenylene], synthesis and properties of (J. Ohshita, D. Kanaya, M. Ishikawa, T. Yamanaka), (369) C18
- Polysiloxane-phosphine ligands, complexes and hydrogenation catalysts of (R.V. Parish, D. Habibi, V. Mohammadi), (369) 17
- Potassium five-coordinate dihydridosilicates, synthesis and reactivity of (B. Becker, R.J.P. Corriu, C. Guérin, B. Henner, Q. Wang), (368) C25
- 2-Pyridyldimethylsilane, synthesis and coordination properties of (H.G. Ang, W.L. Kwik), (361) 27
- Rhodium-catalysed isomerisation of 1,3-diene monoepoxides to  $\alpha$ , $\beta$ -unsaturated carbonyl compounds (S. Sato, I. Matsuda, Y. Izumi), (359) 255
- Rhodium complexes as catalysts for crossed aldol-type reactions (S. Sato, I. Matsuda, Y. Izumi), (352) 223
- Rhodium(I) complexes of  $\beta$ -diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141
- Si-C and Ge-C bonds, cleavage with lithium aluminium hydride of (V. Gevorgyan, L. Borisova, E. Lukevics), (368) 19
- <sup>29</sup>Si-double-quantum coherence spectroscopy (INADEQUATE), efficient method for the structure elucidation of silicon frameworks (E. Hengge, F. Schrank), (362) 11
- Sila-hexacyclium methyl sulphate, synthesis and properties of (R. Tacke, H. Linoh, K. Rafeiner, G. Lambrecht, E. Mutschler), (359) 159
- Silane-silanol dehydrocondensation; microscopic reverse of hydrogen activation by an organometallic oxide complex (R.J. Klingler, T.R. Krause, J.W. Rathke), (352) 81

- Silanol silylation by a chlorosilane in the presence of neutral nucleophiles, mechanism of (S. Rubinsztajn, M. Cypryk, J. Chojnowski), (367) 27
- 4-Silaphosphorinanes, formation and characterisation of (M.L.J. Hackney, R.C. Haltiwanger, P.F. Brandt, A.D. Norman), (359) C36
- Silenes, transition metal catalyzed formation from vinyldisilanes of (M. Ishikawa, T. Ono, Y. Saheki, A. Minato, H. Okinoshima), (363) C1
- Silica-immobilized ligands and functionalized polysiloxanes, comparison of (I.S. Khatib, R.V. Parish), (369) 9
- Silicon–carbon bond, annual survey 1986 (G.L. Larson), (360) 39
- Silicon–carbon bond, annual survey 1987 (G.L. Larson), (374) 1
- Silicon centre, modification of reactivity by remote phosphorus group at (J. Kowalski, J. Chojnowski), (356) 285
- Silicon hypervalent derivatives, reactivity of; one step synthesis of mono- and di-hydrogenosilanes (A. Boudin, G. Cerveau, C. Chuit, R.J.P. Corriu, C. Reye), (362) 265
- Siloxanes, cleavage by boron trifluoride of (U. Scheim, A. Porzel, K. Rühlmann), (354) 31
- Siloxanes, cleavage by hydrogen oxide of (U. Scheim, R. Lehnert, A. Porzel, K. Rühlmann), (356) 141
- Siloxanes, synthesis and precalculation of  $^{17}\text{O}$  NMR shifts of (U. Scheim, K. Rühlmann, J.W. Kelly, S.A. Evans Jr.), (375) 33
- $\beta$ -Siloxy-carbenoids, stereoselective formation and reactions of (R.W. Hoffmann, M. Julius), (353) C30
- Silylalkyl(ether-phosphanes), preparation, characterisation and reactions of (E. Lindner, A. Bader, E. Glaser, B. Pfeiderer, W. Schumann, E. Bayer), (355) 45
- $\alpha$ -Silylated aldehydes, preparation and properties of (L. Duhamel, J. Gralak, B. Ngono), (363) C4
- Silylene and disilylene, cycloaddition to a 2,2'-bipyridyl of (M. Weidenbruch, A. Schäfer, H. Marsmann), (354) C12
- Silyl enol ethers and esters, survey and interpretation of nucleophilic activation of (C. Chuit, R.J.P. Corriu, C. Reye), (358) 57
- Silyl group influence on reactivity and formation of M–C double bonds (U. Schubert), (358) 215
- Silylpotassium, synthetic route using crown ethers, potassium, and silane to and use to prepare methylsilane and disilylmethane of (B.F. Fieselmann, C.R. Dickson), (363) 1
- Silylsilver complexes, formation of (U. Schubert, H. Wagner), (361) C15
- trans*- and *cis*-Silyl substituted 1,2-dihalogenoethenes, analysis of spectral parameters of (K. Kamieńska-Trela, L. Kania, J. Sitkowski, E. Bednarek), (364) 29
- (SiNSiO) four-membered rings, synthesis of; crystal structure of  $(\text{Me}_3\text{C})_2\text{SiOSi}(\text{CMe}_3)_2\text{NSiMe}_3$  (D. Schmidt-Baese, U. Klingebiel), (364) 313
- $^{29}\text{Si}$ – $^{15}\text{N}$  spin–spin coupling constants, probe for structural studies of N-containing organosilicon compounds (E. Kupče, E. Lukevics), (358) 67
- Tetrafluorodisilacyclobutene, cycloaddition reactions with 1,3-butadienes mediated by  $\text{Ru}_3(\text{CO})_{12}$  of (C.Y. Huang, C.S. Liu), (373) 353
- Tetrafluorodisilacyclobutene and cyclic dienes, cycloaddition reactions mediated by transition metal carbonyls between (C.H. Lin, C.Y. Lee, T.T. Jzang, C.C. Lin, C.S. Liu), (356) 315
- Tetrakis- and hexakis-(trimethylsilyl)cobaltocenium ions, ring rotation hindrance in (J. Okuda), (367) C1
- Tetrakis[bis(trimethylsilyl)methyl]digallane(4) with Ga–Ga bonds, synthesis and molecular structure of (W. Uhl, M. Layh, T. Hildenbrand), (364) 289
- Tetrakis[bis(trimethylsilyl)methyl]diindane(4) with In–In bond, formation and structure of (W. Uhl, M. Layh, W. Hiller), (368) 139
- Tetrakis(hydroxydimethylsilyl)methane, crystal structure of (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, P.D. Lickiss), (353) 297
- 1,1',3,3'-Tetrakis(trimethylsilyl)ferrocene, crystal structure and dynamic solution behaviour of (J. Okuda, E. Herdtweck), (373) 99
- Tetrakis(trimethylsilyl)-ferrocenes and -titano-cenes, hindered rotation of the ring ligands in (J. Okuda), (356) C43
- 1,1',2,2-Tetramethyl-1,2-bis(2'-thienyl)disilane, photolysis of (S.-S. Hu, W.P. Weber), (369) 155
- Trichlorosilane  $\gamma$ -ray-induced reduction of sterically hindered alkyl carboxylates with; formation of alkanes via alkyl chloride (K. Oka, P. Nakao), (362) 31
- Trifluoromethylsilanes, substitution effects in; crystal and molecular structure of  $\text{CF}_3\text{SiPh}_3$  (H. Beckers, D.J. Brauer, H. Bürger, C.J. Wilke), (356) 31
- Trimethylgermylation and trimethylsilylation of *N,N*-dialkylacetamides, application of anions to Peterson-type reaction of (S. Urayama, S. Inoue, Y. Sato), (354) 155
- [2-(Trimethylgermyl)-2-(trimethylsilyl)ethyl]dimethylammonium *N*-methylide and related compounds, anionic rearrangement of the

- germyl and silyl groups in (S. Inoue, S. Urayama, H. Sugiura, Y. Sato), (363) 25
- Trimethyl-group 14 cations, distinguishing 1,2-cyclopentanediol isomers via gas-phase reactions with (W.J. Meyerhoffer, M.M. Bursey), (373) 143
- Trimethylsilane-halide activated organocupper compounds, NMR studies (M. Bergdahl, E.-L. Lindstedt, T. Olsson), (365) C11
- N*-Trimethylsilyl-amides and -lactams, reaction with dimethyl(chloromethyl)chlorosilane of; controlled formation and rearrangement of (*N*-Si) chelate intermediates (I.D. Kalikhman, A.I. Albanov, O.B. Bannikova, L.I. Belousova, M.G. Voronkov, V.A. Pestunovich, A.G. Shipov, E.P. Kramarova, Yu.I. Baukov), (361) 147
- (Trimethylsilyl)(cyclopropyl)acetylenes and terminal cyclopropylacetylenes, synthesis via an arsonium ylide under phase-transfer conditions of (Y. Shen, Q. Liao), (371) 31
- 2-Trimethylsilylnorbornadiene reaction with hexacarbonylmolybdenum of (T.J. Chow, C.-C. Cheng), (368) 323
- [Tris(trimethyl)- and [tris(dimethylphenyl)-silyl]methyl derivatives of phosphorus; crystal structure of [tris(dimethylphenylsilyl)]methyl-phosphorous dichloride (S.S. Al-Juaid, S.M. Dhaher, C. Eaborn, P.B. Hitchcock, C.A. McGahey, J.D. Smith), (366) 39
- [Tris(trimethylsilyl)cyclopentadienyl](arene)iron cationic complexes, synthesis of (J. Okuda), (375) C13
- Tris(trimethylsilyl)silyllithium, reaction with aliphatic ketones of (R. Wustrack, H. Oehme), (352) 95
- [W(=CSiPh<sub>3</sub>)(CO)<sub>2</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>)], reactions of low valent metal species with; crystal structure of the ketenyl complex [WFe{ $\mu$ -C(SiPh<sub>3</sub>)CO}(CO)<sub>5</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>)] (J.C. Jeffery, M.A. Ruiz, F.G.A. Stone), (355) 231

## Silver

- Electron-rich metal centres (Au, Pt) as sources of organometallic complexes with unusual features (R. Usón), (372) 171
- Perhaloaryl-palladium and -platinum anionic complexes as sources of homo- and heteronuclear compounds (R. Usón, J. Forniés, M. Tomás), (358) 525
- Pt-Cu, Pt-Ag and Pt-Au clusters, synthesis of; crystal structure of the Cu<sup>1</sup>-Pt<sup>0</sup> cluster [CuPt<sub>3</sub>( $\mu$ -CO)<sub>3</sub>(PPh<sub>3</sub>)<sub>5</sub>]BF<sub>4</sub> (P. Braunstein, S. Freyburger, O. Bars), (352) C29
- Silylsilver complexes, formation of (U. Schubert, H. Wagner), (361) C15

## Sodium

- Alkali metal (Na, K) cyclooctatetraenides, vibrational spectra of (O.G. Garkusha, I.A. Garbuza, B.V. Lokshin, Z.V. Todres), (371) 279
- Butyllithium and heavier alkali metal t-pentoxide complex bases, properties and reaction with organic halogenides of (L. Lochmann), (364) 281
- Cyclopentadienyluranium(III) anionic complexes, formation and reactions of (J.-F. Le Maréchal, E. Bulot, D. Baudry, M. Ephritikhine, D. Hauchard, R. Godard), (354) C17
- Ferrocene redox-active benzo crown ether complex; crystal structure of ferrocene benzo-15-crown-5 sodium (P.D. Beer, H. Sikanyika, C. Blackburn, J.F. McAleer, M.G.B. Drew), (356) C19
- 1-Halosilatrane, synthesis and electronic structure of (M.G. Voronkov, V.P. Baryshok, L.P. Petukhov, V.I. Rakhlina, R.G. Mirskov, V.A. Pestunovich), (358) 39
- Isopropyl-substituted cyclopentadienyl ligands, synthesis of (H. Sitzman), (354) 203
- [Na·15-crown-5][Mn(CO)<sub>5</sub>], synthesis, structure and solution behaviour of (A. Alvanipour, H. Zhang, J.L. Atwood), (358) 295
- Triphenyltellurium(IV) dithiocarbamates, xanthates, and dithiophosphates, formation and characterisation of (A.K. Singh, J.K. Basumatary), (364) 73

## Sulphur

- Antiferromagnetic clusters (Cp<sub>2</sub>Cr<sub>2</sub>SCMe<sub>3</sub>)( $\mu$ -S)<sub>2</sub>RhL<sub>2</sub> (L<sub>2</sub> =  $\pi$ -C<sub>8</sub>H<sub>12</sub> or (CO)<sub>2</sub>) with long Cr-Rh bonds, synthesis and molecular structures of (A.A. Pasynskii, I.L. Eremenko, V.R. Zalmanovich, V.V. Kaverin, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (356) 57
- Arenetricarbonylchromium complexes, nucleophilic aromatic substitution in (F. Rose-Munch, E. Rose, A. Semra, Y. Jeannin, F. Robert), (353) 53
- [2,3,5,6- $\eta$ ]-Bicyclo[2.2.1]hepta-2,5-diene[[P,O-diphenyl(phenylsulphonylmethyl)phosphine]-rhodium(I) trifluoromethane sulphonate and asymmetric analogues, synthesis, crystal structure, and catalytic chemistry of (N.W. Alcock, J.M. Brown, P.L. Evans), (356) 233
- Bimetallic hydrocarbon-bridged complexes by nucleophilic attack of carbonylmетallates to coordinated unsaturated hydrocarbons (W. Beck, B. Niemer, J. Breimair, J. Heidrich), (372) 79

- Bis(2-carbomethoxyethyl)bis(*N,N*-dimethyl-dithiocarbamato)tin(IV),  $[\text{MeOC}(\text{O})(\text{CH}_2)_2]_2\text{Sn}[\text{SC}(\text{S})\text{NMe}_2]_2$ , crystallographic evidence of seven-coordinate tin in (S.W. Ng, C. Wei, V.G. Kumar Das, G.B. Jameson, R.J. Butcher), (365) 75
- 1,1'-Bis[1-carboxymethyl]thioalkyl]ferrocenes and 1,1'-bis[1-(carboxymethyl)thio-1-phenylmethyl]ferrocene, synthesis and characterization of (D. Scutaru, I. Mazilu, L. Tataru, T. Lixandru, C. Simionescu), (373) 245
- Bis( $\mu$ -hydridocyclopentadienyldicarbonyltungsten complexes,  $[\text{C}_5\text{R}_5\text{W}(\text{CO})_2(\mu\text{-H})]_2$  ( $\text{R} = \text{H}, \text{Me}$ ), reactions with  $\text{SOCl}_2$ ,  $\text{Br}_2$ ,  $\text{I}_2$ ,  $\text{HCl}$ ,  $\text{CF}_3\text{COOH}$ ,  $\text{PMe}_3$ ,  $\text{NO}$ ,  $\text{ClNO}$  and  $\text{CS}_2$  (H.G. Alt, T. Frister, E.E. Trapl, H.E. Engelhardt), (362) 125
- Bis(pentamethylcyclopentadienyl)tetracarbonyl-dirhenium, reactions with  $\text{S}_8$  of (H. Brunner, N. Janietz, J. Wachter, B. Nuber, M.L. Ziegler), (356) 85
- Carbonyltungsten thiosemicarbazone compounds, formation and structure of (J. Valdés-Martínez, A. Sierra-Romero, C. Alvarez-Toledano, R.A. Toscano, H. García-Tapia), (352) 321
- Chalcogenametallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362) 311
- Chalcogens, contrasting roles in synthesis of mixed metal complexes  $(\text{CO})_6\text{Fe}_2(\mu_3\text{-E})_2\text{M}(\text{PPh}_3)_2$  ( $\text{E} = \text{Te}, \text{Se}, \text{S}; \text{M} = \text{Ni}, \text{Pd}, \text{Pt}$ ) of (P. Mathur, I.J. Mavunkal, V. Rugmini), (367) 243
- $\text{C}_5\text{H}_5(\text{CO})_2\text{MnTCNE}$ , synthesis from  $[\text{C}_5\text{H}_5(\text{CO})_2\text{MnXPh}]_n$  ( $\text{X} = \text{S}, \text{Se}, \text{Te}, n = 1, 2$ ) of; solid state structure and magnetism of (H. Braunwarth, G. Huttner, L. Zsolnai), (372) C23
- $\eta^5\text{C}_5\text{H}_5(\text{CO})_3\text{Mo}(\mu\text{-}\eta^1, \eta^2\text{-CS}_2)\text{Mo}(\text{CO})_2\text{-}\eta^5\text{C}_5\text{H}_5$ ,  $\eta^1, \eta^2\text{-CS}_2$  bridged complex, structure of (W. Deutsch, A. Gieren, C. Ruiz-Perez, K.E. Schwarzhan), (355) 197
- $\text{C}_5\text{H}_5\text{Co}(\text{SMc}_2)_2$ , intermediate in synthesis and reactivity of dienylmetal compounds (N. Kuhn, E. Zauder), (362) 217
- $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-SCMe}_3)(\mu_3\text{-S})_2\text{M}(\mu_3\text{-S})_2\text{Fe}_2\text{-}(\text{CO})_6$  ( $\text{M} = \text{Fe}, \text{Rh}$ ) and  $(\text{MeC}_5\text{H}_4)_2\text{Cr}_2(\mu\text{-SCMe}_3)(\mu_3\text{-S})_2\text{Co}(\mu_3\text{-S})_2\text{Fe}_2(\text{CO})_6$ , molecular structure and magnetic properties of (J.L. Eremenko, A.A. Pasynskii, A.S. Katugin, V.R. Zalmanovitch, B. Orazsakhatov, S.A. Sleptsova, A.I. Nekhaev, V.V. Kaverin, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky, V.E. Shklover, Yu.T. Struchkov), (365) 325
- Chemo- and stereo-selective reactions of  $[\text{Fe}(\text{CO})_2\text{Cp}]^+$  and  $[\text{AuPPh}_3]^+$  with  $[\text{W}(\text{CO})_5\{\text{C}(\text{OEt})(\text{Ph})\text{C}(\text{Ph})=\text{S}\}]^-$ ; crystal structures of  $Z\text{-}[\text{W}(\text{CO})_5\{\text{C}(\text{SFe}[\text{CO}]_2\text{Cp})\text{C}(\text{Ph})=\text{C}(\text{OEt})\text{Ph}\}]$  and  $E\text{-}[\text{W}(\text{CO})_5\{\text{S}=\text{C}(\text{AuPPh}_3)\text{C}(\text{Ph})=\text{C}(\text{OEt})\text{Ph}\}]$  (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337
- Chiral sulphonated phosphinerhodium complexes, influence of water on enantioselectivity in reduction of dehydro-aminoacids by (L. Lecomte, D. Sinou, J. Bakos, I. Tóth, B. Heil), (370) 277
- $(\text{C}_5\text{H}_5)_2\text{Ti}(\text{CF}_3)_2\text{CCS}_2$ , synthesis and structure of (J. Benecke, U. Behrens), (363) C15
- $(\eta^5\text{C}_5\text{H}_5)_2\text{Ti}(\text{CO})_2$ , reaction with sulphoxides of (T.L. Chen, A. Shaver, T.H. Chan), (367) C5
- $[(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CF}_3\text{SO}_3)(\text{bipy})]^+ \text{CF}_3\text{SO}_3^-$  five-coordinate  $(\text{C}_5\text{H}_5)_2\text{Zr}^{\text{IV}}$ -complex, formation of (U. Thewalt, W. Lasser), (363) C12
- $(\eta^5\text{C}_5\text{Me}_5)_2\text{CoRh}(\mu\text{-CO})_2$ , reaction with sulphur and selenium of (H. Brunner, N. Janietz, J. Wachter, B. Nuber, M.L. Ziegler), (367) 197
- Cobalt and iron dinuclear complexes with bis(trifluoromethyl) and bis(ethoxycarbonyl) thioketenes as ligands (K. Seitz, J. Benecke, U. Behrens), (371) 247
- Cyclic dithio- and diaminocarbene coordinated trichloromethyl isocyanide complexes, reactions of (W.P. Fehlhammer, G. Beck), (369) 105
- Cyclohexenesulphide as sulphur donor for carbyne-transition metal complexes; preparation of dicarbonyl( $\eta^5$ -cyclopentadienyl)(diethoacetato-*S,S'*)tungsten (F.R. Kreissl, N. Ullrich), (361) C30
- Cyclopentadienylchromium sulphide, reactivity towards atmospheric oxygen of; X-ray analysis of  $\text{Cp}_2^*\text{Cr}_2(\mu, \eta^2\text{-S}_2)(\mu\text{-S}_2)$  ( $\text{Cp}^* = \eta^5\text{C}_5\text{Me}_5$ ) (H. Brunner, J. Pfauensch, J. Wachter, B. Nuber, M.L. Ziegler), (359) 179
- Cyclopentadienyldicarbonyliron *S*-bonded monothiocarboxylates,  $\text{FeCp}(\text{CO})_2\text{SCOR}$ , synthesis and characterisation of; crystal structure of  $\text{FeCp}(\text{CO})_2\text{SCO}(\text{NC}_6\text{H}_4\text{NO}_2\text{-}2)$  (M.A. El-Hinnawi, A.M. Al-Ajlouni, J.S. AbuNasser, A.K. Powell, H. Vahrenkamp), (359) 79
- Cyclopentadienylmolybdenum cationic complexes, coordination of  $\text{ER}_2$  ( $\text{E} = \text{S}, \text{Se}, \text{Te}$ ) in (N. Kuhn, H. Schumann, E. Zauder), (354) 161
- Cyclopentadienyl- $\eta^5$ -thiopheneruthenium cation, C-S bond cleavage and subsequent reactions of the butadiene-thiolate product of (J.W. Hachgenei, R.J. Angelici), (355) 359
- Cyclopentadienyl(triphenylphosphine)( $\alpha$ -benzenesulphonylalkyl)nickel complexes, synthe-

- sis, structure, and stability of (M. Julia, H. Lauron, J.N. Verpeaux, Y. Jeannin, C. Bois), (358) C11
- Cyclopentanone-phospha-, -oxa-, -thia- or -azatungsta complexes, synthesis of (F.R. Kreissl, M. Wolfgruber), (355) 267
- 2,2-Dialkyl-1,3,2-dithiastannolanes, structures of (A.G. Davies, S.D. Slater, D.C. Povey, G.W. Smith), (352) 283
- Di-n-butylbis(thiophenoxyacetato)tin(IV),  $^n\text{Bu}_2\text{Sn}(\text{O}_2\text{CCH}_2\text{SC}_6\text{H}_5)_2$ , crystal structure of (G.K. Sandhu, N. Sharma, E.R.T. Tiekkink), (371) C1
- 2,2-Di-t-butyl-1,3,2-dioxa-, -oxathia-, and -dithia-stannolanes, structure of (P.A. Bates, M.B. Hursthouse, A.G. Davies, S.D. Slater), (363) 45
- Dicarbonylcyclopentadienylmethylthiolatoiron-(II), reactions with monocyanoacetylene of; crystal structures of  $[\text{Fe}(\text{C}(\text{O})\text{C}(\text{CN})=\text{CH}(\text{S}-\text{CH}_3)(\eta^5\text{-C}_5\text{H}_5)\text{(CO)}]$  and of  $[\mu\text{-}\eta^2\text{-Fe}(\text{C}=\text{CCN})(\eta^5\text{-C}_5\text{H}_5)\text{(CO)}_2][\text{Co}(\text{CO})_3]_2$  (R. Kergoat, M.M. Kubicki, L.C. Gomes de Lima, H. Scordia, J.E. Guerchais, P. L'Haridon), (367) 143
- Dicarbonyl-dithiolate complexes,  $[\text{Ru}(\text{SR})_2(\text{CO})_2(\text{PR}'_3)_2]$ , preparation and properties of (R.M. Catala, D. Cruz-Garritz, H. Torrens, R.L. Richards), (354) 123
- Dichloroantimony-bridged manganese dimetal compounds, synthesis and reactivity of (A. Lombard, G. Huttner, L. Zsolnai), (352) 295
- Di(2-iodo-2 $\lambda^4$ -benzotelluro-2-yl diethyldithiocarbamate),  $[\text{C}_8\text{H}_8\text{Te(I)(S}_2\text{CNEt}_2)]_2$ , crystal structure of (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (353) 35
- Dilithiation of *N,N'*-diphenylthiourea, PhNHC(=S)NPh, structure of the product,  $[\text{PhNLiC(=NPh)SLi} \cdot 2\text{HMPA}]_2$ , and supporting ab initio MO calculations on model systems (D.R. Armstrong, R.E. Mulvey, D. Barr, R. Snaith, D.S. Wright, W. Clegg, S.M. Hodgson), (362) C1
- Dimethyldithiocarbamato-2-(2-quinolinyl)phenyltellurium(II), crystal and molecular structure of (A.A. West, W.R. McWhinnie, T.A. Hamor), (356) 159
- Dimolybdenum unsaturated compound  $[\text{Mo}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-CH}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_2]$ , synthesis and reactivity of; crystal structure of  $[\text{Mo}_2(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-I})(\mu\text{-CH}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_2]\text{[TlI}_4\text{]} \cdot \text{CH}_2\text{Cl}_2$  (V. Riera, M.A. Ruiz, F. Villafaña, C. Bois, Y. Jeannin), (375) C23
- Dieolefin- and carbonyl-rhodium(I) and -iridium(I) complexes with phosphine sulphide ligands; crystal structure of  $[\text{Rh}(\text{COD})-$   $(\text{Et}_2\text{P}(\text{S})(\text{S})\text{PEt}_2)]\text{ClO}_4$  (C. Claver, A. Ruiz, A.M. Masdeu, J. Viñas, T. Saballs, F.J. Lahoz, F.J. Plou), (373) 269
- 1,3-Diselena- and 1,3-dithia-[3]ferrocenophane derivatives, Mössbauer and electrochemical studies on (A.G. Osborne, R.E. Hollands, A.G. Nagy), (373) 229
- 1, *n*-Dithia[*n*]ferrocenophanes, orbital interactions in (T. Vondrák, M. Sato), (364) 207
- 1,3-Dithianes, asymmetric oxidation in the presence of chiral titanium complexes of (O. Samuel, B. Ronan, H.B. Kagan), (370) 43
- Ethanol adduct of *N*-triphenylstannyli-1,2-benzisothiazol-3(2*H*)-one 1,1-dioxide, crystal structure of (S.W. Ng, C. Wei, V.T. Kumar Das, T.C.W. Mak), (373) 21
- Ethoxy- and ethylthio-(triphenylsilyl) ketenes from carbene complexes  $(\text{CO})_5\text{WC(XEt)Si-Ph}_3$  ( $\text{X} = \text{O}, \text{S}$ ) (U. Schubert, J. Kron, H. Hörmig), (355) 243
- $[\text{Fe}(\text{C}_5\text{H}_5)_2\text{L}]^+$  ( $\text{L} = 1,4,7\text{-trithiacyclononane}$ ), synthesis, electrochemistry and single crystal X-ray structure of (A.J. Blake, R.D. Crofts, G. Reid, M. Schröder), (359) 371
- $[\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{S})_2\text{Mo}(\text{NO})\{\text{HB}(3,5\text{-Me}_2\text{C}_3\text{N}_2\text{H}_3)\}]$ , synthesis, electrochemistry and molecular structure of (R.P. Sidebotham, P.D. Beer, T.A. Hamor, C.J. Jones, J.A. McCleverty), (371) C31
- $\text{Fe}(\text{CO})_2(\text{dppe})(\text{SR})_2$  and  $\text{Fe}_3(\text{CO})_6(\text{SAr})_6$  complexes synthesis and some reactions of; crystal structure of *cis,cis,cis*- $\text{Fe}(\text{CO})_2(\text{dppe})(\text{SPH})_2$  (J. Takács, L. Markó, L. Párkányi), (361) 109
- Fe-Mo-S complexes in the light of the molecular orbital theory (L. Szterenberg, B. Jeżowska-Trzebiatowska), (371) 361
- Group 6 metal tetracarbonyl complexes, *cis*- $[\text{M}(\text{CO})_4\{(\text{C}_5\text{H}_4\text{ECH}_3)_2\text{Fe}\}]$  ( $\text{M} = \text{Cr}, \text{Mo}$ ,  $\text{W}$ ;  $\text{E} = \text{S}$  or  $\text{Se}$ ); crystal structure of 1,1'-bis(methylseleno)ferrocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (367) 275
- Halfsandwich complexes of manganese and rhenium, degradation of  $\text{S}_8$  with (M. Herberhold, B. Schmidkonz), (358) 301
- Halomethyldicarbonylcyclopentadienyliron complexes with tertiary phosphine, amine and sulphur ligands, reactions of (G.C.A. Bellinger, H.B. Friedrich, J.R. Moss), (366) 175
- $[\text{HB}(\text{pz})_3](\text{CO})_2\text{W}(\eta^2\text{-C(SMe)SMe})^+$ , synthesis and reactions of (R.A. Doyle, R.J. Angelici), (375) 73
- Heterotrimetallic complexes of chromium and rhodium, synthesis, exchange reactions and structures of (J. Suffert, R. Ziessel), (395) C45

- 1-(1-Hexenyl)-2-thiomethylbenzene, aromatic olefin, reaction with  $\text{Cp}_2\text{Zr}(\text{H})\text{Cl}$  of (U. Annyb, S. Gronowitz, A. Hallberg), (368) 295
- Iron complexes containing carbonyl and sulphur ligands, structural and Mössbauer investigations of (F.J. Berry, C.J. Jones, J.A. McCleverty, J. Sharpe, N.A. Bailey, M. Deadman), (353) 209
- 1-( $\alpha$ -Lithiomethyl)-2-[( $\alpha$ -lithiomethyl)thio]benzene, reactions with electrophiles of (S. Cabiddu, C. Floris, G. Gelli, S. Melis), (366) 1
- $[\text{MCl}_2(\text{Ph}_2\text{PCH}_2\text{SCH}_3)_2]$  ( $\text{M} = \text{Pd}$  or  $\text{Pt}$ ), reactions with  $[\text{Rh}_2(\mu\text{-Cl})_2(\text{CO})_4]$  of; preparation of  $\text{Ph}_2\text{PCH}_2\text{SCH}_3$ -bridged Pd–Rh complex (G.K. Anderson), (368) 385
- $(\text{MeCN})_2(\text{CO})_6\text{Mo}_2(\mu\text{-SPh})_2$  and  $\text{Mo}_2\text{Fe}_7\text{S}_8(\text{CO})_{22}$ , formation of clusters by oxidative addition of organic molecular structures of (I.L. Eremenko, A.A. Pasynskii, A.S. Abdulaev, A.S. Aliev, B. Orazsakhatov, S.A. Sleptsova, A.I. Nekhaev, V.E. Shklover, Yu.T. Struchkov), (365) 297
- $[\text{Me}_2\text{SSMe}] \text{BF}_4$ , reactions with organometallic complexes having metal–metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195
- Metallo tetrahedral clusters  $(\text{MeC}_5\text{H}_4)_4\text{Cr}_4(\mu_3\text{-E})_4$  ( $\text{E} = \text{O}$ ,  $\text{S}$ ,  $\text{Se}$ ), influence of bridging ligands on geometry and magnetic properties of (I.L. Eremenko, S.E. Nefedov, A.A. Pasynskii, B. Orazsakhatov, O.G. Ellert, Yu.T. Struchkov, A.I. Yanovsky, D.V. Zagorevsky), (368) 185
- Metal–metal spin coupling through chalcogenides; crystal structure of  $[(2\text{-MeC}_6\text{H}_4\text{-CH}_2)_3\text{Sn}]_2\text{O}$  and  $[(1\text{-MeC}_6\text{H}_4)_3\text{Sn}]_2\text{O}$  (T.P. Lockhart, H. Puff, W. Schuh, H. Reuter, T.N. Mitchell), (366) 61
- Molybdenum tetracarbonyl complexes of chelating dithioethers, multinuclear ( $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{95}\text{Mo}$ ) NMR investigation of sulphur inversion in (E.W. Abel, D.E. Budgen, I. Moss, K.G. Orrell, V. Šik), (362) 105
- Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morvillo, J.M. Brown), (361) 249
- Mono- and di-nuclear ferrocenophanes with aromatic thioester bridges (M. Herberhold, C. Dörnhöfer, H.I. Hayen, B. Wrackmeyer), (355) 325
- Nickel complexes and 2,2'-bipyridine, catalysis of electro synthesis of aryl thioethers starting from thiophenol and aromatic halides of (G. Meyer, M. Troupel), (354) 249
- 2-Nitrophenylsulphenylaniline derivative, *ortho*-palladation of (A. Guarnieri, A.W. Parkins), (361) 399
- Nitrosyl complexes, double electron transfer reductions of;  $\text{NO}_3^- \rightleftharpoons \text{NH}_3$  conversion in the nitrogen cycle (D. Sellmann), (372) 99
- Organogermanium functional bicyclic compounds, formation of (P. Mazerolles, C. Laurent, A. Faucher), (366) 57
- Organogold(I) compounds, interaction with tetraalkylthiuram disulphides of (E.G. Perevalova, K.I. Grandberg, V.P. Dyadchenko, O.N. Kalinin), (352) C37
- Organovanadium(V) sulphur- and oxygen-containing complexes, preparation of (W.A. Herrmann, E. Herdtweck, G. Weichselbaumer), (362) 321
- (Organylthioalkyl)trialkoxy silanes and 1-(organylthioalkyl)silatrane, thermochemistry of (M.G. Voronkov, M.S. Sorokin, V.A. Klyuchnikov, G.N. Shvetz, V.I. Pepekin), (359) 301
- $[\text{Os}_3(\text{CHCFc})(\text{CO})_{10}]$  ( $\text{CHCFc}$  = ethynyl ferrocene), conversion into  $[\text{Os}_3(\text{S})(\text{CHCFc})(\text{CO})_9]$  by reaction with sulphur of; crystal structures of these clusters and of  $[\text{Os}_3\text{H}(\text{C}_2\text{Fc})(\text{CO})_9]$  (K.I. Hardcastle, A.J. Deeming, D. Nuel, N.I. Powell), (375) 217
- $\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{PCy}_3)$ , reaction with 1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane of; X-ray crystal structure of  $\text{Os}_3\text{Pt}(\mu_3\text{-S})_2(\text{CO})_9(\text{PCy}_3)$  ( $\eta\text{-C}_6\text{H}_6\text{Me}_4$ ) (P. Ewing, L.J. Farrugia), (373) 259
- Pentacarbonylmetal complexes of organophosphorus chlorides with  $\text{K}_2\text{SN}_2$ , X-ray structure of  $(\text{CO})_5\text{Cr}[\bar{\text{P}}(\text{t-Bu})\text{NSNSN}\bar{\text{H}}]$  (A. Gieren, C. Ruiz-Pérez, T. Hübner, M. Herberhold, K. Schamel, K. Guldner), (366) 105
- Pentacarbonylrhenium(I) cationic complexes with tetrahydrothiophene, 1,4-dithiane, 1,3-dithiane and 1,3,5-trithiane, properties of (J. Heidrich, W. Beck), (354) 91
- Phenothiazinone palladium  $\sigma$ -bonded complexes, synthesis and spectroscopic characterization of (H. Konishi, C. Matsumura, T. Okano, J. Kiji), (364) 245
- $\text{Ph}_3\text{PAu}-\text{CHPh}-\text{SO}_2\text{-t-Bu}$ , synthesis and crystal structure of (H.-J. Kneuper, K. Harms, G. Boche), (364) 275
- Platinum metal thioether macrocyclic complexes, synthesis and crystal structure of *cis*- $[\text{IrCl}_2(\text{L})]\text{BPh}_4$  ( $\text{L} = 1,4,8,11$ -tetra thiacyclotetradecane) (A.J. Blake, R.O. Gould, G. Reid, M. Schröder), (356) 389
- $\text{Pt}(\text{Ph}_2\text{PCH}_2\text{CMe}_2\text{O})$  chelates  $\text{SO}_2$ ,  $\text{CO}$ , or  $3,5\text{-Me}_2\text{C}_6\text{H}_3\text{NC}$  insertion into the Pt–O bonds of; crystal structure of  $[\text{PtCl}(\text{Ph}_2\text{PCH}_2\text{CMe}_2\text{-OCNC}_6\text{H}_3\text{Me}_2\text{-3,5})(\text{Ph}_2\text{PCH}_2\text{CMe}_3\text{-OH})]$  (N.W. Alcock, A.W.G. Platt, H.H. Powell, P.G. Pringle), (361) 409

- $\text{Rh}(\eta^5\text{-C}_5\text{H}_4\text{Z})(\text{PPh}_3)_2$  ( $\text{Z} = \text{H}, \text{CO}_2\text{Me}$ ), reaction of elemental sulfur with formation of  $\text{RhS}_4$ ,  $\text{RhS}_5$ ,  $\text{RhS}_6$ , and  $(\text{RhS}_2)_2$  catenated metallacycle complexes (Y. Wakatsuki, H. Yamazaki, C. Cheng), (372) 437
- Rhenium carbonyl thiolate complexes,  $\text{Et}_4\text{N}^-[\text{Re}_2(\mu\text{-SR})_3(\text{CO})_6]$ , synthesis and reactivity of (P.M. Treichel, M.H. Tegen), (358) 339
- Rhodium(I) complexes of  $\beta$ -diketonates and related ligands as hydrosilylation catalysts (W.R. Cullen, E.B. Wickenheiser), (370) 141
- Rhodium(I), rhodium(II) and rhodium(III) complexes with *o*-benzene dithiolate(2-), *o*-methylthiobenzene thiolate(1-), 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecanate(2-), CO and  $\text{PPh}_3$ , synthesis and properties of (D. Sellmann, A. Fetz, M. Moll, F. Knoch), (355) 495
- $[(\mu\text{-}\eta^2\text{-ROC}(1)\text{S})\text{Fe}_2(\text{CO})_6(\mu\text{-SMe})]$ , regioselectivity and stereoselectivity of replacement of CO in (H. Patin, A. Darchen, E.K. Lhadi), (375) 91
- $[(\mu\text{-}\eta^2\text{-ROC}(1)\text{S})\text{Fe}_2\text{L}^1\text{L}^2(\text{CO})_4(\mu\text{-SMe})]$ , structure of and CO disubstitution in (H. Patin, A. Le Rouzic, E.K. Lhadi, A. Darchen, A. Mousser, D. Grandjean), (375) 101
- $[\text{Ru}(\text{CO})(\text{PPh}_3)_2(\text{L})(\text{OSNR})]$  ( $\text{L} = \text{CO}, \text{CN}^+\text{Bu}, \text{CNC}_6\text{H}_3\text{Me}_2\text{-}2,6; \text{R} = \text{C}_6\text{H}_4\text{Me}-2, \text{C}_6\text{H}_4\text{Me}-4$ ), synthesis of (M. Herberhold, A.F. Hill), (368) 111
- Ru-X-C (X = F or H) interactions in complex compounds; preparation and crystal structures of  $[\text{Ru}\{\text{SC}_6\text{F}_4(\text{F}-2)\}(\text{SC}_6\text{F}_5)_2\text{-}(\text{PMe}_2\text{Ph})_2]$  and  $[\text{Ru}(\text{SC}_6\text{F}_5)_2\{\text{PC}_6\text{H}_4(\text{H}-2)(\text{C}_6\text{H}_5)_2\}_2]$  (R.-M. Catalá, D. Cruz-Garritz, P. Sosa, P. Terreros, H. Torrens, A. Hills, D.L. Hughes, R.L. Richards), (359) 219
- Sulphur-capped triangular cluster,  $\text{Cp}_2\text{W}_2\text{Fe}(\text{CO})_7(\text{S})$ , structural characterisation of (P.D. Williams, M.D. Curtis), (352) 169
- Sulphur dioxide insertion into M-C(sp) bonds of  $\text{Ru}(\text{C}_2\text{Ph})(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$ ; X-ray crystal structure of  $\text{Ru}(\eta^2\text{-S}_2\text{CC}_2\text{Ph})(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)$  (M.I. Bruce, M.J. Liddell, M.R. Snow, E.R.T. Tiekkink), (352) 199
- Tetranuclear hydroxocarbonyl-molybdenum and -tungsten complexes,  $[\text{Et}_4\text{N}]_4[\text{Mo}(\text{CO})_3(\mu_3\text{-OH})]_4$  and  $[\text{Et}_4\text{N}]_4[\text{W}(\text{CO})_3(\mu_3\text{-OH})]_4$ , synthesis and characterization of (J.T. Lin, S.K. Yeh, G.H. Lee, Y. Wang), (361) 89
- Tetrapnicogen trisulphide cage molecules, cleavage by cobalt(II) ligand of; crystal structure of  $[(\text{tpmpme})\text{Co}(\text{A}_2\text{S})]\text{BF}_4^-$  and  $[(\text{tpmpme})\text{Co}(\text{PAsS})]\text{BF}_4^-$  (M. Di Vaira, P. Stoppioni, M. Peruzzini), (364) 399
- 1-Thia-3-azabutadienes, selective complexation with carbonyl iron of (M. Bouzid, J.P. Pradère, P. Palvadeau, J.P. Vénien, L. Toupet), (369) 205
- 6-(2''-Thienyl)-2,2'-bipyridine, direct cycloauration of (E.C. Constable, R.P.G. Henney, T.A. Leese), (361) 277
- Thiolate-amine complexes  $[\text{Ru}(\text{CO})_2(\text{bmae})]$  and  $[\text{Ru}(\text{CO})_2(\text{b}^{\text{u}}\text{bmae})]$  ( $\text{bmae}^{2-} = 1,2\text{-bis}(2\text{-mercaptoanilino})\text{ethane}(-2); \text{b}^{\text{u}}\text{bmae} = 1,2\text{-bis}(2\text{-mercapto-3,5-di-t-butylalilino})\text{ethane}(-2)$ ), UV photolysis of (D. Sellmann, O. Käppler, F. Knoch), (367) 161
- Thio-, seleno, and telluro-aldehydes as ligands in mono- and di-nuclear heterometal complexes, synthesis, structure, protonation and methylation of (H. Werner, W. Paul, W. Knaup, J. Wolf, G. Müller, J. Riede), (358) 95
- Transition metal catalysed asymmetric cross coupling reactions; crystal structures of  $[\text{Ph}_2\text{PCH}_2\text{CH}\{(\text{CH}_2)_3\text{SMe}\}\text{NMe}_2]\cdot\text{PdCl}_2$  and  $[\text{Ph}_2\text{PCH}_2\text{CH}\{(\text{CH}_2)_2\text{SMe}\}\text{NMe}_2]\cdot\text{PdCl}_2$  (G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg, F. van Bolhuis), (370) 357
- Transition-metal coordinated heterolefins applied in synthesis; influence of alkyne on reactivity and stereoselectivity with hetero-aldehydic and -ketonic complexes (H. Fischer, J. Hofmann, U. Gerbing, A. Tirilomis), (358) 229
- Trimethylplatinum(IV) mixed halide methylthio bridged tetramers; syntheses and fluxional properties of (E.W. Abel, K.G. Orrell, D. Stephenson), (373) 401
- 2,4,6-Trinitrophenylpalladium(II) anionic complexes; crystal structure of  $cis\text{-}[\text{PdCl}_2\{2,4,6\text{-C}_6\text{H}_2(\text{NO}_2)_3\}\{\text{S}(\text{O})\text{Me}_2\}]^-$  (J. Vicente, A. Arcas, M.V. Borrachero, E. Molins, C. Miravitles), (359) 127
- Trinuclear ruthenium clusters with  $\mu_3\text{-S}$  and  $\mu_3\text{-PR}$  bridges (E. Lindner, H. Rothfuss), (353) C42
- Triorganotin(IV) derivatives of mercaptocarboxylic acids, preparation and characterization of; crystal structure of  $[\text{O},\text{S}\text{-bis}(\text{triphenyltin}(IV))\text{-2-mercaptopbenzoate}]$  (S.W. Ng, K.L. Chin, C. Wei, V.G. Kumar Das, T.C.W. Mak), (365) 207
- Triphenyltellurium(IV) dithiocarbamates, xanthates, and dithiophosphates, formation and characterisation of (A.K. Singh, J.K. Basumatary), (364) 73
- Tungsten complexes of metallacyclopentadiene, synthesis, spectroscopic and structural studies of crystal structure of  $[\bar{\text{W}}\text{C}(\text{CF}_3)=\text{C}(\text{CF}_3)\text{-C}(\text{CF}_3)=\text{C}(\text{CF}_3)(\text{SPr}^i)(4\text{-MeC}_6\text{H}_4\text{NC})_2(\eta^5\text{-C}_5\text{H}_5)]$  (L.J. Canoira, J.L. Davidson, G. Douglas, K.W. Muir), (362) 135
- $[\text{WH}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)]$ , reactions with iminooxosulphuranes and diiminosulphuranes (W.P. Ehrenreich, M. Herberhold, A.F. Hill), (371) 303

Zirconocene and hafnocene dihydrides  $[(\eta^5-RC_5H_4)_2M(H)(\mu-H)]_2$  ( $M = Zr, Hf$ ), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193

## Tantalum

$(C_5H_5)_2NbH$  and  $(C_5H_5)_2TaH$ ,  $\pi$ -coordination of N=N and C=N bonds in (J.F. Leboeuf, J.C. Leblanc, C. Moïse), (364) C22

Di- $\eta^5$ -cyclopentadienyltantalum chemistry reactions of trihydride derivative with acetylenes of (G.E. Herberich, I. Savvopoulos), (362) 345

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoldi, A.P. Chagas), (361) 319

Phosphine-assisted synthesis of  $(\eta-C_5Me_5)Ta(CO)_4$ , isolation and crystal structure of intermediate  $(\eta-C_5Me_5)TaCl_2(CO)_2(PMe_3)$  (V.C. Gibson, T.P. Kee, W. Clegg), (353) C23

Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53

## Technetium

Manganese, technetium and rhenium, annual survey 1986 (P.M. Treichel), (357) 25

## Tellurium

Chalcogens, contrasting roles in synthesis of mixed metal complexes  $(CO)_6Fe_2(\mu_3-E)_2M(PPh_3)_2$  ( $E = Te, Se, S; M = Ni, Pd, Pt$ ) of (P. Mathur, I.J. Mavunkal, V. Rugmini), (367) 243

$C_5H_5(CO)_2MnTCNE$ , synthesis from  $[C_5H_5(CO)_2MnXPh]_n$  ( $X = S, Se, Te, n = 1, 2$ ) of; solid state structure and magnetism of (H. Braunwarth, G. Huttner, L. Zsolnai), (372) C23

$C_5H_5Co(SMe_2)_2$ , intermediate in synthesis and reactivity of dienylmetal compounds (N. Kuhn, E. Zauder), (362) 217

Cyclopentadienylmolybdenum cationic complexes, coordination of  $ER_2$  ( $E = S, Se, Te$ ) in (N. Kuhn, H. Schumann, E. Zauder), (354) 161

Di(2-iodo-2 $\lambda^4$ -benzotellurol-2-yl diethyldithiocarbamate),  $[C_8H_8Te(I)(S_2CNEt_2)]_2$ , crystal structure of (D. Dakternieks, R. Di Giacomo, R.W. Gable, B.F. Hoskins), (353) 35

Dimethyldithiocarbamato-2-(2-quinolinyl)phenyltellurium(II), crystal and molecular structure of (A.A. West, W.R. McWhinnie, T.A. Hamor), (356) 159

Dodecacarbonyltetrarutheniumditellurium,  $Ru_4-Te_2(CO)_2$ , synthesis and characterisation of (P. Mathur, B.H.S. Thimmappa), (365) 363

Group V and VI metals and metalloids, preparation of benzoyl derivatives of (A. Asthana, R.C. Srivastava), (366) 281

$[HOS_3(CO)_{10}(\mu-TeC_6H_4OMe)]$ , synthesis, characterisation and conversion into  $[Os_3Te_2-(CO)_9]$  of (P. Mathur, D. Chakrabarty), (373) 129

Metal-metal spin coupling through chalcogenides; crystal structure of  $[(2-MeC_6H_4-CH_2)_3Sn]_2O$  and  $[(1-MeC_6H_4)_3Sn]_2O$  (T.P. Lockhart, H. Puff, W. Schuh, H. Reuter, T.N. Mitchell), (366) 61

2-Methyl-1-organo-1-halo-1-telluracyclopentane: synthesis, solution properties, and configurational studies (A.Z. Al-Rubaie, H.A. Al-Shirayda, A.I. Auob), (356) 49

Octacarbonylcobalt,  $Co_2(C)O_8$ -mediated and -catalyzed carbonylation of diaryl diselenides and ditellurides with CO (S. Uemura, H. Takahashi, K. Ohe, N. Sugita), (361) 63

$^{77}Se$  and  $^{125}Te$  NMR, substituent effects and polarizability (N.P. Luthra, A.M. Boccanfuso, R.B. Dunlap, J.D. Odom), (354) 51

Tantalum complex containing a side-bonded diphenyldiphosphene, synthesis of (J.C. Leblanc, C. Moïse), (364) C3

Thio-, seleno, and telluro-aldehydes as ligands in mono- and di-nuclear heterometal complexes, synthesis, structure, protonation and methylation of (H. Werner, W. Paul, W. Knaup, J. Wolf, G. Müller, J. Riede), (358) 95

Triphenyltellurium(IV) dithiocarbamates, xanthates, and dithiophosphates, formation and characterisation of (A.K. Singh, J.K. Basumatary), (364) 73

$(\mu_3-X)_2Fe_3(CO)_9$  ( $X = RP, Se, Te$ ) bridging groups, addition of alkynes to (T. Fässler, D. Buchholz, G. Huttner, L. Zsolnai), (369) 297

Zirconocene and hafnocene dihydrides  $[(\eta^5-RC_5H_4)_2M(H)(\mu-H)]_2$  ( $M = Zr, Hf$ ), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193

## Thallium

Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273

- Hydrdidotris(3-t-butylpyrazolyl)boratothallium(I), structure and spectroscopy of (A.H. Cowley, R.L. Geerts, C.M. Nunn, S. Trofimenko), (365) 19
- Monoorganothallium(III) ions containing  $\text{RC(O)CH}_2$  groups, formation, equilibrium properties and decomposition in aqueous solution of preparation of monoacylmethylthallium(III) compounds (B. Györi, A. Sánchez, J. Glaser), (361) 1
- (Pentabenzylcyclopentadienyl)thallium(I), ( $\text{Ph-CH}_2)_5\text{C}_5\text{Ti}$ , crystal modification of (H. Schumann, C. Janiak, M.A. Khan, J.J. Zuckerman), (354) 7
- (Pentamethylcyclopentadienyl)thallium, molecular gas-phase structure of (R. Blom, H. Werner, J. Wolf), (354) 293
- Rhodium-zirconium and rhodium-titanium cationic bimetallic complexes, characterisation and catalytic activation of (R. Choukroun, A. Iraqi, C. Rifai, D. Gervais), (353) 45
- Thallium(III) chloride reactions with (aryl)-silver(I), complexes of; crystal structure of  $[\text{Tl}(\text{mes})_2][\text{TiCl}_3(\text{mes})]$  (mes = mesityl) (A. Laguna, E.J. Fernández, A. Mendia, E. Ruiz-Romero, P.G. Jones), (365) 201
- $\text{Tl}(\text{C}_5\text{H}_4)\text{P}(\text{CH}_3)_2$ ,  $[(\eta^5\text{-C}_5\text{H}_4)\text{P}(\text{CH}_3)_2]_2\text{ZrCl}_2$  and the heterobinuclear complex  $[(\mu\text{-}\eta^5\text{-C}_5\text{H}_4)\text{P}(\text{CH}_3)_2]\{\text{ZrCl}_2\}\text{Mo}(\text{CO})_4$ , synthesis and characterization of (D. Morcos, W. Tikananen), (371) 15

## Thorium

- Cyclopentadienyl and indenyl borohydride organoactinides, synthesis, characterization and physical properties of (S. Bettonville, J. Goffart), (356) 297
- Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airolí, A.P. Chagas), (361) 319
- Metallacyclophosphazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40
- Tetraindenylthorium, new preparation of (H. Goffart, S. Bettonville), (361) 17

## Tin

- Alkylmetals in reactions with  $\text{PRhCOPdX-(PPH}_3)_2$  ( $\text{X} = \text{I, Cl}$ ) under  $\text{CO}$ ; formation of  $\alpha$ -diketones and  $\alpha$ -hydroxyketones (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125

- Alkyltin-activated  $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3$ , metathesis of carbonyl-protected ketone in (S. Warwel, G. Pütz), (364) 323
- $O$ -Alkyl- $O'$ -triorganostanny phosphonates, formation and spectra of (J.N. Pandey, G. Srivastava), (354) 301
- Aromatic  $p$ -block elements; tetrameric  $\eta^6$ -coordinated hexamethylbenzene complex with  $\text{Sn}(\text{AlCl}_4)\text{Cl}$  and chlorobenzene (H. Schmidbauer, T. Probst, B. Huber, G. Müller, C. Krüger), (365) 53
- Aryl-platinum compounds with large area aryl ligands, synthesis of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (365) 403
- Aryltriethyltin compounds, substituent effects in aromatic substitution by mercuric halides of (M.R. Sedaghat-Herati, T. Sharifi), (363) 39
- Bis(acetylacetonato)dihalogenotin(IV) preparation by action of molecular oxygen on tin(II) halides in acetylacetone of (A.G. Stepanov), (361) 157
- Bis(2-carbomethoxyethyl)bis( $N,N$ -dimethyldithiocarbamato)tin(IV),  $[\text{MeOC(O)(CH}_2)_2]_2\text{Sn[SC(S)NMe}_2]_2$ , crystallographic evidence of seven-coordinate tin in (S.W. Ng, C. Wei, V.G. Kumar Das, G.B. Jameson, R.J. Butcher), (365) 75
- Bis(2-carbomethoxyethyl)chloro(quinolin-8-olato)tin(IV) skew-trapezoidal bipyramidal complex, crystal and molecular structure of (S.W. Ng, C. Wei, V.G. Kumar Das, J.-P. Charland, F.E. Smith), (364) 343
- Bis[8-(dimethylamino)1-naphthyl- $C,N$ ]tin(II) and its  $\text{W}(\text{CO})_5$  adduct, synthesis and characterization of (J.T.B.H. Jastrzebski, P.A. van der Schaaf, J. Boersma, G. van Koten, D. Heijdenrijk, K. Goubitz, D.J.A. de Ridder), (367) 55
- Bis(2-dimethylchlorostannylethyl)phenylphosphine oxide, molecular structure and stereoisomerization (M. Dargatz, H. Hartung, E. Kleinpeter, B. Rensch, D. Schollmeyer, H. Weichmann), (361) 43
- 1,2-Bis(diphenylphosphinoxy)ethane and methyldiphenylphosphine oxide, formation of organotin halide adducts with (C.H. Yoder, S.M. Coley, S.P. Kneizys, J.N. Spencer), (362) 59
- Bis(triethyltin) oxide used for activation of hydroxyl groups in sugars (P.P.L. Jacques, R.C. Poller), (365) 47
- Bis(triphenylarsine oxide)( $p$ -chlorophenyl)di-phenyltin(IV) tetraphenylborate,  $[(p\text{-ClC}_6\text{H}_4)\text{Ph}_2\text{Sn}(\text{Ph}_3\text{AsO})_2]\text{[BPh}_4]$ , synthesis and crystal structure of (N.W. Kong, C. Wei, V.G. Kumar Das, R.J. Butcher), (361) 53
- $\sigma$ -Bonded allyl compounds,  $\sigma\text{-}\pi$  interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21

- t-Butyl-substituted tin-phosphor compounds, preparation and structure of (D. Hänsgen, H. Aldenhoven, M. Nieger), (367) 47
- Carbonyldinitrosylorganometallic arsine-iron and dicarbonylnitrosylorganometallic arsine-cobalt complexes, formation and spectral characterisation of (H. Schumann und K.H. Köhricht), (373) 307
- (C<sub>5</sub>Cl<sub>4</sub>R)Mn(CO)<sub>3</sub> and (C<sub>5</sub>Cl<sub>4</sub>R)Rh(COD) derivatives, preparation of; crystal structure of (C<sub>5</sub>Cl<sub>4</sub>CONH<sub>2</sub>)Mn(CO)<sub>3</sub> (K. Sünkel, D. Steiner), (368) 67
- Chiral homoallylic alcohols from aldehydes and diallyltin dibromide in the presence of mono-sodium(+)diethyl tartrate, synthesis of (C. Boga, D. Savoia, E. Tagliavini, C. Trombini, A. Umani-Ronchi), (353) 177
- Chloro(diene)polyfluorophenylplatinum(II) complexes, preparations of; structure of chloro(dicyclopentadiene)pentafluorophenyl-platinum(II) (G.B. Deacon, B.M. Gatehouse, K.T. Nelson-Reed), (359) 267
- [(i-C<sub>3</sub>H<sub>7</sub>Sn)<sub>12</sub>O<sub>14</sub>(OH)<sub>6</sub>]Cl<sub>2</sub> · L (L = 3H<sub>2</sub>O, 2DMF and 4H<sub>2</sub>O · 4DMPU), isolation and X-ray structural analysis of (H. Puff, H. Reuter), (373) 173
- Crowded organotin compounds, synthesis and properties of (S.M. Dhaher, C. Eaborn, J.D. Smith), (355) 33
- 2,2-Dialkyl-1,3,2-dithiastannolanes, structures of (A.G. Davies, S.D. Slater, D.C. Povey, G.W. Smith), (352) 283
- Di- and tri-organotin(IV) dimethyldithiophosphinates, synthesis and characterization of (C. Silvestru, I. Haiduc), (365) 83
- Di-n-butylbis(thiophenoxyacetato)tin(IV), <sup>n</sup>Bu<sub>2</sub>Sn(O<sub>2</sub>CCH<sub>2</sub>SC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>, crystal structure of (G.K. Sandhu, N. Sharma, E.R.T. Tiekkink), (371) C1
- 1,3-Di-t-butylcyclopentadienyl as  $\pi$ -ligand in complex chemistry of germanium, tin and lead (P. Jutzi, R. Dickbreder), (373) 301
- 2,2-Di-t-butyl-1,3,2-dioxa-, -oxathia-, and -dithia-stannolanes, structure of (P.A. Bates, M.B. Hursthouse, A.G. Davies, S.D. Slater), (363) 45
- Dibutyl-, tributyl- and triphenyl-tin esters of *p*-methoxy *trans*-cinnamic acid, synthesis and spectra of (H.K. Sharma, S.K.K. Sharma, K.C. Molloy, P.C. Waterfield), (353) 9
- Dicarboxylato-tetraorganodistannoxane: {[<sup>n</sup>Bu<sub>2</sub>Sn(O<sub>2</sub>CC<sub>5</sub>H<sub>4</sub>N)]<sub>2</sub>O}<sub>2</sub>, crystal structure of (C.S. Parulekar, V.K. Jain, T.K. Das, A.R. Gupta, B.F. Hoskins, E.R.T. Tiekkink), (372) 193
- Dichlorobis[ $(\pi$ -cyclopentadienyl)dicarbonyl-iron]tin(IV) reaction with polydentate  $\alpha$ -nuclear substituted  $\alpha$ -hydroxybenzylidene-hydrazonomethyl)phenols, and syntheses and molecular structures of complexes formed by (F.-Q. Liu, J.-T. Wang, R.-J. Wang, H.-G. Wang, X.-K. Yao), (371) 35
- Dichlorodivinylbis(pyrazole-N<sup>2</sup>)tin(IV), crystal structure of (V. Peruzzo, G. Plazzogna, G. Valle), (375) 167
- Diethylhalotin(IV)-imidazole and -pyrazole complexes, crystal structure of dibromo-bis(pyrazole)diethyltin(IV) (A. Sánchez González, B. Alberte, J.S. Casas, J. Sordo, A. Castañeras, W. Hiller, J. Strähle), (353) 169
- N,C*-Dilithio reagent obtained from *ortho*-N-trimethylsilyltoluidine, intriguing behaviour of (B. Wrackmeier, H. Zhou), (375) 1
- Dimethylphenyltin(IV) acetate, crystal structure of (M.M. Amini, S.W. Ng, K.A. Fidelis, M.J. Heeg, C.R. Muchmore, F. van der Helm, J.J. Zuckerman), (365) 103
- Dinaphthylplatinum(II) compounds, synthesis of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (362) 63
- Diorganotin(IV) derivatives of bis(carboxymethyl)amines, synthesis, characterization and antitumour activity of (A. Meriem, M. Gielen, R. Willem), (365) 91
- Diorganotin-nitrogen cyclic compounds, structure of (H. Puff, D. Hänsgen, N. Beckermann, A. Roloff, W. Schuh), (373) 37
- Dodecacarbonyltriruthenium, hydride addition to; synthesis and characterization of the transient formyl cluster complex Ru<sub>3</sub>(CO)<sub>11</sub>-(CHO)<sup>-</sup> (J.A. Partin, M.G. Richmond), (353) C13
- Electron impact induced fragmentation products of Si(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub>, Ge(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub> and Sn(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub>, structures of (B. Pelli, A. Sturaro, P. Traldi, F. Ossola, M. Porchia, G. Rosetto, P. Zanella), (353) 1
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Ethanol adduct of *N*-triphenylstanny-1,2-benzisothiazol-3(2H)-one 1,1-dioxide, crystal structure of (S.W. Ng, C. Wei, V.T. Kumar Das, T.C.W. Mak), (373) 21
- [FeC<sub>5</sub>H<sub>5</sub>(CO)<sub>2</sub>{M(X)R<sub>2</sub>}] (R = CHSiMe<sub>3</sub>)<sub>2</sub>, M = Sn, Pb; X = H, F, Cl, Br, I, synthesis and characterisation of (M.F. Lappert, M.J. McGeary, R.V. Parish), (373) 107
- Germanium and silicon hydrotrioxides, generation of singlet state oxygen by (M. Koenig, J. Barrau, N. Ben Hamida), (356) 133
- Hexamethyldistannane addition to organometallic oxide with Sn-Sn bond cleavage (W.A. Herrmann, D.W. Marz), (362) C5
- Hexaorgano-substituted triatomics, R'<sub>3</sub>M'XM'' R'<sub>3</sub>, and related species, structures of (C. Glidewell), (356) 151

- Isopropyl- and isobutyl-hydroxytin dihalogenide hydrate,  $\text{RSn}(\text{OH})\text{Cl}_2 \cdot \text{H}_2\text{O}$ , molecular and crystal structure of (H. Puff, H. Reuter), (364) 57
- Isopropyltin oxide-hydroxide chloride, ( $i$ - $\text{PrSn})_9\text{O}_8(\text{OH})_6\text{Cl}_5 \cdot 6\text{DMSO}$ , synthesis and crystal structure of (H. Puff, H. Reuter), (368) 173
- 1-( $\alpha$ -Lithiomethyl)-2-[( $\alpha$ -lithiomethyl)thio]benzene, reactions with electrophiles of (S. Cabiddu, C. Floris, G. Gelli, S. Melis), (366) 1
- Main-group IV tetravalent elements,  $\pi$ -bonding to (C. Janiak, M. Schwichtenberg, F.E. Hahn), (365) 37
- Metal-metal spin coupling through chalcogenides; crystal structure of  $[(2-\text{MeC}_6\text{H}_4\text{CH}_2)_3\text{Sn}]_2\text{O}$  and  $[(1-\text{MeC}_6\text{H}_4)_3\text{Sn}]_2\text{O}$  (T.P. Lockhart, H. Puff, W. Schuh, H. Reuter, T.N. Mitchell), (366) 61
- 2-Methylallyltriphenyltin, crystal structure of; comparison with methyl-substituted derivatives of allyltriphenyltin (D. Marton, G. Tagliavini, G. Valle, P. Ganis), (362) 281
- Methyl 4-tri-n-butylstannylbenzoate, *P*-(methoxycarbonyl)phenylmercuric chloride and *P*-(methoxycarbonyl)phenylboronic acid, synthesis and iodination of (M.D. Hylarides, D.S. Wilbur, S.W. Hadley, A.R. Fritzberg), (367) 259
- $[\text{Mo}(\text{CO})_3(\text{NCMe})_3]$ , oxidation with  $\text{SnCl}_4$  of, formation and reactions of  $[\text{MoCl}(\text{SnCl}_3)(\text{CO})_3(\text{NCMe})_2][\text{MoCl}(\text{SnCl}_3)(\text{CO})_3(\text{NCMe})_2]$  (P.K. Baker, A. Bury), (359) 189
- Mono- and di-aryltin(IV) complexes containing 2-(phenylazo)phenyl, synthesis by use of organomercury compounds of (J. Vicente, M.T. Chicote, R.M. Carreño, M.C. Ramirez-de-Arellano), (368) 263
- Monostannylated derivatives of bicyclo[3.2.1]-octa-2,6-dienes, selective metallation of (N. Hertkorn, F.H. Köhler), (355) 19
- Organoelement-benzosole derivatives of P, As, Si and Sn, synthesis and pyrolysis of (J. Heinicke), (364) C17
- Organometallic chemistry, use of a domestic microwave oven in (M. Ali, S.P. Bond, S.A. Mbogo, W.R. McWhinnie, P.M. Watts), (371) 11
- Organometallic substrates of enzymes, lipase catalysed transesterifications in organic solvents via *O*-stannyl ethers (M. Therisod), (361) C8
- Organometal substituted stannacyclopentadienes, synthesis and polynuclear NMR spectroscopy of (B. Wrackmeyer), (364) 331
- Organotin and nitrotin derivatives, complex formation from (T.A.K. Al-Allaf, U. Kobs, W.P. Neumann), (373) 29
- Organotin compounds, solid state  $^{119}\text{Sn}$  NMR of (F. Huber, A.K. Saxena, R.K. Harris, A. Sebald), (368) 31
- Organotin esters of 3-benzoylpropionic acid, crystal structure of triphenyltin(IV) 3-benzoylpropionate,  $(\text{C}_6\text{H}_5)_3\text{SnOC(O)(CH}_2)_2\text{C(O-C}_6\text{H}_5$  (S.W. Ng, V.G. Kumar Das, A. Syed), (364) 353
- Organotin heterocycles from thermal cyclisation of organotin tetrazoles, synthesis and crystal structure of 2,3,4,5-tetraaza-6-diphenylstannyll[3.4]bicyclonona-1,3-diene (M.F. Mahon, K.C. Molloy, P.C. Waterfield), (361) C5
- Organotin hydride additions to various methyl dihydronaphthalenecarboxylates (J.C. Podestá, A.D. Ayala, A.B. Chopra, N.N. Giagante), (364) 39
- Organotin trihalides in solution, stoichiometry of (J.N. Spencer, B.G. Enders, A. Grushow, S.P. Kneizys, W.L. Nachlis, D. Mokrynska, S.M. Coley, J.C. Otter, C.H. Yoder), (362) 53
- Organylsubstituted tin atoms, bond lengths in open-chain stannanes (H. Puff, B. Breuer, G. Gehrke-Brinkmann, P. Kind, H. Reuter, W. Schuh, W. Wald, G. Weidenbrück), (363) 265
- Pentacoordinate tin(IV) complexes, synthesis and structure of (J.-T. Wang, F.-Q. Liu, Y.-w. Zhang, R.-j. Wang, H.-G. Wang X.-K. Yao), (375) 173
- trans*-[PtCl(COCH<sub>2</sub>CH<sub>2</sub>Ph)(PPh<sub>3</sub>)<sub>2</sub>]·EtOH, isolation and molecular structure of; intermediate in hydroformylation styrene promoted catalytic system (R. Graziani, G. Cavinato, U. Casellato, L. Toniolo), (353) 125
- Pt-phosphine-SnCl<sub>2</sub> and Pt-bisphosphine-CuCl<sub>2</sub> (or CuCl) catalytic systems, asymmetric hydroformylation with (L. Kollár, J. Bakos, I. Tóth, B. Heil), (370) 257
- Quaternary ammonium tributyldifluorostannates, structure in solution of (S.J. Blunden, R. Hill), (371) 145
- $\text{Sn}(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\text{-}o)$ , synthesis and crystal structure of; reaction with  $\text{Co}(\eta^5\text{C}_5\text{H}_5)(\eta^2\text{C}_2\text{H}_4)_2$  (K. Angermund, K. Jonas, C. Krüger, J.L. Latten, H.-H. Tsay), (353) 17
- Sterically hindered stannylporphines, reactions of; syntheses of a Sn-substituted diphosphene (D. Hänsgen, H. Aldenhoven, M. Nieger), (375) C9
- Tetrakis[bis(trimethylsilyl)methyl]diindane(4) with In-In bond, formation and structure of (W. Uhl, M. Layh, W. Hiller), (368) 139
- Tin(IV) and organotin(IV) adducts of bis(3,5-dimethylpyrazol-1-yl)methane or of 2,2'-

- bis(pyrazol-1-yl)propane and their behaviour in solution (G.G. Lobbia, F. Bonati, A. Cingolani, D. Leonesi, A. Lorenzotti), (359) 21
- Tin-iron carbonyl clusters from the reaction of stannane,  $\text{SnH}_4$ , with  $\text{Fe}_2(\text{CO})_9$ ; the crystal structure of  $\text{SnFe}_5(\text{CO})_{19}$  (S.G. Anema, K.M. Mackay, B.K. Nicholson), (372) 25
- Tri- and di-organotin(IV) 8-quinolinethiolates,  $^{119}\text{Sn}$ ,  $^{15}\text{N}$ ,  $^{13}\text{C}$  and  $^1\text{H}$  NMR of (A. Lyčka, J. Jirman, J. Holeček, I. Tkáč), (372) 327
- Tri-n-butyltin hydride applied in high pressure reduction of organic chlorides with (A. Rahm, R. Amaral, M. Degueil-Castaing), (371) C4
- Trimethyl-group 14 cations, distinguishing 1,2-cyclopentanediol isomers via gas-phase reactions with (W.J. Meyerhoffer, M.M. Bursey), (373) 143
- Trimethyl(naphthyl)stannane and tri-n-butyl(naphthyl)stannane, synthesis of substituted derivatives of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (361) 299
- $\beta$ -Trimethylstannylalkyldiphenylphosphines, preparation of (T.N. Mitchell, H.-J. Belt), (368) 167
- Triorganostannylferrocenes, diorganostannyldiferrocenes, diorganochlorostannylferrocenes, and 1,1'-bis(diorganochlorostannyl)ferrocenes, synthesis of (Z. Kabouche, N.H. Dinh), (375) 143
- C-Triorganostannyl-imidazoles, -benzoxazoles and -benzothiazoles, synthesis, characterisation and reactivity of (K.C. Molloy, P.C. Waterfield, M.F. Mahon), (365) 61
- Triorganotin and triorganolead derivatives of glutamic and aspartic acid; crystal structure of trimethyltin glutamate (F. Huber, B. Mundus-Glowacki, H. Preut), (365) 111
- Triorganotin asymmetric hydrides containing (-)-menthyl ligand, synthesis and characterisation of (H. Schumann, B.C. Wassermann), (365) C1
- Triorganotin(IV) derivatives of *N*-formyl-L-phenylalanine and *N*-formyl-L-phenyl-alanyl-glycine, preparation and spectra of (G.K. Sandhu, G. Kaur, J. Holeček, A. Lyčka), (365) 215
- Triorganotin(IV) derivatives of mercaptocarboxylic acids, preparation and characterization of; crystal structure of [*O,S*-bis(triphenyltin(IV))-2-mercaptopbenzoate] (S.W. Ng, K.L. Chin, C. Wei, V.G. Kumar Das, T.C.W. Mak), (365) 207
- Triphenylstannyl-substituted mononuclear carbenecobalt complexes, preparation and properties of (A.C. Filippou, E. Herdtweck, H.G. Alt), (355) 437

## Titanium

- Arenetitanium(II) complexes, synthesis and reactivity of (P. Biagini, F. Calderazzo, G. Pampaloni), (355) 99
- Benzyl- and phenyl-cyclopentadienylthallium, formation and synthetic utility of (P. Singh, M.D. Rausch, T.E. Bitterwolf), (253) 273
- Bis( $\eta^5$ -cyclopentadienyl)bis(hexafluoroarsenoato)titanium(IV): synthesis, characterisation and structure of (T. Klapötke, U. Thewalt), (356) 173
- Bis(cyclopentylcyclopentadienyl)titanium dichloride and bis(cyclohexylcyclopentadienyl)titanium dichloride, crystal structures of (M. Kapon, G.M. Reisner), (367) 77
- [Bis(dimethylphosphino)ethane](trichloro)cyclopentadienyltitanium(IV), preparation and crystal structure of (D.L. Hughes, G.J. Leigh, D.G. Walker), (355) 113
- Bis(pentamethylcyclopentadienyldivinyl-titanium, -zirconium and -hafnium compounds, formation of titanacyclobutane and -zirconacyclopent-2-ene derivatives of (R. Beckhaus, K.-H. Thiele, D. Ströhl), (369) 43
- Bis(trimethylsilyl)phosphidobis(tetrahydrofuran)lithium as a reducing agent; X-ray structure of  $[\text{UCp}''(\mu\text{-Cl})_2\text{Li}(\text{THF})_2]$  ( $\text{Cp}'' = \eta\text{-C}_5\text{H}_3(\text{SiMe}_3)_2$ ;  $\text{THF} = \text{OC}_4\text{H}_8$ ) (P.C. Blake, E. Hey, M.F. Lappert, J.L. Atwood, H. Zhang), (353) 307
- ( $\text{C}_5(\text{CH}_3)_5$ )<sub>2</sub>TiX (X = Cl, Br, I), kinetics of the CO induced disproportionation of (G.A. Luinstra, J.H. Teuben, H.-H. Brintzinger), (375) 183
- ( $\text{C}_5\text{H}_5$ )<sub>2</sub>Ti[ $(\text{CF}_3)_2\text{CCS}$ ]<sub>2</sub>, synthesis and structure of (J. Benecke, U. Behrens), (363) C15
- ( $\eta\text{-C}_5\text{H}_5$ )<sub>2</sub>Ti(CO)<sub>2</sub>, reaction with sulphoxides of (T.L. Chen, A. Shaver, T.H. Chan), (367) C5
- ( $\text{C}_5\text{H}_5$ )<sub>2</sub>Ti(PMe<sub>3</sub>)(C<sub>2</sub>H<sub>2</sub>), C-C addition reactions with CO<sub>2</sub>, acetone, acetaldehyde and ethylene of (H.G. Alt, G.S. Herrmann, M.D. Rausch, D.T. Mallin), (356) C53
- [ $(\text{C}_5\text{Me}_4\text{H})_2\text{MX}_2$ ] (M = Ti, Zr; X = Cl, alkyl, aryl, CO) complexes, preparation, stereochemistry and NMR of (P. Courtot, V. Labed, R. Pichon, J.Y. Salaün), (359) C9
- Cycloheteropentasilanes, ( $\eta^5\text{-C}_5\text{H}_5$ )<sub>2</sub>Ti[Si(C<sub>6</sub>H<sub>5</sub>)<sub>2</sub>]<sub>4</sub> and O[Si(C<sub>6</sub>H<sub>5</sub>)<sub>2</sub>]<sub>5</sub>, crystal structures of (V.A. Igonin, Yu.E. Ovchinnikov, V.V. Dement'ev, V.E. Shklover, T.V. Timofeeva, T.M. Frunze, Yu.T. Struchkov), (371) 187
- Cyclopentadienyl-titanium and -zirconium chiral complexes, synthesis of; crystal structures of [*R*-CH<sub>3</sub>OCH<sub>2</sub>CH(CH<sub>3</sub>)Cp]<sub>2</sub>MCl<sub>2</sub> (M = Ti, Zr) (Q. Huang, Y. Qian, Y. Tang), (368) 277

- 1,3-Di-t-butyl substituted cyclopentadienyltitanium complexes, new structural aspects of (I.F. Urazowski, V.I. Ponomaryov, O.G. El'lert, I.E. Nifant'ev, D.A. Lemenovskii), (356) 181
- (Di- $\eta$ -cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a dinuclear hafnium complex with Se<sub>4</sub> and O bridges (N. Albrecht, E. Weiss), (355) 89
- Dicyclopentadienyltitanium dihalides, electronic structure as indicated by UV photoelectron spectroscopy of (T. Vondrák, K. Mach, V. Varga), (367) 69
- 1,3-Diene-group 4 metal electron-deficient complexes, properties of (B. Hessen, J.H. Teuben), (358) 135
- Di- $\mu$ -m-diethylphthalateoctachlorodititanium-(IV), crystal structure and properties of (J. Utke, P. Sobota, T. Lis), (373) 63
- [2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115
- 1,3-Dithianes, asymmetric oxidation in the presence of chiral titanium complexes of (O. Samuel, B. Ronan, H.B. Kagan), (370) 43
- Group 4 *ansa*-metallocene complexes containing a 1-sila-3-metallacyclobutane ring, synthesis and structural characterization of (A. Kabi-Satpathy, C.S. Bajgur, K.P. Reddy, J.L. Petersen), (364) 105
- Group 4 metallocene derivatives with symmetrically substituted, dimethylsilanediyl-bridged ligand frameworks, diastereomers of; crystal structure of *R,S*-Me<sub>2</sub>Si(3-t-Bu-5-MeC<sub>5</sub>H<sub>2</sub>)<sub>2</sub>-ZrCl<sub>2</sub> (H. Wiesenfeldt, A. Reinmuth, E. Barsties, K. Evertz, H.-H. Brintzinger), (369) 359
- Halfsandwich complexes of manganese and rhenium, degradation of S<sub>8</sub> with (M. Herberhold, B. Schmidkonz), (358) 301
- Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airolí, A.P. Chagas), (361) 319
- Organometallic solid state chemistry (M.L.H. Green, J. Qin, D. O'Hare), (358) 375
- Organo-transition-metal hexafluoro arsenates and antimonates, chemical and biological aspects of (P. Gowik, T. Klapötke), (372) 33
- ( $\mu$ -O)[Ti(C<sub>5</sub>Me<sub>5</sub>)R<sub>2</sub>]<sub>2</sub> (R = Me, CH<sub>2</sub>Ph, or CH<sub>2</sub>SiMe<sub>3</sub>), preparation of; crystal structure of the derivative with R = CH<sub>2</sub>SiMe<sub>3</sub> (P. Gómez-Sal, M. Mena, F. Palacios, P. Royo, R. Serrano, S.M. Carreras), (375) 59
- Pentamethylcyclopentadienyltitanium electron-deficient halides, alkyls and oxides, structural and chemical aspects of (M.P. Gómez-Sal, M. Mena, P. Royo, R. Serrano), (358) 147
- Pentamethylcyclopentadienyltitanium trihalides, hydrolysis of and formation of di-, tri-, and tetra-nuclear  $\mu$ -oxo complexes from, crystal structure of [(C<sub>5</sub>Me<sub>5</sub>)TiBr( $\mu$ -O)]<sub>4</sub>CHCl<sub>3</sub> (F. Palacios, P. Royo, R. Serrano, J.L. Balcázar, I. Fonseca, F. Florencio), (375) 51
- Polymethylcyclopentadienyltitanocene tetrahydridoaluminates, spectroscopic study of their reaction with butadiene (K. Mach, H. Antropiusová, V. Varga, V. Hanuš), (358) 123
- Ring-substituted titanocene derivatives containing chloro and carbomethoxy substituents, formation of (M.D. Rausch, J.F. Lewison, W.P. Hart), (358) 161
- Silicon hypervalent derivatives, reactivity of; one step synthesis of mono- and di-hydrogenosilanes (A. Boudin, G. Cerveau, C. Chuit, R.J.P. Corriu, C. Reye), (362) 265
- Tetrahydrofurfurylcyclopentadienyltitanium trichloride and its derivatives, synthesis and crystal structure of (Y. Qian, W. Chen, G. Li, B. Li, J. Xianglin), (373) 185
- Tetrakis(trimethylsilyl)-ferrocenes and -titanocenes, hindered rotation of the ring ligands in (J. Okuda), (356) C43
- Ti( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)(C<sub>5</sub>Me<sub>4</sub>CH<sub>2</sub>) and Ti( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)[C<sub>5</sub>Me<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>], thermochemistry of (A.R. Dias, M.S. Salema, J.A. Martinho Simões, J.W. Pattisasina, J.H. Teuben), (364) 97
- Titanium and zirconium low-valent reagents generated from Cp<sub>2</sub>TiCl<sub>2</sub> and Cp<sub>2</sub>ZrCl<sub>2</sub> with magnesium and 1,2-dibromoethane, reactions of (S.A. Rao, M. Periasamy), (352) 125
- Titanium–methyl bonds, insertion of olefins by “paired interacting orbitals” into (A. Shiga, H. Kawamura, T. Ebara, T. Sasaki, Y. Kikuzono), (366) 95
- Titanocene and vanadocene, bi- and poly-metallic cobalt complexes derived from (J. Martin, M. Fauconet, C. Moïse), (371) 87
- Titanocene and vanadocene dichlorides, kinetics of substitution in acetonitrile of (R. bin Ali, J. Burgess, A.T. Casey), (362) 305
- Titanocene and zirconocene chiral derivatives with symmetrically substituted, tetramethyl-ethanediyl-bridged ligands (S. Gutmann, P. Burger, H.-U. Hund, J. Hofmann, H.-H. Brintzinger), (369) 343
- Titanocene(IV) and zirconocene(IV) complexes with pyrazine tetracarboxylate ligands, preparation and properties of (T. Güthner, U. Thewalt), (371) 43

Trichloromethyltitanium,  $TiCl_3CH_3$  and related compounds, agostic interaction in (P. Knappe, N. Rösch), (359) C5

Vinyltitanocene complexes prepared from  $(C_5H_5)_2(PMe_3)(C_2H_2)$ , alcohols and water (H.G. Alt, G.S. Herrmann, M.D. Rausch), (356) C50

## Transition metals – General

Carbon monoxide: feedstock for chemicals, present and future (W. Keim), (372) 15

Ludwig Mond, his life and works (H.L. Roberts), (372) 1

Transition metals in organic synthesis, annual survey 1987 (L.S. Hegedus), (360) 409

Transition metals in organic synthesis, hydroformylation, reduction and oxidation, annual survey 1987 (L. Markó), (357) 481

## Tungsten

$\mu(\alpha,\omega)$ -Alkanediyl-iron(II) and -tungsten(II) complexes, mechanisms of reactions with tertiary phosphines and halogens of (J.R. Moss, L.G. Scott), (363) 351

Alkene metathesis catalysed by  $[WBr(CO)_2(\text{diene})]/AlCl_2Et$  (J.L. Davidson, G. Vasapollo, C.F. Nobile, A. Sacco), (371) 297

Alkoxy- or alkylthio-substituted silylcarbene complexes,  $(CO)_5MC(XEt)SiR_3$  ( $M = Cr, Mo, W; X = O, S$ ) and ketene derivatives,  $R_3Si(EtX)C=C=O$ , synthesis of (J. Kron, U. Schubert), (373) 203

Alkylidyne complex,  $[W(\equiv CR)(CO)_2(\eta-C_5H_5)]$ , reactions with dicobaltatetrahedrane of; crystal structure of  $[Co_2W(\mu_3\text{-PhCCHCR})(\mu\text{-}CO)(CO)_5(\eta-C_5H_5)] \cdot H_2O$  ( $R = C_6H_4Me-4$ ) (G.A. Carriero, V. Riera, M.G. Sanchez, Y. Jeannin, M. Piloche-Levisalles), (361) 197

Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351

(2-Allylphenyldiphenylphosphine)tetracarbonyltungsten(0), olefin isomerization in (I.-H. Wang, G.R. Dobson), (356) 77

Aziridinocarbene-chromium and -tungsten complexes, transformation into nitriles and olefins of (B. Denise, A. Parlier, H. Rudler), (354) C23

$\mu$ -Benzylidenebis(pentacarbonyltungsten) complexes, thermolysis and reactions with alkynes of (H. Fischer, J. Schmid, J. Riede), (355) 219

Bipyridinedicarbonitrile-molybdenum and -tungsten complexes, preparation, characterisation and reactions of (P.N.W. Baxter, J.A. Connor), (355) 193

Bis[8-(dimethylamino)1-naphthyl-C,N]tin(II) and its  $W(CO)_5$  adduct, synthesis and characterization of (J.T.B.H. Jastrzebski, P.A. van der Schaaf, J. Boersma, G. van Koten, D. Heijdenrijk, K. Goubitz, D.J.A. de Ridder), (367) 55

1,1'-Bis(diphenylphosphino)ferrocene, a bridging, chelating and unidentate ligand in the synthesis of  $M_2(CO)_{10}(\mu\text{-P-P})$ ,  $M(CO)_4(\eta^2\text{-P-P})$  and  $M(CO)_5(\eta^1\text{-P-P})$  ( $M = Cr, Mo, W; P-P = Fe(C_5H_4PPh_2)_2$ ) (T.S.A. Hor, L.-T. Phang), (373) 319

Bis( $\mu$ -hydridocyclopentadienyldicarbonyltungsten complexes,  $[C_5R_5W(CO)_2(\mu\text{-H})_2$  ( $R = H, Me$ ), reactions with  $SOCl_2$ ,  $Br_2$ ,  $I_2$ ,  $HCl$ ,  $CF_3COOH$ ,  $PMe_3$ ,  $NO$ ,  $CINO$  and  $CS_2$  (H.G. Alt, T. Frister, E.E. Trapl, H.E. Engelhardt), (362) 125

Bis( $\eta^5$ -pentamethylcyclopentadienyl)metal derivatives and related complexes, mass spectroscopy of (F. Geoffrey, N. Cloke, J.P. Day, A.M. Greenway, K.R. Seddon, A.A. Shimran, A.C. Swain), (372) 231

Bis(pyrazolyl)methanetetracarbonyl-chromium(0), -molybdenum(0) and -tungsten(0), formation and characterisation of (G.G. Lobbia, F. Bonati), (366) 121

Carbonyltungsten thiosemicarbazone compounds, formation and structure of (J. Valdés-Martínez, A. Sierra-Romero, C. Alvarez-Toledano, R.A. Toscano, H. García-Tapia), (352) 321

Carbynetungsten Fischer-type complexes, products of reactions with Phillips catalysts of (K. Weiss, M. Denzner), (355) 273

Chemo- and stereo-selective reactions of  $[Fe(CO)_2Cp]^+$  and  $[AuPPh_3]^+$  with  $[W(CO)_5\{C(OEt)\text{-}(Ph)C(Ph)=C=S\}]^-$ ; crystal structures of  $Z-[W(CO)_5\{C(SFe[CO]_2-Cp)C(Ph)=C(OEt)Ph\}]$  and  $E-[W(CO)_5\{S=C(AuPPh_3)C(Ph)=C(OEt)Ph\}]$  (H.G. Raubenheimer, G.J. Kruger, C.F. Marais, J.T.Z. Hattingh, L. Linford, P.H. van Rooyen), (355) 337

$C_5H_5Fe(CO)_2(\eta^1\text{-}CH_2SCH}_3$ , photochemical behaviour and use in formation of  $C_5H_5Fe(CO)_2[\eta^1\text{-}CH_2S(CH}_3)MLn]$  with  $M = Cr, Mo, W, Mn$  (A. Leboeuf, J.C. Leblanc, C. Moise), (372) 391

Chromium, tungsten, iron, and ruthenium complexes of the 4-membered ring diazene 3,4-diazatricyclo[4.2.1.0<sup>2,5</sup>]non-3-ene (M.N. Ackermann, D.E. Adams, J. Pranata, C.F. Yamauchi), (369) 55

- $(\eta^5\text{-C}_5\text{H}_5)_2\text{W}_2\text{Ir}_2(\text{CO})_7(\text{CHCO}_2\text{Et})_2$ , crystal structure of (M.R. Churchill, L.V. Biondi), (353) 73
- $(\eta^5\text{-C}_5\text{H}_5)_2\text{W}_2\text{Ir}_2(\text{CO})_4(\mu\text{-CO})_2(\mu_3\text{-Ph})(\mu_3\text{-}\eta^3\text{-C}_3\text{Ph}_3)$ , a "60-electron" cluster with a triangulated rhomboidal  $\text{W}_2\text{Ir}_2$  skeleton, crystal structure of (M.R. Churchill, L.V. Biondi), (366) 265
- $\text{C}_5\text{H}_5\text{WOs}_3(\text{CO})_9(\mu\text{-O})(\mu_3\text{-CCH}_2\text{Tol})$ , interaction with phosphorus donors of; crystal structure of  $\text{C}_5\text{H}_5\text{WOs}_3(\text{CO})_8(\text{PPh}_2\text{Me})(\mu\text{-O})(\mu_3\text{-CCH}_2\text{Tol})$  (Y. Chi, J.R. Shapley, M.R. Churchill, J.C. Fettinger), (372) 273
- $\text{C}_5\text{Me}_5(\text{CO})_3\text{W-W(O)}_2\text{C}_5\text{Me}_5$ , reactions with  $\text{Cl}_2$ ,  $\text{Br}_2$ ,  $\text{I}_2$ ,  $\text{HCl}$ ,  $\text{CF}_3\text{COOH}$ ,  $\text{NOCl}$ ,  $\text{NO}$  of; molecular structure of  $\text{C}_5\text{Me}_5\text{W}(\text{CO})\text{Br}_3$  (H.G. Alt, H.E. Engelhart, H.I. Hayen, R.D. Rogers), (366) 287
- $\text{Cp}'(\text{CO})_2(\text{CNR})\text{MH}$   $\text{Cp}' = \eta^5\text{-C}_5\text{H}_5$ ,  $\eta^5\text{-C}_5\text{Me}_5$ ;  $\text{R} = \text{Me}$ ,  $'\text{Bu}$ ;  $\text{M} = \text{Mo}$ ,  $\text{W}$ ), formation and characterisation of; molecular structure of  $\text{C}_5\text{Me}_5(\text{CO})_2(\text{CN}'\text{Bu})\text{MoH}$  (H.G. Alt, H.E. Engelhardt, T. Frister, R.D. Rogers), (366) 297
- $\text{Cp}_2^*\text{ZrCH}=\text{O}=\text{CHC}=\text{M}(\text{CO})_5$  ( $\text{M} = \text{Cr}$ ,  $\text{Mo}$ ,  $\text{W}$ )  
Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315
- Cyanamide-derived bis(cyanoimido) complexes,  $\text{trans-}[\text{M}(\text{NCN})_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$  ( $\text{M} = \text{Mo}$  or  $\text{W}$ ), synthesis of; crystal structure of the Mo compound (A.J.L. Pombeiro, M.F.C.G. Silva, D.L. Hughes, R.L. Richards), (371) C45
- Cycloheptatrienyl-molybdenum and -tungsten complexes, synthesis and redox chemistry of phosphine- and phosphite-substituted halide and acetonitrile derivatives of (C. Bitcon, R. Breeze, P.F. Miller, M.W. Whiteley), (364) 181
- Cycloheptatrienyl-molybdenum and -tungsten complexes, synthesis and substitution chemistry of carbonylacetone derivative of (R. Breeze, M.S. Plant, A. Ricalton, D.J. Sutton, M.W. Whiteley), (356) 343
- Cyclohexenesulphide as sulphur donor for carbyne-transition metal complexes; preparation of dicarbonyl( $\eta^5$ -cyclopentadienyl)(di-thioacetato-*S*,*S'*)tungsten (F.R. Kreissl, N. Ullrich), (361) C30
- Cyclopentanone-phospha-, -oxa-, -thia- or -azatungsta complexes, synthesis of (F.R. Kreissl, M. Wolfgruber), (355) 267
- 1,8-Cyclotetradecadiyne-molybdenum(II) and -tungsten(II) complexes, structure and reactions of (E.M. Armstrong, P.K. Baker), (352) 133
- Dicyclopentadienyl-molybdenum and -tungsten complexes with methyl-, amino- and cyano-pyridines, synthesis, spectra and electrochemistry of (R.G. Costa, A.R. Dias, J.C. Kotz), (354) 341
- Di- $\eta$ -cyclopentadienyl-molybdenum and -tungsten fragments, synthetic and electrochemical studies on electroactive ionophores based on (E. Fu, J. Granell, M.L.H. Green, V.J. Lowe, S.R. Marder, G.C. Saunders, M. Tuddenham), (355) 205
- Diethylaminocarbyne cationic complexes of tungsten, formation of (A.C. Filippou, E.O. Fischer), (365) 317
- Diethylaminocarbonyltungsten complexes, reactions with electrophiles of (A.C. Filippou, E.O. Fischer), (352) 149
- Docosahedral carbaboranetungsten-alkylidyne complexes, synthesis of compounds with heteronuclear metal-metal bonds (D.D. Devore, S.J.B. Henderson, J.A.K. Howard, F.G.A. Stone), (358) C6
- Electron-rich alkanes (enetetramines), coordination chemistry of (M.F. Lappert), (358) 185
- Ethoxy- and ethylthio-(triphenylsilyl) ketenes from carbene complexes  $(\text{CO})_5\text{WC}(\text{XEt})\text{SiPh}_3$  ( $\text{X} = \text{O}$ ,  $\text{S}$ ) (U. Schubert, J. Kron, H. Hörmig), (355) 243
- Group 4 metallocene derived carbene complex chemistry (G. Erker, F. Sosna, U. Hoffmann) (372) 41
- Group 6 metal tetracarbonyl complexes, *cis*- $[\text{M}(\text{CO})_4\{(\text{C}_5\text{H}_4\text{ECH}_3)_2\text{Fe}\}]$  ( $\text{M} = \text{Cr}$ ,  $\text{Mo}$ ,  $\text{W}$ ;  $\text{E} = \text{S}$  or  $\text{Se}$ ); crystal structure of 1,1'-bis(methylseleno)ferrocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (367) 275
- $[\text{HB}(\text{pz})_3](\text{CO})_2\text{W}(\eta^2\text{-C(SMe)}\text{SMe})^+$ , synthesis and reactions of (R.A. Doyle, R.J. Angelici), (375) 73
- Heterocycle formation by [4 + 2]-cycloaddition of transition-metal coordinated hetero olefins to butadienes, regioselectivity of (H. Fischer, U. Gerbin, J. Riede), (364) 155
- Hetero-metallic complexes,  $[\text{WReCo}_2(\mu_3\text{-CC}_6\text{H}_4\text{Me}-4)(\text{CO})_{15}]$  and  $[\text{ReCo}_2(\mu_3\text{-CC}_6\text{H}_4\text{Me}-4)(\text{CO})_{10}]$ , reactions with secondary and tertiary phosphines of (M.R. Bradford, J.C. Jeffery, K.M. Johnson, S.E. Phillips), (362) 205
- Hydridotris(benzotriazol-1-yl)borate derivatives of the group 6 metal carbonyls, synthesis and structure of (K.-B. Shiu, F.-M. Shen, S.-L. Wang, S.-C. Wei), (372) 251
- Isonitrile-substituted diethylaminocarbonyltungsten, thermodynamic equilibrium between neutral and cationic state of (A.C. Filippou, E.O. Fischer), (352) 141

- Manganese, chromium and tungsten mono-nuclear  $\sigma$ - and  $\pi$ -coordinated complexes with tetracyanoethene and tetracyano-*p*-chinodimethane (B. Olbrich-Deussner, R. Gross, W. Kaim), (366) 155
- [M( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>HX] (M = Mo, W; X = Cl, Br, I), reactivity of (C.G. de Azevedo, A.R. Dias, A.M. Martins, C.C. Romao), (368) 57
- trans*-(Me<sub>3</sub>CO)<sub>3</sub>W≡CCH=CHC≡W(OCMe<sub>3</sub>)<sub>3</sub>, *cis,cis*-(Me<sub>3</sub>CO)<sub>2</sub>W≡CCH=CHC≡CCH=CHC≡W(OCMe<sub>3</sub>)<sub>3</sub>, and related metal-capped ene-ynes, synthesis and evaluation as catalysts for preparing polydiacetylenes of (S.A. Krouse, R.R. Schrock), (355) 257
- [Me<sub>2</sub>SSMe]BF<sub>4</sub>, reactions with organometallic complexes having metal-metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195
- Metallophosphine, Ph<sub>2</sub>PW(CO)<sub>3</sub>Cp, as precursor of the "Ph<sub>2</sub>PW(CO)<sub>2</sub>" fragment; ethylene-like displacement with platinum(0) from complexes of (P. Braunstein, E. de Jésus), (365) C19
- (Methylenechlorophosphine)pentacarbonyltungsten, synthesis, spectroscopic properties and chemistry of (B. Deschamps, F. Mathey), (354) 83
- Molybdenocene and tungstenocene carbonyl complexes, CO-induced ring-slippage reactions of (S. Mönkeberg, E. van Raaij, H. Kiese, H.-H. Brintzinger), (365) 285
- Molybdenum(II) and tungsten(II) cationic seven-coordinate complexes, synthesis of (P.K. Baker, M. Bamber, G.W. Rogers), (367) 101
- Mononuclear (CH<sub>3</sub>)<sub>n</sub>CpM(CO)<sub>3</sub><sup>-</sup> Na<sup>+</sup> and dimeric [(CH<sub>3</sub>)<sub>n</sub>CpM(CO)<sub>2</sub>]<sub>2</sub> complexes, NMR studies of (I.R. Lyatifov, T.K. Gasanov, P.V. Petrovski, A.I. Lutsenko), (361) 181
- Mononuclear electron-rich transition metal centres, reactions of alkynes at (A.J.L. Pompeiro), (358) 273
- MPt( $\mu$ -H) $\mu$ -P-n-Pr<sub>2</sub>)Pt(CO)(PCy<sub>3</sub>) in reaction with Pt(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>(PCy<sub>3</sub>), mechanism of "Pt(PCy<sub>3</sub>)" addition (J. Powell, M.R. Gregg), (356) C61
- Neutral carbene complexes, (CO)<sub>5</sub>W=C(aryl)H, intermolecular coupling of CO and the carbene ligand in (H. Fischer, H. Jungklaus, J. Schmid), (368) 193
- Organometallic cluster compounds, framework chirality and optical activity of (H. Vahrenkamp), (370) 65
- Oxidative decarbonylation of tungsten hexacarbonyl, thermogravimetric and quantitative studies of (T.S.A. Hor, H.S.O. Chan, Y.-P. Leong, M. Tan), (373) 221
- Pd<sub>2</sub>Mo, PdPtMo and Pd<sub>2</sub>W mixed-metal clusters containing Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub> (dppm), synthesis and reactivity of; molecular structure of [Pd<sub>2</sub>MoCl( $\eta$ -C<sub>5</sub>H<sub>5</sub>)( $\mu$ <sub>3</sub>-CO)<sub>2</sub>( $\mu$ -dppm)<sub>2</sub>] (P. Braunstein, M. Ries, C. de Méric de Bellefon, Y. Dusausoy, J.-P. Mangeot), (355) 533
- Pentacarbonylcyclopentadienylcycloheptatrienyl binuclear complexes, [M(CO)<sub>3</sub>( $\eta$ -C<sub>5</sub>R<sub>5</sub>)-bM'(CO)<sub>2</sub>( $\eta$ -C<sub>7</sub>H<sub>7</sub>)] (M, M' = Mo or W; R = H or Me), synthesis and spectroscopic properties of (A. Ricalton, M.W. Whiteley), (361) 101
- Pentacarbonyl(4-cyanopyridine)tungsten(0), photoproduced linkage isomers of (Z. Wang, A.J. Lees), (363) 335
- Pentacarbonylmetal- and carbonylnitrosyl-cobaltdiphenylphosphine substituted cyclophosphoamides; X-ray structure of the bis(dicarbonylnitrosylcobalt) derivative (J. Ellermann, N. Will, F. Knoch), (366) 197
- Pentacarbonylmetal complexes of organophosphorus chlorides with K<sub>2</sub>SN<sub>2</sub>, X-ray structure of (CO)<sub>5</sub>Cr[P(t-Bu)NSNSNH] (A. Gieren, C. Ruiz-Pérez, T. Hübner, M. Herberhold, K. Schamel, K. Guldner), (366) 105
- Pentacarbonyl mono- and di-nuclear complexes of pteridine and their diaza derivatives, coordination in and fluxional behaviour of (G. Bessenbacher, W. Kaim), (369) 83
- (Pentamethylcyclopentadienyl)-molybdenum and -tungsten, reactions and properties of oxo and peroxy derivatives of (J.W. Faller, Y. Ma), (368) 45
- $\eta^3$ -Phosphaallyl-molybdenum and -tungsten complexes, synthesis and crystal structure of (C. Hugel-Le Goff, F. Mercier, L. Ricard, F. Mathey), (363) 325
- cis*-Phosphanyltetracarbonyltungsten(0) mono- and di-nuclear complexes of pyridines, synthesis and spectroscopy of (B. Olbrich-Deussner, W. Kaim), (361) 335
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of [Cp(CO)<sub>2</sub>Mo( $\mu$ -PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H<sub>2</sub>)] and [(CO)<sub>4</sub>Mn( $\mu$ -PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H<sub>2</sub>)] (Cp = c-C<sub>6</sub>H<sub>11</sub>) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camelini), (368) C5
- Ruthenium carbonyl hydroformylation system, EXAFS infrared and kinetic studies on (J. Evans, G. Jingxing, H. Leach, A.C. Street), (372) 61
- Silyl group influence on reactivity and formation of M-C double bonds (U. Schubert), (358) 215
- Sulphur-capped triangular cluster, Cp<sub>2</sub>W<sub>2</sub>Fe(CO)<sub>7</sub>(S), structural characterisation of (P.D. Williams, M.D. Curtis), (352) 169

- Tetracarbonylcarbene chelated chromium, molybdenum and tungsten complexes, preparation and configuration of (K.H. Dötz, H.-G. Erben, W. Staudacher, K. Harms, G. Müller, J. Riede), (355) 177
- Tetrafluorodisilacyclobutene and cyclic dienes, cycloaddition reactions mediated by transition metal carbonyls between (C.H. Lin, C.Y. Lee, T.T. Jzang, C.C. Lin, C.S. Liu), (356) 315
- Tetranuclear hydroxocarbonyl-molybdenum and -tungsten complexes,  $[Et_4N]_4[Mo(CO)_3(\mu_3-OH)]_4$  and  $[Et_4N]_4[W(CO)_3(\mu_3-OH)]_4$ , synthesis and characterization of (J.T. Lin, S.K. Ych, G.H. Lee, Y. Wang), (361) 89
- Thio-, seleno, and telluro-aldehydes as ligands in mono- and di-nuclear heterometal complexes, synthesis, structure, protonation and methylation of (H. Werner, W. Paul, W. Knaup, J. Wolf, G. Müller, J. Riede), (358) 95
- Titanocene and vanadocene dichlorides, kinetics of substitution in acetonitrile of (R. bin Ali, J. Burgess, A.T. Casey), (362) 305
- Transition metal allyl cationic complexes, stereochemistry of (V.V. Krivkh, O.V. Gusev, P.B. Petrovskii, M.I. Rybinskaya), (366) 129
- Transition-metal coordinated heterolefins applied in synthesis; influence of alkyne on reactivity and stereoselectivity with hetero-aldehydic and -ketonic complexes (H. Fischer, J. Hofmann, U. Gerbing, A. Tirilomis), (358) 229
- Transition metal electrophilic cations, rearrangements and polymerisations in reactions with olefins and small ring compounds of (A. Sen, T.-W. Lai, R.R. Thomas), (358) 567
- Transition-metal Lewis acid adducts of *trans*- $[ReCl(CNR)(Ph_2PCH_2CH_2PPh_2)_2]$ , (*R* = alkyl), synthesis of; chemical and quantum-chemical study of electrophilic  $\beta$ -addition to ligating isocyanide (M.F.N.N. Carvalho, A.J.L. Pombeiro, E.G. Bakalbassis, C.A. Tsipis), (371) C26
- Tricarbonyl( $\eta^6$ -cyclooctatetraene)-chromium and -tungsten, two-dimensional NMR exchange spectroscopy of (E.W. Abel, K.G. Orrell, K.B. Qureshi, V. Šík, D. Stephenson), (353) 337
- Triferrocyntungsten(VI) complexes, preparation and reactivity of (M. Herberhold, H. Kriesel), (371) 205
- Trimethylphosphine-molybdenum and -tungsten complexes containing dinitrogen, ethylene,  $CO_2$  and related ligands (E. Carmona), (358) 283
- Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53
- Tungsten(II), preparation and spectral properties of  $[WI(CO)L(dppm)(\eta^2-Me_2C_2Me)][BF_4^-]$  (*L* = neutral monodentate oxygen and sulphur donor ligands); crystal structure of  $[WI(CO)(SC(NH_2)_2)_2](dppm)(\eta^2-Me_2C_2Me)]-[ClO_4^-]$  (P.K. Baker, K.R. Flower, P.A. Bates, M.B. Hursthouse), (372) 263
- Tungsten carbene complexes, anionic initiated coupling of (D.W. Macomber, M.-H. Hung), (366) 147
- Tungsten complexes of metallacyclopentadiene, synthesis, spectroscopic and structural studies of crystal structure of  $[WC(CF_3)=C(CF_3)-C(CF_3)\equiv C(CF_3)(SPr^i)(4-MeC_6H_4NC)_2(\eta^5-C_5H_5)]$  (L.J. Canoira, J.L. Davidson, G. Douglas, K.W. Muir), (362) 135
- Tungsten nonheteroatom-stabilised carbene anion,  $[CpW(CO)_2(=CHPh)]^-$ , synthesis and reactions of (M.J. Winter, S. Woodward), (361) C18
- Tungsten-triosmium clusters, crystal structure and solution dynamics of  $(C_5Me_5)WO_3\cdot(CO)_{12}H$  (S.-M. Peng, G.-H. Lee, Y. Chi, C.-L. Peng, L.-S. Hwang), (371) 197
- $\alpha,\beta$ -Unsaturated carbene-tungsten complex,  $(CO)_5W[C(OCH_3)CH=CH_2]$ , synthesis and reactivity of (D.W. Macomber, M. Liang, P. Madhukar, A.G. Verma), (316) 187
- $[WCl_2(CO)_3(bipy)]$ , photochemical synthesis of (T. Szymanska-Buzar), (375) 85
- $W(CO)_5CNH$ ,  $Fe(CN)_2(CNH)_4$  and  $[FeCp-(dppe)CNH]BF_4^-$ , reactions with highly alkylated olefins of; hydroisocyanation (E. Bär, W.P. Fehlhammer), (353) 197
- $[W(\equiv CSiPh_3)(CO)_2(\eta-C_5H_5)]$ , reactions of low valent metal species with; crystal structure of the ketenyl complex  $[WFe\{\mu-C(SiPh_3)CO\}\cdot(CO)_5(\eta-C_5H_5)]$  (J.C. Jeffery, M.A. Ruiz, F.G.A. Stone), (355) 231
- $[WH(CO)_3(\eta-C_5H_5)]$ , reactions with iminooxo-sulphuranes and diiminosulphuranes (W.P. Ehrenreich, M. Herberhold, A.F. Hill), (371) 303

## Uranium

- Areneuranium borohydrides: synthesis and crystal structure of  $(\eta-C_6Me_6)U(BH_4)_3$  (D. Baudry, E. Bulot, P. Charpin, M. Ephritikhine, M. Lance, M. Nierlich, J. Vigner), (371) 155
- Bis(trimethylsilyl)phosphidobis(tetrahydrofuran)lithium as a reducing agent; X-ray structure of  $[UCp''_2(\mu-Cl)_2Li(THF)_2]$  ( $Cp'' = \eta-C_5H_3(SiMe_3)_2-1,3$ ; THF =  $OC_4H_8$ ) (P.C. Blake, E. Hey, M.F. Lappert, J.L. Atwood, H. Zhang), (353) 307

- ( $\eta$ -C<sub>6</sub>H<sub>6</sub>)U(BH<sub>4</sub>)<sub>3</sub>L<sub>2</sub> complexes in solution (L = THF, DME, HMPA, Ph<sub>3</sub>PO), structure and ligand exchange reactions of (D. Baudry, P. Dorion, M. Ephritikhine), (356) 165
- Cyclopentadienyl and indenyl borohydride organoactinides, synthesis, characterization and physical properties of (S. Bettonville, J. Goffart), (356) 297
- Cyclopentadienyluranium(III) anionic complexes, formation and reactions of (J.-F. Le Maréchal, E. Bulot, D. Baudry, M. Ephritikhine, D. Hauchard, R. Godard), (354) C17
- [(Me<sub>3</sub>Si)<sub>2</sub>N]<sub>2</sub>UCH<sub>2</sub>SiMe<sub>2</sub>NSiMe<sub>3</sub>, stereochemistry of insertion of cyclic ketones into the U-C bond of (A. Dormond, A. Elbouadili, C. Moïse), (369) 171
- Metallacyclophosphazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40
- Organouranium(IV) pseudo salts containing (C<sub>5</sub>H<sub>5</sub>)<sub>3</sub>U and one loosely coordinated tetraphenylborate or triphenylmethylborate unit (H. Aslan, J. Förster, K. Yünlü, R.D. Fischer), (355) 79
- Organouranium(IV) salts, [(C<sub>5</sub>H<sub>5</sub>)<sub>3</sub>U(NCR)<sub>2</sub>]·[B(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub>], preparation and selected properties of (H. Aslan, K. Yünlü, R.D. Fischer, G. Bombieri, F. Benetollo), (354) 63
- Pentadienyluranium borohydride complexes and their cyclopentadienyl analogues; crystal structures of ( $\eta$ -2,4-Me<sub>2</sub>C<sub>5</sub>H<sub>5</sub>)U(BH<sub>4</sub>)<sub>3</sub> and ( $\eta$ -C<sub>5</sub>H<sub>5</sub>)U(BH<sub>4</sub>)<sub>3</sub> (D. Baudry, E. Bulot, P. Charpin, M. Ephritikhine, M. Lance, M. Nierlich, J. Vigner), (371) 163
- Polycyclic ketones, insertion into methylene-uranium bond of [(Me<sub>3</sub>Si)<sub>2</sub>N]<sub>2</sub>UCH<sub>2</sub>SiMe<sub>2</sub>NSiMe<sub>3</sub> (A. Dormond, C. Moïse, A. Elbouadili, H. Bitar), (371) 175
- Uranium(IV), bis(tri-t-butylmethoxide), complexes of (C. Baudin, M. Ephritikhine), (364) C1
- ## Vanadium
- Cyclopentadienylalkynevanadium(I) CO-free complexes, facile synthesis and reactivity of (B. Hessen, J.H. Teuben), (367) C18
- Dicyclopentadienyluranium(IV) derivatives, reactivity of (N. Brianese, U. Casellato, F. Ossola, M. Porchia, G. Rossetto, P. Zanella, R. Graziani), (365) 223
- Organo-transition-metal hexafluoro arsenates and antimonates, chemical and biological aspects of (P. Gowik, T. Klapötke), (372) 33
- Organovanadium(V) sulphur- and oxygen-containing complexes, preparation of (W.A. Herrmann, E. Herdtweck, G. Weichselbaumer), (362) 321
- Tetracarbonyl-*h*<sup>5</sup>-cyclopentadienylvanadium ring-substituted complexes, hydrazine derivatives of (C. Woitha, D. Rehder), (353) 315
- Titanocene and vanadocene, bi- and poly-metallic cobalt complexes derived from (J. Martin, M. Fauconet, C. Moïse), (371) 87
- Titanocene and vanadocene dichlorides, kinetics of substitution in acetonitrile of (R. bin Ali, J. Burgess, A.T. Casey), (362) 305
- Transition metal oxide clusters as catalysts in oxidation of cyclohexene with t-butyl hydroperoxide (C. Zhang, Y. Ozawa, Y. Hayashi, K. Isobe), (373) C21
- Tripledecker complexes with bridging 1*H*-borole ligands, synthetic and mechanistic studies on (G.E. Herberich, U. Büschges, B.A. Dunne, B. Hessner, N. Klaff, D.P.J. Köffer, K. Peters), (372) 53
- Vanadium diphosphene complex, *trans*-{V( $\eta$ <sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(CO)<sub>3</sub>}<sub>2</sub>(PMes)<sub>2</sub>, synthesis and characterization of (R.A. Bartlett, H.V.R. Dias, P.P. Power), (362) 87
- ## Ytterbium
- Naphthalene complexes of ytterbium, synthesis and reactivity of (M.N. Bochkarev, A.A. Trifonov, E.A. Fedorova, N.S. Emelyanova, T.A. Basalgina, G.S. Kalinina, G.A. Razuvaev), (372) 217
- Tris(methylcyclopentadienyl)ytterbium, structure of (A. Hammel, W. Schwarz, J. Weidlein), (363) C29
- ## Yttrium
- Monopentamethylcyclopentadienyl-yttrium, -lanthanum, and -cerium derivatives, synthesis of (M. Booij, N.H. Kiers, H.J. Heeres, J.H. Teuben), (364) 79
- ## Zinc
- Alkylmetal bimetallic systems, synthesis and characterisation of Ni[Salen]·Zn(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub> adduct (S.J. Dzugan, V.L. Goedken), (356) 249
- Alkylmetals in reactions with PRhCOPdX-(PPh<sub>3</sub>)<sub>2</sub> (X = I, Cl) under CO; formation of  $\alpha$ -diketones and  $\alpha$ -hydroxyketones (H. Yamashita, T.-a. Kobayashi, T. Sakakura, M. Tanaka), (356) 125
- Arylrhodium oxides, ( $\sigma$ -aryl)ReO<sub>3</sub>, synthesis and characterisation of (W.A. Herrmann, M. Ladwig, P. Kiprof, J. Riede), (371) C13

- [2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362) 147
- $\text{Et}_3\text{SiCF=CFM}$  ( $M = \text{Li}, \text{ZnBr}$ ), preparation and reactivity of (P. Martinet, R. Sauvêtre, J.-F. Normant), (367) 1
- Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airoldi, A.P. Chagas), (361) 319
- $[\text{MCo}_2(\text{CO})_8]$  ( $M = \text{Zn}, \text{Cd}, \text{Hg}$ ), photochemistry induced by metal to metal charge transfer excitation of (A. Vogler, H. Kunkely), (355) 1
- Organzo-zinc and -aluminium compounds, 1-aryl-2-triazolyl-1-ethanols, regioselective synthesis from (J.F. Chollet, B. Mauzé, L. Miginiac), (368) 1
- Organozinc compounds, synthesis and reactivity in unusual solvents of (J. Grondin, M. Sebban, P. Vottero, H. Blancou, A. Commeyras), (362) 237
- Organozinc derivative of  $\alpha$ -bromomethyl ethyl-acrylate, reactivity of (N. El Alami, C. Belaud, J. Villieras), (353) 157
- Palladium-catalyzed cross-coupling of bromobenzenes, containing an acetyl or formyl group, with organozinc reagents (Y. Okamoto, K. Yoshioka, T. Yamana, H. Mori), (369) 285
- Palladium(0)-mediated reactions of  $\text{BrZnCH}(\text{CH}_3)\text{COO}'\text{Bu}$  with vinyl and aryl triflates, influence of catalyst on (F. Orsini, F. Pelizzoni, L.M. Vallarino), (367) 375
- Pentafluorophenyl-zinc and -cadmium compounds, formation and structure of  $(\text{C}_6\text{F}_5)_2\text{Zn}(\text{thf})_2$  and tetrameric  $\text{C}_6\text{F}_5\text{CdOH}$  (M. Weidenbruch, M. Herrndorf, A. Schäfer, S. Pohl, E. Saak), (361) 139
- Tertiary amines with secondary doubly unsaturated groups, regiospecific synthesis of (D. Mesnard, L. Miginiac), (373) 1
- Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an  $\eta^6$ -arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303
- Zirconium**
- t-Alkylcyclopentadienyl-substituted ( $\eta^4$ -*s-cis*-butadiene)-zirconocene complexes, hindered ( $\text{RCp}-\text{M}$  rotation in (G. Erker, R. Nolte, C. Krüger, R. Schlund, R. Benn, H. Grondey, R. Mynott), (364) 119
- Bis(pentamethylcyclopentadienyldivinyl-titanium, -zirconium and -hafnium compounds, formation of titanacyclobutane and -zirconacyclopent-2-ene derivatives of (R. Beckhaus, K.-H. Thiele, D. Ströhl), (369) 43
- Boron hydride insertion into  $\text{Zr}-\text{C}$  bond of dimeric ( $\eta^2$ -formaldehyde)zirconocene (G. Erker, U. Hoffmann, R. Zwettler, G. Krüger), (367) C15
- $[(\eta^5\text{-t-BuC}_5\text{H}_4)_2\text{Zr}^{\text{IV}}(\eta^1\text{-1}, \eta^1\text{-1'})(\eta^5\text{-(C}_5\text{H}_4)_2\text{-Fe}^{\text{II}}]$ , electrooxidation example of electro-catalytic process with endergonic cross electron-transfer (A. Da Rold, Y. Mugnier, R. Broussier, B. Gautheron, E. Laviron), (362) C27
- Chalcogenametallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362) 311
- $(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{Me}_5)\text{Zr}[\text{Si}(\text{SiMe}_3)_3]\text{X}$  ( $X = \text{Cl}, \text{Me}$ ) complexes, reactions with CO and 2,6-Me<sub>2</sub>C<sub>6</sub>H<sub>3</sub>NC of; crystal structure of ( $\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{Me}_5)\text{Zr}[\eta^2\text{-C}(\text{N-2,6-Me}_2\text{C}_6\text{H}_3)\text{-Si}(\text{SiMe}_3)_3\text{Cl}$  (F.H. Elsner, T.D. Tilley, A.L. Rheingold, S.J. Geib), (358) 169
- $[(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CF}_3\text{SO}_3)(\text{bipy})]^+ \text{CF}_3\text{SO}_3^-$  five-coordinate ( $\text{C}_5\text{H}_5)_2\text{Zr}^{\text{IV}}$ -complex, formation of (U. Thewalt, W. Lasser), (363) C12
- $(\text{C}_5\text{H}_5)_2\text{Zr}(\text{C}_2\text{H}_4)(\text{PMe}_3)$ , the first ethylenezirconium compound (H.G. Alt, C.E. Denner, U. Thewalt, M.D. Rausch), (356) C83
- $(\text{C}_5\text{H}_5)_2\text{ZrCl}(\text{AlCl}_4)$ , crystal and molecular structure and unusual hydrocarbon solubility properties of; relevance to Ziegler-Natta polymerization chemistry (M.V. Gaudet, M.J. Zaworotko, T.S. Cameron, A. Linden), (367) 267
- $[(\text{C}_5\text{H}_5)_2\text{Zr}(\text{OCOCF}_3)(\mu\text{-OH})]_2$ , preparation and structure of (S. Klima, U. Thewalt), (354) 77
- $[(\text{C}_5\text{Me}_4\text{H})_2\text{MX}_2]$  ( $M = \text{Ti}, \text{Zr}; X = \text{Cl}$ , alkyl, aryl, CO) complexes, preparation, stereochemistry and NMR of (P. Courtot, V. Labcd, R. Pichon, J.Y. Salaün), (359) C9
- $\text{Cp}^*\text{Zr}[\overline{\text{O}}\text{CH}=\text{CHC}=\text{M}(\text{CO})_5]$  ( $M = \text{Cr}, \text{Mo}, \text{W}$ ) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315
- Cyclopentadienyl-titanium and -zirconium chiral complexes, synthesis of; crystal structures of [ $R\text{-CH}_3\text{OCH}_2\text{CH}(\text{CH}_3)\text{Cp}]_2\text{MCl}_2$  ( $M = \text{Ti}, \text{Zr}$ ) (Q. Huang, Y. Qian, Y. Tang), (368) 277
- (Di- $\eta$ -cyclopentadienyl)(pentaselenido)metal complexes of titanium, zirconium and hafnium and a dinuclear hafnium complex

- with  $\text{Se}_4$  and O bridges (N. Albrecht, E. Weiss), (355) 89
- 1,3-Diene-group 4 metal electron-deficient complexes, properties of (B. Hessen, J.H. Teuben), (358) 135
- [2-(Dimethylaminomethyl)ferrocenyl]-titanium, -zirconium and -hafnium compounds, preparation and characterisation of (K.-H. Thiele, C. Krüger, T. Bartik, M. Dargatz), (352) 115
- Group 4 *ansa*-metallocene complexes containing a 1-sila-3-metallacyclobutane ring, synthesis and structural characterization of (A. Kabi-Satpathy, C.S. Bajgur, K.P. Reddy, J.L. Petersen), (364) 105
- Group 4 metallocene derived carbene complex chemistry (G. Erker, F. Sosna, U. Hoffmann) (372) 41
- Group 4 metallocene derivatives with symmetrically substituted, dimethylsilanediyl-bridged ligand frameworks, diastereomers of; crystal structure of *R,S*-Me<sub>2</sub>Si(3-t-Bu-5-MeC<sub>5</sub>H<sub>2</sub>)<sub>2</sub>-ZrCl<sub>2</sub> (H. Wiesenfeldt, A. Reinmuth, E. Barsties, K. Evertz, H.-H. Bräntzinger), (369) 359
- 1-(1-Hexenyl)-2-thiomethylbenzene, aromatic olefin, reaction with Cp<sub>2</sub>Zr(H)Cl of (U. Annby, S. Gronowitz, A. Hallberg), (368) 295
- Hydridodiphenylphosphinomethylzirconium(III) species, formation by reduction of (C<sub>5</sub>H<sub>4</sub>-t-Bu)Zr(CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (R. Choukroun, D. Gervais, C.-E. Rifai), (368) C11
- Hydrozirconation of 1-arylalkenes, properties of (U. Annby, S. Gronowitz, A. Hallberg), (365) 233
- $\eta^2$ -Iminoacylmetallocene substituted ylides, isonitrile insertion into the M=C bonds (G. Erker, U. Korek, J.L. Petersen), (355) 121
- Metalla'bicyclo-octadienes and -nonadienes of di-cyclopentadienyl-titanium, -zirconium and -hafnium, formation and characterisation of (S.M. Yousaf, M.F. Farona, R.J. Shiveley Jr., W.J. Youngs), (363) 281
- Metallocenylides of zirconium and hafnium (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>M(R)(=CHPPh<sub>3</sub>), carbonylation of (G. Erker, U. Korek, R. Schlund, C. Krüger), (364) 133
- Mononuclear zirconium trivalent organometallic Zr and H metallocenes, structure of (I.F. Urazowski, V.I. Ponomaryev, I.E. Nifant'ev, D.A. Lemenovskii), (368) 287
- ( $\eta^5$ -Pentamethylcyclopentadienyl)( $\eta^7$ -cycloheptatrienyl)-zirconium and -hafnium, crystal and molecular structure of (R.D. Rogers, J.H. Teuben), (354) 169
- (Pentamethylcyclopentadienyl)(octadienyl)zirconium, ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)( $\eta^8$ -C<sub>8</sub>H<sub>8</sub>)Zr, mixed sandwich complex of zirconium(III), structure of (R.D. Rogers, J.H. Teuben), (359) 41
- (RC<sub>5</sub>H<sub>4</sub>)<sub>2</sub>Zr(CH<sub>2</sub>OCH<sub>3</sub>)<sub>2</sub>, DNMR and thermolysis of; insertion of a methylene group from metallaoxirane into a Zr-C  $\sigma$ -bond (G. Erker, R. Schlund, M. Albrecht, C. Sarter), (353) C27
- Rhodium-zirconium and rhodium-titanium cationic bimetallic complexes, characterisation and catalytic activation of (R. Choukroun, A. Iraqi, C. Rifai, D. Gervais), (353) 45
- Titanium and zirconium low-valent reagents generated from Cp<sub>2</sub>TiCl<sub>2</sub> and Cp<sub>2</sub>ZrCl<sub>2</sub> with magnesium and 1,2-dibromoethane, reactions of (S.A. Rao, M. Periasamy), (352) 125
- Titanocene and zirconocene chiral derivatives with symmetrically substituted, tetramethyl-ethanediyl-bridged ligands (S. Gutmann, P. Burger, H.-U. Hund, J. Hofmann, H.-H. Bräntzinger), (369) 343
- Titanocene(IV) and zirconocene(IV) complexes with pyrazine tetracarboxylate ligands, preparation and properties of (T. Güthner, U. Thewalt), (371) 43
- Tl(C<sub>5</sub>H<sub>4</sub>)P(CH<sub>3</sub>)<sub>2</sub>, [ $(\eta^5$ -C<sub>5</sub>H<sub>4</sub>)P(CH<sub>3</sub>)<sub>2</sub>]<sub>2</sub>ZrCl<sub>2</sub> and the heterobinuclear complex {[ $\mu$ - $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)P(CH<sub>3</sub>)<sub>2</sub>]ZrCl<sub>2</sub>}Mo(CO)<sub>4</sub>, synthesis and characterization of (D. Morcos, W. Tikkanen), (371) 15
- Zirconacyclopentene and alkoxy ethyl complexes, formation of (H.G. Alt, C.E. Denner), (368) C15
- Zirconium-diene complexes, regio- and stereochemistry in sequential insertion of carbonyl compounds into (H. Yasuda, T. Okamoto, K. Mashima, A. Nakamura), (363) 61
- Zirconocene acetylenedicarboxylate, preparation and crystal structure of polymeric form of (U. Thewalt, T. Güthner), (361) 309
- Zirconocene and hafnocene dihydrides [ $(\eta^5$ -RC<sub>5</sub>H<sub>4</sub>)<sub>2</sub>M(H)( $\mu$ -H)]<sub>2</sub> (M = Zr, Hf), reactions with sulphur, selenium and tellurium of (G. Tainturier, M. Fahim, B. Gautheron), (373) 193

## Book reviews

- Advances in boron and the boranes; edited by J.F. Liebman, A. Greenberg and R.E. Williams (M.F. Lappert), (368) C19
- Advances in organometallic chemistry, Vol. 28; edited by F.G.A. Stone and R. West (M.F. Lappert), (352) C65
- Advances in physical organic chemistry, Volume 24; edited by D. Bethell (C. Eaborn), (373) C32
- Annual reports in organic synthesis-1987; edited by F.V. Scriven and K. Turnbull (P.A. Chaloner), (366) C24

- Asymmetric synthesis; construction of chiral molecules using amino acids; by G.M. Coppola and H.F. Schuster (P.A. Chaloner), (352) C67
- Carbon dioxide activation by metal complexes; by A. Behr (P.A. Chaloner), (363) C46
- Catalysis 1987 (Studies in surface science and catalysis, Vol. 38); edited by J.W. Ward (P.A. Chaloner), (356) C86
- Catalysis of organic reactions; edited by P.N. Rylander, H. Greenfield, R.L. Augustine (P.A. Chaloner), (359) C27
- Chemical research faculties, 1988 (C. Eaborn), (356) C40
- Chromatographic enantioseparation; methods and applications; by Stig G. Allenmark (P.A. Chaloner), (375) C58
- Compendium of chemical terminology: IUPAC recommendations; compiled by V. Gold K.L. Loening, A.D. McNaught, P. Sehmi (C. Eaborn), (356) C76
- Comprehensive coordination chemistry, Vol. 1-7; editor in chief G. Wilkinson (C. Eaborn, J. Chatt, M.F. Lappert, J.D. Smith, R.L. Richards, P.A. Chaloner, G.J. Leigh), (356) C65
- Comprehensive organometallic analysis; by T.R. Crompton (P.A. Chaloner), (352) C42
- Correlation analysis of chemical data; by O. Exner (C. Eaborn), (373) C32
- Dictionary of organometallic compounds: third supplement; edited by J.E. Macintyre (C. Eaborn), (352) C45
- Effets de sels en chimie organique et organométallique; by A. Loupy and B. Tchoubar (J.F. Normant), (362) C33
- Gmelin-Durrer metallurgy of iron, Vol. 9, Practice of steelmaking 3; edit. by H. Trenkler, W. Krieger (J.D. Smith), (354) C27
- Gmelin handbook of inorganic chemistry, 8th edit., B — Boron compounds, 3rd Supplement, Vol. 3; by A. Meller (J.D. Smith), (354) C7
- Gmelin handbook of inorganic chemistry, 8th edition, B — Boron compounds, System Number 13, 3rd Supplement Volume 4, by G. Heller, A. Meller, and T. Onak (M.F. Lappert), (375) C58
- Gmelin handbook of inorganic chemistry, 8th edit., Be — organoberyllium compounds. Part 1 (C. Eaborn), (373) C33
- Gmelin handbook of inorganic chemistry, 8th, edit., Cu — Organocupper compounds (C. Eaborn), (353) C18
- Gmelin handbook of inorganic chemistry, 8th edit., F — Perfluorohalogenoorgano compounds of main group elements, Supplement Vol. 4 (K.R. Seddon), (372) C21
- Gmelin handbook of inorganic chemistry, 8th edit., Ge — Organogermanium compounds, Part 1 (C. Eaborn), (359) C62
- Gmelin handbook of inorganic chemistry, 8th edition, Pb — Organolead compounds, Part 1, Tetramethyllead (C. Eaborn), (356) C40
- Gmelin handbook of inorganic chemistry, 8th edit., Sc, Y, La-Lu — Rare earth elements, Vol. A6a, and Vol. A6b, Y, La, and the lanthanoids (K.R. Seddon), (372) C20
- Gmelin handbook of inorganic chemistry, 8th edit., Sn — Organotin compounds, Part 14 (C. Eaborn) (352) C43
- Gmelin handbook of inorganic chemistry, 8th edit., Sn — Organotin compounds, Part 15, Dibutyltin-oxygen compounds (C. Eaborn), (359) C30
- Gmelin handbook of inorganic chemistry, 8th edition, Th — thorium, Supplement Volume C7: Compounds with carbon: carbonates, thiocyanates, alkoxides, carboxylates (K.R. Seddon), (373) C13
- Gmelin handbook of inorganic chemistry, 8th edition, Th — thorium, Supplement Volume D1: Properties of thorium ions in solutions (K.R. Seddon), (373) C14
- Handbook on toxicity of inorganic compounds; edited by H.G. Seiler and H. Sigel with A. Sigel (P.A. Chaloner), (353) C17
- Inorganic and organometallic polymers; edited by M. Zeldin (J.D. Smith), (373) C31
- Inorganic reactions and methods, Vol. 7, Formation of bonds to N, P, As, Sb, Bi (Part 1); edited by J.J. Zuckerman (J.D. Smith), (361) C46
- Inorganic reactions and methods, Vol. 11. The formation of bonds to elements of Group IVB (C, Si, Ge, Sn, Pb) (Part 3); edited by J.J. Zuckermann (C. Eaborn) (352) C70
- Isotopes in organic chemistry, Vol. 7. Secondary and solvent isotope effects; edited by E. Bunzel and C.C. Lee (C. Eaborn), (356) C87
- Laboratory guide to proton NMR spectroscopy; by S.A. Richards (P.D. Lickiss), (354) C6
- Landolt-Börnstein. Numerical Data and Functional Relationships in Science and Technology. New series, Group II, Volume 17, Subvolume c. Magnetic Properties of Free Radicals: Conjugated Carbon-Centred and Nitrogen Radicals, edited by H. Fischer, (R.A. Jackson), (352) C69
- Mechanisms of inorganic and organometallic reactions, Vol. 5; edit. by M.V. Twigg (M.F. Lappert), (354) C29
- Metal-ligand multiple bonds; by W.A. Nugent and J.M. Mayer (P.A. Chaloner), (368) C20
- Methane conversion (Studies in surface science and catalysis, 36); edited by D.M. Bibby,

- C.D. Chang, R.F. Howe, S. Yurchak (G.J. Leigh), (356) C76
- Methods for the oxidation of organic compounds; by A.H. Haines (P.A. Chaloner), (368) C18
- Molekuljarnaya struktura kremniorganischeskikh soedinenii (Molecular structure of organosilicon compounds); by E.Ya. Lukevics, O.A. Pudova, and R.Ya. Sturkovich (I. Haiduc), (375) C43
- Nuclear magnetic resonance spectroscopy, 2nd edition; by F.A. Bovey (P.C. Lickiss), (366) C23
- Organic reactions, Volumes 35 and 36; edit. by A.S. Kende (P.A. Chaloner), (354) C28
- Organic syntheses, collective Vol. 6; edit. by W.E. Noland (P.A. Chaloner), (354) C30
- Organolithium methods; by B.J. Wakefield (C. Eaborn), (361) C47
- Organometallic chemistry, an overview; by J.S. Thayer (P.A. Chaloner), (356) C75
- Organometallic chemistry, Vol. 16; Specialist periodical report of the Royal Society of Chemistry; edited by E.W. Abel, F.G.A. Stone (P.A. Chaloner), (359) C29
- Organometallic chemistry reviews; edited by A.G. Davies, E.O. Fischer and O.A. Reutov (M.F. Lappert), (368) C22
- Organometallics: A. concise introduction ; by Ch. Elschenbroich and A. Salzer (P.A. Chaloner), (375) C60
- Organometallic syntheses, Vol. 4; edited by R.B. King (J.D. Smith), (362) C25
- Organoselenium chemistry I: functional group transformations; by A. Krief, L. Hevesi (P.A. Chaloner), (359) C28
- Oxygen complexes and oxygen activation by transition metals; edited by A.E. Martell and D.T. Sawyer (G.J. Leigh), (356) C38
- Phase equilibria in binary halides; by V.I. Posypaiko and E.A. Alekseeva (K.R. Seddon), (352) C66
- Principles of organometallic chemistry; by P. Powell (P.A. Chaloner), (368) C21
- Proceedings of the 11th summer school on coordination chemistry and catalysis; edited by J.J. Ziolkowski (P.A. Chaloner), (361) C21
- Purification of laboratory chemicals; by D.D. Perrin and W.L.F. Amarego (C. Eaborn), (359) C62
- Reactions of coordinated ligands, Vol. 1; edited by P.S. Braterman (M.F. Lappert) (352) C68
- Silicon reagents in organic synthesis; by E.W. Colvin (P.D. Lickiss), (361) C48
- Small ring compounds in organic synthesis III, Topics in current chemistry, Vol. 44, contribu-
- tions from J.R.Y. Salaün, H.-U. Reissig and M.S. Baird (P.A. Chaloner), (353) C45
- Sonochemistry: theory, applications and uses of ultrasound in chemistry; by T.J. Mason and J.P. Lorimer (P.D. Lickiss), (375) C57
- Spectroscopic properties of inorganic and organometallic compounds, Vol. 21; edited by G. Davidson and E.A.V. Ebsworth (M.F. Lappert), (368) C22
- Stereochemical and stereophysical behaviour of macrocycles; edited by I. Bernal (K.R. Seddon), (352) C44
- Strategies and tactics in organic synthesis, Vol. 2; edited by T. Lindberg (J.R. Hanson), (368) C47
- Structure and reactivity; edited by J.F. Lieberman and A. Greenberg (J.N. Murrell), (372) C33
- Surface organometallic chemistry: molecular approaches to surface catalysis; edited by J.-M. Bassett et al. (P.A. Chaloner), (368) C46
- Synthesis of macrocycles — The design of selective complexing agents; edited by R.M. Izatt and J.J. Christensen (K.R. Seddon), (352) C44
- The art of scientific writing; by H.F. Ebel, C. Bliefert and W.E. Russey (C. Eaborn) (352) C63
- The organometallic chemistry of the transition metals; by R.H. Crabtree (M.F. Lappert), (354) C26
- The role of oxygen in chemistry and biochemistry (Studies in Inorganic Chemistry 33); edited by W. Ando and Y. Moro-oka (M.F. Lappert), (353) C19
- Topics in current chemistry, Vol. 146, Physical Organic Chemistry, contributions by G. Boche, G. Kaupp, E. Masimov, M. Rabinowitz and B. Zaslevsky (P.A. Chaloner), (353) C20
- Topics in current chemsity, relationships and mechanisms in the periodic tabel, Vol. 150; by D.J. Cluothier, P.L. Corio, N.D. Epotis, C.K. Jørgensen, D.C. Moule (P.A. Chaloner), (372) C19
- Toxicological chemistry; a guide to toxic substances in chemistry, by S.E. Manahan (P.A. Chaloner), (375) C44
- Transformation of organometallics into common and exotic materials: design and activation; edited by R.M. Laine (J.D. Smith), (359) C61
- Transition metals and organometallics as catalysts for olefin polymerization; edited by W. Kaminsky and H. Sinn (P.A. Chaloner), (356) C39