

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 379 (1989)**

---

**SUBJECT INDEX****Aluminium**

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

**Antimony**

Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251

**Arsenic**

Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251

**Bismuth**

Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251

**Boron**

Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251

**Cadmium**

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

**Chromium**

Cr(CO)<sub>3</sub> intramolecular migration from a phenyl to a cyclopentadienyl ring through a  $\sigma$ -bond (A. Cecon, A. Gambaro, F. Gottardi, S. Santi, A. Venzo, V. Lucchini), (379) 67

Cycloaddition between metallic ylid and ketene imine, unexpected results of (W.P. Fehlhammer, G. Zinner, G. Beck, J. Fuchs), (379) 277

Diboradiazaronaphthalenetetracarbonylchromium complexes, synthesis and characterization of (S. Allaoud, A. Karim, A. Mortreux, F. Petit, B. Frange), (379) 89

cis-1,3-Disubstituted 1,3-dihydroisobenzofurans, stereoselective synthesis via arenetricarbonylchromium methodology of (S.J. Coote, S.G. Davies, D. Middlemiss, A. Naylor), (379) 81

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Thiocarbene-chromium complexes, sulfur to carbon migration of an allyl group upon alkyne insertion in (A. Parlier, H. Rudler, C. Alvarez), (379) 271

Vinyl- and chlorovinyl-isocyanide complexes, synthesis and reactivity of (W.P. Fehlhammer, G. Beck), (379) 97

**Cobalt**

Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337

**Copper**

Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337

**Gallium**

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

**Iron**

$\alpha$ -Phenyl- and  $\alpha$ -ferrocenyl-carbinols, reactions with nonacarbonyldiiron of (D. Bankston), (379) 129  
Vinyl- and chlorovinyl-isocyanide complexes, synthesis and reactivity of (W.P. Fehlhammer, G. Beck), (379) 97

**Lead**

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

**Lithium**

Mono- or *gem*-di-halogenoalkenes, convenient preparation from  $\alpha$ -sulfonyl carbanions and halogenolithiocarbenoids of (P. Charreau, M. Julia, J.-N. Verpeaux), (379) 201

**Manganese**

Carbonylmanganese complexes, reactions with imidoyl halide of (P.L. Motz, J.J. Alexander, C.J. Campana), (379) 119

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Phosphidomanganates applied in synthesis of phosphamanganacyclopropanes with carbene and phosphido units (E. Lindner, E. Ossig, M. Darmuth), (379) 107

Vinylidene and allenylidene cymantrene derivatives, reactions with isonitriles of (V.N. Kalinin, V.V. Derunov, M.A. Lusenkova, P.V. Petrovsky, N.E. Kolobova), (379) 303

**Mercury**

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Sydnone complexes with C-Pd and C-Pt  $\sigma$ -bonds, synthesis of; application of palladium salts for the preparation of 4-alkenylsydnones (V.N. Kalinin, She Fan Min, P.V. Petrovskii), (379) 195

**Metalloenes**

(C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Ti<sup>IV</sup> and (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Zr<sup>IV</sup> complexes with oxydiacetate ligands, preparation and reactions of (U. Thewalt, T. Güthner), (379) 59

$\alpha$ -Phenyl- and  $\alpha$ -ferrocenyl-carbinols, reactions with nonacarbonyldiiron of (D. Bankston), (379) 129

**Molybdenum**

Diboradiazaronaphthalenetetracarbonylchromium complexes, synthesis and characterization of (S. Allaoud, A. Karim, A. Mortreux, F. Petit, B. Frange), (379) 89

1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Peroxo-molybdenum and -tungsten anionic complexes, fast atom bombardment mass spectra of (O. Bortolini, P. Traldi), (379) C13

## Nickel

Nickel(0) induced CC coupling of CO<sub>2</sub> with 1,3-butadiene to linear C<sub>13</sub> acids (H. Hoberg, D. Bärhausen), (379) C7

Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337

## Osmium

Os<sub>3</sub>(CO)<sub>12-n</sub>(CH<sub>3</sub>CN)<sub>n</sub> (*n* = 0, 1, 2), HPLC studies of (H.G. Ang, W.L. Kwik, W.K. Leong), (379) 325

## Palladium

Diphenylacetylene insertion into cyclopalladated compounds; crystal structure of [Pd{((PhC=CPh)<sub>2</sub>-C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>N=CH(2,6-C<sub>6</sub>H<sub>3</sub>Cl<sub>2</sub>))Br} (J. Albert, J. Granell, J. Sales, X. Solans), (379) 177

1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Sydnone complexes with C-Pd and C-Pt  $\sigma$ -bonds, synthesis of; application of palladium salts for the preparation of 4-alkenylsydnones (V.N. Kalinin, She Fan Min, P.V. Petrovskii), (379) 195

## Phosphorus

Allyldiphenylphosphine, isomerization to (*Z*)-1-propenyldiphenylphosphine in rhodium(I) complexes of (A. Jegorov, F. Tureček), (379) C5

Cycloaddition between metallic ylid and ketene imine, unexpected results of (W.P. Fehlhammer, G. Zinner, G. Beck, J. Fuchs), (379) 277

Diruthenium-diphosphane pyrazolato-bridged clusters, reactions of; synthesis and solid state structure of ( $\mu_2$ -H)Ru<sub>2</sub>(CO)<sub>3</sub>( $\mu_2$ - $\eta^2$ -3,5-Me<sub>2</sub>N<sub>2</sub>C<sub>3</sub>H)<sub>2</sub>[ $\mu_1$ - $\eta^2$ -PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>PPh(C<sub>6</sub>H<sub>4</sub>)] (F. Neumann, H. Stoeckli-Evans, G. Süss-Fink), (379) 151

Phosphidomanganates applied in synthesis of phosphamanganacyclopropanes with carbene and phosphido units (E. Lindner, E. Ossig, M. Darmuth), (379) 107

Polysilicon compounds containing two or more triphenylphosphine units, synthesis of (Y. Takuma, N. Imaki), (379) 27

Ruthenium dinuclear clusters with  $\mu_2$ - $\eta^2$ -carbamoylato bridging ligands, solid state structure of Ru<sub>2</sub>(CO)<sub>4</sub>( $\mu_2$ - $\eta^2$ -HNOCPh)<sub>2</sub>(MeCN)<sub>2</sub> (F. Neumann, H. Stoeckli-Evans, G. Süss-Fink), (379) 139

Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Torniepoth-Oetting, Th. Klapötke), (379) 251

## Platinum

1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Stereochemistry of ring opening of cyclopropane by platinum(II) (J.B. Lambert, E.C. Chelius), (379) 187

*N*-Substituted 2-pyrrolidinones, synthesis via homogeneous catalytic reactions catalysed by Pt and Rh complexes of (L. Kollár, B. Heil, P. Sándor), (379) 191

Sydnone complexes with C-Pd and C-Pt  $\sigma$ -bonds, synthesis of; application of palladium salts for the preparation of 4-alkenylsydnones (V.N. Kalinin, She Fan Min, P.V. Petrovskii), (379) 195

Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337

## Potassium

1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

## Rhenium

1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

## Rhodium

Allyldiphenylphosphine, isomerization to (*Z*)-1-propenyldiphenylphosphine in rhodium(I) complexes of (A. Jegorov, F. Tureček), (379) C5

Dirhodium complexes with asymmetric bridging ligands, synthesis and characterization of (C. Carriedo), (379) 331

*N*-Substituted 2-pyrrolidinones, synthesis via homogeneous catalytic reactions catalysed by Pt and Rh complexes of (L. Kollár, B. Heil, P. Sándor), (379) 191

## Ruthenium

Diruthenium-diphosphane pyrazolato-bridged clusters, reactions of; synthesis and solid state structure of  $(\mu_2\text{-H})\text{Ru}_2(\text{CO})_3(\mu_2\text{-}\eta^2\text{-3,5-Me}_2\text{N}_2\text{C}_3\text{H})_2[\mu_1\text{-}\eta^2\text{-PPh}_2\text{CH}_2\text{CH}_2\text{PPh}(\text{C}_6\text{H}_4)]$  (F. Neumann, H. Stoeckli-Evans, G. Süß-Fink), (379) 151

$[\text{HRu}_5\text{C}(\text{CO})_{14}(\text{C}_5\text{H}_4\text{N})]$ , synthesis and crystal structure of two isomers of (G. Conole, M. McPartlin, H.R. Powell, T. Dutton, B.F.G. Johnson, J. Lewis), (379) C1

$[\text{HRu}_3(\text{CO})_{11}]^-$  as catalyst in isomerisation of allyl alcohol to propanal (M. Langenbahn, K. Bernauer, G. Süß-Fink), (379) 165

$\text{Ru}(\text{CO})\text{HCl}(\text{PPh}_3)_3$ , bis-insertion reactions with methyl propiolate of; formation of (methoxycarbonyl-ethenyl)triphenylphosphonium chloride (A.M. Castaño, A.M. Echavarren, J. López, A. Santos), (379) 171

Ruthenium dinuclear clusters with  $\mu_2\text{-}\eta^2$ -carbamoylato bridging ligands, solid state structure of  $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-HNOCPh})_2(\text{MeCN})_2$  (F. Neumann, H. Stoeckli-Evans, G. Süß-Fink), (379) 139

Trinuclear ruthenium clusters with proline and cysteine derivatives; synthesis, crystal structure, and catalytic properties of  $[(\mu_2\text{-H})\text{Ru}_3(\text{CO})_{10}(\mu_2, \eta^2\text{-OCNCH}_2\text{CH}_2\text{CH}_2\text{CHCH}_2\text{OCH}_3)]$  and  $[(\mu_2\text{-H})\text{Ru}_3(\text{CO})_9(\mu_3, \eta^2\text{-N}=\text{CCH}_2\text{CH}_2\text{CHCH}_2\text{OCH}_3)]$  (G. Süß-Fink, T. Jenke, H. Heitz, M.A. Pellinghelli, A. Tiripicchio), (379) 311

## Samarium

Samarium(II) soluble complex, synthesis of; crystal structure of  $(\text{C}_5\text{H}_4\text{CH}_2\text{CH}_2\text{CH}_2\text{C}_5\text{H}_4)\text{Yb}(\text{THF})_2$  (S.J. Swamy, J. Loebel, H. Schumann), (379) 51

## Silicon

1,1-Dimethyl-1-silacyclohexan-2-one, enantioselective microbial reduction with growing cells of the yeast *Kloeckera cortici* (ATCC 20109) of (R. Tacke, H. Hengelsberg, H. Zilch, B. Stumpf), (379) 211

Polyhedral highly-functionalized oligosilsesquioxanes, syntheses of (F.J. Feher, T.A. Budzichowski), (379) 33

Polysilicon compounds containing two or more triphenylphosphine units, synthesis of (Y. Takuma, N. Imaki), (379) 27

Sterically hindered silylenes, reactions with, tri-*t*-butyl azide of, (M. Weidenbruch, B. Brand-Roth, S. Pohl, W. Saak), (379) 217

## Sodium

1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

## Sulphur

- Mono- or *gem*-di-halogenoalkenes, convenient preparation from  $\alpha$ -sulfonyl carbanions and halogenolithiocarbenoids of (P. Charreau, M. Julia, J.-N. Verpeaux), (379) 201
- Oxygen-donor adduct of triphenyltin saccharin; crystal structure of [*N*-triphenylstannyl 1,2-benzisothiazol-3(2*H*)-one 1,1-dioxide]·[*O*-glycolic acid] (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (379) 247
- Thiocarbene-chromium complexes, sulfur to carbon migration of an allyl group upon alkyne insertion in (A. Parlier, H. Rudler, C. Alvarez), (379) 271

## Thallium

- 1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

## Tin

- Dimethyl- and trimethyl-stannane, vacuum UV and PE spectra of (G. Lespes, A. Dargelos, J. Fernandez-Sanz), (379) 41
- Di-*t*-butyltin chalcogenide four membered compounds, X-ray and NMR spectroscopy of (H. Puff, G. Bertram, B. Ebeling, M. Franken, R. Gattermayer, R. Hundt, W. Schuh, R. Zimmer), (379) 235
- 1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Oxygen-donor adduct of triphenyltin saccharin; crystal structure of [*N*-triphenylstannyl 1,2-benzisothiazol-3(2*H*)-one 1,1-dioxide]·[*O*-glycolic acid] (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (379) 247
- Trimesityltin hydroxide and fluoride, preparation and X-ray structures of (H. Reuter, H. Puff), (379) 223

## Titanium

- (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Ti<sup>IV</sup> and (C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Zr<sup>IV</sup> complexes with oxydiacetate ligands, preparation and reactions of (U. Thewalt, T. GÜthner), (379) 59

## Tungsten

- Cycloaddition between metallic ylid and ketene imine, unexpected results of (W.P. Fehlhammer, G. Zinner, G. Beck, J. Fuchs), (379) 277
- Diboradiazaronaphthalenetetracarboxylchromium complexes, synthesis and characterization of (S. Allaoud, A. Karim, A. Mortreux, F. Petit, B. Frange), (379) 89
- 1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Peroxo-molybdenum and -tungsten anionic complexes, fast atom bombardment mass spectra of (O. Bortolini, P. Traldi), (379) C13
- Tricarbonyl hydride complexes, Cp'W(CO)<sub>3</sub>H (Cp' =  $\eta^5$ -C<sub>5</sub>H<sub>5</sub>,  $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>), rearrangements with methyl- and dimethyl-acetylenes of (H.G. Alt, H.E. Engelhardt, B. Wrackmeyer, R.D. Rogers), (379) 289
- Vinyl- and chlorovinyl-isocyanide complexes, synthesis and reactivity of (W.P. Fehlhammer, G. Beck), (379) 97

## Uranium

- Tricyclopentadienyluranium(III) anionic complexes; crystal structure of [(C<sub>5</sub>H<sub>5</sub>)<sub>3</sub>UCIU(C<sub>5</sub>H<sub>5</sub>)<sub>3</sub>]-[Na(18-crown-6)(THF)<sub>2</sub>] (J.F. LeMaréchal, C. Villiers, P. Charpin, M. Nierlich, M. Lance, J. Vigner, M. Ephritikhine), (379) 259

## Ytterbium

- Samarium(II) soluble complex, synthesis of; crystal structure of (C<sub>5</sub>H<sub>4</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>C<sub>5</sub>H<sub>4</sub>)Yb(THF)<sub>2</sub> (S.J. Swamy, J. Loebel, H. Schumann), (379) 51

**Zinc**

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phinoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokofev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

**Zirconium**

$(C_5H_5)_2Ti^{IV}$  and  $(C_5H_5)_2Zr^{IV}$  complexes with oxydiacetate ligands, preparation and reactions of (U. Thewalt, T. GÜthner), (379) 59