

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 371 (1989)****SUBJECT INDEX****Antimony**

[ $\eta^3$ -Bis(diphenylstibino)methane]bis(phenyl)platinum(II)-substituted compounds, photochemical investigations of (H.-A. Brune, R. Klotzbücher, G. Schmidtberg), (371) 113

**Arsenic**

(Trimethylsilyl)(cyclopropyl)acetylenes and terminal cyclopropylacetylenes, synthesis via an arsonium ylide under phase-transfer conditions of (Y. Shen, Q. Liao), (371) 31

**Bismuth**

Organometallic chemistry, use of a domestic microwave oven in (M. Ali, S.P. Bond, S.A. Mbogo, W.R. McWhinnie, P.M. Watts), (371) 11

**Boron**

Areneuranium borohydrides: synthesis and crystal structure of ( $\eta$ -C<sub>6</sub>Me<sub>6</sub>)U(BH<sub>4</sub>)<sub>3</sub> (D. Baudry, E. Bulot, P. Charpin, M. Ephritikhine, M. Lance, M. Nierlich, J. Vigner), (371) 155

**Chromium**

(CO)<sub>2</sub>(NO)Cr( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)CH<sub>2</sub>( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)Fe[vinyl-( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)], synthesis, spectra and crystal structure of (Y.-P. Wang, T.-S. Lin, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (371) 57

(CO)<sub>2</sub>(NO)Cr( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)C(O)( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)Fe( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>), synthesis, spectra and crystal structure of (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (371) 71

**Cobalt**

Alkyne coordination and scission by a tetrametallic framework; crystal structure of [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Fe<sub>2</sub>Co<sub>2</sub>( $\mu$ -CO)(CO)<sub>4</sub>{ $\mu$ <sub>3</sub>-C(CF<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (R. Rumin, F. Petillon, L. Manojlović-Muir, K.W. Muir), (371) C9

Benzylidyne-capped tricobalt cluster, <sup>13</sup>C relaxation and phenyl group rotation in (S.P. Wang, A.F.T. Chen, M.G. Richmond, M. Schwartz), (371) 81

Cobalt and iron dinuclear complexes with bis(trifluoromethyl) and bis(ethoxycarbonyl thioketenes as ligands (K. Seitz, J. Benecke, U. Behrens), (371) 247

[ $\mu$ -Ge{Co(CO)<sub>4</sub>}Me]<sub>2</sub>Co<sub>2</sub>(CO)<sub>6</sub> and [ $\mu$ -Ge{Co(CO)<sub>4</sub>}Me]<sub>2</sub>Fe<sub>2</sub>(CO)<sub>7</sub>, synthesis and crystal structures of (S.G. Anema, K.M. Mackay, B.K. Nicholson), (371) 233

(R)(R')P=Co(CO)<sub>3</sub>, a neutral phosphenium P=Co bond ion complex with (H. Lang, O. Orrama), (371) C48

Titanocene and vanadocene, bi- and poly-metallic cobalt complexes derived from (J. Martin, M. Fauconet, C. Moïse), (371) 87

Transition-metal Lewis acid adducts of *trans*-[ReCl(CNR)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], (R = alkyl), synthesis of; chemical and quantum-chemical study of electrophilic  $\beta$ -addition to ligating isocyanide (M.F.N.N. Carvalho, A.J.L. Pombeiro, E.G. Bakalbassis, C.A. Tsipis), (371) C26

**Germanium**

[ $\mu$ -Ge{Co(CO)<sub>4</sub>}Me]<sub>2</sub>Co<sub>2</sub>(CO)<sub>6</sub> and [ $\mu$ -Ge{Co(CO)<sub>4</sub>}Me]<sub>2</sub>Fe<sub>2</sub>(CO)<sub>7</sub>, synthesis and crystal structures of (S.G. Anema, K.M. Mackay, B.K. Nicholson), (371) 233

## Gold

[2-(Dimethylamino)methyl]phenyl-*C<sup>1</sup>N*(pentafluorophenyl)gold(III) complexes synthesis of (J. Vicente, M.D. Bermúdez, M.T. Chicote, M.J. Sanchez-Santano), (371) 129

## Iron

Alkyne coordination and scission by a tetrametallic framework; crystal structure of  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}_2\text{Co}_2(\mu\text{-CO})(\text{CO})_4(\mu_3\text{-C}(\text{CF}_3)_2)]$  (R. Rumin, F. Petillon, L. Manojlović-Muir, K.W. Muir), (371) C9

( $\eta^4$ -Butadienyl)tricarbonyliron complexed functionalized phosphonate, synthesis and reactions of (P. Pinsard, J.-P. Lellouche, J.-P. Beaucourt, L. Toupet, L. Schio, R. Grée), (371) 219

Cobalt and iron dinuclear complexes with bis(trifluoromethyl) and bis(ethoxycarbonyl thioketenes as ligands (K. Scitz, J. Benecke, U. Behrens), (371) 247

(CO)<sub>2</sub>(NO)Cr( $\eta^5\text{-C}_5\text{H}_4$ )CH<sub>2</sub>( $\eta^5\text{-C}_5\text{H}_4$ )Fe[vinyl-( $\eta^5\text{-C}_5\text{H}_4$ )], synthesis, spectra and crystal structure of (Y.-P. Wang, T.-S. Lin, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (371) 57

(CO)<sub>2</sub>(NO)Cr( $\eta^5\text{-C}_5\text{H}_4$ )C(O)( $\eta^5\text{-C}_5\text{H}_4$ )Fe( $\eta^5\text{-C}_5\text{H}_5$ ), synthesis, spectra and crystal structure of (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (371) 71

$[(\text{C}_5\text{R}_5)\text{Fe}(\text{CO})_2]_2$  (R = H, Me), reaction with phosphorus ylids of (C. Caballero, J.A. Chávez, O. Göknur, I. Löchel, B. Nuber, H. Pfisterer, M.L. Ziegler, P. Albuquerque, L. Eguren, R.P. Korswagen), (371) 329

Dichlorobis( $(\pi$ -cyclopentadienyl)dicarbonyliron]tin(IV) reaction with polydentate  $\alpha$ -(nuclear substituted  $\alpha$ -hydroxybenzylidenehydrazonomethyl)phenols, and syntheses and molecular structures of complexes formed by (F.-Q. Liu, J.-T. Wang, R.-J. Wang, H.-G. Wang, X.-K. Yao), (371) 35

[Fe( $\eta^5\text{-C}_5\text{H}_4\text{S}$ )<sub>2</sub>Mo(NO){HB(3,5-Me<sub>2</sub>C<sub>6</sub>N<sub>2</sub>H)<sub>3</sub>}], synthesis, electrochemistry and molecular structure of (R.P. Sidebotham, P.D. Beer, T.A. Hamor, C.J. Jones, J.A. McCleverty), (371) C31

Fe–Mo–S complexes in the light of the molecular orbital theory (L. Szterenberg, B. Jeżowska-Trzebiatowska), (371) 361

$[\mu\text{-Ge}\{\text{Co}(\text{CO})_4\}\text{Me}]_2\text{Co}_2(\text{CO})_6$  and  $[\mu\text{-Ge}\{\text{Co}(\text{CO})_4\}\text{Me}]_2\text{Fe}_2(\text{CO})_7$ , synthesis and crystal structures of (S.G. Anema, K.M. Mackay, B.K. Nicholson), (371) 233

Iron carbene complexes,  $[(\text{Fe}(\text{CO})_3(\text{L})\{\dot{\text{C}}(\text{OEt})\text{R}\}]$  (L = CO, PPh<sub>3</sub>; R = C<sub>6</sub>H<sub>4</sub>NMe<sub>2</sub>, Bu, CH(SPh)CH<sub>2</sub>Bu), syntheses and characterization of (S. Lotz, J.L.M. Dillen, M.M. van Dyk), (371) 371

Tricarbonyl( $\eta^5$ -cyclohexadienyl)iron(1 + ) complexes, preparation by hydride abstraction of (W.D. Meng, G.R. Stephenson), (371) 355

Triferrocenyltungsten(VI) complexes, preparation and reactivity of (M. Herberhold, H. Kniesel), (371) 205

## Manganese

Cymantrenacetylene complexes, 1,2-halogeno displacement in (C. Löwe, H.-U. Hund, H. Berke), (371) 311

## Mercury

(Chloromethyl)mercury(II) chloride and (bromomethyl)mercury(II) bromide, force constant calculations for (M.D. Armitage, H.G.M. Edwards, V. Fawcett), (371) 1

Organometallic chemistry, use of a domestic microwave oven in (M. Ali, S.P. Bond, S.A. Mbogo, W.R. McWhinnie, P.M. Watts), (371) 11

(Phenylazophenyl-*C,N'*)mercury(II) chloride, crystal structure of (M. Ali, W.R. McWhinnie, T.A. Hamor), (371) C37

$[(\text{Ph}_3\text{P})_2\text{Pt}]$ , generation from  $[(\text{Ph}_3\text{P})_2\text{Pt}(\text{HCl})]$  under phase transfer catalysis: synthetic application (V.V. Grushin, I.S. Akhrem, M.E. Vol'pin), (371) 403

## Metallocenes

(CO)<sub>2</sub>(NO)Cr( $\eta^5\text{-C}_5\text{H}_4$ )CH<sub>2</sub>( $\eta^5\text{-C}_5\text{H}_4$ )Fe[vinyl-( $\eta^5\text{-C}_5\text{H}_4$ )], synthesis, spectra and crystal structure of (Y.-P. Wang, T.-S. Lin, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (371) 57

(CO)<sub>2</sub>(NO)Cr( $\eta^5\text{-C}_5\text{H}_4$ )C(O)( $\eta^5\text{-C}_5\text{H}_4$ )Fe( $\eta^5\text{-C}_5\text{H}_5$ ), synthesis, spectra and crystal structure of (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (371) 71

- Cycloheteropentasilanes,  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}[\text{Si}(\text{C}_6\text{H}_5)_2]_4$  and  $\text{O}[\text{Si}(\text{C}_6\text{H}_5)_2]_5$ , crystal structures of (V.A. Igonin, Yu.E. Ovchinnikov, V.V. Dement'ev, V.E. Shklover, T.V. Timofeeva, T.M. Frunze, Yu.T. Struchkov), (371) 187
- Depalladation of organometallic compounds, C–C bond formation induced by (M. Pfeffer, M.A. Rotteveel, J.-P. Sutter, A. De Cian, J. Fischer), (371) C21
- $[\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{S})_2\text{Mo}(\text{NO})(\text{HB}(3,5\text{-Me}_2\text{C}_3\text{N}_2\text{H})_3)]$ , synthesis, electrochemistry and molecular structure of (R.P. Sidebotham, P.D. Beer, T.A. Hamor, C.J. Jones, J.A. McCleverty), (371) C31
- Pentadienyluranium borohydride complexes and their cyclopentadienyl analogues; crystal structures of  $(\eta\text{-2,4-Me}_2\text{C}_5\text{H}_5)\text{U}(\text{BH}_4)_3$  and  $(\eta\text{-C}_5\text{H}_5)\text{U}(\text{BH}_4)_3$  (D. Baudry, E. Bulot, P. Charpin, M. Ephritikhine, M. Lance, M. Nierlich, J. Vigner), (371) 163
- Titanocene and vanadocene, bi- and poly-metallic cobalt complexes derived from (J. Martin, M. Fauconet, C. Moïse), (371) 87
- Titanocene(IV) and zirconocene(IV) complexes with pyrazine tetracarboxylate ligands, preparation and properties of (T. Güthner, U. Thewalt), (371) 43
- Triferrrocenyltungsten(VI) complexes, preparation and reactivity of (M. Herberhold, H. Kniesel), (371) 205

## Molybdenum

- Cyanamide-derived bis(cyanoimido) complexes, *trans*- $[\text{M}(\text{NCN})_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$  ( $\text{M} = \text{Mo}$  or  $\text{W}$ ), synthesis of; crystal structure of the Mo compound (A.J.L. Pombeiro, M.F.C.G. Silva, D.L. Hughes, R.L. Richards), (371) C45
- $[\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{S})_2\text{Mo}(\text{NO})(\text{HB}(3,5\text{-Me}_2\text{C}_3\text{N}_2\text{H})_3)]$ , synthesis, electrochemistry and molecular structure of (R.P. Sidebotham, P.D. Beer, T.A. Hamor, C.J. Jones, J.A. McCleverty), (371) C31
- Fe–Mo–S complexes in the light of the molecular orbital theory (L. Szterenberg, B. Jeżowska-Trzebiatowska), (371) 361
- $\text{Ti}(\text{C}_5\text{H}_4)\text{P}(\text{CH}_3)_2$ ,  $[(\eta^5\text{-C}_5\text{H}_4)\text{P}(\text{CH}_3)_2]_2\text{ZrCl}_2$  and the heterobinuclear complex  $\{[\mu\text{-}\eta^5\text{-C}_5\text{H}_4]\text{ZrCl}_2\}\text{Mo}(\text{CO})_4$ , synthesis and characterization of (D. Morcos, W. Tikkainen), (371) 15

## Neodymium

- Metallacyclopophazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40

## Nickel

- Bis(diop)metal(0) compounds, dynamic behaviour of (E.M. Campi, P.S. Elmes, W.R. Jackson, R.J. Thomson, J.A. Weigold), (371) 393
- Methylmethoxycarbene complex and corresponding vinyl complex of nickel(II), crystal structures of (D. Xu, K. Miki, M. Tanaka, N. Kasai, N. Yasuoka, M. Wada), (371) 267

## Osmium

- $\text{Os}_3(\text{CO})_8(\eta^1\text{-C}(\text{OMe})\text{Ph})(\mu_3\text{-CPh})(\mu_3\text{-COMe})$ , cluster with a carbene and two carbyne ligands, synthesis, characterization, and crystal structure of (W.-Y. Yeh, S.R. Wilson, J.R. Shapley), (371) 257
- Tungsten-triosmium clusters, crystal structure and solution dynamics of  $(\text{C}_5\text{Me}_5)\text{WOs}_3(\text{CO})_{12}\text{H}$  (S.-M. Peng, G.-H. Lee, Y. Chi, C.-L. Peng, L.-S. Hwang), (371) 197

## Palladium

- Bis(diop)metal(0) compounds, dynamic behaviour of (E.M. Campi, P.S. Elmes, W.R. Jackson, R.J. Thomson, J.A. Weigold), (371) 393
- Depalladation of organometallic compounds, C–C bond formation induced by (M. Pfeffer, M.A. Rotteveel, J.-P. Sutter, A. De Cian, J. Fischer), (371) C21
- Palladium catalyzed coupling reactions of aryl halides with acrylic acid and acrylonitrile in aqueous media, synthesis of substituted cinnamic acids and cinnamonnitriles via (N.A. Bumagin, P.G. More, I.P. Beletskaya), (371) 397
- Palladium-catalyzed synthesis of coumarin (Z.-w. An, M. Catellani, G.P. Chiusoli), (371) C51

## Phosphorus

- ( $\eta^4$ -Butadienyl)tricarbonyliron complexed functionalized phosphonate, synthesis and reactions of (P. Pinsard, J.-P. Lellouche, J.-P. Beaucourt, L. Toupet, L. Schio, R. Grée), (371) 219
- [ $(C_5R_5)Fe(CO)_2$ ]<sub>2</sub> ( $R = H, Me$ ), reaction with phosphorus ylids of (C. Caballero, J.A. Chávez, O. Göknur, I. Löchel, B. Nuber, H. Pfisterer, M.L. Ziegler, P. Albuquerque, L. Eguren, R.P. Korswagen), (371) 329
- Cyanamide-derived bis(cyanoimido) complexes, *trans*-[M(NCN)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] ( $M = Mo$  or  $W$ ), synthesis of; crystal structure of the Mo compound (A.J.L. Pombeiro, M.F.C.G. Silva, D.L. Hughes, R.L. Richards), (371) C45
- Metallacyclophosphazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40
- Rhodium complexes with (–)-(S,4S)-2,4-bis(diphenylphosphino)pentane, synthesis and stereochemistry of (J. Bakos, I. Tóth, G. Szalontai, V. Fülöp, B. Heil), (371) 101
- (R)(R')P=Co(CO)<sub>3</sub>, a neutral phosphenium P=Co bond ion complex with (H. Lang, O. Orama), (371) C48

## Platinum

- Aryl(halogeno)platinum(II) compounds with substituted naphthyl ligands, synthesis and stereochemistry of (H.-A. Brune, G. Schmidtberg, C. Weisemann), (371) 121
- Bis(diop)metal(0) compounds, dynamic behaviour of (E.M. Campi, P.S. Elmes, W.R. Jackson, R.J. Thomson, J.A. Weigold), (371) 393
- [ $\eta^3$ -Bis(diphenylstibino)methane]bis(phenyl)platinum(II)-substituted compounds, photochemical investigations of (H.-A. Brune, R. Klotzbücher, G. Schmidtberg), (371) 113
- Complexed cyclic N,O-acetals, asymmetric synthesis by use of platinum(II) complexes of; crystal structure of *trans*-[PtCl<sub>2</sub>(C<sub>2</sub>H<sub>4</sub>)(2-*p*-NO<sub>2</sub>C<sub>6</sub>H<sub>4</sub>CHNH(CH<sub>2</sub>)<sub>3</sub>O)]. (A. Albinati, C. Arz, P.S. Pregosin), (371) C18
- [(Ph<sub>3</sub>P)<sub>2</sub>Pt], generation from [(Ph<sub>3</sub>P)<sub>2</sub>Pt(H)Cl] under phase transfer catalysis: synthetic application (V.V. Grushin, I.S. Akhrem, M.E. Vol'pin), (371) 403

## Potassium

- Alkali metal (Na, K) cyclooctatetraenides, vibrational spectra of (O.G. Garkusha, I.A. Garbuzova, B.V. Lokshin, Z.V. Todres), (371) 279

## Praseodymium

- Metallacyclophosphazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40

## Rhenium

- Arylrhenium oxides, ( $\sigma$ -aryl)ReO<sub>3</sub>, synthesis and characterisation of (W.A. Herrmann, M. Ladwig, P. Kiprof, J. Riede), (371) C13
- cis*-Re( $O, O'$ -NO<sub>2</sub>)(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub> containing the unusual  $O, O'$ -chelating nitrite ligand, synthesis and reaction with CO of; evidence for Re–N interaction (K.L. Leighton, K.R. Grundy, K.N. Robertson), (371) 321
- Transition-metal Lewis acid adducts of *trans*-[ReCl(CNR)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], ( $R = alkyl$ ), synthesis of; chemical and quantum-chemical study of electrophilic  $\beta$ -addition to ligating isocyanide (M.F.N.N. Carvalho, A.J.L. Pombeiro, E.G. Bakalbassis, C.A. Tsipis), (371) C26

## Rhodium

- Reinvestigation of the reaction of acid chloride with Wilkinson's catalyst; crystal and molecular structure of *cis*-RhCl<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>(COC<sub>2</sub>H<sub>5</sub>) complex (J.-Y. Shie, Y.-C. Lin, Y. Wang), (371) 383
- Rhodium complexes with (–)-(S,4S)-2,4-bis(diphenylphosphino)pentane, synthesis and stereochemistry of (J. Bakos, I. Tóth, G. Szalontai, V. Fülöp, B. Heil), (371) 101

## Silicon

- Cycloheteropentasilanes,  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}[\text{Si}(\text{C}_6\text{H}_5)_2]_4$  and  $\text{O}[\text{Si}(\text{C}_6\text{H}_5)_2]_5$ , crystal structures of (V.A. Igonin, Yu.E. Ovchinnikov, V.V. Dement'ev, V.E. Shklover, T.V. Timofeeva, T.M. Frunze, Yu.T. Struchkov), (371) 187
- Cyclohexasilanyl derivatives, preparation and properties of (E. Hengge, M. Eibl), (371) 137
- Metallacyclosphazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40
- Organosilanetriols, hydrogen-bonding in; crystal structures of tris(trimethylsilyl)silyl- and tris(trimethylsilyl)methyl-silanetriols (S.S. Al-Juaid, N.H. Butrus, R.I. Damja, Y. Derouiche, C. Eaborn, P.B. Hitchcock, P.D. Lickiss), (371) 287
- Organosilicons, interaction of fluoride ion with; facile isomerizations and new reactions of silicon hydrides (C. Blankenship, S.E. Cremer), (371) 19
- Polycyclic ketones, insertion into methylene-uranium bond of  $[(\text{Me}_3\text{Si})_2\text{N}]_2\text{U}\overline{\text{CH}_2\text{SiMe}_2}\text{NSiMe}_3$  (A. Dormond, C. Moïse, A. Elbouadili, H. Bitar), (371) 175
- (Trimethylsilyl)(cyclopropyl)acetylenes and terminal cyclopropylacetylenes, synthesis via an arsonium ylide under phase-transfer conditions of (Y. Shen, Q. Liao), (371) 31

## Sodium

- Alkali metal (Na, K) cyclooctatetraenides, vibrational spectra of (O.G. Garkusha, I.A. Garbuzova, B.V. Lokshin, Z.V. Todres), (371) 279

## Sulphur

- Cobalt and iron dinuclear complexes with bis(trifluoromethyl) and bis(ethoxycarbonyl thioketenes as ligands (K. Seitz, J. Benecke, U. Behrens), (371) 247
- Di-n-butylbis(thiophenoxyacetato)tin(IV),  ${}^n\text{Bu}_2\text{Sn}(\text{O}_2\text{CCH}_2\text{SC}_6\text{H}_5)_2$ , crystal structure of (G.K. Sandhu, N. Sharma, E.R.T. Tiekkink), (371) C1
- $[\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{S})_2\text{Mo}(\text{NO})\{\text{HB}(3,5\text{-Me}_2\text{C}_3\text{N}_2\text{H})_3\}]$ , synthesis, electrochemistry and molecular structure of (R.P. Sidebotham, P.D. Beer, T.A. Hamor, C.J. Jones, J.A. McCleverty), (371) C31
- Fe–Mo–S complexes in the light of the molecular orbital theory (L. Szterenberg, B. Jeżowska-Trzebiatowska), (371) 361
- $[\text{WH}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)]$ , reactions with iminooxosulphuranes and diiminosulphuranes (W.P. Ehrenreich, M. Herberhold, A.F. Hill), (371) 303

## Thallium

- $\text{Tl}(\text{C}_5\text{H}_4)\text{P}(\text{CH}_3)_2$ ,  $[(\eta^5\text{-C}_5\text{H}_4)\text{P}(\text{CH}_3)_2]_2\text{ZrCl}_2$  and the heterobinuclear complex  $\{[\mu\text{-}\eta^5\text{-C}_5\text{H}_4)\text{P}(\text{CH}_3)_2]\text{ZrCl}_2\}\text{Mo}(\text{CO})_4$ , synthesis and characterization of (D. Morcos, W. Tikkanen), (371) 15

## Thorium

- Metallacyclosphazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40

## Tin

- Dichlorobis( $\pi$ -cyclopentadienyl)dicarbonyliron|tin(IV) reaction with polydentate  $\sigma$ -(nuclear substituted  $\alpha$ -hydroxybenzylidenehydrazonomethyl)phenols, and syntheses and molecular structures of complexes formed by (F.-Q. Liu, J.-T. Wang, R.-J. Wang, H.-G. Wang, X.-K. Yao), (371) 35
- Di-n-butylbis(thiophenoxyacetato)tin(IV),  ${}^n\text{Bu}_2\text{Sn}(\text{O}_2\text{CCH}_2\text{SC}_6\text{H}_5)_2$ , crystal structure of (G.K. Sandhu, N. Sharma, E.R.T. Tiekkink), (371) C1
- Organometallic chemistry, use of a domestic microwave oven in (M. Ali, S.P. Bond, S.A. Mbogo, W.R. McWhinnie, P.M. Watts), (371) 11
- Quaternary ammonium tributyl difluorostannates, structure in solution of (S.J. Blunden, R. Hill), (371) 145
- Tri-n-butyltin hydride applied in high pressure reduction of organic chlorides with (A. Rahm, R. Amarceil, M. Degueil-Castaing), (371) C4

## Titanium

Cycloheteropentasilanes,  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}[\text{Si}(\text{C}_6\text{H}_5)_2]_4$  and  $\text{O}[\text{Si}(\text{C}_6\text{H}_5)_2]_5$ , crystal structures of (V.A. Igonin, Yu.E. Ovchinnikov, V.V. Dement'ev, V.E. Shklover, T.V. Timofeeva, T.M. Frunze, Yu.T. Struchkov), (371) 187

Titanocene and vanadocene, bi- and poly-metallic cobalt complexes derived from (J. Martin, M. Fauconet, C. Moïse), (371) 87

Titanocene(IV) and zirconocene(IV) complexes with pyrazine tetracarboxylate ligands, preparation and properties of (T. Güthner, U. Thewalt), (371) 43

## Tungsten

Alkene metathesis catalysed by  $[\text{WBr}(\text{CO})_2(\text{diene})]/\text{AlCl}_2\text{Et}$  (J.L. Davidson, G. Vasapollo, C.F. Nobile, A. Sacco), (371) 297

Cyanamide-derived bis(cyanoimido) complexes, *trans*- $[\text{M}(\text{NCN})_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$  ( $\text{M} = \text{Mo}$  or  $\text{W}$ ), synthesis of; crystal structure of the Mo compound (A.J.L. Pombeiro, M.F.C.G. Silva, D.L. Hughes, R.L. Richards), (371) C45

Transition-metal Lewis acid adducts of *trans*- $[\text{ReCl}(\text{CNR})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$ , ( $\text{R} = \text{alkyl}$ ), synthesis of; chemical and quantum-chemical study of electrophilic  $\beta$ -addition to ligating isocyanide (M.F.N.N. Carvalho, A.J.L. Pombeiro, E.G. Bakalbassis, C.A. Tsipis), (371) C26

Triferrrocenyltungsten(VI) complexes, preparation and reactivity of (M. Herberhold, H. Kniesel), (371) 205

Tungsten-triosmium clusters, crystal structure and solution dynamics of  $(\text{C}_5\text{Me}_5)\text{WOs}_3(\text{CO})_{12}\text{H}$  (S.-M. Peng, G.-H. Lee, Y. Chi, C.-L. Peng, L.-S. Hwang), (371) 197

$[\text{WH}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)]$ , reactions with iminooxosulphuranes and diiminosulphuranes (W.P. Ehrenreich, M. Herberhold, A.F. Hill), (371) 303

## Uranium

Areneuranium borohydrides: synthesis and crystal structure of  $(\eta\text{-C}_6\text{Me}_6)\text{U}(\text{BH}_4)_3$  (D. Baudry, E. Bulot, P. Charpin, M. Ephritikhine, M. Lance, M. Nierlich, J. Vigner), (371) 155

Metallacyclopophazenes with praseodymium, neodymium, uranium and thorium, synthesis of (A. Recknagel, M. Witt, F.T. Edelmann), (371) C40

Pentadienyluranium borohydride complexes and their cyclopentadienyl analogues; crystal structures of  $(\eta\text{-2,4-Me}_2\text{C}_5\text{H}_5)\text{U}(\text{BH}_4)_3$  and  $(\eta\text{-C}_5\text{H}_5)\text{U}(\text{BH}_4)_3$  (D. Baudry, E. Bulot, P. Charpin, M. Ephritikhine, M. Lance, M. Nierlich, J. Vigner), (371) 163

Polycyclic ketones, insertion into methylene-uranium bond of  $[(\text{Me}_3\text{Si})_2\text{N}]_2\text{UCH}_2\text{SiMe}_2\text{NSiMe}_3$  (A. Dormond, C. Moïse, A. Elbouadili, H. Bitar), (371) 175

## Vanadium

Titanocene and vanadocene, bi- and poly-metallic cobalt complexes derived from (J. Martin, M. Fauconet, C. Moïse), (371) 87

## Zinc

Arylrhenium oxides,  $(\sigma\text{-aryl})\text{ReO}_3$ , synthesis and characterisation of (W.A. Herrmann, M. Ladwig, P. Kiprof, J. Riede), (371) C13

## Zirconium

Titanocene(IV) and zirconocene(IV) complexes with pyrazine tetracarboxylate ligands, preparation and properties of (T. Güthner, U. Thewalt), (371) 43

$\text{Ti}(\text{C}_5\text{H}_4)\text{P}(\text{CH}_3)_2$ ,  $[(\eta^5\text{-C}_5\text{H}_4)\text{P}(\text{CH}_3)_2]_2\text{ZrCl}_2$  and the heterobinuclear complex  $\{[\mu\text{-}\eta^5\text{-C}_5\text{H}_4]\text{P}(\text{CH}_3)_2\}\text{ZrCl}_2\text{Mo}(\text{CO})_4$ , synthesis and characterization of (D. Morcos, W. Tikkannen), (371) 15