

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 368 (1989)**


---

**SUBJECT INDEX**
**Aluminium**

[AlCl<sub>3</sub>(C<sub>6</sub>H<sub>5</sub>COOC<sub>2</sub>H<sub>5</sub>)], crystal structure and properties of (P. Sobota, M.O. Mustafa, J. Utiko, T. Lis), (368) 257

Trimethylaluminum mediated halomethylation of [(arene)<sub>2</sub>Fe]<sup>2+</sup> cations (M.D. Clerk, K.C. Sturge, M.J. Zaworotko, P.S. White), (368) C33

**Antimony**

Organoniobium(V) perfluoroborate, arsenate and antimonate complexes, formation and characterisation of (P. Gowik, T. Klapötke), (368) 35

**Arsenic**

Organoniobium(V) perfluoroborate, arsenate and antimonate complexes, formation and characterisation of (P. Gowik, T. Klapötke), (368) 35

**Cadmium**

Trifluoromethyl cadmates: formation and <sup>19</sup>F and <sup>113</sup>Cd NMR spectroscopic investigations of (D. Naumann, W. Tyrre), (368) 131

Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η<sup>6</sup>-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

**Chromium**

Cp<sub>2</sub><sup>\*</sup>ZrCH=CHC=M(CO)<sub>5</sub> (M = Cr, Mo, W) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315

Metal carbenes and metal carbonyls, metathesis and reduction reactions of nitroso compounds with (J.W. Herndon, L.A. McMullen), (368) 83

Metallotetrahedral clusters (MeC<sub>5</sub>H<sub>4</sub>)<sub>4</sub>Cr<sub>4</sub>(μ<sub>3</sub>-E)<sub>4</sub> (E = O, S, Se), influence of bridging ligands on geometry and magnetic properties of (I.L. Eremenko, S.E. Nefedov, A.A. Pasynskii, B. Orazsakhatov, O.G. Ellert, Yu.T. Struchkov, A.I. Yanovsky, D.V. Zagorevsky), (368) 185

Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of [Cp(CO)<sub>2</sub>Mo(μ-PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H)<sub>2</sub>] and [(CO)<sub>4</sub>Mn(μ-PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H)<sub>2</sub>] (Cy = *c*-C<sub>6</sub>H<sub>11</sub>) (P. Braunstein, E. De Jesús, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η<sup>6</sup>-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

**Cobalt**

Bis(dimethylphosphino)ethane, reactions with Co<sub>4</sub>(CO)<sub>10</sub>(μ<sub>4</sub>-PPh)<sub>2</sub> of; synthesis, structure, and solution dynamics of Co<sub>4</sub>(CO)<sub>8</sub>(μ<sub>4</sub>-PPh)<sub>2</sub>(dmpe) (C.L. Schulman, M.G. Richmond, W.H. Watson, A. Nagl), (368) 367

Me<sub>7</sub>CpM(CO)<sub>2</sub> (M = Co, Rh) analogs, <sup>1</sup>H, <sup>13</sup>C, <sup>17</sup>O NMR and IR (CO-region) spectroscopic and mass-spectrometric studies of (I.R. Lyatifov, G.M. Jafarov, V.N. Babin, P.V. Petrovskii, V.D. Zagorevskii), (368) 223

## Copper

(C<sub>5</sub>Cl<sub>4</sub>R)Mn(CO)<sub>3</sub> and (C<sub>5</sub>Cl<sub>4</sub>R)Rh(COD) derivatives, preparation of; crystal structure of (C<sub>5</sub>Cl<sub>4</sub>CONH<sub>2</sub>)Mn(CO)<sub>3</sub> (K. Sünkel, D. Steiner), (368) 67

## Germanium

Acylgermanes, reaction with triethylgermyllithium of (I.S. Biltueva, D.A. Bravo-Zhivotovskii, I.D. Kalikhman, V.Yu. Vitkovskii, S.G. Shevchenko, N.S. Vyazankin, M.G. Voronkov), (368) 163

4,8-Dichloroocta-*t*-butyltetracyclo[3.3.0.0<sup>2,7</sup>.0<sup>3,6</sup>]octagermane, preparation and structure of (A. Sekiguchi, H. Naito, H. Nameki, K. Ebata, C. Kabuto, H. Sakurai), (368) C1

Si–C and Ge–C bonds, cleavage with lithium aluminium hydride of (V. Gevorgyan, L. Borisova, E. Lukevics), (368) 19

## Hafnium

Mononuclear zirconium trivalent organometallic Zr and H metallocenes, structure of (I.F. Urazowski, V.I. Ponomaryev, I.E. Nifant'ev, D.A. Lemenovskii), (368) 287

## Indium

Tetrakis[bis(trimethylsilyl)methyl]diindane(4) with In–In bond, formation and structure of (W. Uhl, M. Layh, W. Hiller), (368) 139

## Iridium

Bis(hydrocarbyl)iridium(III) five-coordinate complexes, Ir(R)R'[N(Si(Me<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>)]<sub>2</sub>, synthesis and structure of (M.D. Fryzuk, P.A. MacNeil, R.L. Massey, R.G. Ball), (368) 231

Organometallic compounds, application of microwave dielectric loss heating effects for the rapid and convenient synthesis of (D.R. Baghurst, D.M.P. Mingos, M.J. Watson), (368) C43

## Iron

(Alkyne)carbonyliron compound, solid state <sup>13</sup>C CP-MAS NMR spectra (A. Aime, M. Botta, G.E. Hawkes, K.D. Sales, L.-Y. Lian), (368) 331

[(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>R)Fe(CO)(PPh<sub>3</sub>)I] (R = CHPh<sub>2</sub>, I, CH(CH<sub>3</sub>)<sub>2</sub>), NMR and X-ray structure of (J. du Toit, D.C. Levensis, J.C.A. Boeyens, M.S. Loonat, L. Carlton, W. Pickl, N.J. Coville), (368) 339

Ferrocenophane derivatives containing chelated ligands, synthesis of (R. Sihler, U. Werz, H.-A. Brune), (368) 213

(μ-H)<sub>2</sub>Os<sub>3</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-Te), synthesis, characterization, and X-ray crystal structure (H.-T. Schacht, A.K. Powell, H. Vahrenkamp, M. Koike, H.-J. Kneuper, J.R. Shapley), (368) 269

Metal carbenes and metal carbonyls, metathesis and reduction reactions of nitroso compounds with (J.W. Herndon, L.A. McMullen), (368) 83

Pericyclic organometallic reactions, mechanism of; competitive [4,4]-sigmahaptotropic rearrangement versus metal–hydride shift (Z. Goldschmidt, E. Genizi, H.E. Gottlieb), (368) 351

(Ph<sub>3</sub>P)<sub>2</sub>Fe(CO)<sub>3</sub>, expedient synthesis of (J.J. Brunet, F.B. Kindela, N. Neibecker), (368) 209

Trimethylaluminum mediated halomethylation of [(arene)<sub>2</sub>Fe]<sup>2+</sup> cations (M.D. Clerk, K.C. Sturge, M.J. Zaworotko, P.S. White), (368) C33

Undecacarbonyltriferrate reactions, with α,β-unsaturated acyl halides; decomposition of [μ<sub>3</sub>-RCH=CHCOOCFe<sub>3</sub>(CO)<sub>10</sub>]<sup>-</sup> to [η<sup>2</sup>-RCH=CHFe<sub>2</sub>(CO)<sub>7</sub>] (A. Ishihara, T.-A. Mitsudo, Y. Watanabe), (368) 199

## Lithium

Acylgermanes, reaction with triethylgermyllithium of (I.S. Biltueva, D.A. Bravo-Zhivotovskii, I.D. Kalikhman, V.Yu. Vitkovskii, S.G. Shevchenko, N.S. Vyazankin, M.G. Voronkov), (368) 163

## Manganese

(C<sub>5</sub>Cl<sub>4</sub>R)Mn(CO)<sub>3</sub> and (C<sub>5</sub>Cl<sub>4</sub>R)Rh(COD) derivatives, preparation of; crystal structure of (C<sub>5</sub>Cl<sub>4</sub>CONH<sub>2</sub>)Mn(CO)<sub>3</sub> (K. Sünkel, D. Steiner), (368) 67

Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of [Cr(CO)<sub>2</sub>Mo(μ-PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H)<sub>2</sub>] and [(CO)<sub>4</sub>Mn(μ-PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H)<sub>2</sub>] (Cy = *c*-C<sub>6</sub>H<sub>11</sub>) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

## Mercury

- Mono- and di-aryltin(IV) complexes containing 2-(phenylazo)phenyl, synthesis by use of organomercury compounds of (J. Vicente, M.T. Chicote, R.M. Carreño, M.C. Ramirez-de-Arellano), (368) 263
- Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an  $\eta^6$ -arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

## Metalloenes

- 4,8-Dichloroocta-t-butyltetracyclo[3.3.0.0<sup>2,7</sup>.0<sup>3,6</sup>]octagermane, preparation and structure of (A. Sekiguchi, H. Naito, H. Nameki, K. Ebata, C. Kabuto, H. Sakurai), (368) C1
- Ferrocenophane derivatives containing chelated ligands, synthesis of (R. Sihler, U. Werz, H.-A. Brune), (368) 213
- Mononuclear zirconium trivalent organometallic Zr and H metallocenes, structure of (I.F. Urazowski, V.I. Ponomaryev, I.E. Nifant'ev, D.A. Lemenovskii), (368) 287
- Trimethylaluminum mediated halomethylation of [(arene)<sub>2</sub>Fe]<sup>2+</sup> cations (M.D. Clerk, K.C. Sturge, M.J. Zaworotko, P.S. White), (368) C33

## Molybdenum

- $Cp_2^+ Zr \overline{CH=CHC} = M(CO)_5$  (M = Cr, Mo, W) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315
- [M( $\eta^2$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>HX] (M = Mo, W; X = Cl, Br, I), reactivity of (C.G. de Azevedo, A.R. Dias, A.M. Martins, C.C. Romao), (368) 57
- (Pentamethylcyclopentadienyl)-molybdenum and -tungsten, reactions and properties of oxo and peroxo derivatives of (J.W. Faller, Y. Ma), (368) 45
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of [Cp(CO)<sub>2</sub>Mo( $\mu$ -PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H)<sub>2</sub>] and [(CO)<sub>4</sub>Mn( $\mu$ -PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H)<sub>2</sub>] (Cy = *c*-C<sub>6</sub>H<sub>11</sub>) (P. Braunstein, E. De Jesús, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5
- 2-Trimethylsilylnorbornadiene reaction with hexacarbonylmolybdenum of (T.J. Chow, C.-C. Cheng), (368) 323

## Nickel

- Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an  $\eta^6$ -arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

## Niobium

- Organoniobium(V) perfluoroborate, arsenate and antimonate complexes, formation and characterisation of (P. Gowik, T. Klapötke), (368) 35

## Osmium

- ( $\mu$ -H)<sub>2</sub>Os<sub>3</sub>(CO)<sub>9</sub>( $\mu_3$ -Te), synthesis, characterization, and X-ray crystal structure (H.-T. Schacht, A.K. Powell, H. Vahrenkamp, M. Koike, H.-J. Kneuper, J.R. Shapley), (368) 269
- ortho*-Metallation at triosmium clusters, trapping of an unstable tautomer of indole by (K.I. Hardcastle, H. Minassian, A.J. Arce, Y. De Sanctis, A.J. Deeming), (368) 119

## Palladium

- [MCl<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>SCH<sub>3</sub>)<sub>2</sub>] (M = Pd or Pt), reactions with [Rh<sub>2</sub>( $\mu$ -Cl)<sub>2</sub>(CO)<sub>4</sub>] of; preparation of Ph<sub>2</sub>PCH<sub>2</sub>SCH<sub>3</sub>-bridged Pd-Rh complex (G.K. Anderson), (368) 385
- Palladium-catalysed preparation of *exo*-aryl derivatives of the norbornane skeleton (A. Arcadi, F. Marinelli, E. Bernocchi, S. Cacchi, G. Ortari), (368) 249
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of [Cp(CO)<sub>2</sub>Mo( $\mu$ -PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H)<sub>2</sub>] and [(CO)<sub>4</sub>Mn( $\mu$ -PCy<sub>2</sub>)Pd(PCy<sub>2</sub>H)<sub>2</sub>] (Cy = *c*-C<sub>6</sub>H<sub>11</sub>) (P. Braunstein, E. De Jesús, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

## Phosphorus

- Bis(dimethylphosphino)ethane, reactions with  $\text{Co}_4(\text{CO})_{10}(\mu_4\text{-PPh})_2$  of; synthesis, structure, and solution dynamics of  $\text{Co}_4(\text{CO})_8(\mu_4\text{-PPh})_2(\text{dmpe})$  (C.L. Schulman, M.G. Richmond, W.H. Watson, A. Nagl), (368) 367
- Bis(trimethylsilyl)isocyanamine and its isomers, reactions with chlorotriphenylphosphonium chloride of; crystal structure of  $[\text{Ph}_3\text{PCNN}(\text{C}(\text{PPh}_3)_2\text{N})\text{N}][\text{PF}_6]_2$  (G. Zinner, G. Beck, W.P. Fehlhammer, N. Wiberg), (368) 23
- $(\text{C}_5\text{Cl}_4\text{R})\text{Mn}(\text{CO})_3$  and  $(\text{C}_5\text{Cl}_4\text{R})\text{Rh}(\text{COD})$  derivatives, preparation of; crystal structure of  $(\text{C}_5\text{Cl}_4\text{CONH}_2)\text{Mn}(\text{CO})_3$  (K. Sünkel, D. Steiner), (368) 67
- $[(\eta^5\text{-C}_5\text{H}_4\text{R})\text{Fe}(\text{CO})(\text{PPh}_3)]$  (R =  $\text{CHPh}_2$ , I,  $\text{CH}(\text{CH}_3)_2$ ), NMR and X-ray structure of (J. du Toit, D.C. Levendis, J.C.A. Boeyens, M.S. Loonat, L. Carlton, W. Pickl, N.J. Coville), (368) 339
- (*meso-cis*-2,10-Diphenyl-6-aza-*kN*-2,10-diphospha-*k^2P*-bicyclo[9.4.0]pentadeca-11(1),12,14-triene)(bicyclo[2.2.1]heptadiene)rhodium(I) hexafluorophosphate, structure of (S.-T. Liu, M.-C. Cheng, S.-M. Peng), (368) C38
- Ferrocenophane derivatives containing chelated ligands, synthesis of (R. Sihler, U. Werz, H.-A. Brune), (368) 213
- Hydridodiphenylphosphinomethylzirconium(III) species, formation by reduction of  $(\text{C}_5\text{H}_4\text{-t-Bu})\text{Zr}(\text{CH}_2\text{PPh}_2)_2$  (R. Choukroun, D. Gervais, C.-E. Rifaï), (368) C11
- $\eta^1$ -Ligated halogenophosphaalkenes; crystal structures of *trans*- $[\text{RhCl}(\text{PPh}_3)_2\{\eta^1\text{-PX}=\text{C}(\text{SiMe}_3)_2\}]$  (X = F or Cl) (P.B. Hitchcock, M.F. Meidine, J.F. Nixon, H. Wang, D. Gudat, E. Niecke), (368) C29
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of  $[\text{Cp}(\text{CO})_2\text{Mo}(\mu\text{-PCy}_2)\text{Pd}(\text{PCy}_2\text{H})_2]$  and  $[(\text{CO})_4\text{Mn}(\mu\text{-PCy}_2)\text{Pd}(\text{PCy}_2\text{H})_2]$  (Cy = *c*- $\text{C}_6\text{H}_{11}$ ) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5
- $(\text{Ph}_3\text{P})_2\text{Fe}(\text{CO})_3$ , expedient synthesis of (J.J. Brunet, F.B. Kindela, N. Neibecker), (368) 209
- $\beta$ -Trimethylstannylalkyldiphenylphosphines, preparation of (T.N. Mitchell, H.-J. Belt), (368) 167
- Zirconacyclopentene and alkoxy ethyl complexes, formation of (H.G. Alt, C.E. Denner), (368) C15

## Platinum

- Dineopentylplatinum(II) complexes with bidentate heteroaromatic N-donor ligands, preparation of (V. Christou, G.B. Young), (368) 391
- $[\text{MCl}_2(\text{Ph}_2\text{PCH}_2\text{SCH}_3)_2]$  (M = Pd or Pt), reactions with  $[\text{Rh}_2(\mu\text{-Cl})_2(\text{CO})_4]$  of; preparation of  $\text{Ph}_2\text{PCH}_2\text{SCH}_3$ -bridged Pd-Rh complex (G.K. Anderson), (368) 385

## Potassium

- Potassium five-coordinate dihydrosilicates, synthesis and reactivity of (B. Becker, R.J.P. Corriu, C. Guérin, B. Henner, Q. Wang), (368) C25

## Rhenium

- $\sigma, \pi$ -Vinyl-bridged dirhenium complex,  $[\text{Re}(\text{CO})_5(\mu\text{-}\eta^1: \eta^2\text{-CH}=\text{CH}_2)\text{Re}(\text{CO})_5]^+ \text{BF}_4^-$ , formation of (P. Steil, W. Beck, F.G.A. Stone), (368) 77

## Rhodium

- $(\text{C}_5\text{Cl}_4\text{R})\text{Mn}(\text{CO})_3$  and  $(\text{C}_5\text{Cl}_4\text{R})\text{Rh}(\text{COD})$  derivatives, preparation of; crystal structure of  $(\text{C}_5\text{Cl}_4\text{CONH}_2)\text{Mn}(\text{CO})_3$  (K. Sünkel, D. Steiner), (368) 67
- (*meso-cis*-2,10-Diphenyl-6-aza-*kN*-2,10-diphospha-*k^2P*-bicyclo[9.4.0]pentadeca-11(1),12,14-triene)(bicyclo[2.2.1]heptadiene)rhodium(I) hexafluorophosphate, structure of (S.-T. Liu, M.-C. Cheng, S.-M. Peng), (368) C38
- $\eta^1$ -Ligated halogenophosphaalkenes; crystal structures of *trans*- $[\text{RhCl}(\text{PPh}_3)_2\{\eta^1\text{-PX}=\text{C}(\text{SiMe}_3)_2\}]$  (X = F or Cl) (P.B. Hitchcock, M.F. Meidine, J.F. Nixon, H. Wang, D. Gudat, E. Niecke), (368) C29
- $[\text{MCl}_2(\text{Ph}_2\text{PCH}_2\text{SCH}_3)_2]$  (M = Pd or Pt), reactions with  $[\text{Rh}_2(\mu\text{-Cl})_2(\text{CO})_4]$  of; preparation of  $\text{Ph}_2\text{PCH}_2\text{SCH}_3$ -bridged Pd-Rh complex (G.K. Anderson), (368) 385
- $\text{Me}_n\text{CpM}(\text{CO})_2$  (M = CO, Rh) analogs,  $^1\text{H}$ ,  $^{13}\text{C}$ ,  $^{17}\text{O}$  NMR and IR (CO-region) spectroscopic and mass-spectrometric studies of (I.R. Lyatifov, G.M. Jafarov, V.N. Babin, P.V. Petrovskii, V.D. Zagorevskii), (368) 223
- Organometallic compounds, application of microwave dielectric loss heating effects for the rapid and convenient synthesis of (D.R. Baghurst, D.M.P. Mingos, M.J. Watson), (368) C43

### Ruthenium

- [Ru(CO)(PPh<sub>3</sub>)<sub>2</sub>(L)(OSNR)] (L = CO, CN<sup>t</sup>Bu, CNC<sub>6</sub>H<sub>3</sub>Me<sub>2-6</sub>; R = C<sub>6</sub>H<sub>4</sub>Me-2, C<sub>6</sub>H<sub>4</sub>Me-4), synthesis of (M. Herberhold, A.F. Hill), (368) 111
- Ruthenium cluster as catalyst for carbonylation of cyclic amines (G. Süß-Fink, M. Langenbahn, T. Jenke), (368) 103
- Tricarbonyltetraphenylcyclopentadienone ruthenium(0), as catalyst in reduction of nitroaromatics with CO and H<sub>2</sub>O (Y. Shvo, D. Czarkie), (368) 357

### Selenium

- (C<sub>5</sub>Cl<sub>4</sub>R)Mn(CO)<sub>3</sub> and (C<sub>5</sub>Cl<sub>4</sub>R)Rh(COD) derivatives, preparation of; crystal structure of (C<sub>5</sub>Cl<sub>4</sub>CONH<sub>2</sub>)Mn(CO)<sub>3</sub> (K. Sünkel, D. Steiner), (368) 67
- Metalloctahedral clusters (MeC<sub>5</sub>H<sub>4</sub>)<sub>4</sub>Cr<sub>4</sub>(μ<sub>3</sub>-E)<sub>4</sub> (E = O, S, Se), influence of bridging ligands on geometry and magnetic properties of (I.L. Eremenko, S.E. Nefedov, A.A. Pasynskii, B. Orazsakhmatov, O.G. Ellert, Yu.T. Struchkov, A.I. Yanovsky, D.V. Zagorevsky), (368) 185
- Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η<sup>6</sup>-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

### Silicon

- Acygermanes, reaction with triethylgermyllithium of (I.S. Biltueva, D.A. Bravo-Zhivotovskii, I.D. Kalikhman, V.Yu. Vitkovskii, S.G. Shevchenko, N.S. Vyazankin, M.G. Voronkov), (368) 163
- 1-[N-(2-Aminoethyl)aminoalkyl]silatranes and their complexes with CuCl<sub>2</sub> (M.G. Voronkov, V.P. Baryshok, N.F. Lazareva, V.V. Saraev, T.I. Vakulskaia, P. Hencsei, I. Kovacs), (368) 155
- Bis(hydrocarbyl)iridium(III) five-coordinate complexes, Ir(R)R'[N(Si(Me<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>)]<sub>2</sub>, synthesis and structure of (M.D. Fryzuk, P.A. MacNeil, R.L. Massey, R.G. Ball), (368) 231
- Bis(trimethylsilyl)isocyanamine and its isomers, reactions with chlorotriphenylphosphonium chloride of; crystal structure of [Ph<sub>3</sub>PCNN(C(PPh<sub>3</sub>)<sub>2</sub>N)N][PF<sub>6</sub>]<sub>2</sub> (G. Zinner, G. Beck, W.P. Fehlhammer, N. Wiberg), (368) 23
- (C<sub>5</sub>Cl<sub>4</sub>R)Mn(CO)<sub>3</sub> and (C<sub>5</sub>Cl<sub>4</sub>R)Rh(COD) derivatives, preparation of; crystal structure of (C<sub>5</sub>Cl<sub>4</sub>CONH<sub>2</sub>)Mn(CO)<sub>3</sub> (K. Sünkel, D. Steiner), (368) 67
- η<sup>1</sup>-Ligated halogenophosphaalkenes; crystal structures of *trans*-[RhCl(PPh<sub>3</sub>)<sub>2</sub>{η<sup>1</sup>-PX=C(SiMe<sub>3</sub>)<sub>2</sub>}] (X = F or Cl) (P.B. Hitchcock, M.F. Meidine, J.F. Nixon, H. Wang, D. Gudat, E. Niecke), (368) C29
- Potassium five-coordinate dihydridosilicates, synthesis and reactivity of (B. Becker, R.J.P. Corriu, C. Guérin, B. Henner, Q. Wang), (368) C25
- Si-C and Ge-C bonds, cleavage with lithium aluminium hydride of (V. Gevorgyan, L. Borisova, E. Lukevics), (368) 19
- Tetrakis[bis(trimethylsilyl)methyl]diindane(4) with In-In bond, formation and structure of (W. Uhl, M. Layh, W. Hiller), (368) 139
- 2-Trimethylsilylnorbornadiene reaction with hexacarbonylmolybdenum of (T.J. Chow, C.-C. Cheng), (368) 323

### Sulphur

- 1-(1-Hexenyl)-2-thiomethylbenzene, aromatic olefin, reaction with Cp<sub>2</sub>Zr(H)Cl of (U. Annby, S. Gronowitz, A. Hallberg), (368) 295
- [MCl<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>SCH<sub>3</sub>)<sub>2</sub>] (M = Pd or Pt), reactions with [Rh<sub>2</sub>(μ-Cl)<sub>2</sub>(CO)<sub>4</sub>] of; preparation of Ph<sub>2</sub>PCH<sub>2</sub>SCH<sub>3</sub>-bridged Pd-Rh complex (G.K. Anderson), (368) 385
- Metalloctahedral clusters (MeC<sub>5</sub>H<sub>4</sub>)<sub>4</sub>Cr<sub>4</sub>(μ<sub>3</sub>-E)<sub>4</sub> (E = O, S, Se), influence of bridging ligands on geometry and magnetic properties of (I.L. Eremenko, S.E. Nefedov, A.A. Pasynskii, B. Orazsakhmatov, O.G. Ellert, Yu.T. Struchkov, A.I. Yanovsky, D.V. Zagorevsky), (368) 185
- [Ru(CO)(PPh<sub>3</sub>)<sub>2</sub>(L)(OSNR)] (L = CO, CN<sup>t</sup>Bu, CNC<sub>6</sub>H<sub>3</sub>Me<sub>2-6</sub>; R = C<sub>6</sub>H<sub>4</sub>Me-2, C<sub>6</sub>H<sub>4</sub>Me-4), synthesis of (M. Herberhold, A.F. Hill), (368) 111

### Tin

- (C<sub>5</sub>Cl<sub>4</sub>R)Mn(CO)<sub>3</sub> and (C<sub>5</sub>Cl<sub>4</sub>R)Rh(COD) derivatives, preparation of; crystal structure of (C<sub>5</sub>Cl<sub>4</sub>CONH<sub>2</sub>)Mn(CO)<sub>3</sub> (K. Sünkel, D. Steiner), (368) 67

- Isopropyltin oxide-hydroxide chloride,  $(i\text{-PrSn})_9\text{O}_8(\text{OH})_6\text{Cl}_3 \cdot 6\text{DMSO}$ , synthesis and crystal structure of (H. Puff, H. Reuter), (368) 173
- Mono- and di-aryltin(IV) complexes containing 2-(phenylazo)phenyl, synthesis by use of organomercury compounds of (J. Vicente, M.T. Chicote, R.M. Carreño, M.C. Ramirez-de-Arellano), (368) 263
- Organotin compounds, solid state  $^{119}\text{Sn}$  NMR of (F. Huber, A.K. Saxena, R.K. Harris, A. Sebal), (368) 31
- Tetrakis[bis(trimethylsilyl)methyl]diindane(4) with In–In bond, formation and structure of (W. Uhl, M. Layh, W. Hiller), (368) 139
- $\beta$ -Trimethylstannyl)alkyldiphenylphosphines, preparation of (T.N. Mitchell, H.-J. Belt), (368) 167

## Titanium

- Cyclopentadienyl-titanium and -zirconium chiral complexes, synthesis of; crystal structures of [ $R\text{-CH}_3\text{OCH}_2\text{CH}(\text{CH}_3)\text{Cp}$ ] $_2\text{MCl}_2$  (M = Ti, Zr) (Q. Huang, Y. Qian, Y. Tang), (368) 277

## Tungsten

- $\text{Cp}_2^*\text{Zr}\overset{\text{O}}{\text{C}}\text{H}=\text{CHC}=\text{M}(\text{CO})_5$  (M = Cr, Mo, W) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315
- $[\text{M}(\eta^5\text{-C}_5\text{H}_5)_2\text{HX}]$  (M = Mo, W; X = Cl, Br, I), reactivity of (C.G. de Azevedo, A.R. Dias, A.M. Martins, C.C. Romao), (368) 57
- Neutral carbene complexes,  $(\text{CO})_5\text{W}=\text{C}(\text{aryl})\text{H}$ , intermolecular coupling of CO and the carbene ligand in (H. Fischer, H. Jungklaus, J. Schmid), (368) 193
- (Pentamethylcyclopentadienyl)-molybdenum and -tungsten, reactions and properties of oxo and peroxy derivatives of (J.W. Faller, Y. Ma), (368) 45
- Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of  $[\text{Cp}(\text{CO})_2\text{Mo}(\mu\text{-PCy}_2)\text{Pd}(\text{PCy}_2\text{H})_2]$  and  $[(\text{CO})_4\text{Mn}(\mu\text{-PCy}_2)\text{Pd}(\text{PCy}_2\text{H})_2]$  (Cy =  $\text{c-C}_6\text{H}_{11}$ ) (P. Braunstein, E. De Jesús, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

## Zinc

- Organic-zinc and -aluminium compounds, 1-aryl-2-triazolyl-1-ethanols, regioselective synthesis from (J.F. Chollet, B. Mauzé, L. Miginiac), (368) 1
- Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an  $\eta^6$ -arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovskiy, G.K.-I. Magomedov, A.D. Garnovskiy), (368) 303

## Zirconium

- $\text{Cp}_2^*\text{Zr}\overset{\text{O}}{\text{C}}\text{H}=\text{CHC}=\text{M}(\text{CO})_5$  (M = Cr, Mo, W) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315
- Cyclopentadienyl-titanium and -zirconium chiral complexes, synthesis of; crystal structures of [ $R\text{-CH}_3\text{OCH}_2\text{CH}(\text{CH}_3)\text{Cp}$ ] $_2\text{MCl}_2$  (M = Ti, Zr) (Q. Huang, Y. Qian, Y. Tang), (368) 277
- 1-(1-Hexenyl)-2-thiomethylbenzene, aromatic olefin, reaction with  $\text{Cp}_2\text{Zr}(\text{H})\text{Cl}$  of (U. Annby, S. Gronowitz, A. Hallberg), (368) 295
- Hydridodiphenylphosphinomethylzirconium(III) species, formation by reduction of  $(\text{C}_5\text{H}_4\text{-t-Bu})\text{Zr}(\text{CH}_2\text{PPh}_2)_2$  (R. Choukroun, D. Gervais, C.-E. Rifaï), (368) C11
- Mononuclear zirconium trivalent organometallic Zr and H metallocenes, structure of (I.F. Urazowski, V.I. Ponomaryev, I.E. Nifant'ev, D.A. Lemenovskii), (368) 287
- Zirconacyclopentene and alkoxy ethyl complexes, formation of (H.G. Alt, C.E. Denner), (368) C15

## Book reviews

- Advances in boron and the boranes; edited by J.F. Liebman, A. Greenberg and R.E. Williams (M.F. Lappert), (368) C19
- Metal–ligand multiple bonds; by W.A. Nugent and J.M. Mayer (P.A. Chaloner), (368) C20
- Methods for the oxidation of organic compounds; by A.H. Haines (P.A. Chaloner), (368) C18
- Organometallic chemistry reviews; edited by A.G. Davies, E.O. Fischer and O.A. Reutov (M.F. Lappert), (368) C22

Principles of organometallic chemistry; by P. Powell (P.A. Chaloner), (368) C21

Spectroscopic properties of inorganic and organometallic compounds, Vol. 21; edited by G. Davidson and E.A.V. Ebsworth (M.F. Lappert), (368) C22

Strategies and tactics in organic synthesis, Vol. 2; edited by T. Lindberg (J.R. Hanson), (368) C47

Surface organometallic chemistry: molecular approaches to surface catalysis; edited by J.-M. Basset et al. (P.A. Chaloner), (368) C46