

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 361 (1989)**SUBJECT INDEX****Aluminium**

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Aioldi, A.P. Chagas), (361) 319

Arsenic

Bis(triphenylarsine oxide)(*p*-chlorophenyl)diphenyltin(IV) tetraphenylborate, [(*p*-ClC₆H₄Ph)₂Sn(Ph₃AsO)₂][BPh₄]₂, synthesis and crystal structure of (N.W. Kong, C. Wei, V.G. Kumar Das, R.J. Butcher), (361) 53

[(η^5 -C₅H₄Me)Cr(μ , η^5 -As₅)Cr(η^5 -C₅H₄Me)], a triple-decker sandwich complex with cyclic As₅, structure of (O.J. Scherer, W. Wiedemann, G. Wolmershäuser), (361) C11

Boron

2,3-Dihydro-4*H*-1,3,2-thiazaborine-4-ones, synthesis and properties of (C.D. Habben), (361) 289

Halogenated carboranes, preparation by pyrolysis of (W. Haubold, W. Keller), (361) C54

Monomeric phosphinoboranes, synthesis and rearrangements of (H.H. Karsch, G. Hanika, B. Huber, J. Riede, G. Müller), (361) C25

Cadmium

Pentafluorophenyl-zinc and -cadmium compounds, formation and structure of (C₆F₅)₂Zn(thf)₂ and tetrameric C₆F₅CdOH (M. Weidenbruch, M. Herrndorf, A. Schäfer, S. Pohl, E. Saak), (361) 139

Chromium

Bis-arene-chromium complexes, electronic structure of (Yu.V. Chizhov, M.M. Timoshenko, L.P. Yur'eva, N.N. Zaitseva, I.A. Urelets, D.N. Kravtsov, N.L. Asfandiarov), (361) 79

Bis(trimethylcyclopentadienyldicarbonylchromium), crystal and molecular structure of [(CH₃)₃C₅H₂Cr(CO)₂]₂ (T.K. Gasanov, I.R. Lyatifov, A.N. Shnulin), (361) 173

[(η^5 -C₅H₄Me)Cr(μ , η^5 -As₅)Cr(η^5 -C₅H₄Me)], a triple-decker sandwich complex with cyclic As₅, structure of (O.J. Scherer, W. Wiedemann, G. Wolmershäuser), (361) C11

Mononuclear (CH₃)_nCpM(CO)₃⁻Na⁺ and dimeric [(CH₃)_nCpM(CO)₂]₂ complexes, NMR studies of (I.R. Lyatifov, T.K. Gasanov, P.V. Petrovski, A.I. Lutsenko), (361) 181

Cobalt

Alkyldyne complex, [W(≡CR)(CO)₂(η -C₅H₅)], reactions with dicobalttetrahedranes of; crystal structure of [Co₂W(μ_3 -PhCCHCR)(μ -CO)(CO)₅(η -C₅H₅)].H₂O (R = C₆H₄Me-4) (G.A. Carriedo, V. Riera, M.G. Sanchez, Y. Jeannin, M. Piloche-Levisalles), (361) 197

Benzoyl(carbonyl)transition metal complexes reactions with LiNMe₂ or; reaction route to α -keto amide through an acyl(carbamoyl)cobalt intermediate (N. Kawasaki, K. Masuzoe, F. Ozawa, A. Yamamoto), (361) C37

Iron-cobalt bimetallic catalysis, method for carbonylation of aryl iodides under mild conditions (J.-J. Brunet, M. Taillefer), (361) C1

Octacarbonylcobalt, Co₂(C)O₈-mediated and -catalyzed carbonylation of diaryl diselenides and ditellurides with CO (S. Uemura, H. Takahashi, K. Ohe, N. Sugita), (361) 63

Phenylacetylene-derived metallacycles containing cobalt and mercury, structure and reactivity of (S.J. Tyler, J.M. Burlitch), (361) 231

Copper

- α -Alkoxy- and α -alkyl-substituted organocuprates, regioselectivity of addition of in-situ trimethylsilyl chloride to enals (R.J. Lindermann, J.R. McKenzie), (361) 31
- Copper(I) promoted C-C bond forming reactions, direct activation of allyl alcohols by (J.B. Baruah, A.G. Samuelson), (361) C57
- Polymeric complex between methyl acrylate and copper(I) chloride, synthesis and structure of (M. Häkansson, S. Jagner), (361) 269

Gallium

- Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Aioldi, A.P. Chagas), (361) 319

Germanium

- σ -Bonded allyl compounds, σ - π interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21

Gold

- Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morillo, J.M. Brown), (361) 249
- 6-(2'-Thienyl)-2,2'-bipyridine, direct cycloauration of (E.C. Constable, R.P.G. Henney, T.A. Leese), (361) 277

Indium

- Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morillo, J.M. Brown), (361) 249
- Phosphidoindium compounds, preparation of; crystal structures of $\text{In}(\text{PBu}_2^t)_3$ and $[\text{Et}_2\text{InPBu}_2^t]_2$ (N.W. Alcock, I.A. Degnan, M.G.H. Wallbridge, H.R. Powell, M. McPartlin, G.M. Sheldrick), (361) C33

Iridium

- $\text{Rh}(\eta^4\text{-C}_8\text{H}_{12})\{\eta^5\text{-C}_5(\text{CO}_2\text{Me})_5\}$, $\text{Rh}(\text{azb})_2\{\text{C}_5(\text{CO}_2\text{Me})_5\}$, and $[\text{M}(\text{CO})(\text{OC(OH)Me})(\text{PPh}_3)_2]\{\text{C}_5(\text{CO}_2\text{Me})_5\}$ ($\text{M} = \text{Rh}$ and Ir), crystal structures of (M.I. Bruce, P.A. Humphrey, B.W. Skelton, A.H. White), (361) 369

Iron

- (η^5 -Indenyl)(CO)₂Fe¹³C(O)CH₃ labeled complexes, interconversion of acetyl- and terminal-carbonyl groups in (T.C. Forschner, A.R. Cutler), (361) C41
- Fe(CO)₂(dppe)(SR)₂ and Fe₃(CO)₆(SAr)₆ complexes synthesis and some reactions of; crystal structure of *cis,cis,cis*-Fe(CO)₂(dppe)(SPh)₂ (J. Takács, L. Markó, L. Párkányi), (361) 109
- Fluxional [2,2]-sigmahaptotropic rearrangement by the spin saturation transfer technique and line shape analysis, kinetic studies of (Z. Goldschmidt, H.E. Gottlieb), (361) 207
- Iron-cobalt bimetallic catalysis, method for carbonylation of aryl iodides under mild conditions (J.-J. Brunet, M. Taillefer), (361) C1
- Tetranuclear hydroxocarbonyl-molybdenum and -tungsten complexes, $[\text{Et}_4\text{N}]_4[\text{Mo}(\text{CO})_3(\mu_3\text{-OH})]_4$ and $[\text{Et}_4\text{N}]_4[\text{W}(\text{CO})_3(\mu_3\text{-OH})]_4$, synthesis and characterization of (J.T. Lin, S.K. Yeh, G.H. Lee, Y. Wang), (361) 89

Lanthanum

- Mono-, bis- and tris-(*t*-butylcyclopentadienyl)lanthanoid complexes, formation of (A.L. Wayda), (361) 73

Lead

- σ -Bonded allyl compounds, σ - π interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21

Lithium

Benzoyl(carbonyl)transition metal complexes reactions with LiNMe₂ or; reaction route to α -keto amide through an acyl(carbamoyl)cobalt intermediate (N. Kawasaki, K. Masuzoe, F. Ozawa, A. Yamamoto), (361) C37

Ethylene-lithium complexes, structures and bonding of (S.P. So), (361) 283

Silylsilver complexes, formation of (U. Schubert, H. Wagner), (361) C15

Trityllithium, synthesis of a secondary chiral amine via β -elimination of (J.-C. Plaquevent, A. Ravard), (361) C51

α,β -Unsaturated carbene-tungsten complex, (CO)₅W[C(OCH₃)CH=CH₂], synthesis and reactivity of (D.W. Macomber, M. Liang, P. Madhukar, A.G. Verma), (316) 187

Lutetium

Mono-, bis- and tris-(t-butylcyclopentadienyl)lanthanoid complexes, formation of (A.L. Wayda), (361) 73

Mercury

σ -Bonded allyl compounds, σ - π interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Aioldi, A.P. Chagas), (361) 319

Phenylacetylene-derived metallacycles containing cobalt and mercury, structure and reactivity of (S.J. Tyler, J.M. Burlitch), (361) 231

Metallocenes

Allylniobocene compounds, formation by hydrometalation of conjugated dienes with NbH(C₅H₅)₂(olefin) of (H. Yasuda, T. Arai, T. Okamoto, A. Nakamura), (361) 161

[(η^5 -C₅H₄Me)Cr(μ , η^5 -As₅)Cr(η^5 -C₅H₄Me)], a triple-decker sandwich complex with cyclic As₅, structure of (O.J. Scherer, W. Wiedemann, G. Wolmershäuser), (361) C11

Dihydrido(η -cyclopentadienyl)bis(triphenylphosphine)ruthenium(IV) cations, formation and properties of (T. Wilczewski), (361) 219

Zirconocene acetylenedicarboxylate, preparation and crystal structure of polymeric form of (U. Thewalt, T. GÜthner), (361) 309

Molybdenum

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Aioldi, A.P. Chagas), (361) 319

Mononuclear (CH₃)_nCpM(CO)₃⁻ Na⁺ and dimeric [(CH₃)_nCpM(CO)₂]₂ complexes, NMR studies of (I.R. Lyatifov, T.K. Gasanov, P.V. Petrovski, A.I. Lutsenko), (361) 181

Pentacarbonylcyclopentadienylcycloheptatrienyl binuclear complexes, [M(CO)₃(η -C₅R₅)M'(CO)₂(η -C₇H₇)] (M, M' = Mo or W; R = H or Me), synthesis and spectroscopic properties of (A. Ricalton, M.W. Whiteley), (361) 101

Tetrานuclear hydroxocarbonyl-molybdenum and -tungsten complexes, [Et₄N]₄[Mo(CO)₃(μ_3 -OH)]₄ and [Et₄N]₄[W(CO)₃(μ_3 -OH)]₄, synthesis and characterization of (J.T. Lin, S.K. Yeh, G.H. Lee, Y. Wang), (361) 89

Niobium

Allylniobocene compounds, formation by hydrometalation of conjugated dienes with NbH(C₅H₅)₂(olefin) of (H. Yasuda, T. Arai, T. Okamoto, A. Nakamura), (361) 161

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Aioldi, A.P. Chagas), (361) 319

Palladium

Cyclopalladated complexes, ligand exchange reactions of N-donor ligands in (R.M. Ceder, M. Gómez, J. Sales), (361) 391

2-Nitrophenylsulphenylaniline derivative, *ortho*-palladation of (A. Guarneri, A.W. Parkins), (361) 399

Phosphorus

- Bis(2-dimethylchlorostannylethyl)phenylphosphine oxide, molecular structure and stereoisomerization (M. Dargatz, H. Hartung, E. Kleinpeter, B. Rensch, D. Schollmeyer, H. Weichmann), (361) 43
- Carbonylphosphineplatinum high-nuclearity icosahedral clusters; synthesis and crystal structure of $\text{Pt}_{17}(\mu_2\text{-CO})_4(\text{CO})_8(\text{PEt}_3)_8$ (S.S. Kurasov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), (361) 405
- Dihydrido(η -cyclopentadienyl)bis(triphenylphosphine)ruthenium(IV) cations, formation and properties of (T. Wilczewski), (361) 219
- Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morville, J.M. Brown), (361) 249
- Monomeric phosphinoboranes, synthesis and rearrangements of (H.H. Karsch, G. Hanika, B. Huber, J. Riede, G. Müller), (361) C25
- cis-Phosphanylterracarbonyltungsten(0) mono- and di-nuclear complexes of pyridines, synthesis and spectroscopy of (B. Olbrich-Deussner, W. Kaim), (361) 335
- Phosphidoindium compounds, preparation of; crystal structures of $\text{In}(\text{PBu}_2^t)_3$ and $[\text{Et}_2\text{InPBu}_2^t]_2$ (N.W. Alcock, I.A. Degnan, M.G.H. Wallbridge, H.R. Powell, M. McPartlin, G.M. Sheldrick), (361) C33
- $\text{Pt}(\text{Ph}_2\text{PCH}_2\text{CMe}_2\text{O})$ chelates SO_2 , CO , or 3,5-Me₂C₆H₃NC insertion into the Pt-O bonds of; crystal structure of $[\text{PtCl}(\text{Ph}_2\text{PCH}_2\text{CMe}_2\text{OCNC}_6\text{H}_3\text{Me}_2\text{-3,5})(\text{Ph}_2\text{PCH}_2\text{CMe}_3\text{OH})]$ (N.W. Alcock, A.W.G. Platt, H.H. Powell, P.G. Pringle), (361) 409
- 2-Pyridylplatinum(II) complexes, $[\text{PtCl}(\text{C}_5\text{H}_4\text{N-C}^2)(\text{L})_2]$ (L = tertiary phosphine), preparation and reactions of (B. Crociani, F. Di Bianca, A. Giovenco, A. Berton, R. Bertani), (361) 255
- $[\text{Rh}(\text{COD})(p\text{-tolyl-N=PPh}_2\text{CHPPh}_2\text{NH-}p\text{-tolyl})]\text{[Rh}(\text{COD})\text{Cl}_2]$, preparation and crystal structure of (P. Imhoff, C.J. Elsevier), (361) C61
- Rh($\eta^4\text{-C}_8\text{H}_{12}$) ($\eta^5\text{-C}_5(\text{CO}_2\text{Me})_5$), Rh(azb)₂{C₅(CO₂Me)₅}, and [M(CO){OC(OH)Me}(PPh₃)₂] [C₅(CO₂Me)₅] (M = Rh and Ir), crystal structures of (M.I. Bruce, P.A. Humphrey, B.W. Skelton, A.H. White), (361) 369
- Silylsilver complexes, formation of (U. Schubert, H. Wagner), (361) C15

Platinum

- Bis(ethyldimethylsilylmethyl)platinum(II) complexes containing nitrogen donor ligands; synthesis and spectroscopic characteristics of (R.D. Kelly, G.B. Young), (361) 123
- Carbonylphosphineplatinum high-nuclearity icosahedral clusters; synthesis and crystal structure of $\text{Pt}_{17}(\mu_2\text{-CO})_4(\text{CO})_8(\text{PEt}_3)_8$ (S.S. Kurasov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), (361) 405
- $\text{Pt}(\text{Ph}_2\text{PCH}_2\text{CMe}_2\text{O})$ chelates SO_2 , CO , or 3,5-Me₂C₆H₃NC insertion into the Pt-O bonds of; crystal structure of $[\text{PtCl}(\text{Ph}_2\text{PCH}_2\text{CMe}_2\text{OCNC}_6\text{H}_3\text{Me}_2\text{-3,5})(\text{Ph}_2\text{PCH}_2\text{CMe}_3\text{OH})]$ (N.W. Alcock, A.W.G. Platt, H.H. Powell, P.G. Pringle), (361) 409
- 2-Pyridylplatinum(II) complexes, $[\text{PtCl}(\text{C}_5\text{H}_4\text{N-C}^2)(\text{L})_2]$ (L = tertiary phosphine), preparation and reactions of (B. Crociani, F. Di Bianca, A. Giovenco, A. Berton, R. Bertani), (361) 255
- Trimethyl(naphthyl)stannane and tri-n-butyl(naphthyl)stannane, synthesis of substituted derivatives of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (361) 299

Rhodium

- Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morville, J.M. Brown), (361) 249
- Rh($\eta^4\text{-C}_8\text{H}_{12}$) ($\eta^5\text{-C}_5(\text{CO}_2\text{Me})_5$), Rh(azb)₂{C₅(CO₂Me)₅}, and [M(CO){OC(OH)Me}(PPh₃)₂] [C₅(CO₂Me)₅] (M = Rh and Ir), crystal structures of (M.I. Bruce, P.A. Humphrey, B.W. Skelton, A.H. White), (361) 369
- Rhodium-amine complexes as transfer hydrogenation catalysts (P. Kvintovics, B. Heil), (361) 117

Ruthenium

- Dihydrido(η -cyclopentadienyl)bis(triphenylphosphine)ruthenium(IV) cations, formation and properties of (T. Wilczewski), (361) 219
- $[\text{Rh}(\text{COD})(p\text{-tolyl-N=PPh}_2\text{CHPPh}_2\text{NH-}p\text{-tolyl})]\text{[Rh}(\text{COD})\text{Cl}_2]$, preparation and crystal structure of (P. Imhoff, C.J. Elsevier), (361) C61
- Ruthenium(I) binuclear complexes bridged by anionic groups, synthesis of X-ray structures of pyrazolate- and oxypyridinate-bridged complexes (S.J. Sherlock, M. Cowie, E. Singleton, M.M. de V. Steyn), (361) 353

Samarium

Mono-, bis- and tris-(*t*-butylcyclopentadienyl)lanthanoid complexes, formation of (A.L. Wayda), (361) 73

Selenium

Octacarbonyldicobalt, $\text{Co}_2(\text{C})\text{O}_8$ -mediated and -catalyzed carbonylation of diaryl diselenides and ditellurides with CO (S. Uemura, H. Takahashi, K. Ohe, N. Sugita), (361) 63

Tetranuclear hydroxocarbonyl-molybdenum and -tungsten complexes, $[\text{Et}_4\text{N}]_4[\text{Mo}(\text{CO})_3(\mu_3\text{-OH})]_4$ and $[\text{Et}_4\text{N}]_4[\text{W}(\text{CO})_3(\mu_3\text{-OH})]_4$, synthesis and characterization of (J.T. Lin, S.K. Yeh, G.H. Lee, Y. Wang), (361) 89

Silicon

α -Alkoxy- and α -alkyl-substituted organocuprates, regioselectivity of addition of in-situ trimethylsilyl chloride to enals (R.J. Lindermann, J.R. McKenzie), (361) 31

Bis(ethenyldimethylsilylmethyl)platinum(II) complexes containing nitrogen donor ligands; synthesis and spectroscopic characteristics of (R.D. Kelly, G.B. Young), (361) 123

σ -Bonded allyl compounds, σ - π interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21

Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morvillo, J.M. Brown), (361) 249

2-Pyridyldimethylsilane, synthesis and coordination properties of (H.G. Ang, W.L. Kwik), (361) 27

Silylsilver complexes, formation of (U. Schubert, H. Wagner), (361) C15

N-Trimethylsilyl-amides and -lactams, reaction with dimethyl(chloromethyl)chlorosilane of; controlled formation and rearrangement of (N-Si) chelate intermediates (I.D. Kalikhman, A.I. Albanov, O.B. Bannikova, L.I. Belousova, M.G. Voronkov, V.A. Pestunovich, A.G. Shipov, E.P. Kramarov, Yu.I. Baukov), (361) 147

Silver

Silylsilver complexes, formation of (U. Schubert, H. Wagner), (361) C15

Sulphur

Cyclohexenesulphide as sulphur donor for carbyne-transition metal complexes; preparation of di-carbonyl(η^5 -cyclopentadienyl)(dithioacetato-*S,S'*)tungsten (F.R. Kreissl, N. Ullrich), (361) C30

$\text{Fe}(\text{CO})_2(\text{dppe})(\text{SR})_2$ and $\text{Fe}_3(\text{CO})_6(\text{SAr})_6$ complexes synthesis and some reactions of; crystal structure of *cis,cis,cis*- $\text{Fe}(\text{CO})_2(\text{dppe})(\text{SPh})_2$ (J. Takács, L. Markó, L. Párkányi), (361) 109

Mono- and bi-nuclear complexes of the rigid bidentate ligand 2-ethylthio-5-diphenylphosphinofuran (M. Bressan, A. Morvillo, J.M. Brown), (361) 249

2-Nitrophenylsulphenylaniline derivative, *ortho*-palladation of (A. Guarneri, A.W. Parkins), (361) 399

Pt($\text{Ph}_2\text{PCH}_2\text{CMe}_2\text{O}$) chelates SO_2 , CO , or $3,5\text{-Me}_2\text{C}_6\text{H}_3\text{NC}$ insertion into the Pt-O bonds of; crystal structure of $[\text{PtCl}(\text{Ph}_2\text{PCH}_2\text{CMe}_2\text{OCNC}_6\text{H}_3\text{Me}_2\text{-3,5})(\text{Ph}_2\text{PCH}_2\text{CMe}_3\text{OH})]$ (N.W. Alcock, A.W.G. Platt, H.H. Powell, P.G. Pringle), (361) 409

Tetranuclear hydroxocarbonyl-molybdenum and -tungsten complexes, $[\text{Et}_4\text{N}]_4[\text{Mo}(\text{CO})_3(\mu_3\text{-OH})]_4$ and $[\text{Et}_4\text{N}]_4[\text{W}(\text{CO})_3(\mu_3\text{-OH})]_4$, synthesis and characterization of (J.T. Lin, S.K. Yeh, G.H. Lee, Y. Wang), (361) 89

6-(2''-Thienyl)-2,2'-bipyridine, direct cycloauration of (E.C. Constable, R.P.G. Henney, T.A. Leese), (361) 277

Tantalum

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Aioldi, A.P. Chagas), (361) 319

Tellurium

Octacarbonyldicobalt, $\text{Co}_2(\text{C})\text{O}_8$ -mediated and -catalyzed carbonylation of diaryl diselenides and ditellurides with CO (S. Uemura, H. Takahashi, K. Ohe, N. Sugita), (361) 63

Thallium

Monoorganothallium(III) ions containing RC(O)CH_2 groups, formation, equilibrium properties and decomposition in aqueous solution of preparation of monoacylmethylthallium(III) compounds (B. Györi, A. Sánchez, J. Glaser), (361) 1

Thorium

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airolídi, A.P. Chagas), (361) 319
 Tetraindenylthorium, new preparation of (H. Goffart, S. Bettomville), (361) 17

Tin

Bis(acetylacetonato)dihalogenotin(IV) preparation by action of molecular oxygen on tin(II) halides in acetylacetone of (A.G. Stepanov), (361) 157
 Bis(2-dimethylchlorostannylethyl)phenylphosphine oxide, molecular structure and stereoisomerization (M. Dargatz, H. Hartung, E. Kleinpeter, B. Rensch, D. Schollmeyer, H. Weichmann), (361) 43
 Bis(triphenylarsine oxide)(*p*-chlorophenyl)diphenyltin(IV) tetraphenylborate, [(*p*-ClC₆H₄)Ph₂Sn(Ph₃AsO)₂][BPh₄], synthesis and crystal structure of (N.W. Kong, C. Wei, V.G. Kumar Das, R.J. Butcher), (361) 53
 σ -Bonded allyl compounds, σ - π interaction in; a MNDO study (K.Y. Burshtein, A.N. Isaev, P.P. Shorygin), (361) 21
 Organometallic substrates of enzymes, lipase catalysed transesterifications in organic solvents via *O*-stannyli ethers (M. Therisod), (361) C8
 Organotin heterocycles from thermal cyclisation of organotin tetrazoles, synthesis and crystal structure of 2,3,4,5-tetraaza-6-diphenylstannyli[3.4]bicyclonona-1,3-diene (M.F. Mahon, K.C. Molloy, P.C. Waterfield), (361) C5
 Trimethyl(naphthyl)stannane and tri-n-butyl(naphthyl)stannane, synthesis of substituted derivatives of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (361) 299

Titanium

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airolídi, A.P. Chagas), (361) 319

Tungsten

Alkyldyne complex, [W(=CR)(CO)₂(η -C₅H₅)], reactions with dicobaltatetrahedranes of; crystal structure of [Co₂W(μ ₃-PhCCHCR)(μ -CO)(CO)₅(η -C₅H₅)] · H₂O (R = C₆H₄Me-4) (G.A. Carriero, V. Riera, M.G. Sanchez, Y. Jeannin, M. Piloche-Levisalles), (361) 197
 Cyclohexenesulphide as sulphur donor for carbyne-transition metal complexes; preparation of di-carbonyl(η^5 -cyclopentadienyl)(dithioacetato-*S,S'*)tungsten (F.R. Kreissl, N. Ullrich), (361) C30
 Mononuclear (CH₃)_nCpM(CO)₃⁻Na⁺ and dimeric [(CH₃)_nCpM(CO)₂]₂ complexes, NMR studies of (I.R. Lyatifov, T.K. Gasanov, P.V. Petrovski, A.I. Lutsenko), (361) 181
 Pentacarbonylcyclopentadienylcycloheptatrienyl binuclear complexes, [M(CO)₃(η -C₅R₅)M'(CO)₂(η -C₇H₇)] (M, M' = Mo or W; R = H or Me), synthesis and spectroscopic properties of (A. Ricalton, M.W. Whitley), (361) 101
cis-Phosphanyl tetracarbonyltungsten(0) mono- and di-nuclear complexes of pyridines, synthesis and spectroscopy of (B. Olbrich-Deussner, W. Kaim), (361) 335
 Tetrานuclear hydroxocarbonyl-molybdenum and -tungsten complexes, [Et₄N]₄[Mo(CO)₃(μ ₃-OH)]₄ and [Et₄N]₄[W(CO)₃(μ ₃-OH)]₄, synthesis and characterization of (J.T. Lin, S.K. Yeh, G.H. Lee, Y. Wang), (361) 89
 Tungsten nonheteroatom-stabilised carbene anion, [CpW(CO)₂(=CHPh)]⁻, synthesis and reactions of (M.J. Winter, S. Woodward), (361) C18
 α,β -Unsaturated carbene-tungsten complex, (CO)₅W[C(OCH₃)CH=CH₂], synthesis and reactivity of (D.W. Macomber, M. Liang, P. Madhukar, A.G. Verma), (361) 187

Zinc

Inorganic and organometallic compounds, estimation of standard enthalpies of formation of (A.R. Dias, J.A. Martinho Simões, C. Teixeira, C. Airolídi, A.P. Chagas), (361) 319

Pentafluorophenyl-zinc and -cadmium compounds, formation and structure of $(C_6F_5)_2Zn(thf)_2$ and tetrameric C_6F_5CdOH (M. Weidenbruch, M. Herrndorf, A. Schäfer, S. Pohl, E. Saak), (361) 139

Zirconium

Zirconocene acetylenedicarboxylate, preparation and crystal structure of polymeric form of (U. Thewalt, T. Güthner), (361) 309

Book reviews

Inorganic reactions and methods, Vol. 7, Formation of bonds to N, P, As, Sb, Bi (Part 1); edited by J.J. Zuckerman (J.D. Smith), (361) C46

Organolithium methods; by B.J. Wakefield (C. Eaborn), (361) C47

Proceedings of the 11th summer school on coordination chemistry and catalysis; edited by J.J. Ziolkowski (P.A. Chaloner), (361) C21

Silicon reagents in organic synthesis; by E.W. Colvin (P.D. Lickiss), (361) C48