

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 363 (1989)**SUBJECT INDEX****Aluminium**

Alkylferrocenes in molten salt mixtures, substituent effects on (D.W. Slocum, A.L. Edgecombe, J.S. Fowler, H.F. Gibbard, J. Phillips), (363) 151

Chromium

Arenetricarbonylchromium(0) complexes: scope and limitations of (G.B.M. Kostermans, M. Bobeldijk, P.J. Kwakman, W.H. de Wolf, F. Bickelhaupt), (363) 291

(C₅H₅)₂Cr₂(CO)₄Se, thermolytic degradation of and crystal structures of the cubane-like clusters (C₅H₅)₄(μ₃-CO)₂(μ₃-Se)₂ and (C₅H₅)₄Cr(μ₃-O)₂(μ₃-Se)₂ (L.Y. Goh, T.C.W. Mak), (363) 77

o-, *m*-, and *p*-Chlorotoluenetricarbonylchromium, aromatic nucleophilic substitution in (F. Rose-Munch, E. Rose, A. Semra, C. Bois), (363) 103

2,6-Dimethylchlorobenzenetricarbonylchromium, aromatic nucleophilic substitution in (F. Rose-Munch, E. Rose, A. Semra, M. Thiloche), (363) 123

Fluorobenzenetricarbonylchromium, aromatic nucleophilic substitution in (F. Rose-Munch, J. Garcia-Oricain, L. Mignon, E. Rose, A. Semra, C. Knobler), (363) 297

π -Fluorobenzenetricarbonylchromium phenylation of cyclic and acyclic pentadienyl carbanions by (A. Cecon, A. Gambaro, F. Gottardi, F. Manoli, A. Venzo), (363) 91

Cobalt

Octacarbonyldicobalt complex with *N*-methylbis(α,α -dimethylpropargyl)amine, crystal structure and reactivity of (L.P. Battaglia, D. Delledonne, M. Nardelli, G. Predieri, G.P. Chiusoli, M. Costa, C. Pelizzi), (363) 209

1-Oxaspiro[4.4]non-3,6,8-trien-2-one, formation from acetylene and CO in the presence of carbonylcobalt of (E.V. Dehmlow, A. Winterfeldt, J. Pickardt), (363) 223

Copper

Copper(I)-pyrazole complexes synthesis and characterization of; X-ray crystal structure of [Cu(pzH)₂(CO)Cl] (pz = pyrazole, C₃H₄N₂) (M.A. Angaroni, G.A. Ardizzolia, T. Beringhelli, G. D'Alfonso, G. La Monica, N. Masciocchi, M. Moret), (363) 409

Germanium

Organometallic reactions, rate coefficients for complex reactions from 'pseudo-first-order' rate coefficients and related information (J.R. Chipperfield), (363) 253

Perchlorophenyl-germanium compounds; crystal and molecular structure of perchlorotriphenylgermane (L. Fajari, L. Juliá, J. Riera, E. Molins, C. Miravittles), (363) 31

[2-(Trimethylgermyl)-2-(trimethylsilyl)ethyl]dimethylammonium *N*-methylide and related compounds, anionic rearrangement of the germyl and silyl groups in (S. Inoue, S. Urayama, H. Sugiura, Y. Sato), (363) 25

Gold

Cycloaurated derivatives of 2-phenylpyridine, formation of (E.C. Constable, T.A. Leese), (363) 419

Hafnium

Metallabicyclo-octadienes and -nonadienes of dicyclopentadienyl-titanium, -zirconium and -hafnium, formation and characterisation of (S.M. Yousaf, M.F. Farona, R.J. Shiveley Jr., W.J. Youngs), (363) 281

Indium

Pentabenzylcyclopentadienylindium(I), synthesis and crystal structure of (H. Schumann, C. Janiak, F. Görlitz, J. Loebel, A. Dietrich), (363) 243

Iridium

Cycloheptatrienyl bridged heterobimetallic complexes, synthesis and reactivity of (μ -C₇H₇)Ru(CO)₃Ir(CO)₂ (S.T. Astely, J. Takats), (363) 167

Iridium(III) and rhodium(III) complexes: $[(\eta^5\text{-Me}_5\text{C}_5)\text{Ir}(\text{LL})\text{X}]^+$ and $[(\eta^5\text{-Me}_5\text{C}_5)\text{Rh}(\text{LL})\text{Cl}]^+$; LL = 2,2'-bipyridine or 1,10-phenanthroline; X = Cl or H, synthesis and molecular structure of; single crystal structures of $[(\eta^5\text{-Me}_5\text{C}_5)\text{Ir}(\text{bpy})\text{Cl}]\text{Cl}$ and $[(\eta^5\text{-Me}_5\text{C}_5)\text{Rh}(\text{phen})\text{Cl}]\text{ClO}_4$ (M.-T. Youinou, R. Ziessel), (363) 197

Iron

$\mu(\alpha, \omega)$ -Alkanediyl-iron(II) and -tungsten(II) complexes, mechanisms of reactions with tertiary phosphines and halogens of (J.R. Moss, L.G. Scott), (363) 351

Alkylferrocenes in molten salt mixtures, substituent effects on (D.W. Slocum, A.L. Edgecombe, J.S. Fowler, H.F. Gibbard, J. Phillips), (363) 151

Carbonyliron complexes, formation of coordination Si=C bonds to (N. Auner, J. Grobe, T. Schäfer, B. Krebs, M. Dartmann), (363) 7

Carbonyliron dinuclear carbene complexes, kinetics of thermally replacement of CO in (A. Darchen, E.K. Lhadi, H. Patin), (363) 137

$\eta^5\text{-C}_5\text{R}_3\text{Fe}(\text{CO})_2(\text{CH}_2)_3\text{Si}(\text{OCH}_3)_3$ (R = H or Me), synthesis and properties of (M. Moran, C. Pascual, I. Cuadrado, J.R. Masaguer, J. Losada), (363) 157

Cycloheptatrienyl bridged heterobimetallic complexes, synthesis and reactivity of (μ -C₇H₇)Ru(CO)₃Ir(CO)₂ (S.T. Astely, J. Takats), (363) 167

Ferrio-azidosilanes and ferriosilyliminophosphoranes, synthesis and reactivity of (U. Wachtler, W. Malisch, E. Kolba, J. Matreux), (363) C36

Manganese

Isotopically labelled $[\text{MnRe}(\text{CO})_{10}]^+$, mass spectral investigation of site selective CO loss from (N.J. Coville, P. Johnston), (363) 343

Metalloenes

Alkylferrocenes in molten salt mixtures, substituent effects on (D.W. Slocum, A.L. Edgecombe, J.S. Fowler, H.F. Gibbard, J. Phillips), (363) 151

(C₅H₅)₂Ti[(CF₃)₂CCS]₂, synthesis and structure of (J. Benecke, U. Behrens), (363) C15

$[(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CF}_3\text{SO}_3)(\text{bipy})]^+\text{CF}_3\text{SO}_3^-$ five-coordinate (C₅H₅)₂Zr^{IV}-complex, formation of (U. Thewalt, W. Lasser), (363) C12

Molybdenum

$\{\eta^5\text{-C}_5\text{H}_5\text{Mo}(\text{CO})_2\text{L}\}^+$ (L = CO, PPh₃), chemistry of (P.R. Drake, M.C. Baird), (363) 131

Di- and tri-metal compounds prepared from the alkylidyne-molybdenum complexes $[\text{Mo}(\equiv\text{Cr})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ (R = C₆H₄OMe-2, C₆H₄NMe₂-4 or C₆H₃Me-2,6) and $[\text{MoFe}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$ (A.F. Hill, F. Marken, B.A. Nasir, F.G.A. Stone), (363) 311

η^3 -Phosphaallyl-molybdenum and -tungsten complexes, synthesis and crystal structure of (C. Hugel-Le Goff, F. Mercier, L. Ricard, F. Mathey), (363) 325

Nickel

Alkyne complexes of η^5 -cyclopentadienylmethylnickel, formation and thermolysis of (H. Lehmkuhl, F. Danowski, G. Mehler, J. Popławska, S. Pasykiewicz), (363) 387

Osmium

Osmaoxaziridine $[\text{Os}(\text{Cl}(\text{NO})(\text{ONC}_6\text{H}_5)(\text{PPh}_3)_2]$, synthesis and protonation of (M. Herberhold, A.F. Hill), (363) 371

Palladium

Bis(triphenylphosphine)palladium(0) stabilization by chloride ions of (C. Amatore, M. Azzabi, A. Jutand), (363) C41

Cyclometallated palladium(II) and platinum(II) complexes derived from a chiral alkylbipyridine ligand, reactions with CO of (M.A. Cinellu, S. Gladiali, G. Minghetti), (363) 401

Cyclopalladation of bis(pyrazolyl)methane derivatives, synthesis of a stable 5.6.5 chelate ring system with C_{sp^2} -Pd bonds (O. Juanes, J. De Mendoza, J.C. Rodriguez-Ubis), (363) 393

Palladium acetate, reactions with azepine and diazepine derivatives of (K. Saito, Y. Horie, K. Takahashi), (363) 231

Palladium-catalyzed telomerization of butadiene with diethylamine, stereochemistry of (T. Antonsson, A. Langlét, C. Moberg), (363) 237

Trimethylpalladium(IV) complexes of flexible bidentate ligands, conformational and fluxional effects in related $\text{Me}_3\text{Pd}^{\text{IV}}$ and $\text{Me}_3\text{Pt}^{\text{IV}}$ systems (P.K. Byers, A.J. Canty, R.T. Honeyman, A.A. Watson), (363) C22

Phosphorus

$\mu(\alpha, \omega)$ -Alkanediyl-iron(II) and -tungsten(II) complexes, mechanisms of reactions with tertiary phosphines and halogens of (J.R. Moss, L.G. Scott), (363) 351

Carbonylcyclopentadienylphosphinerhodium dinuclear compounds, synthesis, oxidation and acid reactions of (T.E. Bitterwolf, W.C. Spink, M.D. Rausch), (363) 189

Carbonyliron dinuclear carbene complexes, kinetics of thermal replacement of CO in (A. Darchen, E.K. Lhadi, H. Patin), (363) 137

$\{\eta^3\text{-C}_5\text{H}_5\text{Mo}(\text{CO})_2\text{L}\}^+$ (L = CO, PPh_3), chemistry of (P.R. Drake, M.C. Baird), (363) 131

Ethyl α -acylaminoacrylate and (Z)-methyl α -acylaminoacrylate, asymmetric hydration catalysed by $[\text{Rh}(\text{diop-derivative})(\text{solvent})_2]^+\text{BF}_4^-$ of (U. Werz, H.-A. Brune), (363) 377

Ferrio-azidosilanes and ferrirosilyliminophosphoranes, synthesis and reactivity of (U. Wachtler, W. Malisch, E. Kolba, J. Matreux), (363) C36

η^3 -Phosphaallyl-molybdenum and -tungsten complexes, synthesis and crystal structure of (C. Hugel-Le Goff, F. Mercier, L. Ricard, F. Mathey), (363) 325

Phosphinoruthenium(II) oxidative cleavage of styrene with oxygen catalysed by (M. Bonaldo, F. Borin, M. Bressan, A. Morvillo), (363) 175

Tetra(phosphino)ethene, $[\text{PhPCH}_2\text{CH}_2\text{P(Ph)C=}]_2$, synthesis, characterisation, and crystal structure of (D.M. Anderson, P.B. Hitchcock, M.F. Lappert), (363) C7

Platinum

Cyclometallated palladium(II) and platinum(II) complexes derived from a chiral alkylbipyridine ligand, reactions with CO of (M.A. Cinellu, S. Gladiali, G. Minghetti), (363) 401

Potassium

Silylpotassium, synthetic route using crown ethers, potassium, and silane to and use to prepare methylsilane and disilylmethane of (B.F. Fieselmann, C.R. Dickson), (363) 1

Rhenium

Isotopically labelled $[\text{MnRe}(\text{CO})_{10}]^+$, mass spectral investigation of site selective CO loss from (N.J. Coville, P. Johnston), (363) 343

Rhodium

Carbonylcyclopentadienylphosphinerhodium dinuclear compounds, synthesis, oxidation and acid reactions of (T.E. Bitterwolf, W.C. Spink, M.D. Rausch), (363) 189

Cycloheptatrienyl bridged heterobimetallic complexes, synthesis and reactivity of (μ - C_7H_7) $\text{Ru}(\text{CO})_3\text{Ir}(\text{CO})_2$ (S.T. Astely, J. Takats), (363) 167

Ethyl α -acylaminoacrylate and (*Z*)-methyl α -acylaminoacrylate, asymmetric hydration catalysed by $[\text{Rh}(\text{diop-derivative})(\text{solvent})_2]^+ \text{BF}_4^-$ of (U. Werz, H.-A. Brune), (363) 377
 Iridium(III) and rhodium(III) complexes: $[(\eta^5\text{-Me}_5\text{C}_5)\text{Ir}(\text{LL})\text{X}]^+$ and $[(\eta^5\text{-Me}_5\text{C}_5)\text{Rh}(\text{LL})\text{Cl}]^+$; LL = 2,2'-bipyridine or 1,10-phenanthroline; X = Cl or H, synthesis and molecular structure of; single crystal structures of $[(\eta^5\text{-Me}_5\text{C}_5)\text{Ir}(\text{bpy})\text{Cl}]\text{Cl}$ and $[(\eta^5\text{-Me}_5\text{C}_5)\text{Rh}(\text{phen})\text{Cl}]\text{ClO}_4$ (M.-T. Youinou, R. Ziessel), (363) 197

Ruthenium

Carbonylrhodium high nuclearity clusters; synthesis and crystal structure of $(\text{NMe}_4)_3[\text{Rh}_{14}\text{H}(\text{CO})_{25}] \cdot \text{Me}_2\text{CO}$ (G. Ciani, M. Moret, A. Sironi, S. Martinengo), (363) 181
 Cycloheptatrienyl bridged heterobimetallic complexes, synthesis and reactivity of $(\mu\text{-C}_7\text{H}_7)\text{Ru}(\text{CO})_3\text{Ir}(\text{CO})_2$ (S.T. Astely, J. Takats), (363) 167
 Phosphinoruthenium(II) oxidative cleavage of styrene with oxygen catalysed by (M. Bonaldo, F. Borin, M. Bressan, A. Morvillo), (363) 175
 Ruthenium complex-catalyzed hydrogen transfer, biphasic reduction of unsaturated aldehydes to unsaturated alcohols by (F. Joó, A. Bényei), (363) C19

Selenium

$(\text{C}_5\text{H}_5)_2\text{Cr}_2(\text{CO})_4\text{Se}$, thermolytic degradation of and crystal structures of the cubane-like clusters $(\text{C}_5\text{H}_5)_4(\mu_3\text{-CO})_2(\mu_3\text{-Se})_2$ and $(\text{C}_5\text{H}_5)_4\text{Cr}(\mu_3\text{-O})_2(\mu_3\text{-Se})_2$ (L.Y. Goh, T.C.W. Mak), (363) 77

Silicon

Alkyne complexes of η^5 -cyclopentadienylmethylnickel, formation and thermolysis of (H. Lehmkuhl, F. Danowski, G. Mehler, J. Popławska, S. Pasynkiewicz), (363) 387
 Carbonyliron complexes, formation of coordination Si=C bonds to (N. Auner, J. Grobe, T. Schäfer, B. Krebs, M. Dartmann), (363) 7
 $\eta^5\text{-C}_5\text{R}_5\text{Fe}(\text{CO})_2(\text{CH}_2)_3\text{Si}(\text{OCH}_3)_3$ (R = H or Me), synthesis and properties of (M. Moran, C. Pascual, I. Cuadrado, J.R. Masaguer, J. Losada), (363) 157
 Ethyl α -acylaminoacrylate and (*Z*)-methyl α -acylaminoacrylate, asymmetric hydration catalysed by $[\text{Rh}(\text{diop-derivative})(\text{solvent})_2]^+ \text{BF}_4^-$ of (U. Werz, H.-A. Brune), (363) 377
 Ferrio-azidosilanes and ferriosilyliminophosphoranes, synthesis and reactivity of (U. Wachtler, W. Malisch, E. Kolba, J. Matreux), (363) C36
 Silenes, transition metal catalyzed formation from vinyldisilanes of (M. Ishikawa, T. Ono, Y. Saheki, A. Minato, H. Okinoshima), (363) C1
 α -Silylated aldehydes, preparation and properties of (L. Duhamel, J. Gralak, B. Ngonon), (363) C4
 Silylpotassium, synthetic route using crown ethers, potassium, and silane to and use to prepare methylsilane and disilylmethane of (B.F. Fieselmann, C.R. Dickson), (363) 1
 [2-(Trimethylgermyl)-2-(trimethylsilyl)ethyl]dimethylammonium *N*-methylide and related compounds, anionic rearrangement of the germyl and silyl groups in (S. Inoue, S. Urayama, H. Sugiura, Y. Sato), (363) 25

Sulphur

$(\text{C}_5\text{H}_5)_2\text{Ti}[(\text{CF}_3)_2\text{CCS}]_2$, synthesis and structure of (J. Benecke, U. Behrens), (363) C15
 $[(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CF}_3\text{SO}_3)(\text{bipy})]^+ \text{CF}_3\text{SO}_3^-$ five-coordinate $(\text{C}_5\text{H}_5)_2\text{Zr}^{\text{IV}}$ -complex, formation of (U. Thewalt, W. Lasser), (363) C12
 2,2-Di-*t*-butyl-1,3,2-dioxo-, -oxathia-, and -dithia-stannolanes, structure of (P.A. Bates, M.B. Hursthouse, A.G. Davies, S.D. Slater), (363) 45

Tin

Aryltriethyltin compounds, substituent effects in aromatic substitution by mercuric halides of (M.R. Sedaghat-Herati, T. Sharifi), (363) 39
 2,2-Di-*t*-butyl-1,3,2-dioxo-, -oxathia-, and -dithia-stannolanes, structure of (P.A. Bates, M.B. Hursthouse, A.G. Davies, S.D. Slater), (363) 45
 Organylsubstituted tin atoms, bond lengths in open-chain stannanes (H. Puff, B. Breuer, G. Gehrke-Brinkmann, P. Kind, H. Reuter, W. Schuh, W. Wald, G. Weidenbrück), (363) 265

Titanium

$(C_5H_5)_2Ti[(CF_3)_2CCS]_2$, synthesis and structure of (J. Benecke, U. Behrens), (363) C15

Tungsten

$\mu(\alpha, \omega)$ -Alkanediyl-iron(II) and -tungsten(II) complexes, mechanisms of reactions with tertiary phosphines and halogens of (J.R. Moss, L.G. Scott), (363) 351

Pentacarbonyl(4-cyanopyridine)tungsten(0), photoproduced linkage isomers of (Z. Wang, A.J. Lees), (363) 335

η^3 -Phosphaallyl-molybdenum and -tungsten complexes, synthesis and crystal structure of (C. Hugel-Le Goff, F. Mercier, L. Ricard, F. Mathey), (363) 325

Ytterbium

Tris(methylcyclopentadienyl)ytterbium, structure of (A. Hammel, W. Schwarz, J. Weidlein), (363) C29

Zirconium

$[(C_5H_5)_2Zr(CF_3SO_3)(bipy)]^+CF_3SO_3^-$ five-coordinate $(C_5H_5)_2Zr^{IV}$ -complex, formation of (U. Thewalt, W. Lasser), (363) C12

Metallabicyclo-octadienes and -nonadienes of dicyclopentadienyl-titanium, -zirconium and -hafnium, formation and characterisation of (S.M. Yousaf, M.F. Faron, R.J. Shiveley Jr., W.J. Youngs), (363) 281

Zirconium-diene complexes, regio- and stereo-chemistry in sequential insertion of carbonyl compounds into (H. Yasuda, T. Okamoto, K. Mashima, A. Nakamura), (363) 61

Book reviews

Carbon dioxide activation by metal complexes; by A. Behr (P.A. Chaloner), (363) C46