

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 362 (1989)

SUBJECT INDEX

Antimony

Trihalogenodiphenylantimony, Ph_2SbX_3 ($X = \text{Cl}, \text{Br}$), Lewis acidity of; crystal structures of $\text{Ph}_2\text{SbCl}_3 \cdot \text{H}_2\text{O}$ and $\text{Ph}_2\text{SbBr}_3 \cdot \text{MeCN}$ (T.T. Bamgbose, M.J. Begley, D.B. Sowerby), (362)77

Bismuth

Bi-Co heteronuclear carbonyl compounds; synthesis and crystal structure of $[\text{Co}(\text{CO})_3(\mu_3\text{-Bi})]_4$ (G. Ciani, M. Moret, A. Fumagalli, S. Martinengo), (362)291

Boron

(η^5 -Borole)iron and (η^5 -borole)(η^5 -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362)243

Cyclopentadienylnickel complexes applied in dehydrated complexation of borolenes (G.E. Herberich, I. Hausmann, B. Hessner, M. Negele), (362)259

Cadmium

[2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362)147

Chromium

Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351

Cobalt

Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351

Bi-Co heteronuclear carbonyl compounds; synthesis and crystal structure of $[\text{Co}(\text{CO})_3(\mu_3\text{-Bi})]_4$ (G. Ciani, M. Moret, A. Fumagalli, S. Martinengo), (362)291

$\text{C}_5\text{H}_5\text{Co}(\text{SMc}_2)_2$, intermediate in synthesis and reactivity of dienylmetal compounds (N. Kuhn, E. Zauder), (362)217

Hetero-metallic complexes, $[\text{WReCo}_2(\mu_3\text{-CC}_6\text{H}_4\text{Me}-4)(\text{CO})_{15}]$ and $[\text{ReCo}_2(\mu_3\text{-CC}_6\text{H}_4\text{Me}-4)(\text{CO})_{10}]$, reactions with secondary and tertiary phosphines of (M.R. Bradford, J.C. Jeffery, K.M. Johnson, S.E. Phillips), (362)205

Lithium diisopropylamide, regioselective addition to (η^4 -1,3-butadiene) $\text{Co}(\text{CO})_3\text{BF}_4$ of (M. Miller, K.M. Nicholas), (362)C15

Mixed metal clusters $\text{HRuCo}_2\text{Rh}(\text{CO})_{12}$, $\text{HRuCoRh}_2(\text{CO})_{12}$ and $\text{H}_2\text{Ru}_2\text{CoRh}(\text{CO})_{12}$, characterisation by ^1H NMR spectroscopy of (J. Pursiainen, T.A. Pakkanen), (362)375

Pentamethylcyclopentadienyl(halo)ruthenium(III, -III/II or -II) and pentamethylcyclopentadienyl(alcoxo)ruthenium(II) complexes, formation and characterisation of (U. Koelle, J. Kossakowski), (362)383

Hafnium

Chalcogenametallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362)311

Iridium

Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351

Iron

Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351

(η^5 -Borole)iron and (η^5 -borole)(η^5 -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362)243

[(η^5 -t-BuC₅H₄)₂Zr^{IV}(η^1 -1, η^1 -1')(η^5 -(C₅H₄)₂Fe^{II}]), electrooxidation example of electrocatalytic process with endergonic cross electron-transfer (A. Da Rold, Y. Mugnier, R. Broussier, B. Gautheron, E. Lavoron), (362)C27

[2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362)147

Fe(CO)₃(i-Pr₂Ph-DAB) and Ru(CO)₃(i-Pr₂CH-DAB) (DAB = 1,4-diaza-1,3-butadiene), flash-photolysis and low-temperature study of influence of substitution of CO by PR₃ on the photochemistry of (H.K. van Dijk, J.J. Kok, D.J. Stukens, A. Oskam), (362)163

Half-sandwich arene-iron complex, synthesis and reactivity of; structure of [C₆H₃Fe(C₃H₅)(CO)]PF₆ (M.J. Begley, S.G. Puntambekar, A.H. Wright), (362)C11

Hexaethylbenzeneiron π complexes, conformational variability in; crystal and molecular structure of [(C₆Et₆)(C₅H₅)Fe]BPh₄ (R.H. Dubois, M.J. Zaworotko, P.S. White), (362)155

Lithium

Dilithiation of *N,N'*-diphenylthiourea, PhNHC(=S)NHPh, structure of the product, [PhNLiC(=NPh)SLi · 2HMPA]₂, and supporting ab initio MO calculations on model systems (D.R. Armstrong, R.E. Mulvey, D. Barr, R. Snaith, D.S. Wright, W. Clegg, S.M. Hodgson), (362)C1

[Li(PPh(SiMe₃)(tmada)]₂ (from Mg(PPh)₂(tmada) or Li(PPh)(tmada)), synthesis of; X-ray structure of the *trans*-isomer (E. Hey, C.L. Raston, B.W. Skelton, A.H. White), (362)1

Lithium diisopropylamide, regioselective addition to (η^4 -1,3-butadiene)Co(CO)₃BF₄ of (M. Miller, K.M. Nicholas), (362)C15

η^5 -Pyrrolyl ligand in (η^5 -C₄H₄N)(Ph₃P)₂ReH₂, direct deprotonation of (J. Zakrzewski), (362)C31

Magnesium

Silicon hypervalent derivatives, reactivity of; one step synthesis of mono- and di-hydrogenosilanes (A. Boudin, G. Cerveau, C. Chuit, R.J.P. Corriu, C. Reye), (362)265

Manganese

Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351

Pentacarbonyl(phosphane)rhenium cationic complexes, synthesis and reactions with nucleophiles of (P. Steil, W. Sacher, P.M. Fritz, W. Beck), (362)363

Ylide-manganese complexes, protonation with HBF₄ of; molecular structure of [C₅H₅(CO)₂MnCH₂CH(PEt₃)₂]BF₄ (H.G. Alt, H.E. Engelhardt, R.D. Rogers), (362)117

Mercury

[2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362)147

Metallocenes

(η^5 -Borole)iron and (η^5 -borole)(η^5 -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362)243

[(η^5 -t-BuC₅H₄)₂Zr^{IV}(η^1 -1, η^1 -1')(η^5 -(C₅H₄)₂Fe^{II}]), electrooxidation example of electrocatalytic process with endergonic cross electron-transfer (A. Da Rold, Y. Mugnier, R. Broussier, B. Gautheron, E. Lavoron), (362)C27

Chalcogenametallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362)311

- Di- η^5 -cyclopentadienyltantalum chemistry reactions of trihydride derivative with acetylenes of (G.E. Herberich, I. Savvopoulos), (362)345
- [2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362)147
- Half-sandwich arene-iron complex, synthesis and reactivity of; structure of $[C_6H_3Fe(C_3H_5)(CO)]PF_6$ (M.J. Begley, S.G. Puntambekar, A.H. Wright), (362)C11
- Pentamethylcyclopentadienyl(halo)ruthenium(III, -III/II or -II) and pentamethylcyclopentadienyl(al-coxo)ruthenium(II) complexes, formation and characterisation of (U. Koelle, J. Kossakowski), (362)383
- Titanocene and vanadocene dichlorides, kinetics of substitution in acetonitrile of (R. bin Ali, J. Burgess, A.T. Casey), (362)305

Molybdenum

- Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351
- Dimolybdenum complex, $\eta^5\text{-C}_5\text{H}_5(\text{CO})_2\text{Mo}(\mu\text{-CNPh})\text{Mo}(\text{NPh})\eta^5\text{-C}_5\text{H}_5$, CO-induced, reversible insertion of imido ligand into $\eta^1 : \eta^2$ -isocyanide bridge in (H. Brunner, W. Meier, J. Wachter, I. Bernal, E. Raabe), (326)95
- Molybdenum tetracarbonyl complexes of chelating dithioethers, multinuclear (^1H , ^{13}C and ^{95}Mo) NMR investigation of sulphur inversion in (E.W. Abel, D.E. Budgen, I. Moss, K.G. Orrell, V. Šík), (362)105

Neodymium

- Mono-2,4-dimethylpentadienyldichloroneodymium(III) · 0.33 tetrahydrofuran, $[\text{Nd}_6(2,4\text{-C}_7\text{H}_{11})_6\text{Cl}_{12}(\text{THF})_2]$, pre-catalyst for 1,4-cis-polymerisation of butadiene (J. Sieler, A. Simon, K. Peters, R. Taube, M. Geitner), (362)297

Nickel

- Cyclopentadienylnickel complexes applied in dehydrated complexation of borolenes (G.E. Herberich, I. Hausmann, B. Hessner, M. Negele), (362)259
- $[\text{M}(\text{C}_6\text{H}_4\text{N=NPh})(\eta^5\text{-C}_5\text{H}_5)]$ complexes (M = Ni, Pd and Pt), crystal structures of (G.K. Anderson, R.J. Cross, K.W. Muir, L. Manojlović-Muir), (362)225

Niobium

- Niobium(V) cationic complexes, catalytic oxidation of triphenylphosphine by (H. Nabaoui, Y. Mugnier, A. Fakhr, E. Laviron, J. Mofidi, A. Antiñolo, F.A. Jalon, M. Fajardo, A. Otero), (362)C8

Osmium

- (η^5 -Borole)iron and (η^5 -borole)(η^5 -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362)243
- Carbonyl cluster dianion, $[\text{OsRh}_4(\text{CO})_9(\mu_2\text{-CO})_6]^{2-}$, synthesis and solution structure of (A. Fumagalli, L. Garlaschelli, R. Della Pergola), (362)197

Palladium

- $[\text{M}(\text{C}_6\text{H}_4\text{N=NPh})(\eta^5\text{-C}_5\text{H}_5)]$ complexes (M = Ni, Pd and Pt), crystal structures of (G.K. Anderson, R.J. Cross, K.W. Muir, L. Manojlović-Muir), (362)225
- Palladium-catalysed synthesis of piperidines by [3 + 3] cycloaddition of trimethylenemethane to activated aziridines (R.B. Bambal, R.D.W. Kemmitt), (362)C18

Phosphorus

- 1,2-Bis(diphenylphosphinoxy)ethane and methylidiphenylphosphine oxide, formation of organotin halide adducts with (C.H. Yoder, S.M. Coley, S.P. Kneizys, J.N. Spencer), (362)59
- Bis(μ -hydridocyclopentadienyl)carbonyltungsten complexes, $[\text{C}_5\text{R}_5\text{W}(\text{CO})_2(\mu\text{-H})_2]$ (R = H, Me), reactions with SOCl_2 , Br_2 , I_2 , HCl , CF_3COOH , PMe_3 , NO, ClNO and CS_2 (H.G. Alt, T. Frister, E.E. Trapl, H.E. Engelhardt), (362)125

- Bis(phosphine)platinum ethene complexes, substitution reactions of (P.A. Chaloner, G.T.L. Broadwood-Strong), (362)C21**
- (η^5 -Borole)iron and (η^5 -borole)(η^5 -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362)243**
- C₅H₅Co(SMe₂)₂, intermediate in synthesis and reactivity of dienylmetal compounds (N. Kuhn, E. Zauder), (362)217**
- Chiral modified dinuclear cluster Ru₂(CO)₄(η^2 -OOCR)₂(η^2 -DIOP), as catalyst for asymmetric hydration of hydroxyacetone (G.F. Schmidt, G. Süss-Fink), (362)179**
- Dinaphthylplatinum(II) compounds, synthesis of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (362)63**
- Half-sandwich arene-iron complex, synthesis and reactivity of; structure of [C₆H₃Fe(C₃H₅)(CO)]PF₆ (M.J. Begley, S.G. Puntambekar, A.H. Wright), (362)C11**
- Hetero-metallic complexes, [WReCo₂(μ_3 -CC₆H₄Me-4)(CO)₁₅] and [ReCo₂(μ_3 -CC₆H₄Me-4)(CO)₁₀], reactions with secondary and tertiary phosphines of (M.R. Bradford, J.C. Jeffery, K.M. Johnson, S.E. Phillips), (362)205**
- [Li(PPh(SiMe₃)(tmada)]₂ (from Mg(PPh)₂(tmada) or Li(PPh)(tmada)), synthesis of; X-ray structure of the *trans*-isomer (E. Hey, C.L. Raston, B.W. Skelton, A.H. White), (362)1**
- Niobium(V) cationic complexes, catalytic oxidation of triphenylphosphine by (H. Nabaoui, Y. Mugnier, A. Fakhr, E. Laviron, J. Mofidi, A. Antiñolo, F.A. Jalon, M. Fajardo, A. Otero), (362)C8**
- Organotin trihalides in solution, stoichiometry of (J.N. Spencer, B.G. Enders, A. Grushow, S.P. Kneizys, W.L. Nachlis, D. Mokrynska, S.M. Coley, J.C. Otter, C.H. Yoder), (362)53**
- Pentacarbonyl(phosphane)rhenium cationic complexes, synthesis and reactions with nucleophiles of (P. Steil, W. Sacher, P.M. Fritz, W. Beck), (362)363**
- Ru₃(CO)_{12-n}(PPh₂H)_n (n = 2, 3), HRu₃(CO)₁₀(μ -PPh₂), HRu₃(CO)₈(μ -PPh₂), H₂Ru₃(CO)₈(μ -PPh₂)₂ and HRu₃(CO)₇(μ -PPh₂)₃, selective hydrogenation of t-butylacetylene in the presence of; spectroscopic identification of alkyne-substituted cluster intermediates (M. Castiglioni, R. Giordano, E. Sappa), (362)399**
- Vanadium diphosphene complex, *trans*-{[V(η^5 -C₅H₅)(CO)₃]₂(PMes)₂}, synthesis and characterization of (R.A. Bartlett, H.V.R. Dias, P.P. Power), (362)87**
- Ylide-manganese complexes, protonation with HBF₄ of; molecular structure of [C₅H₅(CO)₂MnCH₂CH(PEt₃)]BF₄ (H.G. Alt, H.E. Engelhardt, R.D. Rogers), (362)117**

Platinum

- Bis(phosphine)platinum ethene complexes, substitution reactions of (P.A. Chaloner, G.T.L. Broadwood-Strong), (362)C21**
- Dinaphthylplatinum(II) compounds, synthesis of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (362)63**
- [M(C₆H₄N=NPh)(η^5 -C₅H₅)] complexes (M = Ni, Pd and Pt), crystal structures of (G.K. Anderson, R.J. Cross, K.W. Muir, L. Manojlović-Muir), (362)225**

Rhenium

- Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351**
- Hetero-metallic complexes, [WReCo₂(μ_3 -CC₆H₄Me-4)(CO)₁₅] and [ReCo₂(μ_3 -CC₆H₄Me-4)(CO)₁₀], reactions with secondary and tertiary phosphines of (M.R. Bradford, J.C. Jeffery, K.M. Johnson, S.E. Phillips), (362)205**
- Hexamethyldistannane addition to organometallic oxide with Sn–Sn bond cleavage (W.A. Herrmann, D.W. Marz), (362)C5**
- Pentacarbonyl(phosphane)rhenium cationic complexes, synthesis and reactions with nucleophiles of (P. Steil, W. Sacher, P.M. Fritz, W. Beck), (362)363**
- (η^5 -Pentamethylcyclopentadienyl)(η^2 -diphenylethylyn)oxorhenium(III), redox chemistry and nucleophilicity of the oxo-function in (W.A. Herrmann, R.A. Fischer, W. Amslinger, E. Herdtweck), (362)333**
- η^5 -Pyrrolyl ligand in (η^5 -C₄H₄N)(Ph₃P)₂ReH₂, direct deprotonation of (J. Zakrzewski), (362)C31**

Rhodium

- Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivykh, O.V. Gusev, M.I. Rybinskaya), (362) 351**

- (η^5 -Borole)iron and (η^5 -borole)(η^5 -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362)243
- Carbonyl cluster dianion, $[\text{OsRh}_4(\text{CO})_9(\mu_2\text{-CO})_6]^{2-}$, synthesis and solution structure of (A. Fumagalli, L. Garlaschelli, R. Della Pergola), (362)197
- Hydrosilylation of 2- and 4-alkylcyclohexanones on rhodium(I) complexes (K. Felföldi, I. Kapocsi, M. Bartók), (362)411
- Mixed metal clusters $\text{HRuCo}_2\text{Rh}(\text{CO})_{12}$, $\text{HRuCoRh}_2(\text{CO})_{12}$ and $\text{H}_2\text{Ru}_2\text{CoRh}(\text{CO})_{12}$, characterisation by ^1H NMR spectroscopy of (J. Pursiainen, T.A. Pakkanen), (362)375

Ruthenium

- (η^5 -Borole)iron and (η^5 -borole)(η^5 -cyclopentadienyl)hydrido-iron, -ruthenium and -osmium complexes, preparation and reactions of (G.E. Herberich, H. Hessner, D.P.J. Köffer), (362)243
- Chiral modified dinuclear cluster $\text{Ru}_2(\text{CO})_4(\eta^2\text{-OOCR})_2(\eta^2\text{-DIOP})$, as catalyst for asymmetric hydration of hydroxyacetone (G.F. Schmidt, G. Süss-Fink), (362)179
- Cyclopentadienylruthenium(III) complexes of aromatic amino acid derivatives, synthesis and characterization of (R.M. Moriarty, Y.Y. Ku, U.S. Gill), (362)187
- $\text{Fe}(\text{CO})_3(i\text{-Pr}_2\text{Ph-DAB})$ and $\text{Ru}(\text{CO})_3(i\text{-Pr}_2\text{CH-DAB})$ (DAB = 1,4-diaza-1,3-butadiene), flash-photolysis and low-temperature study of influence of substitution of CO by PR_3 on the photochemistry of (H.K. van Dijk, J.J. Kok, D.J. Stufkens, A. Oskam), (362)163
- Mixed metal clusters $\text{HRuCo}_2\text{Rh}(\text{CO})_{12}$, $\text{HRuCoRh}_2(\text{CO})_{12}$ and $\text{H}_2\text{Ru}_2\text{CoRh}(\text{CO})_{12}$, characterisation by ^1H NMR spectroscopy of (J. Pursiainen, T.A. Pakkanen), (362)375
- Pentamethylcyclopentadienyl(halo)ruthenium(III, -III/II or -II) and pentamethylcyclopentadienyl(alcoxo)ruthenium(II) complexes, formation and characterisation of (U. Koelle, J. Kossakowski), (362)383
- $\text{Ru}_3(\text{CO})_{12-n}(PPh_2\text{H})_n$, ($n = 2, 3$), $\text{HRu}_3(\text{CO})_{10}(\mu\text{-PPh}_2)$, $\text{HRu}_3(\text{CO})_9(\mu\text{-PPh}_2)$, $\text{H}_2\text{Ru}_3(\text{CO})_8(\mu\text{-PPh}_2)_2$ and $\text{HRu}_3(\text{CO})_7(\mu\text{-PPh}_2)_3$, selective hydrogenation of t-butylacetylene in the presence of; spectroscopic identification of alkyne-substituted cluster intermediates (M. Castiglioni, R. Giordano, E. Sappa), (362)399
- Ruthenium complex, cyclization of aminoalcohols on (K. Felföldi, M.S. Klyavlin, M. Bartók), (362)193

Selenium

- Chalcogenametallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362)311

Silicon

- 1,2-Bis(silyl)ethenes, synthesis by metathesis of vinylsilanes of (B. Marciniec, H. Maciejewski, J. Guliński, L. Rzejak), (362)273
- 5,8-Bis(trimethylsilyl)-5,8-dihydropteridine and its deaza derivative, stabilisation of (C. Bessenbacher, W. Kaim), (362) 37
- Chlorodesilylation of fluorovinylsilanes, retention of configuration (F. Tellier, R. Sauvêtre, J.-F. Normant), (362)23
- Hydrosilylation of 2- and 4-alkylcyclohexanones on rhodium(I) complexes (K. Felföldi, I. Kapocsi, M. Bartók), (362)411
- $[\text{Li}(\text{PPh}(\text{SiMe}_3)\text{X}(\text{tmida})]_2$ (from $\text{Mg}(\text{PHPh})_2(\text{tmida})$ or $\text{Li}(\text{PHPh})(\text{tmida})$), synthesis of; X-ray structure of the *trans*-isomer (E. Hey, C.L. Raston, B.W. Skelton, A.H. White), (362)1
- Organosilanediols, hydrogen bonding in; crystal structure of di-*o*-tolylsilanediol (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, P.D. Lickiss), (362)17
- ^{29}Si -double-quantum coherence spectroscopy (INADEQUATE), efficient method for the structure elucidation of silicon frameworks (E. Hengge, F. Schrank), (362)11
- Silicon hypervalent derivatives, reactivity of; one step synthesis of mono- and di-hydrogenosilanes (A. Boudin, G. Cerveau, C. Chuit, R.J.P. Corriu, C. Reye), (362)265
- Trichlorosilane γ -ray-induced reduction of sterically hindered alkyl carboxylates with; formation of alkanes via alkyl chloride (K. Oka, P. Nakao), (362)31

Sulphur

- Bis(μ -hydridocyclopentadienyldicarbonyltungsten complexes, $[\text{C}_5\text{R}_5\text{W}(\text{CO})_2(\mu\text{-H})]_2$ ($\text{R} = \text{H}, \text{Me}$), reactions with SOCl_2 , Br_2 , I_2 , HCl , CF_3COOH , PMe_3 , NO , ClNO and CS_2 (H.G. Alt, T. Frister, E.E. Trapl, H.E. Engelhardt), (362)125

Chalcogenometallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362)311

C₅H₅Co(SMe₂)₂, intermediate in synthesis and reactivity of dienylmetal compounds (N. Kuhn, E. Zauder), (362)217

Dilithiation of N,N'-diphenylthiourea, PhNHC(=S)NHPh, structure of the product, [PhNLiC(=NPh)SLi · 2HMPA]₂, and supporting ab initio MO calculations on model systems (D.R. Armstrong, R.E. Mulvey, D. Barr, R. Snaith, D.S. Wright, W. Clegg, S.M. Hodgson), (362)C1

Molybdenum tetracarbonyl complexes of chelating dithioethers, multinuclear (¹H, ¹³C and ⁹⁵Mo) NMR investigation of sulphur inversion in (E.W. Abel, D.E. Budgen, I. Moss, K.G. Orrell, V. Šík), (362)105

Organovanadium(V) sulphur- and oxygen-containing complexes, preparation of (W.A. Herrmann, E. Herdtweck, G. Weichselbaumer), (362)321

Tungsten complexes of metallacyclopentadiene, synthesis, spectroscopic and structural studies of crystal structure of [WC(CF₃)=C(CF₃)C(CF₃)=C(CF₃)(SPrⁱ)(4-MeC₆H₄NC)₂(η⁵-C₅H₅)] (L.J. Canoira, J.L. Davidson, G. Douglas, K.W. Muir), (362)135

Tantalum

Di-η⁵-cyclopentadienyltantalum chemistry reactions of trihydride derivative with acetylenes of (G.E. Herberich, I. Savvopoulos), (362)345

Tellurium

C₅H₅Co(SMe₂)₂, intermediate in synthesis and reactivity of dienylmetal compounds (N. Kuhn, E. Zauder), (362)217

Tin

1,2-Bis(diphenylphosphineoxy)ethane and methyldiphenylphosphine oxide, formation of organotin halide adducts with (C.H. Yoder, S.M. Coley, S.P. Kneizys, J.N. Spencer), (362)59

Dinaphthylplatinum(II) compounds, synthesis of (C. Weisemann, G. Schmidtberg, H.-A. Brune), (362)63

Hexamethyldistannane addition to organometallic oxide with Sn—Sn bond cleavage (W.A. Herrmann, D.W. Marz), (362)C5

2-Methylallyltriphenyltin, crystal structure of; comparison with methyl-substituted derivatives of allyltriphenyltin (D. Marton, G. Tagliavini, G. Valle, P. Ganis), (362)281

Organotin trihalides in solution, stoichiometry of (J.N. Spencer, B.G. Enders, A. Grushow, S.P. Kneizys, W.L. Nachlis, D. Mokrynska, S.M. Coley, J.C. Otter, C.H. Yoder), (362)53

Titanium

Silicon hypervalent derivatives, reactivity of; one step synthesis of mono- and di-hydrogenosilanes (A. Boudin, G. Cerveau, C. Chuit, R.J.P. Corriu, C. Reye), (362)265

Titanocene and vanadocene dichlorides, kinetics of substitution in acetonitrile of (R. bin Ali, J. Burgess, A.T. Casey), (362)305

Tungsten

Allyl- and diene-carbonyl cationic complexes of group 6–9 metals, synthesis in the presence of strong protonic acid of (V.V. Krivkh, O.V. Gusev, M.I. Rybinskaya), (362) 351

Bis(μ-hydridocyclopentadienyldicarbonyltungsten complexes, [C₅R₅W(CO)₂(μ-H)]₂ (R = H, Me), reactions with SOCl₂, Br₂, I₂, HCl, CF₃COOH, PMe₃, NO, ClNO and CS₂ (H.G. Alt, T. Frister, E.E. Trapl, H.E. Engelhardt), (362)125

Hetero-metallic complexes, [WReCo₂(μ₃-CC₆H₄Me-4)(CO)₁₅] and [ReCo₂(μ₃-CC₆H₄Me-4)(CO)₁₀], reactions with secondary and tertiary phosphines of (M.R. Bradford, J.C. Jeffery, K.M. Johnson, S.E. Phillips), (362)205

Titanocene and vanadocene dichlorides, kinetics of substitution in acetonitrile of (R. bin Ali, J. Burgess, A.T. Casey), (362)305

Tungsten complexes of metallacyclopentadiene, synthesis, spectroscopic and structural studies of crystal structure of [WC(CF₃)=C(CF₃)C(CF₃)=C(CF₃)(SPrⁱ)(4-MeC₆H₄NC)₂(η⁵-C₅H₅)] (L.J. Canoira, J.L. Davidson, G. Douglas, K.W. Muir), (362)135

Vanadium

- Organovanadium(V) sulphur- and oxygen-containing complexes, preparation of (W.A. Herrmann, E. Herdtweck, G. Weichselbaumer), (362)321
- Titanocene and vanadocene dichlorides, kinetics of substitution in acetonitrile of (R. bin Ali, J. Burgess, A.T. Casey), (362)305
- Vanadium diphosphene complex, *trans*-{ $\{\text{V}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\}_2(\text{PMes})_2$ }, synthesis and characterization of (R.A. Bartlett, H.V.R. Dias, P.P. Power), (362)87

Zinc

- [2-(Dimethylaminomethyl)ferrocenyl] complexes of zinc, cadmium and mercury, synthesis of (C. Krüger, K.-H. Thiele, M. Dargatz, T. Bartik), (362)147
- Organozinc compounds, synthesis and reactivity in unusual solvents of (J. Grondin, M. Sebban, P. Vottero, H. Blancou, A. Commeyras), (362)237

Zirconium

- $[(\eta^5\text{-t-BuC}_5\text{H}_4)_2\text{Zr}^{\text{IV}}(\eta^1\text{-1},\eta^1\text{-1}')(\eta^5\text{-}(\text{C}_5\text{H}_4)_2\text{Fe}^{\text{II}}]$, electrooxidation example of electrocatalytic process with endergonic cross electron-transfer (A. Da Rold, Y. Mugnier, R. Broussier, B. Gautheron, E. Laviron), (362)C27
- Chalcogenametallacyclic four- and six-membered derivatives of group 4 metallocenes, preparation of (G. Tainturier, M. Fahim, B. Gautheron), (362)311

Book reviews

- Effets de sels en chimie organique et organométallique: by A. Loupy and B. Tchoubar (J.F. Normant), (362)C33
- Organometallic syntheses, Vol. 4; edited by R.B. King (J.D. Smith), (362)C25