

---

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 359 (1989)**


---

**SUBJECT INDEX****Aluminium**

- Bis(trimethylsilyl)carbodiimide,  $(\text{CH}_3)_3\text{SiN}=\text{C}=\text{NSi}(\text{CH}_3)_3$ , reactions with trimethyl-aluminium, -gallium and -indium of (R. Lechler, H.-D. Hausen, J. Weidlein), (359) 1
- Reaction of  $\text{MgCl}_2$  with  $\text{AlCl}_3$  in ethyl acetate; crystal structure of  $[\text{Mg}(\text{CH}_3\text{OCOC}_2\text{H}_5)_6][\text{AlCl}_4]_2$  (J. Utko, P. Sobota, T. Lis, K. Majewska), (359) 295

**Boron**

- 3,3-Tetra- and 3,3-penta-methyleneallylboranes, preparation of 1-substituted 1-vinylcycloalkanes from (Yu.N. Bubnov, V.I. Zheludeva, A.V. Ignatenko), (359) 151

**Chromium**

- Cyclopentadienylchromium sulphide, reactivity towards atmospheric oxygen of; X-ray analysis of  $\text{Cp}_2^*\text{Cr}_2(\mu, \eta^2\text{-S}_2)(\mu\text{-S}_2)$  ( $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$ ) H. Brunner, J. Pfauntsch, J. Wachter, B. Nuber, M.L. Ziegler), (359) 179
- Heterotrimetallic complexes of chromium and rhodium, synthesis, exchange reactions and structures of (J. Suffert, R. Ziessel), (395) C45
- Hexacarbonylchromium,  $\text{Cr}(\text{CO})_6$ , low-temperature photolysis with *ortho*- and *para*-quinone isomers of (R.R. Andréa, D.J. Stufkens, F. Hartl, A. Viček, Jr.), (359) 49

**Cobalt**

- Carbonyl-cobalt and -molybdenum clusters in immunology, synthesis and binding properties of mycotoxin derivatives of zearalenone (M. Gruselle, P. Deprez, A. Vessières, S. Greenfield, G. Jaouen, J.-P. Larue, D. Thouvenot), (359) C53
- Cobalt(II) and iron(II), sensitized photoreduction of structural characterization of  $[\text{Co}(\text{CO})(\text{o-C}_6\text{H}_4[\text{PPh}_2]_2)_2]\text{PF}_6$  (J.T. Lin, S.Y. Wang, S.K. Yeh, Y.L. Chow), (359) C17
- $[\text{Co}_2(\text{CO})_4\{\mu\text{-(CH}_2\text{O)}_2\text{PN}(\text{Et})\text{P}(\text{OCH}_2)_2\}_2]$ , a molecule with a symmetrical formula but an unsymmetrical structure (G. de Leeuw, J.S. Field, R.J. Haines), (359) 245
- $\eta^5$ -Cyclopentadienyldicarbonylcobalt, reaction with *N*-phenyldialkynylimines of (Y. Ito, M. Inouye, M. Murakami, M. Shiro), (359) C57

**Gallium**

- Bis(trimethylsilyl)carbodiimide,  $(\text{CH}_3)_3\text{SiN}=\text{C}=\text{NSi}(\text{CH}_3)_3$ , reactions with trimethyl-aluminium, -gallium and -indium of (R. Lechler, H.-D. Hausen, J. Weidlein), (359) 1

**Hafnium**

- Heptacarbonylhafnium,  $\text{Hf}(\text{CO})_7$ , synthesis of anionic derivatives,  $[(\text{C}_5\text{H}_5)\text{Hf}(\text{CO})_4]^-$  and  $[(\text{C}_5\text{Me}_5)\text{Hf}(\text{CO})_4]^-$ , of (S.R. Frerichs, J.E. Ellis), (359) C41

**Indium**

- Bis(trimethylsilyl)carbodiimide,  $(\text{CH}_3)_3\text{SiN}=\text{C}=\text{NSi}(\text{CH}_3)_3$ , reactions with trimethyl-aluminium, -gallium and -indium of (R. Lechler, H.-D. Hausen, J. Weidlein), (359) 1

## Iridium

Bis[(*S,S*)-2,3-bis(diphenylphosphino)butane]iridium(I), stereochemistry of hydrogen addition to; crystal structure of bis[(*S,S*)-2,3-bis(diphenylphosphino)butane]iridium(I) tetrafluoroborate (J.M. Brown, P.L. Evans, P.J. Maddox, K.H. Sutton), (359) 115

## Iron

Arylation of a carbanion derived from a pyridazine; a route to a functionalized arene (R.C. Cambie, S.J. Janssen, P.S. Rutledge, P.D. Woodgate), (359) C14

Bis( $\eta^6$ -arene)iron(II) salts, spectroscopic study of (S. Abdul-Rahman, A. Houlton, R.M.G. Roberts, J. Silver), (359) 331

( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)NiFe<sub>3</sub>(CO)<sub>7</sub>( $\mu$ -PPh<sub>2</sub>)( $\mu_4$ ,  $\eta^2$ -HC≡CPr<sup>i</sup>), synthesis and crystal structure of (E. Sappa, D. Belletti, A. Tiripicchio, M. Tiripicchio Camellini), (359) 419

Cobalt(II) and iron(II), sensitized photoreduction of structural characterization of [Co(CO)(*o*-C<sub>6</sub>H<sub>4</sub>[PPH<sub>2</sub>]<sub>2</sub>)<sub>2</sub>]PF<sub>6</sub> (J.T. Lin, S.Y. Wang, S.K. Yeh, Y.L. Chow), (359) C17

Cyclopentadienyldicarbonyliron iodide, ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)Fe(CO)<sub>2</sub>I, photosubstitution of iodide in; synthesis of cyclopentadienyron dicarbonyl- and carbonyl-phosphine complexes containing  $\eta^1$ -*N*-imidato(1 - ) ligands (J. Zakrzewski), (359) 215

Cyclopentadienyldicarbonyliron *S*-bonded monothiocarboxylates, FeCp(CO)<sub>2</sub>SCOR, synthesis and characterisation of; crystal structure of FeCp(CO)<sub>2</sub>SCO(NC<sub>6</sub>H<sub>4</sub>NO<sub>2</sub>-2) (M.A. El-Hinnawi, A.M. Al-Ajlouni, J.S. AbuNasser, A.K. Powell, H. Vahrenkamp), (359) 79

[Fe(C<sub>5</sub>H<sub>5</sub>)(L)]<sup>+</sup> (L = 1,4,7-trithiacyclononane), synthesis, electrochemistry and single crystal X-ray structure of (A.J. Blake, R.D. Crofts, G. Reid, M. Schröder), (359) 371

[Me<sub>2</sub>SSMe]BF<sub>4</sub>, reactions with organometallic complexes having metal-metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195

Pentacarbonyliron used for isomerisation of functionalised 1,5-dienes (J. Rodriguez, P. Brun, B. Waegell), (359) 343

Phosphaferrocenium cations, reactions with nucleophiles of (P. Lemoine), (359) 61

Rhodium-catalysed carbonylation of *N,N*-allylethylamine, crystal structure of the formed cluster cation and cluster anion (J. Podlahova, J. Podlaha, A. Jegorov, J. Hašek), (359) 401

Tetracarbonyliron-methylene-triphenylphosphine ylide adducts, mild phase-transfer syntheses and reactions of (H. des Abbayes, J.-C. Clement, P. Laurent, J.-J. Yaouanc, G. Tanguy, B. Weinberger), (359) 205

## Lithium

Lithiation of silyl ethers in hydrocarbon solvents by *t*-butyllithium, <sup>13</sup>C and <sup>6</sup>Li NMR study of (T.F. Bates, R.D. Thomas), (359) 285

## Magnesium

Nickel-phosphine complex, monophenylation and partial reduction of 1,1-dihalogeno-2-phenyl-1-alkenes in presence of (Y. Okamoto, Y. Yoshikawa, T. Hayashi), (359) 243

Reaction of MgCl<sub>2</sub> with AlCl<sub>3</sub> in ethyl acetate; crystal structure of [Mg(CH<sub>3</sub>OCOC<sub>2</sub>H<sub>5</sub>)<sub>6</sub>][AlCl<sub>4</sub>]<sub>2</sub> (J. Utko, P. Sobota, T. Lis, K. Majewska), (359) 295

[Rh(CO)<sub>2</sub>X]<sub>2</sub> (X = Cl, CH<sub>3</sub>COO) supported on highly decarbonated magnesium oxide: strong effect of chloride ion on surface organometallic chemistry (C. Dossi, R. Psaro, R. Ugo), (359) 105

## Manganese

[Me<sub>2</sub>SSMe]BF<sub>4</sub>, reactions with organometallic complexes having metal-metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195

## Metalloenes

$\alpha$ -Metallocenylcarbocation, stabilisation of; synthesis, properties and crystal structure of [C<sub>5</sub>Me<sub>5</sub>OsC<sub>5</sub>Me<sub>4</sub>CH<sub>2</sub><sup>+</sup>]BPh<sub>4</sub><sup>-</sup> · CH<sub>2</sub>Cl<sub>2</sub> (M.I. Rybinskaya, A.Z. Kreidlin, Yu.T. Struchkov, A.I. Yanovsky), (359) 233

(Pentamethylcyclopentadienyl)(octadienyl)zirconium, ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)( $\eta^8$ -C<sub>8</sub>H<sub>8</sub>)Zr, mixed sandwich complex of zirconium(III), structure of (R.D. Rogers, J.H. Teuben), (359) 41

Phosphaferrocenium cations, reactions with nucleophiles of (P. Lemoine), (359) 61

## Molybdenum

Carbonyl-cobalt and -molybdenum clusters in immunology, synthesis and binding properties of mycotoxin derivatives of zearalenone (M. Gruselle, P. Deprez, A. Vessières, S. Greenfield, G. Jaouen, J.-P. Larue, D. Thouvenot), (359) C53

Carbonylmolybdenum(II) 16-electron derivatives,  $[\text{Mo}(\text{CO})_2\text{Br}_2(\text{N}-\text{N})]$  (N-N = nitrogen bidentate ligands), syntheses and structure of (K.-B. Shiu, K.-S. Liou, S.-L. Wang, C.P. Cheng, F.-J. Wu), (359) C1

Keteneiminemolybdenum dinuclear complexes, formation and reactions of (T. Sielisch, W. Ziegler, U. Behrens), (359) 315

$[\text{Me}_2\text{SSMe}]\text{BF}_4$ , reactions with organometallic complexes having metal-metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195

$[\text{Mo}(\text{CO})_3(\text{NCMe})_3]$ , oxidation with  $\text{SnCl}_4$  of, formation and reactions of  $[\text{MoCl}(\text{SnCl}_3)(\text{CO})_3(\text{NCMe})_2][\text{MoCl}(\text{SnCl}_3)(\text{CO})_3(\text{NCMe})_2]$  (P.K. Baker, A. Bury), (359) 189

## Nickel

$\eta^6$ -Arenenickel(II) complexes, polyarene and fused arene systems, preparation of (S.-B. Choe, K.J. Klabunde), (359) 409

$(\eta^5\text{-C}_5\text{H}_5)\text{NiFe}_3(\text{CO})_7(\mu\text{-PPh}_2)(\mu_4, \eta^2\text{-HC}\equiv\text{CPr}^i)$ , synthesis and crystal structure of (E. Sappa, D. Belletti, A. Tiripicchio, M. Tiripicchio Camellini), (359) 419

Nickel-phosphine complex, monophenylation and partial reduction of 1,1-dihalogeno-2-phenyl-1-alkenes in presence of (Y. Okamoto, Y. Yoshikawa, T. Hayashi), (359) 243

## Osmium

$\alpha$ -Metalocenylcarbocation, stabilisation of; synthesis, properties and crystal structure of  $[\text{C}_5\text{Me}_5\text{OsC}_5\text{Me}_4\text{CH}_2^+]\text{BPh}_4^- \cdot \text{CH}_2\text{Cl}_2$  (M.I. Rybinskaya, A.Z. Kreidlin, Yu.T. Struchkov, A.I. Yanovsky), (359) 233

Phosphido-bridged hexaosmium "raft" clusters, synthesis and characterisation of; crystal structure of  $\text{Os}_6\text{H}_2(\text{CO})_{18}(\mu_3\text{-PPh})$  (C.M. Hay, J.G. Jeffrey, B.F.G. Johnson, J. Lewis, P.R. Raithby), (359) 87

$\text{RuCl}\{\text{P}(\text{OMe})_3\}_2(\eta\text{-C}_5\text{H}_5)$  and isomers of  $\text{Ru}\{\text{C}=\text{C}(\text{CN})_2\}\{\text{CPh}=\text{C}(\text{CN})_2\}\{\text{P}(\text{OMe})_3\}_2(\eta\text{-C}_5\text{H}_5)$ , X-ray structures of (M.I. Bruce, M.P. Cifuentes, M.R. Snow, E.R.T. Tiekink), (359) 379

## Palladium

Boron oxide in palladium catalysed allylic alkylation, effective activation of allylic ethers by (X. Lu, X. Jiang), (359) 139

2,4,6-Trinitrophenylpalladium(II) anionic complexes; crystal structure of  $\text{cis-}[\text{PdCl}_2\{2,4,6\text{-C}_6\text{H}_2(\text{NO}_2)_3\}\{\text{S}(\text{O})\text{Me}_2\}]^-$  (J. Vicente, A. Arcas, M.V. Borrachero, E. Molins, C. Miravittles), (359) 127

## Phosphorus

Bis(*S,S*)-2,3-bis(diphenylphosphino)butane]iridium(I), stereochemistry of hydrogen addition to; crystal structure of bis(*S,S*)-2,3-bis(diphenylphosphino)butane]iridium(I) tetrafluoroborate (J.M. Brown, P.L. Evans, P.J. Maddox, K.H. Sutton), (359) 115

$[\text{Co}_2(\text{CO})_4\{\mu\text{-(CH}_2\text{O)}_2\text{PN}(\text{Et})\text{P}(\text{OCH}_2)_2\}_2]$ , a molecule with a symmetrical formula but an unsymmetrical structure (G. de Leeuw, J.S. Field, R.J. Haines), (359) 245

Cyclopentadienylchromium sulphide, reactivity towards atmospheric oxygen of; X-ray analysis of  $\text{Cp}_2^*\text{Cr}_2(\mu, \eta^2\text{-S}_2)(\mu\text{-S}_2)$  ( $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$ ) H. Brunner, J. Pfauntsch, J. Wachter, B. Nuber, M.L. Ziegler), (359) 179

Cyclopentadienyldicarbonyliron iodide,  $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2\text{I}$ , photosubstitution of iodide in; synthesis of cyclopentadienyliron dicarbonyl- and carbonyl-phosphine complexes containing  $\eta^1\text{-N-imidato}(1-)$  ligands (J. Zakrzewski), (359) 215

Nickel-phosphine complex, monophenylation and partial reduction of 1,1-dihalogeno-2-phenyl-1-alkenes in presence of (Y. Okamoto, Y. Yoshikawa, T. Hayashi), (359) 243

Phosphaferrocenium cations, reactions with nucleophiles of (P. Lemoine), (359) 61

Phosphido-bridged hexaosmium "raft" clusters, synthesis and characterisation of; crystal structure of  $\text{Os}_6\text{H}_2(\text{CO})_{18}(\mu_3\text{-PPh})$  (C.M. Hay, J.G. Jeffrey, B.F.G. Johnson, J. Lewis, P.R. Raithby), (359) 87

- Rhodium-catalysed carbonylation of *N,N*-allylethylamine, crystal structure of the formed cluster cation and cluster anion (J. Podlahova, J. Podlaha, A. Jegorov, J. Hašek), (359) 401
- Rhodium-trialkylphosphine-nitrogen base catalyst: carbon monoxide hydrogenation to ethylene glycol with (Y. Hara, E. Watanabe, K. Wada, T. Onoda), (359) 97
- $\text{RuCl}\{\text{P}(\text{OMe})_3\}_2(\eta\text{-C}_5\text{H}_5)$  and isomers of  $\text{Ru}\{\text{C}=\text{C}(\text{CN})_2\}\{\text{CPh}=\text{C}(\text{CN})_2\}\{\text{P}(\text{OMe})_3\}_2(\eta\text{-C}_5\text{H}_5)$ , X-ray structures of (M.I. Bruce, M.P. Cifuentes, M.R. Snow, E.R.T. Tiekink), (359) 379
- $\text{Ru-X-C}$  ( $\text{X} = \text{F}$  or  $\text{H}$ ) interactions in complex compounds; preparation and crystal structures of  $[\text{Ru}\{\text{SC}_6\text{F}_4(\text{F-2})\}(\text{SC}_6\text{F}_5)_2(\text{PMe}_2\text{Ph})_2]$  and  $[\text{Ru}(\text{SC}_6\text{F}_5)_2\{\text{PC}_6\text{H}_4(\text{H-2})(\text{C}_6\text{H}_5)_2\}_2]$  (R.-M. Catalá, D. Cruz-Garriz, P. Sosa, P. Terreros, H. Torrens, A. Hills, D.L. Hughes, R.L. Richards), (359) 219
- 4-Silaphosphorinanes, formation and characterisation of (M.L.J. Hackney, R.C. Haltiwanger, P.F. Brandt, A.D. Norman), (359) C36
- Tetracarbonyliron-methylene-triphenylphosphine ylide adducts, mild phase-transfer syntheses and reactions of (H. des Abbayes, J.-C. Clement, P. Laurent, J.-J. Yaouanc, G. Tanguy, B. Weinberger), (359) 205

## Platinum

- Chloro(diene)polyfluorophenylplatinum(II) complexes, preparations of; structure of chloro(dicyclopentadiene)pentafluorophenylplatinum(II) (G.B. Deacon, B.M. Gatehouse, K.T. Nelson-Reed), (359) 267

## Potassium

- Heptacarbonylhafnium,  $\text{Hf}(\text{CO})_7$ , synthesis of anionic derivatives,  $[(\text{C}_5\text{H}_5)\text{Hf}(\text{CO})_4]^-$  and  $[(\text{C}_5\text{Me}_5)\text{Hf}(\text{CO})_4]^-$ , of (S.R. Frerichs, J.E. Ellis), (359) C41

## Rhenium

- $[\text{Me}_2\text{SSMe}]\text{BF}_4$ , reactions with organometallic complexes having metal-metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195
- Pentacarbonylrhenium(0) radical, decay kinetics of spin adducts formed by nitrosodurene by (C.P. Cheng, H.S. Chen, S.R. Wang), (359) 71
- Triindenyl[tris(rhenium tricarbonyl)], synthesis of (M.C. Helvenston, T.J. Lynch), (359) C50

## Rhodium

- Heterotrimetallic complexes of chromium and rhodium, synthesis, exchange reactions and structures of (J. Suffert, R. Ziessel), (395) C45
- $[\text{Rh}(\text{CO})_2\text{X}]_2$  ( $\text{X} = \text{Cl}, \text{CH}_3\text{COO}$ ) supported on highly decarbonated magnesium oxide: strong effect of chloride ion on surface organometallic chemistry (C. Dossi, R. Psaro, R. Ugo), (359) 105
- Rhodium-catalysed carbonylation of *N,N*-allylethylamine, crystal structure of the formed cluster cation and cluster anion (J. Podlahova, J. Podlaha, A. Jegorov, J. Hašek), (359) 401
- Rhodium-catalysed isomerisation of 1,3-diene monoepoxides to  $\alpha,\beta$ -unsaturated carbonyl compounds (S. Sato, I. Matsuda, Y. Izumi), (359) 255
- Rhodium complex-catalyzed hydrogenation reactions, *para*-hydrogen-induced polarization in (R.U. Kirss, R. Eisenberg), (359) C22
- Rhodium-trialkylphosphine-nitrogen base catalyst: carbon monoxide hydrogenation to ethylene glycol with (Y. Hara, E. Watanabe, K. Wada, T. Onoda), (359) 97

## Ruthenium

- $\text{RuCl}\{\text{P}(\text{OMe})_3\}_2(\eta\text{-C}_5\text{H}_5)$  and isomers of  $\text{Ru}\{\text{C}=\text{C}(\text{CN})_2\}\{\text{CPh}=\text{C}(\text{CN})_2\}\{\text{P}(\text{OMe})_3\}_2(\eta\text{-C}_5\text{H}_5)$ , X-ray structures of (M.I. Bruce, M.P. Cifuentes, M.R. Snow, E.R.T. Tiekink), (359) 379
- $\text{Ru-X-C}$  ( $\text{X} = \text{F}$  or  $\text{H}$ ) interactions in complex compounds; preparation and crystal structures of  $[\text{Ru}\{\text{SC}_6\text{F}_4(\text{F-2})\}(\text{SC}_6\text{F}_5)_2(\text{PMe}_2\text{Ph})_2]$  and  $[\text{Ru}(\text{SC}_6\text{F}_5)_2\{\text{PC}_6\text{H}_4(\text{H-2})(\text{C}_6\text{H}_5)_2\}_2]$  (R.-M. Catalá, D. Cruz-Garriz, P. Sosa, P. Terreros, H. Torrens, A. Hills, D.L. Hughes, R.L. Richards), (359) 219

## Selenium

- Acetylacetonate-selenium derivatives,  $[\text{Se}(\text{CH}_3\text{C}(\text{O})\text{CC}(\text{O})\text{CH}_3)_2]$  and  $[\text{PhSe}]_2[\text{CH}_2\text{C}(\text{O})\text{CC}(\text{O})\text{CH}_3]$ , crystal and molecular structures of (R.J. Adrien, R.W. Gable, B.F. Hoskins, D. Dakternieks), (359) 33

## Silicon

- $\eta^6$ -Arenenickel(II) complexes, polyarene and fused arene systems, preparation of (S.-B. Choe, K.J. Klabunde), (359) 409
- Bis(trimethylsilyl)carbodiimide,  $(\text{CH}_3)_3\text{SiN}=\text{C}=\text{NSi}(\text{CH}_3)_3$ , reactions with trimethyl-aluminium, -gallium and -indium of (R. Lechler, H.-D. Hausen, J. Weidlein), (359) 1
- Five-coordinate hydrosilicates, general route to, (B. Becker, R. Corriu, G. Guérin, B. Henner, Q. Wang), (359) C33
- N*-(Fluorodimethylsilylmethyl)pyrrolidone-2, molecular and crystal structure of (A.A. Marcharashvili, V.E. Shklover, N.Yu. Chernikova, M.Yu. Antipin, Yu.T. Struchkov, Yu.I. Baukov, G.I. Oleneva, E.P. Kramarova, A.G. Shipov), (359) 13
- Lithiation of silyl ethers in hydrocarbon solvents by *t*-butyllithium,  $^{13}\text{C}$  and  $^6\text{Li}$  NMR study of (T.F. Bates, R.D. Thomas), (359) 285
- 1-Organysilatranes, thermochemistry of (M.G. Voronkov, V.P. Baryshok, V.A. Klyuchnikov, A.N. Korchagina, V.I. Pepekin), (359) 169
- (Organylthioalkyl)trialkoxysilanes and 1-(organylthioalkyl)silatranes, thermochemistry of (M.G. Voronkov, M.S. Sorokin, V.A. Klyuchnikov, G.N. Shvets, V.I. Pepekin), (359) 301
- Rhodium-catalysed isomerisation of 1,3-diene monoepoxides to  $\alpha,\beta$ -unsaturated carbonyl compounds (S. Sato, I. Matsuda, Y. Izumi), (359) 255
- Sila-hexacyclium methyl sulphate, synthesis and properties of (R. Tacke, H. Linoh, K. Rafeiner, G. Lambrecht, E. Mutschler), (359) 159
- 4-Silaphosphorinanes, formation and characterisation of (M.L.J. Hackney, R.C. Haltiwanger, P.F. Brandt, A.D. Norman), (359) C36

## Sulphur

- Cyclopentadienylchromium sulphide, reactivity towards atmospheric oxygen of; X-ray analysis of  $\text{Cp}_2^*\text{Cr}_2(\mu, \eta^2\text{-S}_2)(\mu\text{-S}_2)$  ( $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$ ) H. Brunner, J. Pfauntsch, J. Wachter, B. Nuber, M.L. Ziegler), (359) 179
- Cyclopentadienyldicarbonyliron *S*-bonded monothiocarboxylates,  $\text{FeCp}(\text{CO})_2\text{SCOR}$ , synthesis and characterisation of; crystal structure of  $\text{FeCp}(\text{CO})_2\text{SCO}(\text{NC}_6\text{H}_4\text{NO}_2\text{-2})$  (M.A. El-Hinnawi, A.M. Al-Ajlouni, J.S. AbuNasser, A.K. Powell, H. Vahrenkamp), (359) 79
- $[\text{Fe}(\text{C}_5\text{H}_5)(\text{L})]^+$  ( $\text{L} = 1,4,7\text{-trithiacyclononane}$ ), synthesis, electrochemistry and single crystal X-ray structure of (A.J. Blake, R.D. Crofts, G. Reid, M. Schröder), (359) 371
- Heterotrimetallic complexes of chromium and rhodium, synthesis, exchange reactions and structures of (J. Suffert, R. Ziessel), (395) C45
- $[\text{Me}_2\text{SSMe}]\text{BF}_4$ , reactions with organometallic complexes having metal-metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195
- (Organylthioalkyl)trialkoxysilanes and 1-(organylthioalkyl)silatranes, thermochemistry of (M.G. Voronkov, M.S. Sorokin, V.A. Klyuchnikov, G.N. Shvets, V.I. Pepekin), (359) 301
- $\text{Ru-X-C}$  ( $\text{X} = \text{F}$  or  $\text{H}$ ) interactions in complex compounds; preparation and crystal structures of  $[\text{Ru}(\text{SC}_6\text{F}_4(\text{F-2}))(\text{SC}_6\text{F}_5)_2(\text{PMe}_2\text{Ph})_2]$  and  $[\text{Ru}(\text{SC}_6\text{F}_5)_2\{\text{PC}_6\text{H}_4(\text{H-2})(\text{C}_6\text{H}_5)_2\}_2]$  (R.-M. Catalá, D. Cruz-Garriz, P. Sosa, P. Terreros, H. Torrens, A. Hills, D.L. Hughes, R.L. Richards), (359) 219
- 2,4,6-Trinitrophenylpalladium(II) anionic complexes; crystal structure of  $\text{cis-}[\text{PdCl}_2\{2,4,6\text{-C}_6\text{H}_2(\text{NO}_2)_3\}\{\text{S}(\text{O})\text{Me}_2\}]^-$  (J. Vicente, A. Arcas, M.V. Borrachero, E. Molins, C. Miravites), (359) 127

## Tin

- Chloro(diene)polyfluorophenylplatinum(II) complexes, preparations of; structure of chloro(dicyclopentadiene)pentafluorophenylplatinum(II) (G.B. Deacon, B.M. Gatehouse, K.T. Nelson-Reed), (359) 267
- $[\text{Mo}(\text{CO})_3(\text{NCMe})_3]$ , oxidation with  $\text{SnCl}_4$  of, formation and reactions of  $[\text{MoCl}(\text{SnCl}_3)(\text{CO})_3(\text{NCMe})_2][\text{MoCl}(\text{SnCl}_3)(\text{CO})_3(\text{NCMe})_2]$  (P.K. Baker, A. Bury), (359) 189
- Tin(IV) and organotin(IV) adducts of bis(3,5-dimethylpyrazol-1-yl)methane or of 2,2'-bis(pyrazol-1-yl)propane and their behaviour in solution (G.G. Lobbia, F. Bonati, A. Cingolani, D. Leonesi, A. Lorenzotti), (359) 21

## Titanium

- $[(\text{C}_5\text{Me}_4\text{H})_2\text{MX}_2]$  ( $\text{M} = \text{Ti}$ ,  $\text{Zr}$ ;  $\text{X} = \text{Cl}$ , alkyl, aryl, CO) complexes, preparation, stereochemistry and NMR of (P. Courtot, V. Labeled, R. Pichon, J.Y. Salaün), (359) C9

Trichloromethyltitanium,  $\text{TiCl}_3\text{CH}_3$ , and related compounds, agostic interaction in (P. Knappe, N. Rösch), (359) C5

### Tungsten

$[\text{Me}_2\text{SSMe}]\text{BF}_4$ , reactions with organometallic complexes having metal-metal bonds of (P.M. Treichel, E.K. Rublein), (359) 195

### Zirconium

$[(\text{C}_5\text{Me}_4\text{H})_2\text{MX}_2]$  (M = Ti, Zr; X = Cl, alkyl, aryl, CO) complexes, preparation, stereochemistry and NMR of (P. Courtot, V. Labed, R. Pichon, J.Y. Salaün), (359) C9

(Pentamethylcyclopentadienyl)(octadienyl)zirconium,  $(\eta^5\text{-C}_5\text{Me}_5)(\eta^8\text{-C}_8\text{H}_8)\text{Zr}$ , mixed sandwich complex of zirconium(III), structure of (R.D. Rogers, J.H. Teuben), (359) 41

### Book reviews

Catalysis of organic reactions; edited by P.N. Rylander, H. Greenfield, R.L. Augustine (P.A. Chaloner), (359) C27

Gmelin handbook of inorganic chemistry, 8th edit., Ge — Organogermanium compounds, Part 1 (C. Eaborn), (359) C62

Gmelin handbook of inorganic chemistry, 8th edit., Sn — Organotin compounds, Part 15, Dibutyltin-oxygen compounds (C. Eaborn), (359) C30

Organometallic chemistry, Vol. 16; Specialist periodical report of the Royal Society of Chemistry; edited by E.W. Abel, F.G.A. Stone (P.A. Chaloner), (359) C29

Organoselenium chemistry I: functional group transformations; by A. Krief, L. Hevesi (P.A. Chaloner), (359) C28

Purification of laboratory chemicals; by D.D. Perrin and W.L.F. Amarego (C. Eaborn), (359) C62

Transformation of organometallics into common and exotic materials: design and activation; edited by R.M. Laine (J.D. Smith), (359) C61