

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 376 (1989)-400 (1990)**SUBJECT INDEX****Actinides**

- Lanthanides and actinides, annual survey 1982 (R.D. Ernst), (392) 51
 Lanthanides and actinides, annual survey 1983 (R.D. Rogers, L.M. Rogers), (380) 51

Aluminium

- Alkyl exchange reactions between boron and aluminium, NMR study of; effect of such exchange reactions on the polymerisability of alkenyldialkylboranes by the Ziegler-Natta process (S. Ramakrishnan, T.C. Chung), (388) 1
- Alkynylsilanes with a cyclic ether group, one-pot synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 139
- 1-Aminoalkanephosphonic acids, addition of diethyl phosphite to *N*-diisobutylaluminio-aldimines (Z.H. Kudzin, M.W. Majchrzak), (376) 245
- $\{[(\eta^5\text{-C}_5\text{H}_4\text{Bu}^t)_2\text{Sm}(\mu_2\text{-H})][(\mu_2\text{-H})_2\text{AlH}\cdot\text{OC}_4\text{H}_8]\}_2$ 20-electron alumohydride complex of bis(*t*-butyl-cyclopentadienyl)samarium, crystal and molecular structure of (Yu.K. Gun'ko, B.M. Bulychev, A.I. Sizov, V.K. Bel'sky, G.L. Soloveichik), (390) 153
- $(\text{C}_2\text{H}_5\text{O})_2\text{AlC}_2\text{H}_5$, mechanism of the reaction with XeF_2 by ^1H and ^{19}F CIDNP of (R.A. Sadykov, V.N. Yakovlev, R.G. Bulgakov, V.P. Kazakov, G.A. Tolstikov) (377) 1
- Dialkyl-aluminium and -gallium solution stabilized monomeric species, $[\text{MR}_2]'$ ($\text{R} = 2\text{-C}(\text{SiMe}_3)\text{C}_5\text{H}_4\text{N}$), formation by reduction of MR_2Cl of; crystal structure of GaR_2Cl (U. Kynast, B.W. Skelton, A.H. White, M.J. Henderson, C.L. Raston), (384) C1
- Dinitrosylmolybdenum alkylidene complex, synthesis, spectroscopic characterization and metathesis activity of (A. Keller), (385) 285
- Diphenylphosphine, addition to Michael-type olefins; the preparation of phosphine-nitrile and phosphine-ester ligands (D.A. Blinn, R.S. Button, V. Farazi, M.K. Neeb, C.L. Tapley, T.E. Trehearne, S.D. West, T.L. Kruger, B.N. Storhoff), (393) 143
- $(\eta^6\text{-Durene})\text{Ti}[(\mu\text{-X})_2(\text{AlX}_2)]$ ($\text{X} = \text{Cl}, \text{I}$), mixed chloro-iodo-titanium(II) complex, molecular structure of; distribution of halogen atoms in bridge and outer positions (S.I. Troyanov, K. Mach), (389) 41
- 1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Hydroxylamido(-*O,N*)nitrosyl molybdenum complexes, reactions with EtAlCl_2 ; olefin metathesis activity of these systems (A. Keller), (393) 389
- Molecular hydrogen and aluminium hydride transfers mediated by nickel(0) complexes; intermediacy of nickel hydrides in the Ziegler nickel effect (J.J. Eisch, S.R. Sexsmith, K.C. Fichter), (382) 273
- Pentamethylcyclopentadiene, reaction with the titanium Ziegler-Natta catalyst of (K. Mach, H. Antropiusová, J. Poláček), (385) 335
- $[\text{Ph}_3\text{P}\cdot\text{AlCl}_2]_2$ and $[\text{Ph}_2\text{P}\cdot\text{Al}(\text{i-Bu})_2]_2$, synthesis and molecular structure of (S.A. Sangokoya, W.T. Pennington, G.H. Robinson, D.C. Hrcic), (385) 23
- Quasi-aromatic main group ring systems; synthesis, characterisation and properties of (P.P. Power), (400) 49
- Titanocene aluminium hydride, reactions with alcohols, amines and ethers; structures of $[(\eta^5\text{-C}_5\text{H}_5)\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{H})(\mu_2\text{-OC}_2\text{H}_5)]_2$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{H})(\mu_2\text{-N}(\text{C}_2\text{H}_5)_2)]_2$ (T.Yu. Sokolova, A.I. Sizov, B.M. Bulychev, E.A. Rozova, V.K. Belsky, G.L. Soloveichik), (388) 11
- Trialkylsilyl α - or ω -chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127
- Trimethylaluminium complexes with a multidentate carbosiloxane-type ligand (S. Pasynkiewicz, W. Ziembowska), (397) 269
- Trimethylaluminium monomer-dimer equilibrium, ^{27}Al NMR study of (Z. Černý, J. Fusek, O. Kříž, S. Heřmanek, M. Šolc, B. Čášenský), (386) 157
- Trimethylaluminium; trapping of the dimethylaluminium radical in laser-powdered homogeneous pyrolysis of (G.A. Atiya, A.S. Grady, S.A. Jackson, N. Parker, D.K. Russell), (378) 307

Antimony

- Antimony, annual survey 1988 (L.D. Freedman, G.O. Doak), (380) 1
- Antimony-iron mixed carbonyl clusters: $[R_4N][SbFe_4(CO)_{16}]$ ($R = Me, Et$) and $[Et_4N]_2[Sb_2Fe_6(CO)_{20}]$, synthesis and structures of (S. Luo, K.H. Whitmire), (376) 297
- Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-AsCo}_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197
- Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $Ru_2(CO)_4(\mu_2\eta^2\text{-ONCMe}_2)_2(HONCMe_2)_2$ and of $Ru_2(CO)_4(\mu_2\eta^2\text{-ONCMe}_2)_2[S(CH_2Ph)_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347
- $[\eta^5\text{-C}_5H_5Mo(CO)_2]_2(\mu, \eta^2\text{-Sb}_2)$, synthesis and molecular structure of; formation of an Sb=Sb double bond from metallic antimony (J.R. Harper, A.L. Rheingold), (390) C36
- η^3, η^2, η^2 -Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-ylnickel(II) hexafluorophosphate and hexafluoroantimonate as highly active catalysts for the 1,4-*cis*-polymerisation of butadiene (R. Taube, P. Böhme, J.-P. Gehrke), (399) 327
- $[HOs_3(CO)_{11}]^-$, reactions with main group halide species, a route to terminal and bridged mixed metal clusters; crystal structure of $[(\mu\text{-H})Os_3(CO)_{10}(\mu\text{-SbPh}_2)]$ (B.F.G. Johnson, J. Lewis, A.J. Whitton, S.G. Bott), (389) 129
- $(Me_3Ge)_2Sb\text{-Sb}(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Gülec), (378) 327
- $[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ ($M = Fe, Ru$): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309
- $[Ni_6(CO)_{12}]^{2-}$ dianion, reaction with stibine and bismuthine reagents of; synthesis and stereophysical characterization of $[Ni_{10}(SbPh)_2(CO)_{18}]^{2-}$ and $Ni_2(CO)_4(\mu_2\text{-Ph}_2SbOSbPh_2)_2$ (R.E. DesEnfants II, J.A. Gavney, Jr., R.K. Hayashi, A.D. Rai, L.F. Dahl, A. Bjarnason), (383) 543
- $(Ph_2Sb)_2O$, $(Ph_2Sb)_2$, $Ph_2Sb(^nBu)$, and Ph_3Sb , electroreduction of (Y. Mourad, Y. Mugnier, H.J. Breunig, M. Ates), (398) 85
- Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263
- Tertiary stibines, reduction of some organic compounds by (Y.-Z. Huang, C. Chen, F. Zhu, Y. Liao), (378) 147
- Tetraphenyldistibane, redox properties of (Y. Mourad, Y. Mugnier, H.J. Breunig, M. Ates), (388) C9
- Trigonal bipyramidal methylidine clusters, $EF_3(CO)_9CH$ ($E = As, Sb, Bi$), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
- Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251

Arsenic

- Alkylidyne-tricobalt cluster, metal exchange reactions with reactive $\mu_3\text{-CX}$ groups of (H.T. Schacht, H. Vahrenkamp), (381) 261
- Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-AsCo}_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197
- 3-Arsolenes (W.A. Schenk, E. Voss), (396) C8
- Bidentate P,P or P,As ligands ($L-L$) in $HRu_3(C\equiv CBu^+)(CO)_7(L-L)$, chelating and bridging behaviour of (E. Sappa, G. Predieri, A. Tiripicchio, C. Vignali), (378) 109
- Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $Ru_2(CO)_4(\mu_2\eta^2\text{-ONCMe}_2)_2(HONCMe_2)_2$ and of $Ru_2(CO)_4(\mu_2\eta^2\text{-ONCMe}_2)_2[S(CH_2Ph)_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347
- $[(C_5H_5)_2Lu(\mu\text{-O}(CH_2)_4P(C_6H_5)_2)]_2$ and $[(C_5H_5)_2Lu(OC_4H_8)]_2(\mu\text{-O})$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49
- Chromium (methoxymethyl)carbene complexes, reactions with 3*H*-indoles (C. Giordani, E. Licandro, S. Maiorana, A. Papagni, A.M. Slawin, D.J. William), (393) 227
- Gallium-arsenic four-membered ring compounds containing a bridging $As(SiMe_3)_2$ group, synthesis and characterization of; crystal structure of $Ph_2GaAs(SiMe_3)_2Ga(Ph)_2Cl$ and $Ph_2GaAs(SiMe_3)_2Ga(Ph)_2Br$ (W.K. Holley, R.L. Wells, S. Shafieezad, A.T. McPhail, C.G. Pitt), (381) 15
- $[HRu_3(CO)_{11}]^-$ anionic cluster, reactions with phosphor- and arsenic-containing ligands; synthesis and crystal structure of $H_2Ru_3(CO)_7(AsPh_3)_2(AsPh)$ (G. Gremaud, H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (388) 351

- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
 Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
 Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
 Phenylarsane and its pentacarbonylchromium derivatives, dehydration of; trapping reactions for diphenyldiarsene, PhAs=AsPh (I. Jibril, L.-R. Frank, L. Zsolnai, K. Evertz, G. Huttner), (393) 213
 Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317
 η^3 -Phosphino-, -arsino- and -thioketen complexes of tungsten, synthesis of (M. Wolfgruber, C.M. Stegmaier, F.R. Kreissl), (376) 45
 Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263
 Tetraarsacyclobutadiene as a complex ligand (O.J. Scherer, J. Vondung, G. Wolmershäuser), (376) C35
 $(\text{Thiocetene})\text{Fe}_2(\text{CO})_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49
 Trigonal bipyramidal methylidine clusters, $E\text{Fe}_3(\text{CO})_9\text{CH}$ ($E = \text{As, Sb, Bi}$), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
 Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251
 Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

Beryllium

- Cyclopentadienylberyllium compounds, synthesis and characterisation of (S.J. Pratten, M.K. Cooper, M.J. Aroney), (381) 147

Bismuth

- Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21
 Bismuth, annual survey 1988 (G.O. Doak, L.D. Freedman), (380) 35
 $C_5\text{H}_5\text{BiCl}_2$, preparation from NaC_5H_5 and BiCl_3 at low temperature, properties and crystal structure of (W. Frank), (386) 177
 Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
 $[\text{Ni}_6(\text{CO})_{12}]^{2-}$ dianion, reaction with stibine and bismuthine reagents of; synthesis and stereophysical characterization of $[\text{Ni}_{10}(\text{SbPh})_2(\text{CO})_{18}]^{2-}$ and $\text{Ni}_2(\text{CO})_4(\mu_2\text{-Ph}_2\text{SbOSbPh}_2)_2$ (R.E. DesEnfants II, J.A. Gavney, Jr., R.K. Hayashi, A.D. Rai, L.F. Dahl, A. Bjarnason), (383) 543
 Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263
 Trigonal bipyramidal methylidine clusters, $E\text{Fe}_3(\text{CO})_9\text{CH}$ ($E = \text{As, Sb, Bi}$), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
 Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251

Boron

- Alkyl exchange reactions between boron and aluminium, NMR study of; effect of such exchange reactions on the polymerisability of alkenyldialkylboranes by the Ziegler-Natta process (S. Ramakrishnan, T.C. Chung), (388) 1
 Bicyclic borates containing chiral boron and nitrogen atoms, NMR and X-ray diffraction studies of (N. Farfán, T. Mancilla, D. Castillo, G. Uribe, L. Carillo, P. Joseph-Nathan, R. Contreras), (381) 1
 Boranes in organic synthesis, annual survey 1987 (G.W. Kabalka, L.H.M. Guindi), (392) 1
 Cesium monomercaptoundecahydro *closo*-dodecaborate(2-), oxidation products of (K. Nagasawa, Y. Ikenishi, Y. Nakagawa), (391) 139
 $closo$ -3-($\eta^6\text{C}_6\text{H}_6$)-3,1,2- $\text{FeC}_2\text{B}_9\text{H}_{11}$, synthesis and molecular structure of (S.S. Lee, C.B. Knobler, M.F. Hawthorne), (394) 29
(3-Chloro-2-methylenecycloalkyl)palladium chloride dimers, reactivity of; coupling with phenyl nucleophiles (W.A. Donaldson, J. Wang), (395) 113

- $[(\eta^6\text{-C}_6\text{Me}_6)_2\text{Ru}_2\text{H}_4]\text{RuB}_{10}\text{H}_8(\text{OEt})_2]$, products of the reaction with carbon monoxide; NMR studies and crystal structure of $[(\eta^6\text{-C}_6\text{Me}_6)_2\text{Ru}_2\text{H}_2(\text{CO})_2]\text{RuB}_{10}\text{H}_8(\text{OEt})_2$ (M. Bown, J.M. Waters, X.L.R. Fontaine, J.D. Kennedy), (390) 379
- [3,3,3-(CO)₃-4-SMe₂-3,1,2-MnC₂B₉H₁₀], synthesis and molecular and electronic structure of; order-of-magnitude improved structure of ($\eta\text{-C}_5\text{H}_5$)Mn(CO)₃ (J. Cowie, E.J.M. Hamilton, J.C.V. Laurie, A.J. Welch), (394) 1
- Cyanotrihydroboranotetris(η^5 -cyclopentadienyl)acetonitrileuranium(IV), preparation and X-ray diffraction study of (M. Adam, K. Yünlü, R.D. Fischer), (387) C13
- Dialkylaminobis(trifluoromethyl)boranes, [2 + 4] cycloaddition reactions with 1,3-dienes, β -unsaturated carbonyl compounds and methyl methacrylate; crystal structures of (CF₃)₂BNR₂CH₂C(Me)C(Me)-CH₂, R = Me and Et, and (CF₃)₂BNEt₂CH₂CHC(Me)O (A. Ansorge, D.J. Brauer, H. Bürger, F. Dörrenbach, T. Hagen, G. Pawelke, W. Weuter), (396) 253
- 3,4-Diborafulvene as bridging ligand in a novel slipped tripledecker complex (G.E. Herberich, C. Ganter, L. Wesemann, R. Boese), (394) C1
- Diborane ((Me₃Si)₃C)HB(μ -H)₂BH(C(SiMe₃)₃) and bis(aminoboryl)amine ((Me₃Si)₃CB(NH₂))₂NH, crystal structures of (S.S. Al-juaid, C. Eaborn, P.B. Hitchcock, K. Kundu, M.E. Molla, J.D. Smith), (385) 13
- Diethyl- and diisopropylamino-trifluoromethylboranes, synthesis reactions with HF, HCl, HBr and H₂O of; crystal structure of (CF₃)₂BN(i-Pr)₂ revealing a very short B-N bond (D.J. Brauer, H. Bürger, F. Dörrenbach, G. Pawelke, W. Weuter), (378) 125
- 2,5-Dihydroboroles and 1,3-dihydro-1,3-diborete, formation from 1,3-dienes and alkynes by rearrangement with dichlorodiisopropylamino)borane and alkali metals (D. Bromm, D. Stalke, A. Heine, A. Meller, G.M. Sheldrick), (386) 1
- 9-(*trans*-2,3-Dimethylcyclopropylmethyl)-9-borabicyclo[3.3.1]nonane, effect of solvent polarity on the rate of rearrangement of (E.A. Hill, C.A. Foley), (396) 247
- [Diphenylboratobis(η^5 -cyclopentadienyl, η^6 -phenyl)ruthenium(II)]⁺ cation, formation mechanism of (T. Wilczewski), (376) 385
- 1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339
- [Fe(CO)₄CHO⁻], infrared evidence for competitive [Li⁺] and Et₃B coordination to; thermodynamic evaluation of the ion pair equilibrium (S.W. Lee, W.D. Tucker, M.G. Richmond), (398) C6
- ($\mu_2\text{-Te}_2\text{Fe}_2\text{(CO)}_6$, reduction and reaction of the dianion formed with metal dihalides L₂MCl₂ (L = PPh₃, M = Pt, Pd, Ni; L = C₅H₅, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363
- Hydro(trisyl)boranes, (Me₃Si)₃CBHX, and borates, M[H₃BC(SiMe₃)₃]_x, formation and reactions of (P. Paetzold, L. Geret, R. Boese), (385) 1
- Isopinocampheyl dibromoboranes, selective catalysts for asymmetric Diels-Alder reactions (G. Bir, D. Kaufmann), (390) 1
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- Metallaborane anions, [M(CO)₄($\eta^2\text{-B}_2\text{H}_5$)]⁻ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27
- Metal-rich metallaborane clusters, synthesis of; mechanism involving fragment condensation (X. Meng, A.K. Bandyopadhyay, T.P. Fehlner, F.-W. Grevels), (394) 15
- 3-Methoxy-3-oxopropyltin(IV), tri(pyrazolyl)borate complexes of; crystal structure and properties of CH₃OOCCH₂CH₂Sn((pz)₃BH)X₂ (X = Cl, NCS) (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (399) 235
- Molybdenum pyrazolylborato stereochemically nonrigid complexes containing a *dihapto*-thiocarbonato-amido ligand, synthesis, structure and properties of (T. Desmond, F.J. Lalor, B. O'Sullivan, G. Ferguson), (381) C33
- 9-Monofluoro-, 9,12-difuoro-1,8,9,12-trifluoro-, and 8,9,10,12-tetrafluoro-*o*-carboranes and 9-monofluoro- and 9,10-difluoro-*m*-carboranes, synthesis of; molecular structure of 8,9,10,12-tetrafluoro-*o*-carborane (V.N. Lebedev, E.V. Balagurova, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov, L.I. Zakharkin), (385) 307
- Niobium metallaboranes, analogues of pentaborana(11) (P.D. Grebenik, J.B. Leach, J.M. Pounds, M.L.H. Green, P. Mountford), (382) C1
- Optically active vinylborates (I. Mikhail, D. Kaufmann), (398) 53
- 2-Oxygen derivatives of 1,2-oxaborolane, preparation from 2-allyloxy-1,2-oxaborolane (Z. Wei, L. Weiming, Z. Gaoyi, D. Hongxun, L. Shaofang), (387) 131

- Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multi-nuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1
- Quasi-aromatic main group ring systems; synthesis, characterisation and properties of (P.P. Power), (400) 49
- $\text{Ru}_3(\text{CO})_9\text{B}_2\text{H}_6$, metal-rich ruthenaborane analogue of pentaborane(9) and model for triruthenium supported unsaturated hydrocarbon (A.K. Chipperfield, C.E. Housecroft, D.M. Matthews), (384) C38
- Ruthenium and rhodium bis(benzotriazol-1-yl)borato complexes (J. Cartwright, A. Harman, A.F. Hill), (396) C31
- Triethylboroxin-tetraethyldiboroxane binary system, vapour-liquid equilibrium in (A. Sporzyński, J. Gregorowicz), (397) 147
- Triferrocenyloborane and its amine adducts (T. López, A. Campero), (378) 91
- Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251
- Tris(trifluoromethyl)borane stabilization in complexes with primary, secondary and tertiary amines; crystal and molecular structure of $(\text{CF}_3)_3\text{NHEt}_2$ and $(\text{CF}_3)_3\text{B}\cdot\text{NH}_2\text{Et}$ (D.J. Brauer, H. Bürger, F. Dörrenbach, B. Krumm, G. Pawelke, W. Weuter), (385) 161
- 2,4,6-Tri-*t*-butylphenyl-substituted iminoboranes, preparation, structures and reactions of (G. Elter, M. Neuhaus, A. Meller, D. Schmidt-Bäse), (381) 299

Cadmium

- Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $\text{HRu}_3\text{Au}(\text{CO})_8(\text{PPh}_3)_2(\text{PPh}_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109
- 1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxyazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Trimetallic anionic compounds containing Fe-E-M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of $[\text{N}(\text{PPh}_3)_2]_2[(\text{OC})_4\text{Fe}-\text{Hg}-\text{Fe}(\text{CO})_4]$ (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

Calcium

- Calcium and strontium, and zinc (phenazine)⁻ species (G.E. Jacobsen, C.L. Raston), (395) C1
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- $\text{M}(\text{C}_5\text{H}_4\text{CH}_3)_2\cdot\text{CH}_3\text{OCH}_2\text{CH}_2\text{OCH}_3$ (M = Ca, Yb), investigations of (A. Hammel, W. Schwarz, J. Weidlein), (378) 347

Chromium

- Alkene aminocarbene bidentate chromium complexes, alkyne insertion reactions of; formation and crystal structure of dihydroazepinetricarbonylchromium (A. Parlier, R. Yefsah, M. Rudler, H. Rudler, J.C. Daran, J. Vaissermann), (381) 191
- Aminocarbene chromium complex as starting compound in the synthesis of β -tritypranes and β -trispyrroles (R. Aumann, H. Heinen), (391) C7
- Aminocarbenechromium *N*-disubstituted complexes, nitrogen to carbon migration of the benzyl and allyl groups following alkyne insertions in (B. Denise, R. Goumont, A. Parlier, H. Rudler, J.-C. Daran, J. Vaissermann), (377) 89
- (η^6 -Arene)M(CO)₃ complexes (M = Cr, Mo or W), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371
- Arenetricarbonylchromium complexes, aromatic nucleophilic substitution at CH_3O in (F. Rose-Munch, E. Rose, A. Semra), (377) C9
- (η^6 -Arene)tricarbonylchromium complexes, improved synthesis of (M. Hudeček, Š. Toma), (393) 115
- Arenetricarbonylchromium complexes in the synthesis of 6,7-benzomorphanes (V.N. Kalinin, S.K. Moiseev, V.I. Bakhrutov, I.A. Cherepanov), (383) 85
- (η^6 -Arene)tricarbonylchromium(0) complexes of diterpenoids, regioselective hydroxylation of (R.C. Cambie, P.I. Higgs, P.S. Rutledge, P.D. Woodgate), (384) C6
- 3-Arsolenes (W.A. Schenk, E. Voss), (396) C8
- (Benzyl crotyl ether)chromium complexes, [2,3]-Wittig rearrangement of (M. Uemura, H. Nishimura, Y. Hayashi), (376) C3

- 2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333
- Bis(η^6 -bimesityl)chromium, magnetic shielding and conformational mobility (Ch. Elsenbroich, J. Schneider, H. Burdorf), (391) 195
- 1,2-Bis(3-indenyl)ethane dianion, reactions with photochemically activated carbonyl complexes of chromium, molybdenum and tungsten; crystal structure of 1,2-bis(3-indenyl)ethane (H.G. Alt, S.J. Palackal, R.D. Rogers), (388) 105
- 1,1'-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1'-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (394) 455
- Carbon monoxide ligands as building blocks for alkenyl ketone compounds (H.G. Alt), (383) 125
- Carbon monoxide substitution reactions of the seventeen-electron complex $\{(\eta^5\text{-C}_5\text{H}_5)\text{Cr}(\text{CO})_3\}$, mechanism of (W.C. Watkins, D.H. Macartney, M.C. Baird), (377) C52
- ($\eta^5\text{-C}_5\text{H}_4\text{CMe}_2\text{C}_{13}\text{H}_9\text{M}(\text{CO})_3\text{X}$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}; \text{X} = \text{H}, \text{Me}$) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131
- ($\eta^3\text{-C}_3\text{H}_5\text{}_2\text{Cr}$, reaction with P-donor ligands of (F. Iczek, P.W. Jolly, C. Krüger), (382) C11
- ($\text{C}_5\text{H}_5\text{}_2\text{Cr}(\mu\text{-OCMe}_3\text{)}_2$, reactions with chalcogens of; syntheses and molecular structures of $(\text{C}_5\text{H}_5\text{)}_2\text{Cr}_2(\mu\text{-OCMe}_3\text{)}_2(\mu\text{-S}_4)$ and $(\text{C}_5\text{H}_5\text{)}_2\text{Cr}_2(\mu\text{-OCMe}_3\text{)}_2(\mu\text{-Se})$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295
- $[(\text{C}_5\text{H}_5\text{)}_3\text{Cr}_3(\mu_3\text{-O})(\mu\text{-OCMe}_3\text{)}_3]^+[(\text{C}_5\text{H}_5\text{)}\text{Mo}(\text{CO})_3]^-$, synthesis, molecular structure and magnetic properties of the salt with a trinuclear cyclopentadienyl-oxo-butoxide cluster cation of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, O.G. Ellert, V.M. Novotortsev, Yu.T. Struchkov, A.I. Yanovsky), (385) 277
- Chelate (η^6 -fluorobenzyl)diphenylphosphitodicarbonylchromium complexes, scalar ^{13}C , ^{19}F spin–spin couplings between carbonyl carbons and aromatic fluorine in (P. Szczeciński), (393) 111
- ($\pi^6\text{-C}_6\text{H}_4\text{R}_3\text{)(CO)}_3\text{Cr}$ ($\text{R} = \text{Me}, \text{Et}$), photo-induced rearrangement with acetylenes of; molecular structure of $(\text{C}_6\text{H}_3\text{Me}_3\text{)(CO)}\text{Cr}(\mu\text{-CO})(\mu\text{-C}_2\text{[C(OEt)}_2\text{H}_2\text{]}_2\text{)}\text{Cr}(\text{CO})_4$ (H.G. Alt, H.E. Engelhardt, R.D. Rogers, S.T. Abu-Orabi), (378) 33
- Chromium, μ_2 -benzylidene complex of, with unpaired electrons (F.H. Köller, C. Krüger, H. Zeh), (386) C13
- Chromium and tungsten aziridinocarbene complexes, synthesis and reactivity with formation of nitrile and acetiminoester complexes of (B. Denise, A. Massoud, A. Parlier, H. Rudler, J.C. Daran, J. Vaissermann, C. Alvarez, R. Patino, R.A. Toscano), (386) 51
- Chromium (methoxymethyl)carbene complexes, reactions with $3H$ -indoles (C. Giordani, E. Licandro, S. Maiorana, A. Papagni, A.M. Slawin, D.J. William), (393) 227
- ($\eta^6\text{-1,4-(CH}_3\text{SO}_3\text{)}_2\text{C}_6\text{H}_4\text{)}\text{Cr}(\text{CO})_3$, synthesis, characterization, and reactivity of (M.E. Wright), (376) 353
- (Cl)(NO) $_2\text{Cr}(\eta^5\text{-C}_5\text{H}_4\text{)}\text{C}(\text{O})(\eta^5\text{-C}_5\text{H}_4\text{)}\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{)}$, synthesis of; an unexpected product from the Friedel–Crafts acylation of $(\text{CO})_2\text{(NO)}\text{Cr}(\eta^5\text{-C}_5\text{H}_4\text{)}\text{C}(\text{O})(\eta^5\text{-C}_5\text{H}_4\text{)}\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{)}$ with $(\text{CO})_2\text{(NO)}\text{Cr}[(\eta^5\text{-C}_5\text{H}_4\text{)}\text{C}(\text{O})\text{Cl}]$ (Y.-P. Wang, J.-M. Hwu), (399) 141
- $[(\text{C}_5\text{Me}_5\text{)}\text{Cr}(\text{CO})_3\text{]}_2$ dimer, metal–metal bond dissociation in; equilibrium studies by NMR spectroscopy (L.Y. Goh, S.K. Khoo, Y.Y. Lim), (399) 115
- (CO) $_5\text{M=C(OMe)Ph}$ ($\text{M} = \text{Cr}, \text{W}$) complexes, matrix photochemistry of; reactive MLCT and LF states of (P.C. Servaas, D.J. Stufkens, A. Oskam), (390) 61
- (CO) $_5\text{ML}$, stabilisation of RP(OH) $_2$, RPHNEt $_2$ and RPHCl ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379
- trans*-[(CO) $_5\text{M}(\text{Ph}_2\text{PX}(\text{CH}_2\text{)}_2\text{N=CHC}_6\text{H}_4\text{-o-O})\text{]}_2\text{M}'$ ($\text{M} = \text{Mo}; \text{X} = \text{NH}$ or $\text{M} = \text{Cr}, \text{W}; \text{X} = \text{CH}_2$; $\text{M}' = \text{Ni}, \text{Cu}, \text{Zn}$) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-[(CO) $_5\text{Mo}(\text{P}(\text{OCH}_2\text{CMe}_2\text{CH}_2\text{O})\text{NH}(\text{CH}_2\text{)}_2\text{N=CHC}_6\text{H}_4\text{-o-O})\text{]}_2\text{Cu}$, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53
- π -Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161
- (CO) $_2\text{(NO)}\text{Cr}(\eta^5\text{-C}_5\text{H}_4\text{)}\text{CH}_2(\eta^5\text{-C}_5\text{H}_4\text{)}\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{)}$, X-ray structure of (CO) $_2\text{(NO)}\text{Cr}_2(\eta^5\text{-C}_5\text{H}_4\text{)}\text{CH}_2[\eta^5\text{-}(3\text{-acetyl})\text{C}_5\text{H}_3\text{]} \text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{})$ (Y.-P. Wang, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (386) 79
- (CO) $_2\text{(NO)}\text{Cr}(\eta^5\text{-C}_5\text{H}_4\text{)}\text{CH}_2(\eta^5\text{-C}_5\text{H}_4\text{)}\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{)}$ Friedel–Crafts acylation of; crystal structure of (CO) $_2\text{(NO)}\text{Cr}(\eta^5\text{-C}_5\text{H}_4\text{)}\text{CH}_2(\eta^5\text{-C}_5\text{H}_4\text{)}\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{)}\text{C}(\text{O})(\eta^5\text{-C}_5\text{H}_4\text{)}\text{Cr}(\text{CO})_2\text{(NO)}$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

- [CpCr(CO)₃]₂(μ -SnCl₂) and CpCrCl₂(THF), isolation from the insertion-displacement of Se in Cp₂Cr₂(CO)₄Se with SnCl₂; crystal structure of CpCrCl₂(CH₃CN) (Cp= η^5 -C₅H₅) (L.Y. Goh, T.W. Hambley), (395) 269
- Cr(CO)₅(CNCN), a complex in which the coordinated CN group of isocyanogen binds and vibrates like a CO ligand (G.C. Schoemaker, D.J. Stufkens, S.J. Goede, T. van der Does, F. Bickelhaupt), (390) C1
- Cr(CO)₅(H₂) and Cr(CO)₄(H₂)₂, ab initio investigation of (G. Pacchioni), (377) C13
- [Cr(CO)₅I], induced photoredox reaction by ligand to metal charge transfer excitation of (H. Kunkely, A. Vogler), (378) C15
- Cr(CO)₃ intramolecular migration from a phenyl to a cyclopentadienyl ring through a σ -bond (A. Ceccon, A. Gambaro, F. Gottardi, S. Santi, A. Venzo, V. Lucchini), (379) 67
- Cycloaddition between metallic ylid and ketene imine, unexpected results of (W.P. Fehlhammer, G. Zinner, G. Beck, J. Fuchs), (379) 277
- Cyclopentadienyl-alkoxide complexes, (C₅H₅)₂Cr₂(μ -OR)₂[OCCO₃(CO)₉] and (C₅H₅)₂Cr₂(OR)₂(μ -OR)₂ (R = CMe₃), synthesis, molecular structure, electronic structure and magnetic properties of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Oratzsakhatov, V.M. Novotortsev, O.G. Ellert, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (384) 279
- α -Cynichrodenyl- α -ferrocenylmethylium tetrafluoroborate, synthesis and 2D NMR spectra of (Yu.-P. Wang, J.-M. Hwu), (385) 61
- (N,N-Dibenzyl)benzene coordination of sulphenamide to pentacarbonylchromium(0) via the sulphur atom; crystal structure of (C₆H₅CH₂)₂N(C₆H₅)Cr(CO)₅ (M.L. Rodriguez, C. Ruiz-Pérez, I. Brito, C. Diaz, J. Cuevas, G. González, V. Manriquez), (377) 235
- Diboradiazaronaphthalenetricarbonylchromium complexes, synthesis and characterization of (S. Allaoud, A. Karim, A. Mortreux, F. Petit, B. Frange), (379) 89
- Diphenylphosphinocyclopentadienyluranium-transition metal heterodinuclear complexes (CpPPh₂)_nU-(NEt₂)_{4-n}M(CO)₄ (n = 2, 4; M = Cr, Mo) (A. Dormond, P. Hepiègne, A. Hafid, C. Moise), (398) C1
- Diphosphinoamines, X₂PN(R)PX₂, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of [Mo(CO)₄PhN(P(OPh)₂)₂] and [W(CO)₄PrN(PPh₂)₂] (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203
- cis-1,3-Disubstituted 1,3-dihydroisobenzofurans, stereoselective synthesis via arenetricarbonylchromium methodology of (S.J. Coote, S.G. Davies, D. Middlemiss, A. Naylor), (379) 81
- 16-Electron carbene complexes (CO)₄MC(NR₂)SiR'₃ (M = Cr, Mo, W), preparation and properties of (W. Hepp, U. Schubert), (385) 221
- F₃CP=C(F)NMe₂ as (η^1 - μ_2) 4e⁻donor, a new coordination mode for acyclic phosphaalkenes (J. Grobe, D. Le Van, B. Krebs, R. Fröhlich, A. Schiemann), (389) C29
- [Fe(CO)₂(S₄')] as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of [Fe(CO)₂(μ -S₄'){M(CO)₅}_n] (n = 1: M = Cr, Mo, W; n = 2: M = W; 'S₄'²⁻ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2-)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327
- Fluoroarenetricarbonylchromium complexes, synthesis of α -substituted aryl imino esters or nitriles via addition of α -imino esters or nitriles to, (F. Rose-Munch, K. Aniss, E. Rose), (385) C1
- Group 6 dimetallaheterocycles; CO-substitution by electron transfer catalysis in (P. Holzmeier, H. Kisch, J.K. Kochi), (382) 129
- Group 6 metal carbonyl complexes containing 2-diphenylphosphinopyridine and 3,6-bis(diphenylphosphino)pyridazine, synthesis of; molecular structure of Cr(CO)₅(3-diphenylphosphino-6-diphenylphospholypyridazine), (Z.-Z. Zhang, H.-K. Wang, Y.-J. Shen, H.-G. Wang, R.-J. Wang), (381) 45
- Haloarenetricarbonylchromium, reaction with trimethylphosphite: palladium-catalyzed Arbuzov reaction versus arene displacement by trimethylphosphite (R. Chauvin), (387) C1
- Halo/n-alkyl mixed chromium(III) compound, synthesis, structure, and reactivity of Cr(n-Bu)₂Cl-[{(Me₂PCH₂)₃CMe}] (E.G. Thaler, K. Folting, J.C. Huffman, K.G. Caulton), (376) 343
- Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267
- Hexaphenylbenzene chromium tricarbonyl, fluxional behaviour of; variable-temperature ¹³C NMR spectroscopic study (B. Mailvaganam, B.G. Sayer, M.J. McGlinchey), (395) 177
- 1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

- 3-Hydroxypyridines, 1*H*-pyrroles and 2-hydroxypyrroles, preparation from an aminocarbene-chromium complex and alkynes (R. Aumann, H. Heinen), (389) C1
- Indium monohalide insertion reactions into metal–metal bonds; crystal structure of [InCl(THF)₂(MoCO)₃(η -C₅H₅)₂] (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10
- Inenylcarbene complexes, preparation from alkinylcarbene complexes and electron-rich alkynes (H. Fischer, T. Meisner, J. Hofmann), (397) 41
- Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- M(CO)₄(η^4 -norbornadiene) complexes of group 6 transition metals (M = Cr, Mo, W) in low-temperature matrices, photochemistry of (F.-W. Grevels, J. Jacke, W.E. Klotzbücher, K. Schaffner, R.H. Hooker, A.J. Rest), (382) 201
- M(CO)₆ (M = Cr, Mo, W), pulsed laser flash photolysis of; volumes of activation for solvent displacement in (solvent)M(CO)₅ transients (S. Zhang, V. Zang, H.C. Bajaj, G.R. Dobson, R. van Eldik), (397) 279
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- ansa*-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ¹H- and ¹³C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Bräntzinger), (397) 21
- N*-Methyl-1,2,3,4-tetrahydroisoquinoline derivatives, stereocontrolled synthesis via chromium tricarbonyl methodologies (S.G. Davies), (400) 223
- Mixed-metal carbide clusters, [MnRu₃C(CO)₁₃]⁻, [MnOs₃C(CO)₁₃]⁻, [Cr₂Ru₃C(CO)₁₆]²⁻, [Mo₂Ru₃C(CO)₁₆]²⁻, [Rh₃Ru₃C(CO)₁₅]⁻, [Ni₃Ru₃C(CO)₁₃]²⁻ and [Co₃Ru₃C(CO)₁₅]⁻; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121
- Monomeric arylchromium(II) complexes; crystal structures of [*cis*-Mes₂Cr(THF)₂](THF), [*cis*-Mes₂Cr(bipy)](THF), [Mes₄CrLi₂(THF)₂](THF) and Ph₄CrLi₂(THF)₄ (Mes = 2,4,6-mesityl; bipy = 2,2'-bipyridine) (J.J.H. Edema, S. Gambarotta, F. van Bolhuis, W.J.J. Smeets, A.L. Spek, M.Y. Chiang), (389) 47
- (μ - η^6 , η^6 -Naphthalene)dichromium and bis(η^6 -naphthalene)chromium compounds, electrochemical properties of (B.F. Bush, J.J. Lagowski), (386) 37
- (OC)₅M(μ -dppf)M(CO)₅·CH₂Cl₂ (M = Cr, Mo; dppf = (Ph₂PC₃H₄)₂Fe) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29
- Octanuclear heterometallic cluster (MeC₅H₄)₂Cr₂(μ_3 -S)₄Co₂[(μ_3 -S)₂Fe₂(CO)₆], [(μ_3 -S)Fe₂(CO)₆] having a “triangular metal ornament” core, chemical assembly and molecular structure of (A.S. Katugin, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, A.S. Aliev, Yu.T. Struchkov, A.I. Yanovsky), (382) 423
- Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165
- Pentacarbonylchromium complexes of Diels–Alder adducts of bis(trifluoromethyl)disphosphenes (J. Grobe, T. Grosspietsch, D. Le Van, J. Schulze, B. Krebs, M. Dartmann), (385) 255
- Pentacarbonylhalogenaminophosphine complexes (CO)₅MPRXNR'₂, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17
- Pentamethylcyclopentadienylchromium tricarbonyl dimer, isolation of; X-ray crystal structure of two polymorphs (L.Y. Goh, T.W. Hambley, D.J. Daresbourg, J. Reibenspies), (381) 349
- Phenylarsane and its pentacarbonylchromium derivatives, dehydration of; trapping reactions for diphenyldiarsene, PhAs=AsPh (I. Jibril, L.-R. Frank, L. Zsolnai, K. Evertz, G. Huttner), (393) 213
- β -Phenylglucuronides, synthesis using the Mitsunobu reaction; application of phenolic chromium tricarbonyl complexes (G.T. Badman, D.V.S. Green, M. Voyle), (388) 117
- Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83
- Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^{*}) ligands: synthesis and Cp^{*} transfer (P. Jutzi, R. Kroos), (390) 317
- (P)InM(L) and (P)TiM(L) σ -bonded heteronuclear metalloporphyrin complexes (M(L) = Mn(CO)₅, Co(CO)₄, Cr(CO)₃Cp, Mo(CO)₃Cp, or W(CO)₃Cp), physicochemical study of (R. Guilard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315
- Quinone ketal functionalized carbonyl carbene complexes; synthesis, structure and carbene annulation of (K.H. Dötz, M. Popall, G. Müller, K. Ackermann), (383) 93

- Selenobenzaldehyde chromium and tungsten complexes, synthesis, structure and η^1/η^2 isomerism of (H. Fischer, S. Zeuner, U. Gerbing, J. Riede, C.G. Kreiter), (377) 105
- Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-S)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369
- Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57
- Thiocarbene-chromium complexes, sulfur to carbon migration of an allyl group upon alkyne insertion in (A. Parlier, H. Rudler, C. Alvarez), (379) 271
- Transition metal stabilised As^I and Sb^I chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255
- Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73
- Tricarbonylchromium-complexed benzyl acetates, stereoselective α -alkylation of carbonyl compounds applied in (M.T. Reetz, M. Sauerwald), (382) 121
- Tricarbonyl(η^6 -[8]paracyclophane)chromium, solvent dependence of the ¹H-NMR coordination chemical shifts of (L.W. Jenneskens, W.H. de Wolf, F. Bickelhaupt), (390) 171
- Trifluoromethylisocyanide complexes of chromium, molybdenum and tungsten, synthesis of hexakis(trifluoromethylisocyanide chromium) (D. Lentz), (381) 205
- Trigonal bipyramidal methylidine clusters, EFe₃(CO)₉CH (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
- Tri(methylene)methane, rearrangements to 1,3-diene ligands to chromium and iron complexes of (R. Aumann, B. Trentmann), (378) 171
- Vinyl- and chlorovinyl-isocyanide complexes, synthesis and reactivity of (W.P. Fehlhammer, G. Beck), (379) 97

Cobalt

- Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21
- Alkylidyne-tricobalt cluster, metal exchange reactions with reactive μ_3 -CX groups of (H.T. Schacht, H. Vahrenkamp), (381) 261
- Alkyne clusters, cage expansion of; ligand assistance by alkyne substituents (W. Rohde, J. Fischer, A. De Cian), (393) C25
- Allylperoxycobalt(III) tetraphenylporphyrin, formation and structure of (W. Mikolaiski, G. Baum, W. Massa, R.W. Hoffmann), (376) 397
- Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Daresbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191
- Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of [Fe₂(CO)₈(μ_4 -As)]₂[Fe₂(CO)₆] and [μ_4 -AsCo₃(CO)₈]₃ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197
- Azaferrocene, axial coordination to a cobalt(II) porphyrin and alkylcobaloximes of (J. Zakrzewski, C. Giannotti), (385) C23
- Benzophenone synthesis through carbonylation of aryl iodides catalysed by Fe(CO)₅-Co₂(CO)₈ systems (J.-J. Brunet, M. Taillefer), (384) 193
- Binuclear cobalt carbonyl complex with mixed valence, Co⁰Co¹(μ -Ph₂Ppy)₂(μ -CO)(CO)Cl (Ph₂Ppy = diphenylphosphinopyridine), synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, Z. Xi, X.-K. Yao, R.-J. Wang), (376) 123
- Biscarbynetricobalt clusters with alkyne functionality, structure and redox processes of (S.M. Elder, B.H. Robinson, J. Simpson), (398) 165
- (η^4 -2-Bromo- and -iodo-5-trimethylsilylcyclopentadienone)(η^5 -cyclopentadienyl)cobalt and their 3,4-tri-, -tetra-, and -penta-methylene derivatives, synthesis of, (P.C. Auderset, E.R.F. Gesing), (381) 139
- Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145
- Carbonylcobalt complexes of ethynylhydrogenosilanes, formation and reactions of (R.J.P. Corriu, J.J.E. Moreau, H. Praet), (376) C39
- Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289
- Carbonyl ligands from alkynes; oxidative decarbonation of acetylidy bridged complexes (W. Bernhardt, H. Vahrenkamp), (383) 357

- Cationic mixed metal clusters, NMR and EHMO investigation of; X-ray crystal structure of (1,7,7-trimethyl- μ^2 -2-propynylnorbornene) bis-(cyclopentadienyl)tetracarbonyldimolybdenum (M.F. D'Agostino, C.S. Frampton, M.J. McGlinchey), (394) 145
- (η^5 -C₅H₄CO₂CH₃)Co(CO)I₂, reactions with polydentate phosphines (C. Moreno, M.J. Macazaga, S. Delgado), (397) 93
- (η^5 -C₅H₅)Co(CO)₂, reaction with dichloroethyne; structures of (CpCo)(η^4 -C₇Cl₆O), [CpCo]₂[μ -(η^1 , η^2)₂C₅Cl₄O] and [η^4 -(CpCo-CCl=CCl-CCl=CCl)](CoCp) (K. Sünkel), (391) 247
- (C₅H₅Co)₃(μ_3 - η^2 : η^2 : η^2 : η^2 -benzene), electronic structure of (H. Wadeppohl, L. Zhu), (376) 115
- Chloromethylphenylethinylsilane, reaction with octacarbonyldicobalt; reactivity of [(η^2 -C≡CPh)Co₂(CO)₆](Me)Si(H)Cl (H. Lang, U. Lay), (388) C1
- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16
- Cluster-substituted cyclopentadienone, formation from Ph₂C₂CCo₃(CO)₉; crystal structure of Ph₂C₄C(O)[CCo₃(CO)₉]₂ (G.H. Worth, B.H. Robinson, J. Simpson), (387) 337
- Cobaltadisiloxane cyclic compounds; crystal structures of a pyridinolithium [bis(cyclosiloxy)cobalt]cobalt chloride and a bis(tetramethylmethylenediaminolithium)bis(cyclosiloxy)cobaltate (M.B. Hursthouse, M.A. Mazid, M. Mottevalli, M. Sangane, A.C. Sullivan), (381) C43
- Cobalt and rhodium fulvene complexes, synthesis and structure (D. Rau, U. Behrens), (387) 219
- 1-Cobalta-2-phospha-1,3-diene, isomerisation to tricarbonyl(1-phosphallyl)cobalt (H. Lang, M. Leise), (393) C17
- Cobalt carbonyl catalysed carbonylation of benzal bromides by phase transfer catalysis (S.C. Shim, C.H. Doh, W.H. Park, Y.G. Kwon, H.S. Lee), (382) 419
- Cobalt(II) salts containing weakly-coordinating anions, reductive carbonylation in the presence of diphosphine ligands (A. Del Zotto, P. Rigo), (390) 97
- Cobalt mediated alkene/diene coupling; documentation of scope, limitations, and regioselectivity (K.S. Feldman, K.C. Grega), (381) 251
- Cobalt phosphine carbonyl complex catalyst for the homologation of methanol (N. Isogai, K. Tanaka), (397) 101
- Cobalt-platinum carbonyl complexes with carbido ligands; crystal structure of the hexanuclear mixed-metal cluster [Co₃Pt₃(μ -H)(μ_6 -C)(μ -CO)₄(CO)₅(P-i-Pr₃)₃] (J.C. Jeffery, M.J. Parrott, F.G.A. Stone), (382) 225
- Cobalt-propargyl complexes, synthesis and reactions at Co-CH₂ and C≡C bonds of (F. Ungváry, A. Wojcicki), (396) 95
- Co₂(CO)₈, Co₄(CO)₁₂, and Cp₂Mo₂(CO)₄, reactions with tungsten and molybdenum propargyl complexes; study of the formation of (CO)₃Co(μ -RC≡CMe)WCp(CO)₂ (G.H. Young, A. Wojcicki), (390) 351
- [(Co(CO)₂(η^5 -C₅H₄))₂CH₂], reaction with iodine and mercuric halides of (M.G. Cox, A.R. Manning, A. McCabe), (384) 217
- Co₄(CO)₁₀(μ_4 -PPh)₂, site selectivity and competitive CO attack using methanolic [Et₄N][OH] (J.A. Partin, M.G. Richmond), (396) 339
- π -Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161
- Cyclopentadienyl-alkoxide complexes, (C₅H₅)₂Cr₂(μ -OR)₂[OCCo₃(CO)₉] and (C₅H₅)₂Cr₂(OR)₂(μ -OR)₂ (R = CMe₃), synthesis, molecular structure, electronic structure and magnetic properties of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Oratzsakhatov, V.M. Novotortsev, O.G. Ellert, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (384) 279
- Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1
- (η^4 -Diene)Co(CO)₃BF₄ substituted complexes, regioselectivity of nucleophilic additions to (R. Panayat selvan, K.M. Nicholas), (384) 361
- Dinuclear (M, M') complexes with [CH₂(C₅H₄)₂]²⁻ as bridging ligands (D. Schneider, H. Werner), (384) C33
- Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203
- 1,3-Di-t-butylcyclopentadienyl ligands to iron, cobalt and titanium, complexation of (J. Okuda), (385) C39
- Ethyanyl-, trimethylsilylethyanyl- and ferrocenylethyanyl cobaltocenium salts, preparation and reactions of (M. Wildschek, C. Rieker, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (396) 355

- $\text{Et}_4\text{N}[\text{trans}-\{\text{Cl}_3\text{Sn}\}_2\text{Co}(\text{CO})_3]$ and $[\text{Co}(\text{pz})_3\text{BH}_2][\text{trans}-\{(\text{CO})_4\text{Co}\}\text{Cl}_2\text{Sn}]_2\text{Co}(\text{CO})_3]$, preparation, structures and bonding in (O.J. Curnow, B.K. Nicholson, M.J. Severinsen), (388) 379
- $\text{Fe}(\text{CO})_3[\text{Fe}(\text{CO})_3-\text{CH}-\text{CPh}-\text{S}]$, addition and substitution reactions of (T. Fässler, G. Huttner), (381) 391
- (η^5 : η^5 -Fulvalene)bimetallic compounds derived from (η^5 : η^5 -fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227
- Heterotetranuclear anionic clusters, $[\text{MCo}_3(\text{CO})_{12-2n}(\text{C}_2\text{Ph}_2)_n]^-$ ($\text{M} = \text{Fe, Ru}$; $n = 0, 1$), redox behaviour of (R. Jund, J. Rimmelin, M. Gross), (381) 239
- ^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- $[\text{HRuCo}_3(\text{CO})_{11}(\text{SeMe}_2)]$, $[\text{HRuCo}_3(\text{CO})_{10}(\text{SeMe}_2)_2]$ and $[\text{HRuRh}_3(\text{CO})_9]_2[\text{SeMe}_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403
- Iron carbonyls, reactions with triple-decker sandwich complexes ($\eta^5\text{-C}_5\text{H}_5$) $\text{Ni}(\mu, \eta^5\text{-C}_2\text{B}_2\text{C})\text{M}(\eta^5\text{-C}_5\text{H}_5)$, ($\text{M} = \text{Co, Ni}$); replacement of ($\eta^5\text{-C}_5\text{H}_5$) Ni by and insertion of the $\text{Fe}(\text{CO})_3$ fragment into the ($\eta^5\text{-C}_5\text{H}_5$) -Ni bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Metallocenylcyclopentadienylides as precursors for heteropolymetallocenes, preparation and reactions of ferrocenyl- and cobaltoceniumyl-cyclopentadienylides of, (C. Rieker, G. Ingram, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (381) 127
- Mixed-metal carbide clusters, $[\text{MnRu}_3\text{C}(\text{CO})_{13}]^-$, $[\text{MnOs}_3\text{C}(\text{CO})_{13}]^-$, $[\text{Cr}_2\text{Ru}_3\text{C}(\text{CO})_{16}]^{2-}$, $[\text{Mo}_2\text{Ru}_3\text{C}(\text{CO})_{16}]^{2-}$, $[\text{Rh}_3\text{Ru}_3\text{C}(\text{CO})_{15}]^-$, $[\text{Ni}_3\text{Ru}_3\text{C}(\text{CO})_{15}]^{2-}$ and $[\text{Co}_3\text{Ru}_3\text{C}(\text{CO})_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121
- Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of $[\text{L}(\text{CO})_2\text{W}=\text{C}_6\text{H}_4-p\text{-CH}_3]$ and $[\text{L}(\text{CO})\text{Mo}(\mu\text{-CO})\text{Pd}(\text{I})\text{C}(\text{C}_6\text{H}_4-p\text{-CH}_3)\text{C}_6\text{H}_4-o\text{-CH}_2\text{N}(\text{CH}_3)_2]$, $\text{L}^- = \{[\text{C}_5\text{H}_5]\text{Co}\{\text{P}(\text{O})(\text{OCH}_3)_2\}_3\}^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213
- Mono- and bis-metallocene calix[4]arene hydrophobic receptor molecules, synthesis, structure and electrochemical properties of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (378) 437
- Monocyanoacetylene and dicyanoacetylene, reactions with organometallic compounds of cobalt(I) and nickel(II); crystal structure of $[\text{Co}(\text{C}=\text{CCN})_2(\eta^5\text{-C}_5\text{H}_5)(\text{P}(\text{C}_6\text{H}_5)_3)]$ (R. Kergoat, L.C. Gomes de Lima, C. Jégat, N. Le Berre, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 71
- Mononuclear cobalt carbonyls containing monodentate thiolate or xanthate groups; structures of $\text{PhSc}(\text{CO})_2(\text{PPh}_2\text{OMe})_2$ and $\text{MeOCS}_2\text{Co}(\text{CO})_2(\text{PPh}_2^i\text{Bu})_2$ (S. Vastag, L. Markó, A.L. Rheingold), (397) 231
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
- Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcutti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiß), (394) 765
- Nitrile formation in hydrocyanation and cyanation by cyanocobaltate, intermediates in (T. Funabiki, K. Tatsumi, S. Yoshida), (384) 199
- Octanuclear heterometallic cluster $(\text{MeC}_5\text{H}_4)_2\text{Cr}_2(\mu_3\text{-S})_4\text{Co}_2[(\mu_3\text{-S})_2\text{Fe}_2(\text{CO})_6]$, $[(\mu_3\text{-S})\text{Fe}_2\text{-}(\text{CO})_6]$ having a “triangular metal ornament” core, chemical assembly and molecular structure of (A.S. Katugin, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, A.S. Aliev, Yu.T. Struchkov, A.I. Yanovsky), (382) 423
- Organocobaloximes, molecular oxygen insertion into; kinetics and decomposition studies of (B.D. Gupta, M. Roy, I. Das), (397) 219
- Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165
- $[\text{Os}_3\text{H}(\text{CH}=\text{CHR})(\text{CO})_{10}]$ ($\text{R} = \text{OEt}$, ferrocenyl), molecular structures of and substitution effects at bridging vinyl ligands in (A.J. Deeming, M.S.B. Felix, D. Nuel, N.I. Powell, D.A. Tocher, K.I. Hardcastle), (384) 181
- Palladium-, cobalt-, and nickel-catalyzed tandem syntheses of polycyclic π -systems containing cyclobutadiene, benzene, and cyclooctatetraene rings (H. Schwager, S. Spyroudis, K.P.C. Vollhardt), (382) 191
- Phenylethynyl-substituted phosphonium ion complexes $(\text{R})(\text{R}')\text{P}=\text{MoCp}'(\text{CO})_2$, synthesis and reactivity of; preparation of cluster compounds containing a 1-cobalta-2-phospho heteroallyl building block (H. Lang, M. Leise, L. Zsolnai), (386) 349
- η^3 -Phosphaallyl-cobalt and -nickel complexes; synthesis of; crystal structure of $[\eta^3\text{-1-(2,4,6-tri-t-butylphenyl)-1-phosphaallyl}]$ tricarbonylcobalt (F. Mercier, C. Hugel-Le Goff, L. Ricard, F. Mathey), (389) 389

- Phosphorus analogues of unsaturated hydrocarbon-transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- (P)InM(L) and (P)TiM(L) σ -bonded heteronuclear metalloporphyrin complexes (M(L) = Mn(CO)₅, Co(CO)₄, Cr(CO)₃Cp, Mo(CO)₃Cp, or W(CO)₃Cp), physicochemical study of (R. Guillard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315
- (Propargylum)-Co₂(CO)₆⁺ and -(C₅H₅)₂Mo₂(CO)₄⁺, selective propargylation of polyfunctional amines by (M. Gruselle, V. Philomin, F. Chaminant, G. Jaouen, K.M. Nicholas), (399) 317
- Pyridine- and polypyridine-Co(I) complexes, photochemical generation by visible light irradiation of [Co(bpy)₃](BPh₄)₂ and [Co(py)₆](BPh₄)₂ (P. Biagini, T. Funaioli, A. Juris, G. Fachinetto), (390) C61
- Sandwich complexes of transition metals, flexible coordination of indenyl ligands in; molecular structures of (η -C₉R₇)₂M (M = Fe, R = H, Me; M = Co, Ni, R = H); direct measurement of the degree of slip-fold distortion as a function of *d*-electron count (S.A. Westcott, A.K. Kakkar, G. Stringer, N.J. Taylor, T.B. Marder), (394) 777
- Telluride-substituted mixed metal clusters; crystal structures of [HRuCo₃(CO)₁₁(TeMe₂)], [HRuCo₃(CO)₁₀(TeMe₂)₂], and [HRuCo₃(CO)₁₁(TePh₂)] (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81
- Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77
- Transition metals, diene complexes of (A. Nakamura), (400) 35
- Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337
- Trisodium tricarbonylcobaltate(3-), synthesis, isolation and characterization of (J.E. Ellis, P.T. Barger, M.L. Winzenburg, G.F. Warnock), (383) 521
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103
- N*-phenylalkynylimine-hexacarbonyldicobalt complexes, synthesis and reactions of (Y. Ito, M. Inouye, M. Murakami, M. Shiro), (385) 399

Copper

- Allyl cuprates, diastereoselective addition to unsaturated chiral imides (G. Pourcelot, O. Melnyk, Y. Besace, E. Stephan, P. Cresson), (388) C5
- [Au₃AgCu(C₂Ph)₆]⁻ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylidyne complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267
- Bimetallic tetrานuclear clusters, synthesis from phosphido-bridged Ru₃ cluster anions and metal halogenides of Groups 11 and 12; crystal structure of HRu₃Au(CO)₈(PPh₃)(PPh₂)₂ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109
- Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145
- Cationic bridging alkylidyne complexes, reactions with nucleophiles (C.P. Casey, P.C. Vosejpk, M. Crocker), (394) 339
- trans*-[(CO)₅M(Ph₂PX(CH₂)₃N=CHC₆H₄-o-O)]₂M' (M = Mo; X = NH or M = Cr, W; X = CH₂; M' = Ni, Cu, Zn) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-[(CO)₅Mo(P(OCH₂CMe₂CH₂O)NH(CH₂)₂N=CHC₆H₄-o-O)]₂Cu, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53
- Copper(I) and silver(I) complexes with 1,5-cyclooctadiene, Raman spectra of; the nature of metal-olefin bonds; possibility of a copper(I)-olefin bond in cytochrome oxidase (H. Masuda, M. Munakata, S. Kitagawa), (391) 131
- [Cu₃(μ ₃- η ¹-C≡CPh)(μ -dppm)₃][BF₄]₂, synthesis and crystal structure of (M.P. Gamasa, J. Gimeno, E. Lastra, A. Aguirre, S. García-Granda), (378) C11
- endo*-Dicyclopentadiene and copper(I) chloride tetrานuclear π complexes with cubane Cu₄Cl₄-cores, preparation and molecular structures of (M. Häkansson, S. Jagner), (397) 383
- 4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115
- Group 11 trifluoromethyl derivatives, formation by reaction of Cd(CF₃)₂·glyme with representative Au, Ag and Cu complexes; isolation of Au(CF₃)₃(PMe₃), Au(CF₃)₃(PEt₃), AuI(CF₃)₂(PMe₃),

- $\text{AuCF}_3(\text{PMe}_3)$, $\text{AuCF}_3(\text{PEt}_3)$ and $\text{AgCF}_3(\text{PMe}_3)$; observation of $\text{CuCF}_3(\text{PMe}_3)$, (H.K. Nair, J.A. Morrison), (376) 149
- Heterobinuclear complexes $[\text{WM}(\text{CO})_3(\text{PPh}_3)_2(\eta^5\text{-C}_5\text{H}_5)]$ ($\text{M} = \text{Rh}, \text{Cu}$), ^{13}C and ^{31}P NMR studies on geometrical non-rigidity in (W.E. Lindsell, P.J. Tomb), (378) 245
- Heteronuclear cluster compounds containing $\text{M}(\text{PR}_3)$ ($\text{M} = \text{Cu, Ag or Au}$; $\text{R} = \text{alkyl or aryl}$), synthesis via group 11 metal exchange reactions of (S.S.D. Brown, I.D. Salter), (377) C31
- Heterotetranuclear $\text{Cu}^{\text{I}}_2\text{Fe}^{\text{II}}_2$ complex bridged by π -accepting 2,2'-bipyrimidine, electronic structure of; close-lying but orthogonal frontier orbitals (C. Vogler, W. Kaim), (398) 293
- α -(Methylene)alkanoic esters, formation by substitution of α -(acetoxyethyl)acrylates using Grignard reagents of (H. Amri, M. Rambaud, J. Villieras), (384) 1
- Mixed-metal cluster compound $[\text{Cu}_2\text{Ru}_4(\mu_3\text{-H})_2(\text{CO})_{12}\{\text{P}(\text{CH}_2\text{Ph})_3\}_2]$, synthesis and X-ray structure analysis of (P.J. McCarthy, I.D. Salter, K.P. Armstrong, M.M. McPartlin, H.R. Powell), (377) C73
- Mixed-metal clusters containing $\text{M}\{\text{P}(\text{CH}_2\text{Ph})_3\}$ ($\text{M} = \text{Cu or Ag}$) fragments, influence of $\text{P}(\text{CH}_2\text{Ph})_3$ ligand on the metal framework structures adopted by; crystal structures of $[\text{Cu}_2\text{Ru}_4(\mu_3\text{-H})_2(\text{CO})_{12}\{\mu\text{-P}(\text{CH}_2\text{Ph})_2(\eta^2\text{-CH}_2\text{Ph})\}]$ and $[\text{Cu}_2\text{Ru}_4(\mu_3\text{-H})_2(\text{CO})_{12}\{\text{P}(\text{CH}_2\text{Ph})_3\}_2]$ (C.J. Brown, P.J. McCarthy, I.D. Salter, K.P. Armstrong, M. McPartlin, H.R. Powell), (394) 711
- $[\text{Mo}_2\text{Cp}_2(\mu\text{-}\sigma\text{-}\pi\text{-CN}^1\text{Bu})(\text{PPh}_2\text{CH}_2\text{PPh}_2\text{P})(\text{CO})_3]$ ($^1\text{Bu} = \text{C}(\text{CH}_3)_3$, $\text{Cp} = \eta\text{-C}_5\text{H}_5$), synthesis, crystal structure and heterometallic derivatives of (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (382) 407
- Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitesta, P. Zambonin), (378) 239
- Organocupper compounds and cuprates (G. van Koten), (400) 283
- Organometallic reagents derived from $\text{CF}_2=\text{FCl}$, $\text{CF}_2=\text{CCl}_2$ and $\text{CF}_2=\text{CH}_2$ in the synthesis of selectively fluorinated substrates (J.-F. Normant), (400) 19
- Pentanuclear $[\text{Au}_3\text{Ag}_2(\text{C}_2\text{Ph})_6]^-$, $[\text{Ag}_5(\text{C}_2\text{Ph})_6]^-$, and $[\text{Ag}_4\text{Cu}(\text{C}_2\text{Ph})_6]^-$ clusters, preparation and possible structures of; reactivity of the polymer complexes $[\{\text{AuAg}(\text{C}_2\text{Ph})_2\}_n]$ and $[\{\text{AuCu}(\text{C}_2\text{Ph})_2\}_n]$ (O.M. Abu-Salah, A. Razzak, A. Al-Ohaly, Z.F. Mutter), (389) 427
- $[\text{Ru}_2(\mu\text{-1,2-(NH)}_2\text{C}_6\text{H}_4)(\text{CO})_4(\text{PPh}_3)_2]$, reactions with H^+ , NO^+ and Group 11 metal fragments; syntheses of trinuclear Ru_2M ($\text{M} = \text{Cu, Ag, Au}$) and pentanuclear Ru_4Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423
- Tetranuclear cluster $[\text{Au}_2\text{Ag}_2(\text{C}_2\text{Ph})_4(\text{PPh}_3)_2]$ and mixed-metal gold–silver and gold–copper phenyl-acetylide polymer complexes $[\{\text{AuM}(\text{C}_2\text{Ph})_2\}_n]$ ($\text{M} = \text{Ag, Cu}$), syntheses and structures of (O.M. Abu-Salah), (387) 123
- Thermal decomposition of nickel–carbon and copper–carbon σ -bonds (review) (S. Pasynkiewicz), (387) 1
- TMSI-activated butylocopper, stereoselective conjugate addition to 1-(*R*)-*endo*-(1-naphthyl)bornyl crotonate (M. Bergdahl, M. Nilsson, T. Olsson), (391) C19
- Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337

Erbium

- {1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Gadolinium

- $(\text{Na}(\mu_2\text{-THF})[(\text{C}_5\text{Me}_3)\text{Gd}(\text{THF})]_2(\mu_2\text{-Cl})_3(\mu_3\text{-Cl})_2)_2\cdot6\text{THF}$ monopentamethylcyclopentadienyl derivative of gadolinium, synthesis and X-ray crystal structure of (Q. Shen, M. Qi, Y. Lin), (399) 247
- {1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251
- Phenyl lanthanide dichloride complexes, synthesis of; crystal structure of $\text{C}_6\text{H}_5\text{GdCl}_2\cdot4\text{THF}$ (G. Lin, Z. Jin, Y. Zhang, W. Chen), (396) 307

Gallium

- Dialkyl-aluminium and -gallium solution stabilized monomeric species, $[\text{MR}_2]'$ ($\text{R} = 2\text{-C}(\text{SiMe}_3)\text{C}_5\text{H}_4\text{N}$), formation by reduction of MR_2Cl of; crystal structure of GaR_2Cl (U. Kynast, B.W. Skelton, A.H. White, M.J. Henderson, C.L. Raston), (384) C1

- Dimethylgallium azide polymer, X-ray crystal structure of; its use as a gallium nitride precursor (D.A. Atwood, R.A. Jones, A.H. Cowley, J.L. Atwood, S.G. Bott), (394) C6
- [Ga(CH₃)₃]₄[(CH₃)₄[14]aneN₄] and [Ga(CH₃)₃]₂[14]aneN₄[Ga(CH₃)₃]₂, synthesis and molecular structure of (B. Lee, W.T. Pennington, G.H. Robinson, R.D. Rogers), (396) 269
- Gallium-arsenic four-membered ring compounds containing a bridging As(SiMe₃)₂ group, synthesis and characterization of; crystal structure of Ph₂GaAs(SiMe₃)₂Ga(Ph)₂Cl and Ph₂GaAs(SiMe₃)₂Ga(Ph)₂Br (W.K. Holley, R.L. Wells, S. Shafieezad, A.T. McPhail, C.G. Pitt), (381) 15
- 1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
- Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

Germanium

- Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of [Fe₂(CO)₈(μ₄-As)]₂[Fe₂(CO)₆] and [μ₄-AsCo₃(CO)₈]₃ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197
- Aryl-substituted trigermanes, photochemistry of; generation and mechanism of formation of germylenes (K. Mochida, I. Yoneda, M. Wakasa), (399) 53
- Bis(dimethylgermyl)alkaneruthenium tetracarbonyls, synthesis and cleavage reactions of (J. Barrau, N. Ben Hamida, J. Satgé), (395) 27
- Bis(triphenylgermane)tetrakis(tetradrofuran)ytterbium, synthesis and structure of (M.N. Bochkarev, I.M. Penyagine, L.N. Zakharov, Yu.F. Rad'kov, E.A. Fedorova, S.Ya. Khorshev, Yu.T. Struchkov), (378) 363
- Dimesityl(fluorenylidene)germene, starting compound for preparation of (M. Lazraq, J. Escudié, C. Couret, J. Satgé, M. Soufiaoui), (397) 1
- Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65
- Ethylnylstannanes, isotope ^{13/12}C effects on ¹¹⁹Sn nucleus shielding in (E. Liepiņš, I. Birģe, E. Lukevics, E.T. Bogorodovsky, V.S. Zavgorodny), (390) 139
- Germa-γ-lactones, synthesis and properties of (N. Kakimoto, T. Yoshiwara, M. Akiba, Y. Ishido), (385) 247
- Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61
- Germyllithiums, mechanism of, reactions with di-t-butyl-3,5-orthoquinone of (P. Rivière, A. Castel, Y.H. Ko, D. Desor), (386) 147
- Group IVB organobimetallic compounds, reactions with electrophilic reagents (S.I. Bobrovskii, Yu.G. Bundel), (395) 121
- 1-Heteroaryl-silatranes and -germatranes, chemical ionization and fast atom bombardment mass spectra of (S. Rozite, I. Mažeika, A. Gaukhman, N.P. Erchak, L.M. Ignatovich, E. Lukevics), (384) 257
- Hetaryl-silanes and -germanes, reaction with metal hydrides (V. Gevorgyan, L. Borisova, E. Lukevics), (393) 57
- Isomeric Ph₃E-E'Me₃, (E = Ge, E' = Si and E = Si, E' = Ge), structures of (K.H. Pannell, R.N. Kapoor, R. Raptis, L. Párkányi, V. Fülöp), (384) 41
- Lithium bis(trimethylgermyl)amide, synthesis and structure of (M. Rannenberg, H.-D. Hausen, J. Weidlein), (376) C27
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- (Me₃Ge)₂Sb-Sb(GeMe₃)₂ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327
- N-Mesityldimesitylgermainime, formation of (M. Rivière-Baudet, J. Satgé, A. Morère), (386) C7
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
- 1,1,2,2,9,9,10,10-Octamethyl-1,2,9,10-tetragerma[2.2]paracyclophe: the first [2.2]paracyclophe bridged by two Ge-Ge bonds (A. Sekiguchi, T. Yatabe, C. Kabuto and H. Sakurai), (390) C27
- Optically active germane carrying γ-butyrolactones, synthesis of (Y. Takahashi, N. Kakimoto), (399) 47
- Organogermanium species with the metal in low coordination state (J. Satgé), (400) 121
- 3-Organyl-silyl and -germyl propynals and their carbon analogues, aldol-type condensation of methyl diazoacetate with (O.I. Margorskaya, A.S. Medvedeva, M.M. Demina, I.D. Kalikhman, M.G. Voronkov), (376) 31

- Palladium-catalysed reduction of acyl chlorides with tributylgermanium hydride (L. Geng, X. Lu), (376) 41
- Palladium-catalyzed addition of the tin–germanium bond to alenes, reversal of regioselectivity in (T.N. Mitchell, U. Schneider, B. Fröhling), (384) C53
- Perchloroorganic silicon and germanium compounds, cyclization reaction of; synthesis and crystal structure of perchloro(2,2'-biphenylene)diphenyl-silane and -germane (L. Fajari, L. Juliá, J. Riera, E. Molins, C. Miravitles), (381) 321
- Quasi-aromatic main group ring systems; synthesis, characterisation and properties of (P.P. Power), (400) 49
- 7-Sila- and 7-germa-norbornadienes, CIDNP ^1H study of the photolysis of (S.P. Kolesnikov, M.P. Egorov, A.M. Galminas, M.B. Ezhova, O.M. Nefedov, T.V. Leshina, M.B. Taraban, A.I. Kruppa, V.I. Maryasova), (391) C1
- 2-Thienyl-, 2-furyl- and 2-(4,5-dihydrofuryl)germanes, ^{73}Ge NMR spectra of (E. Liepiņš, I. Zicmane, L.M. Ignatovich, E. Lukevics), (389) 23
- Trimesitylgermyllithium, synthesis and reactivity of (A. Castel, P. Rivière, J. Satgé, Y.H. Ko, D. Desor), (397) 7
- Trisodium tricarbonylcobaltate(3–), synthesis, isolation and characterization of (J.E. Ellis, P.T. Barger, M.L. Winzenburg, G.F. Warnock), (383) 521

Gold

- $[\text{Au}_3\text{AgCu}(\text{C}_2\text{Ph})_6]^-$ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylidyne complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267
- ^{195}Au and ^{14}C -labeled antineoplastic gold(I) phosphine complexes, synthesis of (K.T. Barnes, J.R. Heys, S.W. Landvatter, J. Statler), (378) 293
- Bimetallic tetrานuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $\text{HRu}_3\text{Au}(\text{CO})_8(\text{PPh}_3)(\text{PPPh}_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109
- Bis(diphenylphosphino)-methanide or -amide and its derivatives as ligands in gold chemistry (A. Laguna, M. Laguna), (394) 743
- Cationic trimetallic clusters with Au–W bonds, synthesis of; crystal structure of $[\text{AuW}_2(\mu-\text{CR})_2(\text{CO})_4(\text{bipy})_2\text{Cl}_2]\cdot\text{PF}_6$ ($\text{R} = \text{C}_6\text{H}_4\text{Me}-4$) (G.A. Carriero, V. Riera, G. Sánchez, X. Solans, M. Labrador), (391) 431
- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16
- [2-((Dimethylamino)methyl)phenyl](2-nitrophenyl)gold(III) complexes, synthesis of (J. Vicente, M.-D. Bermúdez, M.-T. Chicote, M.-J. Sánchez-Santano), (381) 285
- Gold and ruthenium compounds (M.I. Bruce), (400) 321
- Gold(I) and gold(III), 2,4,6-trifluorophenyl complexes of (A. Laguna, M. Laguna, J. Jiménez, A.J. Fumanal), (396) 121
- Gold(I)-chiral ferrocenylphosphine neutral complexes, enantioselective synthesis of crystal structure of the complex $\{[(\eta^5\text{-C}_5\text{H}_4\text{PPh}_2)\times(\eta^5\text{-C}_5\text{H}_3(\text{PPh}_2)\text{CH}(\text{Me})\text{N}(\text{Me})\text{CH}_2\text{CH}_2\text{NMe}_2)\text{Fe}]_2(\text{AuCl})_3\}\cdot\text{Et}_2\text{O}$ (A. Togni, S.D. Pastor, G. Rihs), (381) C21
- Group 11 trifluoromethyl derivatives, formation by reaction of $\text{Cd}(\text{CF}_3)_2$ glyme with representative Au, Ag and Cu complexes: isolation of $\text{Au}(\text{CF}_3)_3(\text{PMe}_3)$, $\text{Au}(\text{CF}_3)_3(\text{PEt}_3)$, $\text{Aul}(\text{CF}_3)_2(\text{PMe}_3)$, $\text{AuCF}_3(\text{PMe}_3)$, $\text{AuCF}_3(\text{PEt}_3)$ and $\text{AgCF}_3(\text{PMe}_3)$; observation of $\text{CuCF}_3(\text{PMe}_3)$, (H.K. Nair, J.A. Morrison), (376) 149
- Heteronuclear cluster compounds containing $\text{M}(\text{PR}_3)$ ($\text{M} = \text{Cu, Ag or Au}; \text{R} = \text{alkyl or aryl}$), synthesis via group 11 metal exchange reactions of (S.S.D. Brown, I.D. Salter), (377) C31
- $\text{Ir}_4(\text{CO})_8(\mu\text{-CO})_3(\text{PPh}_2\text{AuPPh}_3)$, synthesis and structural characterization of; conversion into $\text{Ir}_4(\text{CO})_9(\mu\text{-CO})(\mu\text{-PPh}_2)(\mu\text{-AuPPh}_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28
- Isonitrile-containing platinum–gold phosphine clusters (R.P.F. Kanter, P.P.J. Schlebos, J.J. Bour, J. Wijnhoven, E. van den Berg, J.J. Steggerda), (388) 233
- Mono- and di-carbido-gold cluster compounds, molecular orbital analysis of (D.M.P. Mingos, R.P.F. Kanter), (384) 405
- Palladium, platinum and gold, organometallic derivatives of (F. Calderazzo), (400) 303

- Pentanuclear $[Au_3Ag_2(C_2Ph)_6]^-$, $[Ag_5(C_2Ph)_6]^-$, and $[Ag_4Cu(C_2Ph)_6]^-$ clusters, preparation and possible structures of; reactivity of the polymer complexes $[(AuAg(C_2Ph)_2)_n]$ and $[(AuCu(C_2Ph)_2)_n]$ (O.M. Abu-Salah, A. Razzak, A. Al-Ohaly, Z.F. Mutter), (389) 427
- (Ph_3PAu_2) $Fe(CO)_3P(OEt)_3$ triangular Au_2Fe cluster, synthesis and molecular structure of (L.W. Arndt, C.E. Ash, M.Y. Dahrenbourg, Y.M. Hsiao, C.M. Kim, J. Reibenspies, K.A. Youngdahl), (394) 733
- $(Ru_3(CO)_{11})_2(\mu\text{-dppa})$ (dppa = $C_2(PPh_2)_2$), thermal behaviour of; crystal structures of $Ru_4(\mu_4\text{-PPh})(\mu_4\text{-PhC}_2PPh_2)(\mu\text{-CO})_2(CO)_8\cdot MeOH$, $Ru_5(\mu_4\text{-PPh})\{\mu_3\text{-CCPh}(PPh_2)\}(CO)_{12}$, $Ru_5(\mu_3\text{-H})(\mu_4\text{-PPh})(\mu_4\text{-CCPh}(C_6H_4))(\mu_3\text{-PPh})(CO)_{10}$ and $Ru_5(\mu_4\text{-PPh})(\mu_4\text{-CCPh}(C_6H_4))\{\mu\text{-PPh}(OMe)\}(CO)_{11}\cdot 2MeOH\cdot H_2O$ (M.I. Bruce, M.J. Liddell, E.R.T. Tiekkink), (391) 81
- $[Ru_2\{\mu\text{-1,2-(NH)}_2C_6H_4\}(CO)_4(PPh_3)_2]$, reactions with H^+ , NO^+ and Group 11 metal fragments; syntheses of trinuclear Ru_2M ($M = Cu, Ag, Au$) and pentanuclear Ru_4Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423
- Tetranuclear cluster $[Au_2Ag_2(C_2Ph)_4(PPh_3)_2]$ and mixed-metal gold-silver and gold-copper phenyl-acetylidyne polymer complexes $[(AuM(C_2Ph)_2)_n]$ ($M = Ag, Cu$), syntheses and structures of (O.M. Abu-Salah), (387) 123
- Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Hafnium

- Benzoyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77
- (η^4 -Butadiene)-zirconocene, and -hafnocene with 2-methyl-2-nitrosopropane of (G. Erker, M.G. Humphrey), (378) 163
- 1-Camphenyl-titanium, -zirconium and -hafnium compounds, synthesis of (D. Schenke, K.-H. Thiele), (382) 109
- Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvè-Bellan, B. Gautheron), (376) 321
- Dichlorobis(cyclopentadienyl)hafnium(IV), *N*-(aryl)-2-mercaptoacetamide derivatives of (A.K. Narula, P. Lukose), (393) 365
- Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61

Indium

- Indium monohalide insertion reactions into metal-metal bonds; crystal structure of $[InCl(THF)(Mo(CO)_3(\eta\text{-C}_5H_5))]_2$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
- $^{1}Pr_2InBr$, $^{1}Pr_2InI$ and $^{1}PrInI_2$, synthesis and properties of (G.G. Hoffmann, R. Faist), (391) 1

Iridium

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13
- Alkyneiridium(I), stepwise rearrangement to alkynyl(hydrido)iridium(III) and vinylideneiridium(I) complexes of (A. Höhn, H. Werner), (382) 255
- C-Allylglycine-rhodium and -iridium complexes; preparation, structure and reactions of (I. Zahn, B. Wagner, K. Polborn, W. Beck), (394) 601
- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151
- Bis(η^4 -cyclohexa-1,3-diene)iridium-2-furyl, -2-thienyl and -2-*N*-methylpyrrolyl compounds, formation and characterisation of (J. Müller, C. Friedrich), (377) C27
- Carbon dioxide in the presence of $RhCl(CO)(PPh_3)_2$ and $IrCl(CO)(PPh_3)_2$, electrochemical reduction of (A. Szymaszek, F.P. Pruchnik), (376) 133
- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

- Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1
- Dinuclear (M, M') complexes with $[\text{CH}_2(\text{C}_5\text{H}_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33
- (η^5 : η^5 -Fulvalene)bimetallic compounds derived from (η^5 : η^5 -fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227
- Heterodinuclear Ru–Ir and Ru–Rh complexes, synthesis and catalytic activity of; crystal structure of $[\text{H}(\text{CO})(\text{PPh}_3)_2\text{Ru}(\mu\text{-Cl})(\mu\text{-pz})\text{Ir}(\text{TFB})]$ (pz = pyrazolate, TFB = tetrafluorobenzobarrelene) (M.P. García, A.M. López, M.A. Esteruelas, F.J. Lahoz, L.A. Oro), (388) 365
- $\text{Ir}_4(\text{CO})_{12}$, method for high-yield synthesis of (F.P. Pruchnik, K. Wajda-Hermanowicz, M. Koralewicz), (384) 381
- $\text{Ir}_4(\text{CO})_8(\mu\text{-CO})_3(\text{PPh}_2\text{AuPPh}_3)$, synthesis and structural characterization of; conversion into $\text{Ir}_4(\text{CO})_9(\mu\text{-CO})(\mu\text{-PPh}_2)(\mu\text{-AuPPh}_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28
- Iridium carbonyl cluster complexes, chemistry of; synthesis, chemical characterization and X-ray crystal structures of $[\text{PPh}_4]\text{[Ir}_6(\text{CO})_{14}\text{Cl}]$ and $[\text{PPh}_4]\text{[Ir}_6(\text{CO})_{14}\text{Cl}]$ (R. Della Pergola, L. Garlaschelli, S. Martinengo, F. Demartin, M. Manassero, N. Masciocchi, R. Bau, D. Zhao), (396) 385
- Iridium(I) complexes in the selective hydrogenation of the carbonyl group of α,β -unsaturated aldehydes to alcohols (C.S. Chin, B. Lee, S.C. Park), (393) 131
- Iridium polyhydride complexes, reactivity patterns and catalytic chemistry of (A.S. Goldman, J. Halpern), (382) 237
- Iridium trifluoromethyl, difluorocarbene and tetrafluoroethylene complexes; crystal structures of $\text{Ir}(\text{CH}_3)(\text{CF}_3)(\text{CO})(\text{PPh}_3)_2$, $\text{Ir}(\text{CF}_3)(\text{C}_2\text{F}_4)(\text{CO})(\text{PPh}_3)_2$ and $\text{Ir}(\text{CF}_3)(=\text{CF}_2)(\text{CO})(\text{PPh}_3)_2$ (P.J. Brothers, A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper), (394) 615
- $[\text{M}(\text{COD})(\mu\text{-L})_2$ (M = Rh, Ir; L = substituted hydroxypyridinate), variable temperature ^1H NMR studies of (G.S. Rodman, K.R. Mann), (378) 255
- Metal carbonyl complexes, dinitrogen monoxide induced carbon–hydrogen activation by (C. Barrientos, C.K. Ghosh, W.A.G. Graham, M.J. Thomas), (394) C31
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatinì, C. Malitestà, P. Zambonin), (378) 239
- Organometallic C–H oxidative addition reactions (R.G. Bergman), (400) 273
- Phenylacetylidyne iridium(I) and rhodium(I) complexes, synthesis and reactions of (M.J. Fernández, M.A. Esteruelas, M. Covarrubias, L.A. Oro), (381) 275
- Rhodium(I) and iridium(I) complexes of the dianions of 2,3-pyrazinedicarboxylic and 2,5-pyrazinedicarboxylic acid, synthesis and reactivity of (J.C. Bayón, G. Net, J. Real, P.G. Rasmussen), (385) 409
- Rhodium(III), iridium(III), and ruthenium(II) optically active pseudooctahedral complexes with α -amino acidato ligands; crystal structures of $R_{\text{Ir}}S_{\text{C}}S_{\text{N}}^-$ and $S_{\text{Ir}}S_{\text{C}}S_{\text{N}}^-[C_5\text{Me}_5]\text{Ir}(\text{pro})\text{Cl} \cdot \frac{1}{2}\text{H}_2\text{O}$ (Hpro = L-proline) (D. Carmona, A. Mendoza, F.J. Lahoz, L.A. Oro, M.P. Lamata, E. San Jose), (396) C17
- Ruthenium and iridium polyhydride complexes, synthesis under conditions of phase transfer catalysis of (V.V. Grushin, A.B. Vymenits, M.E. Vol'pin), (382) 185
- Square-planar $\text{MCl}(\text{CX})(\text{P}(\text{i-Pr})_3)_2$ complexes of rhodium and iridium (X = O and CH_2), bonding in and UV photoelectron spectroscopy and DV-X α calculations of (C. Cauletti, F. Grandinetti, G. Granozzi, M. Casarin, H. Werner, J. Wolf, A. Höhn, F.J. García Alonso), (382) 445
- Tosyliminooxosulphurane, factors affecting coordination geometry in complexes of (M. Herberhold, A.F. Hill), (395) 195
- Transition metal-assisted retro Diels–Alder reaction used in the synthesis of transition metal S_2O complexes (G.A. Urove, M.E. Welker, B.E. Eaton), (384) 105
- Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Iron

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13

- Alkene- and alkyne-pentamethylcyclopentadienyldicarbonyliron complexes synthesis via the aquo derivative $[\text{Fe}(\eta\text{-C}_5\text{Me}_5)(\text{CO})_2(\text{OH}_2)]^+ \text{BF}_4^-$; crystal structure of the ruthenium analogue (A. Tahiri, V. Guerchais, L. Toupet, C. Lapinte), (381) C47
- Alkyne clusters, cage expansion of; ligand assistance by alkyne substituents (W. Rohde, J. Fischer, A. De Cian), (393) C25
- Anionic acetylide clusters, nucleophilic attack of (M.P. Jensen, M. Sabat, D.H. Johnston, L.M. Jones, D.F. Shriver), (383) 279
- Anionic and neutral spiked triangle clusters of mercury; comparative study of the metal ligand redistribution process (R. Reina, O. Rossell, M. Seco), (398) 285
- Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Darenbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191
- Antimony-iron mixed carbonyl clusters: $[\text{R}_4\text{N}] [\text{SbFe}_4(\text{CO})_{16}]$ ($\text{R} = \text{Me, Et}$) and $[\text{Et}_4\text{N}]_2 [\text{Sb}_2\text{Fe}_6(\text{CO})_{20}]$, synthesis and structures of (S. Luo, K.H. Whitmire), (376) 297
- Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[\text{Fe}_2(\text{CO})_8(\mu_4\text{-As})]_2[\text{Fe}_2(\text{CO})_6]$ and $[\mu_4\text{-AsCo}_3(\text{CO})_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197
- Azaferrocene, axial coordination to a cobalt(II) porphyrin and alkylcobaloximes of (J. Zakrzewski, C. Giannotti), (385) C23
- Azaferrocene, photochemical synthesis of (J. Zakrzewski, C. Giannotti), (388) 175
- Benzophenone synthesis through carbonylation of aryl iodides catalysed by $\text{Fe}(\text{CO})_5\text{-Co}_2(\text{CO})_8$ systems (J.-J. Brunet, M. Taillefer), (384) 193
- Bis(cyclopentadienyldicarbonyliron)sodium tetrahydrofuran and (cyclopentadienyldicarbonyliron)sodium tetramethylethylenediamine complexes, crystal structure of (N. Hu, G. Nie, Z. Jin, W. Chen), (377) 137
- Bis(diphenylphosphino)methanideiron complexes, $(\text{C}_5\text{H}_5)(\text{L})\text{Fe}(\text{Ph}_2\text{PCHPPPh}_2)$ ($\text{L} = \text{CO, Me}_3\text{P}$), formation and reactions of (F. Scherhag, H. Käb, T.A. Bright, W. Malisch) (385) C27
- Bridged double butterfly-shaped Fe-S cluster complexes $[(\mu\text{-RS})\text{Fe}_2(\text{CO})_6]_2(\mu\text{-SCH}_2\text{C}_6\text{H}_4\text{CH}_2\text{S}\text{-}\mu)$, synthesis and structural characterization of (L.-C. Song, M. Kadiata, J.-T. Wang, R.-J. Wang, H.-G. Wang), (391) 387
- Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145
- Carbon disulphide and carbon dioxide adducts $(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe-CX}_2^-$, reactions with organoiron electrophiles of (M.E. Giuseppetti-Dery, B.E. Landrum, J.L. Shibley, A.R. Cutler), (378) 421
- Carbonyl ligands from alkynes; oxidative decarbonation of acetylidyne bridged complexes (W. Bernhardt, H. Vahrenkamp), (383) 357
- μ_3 -Carbonylcyclotriiron clusters, reactivity of and addition of alkynes under formation of η^6 -ferracyclopentadienone ligands, (D. Buchholz, G. Huttner, W. Imhof, L. Zsolnai, D. Günauer), (381) 79
- Cationic bridging alkylidyne complexes, reactions with nucleophiles (C.P. Casey, P.C. Vosejpk, M. Crocker), (394) 339
- Cationic isocyanide iron(II) derivatives, reactivity towards nucleophilic agents of (V. Riera, J. Ruiz), (384) 339
- cis*-3-($\eta^6\text{-C}_6\text{H}_6$)-3,1,2- $\text{FeC}_2\text{B}_9\text{H}_{11}$, synthesis and molecular structure of (S.S. Lee, C.B. Knobler, M.F. Hawthorne), (394) 29
- Chalcone-analogous ferrocenes *ortho*-substituted in the aromatic ring, spectroscopic investigation of (A.G. Nagy, P. Sohár), (390) 217
- $[(\eta\text{-C}_5\text{H}_5)(\text{CO})\text{FeC}(\text{SC}(\text{Fp})\text{S})]$ ($\text{Fp} = (\eta\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2$), reactions with Group IB and IIB metals; X-ray molecular structure of $[(\eta\text{-C}_5\text{H}_5)(\text{CO})\text{FeC}(\text{SHgBr}_2)\text{SC}(\text{Fp})\text{S}]_2$ (L. Busetto, S. Bordon, V. Zanotti, V.G. Albano, D. Braga, M. Monari), (389) 341
- $(\text{C}_5\text{H}_5)_2\text{Cr}(\mu\text{-OCMe}_3)_2$, reactions with chalcogens of; syntheses and molecular structures of $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-S}_4)$ and $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-Se})$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295
- $[(\text{C}_5\text{H}_5)\text{Fe}(\eta^6\text{-C}_8\text{H}_8)]\text{PF}_6^-$, synthesis and crystal structure of (J. Heck, W. Massa), (376) C15
- Chiral substituted ferrocenes, stereo- and enantio-selectivity in catalytic hydrogenolysis to give cyclopanes of (V.I. Sokolov, L.L. Troitskaya, N.S. Khrushcheva, O.A. Reutov), (378) 227
- Chloro-, bromo- and methyl-ferrocenes, mass spectrometric investigation by electron and photon impact ionisation (S. Barfuss, K.-H. Emrich, W. Hirschwald, P.A. Dowben, N.M. Boag), (391) 209

- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16
- (Cl)(NO)₂Cr(η^5 -C₅H₄)C(O)(η^5 -C₅H₄)Fe(η^5 -C₅H₅), synthesis of; an unexpected product from the Friedel-Crafts acylation of (CO)₂(NO)Cr(η^5 -C₅H₄)C(O)(η^5 -C₅H₄)Fe(η^5 -C₅H₅) with (CO)₂(NO)Cr[η^5 -C₅H₄]C(O)Cl] (Y.-P. Wang, J.-M. Hwu), (399) 141
- π -Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161
- (CO)₂(NO)Cr(η^5 -C₅H₄)CH₂(η^5 -C₅H₄)Fe(η_5 -C₅H₅), X-ray structure of (CO)₂(NO)Cr₂(η^5 -C₅H₄)CH₂[η^5 -(3-acetyl)C₅H₃]Fe(η^5 -C₅H₅) (Y.-P. Wang, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (386) 79
- (CO)₂(NO)Cr(η^5 -C₅H₄)CH₂(η^5 -C₅H₄)Fe(η^5 -C₅H₅) Friedel-Crafts acylation of; crystal structure of (CO)₂(NO)Cr(η^5 -C₅H₄)CH₂(η^5 -C₅H₄)Fe(η^5 -C₅H₄)C(O)(η^5 -C₅H₄)Cr(CO)₂(NO) (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179
- η^4 -Coordinated (*s-cis*)-1-molybda-2-phospha-1,3-dienes, stepwise formation of (H. Lang, M. Leise, L. Zsolnai, M. Fritz), (395) C30
- [CpFe(μ -PR₂)CO]₂ and [Cp₂Fe₂(μ -H)(μ -PR₂)(CO)₂] optically active phosphido-bridged iron complexes, photochemically induced *cis-trans* isomerisation of (H. Brunner, H. Peter), (393) 411
- CpM(SnPh₃)(CO)₂ (M = Fe, Ru), carbene formation from; crystal structures of CpFeI(CO){=C(OEt)Ph}, CpRuI(CO){=C(OEt)Ph} and CpRuI(CO){=C(NHMe)Ph} (H. Adams, N.A. Bailey, C. Ridgway, B.F. Taylor, S.J. Walters, M.J. Winter), (394) 349
- Cryptates from cryptands containing a ferrocene unit (C.D. Hall, I.P. Danks, M.C. Lubenski, N.W. Sharpe), (384) 139
- Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoichiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227
- 2-6- η^5 -Cyclohexadienone- η^5 -cyclopentadienyliron and some related systems (A. Piórko, C.H. Zhang, R.S. Reid, C.C. Lee, R.G. Sutherland), (395) 293
- [(η^5 -Cyclohexadienyl)Fe(CO)₃]⁺BF₄⁻, reaction with 2-methyl-2-nitrosopropane; an oscillating reaction (L. Li, D.R. Eaton, M.J. McGlinchey), (396) 65
- Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1
- Cyclopentadienylthiocarbonyl complexes of iron, [Cp^{*}Fe(CO)₂CS]⁺, Cp₂^{*}Fe₂(CO)₂(CS)₂, Cp₂Fe₂(CO)₃(CS), and Cp₂Fe₂(CO)₂(CS)₂ (Cp = C₅H₅, Cp^{*} = C₅Me₅), formation and structures of (M.-G. Choi, L.M. Daniels, R.J. Angelici), (383) 321
- α -Cinchonidyl- α -ferrocenylmethylium tetrafluoroborate, synthesis and 2D NMR spectra of (Yu.-P. Wang, J.-M. Hwu), (385) 61
- Di-iron doubly bridged compound, electron-transfer catalysed stepwise replacement of two carbon monoxide ligands in (A. Darchen, E.K. Lhadi, H. Patin, D. Grandjean, A. Mousser), (385) C4
- Dimethylgermyldimethylsilylmethaneoctacarbonydiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65
- 2,3-Dimethylindole, π -coordination into cyclopentadienyliron complexes of (N. Kuhn, E.-M. Lampe), (385) C9
- Dinuclear alkenyl-bridged iron–nickel and diiron complexes, synthesis of; crystal structure of [Fe₂(CO)₄(C₅H₅)(μ -CO)(μ -CPh=CPhH)] (I. Moldes, J. Ros, R. Yáñez, R. Mathieu, X. Solans, M. Font-Bardia), (395) 305
- Diorganozincs, enantioselective addition to aldehydes catalyzed by β -amino alcohols of (B. Noyori, S. Suga, K. Kawai, S. Okada, M. Kitamura, N. Oguni, M. Hayashi, T. Kaneko, Y. Matsuda), (382) 19
- Diphenylphosphinomethaneiron(II) complexes, [FeCp(dppm)(L)]⁺PF₆⁻ (L = CO and CH₃CN), synthesis, redox properties, and crystal structures of (J. Ruiz, M.-T. Garland, E. Román, D. Astruc), (377) 309
- Diphosphinoamines, X₂PN(R)PX₂, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of [Mo(CO)₄PhN(P(OPh)₂)₂] and [W(CO)₄¹PrN(PPh₂)₂] (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203
- 1,3-Di-t-butylcyclopentadienyl ligands to iron, cobalt and titanium, complexation of (J. Okuda), (385) C39
- 1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339
- Dithioformate Fe(η^2 -HC(SR)S) complexes, cleavage of the coordinate C–S bond by alkynes in; route to FeCH(SR)COC(CO₂Me)=C(CO₂Me)S(CO)(PR₃)₂ (D. Touchard, J.-L. Fillaut, P.H. Dixneuf, R.D. Adams, B.E. Segmüller), (386) 95

- Dodecacarbonyltriiron, multi-substituted isonitrile and mixed ligand derivatives of; the crystal structure of $\text{Fe}_3(\text{CO})_{10}(\text{CNBu}^t)_2$ (J.B. Murray, B.K. Nicholson, A.J. Whitton), (385) 91
- Epoxides, ring opening reactions with cyclopentadienyliron complexed aminoarenes (C.H. Zhang, A. Piórko, C.C. Lee, R.G. Sutherland), (387) 295
- Ethynyl-, trimethylsilylethynyl- and ferrocenylethynylcobaltocenium salts, preparation and reactions of (M. Wildschek, C. Rieker, P. Jaitner, H. Schottenberger, K.E. Schwarzhan), (396) 355
- $[\text{Fe}_5\text{C}(\text{CO})_{15}]$, phosphine substituted derivatives of; crystal structure of $[\text{Fe}_5\text{C}(\text{CO})_{12}(\text{PMe}_2\text{Ph})_3]$ (A. Gourdon, Y. Jeannin), (388) 195
- $\text{Fe}_2(\text{CO})_9$, Fe–Fe bond in qualitative MO study of (C. Mealli, D.M. Proserpio), (386) 203
- $\text{Fe}_2(\text{CO})_9$, reductive dehalogenation of bidentate halogen phosphines $\text{RXP}-\text{CH}_2-\text{PXR}$ by; a new route to cluster-stabilised phosphaalkenes with functional groups (F. Bitterer, D.J. Brauer, F. Dörrenbach, O. Stelzer), (399) C4
- $\text{Fe}(\text{CO})_4$ and $\text{Fe}(\text{CO})_3\text{P}(\text{OMe})_3$, reactions with stabilized phosphoranes of (D. Senechal, M.-C. Senechal-Tocquer, J-Y. Le Bihan, D. Gentric, B. Caro), (385) C35
- $[\text{Fe}(\text{CO})_4\text{CHO}^-]$, infrared evidence for competitive $[\text{Li}^+]$ and Et_3B coordination to; thermodynamic evaluation of the ion pair equilibrium (S.W. Lee, W.D. Tucker, M.G. Richmond), (398) C6
- $[\text{Fe}_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ and related complexes, addition of halogenocarbons to alkenes in the presence of (R. Davis, J.L.A. Durrant, N.M.S. Khazal, T.E. Bitterwolf), (386) 229
- $\text{Fe}(\text{CO})_4(\eta^1\text{-dppf})$ (dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$), synthesis and conversion into $\text{Fe}_2(\text{CO})_8(\mu\text{-dppf})$ and $(\text{CO})_4\text{Fe}(\mu\text{-dppf})\text{Mo}(\text{CO})_5$ of, (T.S.A. Hor, L.-T. Phang), (381) 121
- $\text{Fe}(\text{CO})_4(\eta^1\text{-dppf})$ [where dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345
- $\text{Fe}_2(\text{CO})_6(\mu\text{-CRCR}'\text{COEtH})$ complexes ($\text{R} = \text{R}' = \text{Ph}$; $\text{R} = \text{Ph}$, $\text{R}' = \text{Me}$), synthesis of; products resulting from the action of $[\text{Et}_3\text{O}]\text{BF}_4^-$ on a mixture of di- and tri-nuclear anionic iron complexes containing a bridging ethene or alkyne ligand (R. Yanez, J. Ros, X. Solans, M. Font-Bardia, R. Mathieu), (388) 169
- $\text{Fe}_2(\text{CO})_6(\mu\text{-PhNC(O)C}_6\text{H}_4\text{NH})$ binuclear complex, synthesis from $\text{Fe}(\text{CO})_5$ and azobenzene of, molecular structure of (A.S. Katugin, A.A. Pasynskii, I.L. Eremenko, E.A. Vas'utinskaya, Yu. T. Struchkov, A.I. Yanovsky), (386) 225
- $\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-PR})$, rearrangement of carbonyl groups to carbene, carbyne and alkyne groups in (D. Buchholz, G. Huttner, L. Zsolnai) (381) 97
- $\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-RP})$, addition reactions with XCN^- ($\text{X} = \text{S}, \text{Se}, \text{Te}$) and $\text{R}'\text{XXR}'$ ($\text{X} = \text{Se}, \text{Te}$) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25
- $\text{Fe}_4(\text{CO})_{12}(\mu_4\text{-RP})$: a tripledecker derivative of the 2π -ligand $\text{RP}\text{Fe}_2(\text{CO})_6$ (D. Buchholz, G. Huttner, W. Imhof, O. Orama), (388) 321
- $\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-RP})$ clusters, introduction of $\mu_3\text{-}\eta^2\text{-RPO-}$ and $\mu_3\text{-}\eta^2\text{-RPOEt}$ ligands; OCN^- as oxygen transfer agent (D. Buchholz, G. Huttner, W. Imhof), (388) 307
- $\text{Fe}_2(\text{CO})_6(\mu_2\text{-Te}_2)$, insertion of a methylene group into the Te–Te bond of (P. Mathur, V.D. Reddy), (387) 193
- $[\text{Fe}(\text{CO})_3\text{NO}]^-$, use for carbonylation of primary, secondary and allylic halides of (S.G. Davies, A.J. Smallridge, A. Ibbotson), (386) 195
- $[\text{Fe}(\text{CO})_2(\text{S}_4')]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[\text{Fe}(\text{CO})_2(\mu\text{-S}_4')\{\text{M}(\text{CO})_5\}_n]$ ($n = 1: \text{M} = \text{Cr}, \text{Mo}, \text{W}; n = 2: \text{M} = \text{W}; \text{S}_4'^{2-} = 2,3,8,9\text{-dibenzo-1,4,7,10-tetrathiadecane}(2-)$) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327
- $\text{Fe}(\text{CO})_3[\text{Fe}(\text{CO})_3\omega\text{CH}\omega\text{CPh}\omega\text{S}]$, addition and substitution reactions of (T. Fässler, G. Huttner), (381) 391
- Ferrocene, annual survey 1988 (G. Marr, B.W. Rockett), (392) 93
- Ferrocene-chalcogenols $\text{Fe}(\text{C}_5\text{H}_5)_2(\text{C}_5\text{H}_4\text{EH})$ and $\text{Fe}(\text{C}_5\text{H}_4\text{EH})_2$ ($\text{E} = \text{S}, \text{Se}, \text{Te}$), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörmhörfer, J. Ott-Lastic), (377) 281
- Ferrocene-containing cryptands and their metal complexes, Mössbauer studies on (C.D. Hall, I.P. Danks, P.J. Hammond, N.W. Sharpe, M.J.K. Thomas), (388) 301
- Ferrocenes as potential antitumor drugs, synthesis and activity of (N. Motohashi, R. Meyer, S.R. Gollapudi, K.R. Bhattacharyya), (398) 205
- Ferrocenes derived from isodicyclopentadiene and tricyclo[5.2.1.0^{2,6}]deca-2,5,8-triene (V. Bhide, P. Rinaldi, M.F. Farone), (376) 91

- Ferrocene with a pentaarsacyclopentadienyl ligand (O.J. Scherer, C. Blath, G. Wolmershäuser), (387) C21
- Ferrocenylalkenes, alkoxymethylation of (A. Ketter, R. Herrmann), (386) 241
- Ferrocenylalkylamines, influence of steric hindrance on lithiation of (N. Deus, D. Robles, R. Herrmann), (386) 253
- Ferrocenylalkyl substituted imines, nucleophilic addition to; asymmetric synthesis of chiral amines (D.M. David, L.A.P. Kane-Maguire, S.G. Pyne), (390) C6
- Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73
- Ferrocenyl carbinols, ethers, and ureas, synthesis of (S. Kovac, V. Rapić), (384) 147
- Ferrocenyl derivatives of anthracene, synthesis of (R.M.G. Roberts), (388) 181
- S-(1-Ferrocenylethyl)thioglycolic acid, kinetics of the synthesis of (D. Scutaru, L. Tătaru, I. Mazilu, B. Scutaru, T. Lixandru, C. Simionescu), (378) 99
- ($\mu_2\text{-Te}_2$) $\text{Fe}_2(\text{CO})_6$, reduction and reaction of the dianion formed with metal dihalides $L_2\text{MCl}_2$ ($L = \text{PPh}_3$, $M = \text{Pt, Pd, Ni}$; $L = \text{C}_5\text{H}_5$, $M = \text{Ti}$; $L = \text{Me, n-Bu}$, $M = \text{Sn}$) of (P. Mathur, V. Dayal Reddy), (385) 363
- Gold(I)-chiral ferrocenylphosphine neutral complexes, enantioselective synthesis of crystal structure of the complex $\{[(\eta^5\text{-C}_5\text{H}_4\text{PPh}_2)_2(\eta^5\text{-C}_5\text{H}_3(\text{PPh}_2)\text{CH}(\text{Me})\text{N}(\text{Me})\text{CH}_2\text{CH}_2\text{NMe}_2)\text{Fe}]_2(\text{AuCl})_3\} \cdot \text{Et}_2\text{O}$ (A. Togni, S.D. Pastor, G. Rihs), (381) C21
- Grignard addition and reduction reactions of spiro[5]ferrocenophane-3,1'-cyclohexane-1,5-dione (S. Rachwal, B. Kawalek, T. Gorecki, P. Milart), (384) 165
- ω -Halogenoalkyl complexes $[(\eta\text{-C}_5\text{R}_5)(\text{CO})_2\text{Fe}(\text{CH}_2)_n\text{X}]$ ($\text{R} = \text{H}$, $n = 3\text{--}10$, $\text{X} = \text{Br, I}$; $\text{R} = \text{CH}_3$, $n = 3\text{--}5$, $\text{X} = \text{Br, I}$), (H.B. Friedrich, P.A. Makhesha, J.R. Moss, B.K. Williamson), (384) 325
- Heterotetranuclear anionic clusters, $[\text{MCo}_3(\text{CO})_{12-2n}(\text{C}_2\text{Ph}_2)_n]^-$ ($\text{M} = \text{Fe, Ru}$; $n = 0, 1$), redox behaviour of (R. Jund, J. Rimmelin, M. Gross), (381) 239
- Heterotetrานuclear $\text{Cu}^{\text{I}}_2\text{Fe}^{\text{II}}_2$ complex bridged by π -accepting 2,2'-bipyrimidine, electronic structure of; close-lying but orthogonal frontier orbitals (C. Vogler, W. Kaim), (398) 293
- $[\text{HFe}(\text{CO})_4]^-$ as a reagent for the synthesis of tin/iron clusters, partial crystal structure of $(\text{NEt}_4)_2[\text{SnCl}_2\{\text{Fe}(\text{CO})_4\}_2]\cdot\text{SnCl}_4$ (M. Ferrer, O. Rossell, M. Seco, X. Solans, M. Gómez), (381) 183
- ¹⁹⁹Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- Homoleptic trifluoromethylisocyanide-iron complexes, $\text{Fe}(\text{CNCF}_3)_5$ and $\text{Fe}_2(\text{CNCF}_3)_9$ (D. Lentz), (377) 305
- $\text{HW}_2(\text{CO})_9(\text{NO})$, substitution of phosphine for CO ligand in; structures of $\text{HW}_2(\text{CO})_8(\text{NO})(\eta^2\text{-}(\eta^5\text{-C}_5\text{H}_4\text{PPh}_2)_2\text{Fe}$, $\text{HW}_2(\text{CO})_7(\text{NO})(\text{Ph}_2\text{PH})_2$, $\text{HW}_2(\text{CO})_7(\text{NO})-(\eta^2\text{-Ph}_2\text{PCH}_2\text{PPh}_2)$, and $[\text{HW}_2(\text{CO})_8(\text{NO})]_2\cdot(\mu\text{-Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$, (J.T. Lin, S.Y. Wang, P.S. Huang, Y.M. Hsiao, Y.S. Wen, S.K. Yeh), (388) 151
- Hydridostannyl complexes of iron and corresponding anionic complexes; preparation, stereochemistry and reactivity of (M. Knorr, H. Piana, S. Gilbert, U. Schubert), (388) 327
- $(\eta^3\text{-Indenyl})(\eta^5\text{-indenyl})\text{V}(\text{CO})_2$ 17-electron complex, electrochemistry of an oxidatively induced ring slippage in (G.A. Miller, M.J. Therien, W.C. Trogler), (383) 271
- Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24
- Iron azadiene and diene complexes, new method for synthesis of; reaction of $(\eta^2\text{-RCHCHCOR'})\text{Fe}(\text{CO})_4$ with aniline and ylide (M.F. Semmelhack, C.H. Cheng), (393) 237
- Iron carbonyl, insertion into a C-S bond of tetrathiofulvane (H.G. Raubenheimer, L. Linford, H.M. Roos), (393) C49
- Iron carbonyls, reactions with triple-decker sandwich complexes $(\eta^5\text{-C}_5\text{H}_5)\text{Ni}(\mu, \eta^5\text{-C}_2\text{B}_2\text{C})\text{M}(\eta^5\text{-C}_5\text{H}_5)$, ($\text{M} = \text{Co, Ni}$); replacement of $(\eta^5\text{-C}_5\text{H}_5)\text{Ni}$ by and insertion of the $\text{Fe}(\text{CO})_3$ fragment into the $(\eta^5\text{-C}_5\text{H}_5)\text{-Ni}$ bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329
- Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313
- Iron mediated diene activation; crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Fe}(\text{methylhexa-2,4-dienoate})\text{CO}][\text{BF}_4]$ (P. McArdle, D. MacHale, M. Mahon, D. Cunningham), (381) C13
- Iron pentaphenylcyclopentadienyl cationic complexes, a sonochemically promoted route to (P. Brégaint, J.-R. Hamon, C. Lapinte), (398) C25
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

- Lipophilic macrocyclic host molecules containing multiple ferrocenyl redox-active centres (P.D. Beer, A.C. Smythe, E.L. Tite, A. Ibbotson), (376) C11
- $[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ ($M = Fe, Ru$): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309
- Metal carbonyl complexes containing phosphorus-bridging carbonyl groups, formation and chemical reactivity of (R.B. King, F.-J. Wu, E.M. Holt), (383) 295
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Metallaborane anions, $[M(CO)_4(\eta^2-B_2H_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27
- Metalla-heterocyclobutadiene complexes, $Fe(CO)_3[Fe(CO)_3\cdots CH\cdots CpH\cdots S]$, reductive activation of (T. Fässler, G. Huttner, D. Günauer, S. Fiedler, B. Eber), (381) 409
- ansa*-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ¹H- and ¹³C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21
- Metal-rich metallaborane clusters, synthesis of; mechanism involving fragment condensation (X. Meng, A.K. Bandyopadhyay, T.P. Fehlner, F.-W. Grevels), (394) 15
- Mixed disubstituted $[Fe(CO)_3LL']$ complexes, preparation and characterization by ³¹P-NMR spectroscopy of (G. Bellachiomma, G. Cardaci, A. Macchioni, G. Reichenbach), (391) 367
- Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377
- $[Mo_2Cp_2(\mu-\alpha-\pi-CN^+Bu)(PPh_2CH_2PPh_2-P)(CO)_3]$ (¹Bu = C(CH₃)₃, Cp = η -C₅H₅), synthesis, crystal structure and heterometallic derivatives of (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (382) 407
- Molybdenum-iron bonds, alkyne assisted formation of; synthesis and crystal structure of $[MoFe(\mu-C_4Ph_4)(CO)_4(S_2CNEt_2)_2]$ (H.-B. Kraatz, M.J. Went, J.C. Jeffery), (394) 167
- Mono- and bis-metallocene calix[4]arene hydrophobic receptor molecules, synthesis, structure and electrochemical properties of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (378) 437
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
- Nido-cluster $[(CO)_3FeS]_2$, photochemically induced [2 + 2]-cycloaddition of alkenes and dienes to the S-S bond of (A. Kramer, I.-P. Lorenz), (388) 187
- Nitrosylcarbonyliron complexes, catalytic alkylations of allylic carbonates under argon in the presence of (J.-L. Roustan, M. Abedini, H.H. Baer), (376) C20
- $(OC)_5M(\mu-dppf)M(CO)_5\cdot CH_2Cl_2$ ($M = Cr, Mo$; dppf = (Ph₂PC₅H₄)₂Fe) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29
- Octanuclear heterometallic cluster $(MeC_5H_4)_2Cr_2(\mu_3-S)_4Co_2[(\mu_3-S)_2Fe_2(CO)_6]$, $[(\mu_3-S)Fe_2(CO)_6]$ having a "triangular metal ornament" core, chemical assembly and molecular structure of (A.S. Katugin, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, A.S. Aliev, Yu.T. Struchkov, A.I. Yanovsky), (382) 423
- Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165
- Organoiron chemistry, annual survey 1988 (R.C. Kerber), (380) 77
- Organoiron complexes of podocarpic acid derivatives (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (398) 117
- $[Os_3H(CH=CHR)(CO)_{10}]$ ($R = OEt$, ferrocenyl), molecular structures of and substitution effects at bridging vinyl ligands in (A.J. Deeming, M.S.B. Felix, D. Nuel, N.I. Powell, D.A. Tocher, K.I. Hardcastle), (384) 181
- Pd(BF₄)₂ and Pt(BF₄)₂ complexes of 1,1'-bis(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327
- α -Phenyl- and α -ferrocenyl-carbinols, reactions with nonacarbonyldiiron of (D. Bankston), (379) 129
- Phenyl-substituted cyclobutane and cyclopropane derivatives, photolysis and thermolysis of (R.L. Trace, W.M. Jones), (376) 103
- Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401
- Phosphorus analogues of unsaturated hydrocarbon-transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- Phosphorus-bridging carbonyl derivative containing three phosphorus atoms; crystal and molecular structure of $(^1Pr_2NP)(^1Bu_2PP)COFe_2(CO)_6$ (R.B. King, N.K. Bhattacharyya, E.M. Holt), (394) 305
- $(Ph_3PAu)_2Fe(CO)_3(P(OEt))_3$ triangular Au₂Fe cluster, synthesis and molecular structure of (L.W. Arndt, C.E. Ash, M.Y. Darenbourg, Y.M. Hsiao, C.M. Kim, J. Reibenspies, K.A. Youngdahl), (394) 733

- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23
- Rh complexes containing optically active iron compounds as ligands, enantioselective catalysis with; crystal structure of $\text{CpFe}(\text{CO})(\text{COMe})\text{PPh}_2\text{ORh}(\text{COD})$ (H. Brunner, R. Eder, B. Hammer, U. Klement), (394) 555
- Sandwich complexes of transition metals, flexible coordination of indenyl ligands in; molecular structures of $(\eta\text{-C}_9\text{R}_7)_2\text{M}$ ($\text{M} = \text{Fe}, \text{R} = \text{H, Me}; \text{M} = \text{Co, Ni}, \text{R} = \text{H}$); direct measurement of the degree of slip-fold distortion as a function of *d*-electron count (S.A. Westcott, A.K. Kakkar, G. Stringer, N.J. Taylor, T.B. Marder), (394) 777
- Solid state polymerization of diacetylenes; crystal and molecular structure of 1,4-bis(1'-ethylferrocenyl)buta-1,3-diyne (V.E. Shklover, Yu.E. Ovchinnikov, I.A. Zamaev, Yu.T. Struchkov, V.V. Dement'ev, T.M. Frunze, B.A. Antipova), (378) 235
- Sulphur-bridged trinuclear carbonylalkynyliron clusters, preparation, properties and structure of (Th. Fassler, G. Huttner), (376) 367
- Tertiary phosphines, complexes with iron(II) and dinitrogen, dihydrogen, and other small molecules (A. Hills, D.L. Hughes, M. Jimenez-Tenorio, G.J. Leigh), (393) C41
- Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77
- Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-*S*)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369
- (Thiocetene) $\text{Fe}_2(\text{CO})_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49
- Thiophenedioxide and its iron carbonyl complexes (R. Albrecht, E. Weiss), (399) 163
- Transition metals, diene complexes of (A. Nakamura), (400) 35
- Tricarbonyl(cyclohexadiene)iron sterically hindered complexes, preparation, isomer formation and isomerization reactions of (C.W. Ong, W.T. Liou, W.S. Hwang), (384) 133
- Tricarbonyl(η^5 -cyclohexadienyl)iron(1+)complexes, phenyl directing groups in the demethoxylation route to (D.A. Owen, G.R. Stephenson, H. Finch, S. Swanson), (395) C5
- (Tricarbonyl)(η^5 -2-methylpentadienyl)iron(1+) cation, synthesis and reactivity of (W.A. Donaldson), (395) 187
- Tricarbonylrhenium halide complexes, *fac*- $[\text{ReX}(\text{CO})_3\{(\text{C}_5\text{H}_4\text{ECH}_3)_2\text{Fe}\}]$ ($\text{X} = \text{Cl, Br, I}; \text{E} = \text{S, Se}$); crystal structure of chloro-1,1'-bis(methylthio)ferrocenetricarbonylrhenium (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (383) 253
- Tricarbonyl(3-trimethylstannylcycloheptadienyl)iron hexafluorophosphate and tricarbonyl(3-trimethylsilylcycloheptadienyl)iron hexafluorophosphate, preparation and reactions of (A.J. Pearson, M.S. Holden), (383) 307
- Triferrocenylborane and its amine adducts (T. López, A. Campero), (378) 91
- Trigonal bipyramidal methylidine clusters, $\text{EFe}_3(\text{CO})_9\text{CH}$ ($\text{E} = \text{As, Sb, Bi}$), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
- Trimetallic anionic compounds containing Fe-E-M skeletons ($\text{E} = \text{Zn, Cd, Hg}; \text{M} = \text{Fe, Mo, W}$); crystal structure of $[\text{N}(\text{PPh}_3)_2]_2[(\text{OC})_4\text{Fe}-\text{Hg}-\text{Fe}(\text{CO})_4]$ (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291
- Tri(methylene)methane, rearrangements to 1,3-diene ligands to chromium and iron complexes of (R. Aumann, B. Trentmann), (378) 171
- (η^5 -1,3,5-Trimethyl-6-phenylcyclohexadienyl)(η^5 -cyclopentadienyl)iron, a mixed full sandwich iron(II) complex, crystal and molecular structure of (M.J. Zaworotko, K.C. Sturge, P.S. White), (389) 333
- Trimethylplatinum(IV) halide complexes, $[\text{PtXMM}_3\{(\text{C}_5\text{H}_4\text{ECH}_3)_2\text{Fe}\}]$ ($\text{E} = \text{S, Se}; \text{X} = \text{Cl, Br, I}$), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šík), (378) 473
- Trinuclear metal carbonyl clusters of iron, ruthenium and osmium, quantitative mechanistic studies of photoreactions of (P.C. Ford), (383) 339
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103
- 1,2,3-Trisubstituted chiral ferrocenes, stereoselective synthesis, conformation and complexing behaviour of (N. Deus, G. Hübener, R. Herrmann), (384) 155
- Vinyl- and chlorovinyl-isocyanide complexes, synthesis and reactivity of (W.P. Fehlhammer, G. Beck), (379) 97

Lanthanides

- Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289
- Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^2\text{-C}_5\text{H}_3\text{Bu}^{\text{t}}_2)_2\text{Sm}\cdot\text{OC}_4\text{H}_8$ and homoleptic ate complex $[\text{NaSm}(\eta^5\text{-C}_5\text{H}_4\text{Bu}^{\text{t}})_3\cdot\text{OC}_4\text{H}_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35
- Lanthanides and actinides, annual survey 1982 (R.D. Ernst), (392) 51
- Lanthanides and actinides, annual survey 1983 (R.D. Rogers, L.M. Rogers), (380) 51

Lanthanum

- η^6 -Benzene lanthanoid tris(aluminum tetrachlorides) ($\text{Ln} = \text{La, Nd, Sm}$), synthesis and structure of (B. Fan, Q. Shen, Y. Lin), (377) 51

Lead

- Bis[bis(trimethylsilyl)methyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57
- Diphenyl-lead sulphide and diphenyl-tin sulfide trimers; molecular structures, ring segment exchange in solution, and dimer formation as indicated by FD mass spectroscopy (B.M. Schmidt, M. Dräger), (399) 63
- Group IVB organobimetallic compounds, reactions with electrophilic reagents (S.I. Bobrovskii, Yu.G. Bundel), (395) 121
- 1-Hydroxy-2,4,6,8-tetakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Ions and radicals derived from tetramethyllead, hexamethyldilead, dimethylead, and tetramethyldilead; SCF-MO study of the molecular and electronic structures of (C. Glidewell), (398) 241
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multi-nuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1
- Se-organolead selenocarboxylates, isolation and characterisation of (S. Kato, H. Ishihara, K. Ibi, H. Kageyama, T. Murai), (386) 313
- Trisodium tricarbonylcobaltate(3-), synthesis, isolation and characterization of (J.E. Ellis, P.T. Barger, M.L. Winzenburg, G.F. Warnock), (383) 521

Lithium

- Alkyllithium and potassium alkoxide complex bases, utilization in the dimetallation of phenol, thiophenol, *o*-, *m*- and *p*-cresol (H. Andringa, H.D. Verkrujisse, L. Brandsma, L. Lochmann), (393) 307
- Complex bases from organolithium compounds and various sodium alkoxides, properties of (L. Lochmann), (376) 1
- Dinuclear (M, M') complexes with $[\text{CH}_2(\text{C}_5\text{H}_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33
- Ferrocenylalkylamines, influence of steric hindrance on lithiation of (N. Deus, D. Robles, R. Herrmann), (386) 253
- Fluoroallyl alcohols, preparation of (T. Dubuffet, C. Bidon, P. Martinet, R. Sauvêtre, J.-F. Normant), (393) 161
- ($\eta^5\text{:}\eta^5$ -Fulvalene)bimetallic compounds derived from ($\eta^5\text{:}\eta^5$ -fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227
- Germyllithiums, mechanism of, reactions with di-t-butyl-3,5-orthoquinone of (P. Rivière, A. Castel, Y.H. Ko, D. Desor), (386) 147
- ($\mu_2\text{-Te}_2\text{Fe}_2(\text{CO})_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($\text{L} = \text{PPh}_3$, $\text{M} = \text{Pt, Pd, Ni}$; $\text{L} = \text{C}_5\text{H}_5$, $\text{M} = \text{Ti}$; $\text{L} = \text{Me, n-Bu}$, $\text{M} = \text{Sn}$) of (P. Mathur, V. Dayal Reddy), (385) 363

- Heterobimetallic bridged alkynide complex, $(C_5Me_5)Y(\mu-C\equiv CCMe_3)_2Li(THF)$, synthesis and X-ray structure of (W.J. Evans, D.K. Drummond, T.P. Hanusa, J.M. Olofson), (376) 311
- $[Li(THF)_4][C_5H_5)_2Lu(NPh_2)_2]$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45
- Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, $1,2-(PH)_2C_6H_4$ (E. Hey), (378) 375
- Lithium bis(trimethylgermyl)amide, synthesis and structure of (M. Rannenberg, H.-D. Hausen, J. Weidlein), (376) C27
- Lithium dimeric derivative of tetraphenyldisiloxanediolate dianion, synthesis and structure of (M.B. Hursthouse, M.A. Hossain, M. Mottevalli, M. Sanganee, A.C. Sullivan), (381) 293
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- Monomeric arylchromium(II) complexes; crystal structures of [*cis*-Mes₂Cr(THF)₂](THF), [*cis*-Mes₂Cr(bipy)](THF), [Mes₄CrLi₂(THF)₂](THF) and Ph₄CrLi₂(THF)₄ (Mes = 2,4,6-mesityl; bipy = 2,2'-bipyridine) (J.J.H. Edema, S. Gambarotta, F. van Bolhuis, W.J.J. Smeets, A.L. Spek, M.Y. Chiang), (389) 47
- Mono- or *gem*-di-halogenoalkenes, convenient preparation from α -sulfonyl carbanions and halogenolithiocarbenoids of (P. Charreau, M. Julia, J.-N. Verpeaux), (379) 201
- Organolithio-pyridinic derivative, intermolecular reaction of (M. Mallet, G. Branger, F. Marsais, G. Queguiner), (382) 319
- Organolithium compounds, degree of association in liquid ammonia of (R. den Besten, S. Harder, L. Brandsma), (385) 153
- Organometallic reagents derived from $CF_2=CFCl$, $CF_2=CCl_2$ and $CF_2=CH_2$ in the synthesis of selectively fluorinated substrates (J.-F. Normant), (400) 19
- Organopotassium compounds, activation of n-butyllithium by; preparation of strongly basic systems (F. Scott, A.M. Hamee, H.G. Raubenheimer), (393) C40
- Phenyllithium complexes, ^{13}C CP/MAS NMR spectroscopy of (D. Johnels, U. Edlund), (393) C35
- 2-Propenyl-1,3-dithiane anion, regioselective addition of aldimines to (J.-M. Fang, S.-T. Chen, I.-H. Chen), (398) 219
- Trimesitylgermyllithium, synthesis and reactivity of (A. Castel, P. Rivière, J. Satgé, Y.H. Ko, D. Desor), (397) 7
- α -Trimethylsilyl substituted α -picolines, negative hyperconjugation control of acidities in; isolation of $[Li\{NC_5H_4-2-C(H)(SiMe_3)_2\}\{NC_5H_4-2-C(H)(SiMe_3)\}]_2$ (C. Jones, C.H.L. Kennard, C.L. Raston, G. Smith), (396) C39

Lutetium

- Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289
- $[(C_5H_5)_2Lu(\mu-O(CH_2)_4P(C_6H_5)_2)]_2$ and $[(C_5H_5)_2Lu(OC_4H_8)]_2(\mu-O)$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49
- Dicyclopentadienylbis(trimethylsilyl)lutetate anion, crystal structure of (H. Schumann, J.A. Meese-Markscheffel, F. Ekkehard Hahn), (390) 301
- Lanthanoide triflate and monocyclopentadienyllanthanoide compounds, chemistry of (H. Schumann, J.A. Meese-Markscheffel, A. Dietrich), (377) C5
- $[Li(THF)_4][C_5H_5)_2Lu(NPh_2)_2]$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45
- {1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lanthanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Magnesium

- Diaryl magnesium species, coordination modes of; some representative X-ray crystal structures (P.R. Markies, G. Schat, O.S. Akkerman, F. Bickelhaupt, W.J.J. Smeets, P. van der Sluis, A.L. Spek), (393) 315
- 4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115
- Grignard addition and reduction reactions of spiro[5]ferrocenophane-3,1'-cyclohexane-1,5-dione (S. Rachwal, B. Kawalek, T. Gorecki, P. Milart), (384) 165

- Magnesium, reaction with benzotrihalides and benzal halides; synthetic and mechanistic studies (E.C. Ashby, D.M. Al-Fekri), (390) 275
- Magnesium activation of dichlorodi- η_5 -cyclopentadienyltitanium in the catalytic hydrogenation of olefins and acetylenes (F. Scott, H.G. Raubenheimer, G. Pretorius, A.M. Hamese), (384) C17
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- α -(Methylene)alkanoic esters, formation by substitution of α -(acetoxymethyl)acrylates using Grignard reagents of (H. Amri, M. Rambaud, J. Villieras), (384) 1
- Titanium-nitrogen complexes, reaction with acid halides and acid anhydrides (M. Mori, Y. Uozumi, M. Shibasaki), (395) 255
- Transition metals, diene complexes of (A. Nakamura), (400) 35
- Trialkylsilyl α - or ω -chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127
- Tris(3,5-dimethylpyrazolyl)hydroboratomanganese alkyl derivatives, ligand redistribution reactions of; crystal structure of $\{\eta^3\text{-HB}(3,5\text{-Me}_2\text{pz})_3\}_2\text{Mg}$ (R. Han, G. Parkin), (393) C43

Main Metals - General

- Chemiluminescence of organometallics in solution (*review*) (R.G. Bulgakov, V.P. Kazakov, G.A. Tolstikov), (387) 11

Manganese

- Bis[bis(trimethylsilylmethyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57
- Carbonyl complexes of manganese(I) containing monodentate $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm), synthesis of (G.A. Carriedo, M.C. Crespo, C. Diaz, V. Riera), (397) 309
- Carbonyl dimers with mixed bridges $[(\text{CO})_4\overset{\cdot}{\text{M}}(\text{H})\text{M}(\text{L})(\text{CO})_4]_n$, ($n = 2 - , 0$), electronic structure of (B.J. Trzebiatowska, B. Nissen-Sobocińska, L. Natkaniec), (376) 67
- Carbonylmanganese complexes, reactions with imidoyl halide of (P.L. Motz, J.J. Alexander, C.J. Campana), (379) 119
- ($\text{C}_5\text{H}_4\text{Me}$) $\text{CO}_2\text{Mn}[\text{CHCH}(\text{PEt}_3)]$, carbene-like ylid complexes, molecular structure of (R.D. Rogers, H.G. Alt, H.E. Maisel), (381) 233
- π -Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161
- [3,3,3-(CO) $_3$ -4-SMe $_2$ -3,1,2-MnC $_2$ B $_9$ H $_{10}$], synthesis and molecular and electronic structure of; order-of-magnitude improved structure of ($\eta\text{-C}_5\text{H}_5$)Mn(CO) $_3$ (J. Cowie, E.J.M. Hamilton, J.C.V. Laurie, A.J. Welch), (394) 1
- Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1
- Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of $[(\text{CO})_3\text{MC}_5\text{H}_4]_2\text{E}_n$ (M = Mn, Re; E = S, Se, Te; $n = 2, 1$) M. Herberhold, M. Biersack), (381) 379
- Dicarbonyl(alkene)(arene)manganese cations, kinetic study of nucleophilic addition to the alkene in (T. Hanna, N.S. Lennhoff, D.A. Sweigart), (377) 133
- Dicarbonylcyclopentadienylmanganese fragments, reactions with propiolic aldehyde acetals of (C. Löwe, H.-U. Hund, H. Berke), (378) 211
- Dimetallaarsacumulenium ions, preparation of arsinidene complexes from (A. Strube, G. Huttner, L. Zsolnai, W. Imhof), (399) 281
- Dinuclear metal carbonyl complexes and alkyl halides, photochemical reactions of; formal oxidative addition across metal-metal single bond proceeding by free radical chain mechanism (M.A. Biddulph, R. Davis, F.I.C. Wilson), (387) 277
- Diterpenoids cyclomanganation, functionalization of carbon-14 (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (381) C26
- Fe(CO) $_4$ (η^1 -dppf) [where dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$] as building block for heterometallic complexes (T.S.A. Hor, L.T. Phang), (390) 345
- Formyl-, acetyl-, carbomethoxy-, and carboethoxy-cyclopentadienylthallium, formation and synthetic utility of (S.S. Jones, M.D. Rausch, T.E. Bitterwolf), (396) 279
- η^2 -(2-Formylphenyl)tetracarbonylmanganese(I) complexes, synthesis and reactions of; cyclopentaannulation of a diterpenoid (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (398) C22

- (η^5 : η^5 -Fulvalene)bimetallic compounds derived from (η^5 : η^5 -fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227
- Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267
- ¹⁹⁹H NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- Hydrocarbon-bridged metal complexes, $(OC)_5M(CH_2)_nM(CO)_5$, ($M = Mn$, $n = 2$; $M = Re$; $n = 2$; $n = 3$), synthesis from dimethyl ether of the bistriflates $Y(CH_2)_nY$ ($Y = F_3CSO_2O$) and carbonyl metalates $[M(CO)_5]^-$ of (E. Lindner, M. Pabel, K. Eichele), (386) 187
- 1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxyazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- $[L_nM=X=ML_n]$ complexes ($X = Ge$, Sn, Pb; $L_nM = Cp'(CO)_2Mn$), reactions with chelating ligands; synthesis and characterisation of $[(L_nM)_2XDipy]$ derivatives (F. Ettel, G. Huttner, W. Imhof), (397) 299
- Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopenta-dienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9
- Manganese carbonyl and organometallic compounds; analysis and classification of crystallographic and structural data (C.E. Holloway, M. Melnik), (396) 129
- Manganese(I) octahedral cationic carbonyl complexes containing nitrogen donor chelate ligands, iso-cyanide migration from axial to equatorial position in the synthesis of (F.J. García Alonso, V. Riera, M. Vivanco), (398) 275
- Manganese; stereospecific synthesis of mono- and bi-nuclear (ligand-bridged) carbonyl complexes of (G.A. Carriero, V. Riera), (394) 275
- cis-M(CO)₄(PPh₃)CH₂I ($M = Mn$, Re), synthesis and rearrangement of (S.K. Mandal, D.M. Ho, M. Orchin), (397) 313
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121
- $[Mn(CH_3-\eta^5-C_5H_4)(CO)_2PPh_3]$, reaction with iodine; crystal structure of diiodobis(triphenylphosphine oxide)manganese(II) (T. Avilés, M.A.A.F. de C.T. Carondo, M.F.M. Piedade, G. Teixeira), (388) 143
- $[Mn(CO)_5Br]$ and $Re[CO]_5Br$, Pd-catalysed carbonyl ligand substitution reactions with isocyanides of (N.J. Coville, P. Johnston, A.E. Leins, A.J. Markwell), (378) 401
- $[Mn_2(CO)_8(PBu_3)_2]$, thermal reactions with alkyl halides; evidence for an outer-sphere electron transfer process (R. Davis, F.I.C. Wilson), (396) 55
- $[Mo_2Cp_2(\mu-\sigma-\pi-CN^+Bu)(PPh_2CH_2PPh_2-P)(CO)_3]$ ($^+Bu = C(CH_3)_3$, $Cp = \eta\text{-}C_5H_5$), synthesis, crystal structure and heterometallic derivatives of (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (382) 407
- Organomanganese reagents, reactions with a conjugated enone; influence of Lewis acids and iron or nickel salts (G. Cahiez, M. Alami), (397) 291
- Pentacarbonylbenzylmanganese(I) systems, substituent effects on the alkyl migration reaction in (J.D. Cotton, R.D. Markwell), (388) 123
- Phosphometallacycloalkanes, conformation and ³¹P NMR data of (E. Lindner, R. Fawzi, H.A. Mayer, K. Eichele, K. Pohmer), (386) 63
- Phosphidomanganates applied in synthesis of phosphamanganacyclopropanes with carbene and phosphido units (E. Lindner, E. Ossig, M. Darmuth), (379) 107
- Phosphorus analogues of unsaturated hydrocarbon–transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- (P)InM(L) and (P)TiM(L) σ -bonded heteronuclear metalloporphyrin complexes ($M(L) = Mn(CO)_5$, $Co(CO)_4$, $Cr(CO)_3Cp$, $Mo(CO)_5Cp$, or $W(CO)_5Cp$), physicochemical study of (R. Guillard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315
- Polymetallic compounds of extended polycyclic aromatic ligands; rhenium and manganese carbonyl derivatives of truxene (T.L. Tisch, T.J. Lynch, R. Dominquez), (377) 265
- RMn(CO)₅ and RC(O)Mn(CO)₅, protonolysis reactions in (P.L. Motz, D.J. Sheeran, M. Orchin), (383) 201

- Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57
- Transition metal-assisted retro Diels–Alder reaction used in the synthesis of transition metal S₂O complexes (G.A. Urove, M.E. Welker, B.E. Eaton), (384) 105
- Transition metal stabilised As¹ and Sb¹ chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255
- Trigonal bipyramidal methylidine clusters, EFe₃(CO)₉CH (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
- Tri(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103
- Vinylidene and allenylidene cymantrene derivatives, reactions with isonitriles of (V.N. Kalinin, V.V. Derunov, M.A. Lusenkova, P.V. Petrovsky, N.E. Kolobova), (379) 303

Mercury

- Anionic and neutral spiked triangle clusters of mercury; comparative study of the metal ligand redistribution process (R. Reina, O. Rossell, M. Seco), (398) 285
- Aryltin(IV) complexes, synthesis using arylmercury compounds; synthesis of mixed triaryltin(IV) complexes; crystal and molecular structure of [Sn(2-C₆H₄N=NPh)Ph₂Cl] (J. Vicente, M.T. Chicote, M.C. Ramírez-de-Arellano, P.G. Jones), (394) 77
- Bimetallic tetrานuclear clusters, synthesis from phosphido-bridged Ru₃ cluster anions and metal halogenides of Groups 11 and 12; crystal structure of HRu₃Au(CO)₈(PPh₃)₂ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109
- Dibenzylmercury radical cations, ESR study of (C.J. Rhodes, H.A. Agirbas), (378) 303
- Dihexyn-4-ylzinc, intramolecular interaction between a zinc atom and a carbon–carbon triple bond in (E. Oknińska, K.B. Starowieyski), (376) 7
- 4-Halomercury crotonates, synthesis of (E. Boudjana, N.H. Dinh), (377) 171
- ¹⁹⁹Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- Hydroperoxymercuriation using 30% hydrogen peroxide (A.J. Bloodworth, M.D. Spencer), (386) 229
- 1-Hydroxy-2,4,6,8-tetrakis(1-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Methylmercury tetrafluoroborate, dimethylsulfoxide coordination to (H. Schmidbauer, H.-J. Öller, S. Gamper, G. Müller), (394) 757
- Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293
- Monoorganomercury and diorganothallium derivatives of 2-thiouracil and 2-S-methylthiouracil; crystal structure of methylmercury(II)-2-S-methylthiouracilate (M.S.G. Tasende, M.I.S. Gimeno, A. Sánchez, J.S. Casas, J. Sordo, E.E. Castellano), (384) 19
- Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malatesta, P. Zambonin), (378) 239
- Organomercury–platinum complexes, synthesis by reaction of platinum hydrides with organomercurials (A. Handler, P. Peringer, E.P. Müller), (389) C23
- 2-(2-Pyridyl)phenyl(*p*-ethoxyphenyl)tellurium(II), reaction with mercury(II) chloride of (S.A. Mbogo, W.R. McWhinnie, T.S. Lobana), (384) 115
- Syndnone complexes with C–Pd and C–Pt σ -bonds, synthesis of; application of palladium salts for the preparation of 4-alkenylsyndnones (V.N. Kalinin, She Fan Min, P.V. Petrovskii), (379) 195
- Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of [N(PPh₃)₂]₂[(OC)₄Fe–Hg–Fe(CO)₄] (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

Metallocenes

- Azaferrocene, axial coordination to a cobalt(II) porphyrin and alkylcobaloximes of (J. Zakrzewski, C. Giannotti), (385) C23
- Azaferrocene, photochemical synthesis of (J. Zakrzewski, C. Giannotti), (388) 175
- Benzyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77

- Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1
- Biruthenocene, synthesis of; NMR spectroscopic study of the products of the reaction of biruthenocene with Lewis acids (M. Watanabe, S. Kawata, H. Sano, I. Motoyama), (399) 301
- Bis(η -cyclopentadienyl)titanium(IV) bis(substituted benzoato) complexes; synthesis and spectra of (Y. Dang, H.J. Geise, R. Domisse, E. Esmans, H.O. Desseyn), (381) 333
- 1,1'-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1'-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (394) 455
- Bis(pentamethylcyclopentadienyl)zinc and bis(tetramethylphenylcyclopentadienyl)zinc, solid state structures of (B. Fischer, P. Wijkens, J. Boersma, G. van Koten, W.J.J. Smets, A.L. Spek, P.H.M. Budzelaar), (376) 223
- Bis(silylated cyclopentadienyl)niobium complexes, reactions with organic halides of (A. Antíñolo, M. Fajardo, A. Otero, M.C. Puerta, Y. Mugnier), (382) 389
- Bridged dinuclear zirconocene complexes (H.G. Alt, C.E. Denner), (398) 91
- (η^4 -2-Bromo- and -iodo-5-trimethylsilylcyclopentadienone)(η^5 -cyclopentadienyl)cobalt and their 3,4-tri-, -tetra-, and -penta-methylene derivatives, synthesis of, (P.C. Auderset, E.R.F. Gesing), (381) 139
- (η^4 -Butadiene)-zirconocene, and -hafnocene with 2-methyl-2-nitrosopropane of (G. Erker, M.G. Humphrey), (378) 163
- Carbon monoxide ligands as building blocks for alkenyl ketone compounds (H.G. Alt), (383) 125
- Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289
- Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321
- Chalcone-analogous ferrocenes *ortho*-substituted in the aromatic ring, spectroscopic investigation of (A.G. Nagy, P. Sohár), (390) 217
- (η^5 -C₅H₅)₂Co(CO)₂, reaction with dichloroethyne; structures of (CpCo)(η^4 -C₇Cl₆O), [CpCo]₂[(μ - η^1 , η^2)₂-C₅Cl₄O] and [η^4 -(CpCo-CCl=CCl-CCl=CCl)](CoCp) (K. Süntel), (391) 247
- [(C₅H₅)Fe(η^6 -C₈H₈)]PF₆, synthesis and crystal structure of (J. Heck, W. Massa), (376) C15
- Chiral substituted ferrocenes, stereo- and enantio-selectivity in catalytic hydrogenolysis to give cyclopropanes of (V.I. Sokolov, L.L. Troitskaya, N.S. Khrushcheva, O.A. Reutov), (378) 227
- Chloro-, bromo- and methyl-ferrocenes, mass spectrometric investigation by electron and photon impact ionisation (S. Barfuss, K.-H. Emrich, W. Hirschwald, P.A. Dowben, N.M. Boag), (391) 209
- Chromium, μ_2 -benzylidene complex of, with unpaired electrons (F.H. Köller, C. Krüger, H. Zeh), (386) C13
- (C₅H₅)₂Ti^{IV} and (C₅H₅)₂Zr^{IV} complexes with oxydiacetate ligands, preparation and reactions of (U. Thewalt, T. Güthner), (379) 59
- (C₅H₅)₂Ti(SbF₆)₂ and (C₅H₅)₂Ti(Sb₂F₁₁)₂; synthesis and characterization of; structure of (C₅H₅)₂Ti(SbF₆)₂ and (C₅H₅)₂V(SbF₆)₂ (P. Gowik, T. Klapötke, U. Thewalt), (385) 345
- (Cl)(NO)₂Cr(η^5 -C₅H₄)C(O)(η^5 -C₅H₄)Fe(η^5 -C₅H₅), synthesis of; an unexpected product from the Friedel-Crafts acylation of (CO)₂(NO)Cr(η^5 -C₅H₄)C(O)(η^5 -C₅H₄)Fe(η^5 -C₅H₅) with (CO)₂(NO)Cr[$(\eta^5$ -C₅H₄)C(O)Cl] (Y.-P. Wang, J.-M. Hwu), (399) 141
- (CO)₂(NO)Cr(η^5 -C₅H₄)CH₂(η^5 -C₅H₄)Fe(η^5 -C₅H₅), X-ray structure of (CO)₂(NO)Cr₂(η^5 -C₅H₄)CH₂[η^5 -(3-acetyl)C₅H₃]Fe(η^5 -C₅H₅) (Y.-P. Wang, R.-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (386) 79
- (CO)₂(NO)Cr(η^5 -C₅H₄)CH₂(η^5 -C₅H₄)Fe(η^5 -C₅H₅) Friedel-Crafts acylation of; crystal structure of (CO)₂(NO)Cr(η^5 -C₅H₄)CH₂(η^5 -C₅H₄)Fe(η^5 -C₅H₄)C(O)(η^5 -C₅H₄)Cr(CO)₂(NO) (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179
- Cp₂Ti(BiF₆)₂, synthesis and characterization of (P. Gowik, T. Klapötke), (387) C27
- Cryptates from cryptands containing a ferrocene unit (C.D. Hall, I.P. Danks, M.C. Lubinski, N.W. Sharpe), (384) 139
- Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoichiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227
- (η^4 -1,5-Cyclooctadiene)(η^6 -1,2,3,4-tetramethylfulvene)ruthenium, formation of, ligand arrangement in and molecular structure of (U. Kölle, B.-S. Kang, U. Thewalt), (386) 267
- Cyclopentadienyl-alkoxide complexes, (C₅H₅)₂Cr₂(μ -OR)₂[OCC₃(CO)₉] and (C₅H₅)₂Cr₂(OR)₂(μ -OR)₂ (R = CMe₃), synthesis, molecular structure, electronic structure and magnetic properties of

- (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (384) 279
- Cyclopentadienylcyclooctadienylhydridoruthenium, rearrangements in (U. Kölle, B.-S. Kang, G. Raabe, C. Krüger), (386) 261
- α -Cynichrodenyl- α -ferrocenylmethylium tetrafluoroborate, synthesis and 2D NMR spectra of (Yu.-P. Wang, J.-M. Hwu), (385) 61
- 1,3-Dichalcogena-2-vanada-[3]ferrocenophanes (M. Herberhold, M. Schrepfermann, A.L. Rheingold), (394) 113
- Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-C}_5\text{H}_3\text{Bu}^1)_2\text{Sm}\cdot\text{OC}_4\text{H}_8$ and homoleptic ate complex $[\text{NaSm}(\eta^5\text{-C}_5\text{H}_4\text{Bu}^1)_3\cdot\text{OC}_4\text{H}_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35
- 2,3-Dimethylindole, π -coordination into cyclopentadienyliron complexes of (N. Kuhn, E.-M. Lampe), (385) C9
- Diorganozincs, enantioselective addition to aldehydes catalyzed by β -amino alcohols of (B. Noyori, S. Suga, K. Kawai, S. Okada, M. Kitamura, N. Oguni, M. Hayashi, T. Kaneko, Y. Matsuda), (382) 19
- Diphosphazirconocene dichloride, $(\eta^5\text{-C}_4\text{Me}_4\text{P})_2\text{ZrCl}_2$, reactivity of; crystal and molecular structure of $(\text{CO})_3\text{Fe}(\mu\text{-}\eta^5\text{-}\eta^1\text{-C}_4\text{Me}_4\text{P})_2\text{ZrCl}_2$ (F. Nieff, F. Mathey, L. Ricard), (384) 271
- 1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339
- Electron-transfer processes with substituted group 5 metal carbonyls; synthesis, crystal and molecular structure of $\text{Ag}_3\text{M}_3(\text{CO})_{12}(\text{Me}_2\text{PCH}_2\text{CH}_2\text{PMe}_2)_3$, M = Nb, Ta (F. Calderazzo, G. Pampaloni, U. Englert, J. Strähle), (383) 45
- Ethylyn-, trimethylsilylethylyn- and ferrocenylethylynlcobaltocenium salts, preparation and reactions of (M. Wildschek, C. Rieker, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (396) 355
- $\text{Fe}(\text{CO})_4(\eta^1\text{-dppf})$ [where dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345
- Ferrocene, annual survey 1988 (G. Marr, B.W. Rockett), (392) 93
- Ferrocene-chalcogenols $\text{Fe}(\text{C}_5\text{H}_5)(\text{C}_5\text{H}_4\text{EH})$ and $\text{Fe}(\text{C}_5\text{H}_4\text{EH})_2$ (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhörfer, J. Ott-Lastic), (377) 281
- Ferrocene-containing cryptands and their metal complexes, Mössbauer studies on (C.D. Hall, I.P. Danks, P.J. Hammond, N.W. Sharpe, M.J.K. Thomas), (388) 301
- Ferrocenes as potential antitumor drugs, synthesis and activity of (N. Motohashi, R. Meyer, S.R. Gollapudi, K.R. Bhattiprolu), (398) 205
- Ferrocenes derived from isodicyclopentadiene and tricyclo[5.2.1.0^{2,6}]deca-2,5,8-triene (V. Bhide, P. Rinaldi, M.F. Farone), (376) 91
- Ferrocene with a pentaarsacyclopentadienyl ligand (O.J. Scherer, C. Blath, G. Wolmershäuser), (387) C21
- Ferrocenylalkenes, alkoxymethylation of (A. Ketter, R. Herrmann), (386) 241
- Ferrocenylalkylamines, influence of steric hindrance on lithiation of (N. Deus, D. Robles, R. Herrmann), (386) 253
- Ferrocenylalkyl substituted imines, nucleophilic addition to; asymmetric synthesis of chiral amines (D.M. David, L.A.P. Kane-Maguire, S.G. Pyne), (390) C6
- Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73
- Ferrocenyl carbinols, ethers, and ureas, synthesis of (S. Kovac, V. Rapic), (384) 147
- Ferrocenyl derivatives of anthracene, synthesis of (R.M.G. Roberts), (388) 181
- (η^2 -Formaldehyde)zirconocene, reactions with heteromolecules (G. Erker, M. Mena, S. Werner, C. Krüger), (390) 323
- Gold(I)-chiral ferrocenylphosphine neutral complexes, enantioselective synthesis of crystal structure of the complex $[(\eta^2\text{-C}_5\text{H}_4\text{PPh}_2)(\eta^5\text{-C}_5\text{H}_3(\text{PPh}_2)\text{CH}(\text{Me})\text{N}(\text{Me})\text{CH}_2\text{CH}_2\text{NMe}_2)\text{Fe}]_2(\text{AuCl})_3 \cdot \text{Et}_2\text{O}$ (A. Togni, S.D. Pastor, G. Rihs), (381) C21
- Grignard addition and reduction reactions of spiro[5]ferrocenophane-3,1'-cyclohexane-1,5-dione (S. Rachwal, B. Kawalek, T. Gorecki, P. Milart), (384) 165
- Heterotetranuclear anionic clusters, $[\text{MCo}_3(\text{CO})_{12-2n}(\text{C}_2\text{Ph}_2)_n]^-$ (M = Fe, Ru; n = 0, 1), redox behaviour of (R. Jund, J. Rimmelin, M. Gross), (381) 239
- (η^3 -Indenyl)(η^5 -indenyl)V(CO)₂ 17-electron complex, electrochemistry of an oxidatively induced ring slippage in (G.A. Miller, M.J. Therien, W.C. Trogler), (383) 271

- Iron carbonyls, reactions with triple-decker sandwich complexes ($\eta^5\text{-C}_5\text{H}_5$) $\text{Ni}(\mu, \eta^5\text{-C}_2\text{B}_2\text{C})\text{M}(\eta^5\text{-C}_5\text{H}_5)$, ($\text{M} = \text{Co, Ni}$); replacement of ($\eta^5\text{-C}_5\text{H}_5$) Ni by and insertion of the $\text{Fe}(\text{CO})_3$ fragment into the ($\eta^5\text{-C}_5\text{H}_5$) $-\text{Ni}$ bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329
- Isopropyltetramethylcyclopentadienyltitanium derivatives, synthesis, X-ray structures and polymerization of (D.T. Mallin, M.D. Rausch, E.A. Mintz, A.L. Rheingold), (381) 35
- Lipophilic macrocyclic host molecules containing multiple ferrocenyl redox-active centres (P.D. Beer, A.C. Smythe, E.L. Tite, A. Ibbotson), (376) C11
- Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-($\text{PH}_2\text{C}_6\text{H}_4$) (E. Hey), (378) 375
- ansa*-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ^1H - and ^{13}C -NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21
- Metallocenylcyclopentadienylides as precursors for heteropolymetallocenes, preparation and reactions of ferrocenyl- and cobaltoceniumyl-cyclopentadienylides of, (C. Rieker, G. Ingram, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (381) 127
- Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377
- Mono- and bis-metallocene calix[4]arene hydrophobic receptor molecules, synthesis, structure and electrochemical properties of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (378) 437
- Monocyclooctatetraenyluranium(IV) borohydrides; crystal structure of ($\eta\text{-C}_8\text{H}_8$) $\text{U}(\text{BH}_4)_2(\text{OPPh}_3)$ (D. Baudry, E. Bulot, M. Ephritikhine, M. Nierlich, M. Lance, J. Vigner), (388) 279
- ($\mu\text{-}\eta^6, \eta^6$ -Naphthalene)dichromium and bis(η^6 -naphthalene)chromium compounds, electrochemical properties of (B.F. Bush, J.J. Lagowski), (386) 37
- Niobium metallaboranes, analogues of pentaborana(11) (P.D. Grebenik, J.B. Leach, J.M. Pounds, M.L.H. Green, P. Mountford), (382) C1
- [$\text{Os}_3\text{H}(\text{CH}=\text{CHR})(\text{CO})_{10}$] ($\text{R} = \text{OEt}$, ferrocenyl), molecular structures of and substitution effects at bridging vinyl ligands in (A.J. Deeming, M.S.B. Felix, D. Nuel, N.I. Powell, D.A. Tocher, K.I. Hardcastle), (384) 181
- $\text{Pd}(\text{BF}_4)_2$ and $\text{Pt}(\text{BF}_4)_2$ complexes of 1,1'-bis[(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Kataoka, S. Akabori), (377) 327
- α -Phenyl- and α -ferrocenyl-carbinols, reactions with nonacarbonyldiiron of (D. Bankston), (379) 129
- Phosphorus analogues of unsaturated hydrocarbon-transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23
- Solid state polymerization of diacetylenes; crystal and molecular structure of 1,4-bis(1'-ethylferrocenyl)buta-1,3-diyne (V.E. Shklover, Yu.E. Ovchinnikov, I.A. Zamaev, Yu.T. Struchkov, V.V. Dement'ev, T.M. Frunze, B.A. Antipova), (378) 235
- Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum-hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35
- Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77
- Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-*S*)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369
- Titanium complexes and alkali metal hydrides, active hydrogenation catalysts from (Y. Zhang, S. Liao, Y. Xu, S. Chen), (382) 69
- Titanocene, acetylene complexes of, as starting compounds in the preparation of five-membered titanacycles (H.G. Alt, G.S. Herrmann), (390) 159
- Titanocene, alkenyl and ethyl complexes of; crystal structure of [$\text{Cp}_2\text{Ti}(\text{CMe}=\text{CHMe})_2\mu\text{-O}$] (G.S. Herrmann, H.G. Alt, U. Thewalt), (393) 83
- Titanocene aluminium hydride, reactions with alcohols, amines and ethers; structures of [$(\eta^5\text{-C}_5\text{H}_5)\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{H})(\mu_2\text{-OC}_2\text{H}_5)_2$]₂ and [$(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{H})(\mu_2\text{-N}(\text{C}_2\text{H}_5)_2)_2$]₂ (T.Yu. Sokolova, A.I. Sizov, B.M. Bulychev, E.A. Rozova, V.K. Belsky, G.L. Soloveichik), (388) 11
- Titanocene and zirconocene stereorigid derivatives; synthesis and crystal structure of [$\eta^5\text{-}\eta^5\text{-}(\text{C}_5\text{H}_4)_2\text{Si}(\text{CH}_3)_2\text{JTi}[\text{CH}_2\text{Si}(\text{CH}_3)_3]_2$] (R. Gómez, T. Cuenca, P. Royo, W.A. Herrmann, E. Herdtweck), (382) 103
- Titanocene chiral derivatives accessible from substituted dihydropentalene and azulene precursors (P. Burger, H.-U. Hund, K. Evertz, H.-H. Brintzinger), (378) 153

- Titanocene complexes containing the chelating ligands $C_2S_4^{4-}$, $C_2S_5^{2-}$, and $C_2S_6^{2-}$, synthesis and spectra of (R. Steudel, U. Westphal), (388) 89
- Titanocene-trifluoroacetato complexes; molecular structures of $[Cp_2Ti(OCOCF_3)]_2\mu-O$ and $Cp_2Ti(OCOCF_3)_2$ (G.S. Herrmann, H.G. Alt, U. Thewalt), (399) 83
- Tricarbonylrhenium halide complexes, *fac*- $[ReX(CO)_3((C_5H_4ECH_3)_2Fe)]$ ($X = Cl, Br, I; E = S, Se$); crystal structure of chloro-1,1'-bis(methylthio)ferrocenetricarbonylrhenium (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (383) 253
- Triferrocenyloborane and its amine adducts (T. López, A. Campero), (378) 91
- (η^5 -1,3,5-Trimethyl-6-phenylcyclohexadienyl)(η^5 -cyclopentadienyl)iron, a mixed full sandwich iron(II) complex, crystal and molecular structure of (M.J. Zaworotko, K.C. Sturge, P.S. White), (389) 333
- Trimethylplatinum(IV) halide complexes, $[PtXMMe_3((C_5H_4ECH_3)_2Fe)]$ ($E = S, Se; X = Cl, Br, I$), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šík), (378) 473
- 1,2,3-Trisubstituted chiral ferrocenes, stereoselective synthesis, conformation and complexing behaviour of (N. Deus, G. Hübener, R. Herrmann), (384) 155
- Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53
- Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53
- Zirconoxy carbene complexes, preparation by regioselective coupling of (isoprene)zirconocene with hexa-carbonyltungsten and a ketone; crystal structure of $Cp_2ZrOCl=W(CO)_5]CH_2CHC(CH_3)CH_2$ (G. Erker, F. Sosna, R. Pfaff, R. Noe, C. Sarter, A. Kraft, C. Krüger, R. Zwettler), (394) 99

Molybdenum

- $AgNO_3$ as nitrosylation reagent (K.-B. Shiu, C.-J. Chang), (395) C47
- Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21
- Alkyldyne-tricobalt cluster, metal exchange reactions with reactive μ_3 -CX groups of (H.T. Schacht, H. Vahrenkamp), (381) 261
- Aminomethyldiphenylphosphine-molybdenum complexes, synthesis and reactivity of; crystal structure of *cis*- $Mo(CO)_4(Ph_2PCH_2NH(C_6H_4Me-p)_2)$ (D.L. Davies, F.I. Healey, J. Howarth, D.R. Russell, L.J.S. Sherry), (376) C31
- Anionic and neutral spiked triangle clusters of mercury; comparative study of the metal ligand redistribution process (R. Reina, O. Rossell, M. Seco), (398) 285
- Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Daresbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191
- (η^6 -Arene)M(CO)₃ complexes (M = Cr, Mo or W), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371
- Arsenic-molybdenum-rhodium cluster, formation by reaction of $As(C_5H_5)_3Mo_3(CO)_6$ with $C_5H_5Rh(CO)_2$ (H.-P. Neumann, M.L. Ziegler), (377) 255
- 1,3-Benzodiphospholes, organometallic complexes with (K. Issleib, H. Schmidt, E. Leissring), (382) 53
- cis*-1,3-Bis(diphenylphosphino)dicyclopentadiene tetracarbonylmolybdenum, synthesis and crystal structure of (W.K. Wong, F.L. Chow, H. Chen, T.C.W. Mak), (377) C65
- 2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333
- 1,2-Bis(3-indenyl)ethane dianion, reactions with photochemically activated carbonyl complexes of chromium, molybdenum and tungsten; crystal structure of 1,2-bis(3-indenyl)ethane (H.G. Alt, S.J. Palackal, R.D. Rogers), (388) 105
- 1,1'-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1'-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (394) 455
- Carbon monoxide ligands as building blocks for alkenyl ketone compounds (H.G. Alt), (383) 125
- Carbonyl dimers with mixed bridges $[(CO)_4M(H)M(L)(CO)_4]_n$ ($n = 2, 0$), electronic structure of (B.J. Trzebiatowska, B. Nissen-Sobocińska, L. Natkaniec), (376) 67
- Carbonyl insertion reaction into metal–carbon bonds, solvent and nucleophile effects on (J.D. Cotton, M.M. Kroes, R.D. Markwell, E.Z. Miles), (388) 133
- Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands

- (X = S, N, P) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79
- Cationic mixed metal clusters, NMR and EHMO investigation of; X-ray crystal structure of (1,7,7-trimethyl- μ^2 -2-propynylnorbornene) bis-(cyclopentadienyl)tetracarbonylmolybdenum (M.F. D'Agostino, C.S. Frampton, M.J. McGlinchey), (394) 145
- Charge relocation in cationic diene complexes: formation of an iminium-substituted allyl complex and its deprotonation to an enamine (S.A. Benyunes, M. Green), (390) C32
- (η^5 -C₅H₄CMe₂C₁₃H₉)M(CO)₃X (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131
- [C₅H₅)₃Cr₃(μ_3 -O)(μ -OCMe₂)₃]⁺[C₅H₅)Mo(CO)₃]⁻, synthesis, molecular structure and magnetic properties of the salt with a trinuclear cyclopentadienyl-oxo-butoxide cluster cation of (S.E. Nefedov, A.A. Pasynskii, I.L. Ermenko, B. Orazsakhatov, O.G. Ellert, V.M. Novotortsev, Yu.T. Struchkov, A.I. Yanovsky), (385) 277
- [η^5 -C₅H₅Mo(CO)₂]₂(μ , η^2 -Sb₂), synthesis and molecular structure of; formation of an Sb=Sb double bond from metallic antimony (J.R. Harper, A.L. Rheingold), (390) C36
- Co₂(CO)₈, Co₄(CO)₁₂, and Cp₂Mo₂(CO)₄, reactions with tungsten and molybdenum propargyl complexes; study of the formation of (CO)₃Co(μ -RC≡CMe)WCp(CO)₂ (G.H. Young, A. Wojcicki), (390) 351
- (CO),ML, stabilisation of RP(OH)₂, RPHNEt₂ and RPHCl ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379
- (CO),Mo(C(Aryl)H), synthesis and reactions of (H. Fischer, D. Reindl), (385) 351
- trans*-[(CO)₅M{Ph₂P(XCH₂)₂N=CHC₆H₄-*o*-O}]₂M' (M = Mo; X = NH or M = Cr, W; X = CH₂; M' = Ni, Cu, Zn) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-[(CO)₅Mo(P(OCH₂CMe₂CH₂O)NH(CH₂)₂N=CHC₆H₄-*o*-O)]₂Cu, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53
- η^4 -Coordinated (*s-cis*)-1-molybda-2-phospha-1,3-dienes, stepwise formation of (H. Lang, M. Leise, L. Zsolnai, M. Fritz), (395) C30
- Cp₂Mo₂Ru₃(CO)₁₀(C≡CPh)₂ pentanuclear heterometallic acetylidyne complex, synthesis and crystal structure of (D.-K. Hwang, Y. Chi, S.-M. Peng, G.-H. Lee), (389) C7
- (η -Cyclopentadienyl)bis(arenediazo)(triphenylphosphine)molybdenum(0) cations, synthesis, structural characterisation and chemical behaviour of; synthesis of complexes containing [Mo(N₂C₆H₄R¹)(N₂C₆H₄R²)]²⁺ (G. Ferguson, B.L. Ruhl, M. Parvez, F.J. Lalor, M.E. Deane), (381) 357
- Cyclopentadienyl(dicarbonyl)[η^2 -(methylthio)phenylcarben]molybdenum tetrafluoroborate, addition of diphenylchlorophosphine to the metal–carbon double bond in (C.M. Stegmair, F.R. KreiBl), (397) C6
- Diboradiazonaphthalenicarbonylchromium complexes, synthesis and characterization of (S. Allaoud, A. Karim, A. Mortreux, F. Petit, B. Frange), (379) 89
- Dicarbonyl(η^5 -indenyl)(η^3 -pentadienyl)molybdenum and its phosphine derivatives, synthesis, characterization and structure of (G.-H. Lee, S.-M. Peng, F.-C. Liu, R.-S. Liu), (377) 123
- Dicarbonyltriphenylphosphine(η^6 -1,3,5-triethyl-2,4,6-tris(trimethylsilylmethyl)benzene)molybdenum(0), crystal structure of (J.A. Chudek, G. Hunter, R.L. MacKay, G. Färber, W. Weissensteiner), (377) C69
- Dicyclopentadienylmolybdenum, amidinato complexes of; synthesis and redox properties of (A.R. Dias, M.A. Queirós), (390) 193
- Dicyclopentadienyl-molybdenum and -tungsten *p*-substituted benzonitrile complexes, syntheses and reactivity of; oxidative electrochemistry; crystal structure of [Mo(η^5 -C₅H₅)₂(SC₆H₅)(P(CH₃)₂N₃C₆H₄CN)][PF₆] (M.A.A.F. de C.T. Carrondo, A.R. Dias, M.H. Garcia, P.M. Matias, M.P. Robalo, M.L.H. Green, J. Higgins, Y.Y. Yang), (395) 279
- (*N,N*-Diethyldithiocarbamato)-tungsten(II) and -molybdenum(IV) complexes, reactions with a “C₄” hydrocarbon cut containing a mixture of alkynes and olefins; crystal structure of [W(S₂CN(C₂H₅)₂)₂(CO)(η^2 -CH≡C-CH=CH₂)] (N. Le Berre, R. Kerfoot, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 61
- d³–d³ Dimolybdenum and ditungsten, organometallic chemistry of (M.H. Chisholm), (400) 235
- Dimolybdenum centre, interconversion of oxo and imido ligands at; X-ray crystal structure of [Mo(η -C₅H₄Me)(NPh)(μ -NPh)]₂ (M.L.H. Green, G. Hogarth, P.C. Konidaris, P. Mountford), (394) C9
- Dinitrosylmolybdenum alkylidene complex, synthesis, spectroscopic characterization and metathesis activity of (A. Keller), (385) 285
- Diphenylphosphinocyclopentadienyluranium-transition metal heterodinuclear complexes (CpPPh₂)_nU-(NEt₂)_{4-n}M(CO)₄ (n = 2, 4; M = Cr, Mo) (A. Dormond, P. Hepiègne, A. Hafid, C. Moise), (398) C1

- Diphosphinoamines, $X_2PN(R)PX_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[Mo(CO)_4PhN(P(OPh)_2)_2]$ and $[W(CO)_4^+PrN(PPH_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203
- 16-Electron carbene complexes $(CO)_4MC(NR_2)SiR'_3$ ($M = Cr, Mo, W$), preparation and properties of (W. Hepp, U. Schubert), (385) 221
- Ethylisocyanidomolybdenum(0) complex, formation by *N*-alkylation of cyclopentadienyl-substituted diethylaminocarbonylmolybdenum complex of (A.C. Filippou, E.O. Fischer, W. Grünlein), (386) 333
- $Fe(CO)_4(\eta^1\text{-dppf})$ (dppf = $(Ph_2PC_5H_4)_2Fe$), synthesis and conversion into $Fe_2(CO)_8(\mu\text{-dppf})$ and $(CO)_4Fe(\mu\text{-dppf})Mo(CO)_5$ of, (T.S.A. Hor, L.-T. Phang), (381) 121
- $[Fe(CO)_2(\mu\text{-S}_4)]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[Fe(CO)_2(\mu\text{-S}_4')\{M(CO)_5\}_n]$ ($n = 1$: $M = Cr, Mo, W$; $n = 2$: $M = W$; $\text{S}_4'^{2-} = 2,3,8,9\text{-dibenzo-1,4,7,10-tetrathiadecane}(2-)$) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327
- Gaseous dicyclopentadienyl-molybdenum and tungsten dihydrides, standard enthalpies of formation of (A.R. Dias, H.P. Diogo, M.E.M. da Piedade, J.A.M. Simões, A.S. Carson, E.H. Jamea), (391) 361
- Group 6 dimetalla heterocycles; CO-substitution by electron transfer catalysis in (P. Holzmeier, H. Kisch, J.K. Kochi), (382) 129
- Group 6 metal carbonyl complexes containing 2-diphenylphosphinopyridine and 3,6-bis(diphenylphosphino)pyridazine, synthesis of; molecular structure of $Cr(CO)_5(3\text{-diphenylphosphino-6-diphenylphospholypyridazine})$, (Z.-Z. Zhang, H.-K. Wang, Y.-J. Shen, H.-G. Wang, R.-J. Wang), (381) 45
- Heterocyclic complexes of the type *cis*- $Mo(CO)_4(R_2PO)_2Si(Me)R'$ ($R_2 = OCH_2CMe_2CH_2O$; $R' = Me, Bu^t$ or $R_2 = Ph_2$; $R' = Bu^t$) (G.M. Gray, F.P. Fish, D.K. Srivastava, A. Varshney, M.J. van der Woerd, S.E. Ealick), (385) 49
- ¹⁹⁹Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gohetto, L. Milone, D. Osella), (377) 85
- 1-Hydroxy-2,4,6,8-tetraakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Hydroxylamido(*O,N*)nitrosyl molybdenum complexes, reactions with $EtAlCl_2$; olefin metathesis activity of these systems (A. Keller), (393) 389
- Indium monohalide insertion reactions into metal-metal bonds; crystal structure of $[InCl_2(THF)\{Mo(CO)_3(\eta\text{-C}_5H_5)\}_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10
- Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24
- Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- $[MCl_2(CNBu^t)_3(PMe_3)_2]$ ($M = Mo$ or W) synthesis and reactivity of, preparation of $[MCl(CNBu^t)_4(PMe_3)_2]Cl$ and $[M(SnCl_3)(CNBu^t)_3(PMe_3)_3](SnCl_3)$ derivatives; crystal structure of $[MoCl(CNBu^t)_4(PMe_3)_2]Cl \cdot 2Me_2CO$ (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241
- $M(CO)_3(\eta^2\text{-bpy})(\eta^1\text{-dppm})$ ($M = Mo, W$), thermal behaviour of (M. Cano, J.A. Campo, P. Ovejero, J.V. Heras), (396) 49
- $M(CO)_4(\eta^4\text{-norbornadiene})$ complexes of group 6 transition metals ($M = Cr, Mo, W$) in low-temperature matrices, photochemistry of (F.-W. Grevels, J. Jacke, W.E. Klotzbücher, K. Schaffner, R.H. Hooker, A.J. Rest), (382) 201
- $M(CO)_6$ ($M = Cr, Mo, W$), pulsed laser flash photolysis of; volumes of activation for solvent displacement in (solvent) $M(CO)_5$ transients (S. Zhang, V. Zang, H.C. Bajaj, G.R. Dobson, R. van Eldik), (397) 279
- Metalloocene hexafluoropnicogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1
- Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{15}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121
- $[Mo_2(CO)_4(\eta\text{-C}_5R_5)_2]$ ($R = H, Me$), $[Mo_2(CO)_6(\eta\text{-C}_5H_5)_2]$ and $[(Mo(CO)_3(\eta\text{-C}_5H_4))_2CH_2]$ as cata-

- lysts in the addition of halogenocarbons to alkenes (R. Davis, N.M.S. Khazal, T.E. Bitterwolf), (397) 51
- [Mo₂Cp₂(μ - σ - π -CN'^tBu)(PPh₃CH₂PPh₂-P)(CO)₃] (^tBu = C(CH₃)₃, Cp = η -C₅H₅), synthesis, crystal structure and heterometallic derivatives of (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (382) 407
- [MoH₃(C≡CBu^t)(Ph₂PCH₂CH₂PPh₂)₂] trihydrido-alkynyl complex, synthesis and crystal structure of (A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (398) C15
- Mo(η^5 -C₅H₅)₂ derivatives containing phosphorus ligands, molecular structure, bonding, and reactions of; crystal structures of [Mo(η^5 -C₅H₅)₂H(PPh₃)]I· $\frac{1}{2}$ H₂O and [Mo(η^5 -C₅H₅)₂(CH₃)(PPh₃)]PF₆ (C.G. Azevedo, M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, C.C. Ramão), (391) 345
- Mo(II) and W(II) centres, reductive CC coupling of two isocyanide ligands to; reaction sequence via Mo(0) and W(0) isocyanide and aminocarbene complexes (A.C. Filippou, W. Grünleinert), (393) C10
- Molybdenum and tungsten carbene complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of [L(CO)₂W≡C₆H₄-p-CH₃] and [L(CO)Mo(μ -CO)Pd(I)C(C₆H₄-p-CH₃)C₆H₄-o-CH₃N(CH₃)₂], L⁻ = [(C₅H₅)Co(P(O)(OCH₃)₂)₃]⁻ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213
- Molybdenum(0) and tungsten(0) complexes containing *cis*-[M(NO)(N₂Ar)]²⁺ structural unit, synthesis, chemistry and X-ray crystallographic characterisation of (M.E. Deane, F.J. Lalor, G. Ferguson, B.L. Ruhl, M. Parvez), (381) 213
- Molybdenum(0) and tungsten(0) homoleptic alkylisocyanide complexes of; precursors for the synthesis of low-valent dialkylaminocarbene complexes (A.C. Filippou, W. Grünleinert), (398) 99
- Molybdenum– and tungsten–sulphur bonds, reversible insertion of alkynes into (L. Carlton, W.A.W.A. Bakar, J.L. Davidson), (394) 177
- Molybdenum(0) bialkyne complexes; synthesis, structure and properties of (J.S. Lain, C.H. Cheng, C.Y. Cheng, S.L. Wang), (390) 333
- Molybdenum d^6 -ML₅ fragments of hydrido derivatives, investigation of C–H activation by (L. Dahlenburg, B. Pietsch), (378) 199
- Molybdenum- η^3 -hexadienyl pseudooctahedral complexes, synthesis and structure of (M.A. Paz-Sandoval, P. Juárez Saavedra, G. Durán Pomposo, P. Joseph-Nathan, P. Powell), (387) 265
- Molybdenum(II) and tungsten(II) polyisonitrile substituted half-sandwich complexes (A.C. Filippou, W. Grünleinert), (378) 387
- Molybdenum–iron bonds, alkyne assisted formation of; synthesis and crystal structure of [MoFe(μ -C₄Ph₄)(CO)₄(S₂CNEt₂)₂] (H.-B. Kraatz, M.J. Went, J.C. Jeffery), (394) 167
- Molybdenum–molybdenum double bond electrogeneration from thiolate-bridged dinuclear precursors; carbon monoxide catalysed isomerisation about the Mo=Mo bond (C. Le Floc'h, F.Y. Pétillon, C.J. Pickett, J. Talarmin), (390) C39
- Molybdenum pyrazolylborato stereochemically nonrigid complexes containing a *dihapto*-thiocarbox-amido ligand, synthesis, structure and properties of (T. Desmond, F.J. Lalor, B. O'Sullivan, G. Ferguson), (381) C33
- Molybdenum(V), imido ligand exchange at (G. Hogarth, P.C. Kondaris), (399) 149
- Mono- and bi-nuclear molybdenum complexes of 2,6-bis(diphenylphosphino)-N-methylaniline (A.B. van Oort, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (396) 33
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
- Near-linear Rh₂Mo trinuclear complex [(η^1 -C₅H₅)Rh(μ -CO)(μ -Ph₂PC₅H₄N)Rh(CO)Mo(CO)₃(η^5 -C₅H₅)], synthesis and crystal structure of (S. Lo Schiavo, F. Faraone, M. Lanfranchi, A. Tiripicchio), (387) 357
- Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765
- (OC)₅M(μ -dppf)M(CO)₅·CH₂Cl₂ (M = Cr, Mo; dppf = (Ph₂PC₅H₄)₂Fe) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29
- Pentacarbonylhalogenaminophosphine complexes (CO)₅MPRXNR'₂, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17
- (6-Pentafulvenyl- η^5 -cyclopentadienyl)tricarbonylmolybdate(0), synthesis and structure of (P. Härtter, P. Kiprof), (397) C1
- Pentamethylcyclopentadienyltetrachloromolybdenum(V), reactivity of; synthesis, structure and electrochemical properties of [(η^5 -C₅Me₅)MoOCl]₂O (K. Omakoshi, K. Isobe), (395) 47

- Peroxo-molybdenum and -tungsten anionic complexes, fast atom bombardment mass spectra of (O. Bortolini, P. Traldi), (379) C13
- Phenylethynyl-substituted phosphonium ion complexes $(R)(R')P=MoCp'(CO)_2$, synthesis and reactivity of; preparation of cluster compounds containing a 1-cobalta-2-phospha heteroallyl building block (H. Lang, M. Leise, L. Zsolnai), (386) 349
- Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401
- Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83
- Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317
- Phosphorus analogues of unsaturated hydrocarbon-transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- (P)InM(L) and (P)TiM(L) σ -bonded heteronuclear metalloporphyrin complexes (M(L) = Mn(CO)₅, Co(CO)₄, Cr(CO)₃Cp, Mo(CO)₃Cp, or W(CO)₃Cp), physicochemical study of (R. Guillard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315
- (Propargylium)-Co₂(CO)₆⁺ and -(C₅H₅)₂Mo₂(CO)₄⁺, selective propargylation of polyfunctional amines by (M. Gruselle, V. Philomin, F. Chaminant, G. Jaouen, K.M. Nicholas), (399) 317
- Regiochemistry of nucleophilic attack on unsymmetrical allyl complexes (J.W. Faller, C. Lambert, M.R. Mazzieri), (383) 161
- Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of HRh([P(OMe)₂O]₂H)₂(PPh₃Me) (A. Varshney, G.M. Gray), (391) 415
- Synthesis of phenylethynyl- and styryl-substituted $(R)(R')P=Mo(\eta^5-C_5Me_5)(CO)_2$ compounds; crystal structure of [2,6-'Bu₂-4-MeC₆H₂O](PhC≡C)]P=Mo($\eta^5-C_5Me_5$)(CO)₂ (H. Lang, M. Leise, L. Zsolnai), (389) 325
- Transformation of phenylacetylene into *ortho*-metallated phenylvinylidene cluster having a Re₂Mo₂ core; molecular structure of (C₅H₅)₂Mo₂Re₂(μ_4 -C=C(H)C₆H₄)(μ -H)(μ -CO)(CO)₇ (A.D. Shaposhnikova, G.L. Kamalov, R.A. Stadnichenko, A.A. Pasynskii, I.L. Eremenko, Yu.T. Struchkov, A.I. Yanovsky, P.V., Petrovskii), (378) 67
- Transition metal alkyne complexes, ¹³C(¹H) NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119
- Transition metal sulfide clusters containing Cp^{*}Mo (Cp^{*} = C₅Me₅), CuCl and Fe(NO) groups, synthesis and characterisation of (H. Brunner, R. Graßl, J. Wachter, B. Nuber, M.L. Ziegler), (393) 119
- Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73
- Tricarbonyl- $\eta^{5:1}$ -(2-cyclopentadienyl)ethyl-molybdenum and -tungsten, photochemical reactions with cyclic dienes (C.G. Kreiter, M. Wenz, P. Bell), (394) 195
- Tricarbonylmolybdenum complexes containing unidentate diphosphine, NMR of *fac-mer* isomers and crystal structure of *fac*-Mo(CO)₃(η^2 -phen)(η^1 -dppm) (M. Cano, J.A. Campo, V. Pérez-Garcia, E. Gutiérrez-Puebla, C. Alvarez-Ibarra), (382) 397
- Trifluoromethylisocyanide complexes of chromium, molybdenum and tungsten, synthesis of hexakis(trifluoromethylisocyanide chromium) (D. Lentz), (381) 205
- Trigonal bipyramidal methylidine clusters, EFe₃(CO)₉CH (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
- Trimetallic anionic compounds containing Fe-E-M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of [N(PPh₃)₂]₂[(OC)₄Fe-Hg-Fe(CO)₄] (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291
- Trinuclear metal clusters, formation by reaction of dimolybdenum μ -acetylides anions with electrophilic metal species of; crystal structure of [Mo₃(μ_3 -C₂Ph)(CO)₅(η -C₅H₅)₃] (A.W. Al-Saadoon, M. Green, R.J. Mercer, A.G. Orpen), (384) C12

Neodymium

- η^6 -Benzene lanthanoid tris(aluminum tetrachlorides) (Ln = La, Nd, Sm), synthesis and structure of (B. Fan, Q. Shen, Y. Lin), (377) 51

Organolanthanoid(II) complexes, non-classical; preparation and reactivity of the first organoneo-dymium(II) compound (M. Wedler, A. Recknagel, F.T. Edelmann), (395) C26
 $\{\text{1},\text{1}'-(3\text{-Oxa-pentamethylene})\text{dicyclopentadienyl}\}(\text{cyclopentadienyl})\text{lantanide derivatives, synthesis, identification and bonding properties}$ of (C. Qian, Z. Xie, Y. Huang), (398) 251

Nickel

- Action of carbon monoxide on nickel (L. Mond, C. Langer, F. Quincke) (*Facsimile*), (383) 1
 Alkylidyne-tricobalt cluster, metal exchange reactions with reactive $\mu_3\text{-CX}$ groups of (H.T. Schacht, H. Vahrenkamp), (381) 261
 Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145
 Butadiene nickel(0) complexes, diazadiene stabilized; synthesis, characterisation and reaction with acetylene and carbon monoxide; crystal structures of (dad)Ni- $\mu[\sigma^{1,4}; \eta^{1-4}\text{-C}_4\text{H}_4]\text{Ni}(\text{dad})$ and (dad)Ni- $\mu[\sigma^{1,4}; \eta^{1-4}\text{-C}_4\text{H}_4]\text{Ni}(\text{CO})_2$ (J.C.M. Sinnema, G.H.B. Fendesak, H. tom Dieck), (390) 237
 Cationic $\eta^3, \eta^2\text{-octa-2-(E),7-dien-1-yl(ligand)nickel(II)}$ complexes, $[\text{Ni}(\text{C}_8\text{H}_{13})\text{L}]X$ ($X = \text{PF}_6^-$, BF_4^- ; $L = \text{P}^{III}\text{-ligand}$), as catalysts for the stereospecific polymerisation of butadiene (R. Taube, J.-P. Gehrke, P. Böhme, J. Kötnitz), (395) 341
 CNBu^t multiple insertion reactions into nickel-alkyl bonds (E. Carmona, J.M. Marín, P. Palma, M.L. Poveda), (377) 157
 $\text{trans-}[(\text{CO})_5\text{M}\{\text{Ph}_2\text{PX}(\text{CH}_2)_3\text{N}=\text{CHC}_6\text{H}_4\text{-}o\text{-O}\}]_2\text{M}'$ ($\text{M} = \text{Mo}$; $\text{X} = \text{NH}$ or $\text{M} = \text{Cr}$, W ; $\text{X} = \text{CH}_2$; $\text{M}' = \text{Ni}$, Cu , Zn) complexes, synthesis and characterization of; X-ray crystal structure of $\text{trans-}[(\text{CO})_5\text{Mo}\{\text{P}(\text{OCH}_2\text{CMe}_2\text{CH}_2\text{O})\text{NH}(\text{CH}_2)_2\text{N}=\text{CHC}_6\text{H}_4\text{-}o\text{-O}\}]_2\text{Cu}$, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53
 π -Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161
 Cyclopentadienylphosphine(α -benzenesulfonylalkyl)nickel complexes, reactions of; formation of aldehydes and alkenes from sulfones (M. Julia, H. Lauron, J.-N. Verpaux), (387) 365
 (1,4-Diazabutadiene)bis(alkene)nickel(0) complexes, reaction with ethyne (W. Bonrath, S. Michaelis, K.R. Pörschke, B. Gabor, R. Mynott, C. Krüger), (397) 255
 2,3- η^2 -(1,4-Dimethoxybut-2-yne)bis(tricyclohexylphosphane)nickel(0), $(\text{Cy}_3\text{P})_2\text{Ni}(\text{MeOCH}_2\text{C}\equiv\text{CCH}_2\text{OMe})$, crystal and molecular structure of; influence of phosphane ligands on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görts, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (390) 113
 2,3- η^2 -(1,4-Dimethoxybut-2-yne) bis(triphenylphosphane)nickel(0), $(\text{Ph}_3\text{P})_2\text{Ni}(\text{MeOCH}_2\text{C}\equiv\text{CCH}_2\text{OMe})$, crystal and molecular structure of; influence of acetylene substituents on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görts, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (389) 409
 Dinuclear 2,2'-biallyl nickel complexes containing square-planar nickel(I); crystal structure of $\mu(\eta^{3,3}\text{-}(\text{CH}_2)_2\text{CC}(\text{CH}_2)_2)\text{-}trans\text{-}[\text{Ni}(\text{dad})]_2$ ($\text{dad} = \text{biacetyl bis}(2,6\text{-dimethylphenylimine})$) (J. Sinnema, H. tom Dieck, G. Fendesak), (397) 261
 Dinuclear alkenyl-bridged iron-nickel and diiron complexes, synthesis of; crystal structure of $[\text{Fe}_2(\text{CO})_4(\text{C}_5\text{H}_5)](\mu\text{-CO})(\mu\text{-CPh=CPH})$ (I. Moldes, J. Ros, R. Yáñez, R. Mathieu, X. Solans, M. Font-Bardia), (395) 305
 η^3, η^2, η^2 -Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-ylnickel(II) hexafluorophosphate and hexafluoroantimonate as highly active catalysts for the 1,4-*cis*-polymerisation of butadiene (R. Taube, P. Böhme, J.-P. Gehrke), (399) 327
 Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73
 $(\mu_2\text{-Te}_2)\text{Fe}_2(\text{CO})_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($\text{L} = \text{PPh}_3$, $\text{M} = \text{Pt}$, Pd , Ni ; $\text{L} = \text{C}_5\text{H}_5$, $\text{M} = \text{Ti}$; $\text{L} = \text{Me}$, $n\text{-Bu}$, $\text{M} = \text{Sn}$) of (P. Mathur, V. Dayal Reddy), (385) 363
 Heteronuclear di- and tri-metal μ -carbyne compounds from the thiocarbonyl [HB(pz)₃](CO)₂W≡CSMe, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81
 Iron carbonyls, reactions with triple-decker sandwich complexes ($\eta^5\text{-C}_5\text{H}_5\text{Ni}(\mu, \eta^5\text{-C}_2\text{B}_2\text{C})\text{M}(\eta^5\text{-C}_5\text{H}_5)$, ($\text{M} = \text{Co}$, Ni); replacement of ($\eta^5\text{-C}_5\text{H}_5\text{Ni}$ by and insertion of the Fe(CO)₃ fragment into the ($\eta^5\text{-C}_5\text{H}_5\text{Ni}$)₂ bond (J. Edwin, M.W. Whitley, W. Herter, W. Siebert), (394) 329
 Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

- (Lig)Ni⁰ systems, reactions with 1,7-octadiene and phenyl isocyanate of (H. Hoberg, D. Guhl), (384) C43
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Mild, regiospecific hydrocarboxylation of alkynes catalyzed by nickel cyanide under phase transfer conditions (I. Amer, H. Alper), (383) 573
- Mixed-metal carbide clusters, [MnRu₃C(CO)₁₃]⁻, [MnOs₃C(CO)₁₃]⁻, [Cr₂Ru₃C(CO)₁₆]²⁻, [Mo₂Ru₃C(CO)₁₆]²⁻, [Rh₃Ru₃C(CO)₁₅]⁻, [Ni₃Ru₃C(CO)₁₃]²⁻ and [Co₃Ru₃C(CO)₁₅]⁻; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121
- Molecular hydrogen and aluminum hydride transfers mediated by nickel(0) complexes; intermediacy of nickel hydrides in the Ziegler nickel effect (J.J. Eisch, S.R. Sexsmith, K.C. Fichter), (382) 273
- Monocyanoacetylene and dicyanoacetylene, reactions with organometallic compounds of cobalt(I) and nickel(II); crystal structure of [Co(C≡CCN)₂(η⁵-C₅H₅)(P(C₆H₅)₃)] (R. Kergoat, L.C. Gomes de Lima, C. Jégat, N. Le Berre, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 71
- Naphthalene nickel(0) complexes, preparation of; crystal structure of [Ni(C₁₀H₈)(i-C₃H₇)₂PCH₂CH₂P(i-C₃H₇)₂] (F. Scott, C. Krüger, P. Betz), (387) 113
- Ni⁰-catalysed preparation of δ-lactames from isoprene and phenyl isocyanate (H. Hoberg, D. Bärhausen), (397) C20
- (tmada)Ni(C₂F₄), synthesis, structure and reactivity of (W. Kaschube, W. Schröder, K.R. Pörschke, K. Angermann, C. Krüger), (389) 399
- Nickel 2,2'-bipyridine complexes as catalysts in the synthesis of asymmetrical biaryls by the electroreduction of aryl halides (G. Meyer, M. Troupel, J. Périchon), (393) 137
- Nickel(0) catalysed electrogenerated carbon dioxide, incorporation into α,ω-diyne s of (S. Dérien, E. Duñach, J. Périchon), (385) C43
- Nickel(0) catalysed formation of 3-cyclopentene carboxylic amide from cyclopentenes and phenyl isocyanides (H. Hoberg, M. Nohlen), (382) C6
- Nickel complexes of cinnamic acid salts, hydrogenation over MRNi catalyst of (M. Bartók, G. Wittmann, G.B. Bartók, G. Gröndös), (384) 385
- Nickel(0) complex with mono- and di-bormo derivatives of cyclopropane, interaction with formation of η³-allylnickel complexes of (T.A. Peganova, L.S. Isaeva, P.V. Petrovskii, D.N. Kravtsov), (384) 397
- Nickel(II) complexes, catalytic application in the Kumada cross-coupling reaction (M.E. Wright, M.-J. Jin), (387) 373
- Nickel(0) induced and catalysed CC bond formation between phenylisocyanate and vinyl-substituted heterocycles (H. Hoberg, D. Guhl, P. Betz), (387) 233
- Nickel(0) induced CC coupling of CO₂ with 1,3-butadiene to linear C₁₃ acids (H. Hoberg, D. Bärhausen), (379) C7
- Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765
- Nickel(O) induced CC coupling of fluoro-substituted alkenes with phenyl isocyanate (H. Hoberg, D. Guhl), (378) 279
- Nickel(0) olefin complexes of methylenecyclopropane and cyclopropene, preparation and structural characterisation of (L.S. Isaeva, T.A. Peganova, P.V. Petrovskii, D.N. Kravtsov), (376) 141
- Nickel σ-syndronyl complexes, stabilized by tertiary phosphines (L.N. Morozova, L.S. Isaeva, P.V. Petrovskii, D.N. Kravtsov, She Fan Min, V.N. Kalinin), (381) 281
- [Ni₆(CO)₁₂]²⁻ dianion, reaction with stibine and bismuthine reagents of; synthesis and stereophysical characterization of [Ni₁₀(SbPh)₂(CO)₁₈]²⁻ and Ni₂(CO)₄(μ₂-Ph₂SbOSbPh₂)₂ (R.E. DesEnfants II, J.A. Gavney, Jr., R.K. Hayashi, A.D. Rai, L.F. Dahl, A. Bjarnason), (383) 543
- Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165
- Palladium-, cobalt-, and nickel-catalyzed tandem syntheses of polycyclic π-systems containing cyclobutadiene, benzene, and cyclooctatetraene rings (H. Schwager, S. Spyroudis, K.P.C. Vollhardt), (382) 191
- Pentaphenylcyclopentadienylnickel complexes, reactions with thiurames and dithiocarbamate; nickel in oxidation states I, II and III (M. Huhn, W. Kläui, L. Ramacher, R. Herbst-Irmer, E. Egert), (398) 339
- 2-Phenyl- and 2-(*o*-tolyl)-2-(phenylethynyl)hexamethyltrisilane, nickel-catalysed reactions of (M. Ishikawa, Y. Nomura, E. Tozaki, A. Kunai, J. Ohshita), (399) 205
- η³-Phosphallyl-cobalt and -nickel complexes; synthesis of; crystal structure of [η³-1-(2,4,6-tri-t-butylphenyl)-1-phosphallyl]tricarbonylcobalt (F. Mercier, C. Hugel-Le Goff, L. Ricard, F. Mathey), (389) 389
- Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and

- twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83
- Phosphorus analogues of unsaturated hydrocarbon-transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23
- Sandwich complexes of transition metals, flexible coordination of indenyl ligands in; molecular structures of $(\eta\text{-C}_9\text{R}_7)_2\text{M}$ ($\text{M} = \text{Fe}, \text{R} = \text{H, Me}; \text{M} = \text{Co, Ni}, \text{R} = \text{H}$); direct measurement of the degree of slip-fold distortion as a function of *d*-electron count (S.A. Westcott, A.K. Kakkar, G. Stringer, N.J. Taylor, T.B. Marder), (394) 777
- Silyl-nickel complexes prepared by η^6 -arene substitution in $(\eta^6\text{-toluene})\text{bis}(\text{trihalosilyl})\text{nickel}$; preparation of $\text{L}_3\text{Ni}(\text{SiX}_3)_2$ and $\text{L}_2\text{Ni}(\text{SiX}_3)_2$ ($\text{X} = \text{Cl, F}$; L = phosphine, phosphites, and pyridines); X-ray structure of *cis*-(collidine)₂Ni(SiCl₃)₂ (S.-B. Choe, J.J. Schneider, K.J. Klabunde, L.J. Radonovich, T.A. Ballantine), (376) 419
- The history of my process of nickel extraction (L. Mond) (*Facsimile*), (383) 7
- Thermal decomposition of nickel–carbon and copper–carbon σ -bonds (*review*) (S. Pasynkiewicz), (387) 1
- Transition metal alkyne complexes, ¹³C(¹H) NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119
- Transition metals, diene complexes of (A. Nakamura), (400) 35
- Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Niobium

- Bis(silylated cyclopentadienyl)niobium complexes, reactions with organic halides of (A. Antíñolo, M. Fajardo, A. Otero, M.C. Puerta, Y. Mugnier), (382) 389
- Bis(silylated cyclopentadienyl)niobium(IV) paramagnetic cationic complexes (L. Roullier, D. Lucas, Y. Mugnier, A. Antíñolo, M. Fajardo, A. Otero), (396) C12
- $[(\eta\text{-C}_5\text{H}_5)_2\text{Nb}(\text{CO})(\text{CR}^1=\text{CHR}^2)]$, reactivity of alkenyl complexes of; crystal structure of 1,3-dithiol-2-ylidene niobium complexes (J. Amaudrut, J. Sala-Pala, J.E. Guerchais, R. Mercier), (391) 61
- Electron-transfer processes with substituted group 5 metal carbonyls; synthesis, crystal and molecular structure of $\text{Ag}_3\text{M}_3(\text{CO})_{12}(\text{Me}_2\text{PCH}_2\text{CH}_2\text{PMe}_2)_3$, $\text{M} = \text{Nb, Ta}$ (F. Calderazzo, G. Pampaloni, U. Englert, J. Strähle), (383) 45
- Metallocene hexafluoropnictogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1
- Niobium metallaboranes, analogues of pentaborana(11) (P.D. Grebenik, J.B. Leach, J.M. Pounds, M.L.H. Green, P. Mountford), (382) C1
- Tetraarsacyclobutadiene as a complex ligand (O.J. Scherer, J. Vondung, G. Wolmershäuser), (376) C35
- Transition metal polysulphide complexes, chemistry of; synthesis and crystal structures of $\text{Cp}'_3\text{Nb}_3\text{S}_{12}$ and $\text{Cp}'_3\text{Nb}_3\text{S}_{10}\text{O}$ ($\text{Cp}' = t\text{-BuC}_5\text{H}_4$) (H. Brunner, W. Meier, J. Wachter, B. Nuber, M.L. Ziegler), (381) C7
- Transition metals, diene complexes of (A. Nakamura), (400) 35

Osmium

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13
- Arene-bis(ethylene)-ruthenium and -osmium complexes, protonation of (M.A. Bennett, I.J. McMahon, S. Pelling), (382) 175
- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151
- Carbonyl- η -hexamethylbenzene complexes of osmium, C–H activation by $(\eta\text{-C}_6\text{Me}_6)_2\text{Os}(\text{CO})(\text{H})_2$ (W.A. Kiel, R.G. Ball, W.A.G. Graham), (383) 481
- π -Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161
- Coordinated acetylidyne and disubstituted alkynes, regiospecific coupling of; X-ray structures of $\text{C}_5\text{H}_5\text{WOs}_2(\text{CO})_7[\text{C}(\text{Tol})\text{C}(\text{Tol})\text{CC}^n\text{Bu}]$ and $\text{C}_5\text{H}_5\text{WOs}_2(\text{CO})_7[\text{C}(\text{CF}_3)\text{C}(\text{CF}_3)\text{CCPh}]$ (Y. Chi, G. Huttner, W. Imhof), (384) 93

- Cyclopentadienylruthenium complex molecules, cation formation, by CpRu^+ cation during reflux in alcohols or glycols of (T. Wilczewski), (382) 431
- Dihydrido triosmium carbonyl clusters, attack at coordinated carbon monoxide in (G.R. Frauenhoff, J.R. Shapley), (397) 359
- Dinuclear, hydrido-bridged osmium complexes with double and triple Os–Os bonds; synthesis, structure and reactivity of (M. Schulz, S. Stahl, H. Werner), (394) 469
- [Diphenylboratobis(η^5 -cyclopentadienyl, η^6 -phenylruthenium(II)) $^+$ cation, formation mechanism of (T. Wilczewski), (376) 385
- $[\text{HOs}_3(\text{CO})_{11}]^-$, reactions with main group halide species, a route to terminal and bridged mixed metal clusters; crystal structure of $[(\mu\text{-H})\text{Os}_3(\text{CO})_{10}(\mu\text{-SbPh}_2)]$ (B.F.G. Johnson, J. Lewis, A.J. Whitton, S.G. Bott), (389) 129
- $\text{HOs}_3(\text{CO})_9(\text{C}\equiv\text{CSiMe}_3)$, synthesis and crystal structure of (B.F.G. Johnson, J. Lewis, M. Monari, D. Braga, F. Grepioni), (377) C1
- $(\mu\text{-H})_2\text{Os}_3(\text{CO})_9(\mu_3\text{-}\eta^1\text{-CCO})$, crystal structure of; presence of both ordered and disordered molecular sites in the crystal resulting in internally inconsistent Os–Os bond lengths (M.R. Churchill, C. Bueno), (396) 327
- $[\text{HOs}_3(\eta^2\text{-CH}=\text{CH}_2)(\text{CO})_{10}]$ and $[\text{CpFe}(\text{CO})_2(\eta^2\text{-CH}_2=\text{CH}_2)]\text{PF}_6^-$, kinetics and mechanism of the addition of methoxide ion to the π -hydrocarbon ligands in (T. Ghazy, L.A.P. Kane-Maguire, K. Do), (390) 91
- Indene in a novel bonding mode in a carbonyl cluster; isolation, characterisation, and crystal and molecular structure of $[\text{HOs}_4(\text{CO})_9(\text{C}_9\text{H}_6)(\text{C}_9\text{H}_7)]$ (H. Chen, M. Fajardo, B.F.G. Johnson, J. Lewis, P.R. Raithby), (389) C16
- (η -Mesitylene)osmium complexes containing tertiary phosphines, intermolecular and intramolecular C–H activation reactions of (M.A. Bennett, A.M.M. Weerasuria), (394) 481
- Metalladiborane anions, $[\text{M}(\text{CO})_4(\eta^2\text{-B}_2\text{H}_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27
- $\text{Os}_3(\text{CO})_9\text{L}(\text{R}_2\text{C}_2)$ ($\text{L} = \text{CO}$, MeCN, $\text{P}(\text{OMe})_3$ or PPh_3), synthesis and solution studies of; crystal and molecular structure of $\text{Os}_3(\text{CO})_9\text{P}(\text{OMe})_3(\text{Ph}_2\text{C}_2)$ (M.A. Gallop, B.F.G. Johnson, R. Khattar, J. Lewis, P.R. Raithby), (386) 121
- $\text{Os}_3(\text{CO})_9(\mu_3\text{-C}_6\text{H}_3\text{CH}_3)(\mu_3\text{-AsC}_6\text{H}_4\text{CH}_3)$ and $\text{Os}_3(\text{CO})_8(\mu_3\text{-C}_6\text{H}_3\text{CH}_3)(\mu_3\text{-AsC}_6\text{H}_4\text{CH}_3)\text{As}(p\text{-tol})_3$, synthesis and X-ray crystal structures of; ^{13}C and ^1H NMR spectroscopic studies (P.A. Jackson, B.F.G. Johnson, J. Lewis, A.D. Massey, D. Braga, C. Gradelia, F. Grepioni), (391) 225
- $[\text{Os}_3(\text{CO})_{10}(\text{MeCN})_2]$, oxygen–hydrogen versus nitrogen–oxygen bond cleavage in the oxidative addition of oximes to; crystal structures of the isomers $[\text{Os}_3\text{H}(\text{Me}_2\text{C}=\text{NO})(\text{CO})_{10}]$ and $[\text{Os}_3(\text{OH})(\text{Me}_2\text{C}=\text{N})(\text{CO})_{10}]$ (A.J. Deeming, D.W. Owen, N.I. Powell), (398) 299
- $\text{Os}_3(\text{CO})_{12-n}(\text{CH}_3\text{CN})_n$ ($n = 0, 1, 2$), HPLC studies of (H.G. Ang, W.L. Kwik, W.K. Leong), (379) 325
- $[\text{Os}(\eta^6\text{-C}_6\text{H}_6)(\eta^6\text{-[2]}_2(1,4)\text{C}_{16}\text{H}_{16})]\text{BF}_4^-$, synthesis and crystal structure of; synthesis and NMR characterisation of the trinuclear heterometallic complex $[(\eta^6\text{-C}_6\text{H}_6)\text{Os}(\eta^6\text{-}\eta^6\text{-[2]}_2(1,4)\text{C}_{16}\text{H}_{16})\text{Ru}(\eta^6\text{-}\eta^6\text{-[2]}_2(1,4)\text{C}_{16}\text{H}_{16})\text{Os}((\eta^6\text{-C}_6\text{H}_6})]\text{BF}_4^-$ (M.R.J. Elsegood, D.A. Tocher), (391) 239
- $\text{Os}_3\text{H}_2(\text{CO})_9(\text{C}_6\text{H}_4)$, reaction with diphenylacetylene of; formation and structural characterisation of $\text{Os}_3(\text{CO})_7(\text{C}_6\text{H}_4)[\text{PhCC(H)}\text{Ph}]_2$ (H. Chen, B.F.G. Johnson, J. Lewis, P.R. Raithby), (376) C7
- $\text{Os}_4\text{H}(\text{CO})_{11}(\text{C}_4\text{H}_5)$ and $\text{Os}_3\text{H}(\text{CO})_9(\text{C}_4\text{H}_5)$ allyl complexes, isolation and structural characterisation of (H. Chen, B.F.G. Johnson, J. Lewis, D. Braga, F. Grepioni), (398) 159
- $\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\text{L})$ clusters, $\text{L} = \text{PMe}_2\text{Ph}$, PMe_3 , P^iPr_3 , $\text{P}(\text{o-tolyl})_3$ and $\text{PPh}(\text{l-naphthyl})_2$, fluxional behaviour of; crystal structure of $\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\text{P}^i\text{Pr}_3)$ (L.J. Farrugia), (394) 515
- Osmium and iridium series $[\text{MLCl}(\text{PPh}_3)_2(\text{OSA})]$ ($\text{ML} = \text{OsNO, IrCO}$; $\text{A} = \text{O, CH}_2, \text{S, NR}$; $\text{R} = \text{o-tolyl, p-tolyl and p-tosyl}$), (M. Herberhold, A.F. Hill) (387) 323
- Osmium and ruthenium complexes containing tetrafluoroethylene and maleic anhydride ligands, synthesis and structure of (A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper, D.C. Ware), (398) 133
- Osmium carbonyl dinuclear complexes; photochemistry of; characterisation of $\text{Os}_2(\text{CO})_8$ using matrix isolation (A. Haynes, M. Poliakoff, J.J. Turner, B.R. Bender, J.R. Norton), (383) 497
- Osmium *ortho*-metallated ketazine complex, $\text{OsH}(\text{CO})_2[(\text{C}_6\text{H}_3\text{-p-Me})(\text{p-tolyl})\text{CNC(p-tolyl)}_2](\text{PPh}_3)$, synthesis and structure of (M.A. Gallop, C.E.F. Rickard, W.R. Roper), (395) 333
- Osmium phosphido (PH_2) complexes (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (393) 243
- Pentaosmium carbonyl clusters; substitution chemistry of; crystal structure of $\text{H}_2\text{Os}_5(\text{CO})_{13}\text{P}(\text{OMe})_3\text{PEt}_3$ (B.F.G. Johnson, R. Khattar, J. Lewis, P.R. Raithby, M.J. Rosales), (385) 387
- Phosphido-bridged triosmium carbonyl cluster, $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}(\mu\text{-P}(\text{C}_6\text{F}_5)\text{H})]$, synthesis and X-ray

- structural characterisation of; cleavage of a P-C bond of a secondary phosphine (H.G. Ang, W.L. Kwik, W.K. Leong, B.F.G. Johnson, J. Lewis, P.R. Raithby), (396) C43
- Planar hexanuclear osmium clusters, substitution reactions of** (A. Bott, J.G. Jeffrey, B.F.G. Johnson, J. Lewis), (394) 533
- Rhodium-osmium clusters derived from the reaction of $(\mu\text{-H})_2\text{Os}_3(\text{CO})_{10}$ with $(\eta^5\text{-C}_5\text{H}_5)\text{Rh}(\text{CO})_2$; syntheses and structures of (A. Colombie, D.A. McCarthy, J. Krause, L.-Y. Hsu, W.-L. Hsu, D.-Y. Jan, S.G. Shore), (383) 421
- [$\text{Ru}_3(\text{CO})_{12}$] and [$\text{Os}_3(\text{CO})_{12}$], halogenation behaviour of bidentate ligand-bridged derivatives of (J.S. Field, R.J. Haines, J.A. Jay), (395) C16
- Ruthenium(II) and osmium(II), coordinatively unsaturated σ -aryl complexes of** (C.E.F. Rickard, W.R. Roper, G.E. Taylor, J.M. Waters, L.J. Wright), (389) 375
- Ruthenium or osmium edge double-bridged-trinuclear cluster complexes, synthesis and reactions of** (H.D. Kaesz), (383) 413
- Tetranuclear carbonyls of osmium, formation and structures of (R.K. Pomeroy), (383) 387
- Tetranuclear mixed-metal hydride complexes, $\text{LWM}_3(\text{CO})_{11}(\mu\text{-H})_3$, ($\text{L} = \text{C}_5\text{H}_5$, C_5Me_5 and $\text{M} = \text{Ru}$, Os), synthesis and characterization of (Y. Chi, C.-Y. Cheng, S.-L. Wang), (378) 45
- Tolyliminooxosulphurane, coordinative activation towards electrophiles (M. Herberhold, A.F. Hill), (395) 207
- Tosyliminooxosulphurane, coupling with ethylene, allene, and alkynes coordinated to osmium (M. Herberhold, A.F. Hill), (395) 315
- Tosyliminooxosulphurane, factors affecting coordination geometry in complexes of (M. Herberhold, A.F. Hill), (395) 195
- Tosyliminooxosulphurane, insertion reactions with coordinatively unsaturated ruthenium and osmium aryl complexes (M. Herberhold, A.F. Hill), (395) 327
- Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275
- Trimetallic clusters, linkage through the bridging ligands C_3HO_2 and C_3O_2 ; crystal structures of three clusters containing the components $\text{Os}_3\text{CHCCO}_2\text{Os}_3$, $\text{Ru}_3\text{CHCCO}_2\text{Os}_3$, and $\text{Os}_3\text{CCCO}_2\text{Os}_3$ (K.I. Hardcastle, T. McPhillips, A.J. Arce, Y. De Sanctis, A.J. Deeming, N.I. Powell), (389) 361
- Trinuclear metal carbonyl clusters of iron, ruthenium and osmium, quantitative mechanistic studies of photoreactions of (P.C. Ford), (383) 339
- Triosmium clusters linked by the bis(diphenylphosphino)acetylene ligand, synthesis and characterisation of (B.F.G. Johnson, J. Lewis, A.D. Massey, P.R. Raithby, W.T. Wong), (397) C28
- Triosmium complexes, $\text{Os}_3(\text{CO})_{10}(\mu\text{-Br})(\text{CH}=\text{CPh})$ and $\text{Os}_3(\text{CO})_9(\mu\text{-H})(\mu\text{-Br})(\text{C}=\text{CPh})$, synthesis, structure and reactivity studies of (Y. Chi, B.-F. Chen, S.-L. Wang, R.-K. Chiang, L.-S. Hwang), (377) C59
- Triply-bridging C_6H_4 ligand in open triosmium clusters, attachment of; crystal structures and fluxionality of the clusters $[\text{Os}_3(\text{PMe})(\text{C}_6\text{H}_4)(\text{CO})_8\text{L}]$ ($\text{L} = \text{CO}$ or PEt_3) (A.J. Deeming, J.E. Marshall, D. Nuel, G. O'Brien, N.I. Powell), (384) 347
- Palladium**
- π -Allylpalladium chloride complexes, cluster ions in the FD and FAB mass spectra of (C.A. Horiuchi, E. Miki, T. Takada, J.Y. Satoh, M. Tanaka, M. Hayashi, T. Yamamoto, Y. Koike, T. Takayama, S. Nozaki), (385) C17
- Allylpalladium(II) cationic complexes, mechanism of phenylation by tetraphenylborate anion of (B. Crociani, F. Di Bianca, L. Canovese, P. Uguagliati), (381) C17
- Benzoyl(carbamoyl-palladium)(II) and -platinum(II) complexes, protonation and alkylation to give cationic benzoyl complexes with *O*-protonated and *O*-alkylated carbamoyl ligands of; characterization of an intermediate in the reaction of *trans*-[Pd(COPh)(CO)(PMe₃)₂]BF₄ with pyrrolidine to give *trans*-Pd(COPh)(CON(CH₂)₃CH₂)(PMe₃)₂ (L. Huang, F. Ozawa, K. Osakada, A. Yamamoto), (383) 587
- (3-Chloro-2-methylenecycloalkyl)palladium chloride dimers, reactivity of; coupling with phenyl nucleophiles (W.A. Donaldson, J. Wang), (395) 113
- Cyclopalladated complexes, ¹⁵N and ¹³C NMR studies of; synthetic palladium cyanide chemistry leading to organic nitriles (S. Affolter, P.S. Pregosin), (398) 197
- Cyclopalladated *N*-nitrosoanilines, reactions with Sn^{IV} reagents; crystal structure of the bis cyclopalladated complex *cis*-Pd(ONN(CH₃)(C₆H₄))₂ (A. Albinati, S. Affolter, P.S. Pregosin), (395) 231

- Cyclopalladated 2-t-butyl-4,4-dimethyl-2-oxazoline, preparation and use in the functionalisation of a non-activated carbon–hydrogen bond (G. Balavoine, J.C. Clinet), (390) C84
- Cyclopalladation of 5-(1-hexyl)-2-[4'-(1-undecyloxy)phenyl]pyrimidine; synthesis and characterization of mononuclear complexes (M. Ghedini, D. Pucci), (395) 105
- Cyclopalladation of 2-phenylpyrimidines with pendant pyrazole donors (G.B. Caygill, P.J. Steel), (395) 375
- Diazadiene palladium(0) catalysed 2:2-cycloaddition of alkynes and allenes; preparation of naphthalin-2,3,6,7-tetracarboxylic acid derivatives (C. Munz, C. Stephan, H. tom Dieck), (395) C42
- 4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115
- Diphenylacetylene insertion into cyclopalladated compounds; crystal structure of $[Pd\{(\text{PhC}\equiv\text{CPh})_2-C_6\text{H}_4\text{CH}_2\bar{N}=\text{CH}(2,6-\text{C}_6\text{H}_3\text{Cl}_2)\}\text{Br}]$ (J. Albert, J. Granell, J. Sales, X. Solans), (379) 177
- Diphenylphosphine, addition to Michael-type olefins; the preparation of phosphine-nitrile and phosphine-ester ligands (D.A. Blinn, R.S. Button, V. Farazi, M.K. Neeb, C.L. Tapley, T.E. Trehearne, S.D. West, T.L. Kruger, B.N. Storhoff), (393) 143
- 4,6-Diphenylpyrimidine, cyclopalladation and X-ray structure of, doubly cyclopalladated derivative (G.B. Caygill, R.M. Hartshorn, P.J. Steel), (382) 455
- Diterpenoids cyclomanganation, functionalization of carbon-14 (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (381) C26
- Double cyclopalladation of diphenyl pyrazines and related ligands (P.J. Steel, G.B. Caygill), (395) 359
- Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73
- $(\mu_2\text{-Te}_2)\text{Fe}_2(\text{CO})_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($\text{L} = \text{PPPh}_3$, $\text{M} = \text{Pt, Pd, Ni}$; $\text{L} = \text{C}_5\text{H}_5$, $\text{M} = \text{Ti}$; $\text{L} = \text{Me, n-Bu}$, $\text{M} = \text{Sn}$) of (P. Mathur, V. Dayal Reddy), (385) 363
- Haloarenetricarbonylchromium, reaction with trimethylphosphite: palladium-catalyzed Arbuzov reaction versus arene displacement by trimethylphosphite (R. Chauvin), (387) C1
- Heck reaction, chloride ion effect in (C.A. Merlic, M.F. Semmelhack), (391) C23
- Homogeneous palladium catalysts applied in telomerization of butadiene with formaldehyde, β -dicarbonyl compounds, nitroalkanes, and enamines (W. Keim, A. Koehnes, T. Roethel, D. Enders), (382) 295
- 1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- $(\text{Me}_3\text{P})_2\text{Pd}_2(\mu\text{-}\eta^3\text{-C}_3\text{H}_3)(\mu\text{-SPh})$, preparation by reaction of Pd(0) complex with allyl phenyl sulfide (K. Osakada, Y. Ozawa, A. Yamamoto), (399) 341
- Metal complexes of C-nitroso compounds, correlation of NO stretching frequencies with coordination modes in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (378) 493
- Metallacyclobutarenes from cyclopropa[*b*]naphthalene, reactions with rhodium(I), platinum(0) and palladium(0) (P.J. Stang, L. Song, B. Halton), (388) 215
- Methylpalladium(II) cationic complexes, synthesis from $[\text{PdMe}(\text{SMMe}_2)(\mu\text{-I})_2]$; crystal structure of $[\text{PdMe}(\text{bpy})(\gamma\text{-pic})]\text{BF}_4^-$ (P.K. Byers, A.J. Carty, B.W. Skelton, A.H. White), (393) 299
- $[\text{Mn}(\text{CO})_5\text{Br}]$ and $\text{Re}[\text{CO}]_5\text{Br}$; Pd-catalysed carbonyl ligand substitution reactions with isocyanides of (N.J. Coville, P. Johnston, A.E. Leins, A.J. Markwell), (378) 401
- Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of $[\text{L}(\text{CO})_2\text{W}\equiv\text{CC}_6\text{H}_4\text{-p-CH}_3]$ and $[\text{L}(\text{CO})\text{Mo}(\mu\text{-CO})\text{Pd}(\text{I})\bar{\text{C}}(\text{C}_6\text{H}_4\text{-p-CH}_3)_3\text{C}_6\text{H}_4\text{o-CH}_2\text{N}(\text{CH}_3)_2]$, $\text{L}^- = [(\text{C}_5\text{H}_5)\text{Co}(\text{P}(\text{O})(\text{OCH}_3)_2)_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213
- Mono- and diarylacetylenes, synthesis of (M.I. Al-Hassan), (395) 227
- Neutral palladium(IV) complexes containing *fac*- PdMe_2R groups, synthesis and decomposition of; reductive elimination by η^1 -propenylpalladium(IV) complexes to form η^3 -propenylpalladium(II) species (P.K. Byers, A.J. Carty, P.R. Traill, A.A. Watson), (390) 399
- Palladacyclopentadienes and platinacyclopentadienes and co-cyclotrimerization of various alkynes (H. tom Dieck, C. Munz, C. Müller), (384) 243
- Palladium, platinum and gold, organometallic derivatives of (F. Calderazzo), (400) 303

- Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275
- Palladium-catalysed reduction of acyl chlorides with tributylgermanium hydride (L. Geng, X. Lu), (376) 41
- Palladium-catalysed synthesis of aromatic acids from carbon monoxide and aromatic compounds via aromatic C–H bond activation (T. Jintoku, Y. Fujiwara, I. Kawata, T. Kawauchi, H. Taniguchi), (385) 297
- Palladium-catalysed synthesis of aurone from salicyloyl chloride and phenylacetylene (Z.-w. An, M. Catellani, G.P. Chiusoli), (397) 371
- Palladium-catalysed synthesis of indoxyl derivatives (Z.-w. An, M. Catellani, G.P. Chiusoli), (397) C31
- Palladium-catalyzed addition of the tin–germanium bond to alenes, reversal of regioselectivity in (T.N. Mitchell, U. Schneider, B. Fröhling), (384) C53
- Palladium-catalyzed synthesis of unsymmetrical donor–acceptor biaryls and polyaryls (C. Amatore, A. Jutand, S. Negri, J.-F. Fauvarque), (390) 389
- Palladium-, cobalt-, and nickel-catalyzed tandem syntheses of polycyclic π -systems containing cyclobutadiene, benzene, and cyclooctatetraene rings (H. Schwager, S. Spyroudis, K.P.C. Vollhardt), (382) 191
- Palladium complex catalysed hydrocarbalkoxylation of olefins, mechanism of (G. Cavinato, L. Toniolo), (398) 187
- Palladium dichloride, reaction with $C_6H_5C\equiv CC_6F_5$; structure of the phenylbis(pentafluorophenyl)benzofulvene (S.J. Blackett, J. Bowen Jones, D.S. Brown, A.G. Massey, M.R. Wiles), (399) 215
- Palladium(II), binuclear hydroxo-monopentahalophenyl complexes of (G. López, J. Ruiz, G. García, C. Vicente, J.M. Martí, M.D. Santana), (393) C53
- Palladium(II) and platinum(II) complexes with non-cyclic and cyclic ligands ($C_6H_3(CH_2NR^1R^2)_2$)₂,⁶⁻, synthesis and reactivity towards diiodine; end-on diiodine–platinum(II) bonding in macrocyclic [$PtI(C_6H_3(CH_2NMe(CH_2)_7MeNCH_2)_2$.⁶⁻ I_2)¹] (J.A.M. van Beek, G. van Koten, G.P.C.M. Dekker, E. Wissing, M.C. Zoutberg, C.H. Stam), (394) 659
- Palladium(II) metallacyclic complex, oxidative addition of 3-bromoprop-1-ene to (M. Catellani, B.E. Mann), (390) 251
- Palladium(IV) and platinum(IV) complexes of flexible bidentate nitrogen donor ligands, conformational and fluxional effects in (P.K. Byers, A.J. Canty, R.T. Honeyman, A.A. Watson), (385) 429
- Pd(BF₄)₂ and Pt(BF₄)₂ complexes of 1,1'-bis(alkyl- or phenyl-)chalcogenoferrocenies, synthesis and properties of (M. Sato, M. Sekino, M. Kataoka, S. Akabori), (377) 327
- trans*-[PdCl(C₆H₄-2-N₂Ph)(PR₃)₂] and related complexes, conformation and ligand exchange reactions of (G.K. Anderson, R.J. Cross, S.A. Leaman, F.J. Robertson, D.S. Rycroft, M. Rocamora), (388) 221
- Phosphido and sulphido bridged trinuclear platinum and palladium clusters, fragmentation reactions of; formation of [M₂(μ -PPh₂) $(\mu$ -dppm)(PPh₃)₂]⁺, a new type of M(I) cation (N. Hadj-Bagheri, J. Browning, K. Dehghan, K.R. Dixon, N.J. Meanwell, R. Vefghi), (396) C47
- Phosphine–phosphinite complexes, reactivity of; synthesis and crystal structure of [(Ph₂PCH= C(O)Ph)Pd(μ -Ph₂PO)]₂ (D. Matt, F. Ingold, F. Balegroune, D. Grandjean), (399) 349
- Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83
- Platinum and palladium α -ketoacyl complexes, reactivity toward olefins and acetylenes of (W.M. Vetter, A. Sen), (378) 485
- Polynuclear palladium(II)–platinum(II) pentafluorophenyl homo- or heterometallic complexes containing bridging diphenylphosphido ligands; synthesis and crystal structure of [(C₆F₅)₂Pt(μ -PPh₂)_{2Pt(phen)] (J. Forniés, C. Fortuño, R. Navarro, F. Martínez, A.J. Welch), (394) 643}
- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23
- Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325
- 6-Substituted-3,4-dihydro-2*H*-1-benzopyran-2-ones (dihydrocoumarins), synthesis via palladium catalysed coupling reactions (S.G. Davies, D. Pyatt, C. Thomson), (387) 381
- Syndnone complexes with C–Pd and C–Pt σ -bonds, synthesis of; application of palladium salts for the preparation of 4-alkenylsyndnones (V.N. Kalinin, She Fan Min, P.V. Petrovskii), (379) 195
- trans*-*N,N,N*-Triethyl-2-[4-(2-phenylethenyl)phenoxy]ethanammonium iodide, synthesis of (M.I. Al-Hasan), (386) 395

- Tripodal nitrogen donor ligands, synthesis of; characterization as $\text{Pd}^{\text{II}}\text{Me}_2$ and $\text{Pd}^{\text{II}}\text{IMe}$ derivatives (P.K. Byers, A.J. Canty, R.T. Honeyman), (385) 417
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Phosphorus

- Acrylonitrile, insertion reactions with hydridocarbonylbis(triphenylphosphine)ruthenium(II) carboxylates of (S.S. Deshpande, S. Gopinathan, C. Gopinathan), (378) 103
- Alkenyl carbonyl ruthenium(II) complexes, reaction with t-butyl isocyanide; synthesis of η^1 -acylruthenium(II) complexes by intramolecular CO insertion (J. Montoya, A. Santos, A.M. Echavarren, J. Ros), (390) C57
- N*-Alkoxy carbonylalkylidiphenyl $P\text{-}\lambda^5$ -phosphazenes, reactions with acetylene esters of; synthesis of 1-aza-2-oxo-4 λ^5 -phosphinines (J. Barluenga, F. López, F. Palacios), (382) 61
- Alkyneiridium(I), stepwise rearrangement to alkynyl(hydrido)iridium(III) and vinylideneiridium(I) complexes of (A. Höhn, H. Werner), (382) 255
- Alyldiphenylphosphine, isomerization to (*Z*)-1-propenyldiphenylphosphine in rhodium(I) complexes of (A. Jegorov, F. Tureček), (379) C5
- Alylpalladium(II) cationic complexes, mechanism of phenylation by tetraphenylborate anion of. (B. Crociani, F. Di Bianca, L. Canovese, P. Uguagliati), (381) C17
- 1-Aminoalkanephosphonic acids, addition of diethyl phosphite to *N*-diisobutylaluminio-aldimines (Z.H. Kudzin, M.W. Majchrzak), (376) 245
- Aminomethylidiphenylphosphine-molybdenum complexes, synthesis and reactivity of; crystal structure of *cis*-Mo(CO)₄(Ph₂PCH₂NHC₆H₄Me-*p*)₂ (D.L. Davies, F.I. Healey, J. Howarth, D.R. Russell, L.J.S. Sherry), (376) C31
- ¹⁹⁵Au and ¹⁴C-labeled antineoplastic gold(I) phosphine complexes, synthesis of (K.T. Garnes, J.R. Heys, S.W. Landvatter, J. Statler), (378) 293
- Azadiphosphetine ring system RP(NR')P=CR' (R = Et₃C, R' = Bu^t), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89
- 1,3-Benzodiphospholes, organometallic complexes with (K. Issleib, H. Schmidt, E. Leissring), (382) 53
- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151
- Bidentate P,P or P,As ligands (L-L) in HRu₃(C≡CBu^t)(CO)₇(L-L), chelating and bridging behaviour of (E. Sappa, G. Predieri, A. Tiripicchio, C. Vignali), (378) 109
- Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru₃ cluster anions and metal halogenides of Groups 11 and 12; crystal structure of HRu₃Au(CO)₈(PPh₃)(PPh₂)₂ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109
- Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1
- Binuclear ruthenium clusters, chiral modification of; development of enantioselective hydrogenation catalysts (J.-L. Wolfender, F. Neumann, G. Süss-Fink), (389) 351
- Bis(chloromethyl)(1,5-cyclooctadiene)platinum(II), carbon-carbon bond formation upon ligand displacement with tricyclohexylphosphine; X-ray structure of *trans*-di- μ -chlorobis(2-tricyclohexylphosphonioethyl)bis(tricyclohexylphosphine)diplatinum(II) bis(hexafluorophosphate), (390) 121
- 1,2-Bis(dimethylphosphino)ethane, preparation of an enantioselective catalyst (H. Brunner, J. Ziegler), (397) C25
- Bis(dimethylgermyl)alkaneruthenium tetracarbonyls, synthesis and cleavage reactions of (J. Barrau, N. Ben Hamida, J. Satgé), (395) 27
- cis*-1,3-Bis(diphenylphosphino)dicyclopentadiene tetracarbonylmolybdenum, synthesis and crystal structure of (W.K. Wong, F.L. Chow, H. Chen, T.C.W. Mak), (377) C65
- Bis(diphenylphosphino)-methanide or -amide and its derivatives as ligands in gold chemistry (A. Laguna, M. Laguna), (394) 743
- 2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333
- Bis(diphenylphosphino)methanideiron complexes, (C₅H₅)(L)Fe(Ph₂PCH₂Ph₂) (L = CO, Me₃P), formation and reactions of (F. Scherhag, H. Käb, T.A. Bright, W. Malisch) (385) C27

- Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2(\text{HONCMe}_2)_2$ and of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2[\text{S}(\text{CH}_2\text{Ph})_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347
- Bis(pentacarbonyltungsten) complex of 1,3-diphosphashaallene with η^1 -coordination mode, preparation and X-ray structure of (M. Yoshifuiji, K. Toyota, T. Niitsu, N. Inamoto, K. Hirotsu), (389) C12
- Bisphosphinodihalogenosilanes, preparation of 1,3-diphospho-2-silaallyl anions from (K. Hassler, F. Mitter, B. Reiter), (376) C1
- Bridged dinuclear zirconocene complexes (H.G. Alt, C.E. Denner), (398) 91
- Carbon dioxide in the presence of $\text{RhCl}(\text{CO})(\text{PPh}_3)_2$ and $\text{IrCl}(\text{CO})(\text{PPh}_3)_2$, electrochemical reduction of (A. Szymaszek, F.P. Pruchnik), (376) 133
- Carbonyl complexes of manganese(I) containing monodentate $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm), synthesis of (G.A. Carriedo, M.C. Crespo, C. Diaz, V. Riera), (397) 309
- Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands ($X = \text{S}, \text{N}, \text{P}$) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79
- Carbonylanvanadates, hydrido- and alkyl-carbonylvanadium complexes containing alkylated oligophosphines as ancillary ligands (F. Süssmilch, W. Glöckner, D. Rehder), (388) 95
- μ_3 -Carbonylcarbonyltriron clusters, reactivity of and addition of alkynes under formation of η^6 -ferracyclopentadienone ligands, (D. Buchholz, G. Huttner, W. Imhof, L. Zsolnai, D. Günauer), (381) 79
- ($\eta^5\text{-C}_5\text{H}_4\text{CMe}_2\text{C}_{13}\text{H}_9$) $\text{M}(\text{CO})_3\text{X}$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}; \text{X} = \text{H}, \text{Me}$) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131
- Chelate (η^6 -fluorobenzyl)diphenylphosphitodicarbonylchromium complexes, scalar ^{13}C , ^{19}F spin–spin couplings between carbonyl carbons and aromatic fluorine in (P. Szczeciniński), (393) 111
- Chiral terpenes, hydroformylation with $\text{PtCl}(\text{SnCl}_3)(\text{bis-phosphine})$ as catalyst of (L. Kollár, J. Bakos, B. Heil, P. Sándor, G. Szalontai), (385) 147
- $[(\text{C}_5\text{H}_5)_2\text{Lu}(\mu\text{-O}(\text{CH}_2)_4\text{PC}_6\text{H}_5)_2]_2$ and $[(\text{C}_5\text{H}_5)_2\text{Lu}(\text{OC}_4\text{H}_8)]_2(\mu\text{-O})$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49
- ($\text{C}_5\text{H}_4\text{Me}(\text{CO})_2\text{Mn}[\text{CHCH}(\text{PEt}_3)]$), carbene-like ylid complexes, molecular structure of (R.D. Rogers, H.G. Alt, H.E. Maisel), (381) 233
- $[(\eta^5\text{-C}_5\text{H}_5)(\text{PMe}_3)_2\text{Ru}=\text{C}(\text{Me})\text{Ph}]^+$ cationic ruthenium vinylidene complex, stereoselective reaction with sodium cyanide (S.G. Davies, A.J. Smallridge), (395) C39
- Chromium (methoxymethyl)carbene complexes, reactions with 3*H*-indoles (C. Giordani, E. Licandro, S. Maiorana, A. Papagni, A.M. Slawin, D.J. William), (393) 227
- $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)_2(\text{NH}_3)]\text{PF}_6$ and $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)_3(\text{CN}^+\text{Bu})(\text{NH}_3)]\text{PF}_6$, preparation and X-ray crystal structures of (F.M. Conroy-Lewis, S.J. Simpson), (396) 83
- $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)_3(\text{NO})(\text{Cl})]\text{PF}_6$ six-coordinate ruthenium nitrosyl complex, synthesis and crystal structure of (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (399) 307
- cis*- and *trans*- $[(\eta^5\text{-C}_5\text{H}_5)\text{W}(\text{CO})_2(\text{H})\text{PMe}_3]$ half-sandwich complexes, one- and two-dimensional multi-nuclear magnetic resonance spectroscopy of (B. Wrackmeyer, H.G. Alt, H.E. Maisel), (399) 125
- $[\text{Cl}\text{Pt}(\text{NMe}_2\text{NHCH}_2\text{CHPPPh}_2\text{CH}_2\text{CH}_2\text{PPh}_2)]\text{Cl}$ containing a tridentate ylide ligand, chemistry and crystal structure of (X.L.R. Fontaine, A.M. Herring, D.P. Markham, B.L. Shaw, M. Thornton-Pett), (394) 699
- $[(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})\text{Rh}^{\text{I}}(\text{F}_3\text{CPCF}_2)_2\text{Rh}^{\text{III}}(\text{CO})(\eta^5\text{-C}_5\text{Me}_5)]$, isolation and molecular structure of (J. Grobe, D. Le Van, B. Krebs, M. Dartmann, F.G.A. Stone, J. Szameitai), (399) 189
- 1-Cobalta-2-phospho-1,3-diene, isomerisation to tricarbonyl(1-phosphoallyl)cobalt (H. Lang, M. Leise), (393) C17
- Cobalt(II) salts containing weakly-coordinating anions, reductive carbonylation in the presence of diphosphine ligands (A. Del Zotto, P. Rigo), (390) 97
- Cobalt phosphine carbonyl complex catalyst for the homologation of methanol (N. Isogai, K. Tanaka), (397) 101
- Cobalt-propargyl complexes, synthesis and reactions at $\text{Co}-\text{CH}_2$ and $\text{C}\equiv\text{C}$ bonds of (F. Ungváry, A. Wojciecki), (396) 95
- $\text{Co}_4(\text{CO})_{10}(\mu_4\text{-PPh})_2$, site selectivity and competitive CO attack using methanolic $[\text{Et}_4\text{N}][\text{OH}]$ (J.A. Partin, M.G. Richmond), (396) 339
- $(\text{CO})_5\text{ML}$, stabilisation of RP(OH)_2 , RPHNEt_2 and RPHCl ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379
- $(\text{CO})_5\text{Mo}[\text{C(Aryl)}\text{H}]$, synthesis and reactions of (H. Fischer, D. Reindl), (385) 351

- η^4 -Coordinated (*s-cis*)-1-molybda-2-phospha-1,3-dienes, stepwise formation of (H. Lang, M. Leise, L. Zsolnai, M. Fritz), (395) C30
- [CpFe(μ -PR₂)CO]₂ and [Cp₂Fe₂(μ -H)(μ -PR₂)(CO)₂] optically active phosphido-bridged iron complexes, photochemically induced *cis*-*trans* isomerisation of (H. Brunner, H. Peter), (393) 411
- [Cu₃(μ_3 - η^1 -C≡CPh)(μ -dppm)₃][BF₄]₂, synthesis and crystal structure of (M.P. Gamasa, J. Gimeno, E. Lastra, A. Aguirre, S. García-Granda), (378) C11
- Cycloaddition between metallic ylid and ketene imine, unexpected results of (W.P. Fehlhammer, G. Zinner, G. Beck, J. Fuchs), (379) 277
- Cyclopentadienyl(dicarbonyl)[η^2 -(methylthio)phenylcarbenemolybdenum tetrafluoroborate, addition of diphenylchlorophosphine to the metal–carbon double bond in (C.M. Stegmair, F.R. Kreißl), (397) C6
- Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of [(CO)₃MC₅H₄)₂E_n (M = Mn, Re; E = S, Se, Te; n = 2, 1) M. Herberhold, M. Biersack), (381) 379
- Decaruthenium hydrido cluster; synthesis and crystal structure of [N(PPH₃)₂]₂[Ru₁₀C(CO)₂₄]_·C₆H₁₄ and [N(PPH₃)₂]₂[HRu₁₀C(CO)₂₄] (P.J. Bailey, B.F.G. Johnson, J. Lewis, M. McPartlin, H.R. Powell), (377) C17
- Dicarbonyl(η^5 -cyclopentadienyl)[η^2 -aryl(methylthio)carbene]tungsten tetrafluoroborate, reaction with tri-methylphosphine with formation of an η^3 -thio-ketene intermediate of (N. Ullrich, H. Keller, C. Stegmair, F.R. Kreissl), (378) C19
- Dicarbonyl(η^5 -indenyl)(η^3 -pentadienyl)molybdenum and its phosphine derivatives, synthesis, characterization and structure of (G.-H. Lee, S.-M. Peng, F.-C. Liu, R.-S. Liu), (377) 123
- Dicarbonyltriphenylphosphine(η^6 -1,3,5-triethyl-2,4,6-tris(trimethylsilylmethyl)benzene)molybdenum(0), crystal structure of (J.A. Chudek, G. Hunter, R.L. MacKay, G. Färber, W. Weissensteiner), (377) C69
- 2,3- η^2 -(1,4-Dimethoxybut-2-yne)bis(tricyclohexylphosphane)nickel(0), (Cy₃P)₂Ni(MeOCH₂C≡CCH₂-OMe), crystal and molecular structure of; influence of phosphane ligands on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görsls, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (390) 113
- 2,3- η^2 -(1,4-Dimethoxybut-2-yne) bis(triphenylphosphane)nickel(0), (Ph₃P)₂Ni(MeOCH₂C≡CCH₂OMe), crystal and molecular structure of; influence of acetylene substituents on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görsls, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (389) 409
- Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Saigé), (387) 65
- 4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115
- Dinitrogen, diazenido and derived isocyanide complexes of rhenium with phosphite or phosphonite ligands, syntheses and properties of (M.F.N.N. Carvalho, A.J.L. Pombeiro), (384) 121
- Dinuclear, hydrido-bridged osmium complexes with double and triple Os–Os bonds; synthesis, structure and reactivity of (M. Schulz, S. Stahl, H. Werner), (394) 469
- Dinuclear (M, M') complexes with [CH₂(C₅H₄)₂]²⁻ as bridging ligands (D. Schneider, H. Werner), (384) C33
- Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37
- Diphenylphosphine, addition to Michael-type olefins; the preparation of phosphine-nitrile and phosphine-ester ligands (D.A. Blinn, R.S. Button, V. Farazi, M.K. Neeb, C.L. Tapley, T.E. Trehearne, S.D. West, T.L. Kruger, B.N. Storhoff), (393) 143
- Diphenylphosphinomethaneiron(II) complexes, [FeCp(dppm)(L)]⁺ PF₆⁻ (L = CO and CH₃CN), synthesis, redox properties, and crystal structures of (J. Ruiz, M.-T. Garland, E. Román, D. Astruc), (377) 309
- Diphosphazirconocene dichloride, (η^5 -C₄Me₄P)₂ZrCl₂, reactivity of; crystal and molecular structure of (CO)₃Fe(μ - η^5 , η^1 -C₄Me₄P)₂ZrCl₂ (F. Nieff, F. Maihey, L. Ricard), (384) 271
- Diruthenium-diphosphane pyrazolato-bridged clusters, reactions of; synthesis and solid state structure of (μ_2 -H)Ru₂(CO)₃(μ_2 - η^2 -3,5-Me₂N₂C₃H)₂[μ_1 - η^2 -PPh₂CH₂CH₂PPh(C₆H₄)] (F. Neumann, H. Stoeckli-Evans, G. Süß-Fink), (379) 151
- F₃CP=C(F)NMe₂ as (η^1 - μ_2) 4e-donor, a new coordination mode for acyclic phosphaalkenes (J. Grobe, D. Le Van, B. Krebs, R. Fröhlich, A. Schiemann), (389) C29
- [Fe₅C(CO)₁₅], phosphine substituted derivatives of; crystal structure of [Fe₅C(CO)₁₂(PMe₂Ph)₃] (A. Gourdon, Y. Jeannin), (388) 195

- $\text{Fe}_2(\text{CO})_9$, reductive dehalogenation of bidentate halogen phosphines $\text{RXP}-\text{CH}_2-\text{PXR}$ by; a new route to cluster-stabilised phosphaalkenes with functional groups (F. Bitterer, D.J. Brauer, F. Dörrenbach, O. Stelzer), (399) C4
- $\text{Fe}(\text{CO})_4$ and $\text{Fe}(\text{CO})_3(\text{POMe})_3$, reactions with stabilized phosphoranes of (D. Senechal, M.-C. Senechal-Tocquer, J.-Y. Le Bihan, D. Gentric, B. Caro), (385) C35
- $\text{Fe}(\text{CO})_4(\eta^1\text{-dppf})$ (dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$), synthesis and conversion into $\text{Fe}_2(\text{CO})_8(\mu\text{-dppf})$ and $(\text{CO})_4\text{Fe}(\mu\text{-dppf})\text{Mo}(\text{CO})_5$ of, (T.S.A. Hor, L.-T. Phang), (381) 121
- $\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-PR})$, rearrangement of carbonyl groups to carbene, carbyne and alkyne groups in (D. Buchholz, G. Huttner, L. Zsolnai) (381) 97
- $\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-RP})$, addition reactions with XCN^- ($\text{X} = \text{S}, \text{Se}, \text{Te}$) and $\text{R}'\text{XXR}'$ ($\text{X} = \text{Se}, \text{Te}$) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25
- $\text{Fe}_4(\text{CO})_{12}(\mu_4\text{-RP})$: a tripledecker derivative of the 2π -ligand $\text{RPF}\text{e}_2(\text{CO})_6$ (D. Buchholz, G. Huttner, W. Imhof, O. Orama), (388) 321
- $\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-RP})$ clusters, introduction of $\mu_3\text{-}\eta^2\text{-RPO}$ - and $\mu_3\text{-}\eta^2\text{-RPOEt}$ ligands; OCN^- as oxygen transfer agent (D. Buchholz, G. Huttner, W. Imhof), (388) 307
- $\text{Fe}(\text{CO})_3[\text{Fe}(\text{CO})_3=\text{CH}=\text{CPh}=\text{S}]$, addition and substitution reactions of (T. Fässler, G. Huttner), (381) 391
- Gold(I)-chiral ferrocenylphosphine neutral complexes, enantioselective synthesis of crystal structure of the complex $[(\eta^5\text{-C}_5\text{H}_4\text{PPH}_2)(\eta^5\text{-C}_5\text{H}_3(\text{PPH}_2)\text{CH}(\text{Me})\text{N}(\text{Me})\text{CH}_2\text{CH}_2\text{NMe}_2)\text{Fe}]_2(\text{AuCl})_3 \cdot \text{Et}_2\text{O}$ (A. Togni, S.D. Pastor, G. Rihs), (381) C21
- Group 11 trifluoromethyl derivatives, formation by reaction of $\text{Cd}(\text{CF}_3)_2$ ·glyme with representative Au, Ag and Cu complexes: isolation of $\text{Au}(\text{CF}_3)_3(\text{PMe}_3)$, $\text{Au}(\text{CF}_3)_3(\text{PEt}_3)$, $\text{AuI}(\text{CF}_3)_2(\text{PMe}_3)$, $\text{AuCF}_3(\text{PMe}_3)$, $\text{AuCF}_3(\text{PEt}_3)$ and $\text{AgCF}_3(\text{PMe}_3)$; observation of $\text{CuCF}_3(\text{PMe}_3)$, (H.K. Nair, J.A. Morrison), (376) 149
- Haloarenetricarbonylchromium, reaction with trimethylphosphite: palladium-catalyzed Arbuzov reaction versus arene displacement by trimethylphosphite (R. Chauvin), (387) C1
- Halo/n-alkyl mixed chromium(III) compound, synthesis, structure, and reactivity of $\text{Cr}(\text{n-Bu})_2\text{Cl}\text{-}[(\text{Me}_2\text{PCH}_2)_3\text{CMe}]$ (E.G. Thaler, K. Folting, J.C. Huffman, K.G. Caulton), (376) 343
- Heterotetrานuclear $\text{Cu}_2^{\text{I}}\text{Fe}_2^{\text{II}}$ complex bridged by π -accepting 2,2'-bipyrimidine, electronic structure of; close-lying but orthogonal frontier orbitals (C. Vogler, W. Kaim), (398) 293
- $[\text{HOs}_3(\text{CO})_{11}]^-$, reactions with main group halide species, a route to terminal and bridged mixed metal clusters; crystal structure of $[(\mu\text{-H})\text{Os}_3(\text{CO})_{10}(\mu\text{-SbPh}_2)]$ (B.F.G. Johnson, J. Lewis, A.J. Whitton, S.G. Bott), (389) 129
- $[\text{HRu}_3(\text{CO})_{11}]^-$ anionic cluster, reactions with phosphor- and arsene-containing ligands; synthesis and crystal structure of $\text{H}_2\text{Ru}_3(\text{CO})_7(\text{AsPh}_3)_2(\text{AsPh})$ (G. Gremaud, H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (388) 351
- $[\text{HRu}_3(\text{CO})_8(\text{PPh}_3)(\text{PPhC}_6\text{H}_4)]^-$, reactions with Br_2 and I_2 of; synthesis and molecular structure of $\text{Ru}_2(\text{CO})_5(\text{PPh}_3)(\mu_2\text{-PPh}_2)(\mu_2\text{-I})$ (H. Jungbluth, H. Stöckli-Evans, G. Süss-Fink), (377) 339
- Hydridostannyl complexes of iron and corresponding anionic complexes; preparation, stereochemistry and reactivity of (M. Knorr, H. Piana, S. Gilbert, U. Schubert), (388) 327
- Hydro(trisyl)boranes, $(\text{Me}_3\text{Si})_3\text{CBHX}$, and borates, $\text{M}[\text{H}_2\text{BC}(\text{SiMe}_3)_3]_x$, formation and reactions of (P. Paetzold, L. Geret, R. Boese), (385) 1
- $\text{Ir}_4(\text{CO})_8(\mu\text{-CO})_3(\text{PPh}_2\text{AuPPh}_3)$, synthesis and structural characterization of; conversion into $\text{Ir}_4(\text{CO})_9(\mu\text{-CO})(\mu\text{-PPh}_2)(\mu\text{-AuPPh}_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28
- Iridium trifluoromethyl, difluorocarbene and tetrafluoroethylene complexes; crystal structures of $\text{IrI}(\text{CH}_3)(\text{CF}_3)(\text{CO})(\text{PPh}_3)_2$, $\text{Ir}(\text{CF}_3)(\text{C}_2\text{F}_4)(\text{CO})(\text{PPh}_3)_2$ and $\text{Ir}(\text{CF}_3)(=\text{CF}_2)(\text{CO})(\text{PPh}_3)_2$ (P.J. Brothers, A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper), (394) 615
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- Isonitrile-containing platinum–gold phosphine clusters (R.P.F. Kanter, P.P.J. Schlebos, J.J. Bour, J. Wijnhoven, E. van den Berg, J.J. Steggerda), (388) 233
- $(\text{Lig})\text{Ni}^0$ systems, reactions with 1,7-octadiene and phenyl isocyanate of (H. Hoberg, D. Guhl), (384) C43
- Lithiated di-t-butylfluorosilylmesitylphosphane, rearrangement of (M. Andrianarison, D. Stalke, U. Klingebiel), (381) C38
- Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-($\text{PH}_2\text{C}_6\text{H}_4$) (E. Hey), (378) 375
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- $[\text{MCl}_2(\text{CNBu}^1)_3(\text{PMe}_3)_2]$ ($\text{M} = \text{Mo}$ or W) synthesis and reactivity of, preparation of

- [$MCl(CNBu^t)_4(PMe_3)_2Cl$ and [$M(SnCl_3)(CNBu^t)_3(PMe_3)_3](SnCl_3)$ derivatives; crystal structure of [$MoCl(CNBu^t)_4(PMe_3)_2Cl \cdot 2Me_2CO$] (*M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes*), (377) 241
- Metallaheterocyclobutadiene complexes, $Fe(CO)_3[Fe(CO)_3=CH=CpH=S]$, reductive activation of (T. Fässler, G. Huitner, D. Günauer, S. Fiedler, B. Eber), (381) 409**
- Methylplatinum(II) complexes containing 2-(diphenylphosphino)pyridine, (Ph_2Ppy); crystal and molecular structure of [$PtMe(\eta^2-Ph_2Ppy)(Ph_2Ppy)]BP_4$] (*V.K. Jain, V.S. Jakkal, R. Bohra*), (389) 417**
- [$Mn(CH_3\eta^5-C_5H_4)(CO)_2PPh_3$], reaction with iodine; crystal structure of diiodobis(triphenylphosphine oxide)manganese(II) (*T. Avilés, M.A.A.F. de C.T. Carrondo, M.F.M. Piedade, G. Teixeira*), (388) 143
- [$MoH_3(C\equiv CBu^t)(Ph_2PCH_2CH_2PPh_2)_2$ trihydrido-alkynyl complex, synthesis and crystal structure of (*A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards*), (398) C15
- $Mo(\eta^5-C_5H_5)_2$ derivatives containing phosphorus ligands, molecular structure, bonding, and reactions of; crystal structures of [$Mo(\eta^5-C_5H_5)_2H(PPh_3)Jl \cdot \frac{1}{2}H_2O$ and [$Mo(\eta^5-C_5H_5)_2(CH_3)(PPh_3)]PF_6$] (*C.G. Azevedo, M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, C.C. Ramão*), (391) 345
- Molybdenum d^6 -ML₅ fragments of hydrido derivatives, investigation of C-H activation by (L. Dahmenburg, B. Pietsch), (378) 199**
- Mono- and bi-nuclear molybdenum complexes of 2,6-bis(diphenylphosphino)-N-methylaniline (A.B. van Oort, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (396) 33**
- Mononuclear cobalt carbonyls containing monodentate thiolate or xanthate groups; structures of PhSCo(CO)₂(PPh₂OMe)₂ and MeOCS₂Co(CO)₂(PPh₂^tBu)₂ (S. Vastag, L. Markó, A.L. Rheingold), (397) 231**
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71**
- Naphthalene nickel(0) complexes, preparation of; crystal structure of [$Ni(C_{10}H_8)(i-C_3H_7)_2 \cdot PCH_2CH_2P(i-C_3H_7)_2$] (*F. Scott, C. Krüger, P. Betz*), (387) 113**
- Nickel(0) catalysed formation of 3-cyclopentene carboxylic amide from cyclopentenes and phenyl isocyanides (H. Hoberg, M. Nohlen), (382) C6**
- Nickel(0) induced and catalysed CC bond formation between phenylisocyanate and vinyl-substituted heterocycles (H. Hoberg, D. Guhl, P. Betz), (387) 233**
- Nickel(O) induced CC coupling of fluoro-substituted alkenes with phenyl isocyanate (H. Hoberg, D. Guhl), (378) 279**
- Nickel σ -sydnonyl complexes, stabilized by tertiary phosphines (L.N. Morozova, L.S. Isaeva, P.V. Petrovskii, D.N. Kravtsov, She Fan Min, V.N. Kalinin), (381) 281**
- [$Ni_6(CO)_{12}$]²⁻ dianion, reaction with stibine and bismuthine reagents of; synthesis and stereophysical characterization of [$Ni_{10}(SbPh)_2(CO)_{18}$]²⁻ and $Ni_2(CO)_4(\mu_2-Ph_2SbOSbPh_2)_2$ (*R.E. DesEnfants II, J.A. Gavney, Jr., R.K. Hayashi, A.D. Rai, L.F. Dahl, A. Bjarnason*), (383) 543
- (OC)₅M(μ -dppf)M(CO)₅·CH₂Cl₂ (M = Cr, Mo; dppf = ($Ph_2PC_5H_4$)₂Fe) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (*T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen*), (397) 29
- Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165**
- Organomercury-platinum complexes, synthesis by reaction of platinum hydrides with organomercurials (A. Handler, P. Peringer, E.P. Müller), (389) C23**
- Organophosphorus and organosilicon derivatives of sterically hindered phenols (S.D. Pastor, E.T. Hessel), (376) 21**
- Organotin halides, Lewis acidities toward tributylphosphine and tributylphosphine oxide, effect of the donor site (C.H. Yoder, J.C. Otter, A. Grushow, T.F. Ganunis, B.C. Enders, A.I. Zafar, J.N. Spencer), (385) 33**
- Osmium and ruthenium complexes containing tetrafluoroethylene and maleic anhydride ligands, synthesis and structure of (*A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper, D.C. Ware*), (398) 133
- Osmium *ortho*-metallated ketazine complex, OsH(CO)₂-[(C₆H₃-*p*-Me)(*p*-tolyl)CNNC(*p*-tolyl)₂](PPh₃), synthesis and structure of (M.A. Gallop, C.E.F. Rickard, W.R. Roper), (395) 333**
- Osmium phosphido (PH₂) complexes (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (393) 243**
- Oxy- and thio-phosphorus acid derivatives of tin(IV); crystal and molecular structure of *O*-methylphosphatotriphenyltin(IV) (J.G. Masters, F.A.K. Nasser, M.B. Hossain, A.P. Hagen, D. van der Helm, J.J. Zuckerman), (385) 39**
- Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275**
- Pentacarbonylchromium complexes of Diels-Alder adducts of bis(trifluoromethyl)disphosphenes (J. Grobe, T. Grosspietsch, D. Le Van, J. Schulze, B. Krebs, M. Dartmann), (385) 255**

- Pentacarbonylhalogenaminophosphine complexes $(CO)_5MPRXNR'_2$, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17
- $(PhCOO)_2(PPh_3)_2(CO)_2Ru$, stereochemistry assignments and X-ray crystal structure determination of (M. Rotem, Z. Stein, Y. Shvo), (387) 95
- Phenylethynyl-substituted phosphonium ion complexes $(R)(R')P=MoCp'(CO)_2$, synthesis and reactivity of; preparation of cluster compounds containing a 1-cobalta-2-phospha heteroallyl building block (H. Lang, M. Leise, L. Zsolnai), (386) 349
- η^3 -Phosphallyl-cobalt and -nickel complexes; synthesis of; crystal structure of [η^3 -1-(2,4,6-tri-*t*-butylphenyl)-1-phosphallyl]tricarbonylcobalt (F. Mercier, C. Hugel-Le Goff, L. Ricard, F. Mathey), (389) 389
- Phosphametallacycloalkanes, conformation and ^{31}P NMR data of (E. Lindner, R. Fawzi, H.A. Mayer, K. Eicheler, K. Pohmer), (386) 63
- Phosphorhodacyclopentanes, synthesis by C–Cl bond into rhodium uncoordinated complexes of (E. Lindner, R. Fawzi, K. Pohmer), (385) C13
- Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401
- Phosphidomanganates applied in synthesis of phosphamanganacyclopropanes with carbene and phosphido units (E. Lindner, E. Ossig, M. Darmuth), (379) 107
- Phosphine–phosphinite complexes, reactivity of; synthesis and crystal structure of $[(Ph_2PCH=C(O)Ph)Pd(\mu-Ph_2PO)]_2$ (D. Matt, F. Ingold, F. Balegroune, D. Grandjean), (399) 349
- Phosphine-stabilised organyl tellurenyl cations, $[RTe(PR'_3)]^+$ (Chr. Kölleemann, F. Sladky), (396) C1
- Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83
- Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317
- η^3 -Phosphino-, -arsino- and -thioketen complexes of tungsten, synthesis of (M. Wolfsgruber, C.M. Stegmair, F.R. Kreissl), (376) 45
- Phosphorus analogues of unsaturated hydrocarbon–transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- $[Ph_P(O)_2\cdot AlCl_2]_2$ and $[Ph_2P\cdot Al(i-Bu)_2]_2$, synthesis and molecular structure of (S.A. Sangokoya, W.T. Pennington, G.H. Robinson, D.C. Hrncir), (385) 23
- Platinum sulfur ylide complexes, preparation by phase transfer catalysis (J.S. Lai, R.F. Wu, I.J.B. Lin, M.C. Cheng, Y. Wang), (393) 431
- $(PM_3)_4Ru(OC_6H_4Me)_2$, phosphorus–carbon bond cleavage reaction of coordinated trimethylphosphine in (J.F. Hartwig, R.G. Bergman, R.A. Andersen), (394) 417
- Polynuclear palladium(II)–platinum(II) pentafluorophenyl homo- or heterometallic complexes containing bridging diphenylphosphido ligands; synthesis and crystal structure of $[(C_6F_5)_2Pt(\mu-PPh_2)_2Pt(phen)]$ (J. Forniés, C. Fortuño, R. Navarro, F. Martínez, A.J. Welch), (394) 643
- Polysilicon compounds containing two or more triphenylphosphine units, synthesis of (Y. Takuma, N. Imaki), (379) 27
- Primary vinylphosphines, preparative synthesis by chemoselective reduction of the corresponding vinylphosphonates of (J.L. Cabioch, J.M. Denis), (377) 227
- Pt(II) \cdot η^3 -benzyl complexes, synthesis of; crystal structure of $[Pt(Bu'_2P(CH_2)_3PBu'_2)(\eta^3\text{-anti-1-MeCH}_2C_6H_4Br\text{-4})][BF_4]$ (L.E. Crascall, S.A. Litster, A.D. Redhouse, J.L. Spencer), (394) C35
- Pt($Ph_2PCH_2PPh_2$) Cl_2 , phase-transfer catalysed base hydrolysis of; synthesis and crystal structure of the trinuclear compound $[Pt_3(\mu_3-O)(\mu\text{-}\eta^2\text{-PPh}_2O)_3(PPh_2Me)_3]PF_6\cdot CHCl_3$ (I.J.B. Lin, J.S. Lai, L.-K. Liu, Y.S. Wen), (399) 361
- $[RhCl(cyclo-C_8H_{12})(phosphine)]$, mechanism of hydrosilylation of 1-hexene catalysed by (B. Marciniec, W. Duczmal, W. Urbaniak, E. Śliwińska), (385) 319
- cis*-Rh(COD)(phosphine) $_2^+$ influence of rigid cyclic phosphine ligands on inner coordination shell dynamics and catalysed olefin hydrogenation/isomerization in (R.J. Topping, L.D. Quin, A.L. Crumbliss), (385) 131
- Rh complexes containing optically active iron compounds as ligands, enantioselective catalysis with; crystal structure of $CpFe(CO)(COMe)PPh_2ORh(COD)$ (H. Brunner, R. Eder, B. Hammer, U. Klement), (394) 555
- Rhodium and platinum complexes of tetraphenylhexapentaene; X-ray crystal structure of bis(triphenylphosphine)chloro(tetraphenylhexapentaene)rhodium (L. Song, A.M. Arif, P.J. Stang), (395) 219

- Rhodium- β -diketonate complexes of diphosphines and pyridyl-substituted diphosphines, dichloromethane addition to (P.J. Fennis, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (393) 287
- Rhodium-catalysed enantioselective transfer hydrogenation of C=C double bonds with a mixture of formic acid and triethylamine as hydrogen source (H. Brunner, W. Leitner), (387) 209
- Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of $\text{HRh}([\text{P}(\text{OMe})_2\text{O}]_2\text{H})_2(\text{PPh}_2\text{Me})$ (A. Varshney, G.M. Gray), (391) 415
- Rhodium(I) complexes with 1, *n*-bis(diphenylphosphino)alkane ligands (*n* = 3–6) (M.A. Garralda, L. Ibarlucea), (377) 367
- Rhodium(I) immobilised complexes as catalysts for heterogenic enantioselective hydration reactions (H. Brunner, E. Biehlmeier, J. Wichl), (384) 223
- Rhodium(I) olefin complexes, reactions with (2-(2-methoxyethoxy)ethyl)diphenylphosphine; an NMR spectroscopic study of (V.V.S. Reddy, A. Varshney, G.M. Gray), (391) 259
- $\text{RuBr}_2(\text{CO})=\text{C}(\text{C}_6\text{H}_4\text{PPh}_2)_2$ bimettallacyclic carbene complex of ruthenium; synthesis, structure, and reactions of (L.M. Boyd, G.R. Clark, W.R. Roper), (397) 209
- $[\text{Ru}(\text{ClC}_4\text{H}_2\text{N}(\text{SCNMe}_2)_2\text{S})(\eta^2\text{-S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)]$, synthesis and reactions of; crystal structure of $[\text{Ru}(\text{=C}(\text{SCNMe}_2)_2\text{S})(2\text{-pyrrolyl})(\eta^2\text{-S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)]^+$ (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C9
- $[\text{Ru}_3(\text{CO})_{12}]$ and $[\text{Os}_3(\text{CO})_{12}]$, halogenation behaviour of bidentate ligand-bridged derivatives of (J.S. Field, R.J. Haines, J.A. Jay), (395) C16
- $\text{Ru}_3(\text{CO})_6[\text{P}(\text{Ph})\text{C}(\text{Ph})\text{C}(\text{Ph})](\mu\text{-PPh}_2)_2$, six vertex *nido*-pentagonal bipyramidal structure, synthesis via reductive elimination and acetylene insertion at a triruthenium centre of (F. Van Gastel, A.J. Cart, M.A. Pellinghelli, A. Tiripicchio, E. Sappa), (385) C50
- $[\text{Ru}_2(\text{CO})_5(\text{solvent})(\mu\text{-}(\text{RO})_2\text{PN}(\text{Et})\text{P}(\text{OR})_2)]^{2+}$ solvento species, synthesis of; its potential as a source for a wide range of dinuclear derivatives of ruthenium (J.S. Field, R.J. Haines, U. Honrath, J. Sundermeyer, S.F. Woollam), (395) C9
- $[\text{Ru}_4(\mu_3\text{-}\eta^2\text{-CO})(\text{CO})_9(\mu\text{-}(\text{RO})_2\text{PN}(\text{Et})\text{P}(\text{OR})_2)_2]$ (R = Me or Pr^i), synthesis of; crystal structure of $[\text{Ru}_4(\mu_3\text{-}\eta^2\text{-CO})(\text{CO})_9(\mu\text{-}(\text{MeO})_2\text{PN}(\text{Et})\text{P}(\text{OMe})_2)_2]$ (J.S. Field, R.J. Haines, J.A. Jay), (377) C35
- $[\text{Ru}_3(\mu\text{-H})(\mu_3\text{-ampy})(\text{CO})_9]$ (Hampy = 2-amino-6-methylpyridine), diphenylphosphine and diphenylphosphido derivatives of (P.L. Andreu, J.A. Cabeza, V. Riera), (393) C30
- Ruthenium dinuclear clusters with $\mu_2\text{-}\eta^2\text{-carbamoylato}$ bridging ligands, solid state structure of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-HNOCPh})_2(\text{MeCN})_2$ (F. Neumann, H. Stoeckli-Evans, G. Süß-Fink), (379) 139
- Silica-anchored (ether-phosphane)ruthenium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325
- Stannyl phosphines, addition to alkynes and allenes of (T.N. Mitchell, H.-J. Belt), (386) 167
- Synthesis of phenylethynyl- and styryl-substituted $(\text{R})(\text{R}')\text{P}=\text{Mo}(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2$ compounds; crystal structure of $[2,6\text{-}^1\text{Bu}_2\text{-}4\text{-MeC}_6\text{H}_2\text{O}](\text{PhC}\equiv\text{C})\text{P}=\text{Mo}(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2$ (H. Lang, M. Leise, L. Zsolnai), (389) 325
- Tertiary phosphines, complexes with iron(II) and dinitrogen, dihydrogen, and other small molecules (A. Hills, D.L. Hughes, M. Jimenez-Tenorio, G.J. Leigh), (393) C41
- (Thioketene) $\text{Fe}_2(\text{CO})_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49
- Thiophenedioxide and its iron carbonyl complexes (R. Albrecht, E. Weiss), (399) 163
- Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73
- Tricarbonylmolybdenum complexes containing unidentate diphosphine, NMR of *fac-mer* isomers and crystal structure of *fac*- $\text{Mo}(\text{CO})_3(\eta^2\text{-phen})(\eta^1\text{-dppm})$ (M. Cano, J.A. Campo, V. Pérez-García, E. Gutiérrez-Puebla, C. Alvarez-Ibarra), (382) 397
- Trichloro(carbonyl)tris(dimethylphenylphosphine)rhenium(III), photochemistry in low temperature media (A.J. Rest, M.J. Wilson, E.C. Barra, P.G. Reveco), (394) C21
- Trimethylphosphine and tricyclohexylphosphine complexes, $(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{CO})(\text{PR}_3)(\text{N}_2)$ (R = Me, cyclo- C_6H_{11}), companion of inter- and intra-molecular C–H activation reactions of; X-ray structure of $(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\eta^2\text{-C}_6\text{H}_{10}\text{P}(\text{C}_6\text{H}_{11})_2)(\text{H})(\text{CO})\cdot 0.5\text{C}_6\text{H}_{14}$ (J.M. Aramini, F.W.B. Einstein, R.H. Jones, A.H. Klahn-Oliva, D. Sutton), (385) 73
- Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251
- Triply-bridging C_6H_4 ligand in open triosmium clusters, attachment of; crystal structures and fluxionality of the clusters $[\text{Os}_3(\text{PMe})(\text{C}_6\text{H}_4)(\text{CO})_8\text{L}]$ (L = CO or PEt₃) (A.J. Deeming, J.E. Marshall, D. Nuel, G. O'Brien, N.I. Powell), (384) 347

- Triruthenium dodecacarbonyl, reactions with diphenylphosphine of (L.M. Bullock, J.S. Field, R.J. Haines, E. Minshall, M.H. Moore, F. Mulla, D.N. Smit, L.M. Steer), (381) 429
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS) and catalytically useful rhodium complexes, purification of (W.A. Herrmann, J.A. Kulpe, W. Konkol, H. Bahrmann), (389) 85
- Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73
- 2,4,6-Tri-*t*-butylphenylseleno compounds of gold(I) and mercury(II) (I. Wagner, W.-W. du Mont), (395) C23
- W(CO)₃(PR₃)₂ H₂-coordinating fragments, binding characteristics of; optical and electrochemical properties of dinuclear pyrazine complexes (W. Bruns, W. Kaim), (390) C45
- Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53
- Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Platinum

- Azadiphosphetine ring system RP(NR')P=CR' (R = Et₃C, R' = Bu^t), relative donor properties of the *sp*³ and *sp*² hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89
- Benzoyl(carbamoyl-palladium)(II) and -platinum(II) complexes, protonation and alkylation to give cationic benzoyl complexes with *O*-protonated and *O*-alkylated carbamoyl ligands of; characterization of an intermediate in the reaction of *trans*-[Pd(COPh)(CO)(PMe₃)₂]BF₄ with pyrrolidine to give *trans*-Pd(COPh)(CON(CH₂)₃CH₂)(PMe₃)₂ (L. Huang, F. Ozawa, K. Osakada, A. Yamamoto), (383) 587
- Bis(chloromethyl)(1,5-cyclooctadiene)platinum(II), carbon–carbon bond formation upon ligand displacement with tricyclohexylphosphine; X-ray structure of *trans*-di- μ -chlorobis(2-tricyclohexylphosphonioethyl)bis(tricyclohexylphosphine)diplatinum(II) bis(hexafluorophosphate), (390) 121
- Chiral terpenes, hydroformylation with PtCl(SnCl₃)(bis-phosphine) as catalyst of (L. Kollár, J. Bakos, B. Heil, P. Sándor, G. Szalontai), (385) 147
- [ClPt(NMe₂NHCH₂CH₂PPPh₂CH₂CH₂PPh₂)]Cl containing a tridentate ylide ligand, chemistry and crystal structure of (X.L.R. Fontaine, A.M. Herring, D.P. Markham, B.L. Shaw, M. Thornton-Pett), (394) 699
- Cobalt-platinum carbonyl complexes with carbido ligands; crystal structure of the hexanuclear mixed-metal cluster [Co₃Pt₃(μ -H)(μ ₆-C)(μ -CO)₄(CO)₅(P-i-Pr₃)₃] (J.C. Jeffery, M.J. Parrott, F.G.A. Stone), (382) 225
- Diphenyl[(tris(trimethylsilyl)methyl)phosphine, desilylation and cyclometallation reactions with platinum(II) compounds; crystal structure of *trans*[PtCIPPh₂C(SiMe₃)₂SiMe₂CH₂(PPh₂)₂] (T. Fässler, G. Huttner), (381) 391
- Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73
- (μ_2 -Te₂)Fe₂(CO)₆, reduction and reaction of the dianion formed with metal dihalides L₂MCl₂ (L = PPh₃, M = Pt, Pd, Ni; L = C₅H₅, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363
- Heteronuclear di- and tri-metal μ -carbyne compounds from the thiocarbonyl [HB(pz)₃](CO)₂W=CSMe, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81
- 1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Isonitrile-containing platinum–gold phosphine clusters (R.P.F. Kanters, P.P.J. Schlebos, J.J. Bour, J. Wijnhoven, E. van den Berg, J.J. Steggerda), (388) 233
- Isosteric isobutyl(isopropoxy)silanes, ¹Bu_n(¹PrO)_{3-n}SiH (*n* = 0–3), reaction with allyl bromide in the presence of platinum compounds (J. Pikies, W. Wojnowski), (393) 187
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Metal complexes of *C*-nitroso compounds, correlation of NO stretching frequencies with coordination modes in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (378) 493

- Metallacyclobutarenes from cyclopropa[*b*]naphthalene, reactions with rhodium(I), platinum(0) and palladium(0) (P.J. Stang, L. Song, B. Halton), (388) 215
- Methylplatinum fluoroalkoxide and phenoxide complexes, $\text{PtMe}(\text{OR})(\text{HOR})(\text{PMe}_3)_2$ ($\text{R} = \text{CH}(\text{CF}_3)_2$, C_6H_5), preparation and properties of (K. Osakada, Y.-J. Kim, A. Yamamoto), (382) 303
- Methylplatinum(II) complexes containing 2-(diphenylphosphino)pyridine, (Ph_2Ppy); crystal and molecular structure of $[\text{PtMe}(\eta^2\text{-Ph}_2\text{Ppy})(\text{Ph}_2\text{Ppy})]\text{[BF}_4]$ (V.K. Jain, V.S. Jakkal, R. Bohra), (389) 417
- Neutral and cationic dimethylplatinum(IV) complexes, synthesis and isomerism of; crystal structure of the bis(pyrazol-1-yl)(thien-2-yl)methane complex $\text{PtI}_2\text{Me}_2\{(\text{pz})_2(\text{thi})\text{CH}-N,N'\}$ (A.J. Carty, R.T. Honeyman, B.W. Skelton, A.H. White), (396) 105
- Organomercury–platinum complexes, synthesis by reaction of platinum hydrides with organomercurials (A. Handler, P. Peringer, E.P. Müller), (389) C23
- Palladacyclopentadienes and platinacyclopentadienes and co-cyclotrimerization of various alkynes (H. tom Dieck, C. Munz, C. Müller), (384) 243
- Palladium, platinum and gold, organometallic derivatives of (F. Calderazzo), (400) 303
- Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275
- Palladium(II) and platinum(II) complexes with non-cyclic and cyclic ligands ($\text{C}_6\text{H}_3(\text{CH}_2\text{NR}^1\text{R}^2)_2$ -2,6)⁻, synthesis and reactivity towards diiodine; end-on diiodine–platinum(II) bonding in macrocyclic $[\text{Pt}(\text{C}_6\text{H}_3(\text{CH}_2\text{NM}(\text{CH}_2)_2\text{MeNCH}_2)_2\text{-}2,6](\eta^1\text{-I}_2)$ (J.A.M. van Beek, G. van Koten, G.P.C.M. Dekker, E. Wissing, M.C. Zoutberg, C.H. Stam), (394) 659
- Palladium(IV) and platinum(IV) complexes of flexible bidentate nitrogen donor ligands, conformational and fluxional effects in (P.K. Byers, A.J. Carty, R.T. Honeyman, A.A. Watson), (385) 429
- $\text{Pd}(\text{BF}_4)_2$ and $\text{Pt}(\text{BF}_4)_2$ complexes of 1,1'-bis(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327
- Phosphido and sulphido bridged trinuclear platinum and palladium clusters, fragmentation reactions of; formation of $[\text{M}_2(\mu\text{-PPPh}_2)(\mu\text{-dppm})(\text{PPh}_3)_2]^+$, a new type of M(I) cation (N. Hadj-Bagheri, J. Browning, K. Dehghan, K.R. Dixon, N.J. Meanwell, R. Vefghui), (396) C47
- Platinacyclohexanes, conformations studied by NMR and crystal structures of $[\text{Pt}(\text{CH}_2)_4\text{CH}_2(\text{PPhMe}_2)_2]$ and $[\text{Pt}(\text{CH}_2\text{CH}_2\text{CMe}_2\text{CH}_2\text{CH}_2(\text{PPhMe}_2)_2]$ of (N.W. Alcock, K.H. Bryars, P.G. Pringle), (386) 399
- Platinum and palladium α -ketoacyl complexes, reactivity toward olefins and acetylenes of (W.M. Vetter, A. Sen), (378) 485
- Platinum and rhodium catalysed carbonylation (hydroformylation and hydrocarbaloylation) and enantioselective carbonylation of some methacrylic acid derivatives (G. Consiglio, L. Kollár, R. Kölliker), (396) 375
- Platinum-based catalyst for olefin asymmetric homogeneous hydroformylation (S. Paganelli, U. Matteoli, A. Scrivanti), (397) 119
- Platinum-catalysed hydrosilylation of disilyl ethynes, effects of oxygen and temperature (T. Suzuki, P.Y. Lo), (396) 299
- Platinum-catalyzed hydroformylation, role of additives in (L. Kollár, P. Sándor, G. Szalontai, B. Heil), (393) 153
- Platinum complexes, transfer of chelate ligands between (E. Rotondo, A. Giannetto, S. Lanza), (396) 115
- Platinum(II), cationic five-coordinate monoolefin hydrocarbyl complexes of (A. Sanchez, C. Castellari, A. Panunzi, A. Vitagliano, V. De Felice), (388) 243
- Platinum sulfur ylide complexes, preparation by phase transfer catalysis (J.S. Lai, R.F. Wu, I.J.B. Lin, M.C. Cheng, Y. Wang), (393) 431
- Polydentate ligands containing pyrazole groups, cyclometallation of; synthesis of platinum(IV) complexes with tripodal $[\text{N-C-N}]^-$ ligand systems (A.J. Carty, R.T. Honeyman), (387) 247
- Polynuclear palladium(II)-platinum(II) pentafluorophenyl homo- or heterometallic complexes containing bridging diphenylphosphido ligands; synthesis and crystal structure of $[(\text{C}_6\text{F}_5)_2\text{Pt}(\mu\text{-PPPh}_2)_2\text{Pt}(\text{phen})]$ (J. Forniés, C. Fortuño, R. Navarro, F. Martínez, A.J. Welch), (394) 643
- Pt^0 -complexes as catalyst precursors for homogeneous carbon–carbon and carbon–oxygen double bond hydrogenation (S. Paganelli, U. Matteoli, A. Scrivanti, C. Botteghi), (397) 375
- trans*-Pt($\eta^1\text{-C}_3\text{H}_5$)(phosphine₂)Cl complexes in benzene, carbon monoxide insertion into; crystal structure of *trans*- $[\text{Pt}(\text{COCH}_2\text{CH}=\text{CH}_2)(\text{PPh}_3)_2\text{Cl}]$ (S. Dirè, R. Campostrini, G. Carturan, M. Calligaris, G. Nardin), (390) 267
- Pt(II)- η^3 -benzyl complexes, synthesis of; crystal structure of $[\text{Pt}(\text{Bu}^1\text{P}(\text{CH}_2)_3\text{PBu}^1_2)](\eta^3\text{-anti-1-MeCHC}_6\text{H}_4\text{Br-4})\text{[BF}_4]$ (L.E. Crascall, S.A. Litster, A.D. Redhouse, J.L. Spencer), (394) C35

- Pt(Ph₂PCH₂PPh₂)Cl₂, phase-transfer catalysed base hydrolysis of; synthesis and crystal structure of the trinuclear compound [Pt₃(μ₃-O)(μ-η²-PPh₂O)₃(PPh₂Me)d3]PF₆·CHCl₃ (J.B. Lin, J.S. Lai, L.-K. Liu, Y.S. Wen), (399) 361
- Pt^{II}/SnCl₂ catalysed hydroformylation (A. Scrivanti, S. Paganelli, U. Matteoki, C. Botteghi), (3850) 439
- PtX₂ (X = Cl, Br, I or Me) and PdX₂ (X = Cl, Br or I) complexes with Ph₂PCH=CH₂ (X.L.R. Fontaine, D.P. Markham, B.L. Shaw), (391) 123
- Rhodium and platinum complexes of tetraphenylhexapentaene; X-ray crystal structure of bis(triphenylphosphine)chloro(tetraphenylhexapentaene)rhodium (L. Song, A.M. Arif, P.J. Stang), (395) 219
- Ruthenium-platinum carbonyl cluster complexes with bridging methylene, methylidyne, and carbido ligands; crystal structures of the compounds [Ru₂Pt(μ-CH₂)(μ-CO)(CO)₂P(cyclo-C₆H₁₁)₃](η-C₅H₅)₂, [Ru₂Pt₂(μ-H)(μ₄-CH)(μ-CO)(CO)₂(P-i-Pr₃)₂(η-C₅H₅)₂], and [Ru₂Pt₂(μ-H)₂(μ₄-C)(μ-CO)₂(P-i-Pr₃)₂(η-C₅H₅)₂] (D.L. Davies, J.C. Jeffery, D. Miguel, P. Sherwood, F.G.A. Stone), (383) 463
- Stereochemistry of ring opening of cyclopropane by platinum(II) (J.B. Lambert, E.C. Chelius), (379) 187
- N-Substituted 2-pyrrolidinones, synthesis via homogeneous catalytic reactions catalysed by Pt and Rh complexes of (L. Kollár, B. Heil, P. Sándor), (379) 191
- Syndnone complexes with C-Pd and C-Pt σ-bonds, synthesis of; application of palladium salts for the preparation of 4-alkenylsyndnones (V.N. Kalinin, She Fan Min, P.V. Petrovskii), (379) 195
- Transition metal alkyne complexes, ¹³C{¹H} NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119
- Trimethylplatinum(IV) halide complexes, [PtXMMe₃{(C₅H₄ECH₃)₂Fe}] (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šík), (378) 473
- Trinuclear platinum clusters, molecular orbital study of (D.M.P. Mingos, T. Slee), (394) 679
- Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Potassium

- Alkyllithium and potassium alkoxide complex bases, utilization in the dimetallation of phenol, thiophenol, *o*-, *m*- and *p*-cresol (H. Andringa, H.D. Verkrijssse, L. Brandsma, L. Lochmann), (393) 307
- 1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- Organopotassium compounds, activation of *n*-butyllithium by; preparation of strongly basic systems (F. Scott, A.M. Hamee, H.G. Raubenheimer), (393) C40
- Potassium hydroxide as promoter for potassium-metal catalysed side-chain alkylation of toluene (R.S. Smith, K.G. Ihrman, M.B. LeBlanc), (382) 333
- Titanium complexes and alkali metal hydrides, active hydrogenation catalysts from (Y. Zhang, S. Liao, Y. Xu, S. Chen), (382) 69

Praseodymium

- Phenyl lanthanide dichloride complexes, synthesis of; crystal structure of C₆H₅GdCl₂·4THF (G. Lin, Z. Jin, Y. Zhang, W. Chen), (396) 307

Rhenium

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13
- η³-Allyl(η⁵-pentamethylcyclopentadienyl)dicarbonylrhenium tetrafluoroborate, [(η⁵-C₅Me₅)Re(CO)₂(η³-C₃H₅)][BF₄]; synthesis, structure and dynamics of *endo*- and *exo*-isomers of (R.J. Batchelor, F.W.B. Einstein, J.-M. Zhuang, D. Sutton), (397) 69
- Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Darenbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191

- $[(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{NO})(\text{PPh}_3)(\text{ClC}_6\text{H}_5)]^+ \text{BF}_4^-$ chiral rhenium chlorobenzene complex, an improved functional equivalent of the chiral Lewis acid $[(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{NO})(\text{PPh}_3)]^+ \text{BF}_4^-$, preparation and reactivity of (J.J. Kowalczyk, S.K. Agbossou, J.A. Gladysz), (397) 333
- π -Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161
- Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of $[(\text{CO})_3\text{MC}_5\text{H}_4]_2\text{E}_n$ ($\text{M} = \text{Mn, Re}; \text{E} = \text{S, Se, Te}; n = 2, 1$) M. Herberhold, M. Biersack), (381) 379
- Dinitrogen, diazenido and derived isocyanide complexes of rhenium with phosphite or phosphonite ligands, syntheses and properties of (M.F.N.N. Carvalho, A.J.L. Pombeiro), (384) 121
- Early-late heterobimetallic μ -alkylidene complexes, synthesis of (C.P. Casey, F.R. Askham, L.M. Petrovich), (387) C31
- Formyl-, acetyl-, carbomethoxy-, and carboethoxy-cyclopentadienylthallium, formation and synthetic utility of (S.S. Jones, M.D. Rausch, T.E. Bitterwolf), (396) 279
- $(\eta^5 : \eta^5\text{-Fulvalene})$ bimetallic compounds derived from $(\eta^5 : \eta^5\text{-fulvalene})$ dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227
- Hexahydrido(η^5 -pentamethylcyclopentadienyl)rhenium(VII), $(\eta^5\text{-C}_5\text{Me}_5)\text{ReH}_6$, reactions of; gas-phase and crystal structure of (W.A. Herrmann, H.G. Theiler, P. Kiprof, J. Tremmel, R. Blom), (395) 69
- ^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- Hydrido-carbonyl rhenium cluster chemistry, coordination and reduction of isocyanide ligands in; synthesis and characterization of the anion $[\text{Re}_3(\mu\text{-H})_4(\text{CO})_9(\text{CNR})]^-$ and of the formimidoyl derivative $[\text{Re}_3(\mu\text{-H})_3(\text{CO})_9(\mu\text{-}\eta^2\text{-C(H)}=\text{NR})(\text{PMe}_2\text{Ph})]^-$ ($\text{R} = \text{C}_6\text{H}_{11}$) (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, M. Moret, A. Sironi), (399) 291
- Hydrocarbon-bridged metal complexes, $(\text{OC})_3\text{M}(\text{CH}_2)_n\text{M}(\text{CO})_5$, ($\text{M} = \text{Mn}, n = 2; \text{M} = \text{Re}, n = 2; n = 3$), synthesis from dimethyl ether of the bistriflates $\text{Y}(\text{CH}_2)_n\text{Y}$ ($\text{Y} = \text{F}_3\text{CSO}_2\text{O}$) and carbonyl metalates $[\text{M}(\text{CO})_5]^-$ of (E. Lindner, M. Pabel, K. Eichele), (386) 187
- 1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- cis- $\text{M}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{I}$ ($\text{M} = \text{Mn, Re}$), synthesis and rearrangement of (S.K. Mandal, D.M. Ho, M. Orchin), (397) 313
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Metallocene hexafluoropnictogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1
- Methyltrioxorhenium(VII) metallo-acid, addition of anionic and neutral bases to; crystal structure of a 2,2'-bipyridinium perrhenate (W.A. Herrmann, J.G. Kuchler, P. Kiprof, J. Riede), (395) 55
- $[\text{Mn}(\text{CO})_5\text{Br}]$ and $\text{Re}[\text{CO}]_5\text{Br}$, Pd-catalysed carbonyl ligand substitution reactions with isocyanides of (N.J. Coville, P. Johnston, A.E. Leins, A.J. Markwell), (378) 401
- Organometallic compounds, design and application of a reflux modification for synthesis using microwave dielectric loss heating effects of (D.R. Baghurst, D.M.P. Mingos), (384) C57
- 2,4-Pentadienylrhenium(III) complex, intramolecular alkyne/allyl coupling to (R.A. Fischer, W.A. Herrmann), (377) 275
- Pentamethylcyclopentadienylcarbonylrhenium chiral complex, $[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PPh}_3)(\text{CO})]^+ \text{BF}_4^-$, optical resolution and absolute configuration of (Y.-H. Huang, F. Niedercorn, A.M. Arif, J.A. Gladysz), (383) 213
- α -Pyridine, quinoline, and isoquinoline complexes of the formula $[(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{NO})(\text{PPh}_3)(\text{NC}_x\text{H}_y)]^+ \text{CF}_3\text{SO}_3^-$, syntheses and structures of (M.A. Dewey, A.M. Arif, J.A. Gladysz), (384) C29
- Rhenium chemistry applied in catalysis (review) (W.A. Herrmann), (382) 1
- Rhenium oxo and methylimido complexes with oxygen, sulphur and nitrogen chelates; synthesis, elimination reactions and structural analysis (W.A. Herrmann, D.W. Marz, E. Herdtweck), (394) 285
- Sodium pentacarbonylrhenate(1-), reactions with activated acetylenes of; formation of rhenacyclobutenone complexes (L.L. Padolik, J. Gallucci, A. Wojciecki), (383) C1
- Tricarbonylrhenium halide complexes, *fac*- $[\text{ReX}(\text{CO})_3(\text{C}_5\text{H}_4\text{ECH}_3)_2\text{Fe}]$ ($\text{X} = \text{Cl, Br, I}; \text{E} = \text{S, Se}$); crystal structure of chloro-1,1'-bis(methylthio)ferrocenetricarbonylrhenium (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (383) 253

- Trichloro(carbonyl)tris(dimethylphenylphosphine)rhodium(III), photochemistry in low temperature media (A.J. Rest, M.J. Wilson, E.C. Barra, P.G. Reveco), (394) C21
- Trimethylphosphine and tricyclohexylphosphine complexes, ($\eta^5\text{-C}_5\text{Me}_5$)Re(CO)(PR₃)(N₂) (R = Me, cyclo-C₆H₁₁), companion of inter- and intra-molecular C-H activation reactions of; X-ray structure of ($\eta^5\text{-C}_5\text{Me}_5$)Re[$\eta^2\text{-C}_6\text{H}_{10}$ P(C₆H₁₁)₂](H)(CO)·0.5C₆H₁₄ (J.M. Aramini, F.W.B. Einstein, R.H. Jones, A.H. Klahn-Oliva, D. Sutton), (385) 73
- Rhodium**
- Alkenyl-dirhodium complexes, syntheses, structures, and reactions of; coupling μ -methylene and σ -vinyl to allyl, an entry to μ -ethylenide- μ -methylene dirhodium complexes; crystal structures of [{(C₅Me₅Rh)(μ -CH₂)(CH=CH₂)₂}₂] and [(C₅Me₅Rh)₂(μ -CH₂)(μ -CHMe)Cl₂] (J. Martinez, J.B. Gill, H. Adams, N.A. Bailey, I.M. Saez, G.J. Sunley, P.M. Maitlis), (394) 583
- η^1 - or η^3 -Alkylallylrhodium(III) complexes, reductive elimination of; synthesis of β,γ -unsaturated ketones (C.-H. Jun), (390) 361
- Alkylidynetungsten complexes [W(=CR)(CO)₂(η -C₅H₅)] (R = Me or C₆H₄Me-4), reactions with [Rh₂(μ -SPh)₂(COD)₂] of; crystal structure of [W₂Rh₂(μ -CMe)(μ_3 -CMe)(μ -SPh)₂(CO)₄(η -C₅H₅)₂] (P.K. Byers, N. Carr, F.G.A. Stone), (384) 315
- (Alkynyl)(vinyl)rhodium(III) complexes intermediate in dimerization of 1-alkynes catalysed by RhCl(PMe₃)₃ (I.P. Kovalev, K.V. Yevdakov, Yu. A. Strelenko, M.G. Vinogradov, G.I. Nikishin), (386) 139
- Aallyldiphenylphosphine, isomerization to (Z)-1-propenyldiphenylphosphine in rhodium(I) complexes of (A. Jegorov, F. Tureček), (379) C5
- C-Allylglycine-rhodium and -iridium complexes; preparation, structure and reactions of (I. Zahn, B. Wagner, K. Polborn, W. Beck), (394) 601
- Arsenic-molybdenum-rhodium cluster, formation by reaction of As(C₅H₅)₃Mo₃(CO)₆ with C₅H₅Rh(CO)₂ (H.-P. Neumann, M.L. Ziegler), (377) 255
- Azadiphosphetine ring system RP(NR')P=CR' (R = Et₃C, R' = Bu^t), relative donor properties of the sp³ and sp² hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89
- Carbon dioxide in the presence of RhCl(CO)(PPh₃)₂ and IrCl(CO)(PPh₃)₂, electrochemical reduction of (A. Szymaszek, F.P. Pruchnik), (376) 133
- Chiral ($\eta^5\text{-C}_9\text{H}_7$)Rh(diphosphine) complexes, stereochemistry of (F. Morandini, G. Consiglio), (390) C64
- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16
- [($\eta^5\text{-C}_5\text{Me}_5$)(CO)Rh^I(F₃CPCF₂)₂Rh^{III}(CO)($\eta^5\text{-C}_5\text{Me}_5$)], isolation and molecular structure of (J. Grobe, D. Le Van, B. Krebs, M. Dartmann, F.G.A. Stone, J. Szameitat), (399) 189
- Cobalt and rhodium fulvene complexes, synthesis and structure (D. Rau, U. Behrens), (387) 219
- 3,4-Diborafulvene as bridging ligand in a novel slipped tripledecker complex (G.E. Herberich, C. Ganter, L. Wesemann, R. Boese), (394) C1
- Dihydrobis(triphenylphosphine)rhodium(III) complexes of aromatic N-donor carboxylates, ¹⁵N NMR spectra of (L. Carlton, M.-P. Belcug), (378) 469
- β -Diketonatocyclooctadienierhodium(I) complexes, kinetics of the substitution of the cyclooctadiene ligand by triphenylphosphite (J.G. Leipoldt, G.J. Lamprecht, E.C. Steynberg), (397) 239
- Di- μ -iododi- η^1 -methylbis(η^5 -pentamethylcyclopentadienylrhodium) and related complexes (A.R. Kunicki, K. Isobe, P.M. Maitlis), (399) 199
- Dinuclear (M, M') complexes with [CH₂(C₅H₄)₂]²⁻ as bridging ligands (D. Schneider, H. Werner), (384) C33
- Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203
- Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37
- Dirhodium complexes with asymmetric bridging ligands, synthesis and characterization of (C. Carriedo), (379) 331
- Formyl-, acetyl-, carbomethoxy-, and carboethoxy-cyclopentadienylthallium, formation and synthetic utility of (S.S. Jones, M.D. Rausch, T.E. Bitterwolf), (396) 279
- (η^5 : η^5 -Fulvalene)bimetallic compounds derived from (η^5 : η^5 -fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

- Heterobinuclear complexes $[\text{WM}(\text{CO})_3(\text{PPh}_3)_2(\eta^5\text{-C}_5\text{H}_5)]$ ($\text{M} = \text{Rh}, \text{Cu}$), ^{13}C and ^{31}P NMR studies on geometrical non-rigidity in (W.E. Lindsell, P.J. Tomb), (378) 245
- Heterodinuclear Ru–Ir and Ru–Rh complexes, synthesis and catalytic activity of; crystal structure of $[\text{H}(\text{CO})(\text{PPh}_3)_2\text{Ru}(\mu\text{-Cl})(\mu\text{-pz})\text{Ir}(\text{TFB})]$ (pz = pyrazolate, TFB = tetrafluorobenzobarrelene) (M.P. Garcia, A.M. López, M.A. Esteruelas, F.J. Lahoz, L.A. Oro), (388) 365
- Heteronuclear di- and tri-metal μ -carbyne compounds from the thiocarbyne $[\text{HB}(\text{pz})_3](\text{CO})_2\text{W}\equiv\text{CSMe}$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81
- Hexarhodium hexadecacarbonyl, diene derivatives of; molecular structures of $\text{Rh}_6(\text{CO})_{14}(\eta^4\text{-CH}_2\text{C}(\text{Me})\text{C}(\text{Me})\text{CH}_2)$ and $\text{Rh}_6(\text{CO})_{12}(\eta^4\text{-CH}_2\text{C}(\text{Me})\text{C}(\text{Me})\text{CH}_2)_2$, and their substitution reactions with bis(diphenylphosphino)methane (Z. Hou, Y. Wakatsuki, H. Yamazaki), (399) 103
- $[\text{HRuCo}_3(\text{CO})_{11}(\text{SeMe}_2)]$, $[\text{HRuCo}_3(\text{CO})_{10}(\text{SeMe}_2)_2]$ and $[\text{HRuRh}_3(\text{CO})_9]_2[\text{SeMe}_2]_3$ (S. Rossi, J. Pursianen, M. Ahlgren, T.A. Pakkanen), (391) 403
- Hydrocarboxylation of isoprene catalysed by iodocarbonylrhodium derivatives (L. Garlaschelli, M. Marchionna, M.C. Iapalucci, G. Longoni), (378) 457
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9
- $[\text{M}(\text{COD})(\mu\text{-L})_2$ ($\text{M} = \text{Rh}, \text{Ir}$; L = substituted hydroxypyridinate), variable temperature ^1H NMR studies of (G.S. Rodman, K.R. Mann), (378) 255
- $(\text{Me}_3\text{P})_3\text{Rh}(\text{Me})$, reaction with toluene to give $(\text{Me}_3\text{P})_3\text{Rh}(\text{Ar})$ ($\text{Ar} = o\text{-}, m\text{-} \text{and} p\text{-tolyl}$) of (R.T. Price, R.A. Andersen, E.L. Muetterties), (376) 407
- Metal carbonyl complexes, dinitrogen monoxide induced carbon–hydrogen activation by (C. Barrientos, C.K. Ghosh, W.A.G. Graham, M.J. Thomas), (394) C31
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Metallacyclobutarenes from cyclopropa[b]naphthalene, reactions with rhodium(I), platinum(0) and palladium(0) (P.J. Stang, L. Song, B. Halton), (388) 215
- Migration of a hydride ligand to a difluorocarbene ligand bound to rhodium; synthesis and crystal structure of $\text{RhCl}_2(\text{CF}_2\text{H})(\text{PPh}_3)_2$ (A.K. Burrell, G.R. Clark, J.G. Jeffrey, C.E.F. Rickard, W.R. Roper), (388) 391
- Mixed-metal carbide clusters, $[\text{MnRu}_3\text{C}(\text{CO})_{13}]^-$, $[\text{MnOs}_3\text{C}(\text{CO})_{13}]^-$, $[\text{Cr}_2\text{Ru}_3\text{C}(\text{CO})_{16}]^{2-}$, $[\text{Mo}_2\text{Ru}_3\text{C}(\text{CO})_{16}]^{2-}$, $[\text{Rh}_3\text{Ru}_3\text{C}(\text{CO})_{15}]^-$, $[\text{Ni}_3\text{Ru}_3\text{C}(\text{CO})_{13}]^{2-}$ and $[\text{Co}_3\text{Ru}_3\text{C}(\text{CO})_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121
- Near-linear Rh_2Mo trinuclear complex $[(\eta^5\text{-C}_5\text{H}_5)\text{Rh}(\mu\text{-CO})(\mu\text{-Ph}_2\text{PC}_5\text{H}_4\text{N})\text{Rh}(\text{CO})\text{Mo}(\text{CO})_5(\eta^5\text{-C}_5\text{H}_5)]$, synthesis and crystal structure of (S. Lo Schiavo, F. Faraone, M. Lanfranchi, A. Tiripicchio), (387) 357
- Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitestà, P. Zambonin), (378) 239
- Organometallic compounds, design and application of a reflux modification for synthesis using microwave dielectric loss heating effects of (D.R. Baghurst, D.M.P. Mingos), (384) C57
- Phenylacetylidyne iridium(I) and rhodium(I) complexes, synthesis and reactions of (M.J. Fernández, M.A. Esteruelas, M. Covarrubias, L.A. Oro), (381) 275
- Phosphorhodacyclopentanes, synthesis by C–Cl bond into rhodium uncoordinated complexes of (E. Lindner, R. Fawzi, K. Pohmer), (385) C13
- Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401
- Platinum and rhodium catalysed carbonylation (hydroformylation and hydrocarbaloylation) and enantioselective carbonylation of some methacrylic acid derivatives (G. Consiglio, L. Kollár, R. Kölliker), (396) 375
- Polymetallic compounds of extended polyaromatic ligands; rhenium and manganese carbonyl derivatives of truxene (T.L. Tisch, T.J. Lynch, R. Domínguez), (377) 265
- Rh(acac) $\{\text{P}(\text{OPh})_3\}_2$ modified with amines as catalyst for hex-1-ene hydroformylation; formation of reactive $\text{HRh}(\text{CO})\{\text{P}(\text{OPh})_3\}_3$ and unreactive $\text{Rh}_4(\text{CO})_8\{\text{P}(\text{OPh})_3\}_4$ species (A.M. Trzeciak), (390) 105
- $[\text{RhCl}(\text{cyclo-C}_8\text{H}_{12})(\text{phosphine})]$, mechanism of hydrosilylation of 1-hexene catalysed by (B. Marcinięć, W. Duczmal, W. Urbaniak, E. Śliwińska), (385) 319
- $cis\text{-Rh}(\text{COD})(\text{phosphine})_2^+$ influence of rigid cyclic phosphine ligands on inner coordination shell

- dynamics and catalysed olefin hydrogenation/isomerization in (R.J. Topping, L.D. Quin, A.L. Crumbliss), (385) 131
- [Rh(CO)₂I₂]⁻, oxidative addition of iodomethane to; factors influencing the key step in methanol and methyl acetate carbonylation (A. Fulford, C.E. Hickey, P.M. Maitlis), (398) 311
- Rh complexes containing optically active iron compounds as ligands, enantioselective catalysis with; crystal structure of CpFe(CO)(COMe)PPh₂ORh(COD) (H. Brunner, R. Eder, B. Hammer, U. Klement), (394) 555
- [RhH(PPPh₃)₄], reaction with thiols; ¹H and ³¹P NMR study (L. Carlton, Z. Bulbulia), (389) 139
- Rhodium and platinum complexes of tetraphenylhexapentaene; X-ray crystal structure of bis(triphenylphosphine)chloro(tetraphenylhexapentaene)rhodium (L. Song, A.M. Arif, P.J. Stang), (395) 219
- Rhodium- β -diketonate complexes of diphosphines and pyridyl-substituted diphosphines, dichloromethane addition to (P.J. Fennis, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (393) 287
- Rhodium catalysed dimerization of vinyl ketones, NMR study of dynamic behaviour of intermediate η^2 - and η^4 -methyl vinyl ketone-rhodium(I) (I.P. Kovalev, Yu.N. Kolmogorov, Yu.A. Strelenko, A.V. Ignatenko, M.G. Vinogradov, G.I. Nikishin), (385) 173
- Rhodium-catalysed enantioselective transfer hydrogenation of C=C double bonds with a mixture of formic acid and triethylamine as hydrogen source (H. Brunner, W. Leitner), (387) 209
- Rhodium-catalyzed reactions of 1-alkynes with 3-butenoic acid, multiple pathways in (G. Salerno, M. Panza, G.P. Chiusoli, M. Costa), (394) 569
- Rhodium complexes, immobilization in aqueous HBF₄; enantioselective hydrogenation of prochiral olefins with $\{[CH_3CHP(p-C_6H_4NMe_2H)_2CH_2CHP(p-C_6H_4NMe_2H)_2CH_3]RhNBD\}^{5+}$ (I. Tóth, B.E. Hanson, M.E. Davis), (396) 363
- Rhodium complexes with chiral cationic water soluble ligands, immobilization on Nafion-H and other strongly acidic cation exchange resins (I. Tóth, B.E. Hanson, M.E. Davis), (397) 109
- Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of HRh([P(OMe)₂O]₂H)₂(PPh₂Me) (A. Varshney, G.M. Gray), (391) 415
- Rhodium(I), complexation with 5-hydro-3,8-R, R-1,6-dioxa-4,9-diaza-5-phosphaspiro[4.4]nonane (E.E. Nifant'yev, K.N. Gavrilov, G.I. Timofeeva, A.T. Teleshev, S.N. Krasnokutsky, E.Y. Zhorov, V.A. Pavlov, E.I. Klabunovsky), (397) 245
- Rhodium(I) and iridium(I) complexes of the dianions of 2,3-pyrazinedicarboxylic and 2,5-pyrazinedicarboxylic acid, synthesis and reactivity of (J.C. Bayón, G. Net, J. Real, P.G. Rasmussen), (385) 409
- Rhodium(I) complexes containing 4-pyridylmethlene-4'-alkoxyanilines; formation of liquid crystals by coordination of non-mesogenic organic ligands (M.A. Esteruelas, E. Sola, L.A. Oro, M.B. Ros, M. Marcos, J.L. Serrano), (387) 103
- Rhodium(I) complexes with 1,*n*-bis(diphenylphosphino)alkane ligands (*n* = 3–6) (M.A. Garralda, L. Ibarluceta), (377) 367
- Rhodium(I) fluorothiolate derivatives, catalytic activity of; crystal structure of [Rh(μ -SC₆H₄F)(CO)₂]₂ (C. Claver, A.M. Masdeu, N. Ruiz, C. Foces-Foces, F.H. Cano, M.C. Apreda, L.A. Oro, J. García-Alejandre, H. Torrens), (398) 177
- Rhodium(II), iridium(III), and ruthenium(II) optically active pseudoctahedral complexes with α -amino acidato ligands; crystal structures of *R*_{1*r*}S_CS_N⁻ and *S*_{1*r*}S_CS_N⁻(C₅Me₅)Ir(pro)Cl· $\frac{1}{2}$ H₂O (Hpro = L-proline) (D. Carmona, A. Mendoza, F.J. Lahoz, L.A. Oro, M.P. Lamata, E. San Jose), (396) C17
- Rhodium(I) immobilised complexes as catalysts for heterogenic enantioselective hydration reactions (H. Brunner, E. Bielmeier, J. Wiehl), (384) 223
- Rhodium(I) olefin complexes, reactions with (2-(2-methoxyethoxy)ethyl)diphenylphosphine; an NMR spectroscopic study of (V.V.S. Reddy, A. Varshney, G.M. Gray), (391) 259
- Rhodium(I)- or ruthenium(II)-catalysed direct coupling of vinyl ketones with aldehydes and the subsequent reduction to give aldol derivatives *anti*-selectively (S. Sato, I. Matsuda, M. Shibata), (377) 347
- Rhodium-osmium clusters derived from the reaction of (μ -H)₂Os₃(CO)₁₀ with (η^5 -C₅H₅)Rh(CO)₂, syntheses and structures of (A. Colombie, D.A. McCarthy, J. Krause, L.-Y. Hsu, W.-L. Hsu, D.-Y. Jan, S.G. Shore), (383) 421
- Rhodium/picolineoxazoline catalyst, use in enantioselective hydrosilylation of acetophenone (H. Brunner, P. Brandl), (390) C81
- Ruthenium and rhodium bis(benzotriazol-1-yl)borato complexes (J. Cartwright, A. Harman, A.F. Hill), (396) C31
- Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbyylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325

- Square-planar $MCl(CX)[P(i-Pr)_3]_2$ complexes of rhodium and iridium ($X = O$ and CH_2), bonding in and UV photoelectron spectroscopy and DV-X α calculations of (C. Cauletti, F. Grandinetti, G. Granozzi, M. Casarin, H. Werner, J. Wolf, A. Höhn, F.J. Garcia Alonso), (382) 445
- N*-Substituted 2-pyrrolidinones, synthesis via homogeneous catalytic reactions catalysed by Pt and Rh complexes of (L. Kollár, B. Heil, P. Sándor), (379) 191
- Tetrarhodium substituted carbonyl clusters, reaction kinetics of (N.M.J. Brodie, A.J. Poë), (383) 531
- Tosyliminooxosulphurane, factors affecting coordination geometry in complexes of (M. Herberhold, A.F. Hill), (395) 195
- Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275
- Transition metals, diene complexes of (A. Nakamura), (400) 35
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103
- Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS) and catalytically useful rhodium complexes, purification of (W.A. Herrmann, J.A. Kulpe, W. Konkol, H. Bahrmann), (389) 85
- Unsaturated amides, reactions under hydroformylation conditions of (L. Kollár, G. Consiglio, P. Pino), (386) 389

Ruthenium

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13
- Acrylonitrile, insertion reactions with hydridocarbonylbis(triphenylphosphine)ruthenium(II) carboxylates of (S.S. Deshpande, S. Gopinathan, C. Gopinathan), (378) 103
- Alkene- and alkyne-pentamethylcyclopentadienyldicarbonyliron complexes synthesis via the aquo derivative $[Fe(\eta\text{-C}_5\text{Me}_5)(CO)_2(OH_2)]^+ BF_4^-$ of; crystal structure of the ruthenium analogue (A. Tahiri, V. Guerchais, L. Toupet, C. Lapinte), (381) C47
- Alkenyl carbonyl ruthenium(II) complexes, reaction with t-butyl isocyanide; synthesis of η^1 -acylruthenium(II) complexes by intramolecular CO insertion (J. Montoya, A. Santos, A.M. Echavarren, J. Ros), (390) C57
- Alkenylruthenium complexes, carbonylation of; formation of alkene or acyl complexes (M.R. Torres, A. Perales, H. Loumrari, J. Ros), (384) C61
- Alkyl-, acyl-, silyl- and hydrido-ruthenium complexes, synthesis via nucleophilic iodo-ruthenates(0) of; crystal structure of glyoxalbis(isopropylimine)(η^1 -norboradiene)methyliodoruthenium (W. Rohde, H. tom Dieck), (385) 101
- μ -Amidocarbonylruthenium complexes, bridging in; crystal structure of $[Ru_3(\mu\text{-H})(\mu\text{-H}_3N_2\text{-}4,5\text{-Me}_2\text{-}1,2\text{-phenylene})]$ (J.A. Cabeza, V. Riera, M.A. Pellinghelli, A. Tiripicchio), (376) C23
- Arene-bis(ethylene)-ruthenium and -osmium complexes, protonation of (M.A. Bennett, I.J. McMahon, S. Pelling), (382) 175
- Areneruthenium(II) complexes, carbene derivatives of; one step preparation from terminal alkynes (D. Devanne, P.H. Dixneuf), (390) 371
- η^6 -Arene-ruthenium(II) complexes of α -amino acids with coordinating side chains, synthesis and structural characterization of (W.S. Sheldrick, S. Heeb), (377) 357
- 2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151
- Bidentate P,P or P,As ligands (L-L) in $HRu_3(C\equiv CBu')_2(CO)_7(L-L)$, chelating and bridging behaviour of (E. Sappa, G. Predieri, A. Tiripicchio, C. Vignali), (378) 109
- Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)_2(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109
- Binuclear ruthenium clusters, chiral modification of; development of enantioselective hydrogenation catalysts (J.-L. Wolfender, F. Neumann, G. Süss-Fink), (389) 351
- 2,2'-Bipyridine- or 1,10-phenanthroline-ruthenium(II) complexes, photochemical reduction of carbon dioxide to formate catalyzed by (J.-M. Lehn, R. Ziessel), (382) 157
- Biruthenocene, synthesis of; NMR spectroscopic study of the products of the reaction of biruthenocene with Lewis acids (M. Watanabe, S. Kawata, H. Sano, I. Motoyama), (399) 301
- Bis(dimethylgermyl)alkaneruthenium tetracarbonyls, synthesis and cleavage reactions of (J. Barrau, N. Ben Hamida, J. Satgé), (395) 27

- 1,1'-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1'-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455
- Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $\text{Ru}_2(\text{CO})_4(\mu_2\eta^2\text{-ONCMe}_2)_2(\text{HONCMe}_2)_2$ and of $\text{Ru}_2(\text{CO})_4(\mu_2\eta^2\text{-ONCMe}_2)_2[\text{S}(\text{CH}_2\text{Ph})_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347
- Carbonyl-alkyl and carbonyl-acyl bipyridyl ruthenium complexes, terminal alkynes as source of (C. Mountassir, T. Ben Hadda, H. Le Bozec), (388) C13
- Carbonyl ligands from alkynes; oxidative decarbonation of acetylide bridged complexes (W. Bernhardt, H. Vahrenkamp), (383) 357
- $[(\eta^5\text{-C}_5\text{H}_5)(\text{PMe}_3)_2\text{Ru}=\text{C}(\text{Me})\text{Ph}]^+$ cationic ruthenium vinylidene complex, stereoselective reaction with sodium cyanide (S.G. Davies, A.J. Smallridge), (395) C39
- $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)_2(\text{NH}_3)]\text{PF}_6$ and $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)(\text{CN}^+\text{Bu})(\text{NH}_3)]\text{PF}_6$, preparation and X-ray crystal structures of (F.M. Conroy-Lewis, S.J. Simpson), (396) 83
- $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)(\text{NO})(\text{Cl})]\text{PF}_6$ six-coordinate ruthenium nitrosyl complex, synthesis and crystal structure of (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (399) 307
- $\{(\eta^6\text{-C}_6\text{Me}_6)_2\text{Ru}_2\text{H}_4\}\text{RuB}_{10}\text{H}_8(\text{OEt})_2$, products of the reaction with carbon monoxide; NMR studies and crystal structure of $\{(\eta^6\text{-C}_6\text{Me}_6)_2\text{Ru}_2\text{H}_2(\text{CO})_2\}\text{RuB}_{10}\text{H}_8(\text{OEt})_2$ (M. Bown, J.M. Waters, X.L.R. Fontaine, J.D. Kennedy), (390) 379
- $[\eta^5\text{-C}_5\text{Me}_5\text{RuOMe}]_2$ and $[(\eta^5\text{-C}_5\text{Me}_5\text{Ru})_3(\mu_3\text{-OMe})_2]\text{PF}_6$, comparison of molecular structures of (U. Kölle, J. Kossakowski, R. Boese), (378) 449
- π -Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161
- $\text{Cp}_2\text{Mo}_2\text{Ru}_3(\text{CO})_{10}(\text{C}\equiv\text{CPh})_2$ pentanuclear heterometallic acetylide complex, synthesis and crystal structure of (D.-K. Hwang, Y. Chi, S.-M. Peng, G.-H. Lee), (389) C7
- $\text{CpM}(\text{SnPh}_3)(\text{CO})_2$ ($M = \text{Fe}, \text{Ru}$), carbene formation from; crystal structures of $\text{CpFeI}(\text{CO})\{=\text{C}(\text{OEt})\text{Ph}\}$, $\text{CpRuI}(\text{CO})\{=\text{C}(\text{OEt})\text{Ph}\}$ and $\text{CpRuI}(\text{CO})\{=\text{C}(\text{NHMe})\text{Ph}\}$ (H. Adams, N.A. Bailey, C. Ridgway, B.F. Taylor, S.J. Walters, M.J. Winter), (394) 349
- $[\text{CpRu}(\text{CO})_2]_2$, infrared spectra in liquid xenon solution in the presence of proton donors (B.V. Lokshin, A. Ginzburg, S.G. Kazaryan), (397) 203
- $\text{Cp}^*\text{Ru}(\text{OMe})\text{PCy}_3$ and Cp^*RuHL_2 ($L = \text{PCyPh}_2, \text{PCy}_2\text{H}$), reactivity of; preparation from $[\text{Cp}^*\text{Ru}(\text{OMe})_2]$ and bulky phosphines (B. Chaudret, A. Duteil, X.D. He), (393) C45
- $(\eta^4\text{-1,5-Cyclooctadiene})(\eta^6\text{-1,2,3,4-tetramethylfulvene})\text{Ru}$, formation of, ligand arrangement in and molecular structure of (U. Kölle, B.-S. Kang, U. Thewalt), (386) 267
- Cyclopentadienylcyclooctadienylhydridoruthenium, rearrangements in (U. Kölle, B.-S. Kang, G. Raabe, C. Krüger), (386) 261
- Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1
- Cyclopentadienylruthenium complex molecules, cation formation, by CpRu^+ cation during reflux in alcohols or glycols of (T. Wilczewski), (382) 431
- Decaruthenium hydrido cluster; synthesis and crystal structure of $[\text{N}(\text{PPH}_3)_2]_2[\text{Ru}_{10}\text{C}(\text{CO})_{24}]\cdot\text{C}_6\text{H}_{14}$ and $[\text{N}(\text{PPH}_3)_2][\text{HRu}_{10}\text{C}(\text{CO})_{24}]$ (P.J. Bailey, B.F.G. Johnson, J. Lewis, M. McPartlin, H.R. Powell), (377) C17
- Diene-ruthenium(II) complexes of sulphur-containing α -amino acids, synthesis and stereochemistry of (W.S. Sheldrick, R. Exner), (386) 375
- [Diphenylboratobis(η^5 -cyclopentadienyl, η^6 -phenylruthenium(II))] $^+$ cation, formation mechanism of (T. Wilczewski), (376) 385
- Directly bonded zirconium-ruthenium heterobimetallic complexes, synthesis and reactions of (C.P. Casey), (400) 205
- Diruthenium-diphosphane pyrazolato-bridged clusters, reactions of; synthesis and solid state structure of $(\mu_2\text{-H})\text{Ru}_2(\text{CO})_3(\mu_2\eta^2\text{-3,5-Me}_2\text{N}_2\text{C}_3\text{H})_2[\mu_1\eta^2\text{-PPh}_2\text{CH}_2\text{CH}_2\text{PPh}(\text{C}_6\text{H}_4)]$ (F. Neumann, H. Stoeckli-Evans, G. Süss-Fink), (379) 151
- Formates, homogeneous activation of the C-H bond in; decarbonylation of formates to alcohols (G. Jenner, E.M. Nahmed, H. Leismann), (387) 315
- Gold and ruthenium compounds (M.I. Bruce), (400) 321
- Heterodinuclear Ru-Ir and Ru-Rh complexes, synthesis and catalytic activity of; crystal structure of $[\text{H}(\text{CO})(\text{PPh}_3)_2\text{Ru}(\mu\text{-Cl})(\mu\text{-pz})\text{Ir}(\text{TFB})]$ (pz = pyrazolate, TFB = tetrafluorobenzobarrelene) (M.P. García, A.M. López, M.A. Esteruelas, F.J. Lahoz, L.A. Oro), (388) 365

- Heterotetranuclear anionic clusters, $[MCo_3(CO)_{12-2n}(C_2Ph_2)_n]^-$ ($M = Fe, Ru; n = 0, 1$), redox behaviour of (R. Jund, J. Rimmelin, M. Gross), (381) 239
- ^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
- $[HRu_5CCO)_{14}(C_5H_4N)]$, synthesis and crystal structure of two isomers of (G. Conole, M. McPartlin, H.R. Powell, T. Dutton, B.F.G. Johnson, J. Lewis), (379) C1
- $[H_2Ru_4(CO)_{13}]$, polymorphism and multiple independent molecules in (A.L. Rheingold, B.S. Haggerty, G.L. Geoffroy, S.-H. Han), (384) 209
- $[HRu_3(CO)_{11}]^-$ anionic cluster, reactions with phosphor- and arsene-containing ligands; synthesis and crystal structure of $H_2Ru_3(CO)_7(AsPh_3)_2(AsPh)$ (G. Gremaud, H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (388) 351
- $[HRu_3(CO)_{11}]^-$ as catalyst in isomerisation of allyl alcohol to propanal (M. Langenbahn, K. Bernauer, G. Süss-Fink), (379) 165
- $[HRuCo_3(CO)_{11}(SeMe_2)]$, $[HRuCo_3(CO)_{10}(SeMe_2)_2]$ and $[HRuRh_3(CO)_9]_2[SeMe_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403
- $[HRu_3(CO)_8(PPh_3)(PPhC_6H_4)]^-$, reactions with Br_2 and I_2 of; synthesis and molecular structure of $Ru_2(CO)_5(PPh_3)(\mu_2-PPh_2)(\mu_2-I)$ (H. Jungbluth, H. Stöckli-Evans, G. Süss-Fink), (377) 339
- Hydrotris(pyrazol-1-yl)boratoruthenium(II) complexes, synthesis of (A.F. Hill), (395) C35
- Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- LWRu₂(CO)₈(μ-H)(μ₃-NPh), L = Cp and Cp*, imido complex; reaction with the tungsten acetylidyne complex CpW(CO)₃C≡CPh (Y. Chi, L.-K. Liu, G. Huttner, L. Zsolnai), (390) C50
- Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopenta-diencyllanthium) 1,4-butadione of (T.E. Bitterwolf), (386) 9
- $[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ ($M = Fe, Ru$): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309
- Metalladiborane anions, $[M(CO)_4(\eta^2-B_2H_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27
- Methyl-, acetyl- and allyl-ruthenium carbidocarbonyl clusters, syntheses and structures of (T. Chihara, K. Aoki, H. Yamazaki), (383) 367
- Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121
- Mixed-metal cluster compound $[Cu_2Ru_4(\mu_3-H)_2(CO)_{12}(P(CH_2Ph)_3)_2]$, synthesis and X-ray structure analysis of (P.J. McCarthy, I.D. Salter, K.P. Armstrong, M.M. McPartlin, H.R. Powell), (377) C73
- Mixed-metal clusters containing M(P(CH₂Ph)₃) ($M = Cu$ or Ag) fragments, influence of P(CH₂Ph)₃ ligand on the metal framework structures adopted by; crystal structures of $[Cu_2Ru_4(\mu_3-H)_2(CO)_{12}\{\mu-P(CH_2Ph)_2(\eta^2-CH_2Ph)\}]$ and $[Cu_2Ru_4(\mu_3-H)_2(CO)_{12}(P(CH_2Ph)_3)_2]$ (C.J. Brown, P.J. McCarthy, I.D. Salter, K.P. Armstrong, M. McPartlin, H.R. Powell), (394) 711
- Neutral transition metal polyhydrides, reactivity in catalytic transfer hydrogenation of ketones of, (Y. Lin, Y. Zhou), (381) 135
- Open Ru₅ cluster, reactions of (M.I. Bruce), (394) 365
- Organometallic compounds, design and application of a reflux modification for synthesis using microwave dielectric loss heating effects of (D.R. Baghurst, D.M.P. Mingos), (384) C57
- $[Os(\eta^6-C_6H_6)(\eta^6-[2_2](1,4)C_{16}H_{16})][BF_4]_2$, synthesis and crystal structure of; synthesis and NMR characterisation of the trinuclear heterometallic complex $[(\eta^6-C_6H_6)Os(\eta^6,\eta^6-[2_2](1,4)C_{16}H_{16})Ru(\eta^6,\eta^6-[2_2](1,4)C_{16}H_{16})Os((\eta^6-C_6H_6)][BF_4]_6$ (M.R.J. Elsegood, D.A. Tocher), (391) 239
- Osmium and iridium series [MLCl(PPh₃)₂(OSA)] (ML = OsNO, IrCO; A = O, CH₂, S, NR; R = *o*-tolyl, *p*-tolyl and *p*-tosyl), (M. Herberhold, A.F. Hill) (387) 323
- Osmium and ruthenium complexes containing tetrafluoroethylene and maleic anhydride ligands, synthesis and structure of (A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper, D.C. Ware), (398) 133
- Osmium phosphido (PH₂) complexes (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (393) 243
- Pentaphenylcyclopentadienyl ligand, stereochemical and kinetic consequences of binding of; crystal structure of Ru(C₅Ph₅)(CO)(PPh₃)Br (H. Adams, N.A. Bailey, A.F. Browning, J.A. Ramsden, C. White), (387) 305
- (PhCOO)₂(PPh₃)₂(CO)₂Ru, stereochemistry assignments and X-ray crystal structure determination of (M. Rotem, Z. Stein, Y. Shvo), (387) 95

- [$\text{Ph}_3\text{PCH}_2\text{CH}_2\text{PPh}_3^+$] [$\text{Ru}_{10}(\mu_6\text{-C})_2(\text{CO})_{20}(\mu\text{-CO})_4^{2-}$] · 2Me₂CO, crystal structure of; the severely disordered structure of [NEt_4^+]₂ [$\text{Ru}_{10}(\mu_6\text{-C})_2(\text{CO})_{20}(\mu\text{-CO})_4^{2-}$] (M.R. Churchill, C. Bueno, A.L. Rheinhold), (395) 85
- (PMe₃)₄Ru(OC₆H₄Me)₂, phosphorus–carbon bond cleavage reaction of coordinated trimethylphosphine in (J.F. Hartwig, R.G. Bergman, R.A. Andersen), (394) 417
- Rhodium(III), iridium(III), and ruthenium(II) optically active pseudo-octahedral complexes with α -amino acidato ligands; crystal structures of $R_{1r}\text{S}_CS_{N^-}$ and $S_{1r}\text{S}_CS_N[(\text{C}_5\text{Me}_5)\text{Ir}(\text{pro})\text{Cl}] \cdot \frac{1}{2}\text{H}_2\text{O}$ ($\text{Hpro} = \text{l-proline}$) (D. Carmona, A. Mendoza, F.J. Lahoz, L.A. Oro, M.P. Lamata, E. San Jose), (396) C17
- Rhodium(I)- or ruthenium(II)-catalysed direct coupling of vinyl ketones with aldehydes and the subsequent reduction to give aldol derivatives *anti*-selectively (S. Sato, I. Matsuda, M. Shibata), (377) 347
- $\text{RuBr}_2(\text{CO})=\text{C}(\text{C}_6\text{H}_4\text{PPh}_2)_2$ bimettallacyclic carbene complex of ruthenium; synthesis, structure, and reactions of (L.M. Boyd, G.R. Clark, W.R. Roper), (397) 209
- $\text{Ru}[\text{C}(\text{C}_4\text{H}_3\text{N})\text{SCNMe}_2\text{S}](\eta^2\text{-S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)$, synthesis and reactions of; crystal structure of [$\text{Ru}(\text{=C}(\text{SCNMe}_2\text{S})(2\text{-pyrrolyl}))(\eta^2\text{-S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)$]⁺ (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C9
- [$\text{RuCl}(\text{CO})(\text{PPh}_3)_3$], reactions with diphenylbutadiyne and bis(phenylethynyl)mercury (A.F. Hill, R.P. Mellings), (396) C22
- [$\text{Ru}_3(\text{CO})_{12}$] and [$\text{Os}_3(\text{CO})_{12}$], halogenation behaviour of bidentate ligand-bridged derivatives of (J.S. Field, R.J. Haines, J.A. Jay), (395) C16
- $\text{Ru}_3(\text{CO})_9\text{B}_2\text{H}_6$, metal-rich ruthenaborane analogue of pentaborane(9) and model for triruthenium supported unsaturated hydrocarbon (A.K. Chipperfield, C.E. Housecroft, D.M. Matthews), (384) C38
- $\text{Ru}_3(\text{CO})_6(\text{CH}_3\text{C}=\text{CHCH}=\text{NC}_3\text{H}_7\text{-i})_2$, electronic structure as indicated by UV-photoelectron spectroscopy and DV-X α quantum mechanical calculations (M. Casarin, R. Bertoncello, G.A. Rizzi, C.J. Elsevier, W.P. Mul, K. Vrieze, A. Vittadini), (396) 73
- $\text{Ru}[\text{=C}(\text{OC}_6\text{H}_4\text{O})(2\text{-N-methylpyrrolyl})]\text{I}(\text{CO})(\text{PPh}_3)_2$, synthesis and crystal structure of (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C5
- $\text{Ru}(\text{CO})\text{ClH}(\text{C}_5\text{H}_5\text{N})(\text{PPh}_3)_2$, reactions with 1-alkynes (A. Romero, A. Santos, J. López, A.M. Echavarren), (391) 219
- $\text{Ru}(\text{CO})\text{Cl}(\text{RC}=\text{CHR'})(\text{PPh}_3)_2$ reactions with carboxylates of; crystal structure of $\text{Ru}(\text{O}_2\text{CMe})\text{-}(\text{CO})(\text{HC}=\text{CHPh})(\text{PPh}_3)_2$ (M.R. Torres, A. Perales, H. Loumrhari, J. Ros), (385) 379
- $\text{Ru}(\text{CO})\text{HCl}(\text{PPh}_3)_3$, bis-insertion reactions with methyl propiolate of; formation of (methoxycarbonyl-ethenyl)triphenylphosphonium chloride (A.M. Castaño, A.M. Echavarren, J. López, A. Santos), (379) 171
- { $\text{Ru}_3(\text{CO})_{11}$ }₂(μ -dppa) (dppa = $\text{C}_2(\text{PPh}_2)_2$), thermal behaviour of; crystal structures of $\text{Ru}_4(\mu_4\text{-PPh})(\mu_4\text{-PhC}_2\text{PPh}_2)(\mu\text{-CO})_2(\text{CO})_8\cdot\text{MeOH}$, $\text{Ru}_5(\mu_4\text{-PPh})\{\mu_3\text{-CCPh}(\text{PPh}_2)\}(\text{CO})_{12}$, $\text{Ru}_5(\mu_3\text{-H})(\mu_4\text{-PPh})\{\mu_4\text{-CCPh}(\text{C}_6\text{H}_4)\}(\mu_3\text{-PPh})(\text{CO})_{10}$ and $\text{Ru}_5(\mu_4\text{-PPh})\{\mu_4\text{-CCPh}(\text{C}_6\text{H}_4)\}\{\mu\text{-PPh}(\text{OMe})\}(\text{CO})_{11}\cdot 2\text{MeOH}\cdot\text{H}_2\text{O}$ (M.I. Bruce, M.J. Liddell, E.R.T. Tieckink), (391) 81
- $\text{Ru}_3(\text{CO})_6[\text{P}(\text{Ph})\text{C}(\text{Ph})\text{C}(\text{Ph})](\mu\text{-PPh}_2)_2$, six vertex *nido*-pentagonal bipyramidal structure, synthesis via reductive elimination and acetylene insertion at a triruthenium centre of (F. Van Gastel, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio, E. Sappa), (385) C50
- [$\text{Ru}_2(\text{CO})_5(\text{solvent})\{\mu\text{-}(\text{RO})_2\text{PN}(\text{Et})\text{P}(\text{OR})_2\}_2$]²⁺ solvato species, synthesis of; its potential as a source for a wide range of dinuclear derivatives of ruthenium (J.S. Field, R.J. Haines, U. Honrath, J. Sundermeyer, S.F. Woollam), (395) C9
- [$\text{Ru}_2\{\mu\text{-1,2-(NH)}_2\text{C}_6\text{H}_4\}(\text{CO})_4(\text{PPh}_3)_2$], reactions with H^+ , NO^+ and Group 11 metal fragments; syntheses of trinuclear Ru_2M ($\text{M} = \text{Cu, Ag, Au}$) and pentanuclear Ru_4Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423
- $\text{Ru}_3\{\mu\text{-H}, \mu\text{-O}=\text{CNMe}_2\}(\text{CO})_{10}$, reaction with diarylacetylenes; synthesis and subsequent reaction of a $\{\mu\text{-carboxamido}, \mu\text{-o, } \pi\text{-vinyl}\}\text{-hexacarbonyl diruthenium complex with propyne}$; crystal and molecular structures of $\text{Ru}_2\{\mu\text{-O}=\text{CNMe}_2, \mu\text{-o, } \pi\text{-C}(p\text{-tol})=\text{CH}(p\text{-tol})\}(\text{CO})_6$, and of $\text{Ru}_2\{\mu\text{-O}=\text{CNMe}_2, \mu\text{-o, } \pi\text{-C}(\text{CH}_3)=\text{C}(\text{H})\text{C}(p\text{-tolyl})=\text{CH}(p\text{-tolyl})\}(\text{CO})_6$ ($p\text{-tol} = p\text{-CH}_3\text{C}_6\text{H}_4$) (W. Krone-Schmidt, W.J. Sieber, N.M. Boag, C.B. Knobler, H.D. Kaesz), (394) 433
- [$\text{Ru}_4(\mu_3\text{-}\eta^2\text{-CO})(\text{CO})_9\{\mu\text{-}(\text{RO})_2\text{PN}(\text{Et})\text{P}(\text{OR})_2\}_2$] ($\text{R} = \text{Me or Pr}^i$), synthesis of; crystal structure of [$\text{Ru}_4(\mu_3\text{-}\eta^2\text{-CO})(\text{CO})_9\{\mu\text{-}(\text{MeO})_2\text{PN}(\text{Et})\text{P}(\text{OMe})_2\}_2$] (J.S. Field, R.J. Haines, J.A. Jay), (377) C35
- [$\text{Ru}_3(\mu\text{-H})(\mu_3\text{-ampy})(\text{CO})_9$] and its protonated derivative, selective carbonyl substitution reactions of; crystal structure of [$\text{Ru}_3(\mu\text{-H})_2(\mu_3\text{-ampy})(\text{CO})_9\text{[BF}_4^-$] (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, V. Riera, C. Bois, Y. Jeannin), (384) C25
- [$\text{Ru}_3(\mu\text{-H})(\mu_3\text{-ampy})(\text{CO})_9$] (Hampy = 2-amino-6-methylpyridine), diphenylphosphine and diphenylphosphido derivatives of (P.L. Andreu, J.A. Cabeza, V. Riera), (393) C30

- Ruthenium, benzyne complexes of; models for dissociative chemisorption of benzene on a metal surface; crystal structures of $[\text{Ru}_4(\text{CO})_{10}(\mu\text{-CO})(\mu_4\text{-PR})(\mu_4\text{-}\eta^4\text{-C}_6\text{H}_4)]$ ($\text{R} = \text{Ph}$ and CH_2NPh_2), $[\text{Ru}_5(\text{CO})_{13}(\mu_4\text{-PPh})(\mu_5\text{-}\eta^6\text{-C}_6\text{H}_4)]$ and $[\text{Ru}_6(\text{CO})_{12}(\mu_4\text{-PMe}_2)_2(\mu_3\text{-}\eta^2\text{-C}_6\text{H}_4)_2]$ (S.A.R. Knox, B.R. Lloyd, D.A.V. Morton, S.M. Nicholls, A.G. Orpen, J.M. Vilas, M. Weber, G.K. Williams), (394) 385
- Ruthenium and iridium polyhydride complexes, synthesis under conditions of phase transfer catalysis of (V.V. Grushin, A.B. Vymenits, M.E. Vol'pin), (382) 185
- Ruthenium and rhodium bis(benzotriazol-1-yl)borato complexes (J. Cartwright, A. Harman, A.F. Hill), (396) C31
- Ruthenium carbonyl cluster chemistry, carbide forming and cluster build-up reactions in (P.J. Bailey, M.J. Duer, B.F.G. Johnson, J. Lewis, G. Conole, M. McPartlin, H.R. Powell, C.E. Anson), (383) 441
- Ruthenium-catalysed alkyne hydrogenation reaction, steric control of (B.S. Nkosi, N.J. Coville, M.O. Albers, C. Gordon, M.M. Viney, E. Singleton), (386) 111
- Ruthenium compounds (S.A.R. Knox), (400) 255
- Ruthenium dinuclear clusters with $\mu_2\text{-}\eta^2\text{-carbamoylato}$ bridging ligands, solid state structure of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-HNOCPh})_2(\text{MeCN})_2$ (F. Neumann, H. Stoeckli-Evans, G. Süss-Fink), (379) 139
- Ruthenium higher oxidation state ruthenium complexes, electrochemical generation in ($\eta^5\text{-C}_5\text{Me}_5$) $\text{Ru}(\text{L})\text{Cl}_2$ (L = tertiary phosphines) of (M.-a. Haga, H. Sakamoto, H. Suzuki), (377) C77
- Ruthenium(II) and osmium(II), coordinatively unsaturated σ -aryl complexes of (C.E.F. Rickard, W.R. Roper, G.E. Taylor, J.M. Waters, L.J. Wright), (389) 375
- Ruthenium(II) isocyanide complexes, electrochemical reactions of (Y. Yamamoto, T. Tanase, T. Date, Y. Koide, K. Kobayashi), (386) 365
- Ruthenium or osmium edge double-bridged-trinuclear cluster complexes, synthesis and reactions of (H.D. Kaesz), (383) 413
- Ruthenium-platinum carbonyl cluster complexes with bridging methylene, methylidyne, and carbido ligands; crystal structures of the compounds $[\text{Ru}_2\text{Pt}(\mu\text{-CH}_2)(\mu\text{-CO})(\text{CO})_2\{\text{P}(\text{cyclo-C}_6\text{H}_{11})_3\}(\eta^-\text{C}_5\text{H}_5)_2]$, $[\text{Ru}_2\text{Pt}_2(\mu\text{-H})(\mu_4\text{-CH})(\mu\text{-CO})(\text{CO})_2(\text{P-i-Pr}_3)_2(\eta\text{-C}_5\text{H}_5)_2]$, and $[\text{Ru}_2\text{Pt}_2(\mu\text{-H})_2(\mu_4\text{-C})(\mu\text{-CO})_2(\text{P-i-Pr}_3)_2(\eta\text{-C}_5\text{H}_5)_2]$ (D.L. Davies, J.C. Jeffery, D. Miguel, P. Sherwood, F.G.A. Stone), (383) 463
- ($\mu\text{-S}_2$) $[\text{RuC}_5\text{H}_5(\text{CO})_2]_2$, synthesis and reaction with acid chlorides of, preparation of $\text{RuC}_5\text{H}_5(\text{CO})_2\text{SCOR}$ and molecular structure of $\text{RuC}_5\text{H}_5(\text{CO})_2\text{SCO}(2\text{-O}_2\text{NC}_6\text{H}_4)$ (M.O. El-Hinnawi, M.L. Sumadi, F.T. Esmaldi, I. Jibril, W. Imhof, G. Huttner), (377) 373
- Telluride-substituted mixed metal clusters; crystal structures of $[\text{HRuCo}_3(\text{CO})_{11}(\text{TeMe}_2)]$, $[\text{HRuCo}_3(\text{CO})_{10}(\text{TeMe}_2)_2]$, and $[\text{HRuCo}_3(\text{CO})_{11}(\text{TePh}_2)]$ (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81
- Tetranuclear mixed-metal hydride complexes, $\text{LWM}_3(\text{CO})_{11}(\mu\text{-H})_3$, ($\text{L} = \text{C}_5\text{H}_5$, C_5Me_5 , and $\text{M} = \text{Ru}$, Os), synthesis and characterization of (Y. Chi, C.-Y. Cheng, S.-L. Wang), (378) 45
- Three-, four-, and five-membered dimetalloheterocyclic compounds, synthesis by reaction of $[\text{Ru}_2\text{H}(\text{CO})_5\{\mu\text{-(RO)}_2\text{PN}(\text{Et})\text{P}(\text{OR})_2\}_2]\text{PF}_6^-$ ($\text{R} = \text{Me}$ or Pr^i) with $\text{X} \equiv \text{Y}$ and $\text{X}' = \text{Y}' = \text{Z}'$ systems and crystal structures of (K.J. Edwards, J.S. Field, R.J. Haines, B. Homann, J. Sundermeyer, S.F. Woollam), (386) C1
- Tolyliminooxosulphurane, coordinative activation towards electrophiles (M. Herberhold, A.F. Hill), (395) 207
- Tolyliminooxosulphurane, factors affecting coordination geometry in complexes of (M. Herberhold, A.F. Hill), (395) 195
- Tolyliminooxosulphurane, insertion reactions with coordinatively unsaturated ruthenium and osmium aryl complexes (M. Herberhold, A.F. Hill), (395) 327
- Trimetallic clusters, linkage through the bridging ligands C_3HO_2 and C_3O_2 ; crystal structures of three clusters containing the components $\text{Os}_3\text{CHCCO}_2\text{Os}_3$, $\text{Ru}_3\text{CHCCO}_2\text{Os}_3$, and $\text{Os}_3\text{CCCO}_2\text{Os}_3$ (K.I. Hardcastle, T. McPhillips, A.J. Arce, Y. De Sanctis, A.J. Deeming, N.I. Powell), (389) 361
- Trinuclear metal carbonyl clusters of iron, ruthenium and osmium, quantitative mechanistic studies of photoreactions of (P.C. Ford), (383) 339
- Trinuclear ruthenium clusters, fixation of hydrazines and hydrazone to; synthesis and crystal structure of $(\mu_2\text{-H})\text{Ru}_3(\text{CO})_9(\mu_3\text{-NHNH}_2)$ (T. Jenke, H. Stoeckli-Evans, G. Süss-Fink), (391) 395
- Trinuclear ruthenium clusters with proline and cysteine derivatives; synthesis, crystal structure, and catalytic properties of $[(\mu_2\text{-H})\text{Ru}_3(\text{CO})_{10}(\mu_2\text{-}\eta^2\text{-OCNCH}_2\text{CH}_2\text{CH}_2\text{CHCH}_2\text{OCH}_3)]$ and $[(\mu_2\text{-H})\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-N=CCH}_2\text{CH}_2\text{CHCH}_2\text{OCH}_3)]$ (G. Süss-Fink, T. Jenke, H. Heitz, M.A. Pelliccioni, A. Tiripicchio), (379) 311

Triruthenium dodecacarbonyl, reactions with diphenylphosphine of (L.M. Bullock, J.S. Field, R.J. Haines, E. Minshall, M.H. Moore, F. Mulla, D.N. Smit, L.M. Steer), (381) 429

σ -Vinyl-ruthenium complexes, reactions with 1-alkynes; X-ray structures of $\text{Ru}(\eta^3\text{-CH}(\text{CO}_2\text{Me})\text{C}(\text{CO}_2\text{Me})\text{C}=\text{CHPh})(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)$ and $\text{Ru}(\eta\text{-C}_5\text{H}_5)(\eta^5\text{-C}_3(\text{CO}_2\text{Me})_3\text{CHC}^{\dagger}\text{BuCH}(\text{CO}_2\text{Me}))$ (M.I. Bruce, A. Catlow, M.P. Cifuentes, M.R. Snow, E.R.T. Tieckink), (397) 187

Samarium

η^6 -Benzene lanthanoid tris(aluminum tetrachlorides) ($\text{Ln} = \text{La, Nd, Sm}$), synthesis and structure of (B. Fan, Q. Shen, Y. Lin), (377) 51

Bis(trimethylsilyl)cyclopentadienyl samarium complexes, synthesis and reactivity of; X-ray crystal structure of $[(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3]_3\text{Sm}$ (W.J. Evans, R.A. Keyer, J.W. Ziller), (394) 87

$\{[(\eta^5\text{-C}_5\text{H}_4\text{Bu}^1)_2\text{Sm}(\mu_3\text{-H})](\mu_2\text{-H})_2\text{AlH}\cdot\text{OC}_4\text{H}_8\}_2$ 20-electron alumohydride complex of bis(t-butyl-cyclopentadienyl)samarium, crystal and molecular structure of (Yu.K. Gun'ko, B.M. Bulychev, A.I. Sizov, V.K. Bel'sky, G.L. Soloveichik), (390) 153

$(t\text{-C}_4\text{H}_9\text{C}_5\text{H}_4)_2\text{Sm}(\text{DME})$, synthesis of; its reactivity with phenylacetylene; synthesis and structure of $((t\text{-C}_4\text{H}_9\text{C}_5\text{H}_4)_2\text{SmC}\equiv\text{CPh})_2$ (Q. Shen, D. Zheng, L. Lin, Y. Lin), (391) 307

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-C}_5\text{H}_3\text{Bu}^1)_2\text{Sm}\cdot\text{OC}_4\text{H}_8$ and homoleptic ate complex $[\text{NaSm}(\eta^5\text{-C}_5\text{H}_4\text{Bu}^1)_3\cdot\text{OC}_4\text{H}_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

$[\text{Li}(\text{THF})_4][(\text{C}_5\text{H}_5)_2\text{Lu}(\text{NPh}_2)_2]$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

Phenyl lanthanide dichloride complexes, synthesis of; crystal structure of $\text{C}_6\text{H}_5\text{GdCl}_2\cdot 4\text{THF}$ (G. Lin, Z. Jin, Y. Zhang, W. Chen), (396) 307

Samarium(II) soluble complex, synthesis of; crystal structure of $(\text{C}_5\text{H}_4\text{CH}_2\text{CH}_2\text{CH}_2\text{C}_5\text{H}_4)\text{Yb}(\text{THF})_2$ (S.J. Swamy, J. Loebel, H. Schumann), (379) 51

$\eta^6\text{-m-Xylynesamariumtris(aluminum tetrachlorides)}$, synthesis and molecular structure (B. Fan, Q. Shen, Y. Lin), (376) 61

Selenium

2,I,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151

Bisoximate-bridged dinuclear complexes; synthesis and crystal structure of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2(\text{HONCMe}_2)_2$ and of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2[\text{S}(\text{CH}_2\text{Ph})_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

$(\text{C}_5\text{H}_5)_2\text{Cr}(\mu\text{-OCMe}_3)_2$, reactions with chalcogens of; syntheses and molecular structures of $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-S}_4)$ and $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-Se})$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295

$(\text{CO})_5\text{Mn}[\text{C}(\text{Aryl})\text{H}]$, synthesis and reactions of (H. Fischer, D. Reindl), (385) 351

$[\text{CpCr}(\text{CO})_3]_2(\mu\text{-SnCl}_2)$ and $\text{CpCrCl}_2(\text{THF})$, isolation from the insertion-displacement of Se in $\text{Cp}_2\text{Cr}_2(\text{CO})_4\text{Se}$ with SnCl_2 ; crystal structure of $\text{CpCrCl}_2(\text{CH}_3\text{CN})$ ($\text{Cp}=\eta^5\text{-C}_5\text{H}_5$) (L.Y. Goh, T.W. Hambley), (395) 269

Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of $[(\text{CO})_3\text{MC}_5\text{H}_4]_2\text{E}_n$ ($\text{M} = \text{Mn, Re; E = S, Se, Te; n = 2, 1}$) M. Herberhold, M. Biersack), (381) 379

Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203

2,5-Diphenylchalcophene radical ions, electron spin resonance study of (A.G. Davies, C.H. Schiesser), (389) 301

p-Ethoxyphenyl 2-(2-pyridyl)phenyl selenide, crystal structure of (S.A. Mbogo, W.R. McWhinnie, T.S. Lobana, E.R.T. Tieckink), (388) 273

$\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-RP})$, addition reactions with XCN^- (X = S, Se, Te) and $\text{R}'\text{XXR}'$ (X = Se, Te) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25

Ferrocene-chalcogenols $\text{Fe}(\text{C}_5\text{H}_5)_2(\text{C}_5\text{H}_4\text{EH})$ and $\text{Fe}(\text{C}_5\text{H}_5)_2(\text{C}_5\text{H}_4\text{EH})_2$ (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhörfer, J. Ott-Lastic), (377) 281

- [HRuCo₃(CO)₁₁(SeMe₂)], [HRuCo₃(CO)₁₀(SeMe₂)₂] and [HRuRh₃(CO)₉]₂[SeMe₂]₃ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403
- Organolanthanoid(II) complexes, non-classical; preparation and reactivity of the first organoneodysmium(II) compound (M. Wedler, A. Recknagel, F.T. Edelmann), (395) C26
- μ -Oxo-bis(η^5 -cyclopentadienyl)dichlorotitanium(IV)), preparation from η^5 -cyclopentadienyl-tris(methylselenolato)titanium(IV) (P. Gowik, T. Klapötke, J. Pickardt), (393) 343
- Pd(BF₄)₂ and Pt(BF₄)₂ complexes of 1,1'-bis(alkyl- or phenyl-)chalcogenoferroenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327
- 2-Phenylselenylenones and 2-haloenones, formation from enones; mechanistic and synthetic aspects, and X-ray crystal structures of intermediates (L. Engman, K.W. Törnroos), (391) 165
- ⁱPr₂InBr, ⁱPr₂InI and ⁱPrInI₂, synthesis and properties of (G.G. Hoffmann, R. Faist), (391) 1
- 2-(2-Pyridyl)phenyl selenium compounds, synthesis and properties of; crystal structure of 2-(2-pyridyl)phenylselenium(II) tribromomercurate(II) (S.A. Mbogo, T.S. Lobana, W.R. McWhinnie, M.R. Greaves, T.A. Hamor), (395) 167
- Selenobenzaldehyde chromium and tungsten complexes, synthesis, structure and η^1/η^2 isomerism of (H. Fischer, S. Zeuner, U. Gerbing, J. Riede, C.G. Kreiter), (377) 105
- Se-organolead selenocarboxylates, isolation and characterisation of (S. Kato, H. Ishihara, K. Ibi, H. Kageyama, T. Murai), (386) 313
- Telluride-substituted mixed metal clusters; crystal structures of [HRuCo₃(CO)₁₁(TeMe₂)], [HRuCo₃(CO)₁₀(TeMe₂)₂], and [HRuCo₃(CO)₁₁(TePh₂)] (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81
- Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57
- Transition metal coordinated heteroalkenes thio- and seleno-aldehyde complexes, characterisation of intermediate in reaction with bis(diethylamino)acetylene of (H. Fischer, K. Treier, J. Hofmann), (384) 305
- Trifluormethylselenocarbonylfluoride, preparation and reactions with 1,3-dienes and secondary amines of (J. Grobe, D. Le Van, J. Welzel), (386) 321
- Trimethylplatinum(IV) halide complexes, [PtXMMe₃((C₅H₄ECH₃)₂Fe)] (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šík), (378) 473
- 2,4,6-Tri-t-butylphenylseleno compounds of gold(I) and mercury(II) (I. Wagner, W.-W. du Mont), (395) C23

Silicon

- Alkenylsilanes, radical addition of tetrahydrofuran and tetrahydro-2-furanone to; effect of the presence of di(t-butyl)peroxide (V. Gevorgyan, E. Priede, E. Liepiņš, M. Gavars, E. Lukevics), (393) 333
- Alkyl-, acyl-, silyl- and hydrido-ruthenium complexes, synthesis via nucleophilic iodo-ruthenates(0) of; crystal structure of glyoxalbis(isopropylimine)(η^4 -norboradiene)methylidoro ruthenium (W. Rohde, H. tom Dieck), (385) 101
- Alkylidyne-tricobalt cluster, metal exchange reactions with reactive μ_3 -CX groups of (H.T. Schacht, H. Vahrenkamp), (381) 261
- Alkyneiridium(I), stepwise rearrangement to alkynyl(hydrido)iridium(III) and vinylideneiridium(I) complexes of (A. Höhn, H. Werner), (382) 255
- Alkynylsilanes with a cyclic ether group, one-pot synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 139
- Allylsilanes, cyclisation of; biomimetic approximation of the cyclogeranyl skeleton (D. Serramedan, B. Delmond, G. Deleris, J. Dunogues, M. Pereyre, C. Filliatre), (398) 79
- Allyltrimethylsilane, reactions with acetylcylopropanes in the presence of Lewis acids of (P. Piras, M. Afshari, G. Léandre, H. Monti), (384) C9
- Benzetyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77
- 1,3-Benzodiphospholes, organometallic complexes with (K. Issleib, H. Schmidt, E. Leissring), (382) 53
- Bis[bis(trimethylsilylmethyl)manganese(II)], synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57

- Bis(bis(trimethylsilyl)phosphino)silane $[(\text{Me}_3\text{Si})_2\text{P}]_2\text{SiH}_2$ and 1,2-bis(bis(trimethylsilyl)phosphino)disilane $[(\text{Me}_3\text{Si})_2\text{PSiH}_2]_2$ (K. Hassler, U. Katzenbeisser), (399) C18
- 1,2-Bis(1-diazo-2-oxoalkyl)disilanes, synthesis and carbene reactions of (G. Maas, A. Fronda), (398) 229
- Bisphosphinodihalogenosilanes, preparation of 1,3-diphospho-2-silaallyl anions from (K. Hassler, F. Mitter, B. Reiter), (376) C1
- Bromo- and iododisilanes, synthesis and NMR spectra of (K. Hassler, M. Pöschl), (398) 225
- Carbonylcobalt complexes of ethynylhydrogenosilanes, formation and reactions of (R.J.P. Corriu, J.J.E. Moreau, H. Praet), (376) C39
- $(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{Me}_5)\text{Zr}[\text{Si}(\text{SiMe}_3)_3]\text{Me}$, insertions of nitriles and pyridine into the Zr–Si bond of (H.-G. Woo, T. D. Tilley), (393) C6
- Chlorinated vinylsilanes, multinuclear NMR of (E. Lipeiñš, I. Birgele, E. Lukevics, V.D. Sheludyakov, V.G. Lahtin), (385) 185
- Chloromethylphenylethynilsilane, reaction with octacarbonyldicobalt; reactivity of $[(\eta^2\text{-C}\equiv\text{CPh})\text{Co}_2(\text{CO})_6](\text{Me})\text{Si}(\text{H})(\text{Cl})$ (H. Lang, U. Lay), (388) C1
- Chloroplatinic acid catalysed cyclization of silanes bearing pendant acetylenic groups (M.G. Steinmetz, B.S. Udayakumar), (378) 1
- $[(\text{C}_5\text{H}_5)_2\text{Lu}(\mu\text{-O}(\text{CH}_2)_4\text{P}(\text{C}_6\text{H}_5)_2)]_2$ and $[(\text{C}_5\text{H}_5)_2\text{Lu}(\text{OC}_4\text{H}_8)_2(\mu\text{-O})$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49
- $(\eta\text{-C}_8\text{H}_8)\text{UI}_2(\text{THF})_2$, a precursor to monocyclooctatetraenyl uranium complexes, synthesis of (J.-C. Berthet, J.-F. Le Maréchal, M. Ephritikhine), (393) C47
- Cobaltadisiloxane cyclic compounds; crystal structures of a pyridinolithium [bis(cyclosiloxy)cobalt]cobalt chloride and a bis(tetramethylethylenediaminolithium)bis(cyclosiloxy)cobaltate (M.B. Hursthouse, M.A. Mazid, M. Mottevalli, M. Sanganee, A.C. Sullivan), (381) C43
- Cyclic polysilanes, electronic spectra of radical ions of (S. Irie, K. Oka, R. Nakao, M. Irie), (388) 253
- Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1
- Cyclopentadienyl-titanium complexes, sterical effects in the hydrolysis of (J. Okuda), (397) C37
- Cyclotrisiloxanes, stereochemistry of nucleophilic substitution at the Si atom in (R. Gewald, K. Rühlmann, U. Scheim, A. Porzel), (377) 9
- Dialkyl-aluminium and -gallium solution stabilized monomeric species, $[\text{MR}_2]'$ ($\text{R} = 2\text{-C}(\text{SiMe}_3)\text{C}_5\text{H}_4\text{N}$), formation by reduction of MR_2Cl of; crystal structure of GaR_2Cl (U. Kynast, B.W. Skelton, A.H. White, M.J. Henderson, C.L. Raston), (384) C1
- Di- and poly-silanes, formation by electrosynthesis of (C. Biran, M. Bordeau, P. Pons, M.-P. Léger, J. Dunoguès), (382) C17
- Diborane $\{(\text{Me}_3\text{Si})_2\text{C}\}\text{HB}(\mu\text{-H})_2\text{BH}\{\text{C}(\text{SiMe}_3)_3\}$ and bis(aminoboryl)amine $\{(\text{Me}_3\text{Si})_2\text{CB}(\text{NH}_2)_2\}_2\text{NH}$, crystal structures of (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, K. Kundu, M.E. Molla, J.D. Smith), (385) 13
- Dicyclopentadienylbis(trimethylsilyl)lutetate anion, crystal structure of (H. Schumann, J.A. Meese-Markscheffel, F. Ekkehardt Hahn), (390) 301
- 2,5-Dihydroboroles and 1,3-dihydro-1,3-diborete, formation from 1,3-dienes and alkynes by rearrangement with dichloro(diisopropylamino)borane and alkali metals (D. Bromm, D. Stalke, A. Heine, A. Meller, G.M. Sheldrick), (386) 1
- Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65
- 1,1-Dimethylsilabutadiene, gas phase reactions of (R.T. Conlin, M. Namavari), (376) 259
- 1,1-Dimethyl-1-silacyclohexan-2-one, enantioselective microbial reduction with growing cells of the yeast *Kloeckera corticis* (ATCC 20109) of (R. Tacke, H. Hengelsberg, H. Zilch, B. Stumpf), (379) 211
- 2,4-Dineopentyl-1,3-disilacyclobutanes, preparation and characterisation of (N. Auer, R. Gleixner), (393) 33
- Dioxanyl methyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37
- Diphenyl[tris(trimethylsilyl)methyl]phosphine, desilylation and cyclometallation reactions with platinum(II) compounds; crystal structure of *trans* $[\text{PtCl}(\text{PPh}_2)_2\text{C}(\text{SiMe}_3)_2\text{SiMe}_2\text{CH}_2(\text{PPh}_2)]$
- 1,4-Disila[6]radialanes in two stable conformational isomers, formation of (A. Maercker, F. Brauers, W. Brieden, B. Engelen), (377) C45
- Disilylethyne, platinum-catalysed hydrosilylation of (T. Suzuki, P.Y. Lo), (391) 19
- 1,1-Disodio-2,3,4,5-tetraphenyl-1-silacyclopentadiene, synthesis and reactivity of (W.-C. Joo, J.-H. Hong, S.-B. Choi, H.-E. Son, C.H. Kim), (391) 27

- Di-t-butylsilylene, addition to 2,2'-bipryidyls of (M. Weidenbruch, A. Lesch, H. Marsmann), (385) C47
- 16-Electron carbene complexes $(CO)_4MC(NR_2)SiR'_3$ ($M = Cr, Mo, W$), preparation and properties of (W. Hepp, U. Schubert), (385) 221
- Enamines of acylsilanes, preparation of; synthesis of acylsilanes (J.P. Picard, J.M. Aizpurua, A. Elyusufi, P. Kowalski), (391) 13
- Ethylnilsilanes, $^7J(^{29}Si - ^{13}C)$ coupling constants and $^{13}/^{12}C$ isotope shifts in ^{29}Si NMR spectra of (E. Liepiņš, I. Birģeļe, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (393) 11
- Fluoroallyl alcohols, preparation of (T. Dubuffet, C. Bidon, P. Martinet, R. Sauvêtre, J.-F. Normant), (393) 161
- Fluoromethyltrimethylsilylanes, synthesis of (V. Broicher, D. Geffken), (381) 315
- Fluorovinylsilanes, bromodesilylation of (T. Gouyon, R. Sauvêtre, J.-F. Normant), (394) 37
- Gallium-arsenic four-membered ring compounds containing a bridging $As(SiMe_3)_2$ group, synthesis and characterization of; crystal structure of $Ph_2GaAs(SiMe_3)_2Ga(Ph)_2Cl$ and $Ph_2GaAs(SiMe_3)_2-Ga(Ph)_2Br$ (W.K. Holley, R.L. Wells, S. Shafeezad, A.T. McPhail, C.G. Pitt), (381) 15
- Group IVB organobimetallic compounds, reactions with electrophilic reagents (S.I. Bobrovskii, Yu.G. Bundel), (395) 121
- $(H_3C)_3SiH_2CSCH_2Si(CH_3)_3$ and $((CH_3C)_3Si)_3CSCH_3$, β -trimethylsilyl substituted sulfides, rationalisation of the low first ionisation energies of (H. Bock, J. Meuret, U. Stein), (398) 65
- H-cyclosiloxanes, reactions with 1,4-bis(trimethylsiloxy)but-2-yne to multifunctional surface active compounds (G. Sonnek, H. Jancke, S. Pasynkiewicz, W. Ziemkowska), (389) 289
- 1-Heteroaryl-silatrane and -germatrane, chemical ionization and fast atom bombardment mass spectra of (S. Rozite, I. Mažeika, A. Gaukhman, N.P. Erchak, L.M. Ignatovich, E. Lukevics), (384) 257
- Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267
- Heterocyclic complexes of the type *cis*- $Mo(CO)_4\{R_2PO\}_2Si(Me)R'$ ($R_2 = OCH_2CMe_2CH_2O$; $R' = Me, Bu^1$ or $R_2 = Ph_2$; $R' = Bu^1$) (G.M. Gray, F.P. Fish, D.K. Srivastava, A. Varshney, M.J. van der Woerd, S.E. Ealick), (385) 49
- Hetaryl-silanes and -germanes, reaction with metal hydrides (V. Gevorgyan, L. Borisova, E. Lukevics), (393) 57
- Highly crowded organosilanols, 1,3-migration of triorganosilyl groups from carbon to oxygen in (A.I. Al-Mansour, M.I. Al-Gurashi, C. Eaborn, F.A. Fattah, P.D. Lickiss), (393) 27
- $HOs_3(C\equiv CSiMe_3)_9$, synthesis and crystal structure of (B.F.G. Johnson, J. Lewis, M. Monari, D. Braga, F. Grepioni), (377) C1
- Hydridostannyl complexes of iron and corresponding anionic complexes; preparation, stereochemistry and reactivity of (M. Knorr, H. Piana, S. Gilbert, U. Schubert), (388) 327
- Hydro(trisyl)boranes, $(Me_3Si)_3CBHX$, and borates, $M[H_3BC(SiMe_3)_3]_x$, formation and reactions of (P. Paetzold, L. Geret, R. Boese), (385) 1
- Isobutyl(isopropoxy)silanethiols $i-Bu_n(i-PrO)_{3-n}SiH$ ($n = 0-3$), imidazole catalysed alcoholysis of (J. Pikies, W. Wojnowski), (386) 305
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- Isomeric $Ph_3E-E'Me_3$, ($E = Ge$, $E' = Si$ and $E = Si$, $E' = Ge$), structures of (K.H. Pannell, R.N. Kapoor, R. Raptis, L. Párkányi, V. Fülpöp), (384) 41
- Isosteric isobutyl(isopropoxy)silanes, $i-Bu_n(i-PrO)_{3-n}SiH$ ($n = 0-3$), reaction with allyl bromide in the presence of platinum compounds (J. Pikies, W. Wojnowski), (393) 187
- Isosteric isobutyl(isopropoxy)silanethiols, preparation and spectroscopic properties of (J. Pickies, W. Wojnowski), (378) 317
- Lanthanoide triflate and monocyclopentadienyllanthanoide compounds, chemistry of (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich), (377) C5
- Lithiated di-t-butylfluorosilylmesitylphosphane, rearrangement of (M. Andrianarison, D. Stalke, U. Klingebiel), (381) C38
- Lithium bis(trimethylgermyl)amide, synthesis and structure of (M. Rannenberg, H.-D. Hausen, J. Weidlein), (376) C27
- Lithium dimeric derivative of tetraphenyldisiloxanediolate dianion, synthesis and structure of (M.B. Hursthouse, M.A. Hossain, M. Motavalli, M. Sangane, A.C. Sullivan), (381) 293
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- $(Me_3Ge)_2Sb-Sb(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327

- 1-(γ -Mercaptopropyl)silatrane, crystal structure of (P. Hencsei, I. Kovács, V. Fülöp), (377) 19
- [{(Me₃Si)₃C}Cl₂Si]₂O crowded disiloxane, synthesis and crystal structure of (C. Eaborn, P.B. Hitchcock, P.D. Lickiss, A.D. Taylor), (398) 59
- [(Me₃Si)₂CH]₂Sn(Cl)N(H)(C₆H₂-2,4,6-t-Bu₃) and [(Me₃Si)₂CH]₂Sn(F)N(H)(C₆H₂-2,4,6-t-Bu₃), syntheses and crystal structures of (A. Raharinirina, R. Boese, G. Schmid), (395) 39
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- 3-Methoxy-1-(tributylstannylyl)-1-propene, a versatile vinyltin synthon (J.-B. Verlhac, M. Pereyre), (391) 283
- 3-Methyl-1,1-bis(trimethylsiloxy)-1,3-butadiene and trimethylsilyl 4-trimethylsilyl-3-methyl-2-butenoate, synthesis and reactions with benzaldehyde (M. Bellasoued, R. Ennigrou, M. Gaudemar), (393) 19
- Methylchlorosilanes, direct synthesis of (*Review*) (M.P. Clark), (376) 165
- 3-Methylene-1,1-dichlorosilacyclobutane and 1,1-dichlorosilacyclopent-3-ene, synthesis of (R. Damrauer, R. Simon, A. Laporterie, G. Manuel, Y.T. Park, W.P. Weber), (391) 7
- N-Methyl-N,O-bis(trimethylsilyl)hydroxylamine bulky proton-containing reagent, selectivity in the formation of nitrones (J.R. Hwu, K.P. Khoudary, S.-C. Tsay), (399) C13
- ω -Monoalkylaminoallyltrimethylsilanes, RNH(CH₂)_nCH(SiMe₃)CH=CH₂ (n = 2, 3), reactions with formaldehyde of and formation of *N*-alkyl-2,3,6,7-tetrahydroazepines and *N*-alkyl-1,2,3,4,7,8-hexahydroazocines (B. Guyot, J. Pernet, L. Miginiac), (386) 19
- Mono- and diarylacetylenes, synthesis of (M.I. Al-Hassan), (395) 227
- Nickel(II) complexes, catalytic application in the Kumada cross-coupling reaction (M.E. Wright, M.-J. Jin), (387) 373
- Oligosiloxanes containing acetoxy and hydroxyl end groups; kinetics of their condensation catalyzed by uncharged nucleophiles in an acid-base inert solvent (M. Cypryk, S. Rubinsztajn, J. Chojnowski), (377) 197
- Optically active vinylborates (I. Mikhail, D. Kaufmann), (398) 53
- Organophosphorus and organosilicon derivatives of sterically hindered phenols (S.D. Pastor, E.T. Hessel), (376) 21
- Organosilanediols, hydrogen-bonding in; crystal structure of bis(pentamethylcyclopentadienyl)silanediol (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, P.D. Lickiss, A. Möhrke, P. Jutzi), (384) 33
- Organosilicon compounds, surface ionization mass spectra of (T. Fujii, H. Ishii, H. Tokiwa), (391) 147
- Organosilicon-substituted alkenes, hydroformylation of (R. Takeuchi, N. Sato), (393) 1
- 3-Organyl-silyl and -germyl propynals and their carbon analogues, aldol-type condensation of methyl diazoacetate with (O.I. Margorskaya, A.S. Medvedeva, M.M. Demina, I.D. Kalikhman, M.G. Voronkov), (376) 31
- Pentacoordinated 1,3,2-dioxosilaheterocyles, synthesis of (P. Arya, R.J.P. Corriu, K. Gupta, G.F. Lanneau, Z. Yu), (399) 11
- Perchloroorganic silicon and germanium compounds, cyclization reaction of; synthesis and crystal structure of perchloro(2,2'-biphenylene)diphenyl-silane and -germane (L. Fajari, L. Juliá, J. Riera, E. Molins, C. Miravilles), (381) 321
- 2-Phenyl- and 2-(*o*-tolyl)-2-(phenylethynyl)hexamethyltrisilane, nickel-catalysed reactions of (M. Ishikawa, Y. Nomura, E. Tozaki, A. Kunai, J. Ohshita), (399) 205
- Phenylbromine and phenyliodine disilanes and trisilanes, synthesis of (K. Hassler, M. Pöschl), (385) 201
- Phenylsilanes formation of silyl triflates from (W. Uhlig, A. Tzschach), (378) C1
- Phenyl(trimethylsilyl)silylene, reaction with chloromethanes; insertion into the C-Cl bond and abstraction of chlorine and HCl (K. Oka, R. Nakao), (390) 7
- Platinum-catalysed hydrosilylation of disilyl ethynes, effects of oxygen and temperature (T. Suzuki, P.Y. Lo), (396) 299
- Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multi-nuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1
- Polycarbosilanes, alternative synthesis by electrochemical method of (M. Bordeau, C. Biran, P. Pons, M.-P. Léger, J. Dunoguès), (382) C21
- Poly[(disilanylene)diethynylene] with highly conducting properties, synthesis of (M. Ishikawa, Y. Hasegawa, A. Kunai, T. Yamanaka), (381) C57
- Polyhedral highly-functionalized oligosilsesquioxanes, syntheses of (F.J. Feher, T.A. Budzichowski), (379) 33
- Poly(silaisoprene), preparation by laser-induced decomposition of 1-methyl-1-vinyl-1-silacyclobutane (J. Pola, E.A. Volnina, L.E. Guselnikov), (391) 275

- Poly(silanylene)diethynylene)s, pyrolysis of (R.J.P. Corriu, C. Guerin, B. Henner, A. Jean, H. Mutin), (396) C35
- Polysilicon compounds containing two or more triphenylphosphine units, synthesis of (Y. Takuma, N. Imaki), (379) 27
- Propargyltrimethylsilanes, aminomethylation–desilylation of; regioselective synthesis of α -allenic amines (D. Damour, J. Pernet, B. Randrianoelina, L. Miginiac), (396) 289
- Racemic acetyl(t-butyl)methylphenylsilane and acetyl(methylphenyl)[(trimethylsilyl)methyl]silane, synthesis of substrates for stereoselective microbial reductions (R. Tacke, K. Fritsche, A. Tafel, F. Wuttke), (388) 47
- [RhCl(cyclo-C₈H₁₂)(phosphine)], mechanism of hydrosilylation of 1-hexene catalysed by (B. Marciniec, W. Duczmal, W. Urbaniak, E. Śliwińska), (385) 319
- Rhodium-catalysed enantioselective transfer hydrogenation of C=C double bonds with a mixture of formic acid and triethylamine as hydrogen source (H. Brunner, W. Leitner), (387) 209
- Si,Si'-substituted 1,2-bis(dimethylsilylmethyl)diacetylhydrazines, synthesis and chirality of (I.D. Kalikhman, B.A. Gostevskii, O.B. Bannikova, M.G. Voronkov, V.A. Pestunovich), (376) 249
- 7-Sila- and 7-germa-norbornadienes, CIDNP ¹H study of the photolysis of (S.P. Kolesnikov, M.P. Egorov, A.M. Galminas, M.B. Ezhova, O.M. Nefedov, T.V. Leshina, M.B. Taraban, A.I. Kruppa, V.I. Maryasova), (391) C1
- Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325
- Silicohydrocarbons, highly unsaturated, macrocyclic (M. Voronkov, O. Yarosh, G. Turkina, V. Vitkovskii, A. Albanov), (389) 1
- Silicon, structure and reactivity of hypervalent species of (R.J.P. Corriu), (400) 81
- Silicon compounds, pentacoordinated; intramolecular ring closure, site preferences of substituents and the stability of the resulting chelates (R.J.P. Corriu, A. Kpton, M. Poirier, G. Royo, A. de Saxcé, J.C. Young), (395) 1
- (N-Si)-Silicon-functional (1-(2-pyridone)-2'-pyridyl)imine)methyl)silanes, synthesis and structural investigations of; crystal and molecular structure of (N-Si)-chloro(1-(2-pyridone(2'-pyridyl)-imine)methyl)dimethylsilane, (N-Si)-(1-(2-pyridone(2'-pyridyl)imine)methyl)trichlorosilane and 1-methyl-2-(2'-pyridyl)aminopyridinium chloride (D. Kummer, S.C. Chaudhry, J. Seifert, B. Deppisch, G. Mattern), (382) 345
- Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263
- Silyl-nickel complexes prepared by η^6 -arene substitution in (η^6 -toluene)bis(trihalosilyl)nickel; preparation of L₃Ni(SiX₃)₂ and L₂Ni(SiX₃)₂ (X = Cl, F; L = phosphine, phosphites, and pyridines); X-ray structure of cis-(collidine)₂Ni(SiCl₃)₂ (S.-B. Choe, J.J. Schneider, K.J. Klabunde, L.J. Radonovich, T.A. Ballantine), (376) 419
- Silylstannyl triflates, silylstannylation of ethyl diazoacetate with (A. Fronda, G. Maas), (391) 289
- Spirocyclic pseudosilatrane, synthesis and spectroscopic and structural studies of (J.Y. Corey, N.P. Rath, C.S. John, E.R. Corey), (399) 221
- Sterically crowded aryloxide silicon compounds, preparation, characterization and X-ray structures of (M.D. Healy, A.R. Barron), (381) 165
- Sterically hindered silylenes, reactions with, tri-t-butyl azide of, (M. Weidenbruch, B. Brand-Roth, S. Pohl, W. Saak), (379) 217
- Substituted benzamidinate anions as steric equivalents of η^5 -C₅H₅ and η^5 -C₅Me₅; crystal structures of [PhC(NSiMe₃)₂]₃UCl, [4-CF₃C₆H₄C(NSiMe₃)₂]₃UCl, [2,4,6-(CF₃)₃C₆H₂C(NSiMe₃)₂]₂UCl₂ and [2,4,6-(CF₃)₃C₆H₂C(NSiMe₃)₂]₂ThCl₂ (M. Wedler, F. Knösel, M. Noltemeyer, F.T. Edelmann, U. Behrens), (388) 21
- Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum–hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35
- Tetramesityldisilene, reactions with azides; synthesis of disilaaziridines (G.R. Gillette, R. West), (394) 45
- (Thioacetoxo-S-methyl)diorganosilanes and (mercaptopmethyl)diorganosilane, synthesis and properties of (R. Tacke, B. Becker, H. Lange), (388) 57
- Titanocene and zirconocene stereorigid derivatives; synthesis and crystal structure of [η^5 - η^5 -(C₅H₄)₂Si(CH₃)₂]Ti[CH₂Si(CH₃)₃]₂ (R. Gómez, T. Cuenca, P. Royo, W.A. Herrmann, E. Herdtweck), (382) 103
- TMSI-activated butylcopper, stereoselective conjugate addition to 1-(R)-endo-(1-naphthyl)bornyl crotonate (M. Bergdahl, M. Nilsson, T. Olsson), (391) C19

- Transition metal stabilised As^I and Sb^I chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255
- Trialkylsilyl α - or ω -chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127
- Trichlorosilane, γ -ray induced reduction of acid chlorides with (K. Oka, R. Nakao, Y. Abe, T. Dohmaru), (381) 155
- 1-Triethoxysilyl-1-alkenes, synthesis by cross-metathesis of vinyltriethoxysilane with 1-alkenes of (Z. Foltynowicz, B. Marciniec), (376) 15
- trans*-N,N,N-Triethyl-2-[4-(2-phenylethenyl)phenoxy]ethanammonium iodide, synthesis of (M.I. Al-Hasan), (386) 395
- Trifluoromethylsilanes, thermolysis of formation of fluoromethylsilanes by insertion of CF₂ and CHF into Si-H bonds (H. Beckers, H. Bürger), (385) 207
- Trimethylaluminium complexes with a multidentate carbosiloxane-type ligand (S. Pasynkiewicz, W. Ziemska), (397) 269
- Trimethylsiloxy groups, reactivity towards hydrozirconation reagent (C₅H₅)₂Zr(H)Cl of (E. Uhlig, B. Bürglen, C. Krüger, P. Betz), (382) 77
- α -Trimethylsilyl substituted α -picolines, negative hyperconjugation control of acidities in; isolation of [Li(NC₅H₄-2-C(H)(SiMe₃)₂} {NC₅H₄-2-C(H)(SiMe₃)}]₂ (C. Jones, C.H.L. Kennard, C.L. Raston, G. Smith), (396) C39
- Tris(trimethylsilyl)methylsilicon compounds, reactions of (C. Eaborn, F.A. Fattah), (396) 1
- 2,4,6-Tri-t-butylphenylseleno compounds of gold(I) and mercury(II) (I. Wagner, W.-W. du Mont), (395) C23
- 2,4,6-Tri-t-butylphenyl-substituted iminoboranes, preparation, structures and reactions of (G. Elter, M. Neuhaus, A. Meller, D. Schmidt-Bäse), (381) 299
- Unstable methoxycyclosiloxanes [(CH₃O)SiO]_n (n = 2, 3): thermal generation and direct mass spectral studies (I. Tamás, A. Gömöry, I. Besenyei, V.N. Khabashesku, Z.A. Kerzina, N.D. Kagrananov, I.O. Bragilevsky), (387) 147
- 1-Vinyl-1-chloro-3-neopentylsilaethene, [2 + 4]-cycloaddition reactions of (N. Auner), (377) 175
- Vinylsiloxane substituted compounds, synthesis of (G. Sonnek, E. Drahs, H. Jancke, H. Hamann), (386) 29

Silver

- AgNO₃ as nitrosylation reagent (K.-B. Shiu, C.-J. Chang), (395) C47
- [Au₃AgCu(C₂Ph)₆]⁻ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylide complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267
- Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru₃ cluster anions and metal halogenides of Groups 11 and 12; crystal structure of HRu₃Au(CO)₈(PPh₃)₂(PPh₂)₂ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109
- Copper(I) and silver(I) complexes with 1,5-cyclooctadiene, Raman spectra of; the nature of metal–olefin bonds; possibility of a copper(I)–olefin bond in cytochrome oxidase (H. Masuda, M. Munakata, S. Kitagawa), (391) 131
- Electron-transfer processes with substituted group 5 metal carbonyls; synthesis, crystal and molecular structure of Ag₃M₃(CO)₁₂(Me₂PCH₂CH₂PM₂)₃, M = Nb, Ta (F. Calderazzo, G. Pampaloni, U. Englert, J. Strähle), (383) 45
- Group 11 trifluoromethyl derivatives, formation by reaction of Cd(CF₃)₂-glyme with representative Au, Ag and Cu complexes; isolation of Au(CF₃)₃(PM₂e), Au(CF₃)₃(PEt₃), AuI(CF₃)₂(PM₂e), AuCF₃(PM₂e), AuCF₃(PEt₃) and AgCF₃(PM₂e); observation of CuCF₃(PM₂e), (H.K. Nair, J.A. Morrison), (376) 149
- Heteronuclear cluster compounds containing M(PR₃) (M = Cu, Ag or Au; R = alkyl or aryl), synthesis via group 11 metal exchange reactions of (S.S.D. Brown, I.D. Salter), (377) C31
- Mixed-metal clusters containing M(P(CH₂Ph)₃) (M = Cu or Ag) fragments, influence of P(CH₂Ph)₃ ligand on the metal framework structures adopted by; crystal structures of [Cu₂Ru₄(μ_3 -H)₂(CO)₁₂{ μ -P(CH₂Ph)₂(η^2 -CH₂Ph)}]⁻ and [Cu₂Ru₄(μ_3 -H)₂(CO)₁₂{P(CH₂Ph)₃}]₂ (C.J. Brown, P.J. McCarthy, I.D. Salter, K.P. Armstrong, M. McPartlin, H.R. Powell), (394) 711
- Pantanuclear [Au₃Ag₂(C₂Ph)₆]⁻, [Ag₅(C₂Ph)₆]⁻, and [Ag₄Cu(C₂Ph)₆]⁻ clusters, preparation and possible structures of; reactivity of the polymer complexes [{AuAg(C₂Ph)₂}_n] and [{AuCu(C₂Ph)₂}_n] (O.M. Abu-Salah, A. Razzak, A. Al-Ohaly, Z.F. Mutter), (389) 427

[$\text{Ru}_2(\mu\text{-}1,2\text{-}(\text{NH})_2\text{C}_6\text{H}_4)(\text{CO})_4(\text{PPh}_3)_2$], reactions with H^+ , NO^+ and Group 11 metal fragments; syntheses of trinuclear Ru_2M ($\text{M} = \text{Cu}, \text{Ag}, \text{Au}$) and pentanuclear Ru_4Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423

Tetranuclear cluster [$\text{Au}_2\text{Ag}_2(\text{C}_2\text{Ph})_4(\text{PPh}_3)_2$] and mixed-metal gold-silver and gold-copper phenyl-acetylide polymer complexes [$(\text{AuM}(\text{C}_2\text{Ph})_2)_n$] ($\text{M} = \text{Ag}, \text{Cu}$), syntheses and structures of (O.M. Abu-Salah), (387) 123

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Sodium

Arenetricarbonylchromium complexes in the synthesis of 6,7-benzomorphanes (V.N. Kalinin, S.K. Moiseev, V.I. Bakhmutov, I.A. Cherepanov), (383) 85

Complex bases from organolithium compounds and various sodium alkoxides, properties of (L. Lochmann), (376) 1

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-C}_5\text{H}_3\text{Bu}^\ddagger)_2\text{Sm}\cdot\text{OC}_4\text{H}_8$ and homoleptic ate complex $[\text{NaSm}(\eta^5\text{-C}_5\text{H}_4\text{Bu}^\ddagger)_3\cdot\text{OC}_4\text{H}_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

1,1-Disodio-2,3,4,5-tetraphenyl-1-silacyclopentadiene, synthesis and reactivity of (W.-C. Joo, J.-H. Hong, S.-B. Choi, H.-E. Son, C.H. Kim), (391) 27

$(\eta^5 : \eta^5\text{-Fulvalene})$ bimetallic compounds derived from $(\eta^5 : \eta^5\text{-fulvalene})$ dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxyazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

{ $[\text{Na}(\mu_2\text{-THF})(\text{C}_5\text{Me}_5)\text{Gd}(\text{THF})]_2(\mu_2\text{-Cl})_3(\mu_3\text{-Cl})_2\}_2\cdot6\text{THF}$ monopentamethylcyclopentadienyl derivative of gadolinium, synthesis and X-ray crystal structure of (Q. Shen, M. Qi, Y. Lin), (399) 247

Sodium aza-allyl monomer, $[(\text{PhC(H)NC(H)Ph})\text{Na}\cdot\text{PMDETA}]$, discrete contact ion-pair structure with N-Na bond and (*ortho*-Ph)C-H...Na contacts, X-ray structure in solid state and solution of (P.C. Andrews, R.E. Mulvey, W. Clegg, D. Reed), (386) 287

Titanium complexes and alkali metal hydrides, active hydrogenation catalysts from (Y. Zhang, S. Liao, Y. Xu, S. Chen), (382) 69

Strontium

Calcium and strontium, and zinc (phenazine) $^{+}$ species (G.E. Jacobsen, C.L. Raston), (395) C1

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

Sulphur

Alkylidynetungsten complexes [$\text{W}(\equiv\text{CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)$] ($\text{R} = \text{Me}$ or $\text{C}_6\text{H}_4\text{Me}-4$), reactions with $[\text{Rh}_2(\mu\text{-SPh})_2(\text{COD})_2]$ of; crystal structure of $[\text{W}_2\text{Rh}_2(\mu\text{-CMe})(\mu_3\text{-CMe})(\mu\text{-SPh})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ (P.K. Byers, N. Carr, F.G.A. Stone), (384) 315

2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

1,1'-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1'-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (394) 455

Bridged double butterfly-shaped Fe-S cluster complexes $[(\mu\text{-RS})\text{Fe}_2(\text{CO})_6]_2(\mu\text{-SCH}_2\text{C}_6\text{H}_4\text{CH}_2\text{S}-\mu)$, synthesis and structural characterization of (L.-C. Song, M. Kadiata, J.-T. Wang, R.-J. Wang, H.-G. Wang), (391) 387

Carbon disulphide and carbon dioxide adducts $(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe-CX}_2^-$, reactions with organoiron electrophiles of (M.E. Giuseppetti-Dery, B.E. Landrum, J.L. Shibley, A.R. Cutler), (378) 421

Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands ($X = \text{S}, \text{N}, \text{P}$) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutiérrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79

- Cesium monomercaptoundecahydro *cis*-dodecaborate(2-), oxidation products of (K. Nagasawa, Y. Ikenishi, Y. Nakagawa), (391) 139
- Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321
- $[(\eta\text{-C}_5\text{H}_5)(\text{CO})\text{FeC}(\text{S})(\text{Fp})\dot{\text{S}}]$ ($\text{Fp} = (\eta\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2$), reactions with Group IB and IIB metals; X-ray molecular structure of $[(\eta\text{-C}_5\text{H}_5)(\text{CO})\text{FeC}(\text{SHgBr}_2)\text{SC}(\text{Fp})\dot{\text{S}}]_2$ (L. Busetto, S. Bordoni, V. Zanotti, V.G. Albano, D. Braga, M. Monari), (389) 341
- $(\text{C}_5\text{H}_5)_2\text{Cr}(\mu\text{-OCMe}_3)_2$, reactions with chalcogens of; syntheses and molecular structures of $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-S}_4)$ and $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-Se})$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295
- $[(\eta\text{-C}_5\text{H}_5)_2\text{Nb}(\text{CO})(\text{CR}^1=\text{CHR}^2)]$, reactivity of alkenyl complexes of; crystal structure of 1,3-dithiol-2-ylidene niobium complexes (J. Amaudrut, J. Sala-Pala, J.E. Guerchais, R. Mercier), (391) 61
- $(\eta^6\text{-1,4-(CH}_3\text{SO}_3)_2\text{C}_6\text{H}_4)\text{Cr}(\text{CO})_3$, synthesis, characterization, and reactivity of (M.E. Wright), (376) 353
- $[\text{3,3,3-(CO)}_3\text{-4-SMe}_2\text{-3,1,2-MnC}_2\text{B}_9\text{H}_{10}]$, synthesis and molecular and electronic structure of; order-of-magnitude improved structure of $(\eta\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})_3$ (J. Cowie, E.J.M. Hamilton, J.C.V. Laurie, A.J. Welch), (394) 1
- Cp_2Zr ligand complexes, theoretical study of dyotropic rearrangements of (G.N. Sastry, E.D. Jemmis), (388) 289
- Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoichiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227
- Cyclopentadienylthiocarbonyl complexes of iron, $[\text{Cp}^*\text{Fe}(\text{CO})_2\text{CS}]^+$, $\text{Cp}_2^*\text{Fe}_2(\text{CO})_2(\text{CS})_2$, $\text{Cp}_2\text{Fe}_2(\text{CO})_3(\text{CS})$, and $\text{Cp}_2\text{Fe}_2(\text{CO})_2(\text{CS})_2$ ($\text{Cp} = \text{C}_5\text{H}_5$, $\text{Cp}^* = \text{C}_5\text{Me}_3$), formation and structures of (M.-G. Choi, L.M. Daniels, R.J. Angelici), (383) 321
- (*N,N*-Dibenzyl)benzene coordination of sulphenamide to pentacarbonylchromium(0) via the sulphur atom; crystal structure of $(\text{C}_6\text{H}_5\text{CH}_2)_2\text{NS}(\text{C}_6\text{H}_5)\text{Cr}(\text{CO})_5$ (M.L. Rodriguez, C. Ruiz-Pérez, I. Brito, C. Diaz, J. Cuevas, G. González, V. Manriquez), (377) 235
- Dicarbonyl(η^5 -cyclopentadienyl)[η^2 -aryl(methylthio)carbene]tungsten tetrafluoroborate, reaction with tri-methylphosphine with formation of an η^3 -thio-ketene intermediate of (N. Ullrich, H. Keller, C. Stegmaier, F.R. Kreissl), (378) C19
- Dichlorobis(cyclopentadienyl)hafnium(IV), *N*-(aryl)-2-mercaptoacetamide derivatives of (A.K. Narula, P. Lukose), (393) 365
- Diene-ruthenium(II) complexes of sulphur-containing α -amino acids, synthesis and stereochemistry of (W.S. Sheldrick, R. Exner), (386) 375
- (*N,N*-Diethyldithiocarbamato)-tungsten(II) and -molybdenum(IV) complexes, reactions with a "C₄" hydrocarbon cut containing a mixture of alkynes and olefins; crystal structure of $[\text{W}(\text{S}_2\text{CN}(\text{C}_2\text{H}_5)_2)_2(\text{CO})(\eta^2\text{-CH}\equiv\text{C}-\text{CH}=\text{CH}_2)]$ (N. Le Berre, R. Kergoat, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 61
- Dihexyn-4-ylzinc, intramolecular interaction between a zinc atom and a carbon–carbon triple bond in (E. Oknińska, K.B. Starowieyski), (376) 7
- Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65
- Dimethyltin dichloride-dibenzylsulphoxide, crystal structure of (S.W. Ng, A.L. Rheingold), (378) 339
- Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203
- Diorganotin(IV) complexes of thiohydrazides and thiohydrazone, synthesis and spectral characterization of (N.K. Singh, U. Sharma, S.K. Kulshreshtha), (382) 375
- 2,5-Diphenylchalcophene radical ions, electron spin resonance study of (A.G. Davies, C.H. Schiesser), (389) 301
- 1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339
- Dithioformate Fe($\eta^2\text{-HC}(\text{SR})\text{S}$) complexes, cleavage of the coordinate C–S bond by alkynes in; route to $\text{FeCH}(\text{SR})\text{COC}(\text{CO}_2\text{Me})=\text{C}(\text{CO}_2\text{Me})\text{S}(\text{CO})(\text{PR}_3)_2$ (D. Touchard, J.-L. Fillaut, P.H. Dixneuf, R.D. Adams, B.E. Segmüller), (386) 95
- Ferrocene-chalcogenols $\text{Fe}(\text{C}_5\text{H}_5)_2(\text{C}_5\text{H}_4\text{EH})$ and $\text{Fe}(\text{C}_5\text{H}_4\text{EH})_2$ ($\text{E} = \text{S, Se, Te}$), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhörfer, J. Ott-Lastic), (377) 281
- Heteronuclear di- and tri-metal μ -carbyne compounds from the thiocarbyne $[\text{HB}(\text{pz})_3](\text{CO})_2\text{W}\equiv\text{CSMe}$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

- Iron carbonyl, insertion into a C-S bond of tetrathiofulvane (H.G. Raubenheimer, L. Linford, H.M. Roos), (393) C49
- Isobutyl(isopropoxy)silanethiols $i\text{-Bu}_n(\text{i-PrO})_{3-n}\text{SiSH}$ ($n = 0-3$), imidazole catalysed alcoholysis of (J. Pickies, W. Wojnowski), (386) 305
- Isosteric isobutyl(isopropoxy)silanethiols, preparation and spectroscopic properties of (J. Pickies, W. Wojnowski), (378) 317
- Lanthanoide triflate and monocyclopentadienyllanthanoide compounds, chemistry of (H. Schumann, J.A. Meese-Markscheffel, A. Dietrich), (377) C5
- $1-(\gamma\text{-Mercaptopropyl})\text{sila}[\text{trane}]$, crystal structure of (P. Hencsei, I. Kovács, V. Fülöp), (377) 19
- Molybdenum- and tungsten-sulphur bonds, reversible insertion of alkynes into (L. Carlton, W.A.W.A. Bakar, J.L. Davidson), (394) 177
- Molybdenum-molybdenum double bond electrogeneration from thiolate-bridged dinuclear precursors; carbon monoxide catalysed isomerisation about the Mo=Mo bond (C. Le Floc'h, F.Y. Pétillon, C.J. Pickett, J. Talarmin), (390) C39
- Molybdenum pyrazolylborato stereochemically nonrigid complexes containing a *dihapto*-thiocarbonato-amido ligand, synthesis, structure and properties of (T. Desmond, F.J. Lalor, B. O'Sullivan, G. Ferguson), (381) C33
- Mono核 cobalt carbonyls containing monodentate thiolate or xanthate groups; structures of $\text{PhSCo}(\text{CO})_2(\text{PPh}_2\text{OMe})_2$ and $\text{MeOCS}_2\text{Co}(\text{CO})_2(\text{PPh}_2^i\text{Bu})_2$ (S. Vastag, L. Markó, A.L. Rheingold), (397) 231
- Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293
- Monoorganomercury and diorganothallium derivatives of 2-thiouracil and 2-S-methylthiouracil; crystal structure of methylmercury(II)-2-S-methylthiouracilate (M.S.G. Tasende, M.I.S. Gimeno, A. Sánchez, J.S. Casas, J. Sordo, E.E. Castellano), (384) 19
- Mono- or *gem*-di-halogenoalkenes, convenient preparation from α -sulfonyl carbanions and halogenolithiocarbenoids of (P. Charreau, M. Julia, J.-N. Verpeaux), (379) 201
- Nido-cluster $[(\text{CO})_3\text{FeS}]_2$, photochemically induced [2+2]-cycloaddition of alkenes and dienes to the S-S bond of (A. Kramer, I.-P. Lorenz), (388) 187
- Organotin thiosemicarbazates, crystal structure of triphenyltin 1-amino-4-(2-hydroxyphenyl)-2,3-diaza-*penta*-(*E*)-1,(*E*)-3-dienyl-1-thiolate (S.W. Ng, V.G. Kumar Das, B.W. Skelton, A.H. White), (377) 211
- Osmium and iridium series $[\text{MLCl}(\text{PPh}_3)_2(\text{OSA})]$ ($\text{ML} = \text{OsNO, IrCO}$; $\text{A} = \text{O, CH}_2, \text{S, NR}$; $\text{R} = o\text{-tolyl, } p\text{-tolyl and } p\text{-tosyl}$), (M. Herberhold, A.F. Hill) (387) 323
- Oxy- and thio-phosphorus acid derivatives of tin(IV); crystal and molecular structure of *O*-methylphosphotriphenyltin(IV) (J.G. Masters, F.A.K. Nasser, M.B. Hossain, A.P. Hagen, D. van der Helm, J.J. Zuckerman), (385) 39
- Oxygen-donor adduct of triphenyltin saccharin; crystal structure of [*N*-triphenylstannylyl 1,2-benzisothiazol-3(2*H*)-one 1,1-dioxide]·[*O*-glycolic acid] (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (379) 247
- Pd(BF_4)₂ and Pt(BF_4)₂ complexes of 1,1'-bis(alkyl- or phenyl-)chalcogenoferrocenies, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327
- Racemic acetyl(*t*-butyl)methylphenylsilane and acetyl[methylphenyl][(trimethylsilyl)methyl]silane, synthesis of substrates for stereoselective microbial reductions (R. Tacke, K. Fritsche, A. Tafel, F. Wuttke), (388) 47
- Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23
- Rhenium oxo and methylimido complexes with oxygen, sulphur and nitrogen chelates; synthesis, elimination reactions and structural analysis (W.A. Herrmann, D.W. Marz, E. Herdtweck), (394) 285
- [$\text{RhH}(\text{PPh}_3)_4$], reaction with thiols; ^1H and ^{31}P NMR study (L. Carlton, Z. Bulbulia), (389) 139
- $\text{Ru}(\text{C}_4\text{H}_3\text{N})\text{SCNMe}_2\text{S}(\eta^2\text{-S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)$, synthesis and reactions of; crystal structure of $[\text{Ru}(=\text{C}(\text{SCNMe}_2\text{S}(2\text{-pyrrolyl}))(\eta^2\text{-S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)]^+$ (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C9
- ($\mu\text{-S}_2$) $[\text{RuC}_5\text{H}_5(\text{CO})_2]_2$, synthesis and reaction with acid chlorides of, preparation of $\text{RuC}_5\text{H}_5(\text{CO})_2\text{SCOR}$ and molecular structure of $\text{RuC}_5\text{H}_5(\text{CO})_2\text{SCO}(2\text{-O}_2\text{NC}_6\text{H}_4)$ (M.O. El-Hinnawi, M.L. Sumadi, F.T. Esmaldi, I. Jibril, W. Imhof, G. Huttner), (377) 373
- Sulphur-bridged trinuclear carbonylkynyliron clusters, preparation, properties and structure of (Th. Fassler, G. Huttner), (376) 367

- Tetramesityldisilene, reactions with azides; synthesis of disilaaziridines (G.R. Gillette, R. West), (394) 45
 2-Thienyl-, 2-furyl- and 2-(4,5-dihydrofuryl)germanes, ^{73}Ge NMR spectra of (E. Liepinš, I. Zicmane, L.M. Ignatovich, E. Lukevics), (389) 23
 (Thioacetoxy-S-methyl)diorganosilanes and (mercaptomethyl)diorganosilane, synthesis and properties of (R. Tacke, B. Becker, H. Lange), (388) 57
 Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-S)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369
 Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57
 Thiocarbene-chromium complexes, sulfur to carbon migration of an allyl group upon alkyne insertion in (A. Parlier, H. Rudler, C. Alvarez), (379) 271
 (Thioketene) $\text{Fe}_2(\text{CO})_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49
 Titanocene complexes containing the chelating ligands $\text{C}_2\text{S}_4^{4-}$, $\text{C}_2\text{S}_3^{2-}$, and $\text{C}_2\text{S}_6^{2-}$, synthesis and spectra of (R. Steudel, U. Westphal), (388) 89
 Transition metal coordinated heteroalkenes thio- and seleno-aldehyde complexes, characterisation of intermediate in reaction with bis(diethylamino)acetylene of (H. Fischer, K. Treier, J. Hofmann), (384) 305
 Transition metal polysulphide complexes, chemistry of; synthesis and crystal structures of $\text{Cp}'\text{Nb}_3\text{S}_{12}$ and $\text{Cp}'\text{Nb}_3\text{S}_{10}\text{O}$ ($\text{Cp}' = t\text{-BuC}_5\text{H}_4$) (H. Brunner, W. Meier, J. Wachter, B. Nuber, M.L. Ziegler), (381) C7
 Tricarbonylrhenium halide complexes, *fac*- $[\text{ReX}(\text{CO})_3\{(\text{C}_5\text{H}_4\text{ECH}_3)_2\text{Fe}\}]$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}; \text{E} = \text{S}, \text{Se}$); crystal structure of chloro-1,1'-bis(methylthio)ferrocenetricarbonylrhenium (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (383) 253
 Trimethylplatinum(IV) halide complexes, $[\text{PtXMMe}_3\{(\text{C}_5\text{H}_4\text{ECH}_3)_2\text{Fe}\}]$ ($\text{E} = \text{S}, \text{Se}; \text{X} = \text{Cl}, \text{Br}, \text{I}$), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šík), (378) 473
 Triphenyl(*N,N*-diisopropylthiocarbamato)tellurium(IV), crystal structure of (J.E. Drake, M.L.Y. Wong), (377) 43
 Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS) and catalytically useful rhodium complexes, purification of (W.A. Herrmann, J.A. Kulpe, W. Konkol, H. Bahrmann), (389) 85

Tantalum

- Electron-transfer processes with substituted group 5 metal carbonyls; synthesis, crystal and molecular structure of $\text{Ag}_3\text{M}_3(\text{CO})_{12}(\text{Me}_2\text{PCH}_2\text{CH}_2\text{PMc}_2)_3$, $\text{M} = \text{Nb}, \text{Ta}$ (F. Calderazzo, G. Pampaloni, U. Englert, J. Strähle), (383) 45
 Tantalcene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum-hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35
 Transition metals, diene complexes of (A. Nakamura), (400) 35

Technetium

- Bis(cyclopentadienyl)technetium(III) chloride and tris(cyclopentadienyl)technetium(III), synthesis and crystal structure of (C. Apostolidis, B. Kanellakopulos, R. Maier, J. Rebizant, M.L. Ziegler), (396) 315

Tellurium

- Bis(aryltelluro)methanes, synthesis and characterization, of (L. Torres C.), (381) 69
 Chlоро-*p*-ethoxyphenyl-2-(2-pyridyl)phenyltelluronium(IV) trichloromercurate(II), crystal and molecular structure of (T.S. Lobana, S.A. Mbogo, W.R. McWhinnie, W.C. Patalinghug, A.H. White), (390) 29
 Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of $[(\text{CO})_3\text{MC}_5\text{H}_4]_2\text{E}_n$ ($\text{M} = \text{Mn}, \text{Re}; \text{E} = \text{S}, \text{Se}, \text{Te}; n = 2, 1$) M. Herberhold, M. Biersack), (381) 379
 Cyclotellurated derivatives of 2-(3-thienyl)pyridine (H.B. Singh, N. Sudha), (397) 153
 Diaryl ditellurides, improved preparation of (L. Engman, J. Persson), (388) 71
 Di-2-benzo[*b*]thienyl ditelluride, synthesis and structure of (S.K. Kumar, H.B. Singh, K. Das, U.C. Sinha), (397) 161
 2,5-Diphenylchalcophene radical ions, electron spin resonance study of (A.G. Davies, C.H. Schiesser), (389) 301
 $\text{Fe}_3(\text{CO})_{10}(\mu_3\text{-RP})$, addition reactions with XCN^- ($\text{X} = \text{S}, \text{Se}, \text{Te}$) and $\text{R}'\text{XXR}'$ ($\text{X} = \text{Se}, \text{Te}$) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25

- $\text{Fe}_2(\text{CO})_6(\mu_2\text{-Te}_2)$, insertion of a methylene group into the Te–Te bond of (P. Mathur, V.D. Reddy), (387) 193
- Ferrocene-chalcogenols $\text{Fe}(\text{C}_5\text{H}_5)(\text{C}_5\text{H}_4\text{EH})$ and $\text{Fe}(\text{C}_5\text{H}_4\text{EH})_2$ ($\text{E} = \text{S}, \text{Se}, \text{Te}$), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhörfer, J. Ott-Lastic), (377) 281
- ($\mu_2\text{-Te}_2$) $\text{Fe}_2(\text{CO})_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($\text{L} = \text{PPh}_3$, $\text{M} = \text{Pt}, \text{Pd}, \text{Ni}$; $\text{L} = \text{C}_5\text{H}_5$, $\text{M} = \text{Ti}$; $\text{L} = \text{Me}$, n-Bu, $\text{M} = \text{Sn}$) of (P. Mathur, V. Dayal Reddy), (385) 363
- Metallocenylcyclopentadienylides as precursors for heteropolymetallocenes, preparation and reactions of ferrocenyl- and cobaltoceniumyl-cyclopentadienylides of, (C. Rieker, G. Ingram, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (381) 127
- 2-Phenyl-2-iodo-5,6-dimethyl-1,3-dihydro-2-telluraindene, preparation of phenylation at tellurium by tetraphenylborate ion (A.Z. Al-Rubaie), (382) 383
- Phosphine-stabilised organyl tellurenyl cations, $[\text{RTe}(\text{PR}'_3)]^+$ (Chr. Kölleemann, F. Sladky), (396) C1
- 2-(2-Pyridyl)phenyl(*p*-ethoxyphenyl)tellurium(II), reaction with mercury(II) chloride of (S.A. Mbogo, W.R. McWhinnie, T.S. Lobana), (384) 115
- Rhenium chemistry applied in catalysis (review) (W.A. Herrmann), (382) 1
- Telluride-substituted mixed metal clusters; crystal structures of $[\text{HRuCo}_3(\text{CO})_{11}(\text{TeMe}_2)]$, $[\text{HRuCo}_3(\text{CO})_{10}(\text{TeMe}_2)_2]$, and $[\text{HRuCo}_3(\text{CO})_{11}(\text{TePh}_2)]$ (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81
- Tellurium-containing aromatic azomethine derivatives, intramolecular $\text{Te} \leftarrow \text{N}$ coordination in (I.D. Sadekov, A.A. Maksimenko, A.G. Maslakov, V.I. Minkin), (391) 179
- Telluronium heterocyclic β -diketonates, synthesis, spectra and biological activity of (K.M. Prasad, N.R. Rao, M.C. Ganorkar, C.M. Chary), (376) 53
- Triphenyl(*N,N*-diisopropylthiocarbamato)tellurium(IV), crystal structure of (J.E. Drake, M.L.Y. Wong), (377) 43

Thallium

- Formyl-, acetyl-, carbomethoxy-, and carboethoxy-cyclopentadienylthallium, formation and synthetic utility of (S.S. Jones, M.D. Rausch, T.E. Bitterwolf), (396) 279
- ($\eta^5 : \eta^5$ -Fulvalene)bimetallic compounds derived from ($\eta^5 : \eta^5$ -fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227
- 1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9
- Metallocenylcyclopentadienylides as precursors for heteropolymetallocenes, preparation and reactions of ferrocenyl- and cobaltoceniumyl-cyclopentadienylides of, (C. Rieker, G. Ingram, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (381) 127
- Monoorganomercury and diorganothallium derivatives of 2-thiouracil and 2-S-methylthiouracil; crystal structure of methylmercury(II)-2-S-methylthiouracilate (M.S.G. Tasende, M.I.S. Gimeno, A. Sánchez, J.S. Casas, J. Sordo, E.E. Castellano), (384) 19
- Titanocene chiral derivatives accessible from substituted dihydropentalene and azulene precursors (P. Burger, H.-U. Hund, K. Evertz, H.-H. Brintzinger), (378) 153

Thorium

- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293
- Substituted benzamidine anions as steric equivalents of $\eta^5\text{-C}_5\text{H}_5$ and $\eta^5\text{-C}_5\text{Me}_5$; crystal structures of $[\text{PhC}(\text{NSiMe}_3)_2]_2\text{UCl}$, $[\text{4-CF}_3\text{C}_6\text{H}_4\text{C}(\text{NSiMe}_3)_2]_2\text{UCl}$, $[\text{2,4,6-(CF}_3)_3\text{C}_6\text{H}_2\text{C}(\text{NSiMe}_3)_2]_2\text{UCl}_2$ and $[\text{2,4,6-(CF}_3)_3\text{C}_6\text{H}_2\text{C}(\text{NSiMe}_3)_2]_2\text{ThCl}_2$ (M. Wedler, F. Knösel, M. Noltemeyer, F.T. Edelmann, U. Behrens), (388) 21
- Tris(indenyl)actinide hydrocarbyls, actinide-ligand bond disruption enthalpies in (S. Bettonville, J. Goffart, J. Fuger), (377) 59

Tin

- Allyl-stannanes as reagents for the formation of homoallyl alcohols and 4-chlorotetrahydropyrans by allylation of aldehydes in the presence of $TiCl_4$ or Cp_2TiCl_2 (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (391) 295
- Allylstannanes with boron trifluoride etherate and boron trichloride as reagents in allylation reactions of aldehydes (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (390) 127
- Allylstannation of aldehydes by crotyltin chlorides in acid media (D. Marton, G. Tagliavini, N. Vanzan), (376) 269
- Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})_2][Fe_2(CO)_8]$ and $[\mu_4\text{-As}Co_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197
- Aryltin(IV) complexes, synthesis using arylmercury compounds; synthesis of mixed triaryltin(IV) complexes; crystal and molecular structure of $[\overline{Sn}(2-C_6H_4N=\overline{N}Ph)Ph_2Cl]$ (J. Vicente, M.T. Chicote, M.C. Ramirez-de-Arellano, P.G. Jones), (394) 77
- Bis[bis(trimethylsilylmethyl)manganese(II)], synthesis and properties of; crystal structures of its tetrahydrofuranyl and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57
- 1,2-Bis(organostannylyl)ethanes as bidentate Lewis acids; crystal structures of $(Ph_2ClSnCH_2)_2(Me_2N)_2PO$ and $[Ph_3P=N=PPh_3][Ph_2ClSnCH_2)_2Cl]$ (K. Jurkschat, F. Hesselbarth, M. Dargatz, J. Lehmann, E. Kleinpeter, A. Tzschach, J. Meunier-Piret), (388) 259
- Bromodestannylation reactions of some functionally substituted organotin compounds (A.B. Chopra, L.C. Koll, J.C. Podestá, T.N. Mitchell), (376) 283
- Chiral terpenes, hydroformylation with $PtCl(SnCl_3)$ (bis-phosphine) as catalyst of (L. Kollár, J. Bakos, B. Heil, P. Sándor, G. Szalontai), (385) 147
- $CH_3OOCCH_2CH(COOCH_3)CH_2SnCl_3$, preparation and structure of (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (397) 17
- $[CpCr(CO)_3]_2(\mu\text{-SnCl}_2)$ and $CpCrCl_2$ (THF), isolation from the insertion-displacement of Se in $Cp_2Cr_2(CO)_4Se$ with $SnCl_2$; crystal structure of $CpCrCl_2(CH_3CN)$ ($Cp=\eta^5-C_5H_5$) (L.Y. Goh, T.W. Hambley), (395) 269
- Cyclopalladated *N*-nitrosoanilines, reactions with Sn^{IV} reagents; crystal structure of the bis cyclopalladated complex *cis*- $Pd(ONN(CH_3)(C_6H_4))_2$ (A. Albinati, S. Affolter, P.S. Pregosin), (395) 231
- Dichlorobis(imidazole)dimethyltin(IV), crystal structure of (E. García Martínez, A. Sánchez González, A. Macías, M.V. Castaño, J.S. Casas, J. Sordo), (385) 329
- Dichlorodivinylbis($3H$ -imidazoline-2-thione)tin(IV), synthesis and molecular structure of (R. Graziani, V. Peruzzo, G. Pazzogna, U. Casellato), (396) 19
- Dimethyl- and trimethyl-stannane, vacuum UV and PE spectra of (G. Lespes, A. Dargelos, J. Fernandez-Sanz), (379) 41
- Dimethyltin dichloride-dibenzylsulphoxide, crystal structure of (S.W. Ng, A.L. Rheingold), (378) 339
- Di-n-butyltin(IV) di-o-bromobenzoate, a weakly-bridged dimer (S.W. Ng, V.G. Kumar Das, W.-H. Yip, R.-J. Wang, T.C.W. Mak), (393) 201
- Diorganotin(IV) complexes of thiohydrazides and thiohydrazone, synthesis and spectral characterization of (N.K. Singh, U. Sharma, S.K. Kulshreshtha), (382) 375
- Diorganotin(IV) complexes with *o*-anisic acid, synthesis and spectroscopic properties of; crystal and molecular structure of $\{[{}^nBu_2Sn(2-MeOC_6H_4COO)]_2O\}_2$ (C.S. Parulekar, V.K. Jain, T. Kesavadas, E.R.T. Tiekkink), (387) 163
- Diphenyl-lead sulphide and diphenyl-tin sulfide trimers; molecular structures, ring segment exchange in solution, and dimer formation as indicated by FD mass spectroscopy (B.M. Schmidt, M. Dräger), (399) 63
- Di-t-butylchlorostannane, reactions with sterically congested aryllithium compounds of (M. Weidenbruch, K. Schäfers, K. Peters, H.G. von Schnerring), (381) 173
- Di-t-butyltin chalcogenide four membered compounds, X-ray and NMR spectroscopy of (H. Puff, G. Bertram, B. Ebeling, M. Franken, R. Gattermayer, R. Hundt, W. Schuh, R. Zimmer), (379) 235
- Ethynylstannanes, isotope $^{13}/^{12}C$ effects on ^{119}Sn nucleus shielding in (E. Liepiņš, I. Birģele, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (390) 139
- $Et_4N[trans-(Cl_2Sn)_2Co(CO)_3]$ and $[Co((pz)_3BH_2)]trans-[(CO)_4CoCl_2Sn]_2Co(CO)_3$, preparation, structures and bonding in (O.J. Curnow, B.K. Nicholson, M.J. Severinsen), (388) 379
- $(\mu_2\text{-Te}_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($L = PPh_3$, $M = Pt, Pd, Ni$; $L = C_5H_5$, $M = Ti$; $L = Me, n\text{-Bu}$, $M = Sn$) of (P. Mathur, V. Dayal Reddy), (385) 363

- Group IVB organobimetallic compounds, reactions with electrophilic reagents (S.I. Bobrovskii, Yu.G. Bundel), (395) 121
- 1,1,6,6,11,11-Hexamethyl-1,6,11-tristannacyclopentadecane, synthesis and complexing ability of (K. Jurkschat, A. Rühlemann, A. Tzschach), (381) C53
- 5-Hexenyltributyltin, reaction with pseudohalogens; cyclization vs. double bond addition (J.W. Herndon, J.J. Harp), (393) C1
- [HFe(CO)₄]⁻ as a reagent for the synthesis of tin/iron clusters, partial crystal structure of (NEt₄)₂[SnCl₂{Fe(CO)₄}₂]-SnCl₄ (M. Ferrer, O. Rossell, M. Seco, X. Solans, M. Gómez), (381) 183
- 1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
- [MCl₂(CNBu^t)₃(PMe₃)₂] (M = Mo or W) synthesis and reactivity of, preparation of [MCl(CNBu^t)₄(PMe₃)₂]Cl and [M(SnCl₃)(CNBu^t)₃(PMe₃)₃](SnCl₃) derivatives; crystal structure of [MoCl(CNBu^t)₄(PMe₃)₂]Cl·2Me₂CO (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241
- (Me₃Ge)₂Sb-Sb(GeMe₃)₂ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327
- [(Me₃Si)₂CH]₂Sn(Cl)N(H)(C₆H₂-2,4,6-t-Bu₃) and [(Me₃Si)₂CH]₂Sn(F)N(H)(C₆H₂-2,4,6-t-Bu₃), syntheses and crystal structures of (A. Raharinirina, R. Boese, G. Schmid), (395) 39
- [(Me₃Sn)₂(Me₃Sb)M(CN)₆]_n (M = Fe, Ru): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Metal complexes of C-nitroso compounds, correlation of NO stretching frequencies with coordination modes in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (378) 493
- 3-Methoxy-3-oxopropyltin(IV), tris(pyrazolyl)borate complexes of; crystal structure and properties of CH₃OOCCH₂CH₂Sn(pz)₃BH₂X₂ (X = Cl, NCS) (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (399) 235
- 3-Methoxy-1-(tributylstannylyl)-1-propene, a versatile vinyltin synthon (J.-B. Verlhac, M. Pereyre), (391) 283
- Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
- Organotin compounds, ¹¹⁹Sn NMR studies of the pyrazine adducts of (D. Cunningham, J. McManus, M.J. Hynes), (393) 69
- Organotin halides, effect of halide on Lewis acidity (J.N. Spencer, T. Ganunis, A. Zafar, H. Eppley, J.C. Otter, S.M. Coley, C.H. Yoder), (389) 295
- Organotin halides, Lewis acidities toward tributylphosphine and tributylphosphine oxide, effect of the donor site (C.H. Yoder, J.C. Otter, A. Grushow, T.F. Ganunis, B.C. Enders, A.I. Zafar, J.N. Spencer), (385) 33
- Organotin(IV) complexes of some N,N-dimethylaniline N-oxide derivatives (T.A.K. Al-Allaf, M.A.M. Al-Tayy), (391) 37
- Organotin(IV) oximates and thiooximates, high-resolution solid-state ¹¹⁹Sn NMR spectroscopy of (A. Lyčka, J. Holeček, B. Schneider, J. Straka), (389) 29
- Organotin thiosemicarbazates, crystal structure of triphenyltin 1-amino-4-(2-hydroxyphenyl)-2,3-diazapenta-(E)-1,(E)-3-dienyl-1-thiolate (S.W. Ng, V.G. Kumar Das, B.W. Skelton, A.H. White), (377) 211
- Oxy- and thio-phosphorus acid derivatives of tin(IV); crystal and molecular structure of O-methylphosphotriphenyltin(IV) (J.G. Masters, F.A.K. Nasser, M.B. Hossain, A.P. Hagen, D. van der Helm, J.J. Zuckerman), (385) 39
- Oxygen-donor adduct of triphenyltin saccharin; crystal structure of [N-triphenylstannylyl 1,2-benzothiazol-3(2H)-one 1,1-dioxide]·[O-glycolic acid] (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (379) 247
- Palladium-catalyzed addition of the tin-germanium bond to alenes, reversal of regioselectivity in (T.N. Mitchell, U. Schneider, B. Fröhling), (384) C53
- Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multi-nuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1
- Polymeric trimethylstannylyl thiophene-2-carboxylate, X-ray crystal structure of (G.K. Sandhu, S.P. Verma, E.R.T. Tiekkink), (393) 195

- Pt^{II}/SnCl₂ catalysed hydroformylation (A. Scrivanti, S. Paganelli, U. Matteoki, C. Botteghi), (3850) 439
 $\{[R_2Sn(O_2CR')]_2O\}_2$ ($R = Me, Et, ^nPr$ and nBu ; R' = thiophene and furan), characterization of; X-ray crystal structure of $\{[^nBu_2Sn(O_2CC_4H_3S)]_2O\}_2$ (C. Vatsa, V.K. Jain, T.K. Das, E.R.T. Tiekkink), (396) 9
- Silylstannyl triflates, silylstannylation of ethyl diazoacetate with (A. Fronda, G. Maas), (391) 289
- Stannyl phosphines, addition to alkynes and alenes of (T.N. Mitchell, H.-J. Beil), (386) 167
- 6-Substituted-3,4-dihydro-2*H*-1-benzopyran-2-ones (dihydrocoumarins), synthesis via palladium catalysed coupling reactions (S.G. Davies, D. Pyatt, C. Thomson), (387) 381
- Tetrakis(pyrazolyl)borates (G.G. Lobbia, F. Bonati, P. Cecchi, D. Leonesi), (391) 155
- Thiirane-1-oxide, ring-opening reaction of; structure of the intermediate Lewis acid adduct (W.A. Schenk, A. Khadra, C. Burschka), (396) C4
- Tin hydride and oxide, regiochemical and mechanistic studies of addition to substituted ketenes of (A.S. Hneihen, J.W. Bruno, J.C. Huffman), (382) 363
- Tin(II) chiral alkoxide, asymmetric induction with (J. Augé, G. Bourdeaux), (377) 205
- Tin(II) compounds in organic synthesis (T. Mukaiyama, S. Kobayashi), (382) 39
- Tin(IV) coordination environment in di-*n*-butyltin di-*p*-bromobenzoate (S.W. Ng, V.G. Kumar Das, B.W. Skelton, A.H. White), (377) 221
- α -Tributylstannylacetals: preparation via transacetalisation of diethoxymethyltributyltin; use for the synthesis of new α -stannylated ethers (A. Duchêne, S. Boissière, J.-L. Parrain, J.-P. Quintard), (387) 153
- Trifluormethylselenocarbonylfluoride, preparation and reactions with 1,3-dienes and secondary amines of (J. Grobe, D. Le Van, J. Welzel), (386) 321
- Trimesityltin hydroxide and fluoride, preparation and X-ray structures of (H. Reuter, H. Puff), (379) 223
- Triorganostannate esters of dicarboxylic acids, synthesis of; crystal structure of bis(dicyclohexylammonium) trisoxalatotetrakis(tri-*n*-butylstannate)-2ethanol (S.W. Ng, V.G. Kumar Das, M.B. Hossain, F. Goerlitz, D. van der Helm), (390) 19
- Triorganotin(IV) complexes of *N*-benzoylglycine and *N*-benzoylglycylglycine, preparation, IR and ¹H NMR spectral studies of (G.K. Sandhu, G. Kaur), (388) 63
- Triphenyltin(IV) chloroacetate, $[(C_6H_5)_3SnOC(O)CH_2Cl]$, VT^{119m}Sn Mössbauer spectroscopy and X-ray crystallography of (S.W. Ng, K.L. Chin, C. Wei, V.G. Kumar Das, R.J. Butcher), (376) 277
- Trisodium tricarbonylcobaltate(3-), synthesis, isolation and characterization of (J.E. Ellis, P.T. Barger, M.L. Winzenburg, G.F. Warnock), (383) 521
- Tris(pyrazolyl)borates, preparations of (G.G. Lobbia, F. Bonati, P. Cecchi, A. Cingolani, A. Lorenzotti), (378) 139
- Zinc[bis[3-(dimethylamino)propyl-*C,N*]tin]bis(dibenzoylmethanato)-(Sn-Zn), crystal structure of; stabilisation of a dialkyltin(II) compound by Sn-Zn coordination (J.T.B.H. Jastrzebski, H.A.J. Sykens, F.J.A. des Tombe, P.A. van der Schaaf, J. Boersma, G. van Koten, A.L. Spek, A.J.M. Duisenberg), (396) 25

Titanium

- Allyl-stannanes as reagents for the formation of homoallyl alcohols and 4-chlorotetrahydropyrans by allylation of aldehydes in the presence of TiCl₄ or Cp₂TiCl₂ (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (391) 295
- Benzetyl-1,2,4,5-tetra thiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77
- Bis(η -cyclopentadienyl)titanium(IV) bis(substituted benzoato) complexes; synthesis and spectra of (Y. Dang, H.J. Geise, R. Domisse, E. Esmans, H.O. Desseyn), (381) 333
- Bis(η^5 -(1*R,8R*)- and (η^5 -(1*R,8R*), η^5 -(1*S,8S*)-7,7,9,9-tetramethyltricyclo[6.1.1.0^{2,6}]deca-3,5-dien-2-yl)dichlorotitanium, comparative analysis of the solid state structural features of (M.R. Sivik, R.D. Rogers, L.A. Paquette), (397) 177
- (η^4 -Butadiene)-zirconocene, and -hafnocene with 2-methyl-2-nitrosopropane of (G. Erker, M.G. Humphrey), (378) 163
- 1-Camphenyl-titanium, -zirconium and -hafnium compounds, synthesis of (D. Schenke, K.-H. Thiele), (382) 109
- (C₅H₅)₂Ti^{IV} and (C₅H₅)₂Zr^{IV} complexes with oxydiacetate ligands, preparation and reactions of (U. Thewalt, T. Gütthner), (379) 59

- $(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2Ti(Sb_2F_{11})_2$; synthesis and characterization of; structure of $(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2V(SbF_6)_2$ (P. Gowik, T. Klapötke, U. Thewalt), (385) 345
- $(C_5H_5)_2TiX$ ($X = Cl, Br$) applied in dehalogenation of organic halides (Q. Yanlong, L. Guisheng, Y.-Z. Huang), (381) 29
- $Cp_2Ti(BiF_6)_2$, synthesis and characterization of (P. Gowik, T. Klapötke), (387) C27
- Cyclopentadienyl-titanium complexes, sterical effects in the hydrolysis of (J. Okuda), (397) C37
- Dicarbonylbiscyclopentadienyltitanium(II), standard molar enthalpy of formation of the crystalline compound (M.A.V. Ribeiro da Silva, M.D.M.C. Ribeiro da Silva), (393) 359
- 1,3-Di-*t*-butylcyclopentadienyl ligands to iron, cobalt and titanium, complexation of (J. Okuda), (385) C39
- (η^6 -Durene)Ti[$(\mu-X)_2(AIX_2)$]₂ ($X = Cl, I$), mixed chloro-iodo-titanium(II) complex, molecular structure of; distribution of halogen atoms in bridge and outer positions (S.I. Troyanov, K. Mach), (389) 41
- Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61
- (μ_2 -Te₂)Fe₂(CO)₆, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($L = PPh_3$, $M = Pt, Pd, Ni$; $L = C_5H_5$, $M = Ti$; $L = Me, n$ -Bu, $M = Sn$) of (P. Mathur, V. Dayal Reddy), (385) 363
- Isopropyltetramethylcyclopentadienyltitanium derivatives, synthesis, X-ray structures and polymerization of (D.T. Mallin, M.D. Rausch, E.A. Mintz, A.L. Rheingold), (381) 35
- Magnesium activation of dichlorodi- η_5 -cyclopentadienyltitanium in the catalytic hydrogenation of olefins and acetylenes (F. Scott, H.G. Raubenheimer, G. Pretorius, A.M. Hamese), (384) C17
- ansa*-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ¹H- and ¹³C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21
- Metallocene hexafluoropnictogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1
- Me_2TiCp^* , gas phase molecular structure of (R. Blom, K. Rypdal, M. Mena, P. Royo and R. Serrano), (391) 47
- Monofluoroallyl alcohols, diastereoselective epoxidation of (T. Dubuffet, C. Bidon, R. Sauvêtre, J.-F. Normant), (393) 173
- μ -Oxo-bis(η^5 -cyclopentadienyl)dichlorotitanium(IV)), preparation from η^5 -cyclopentadienyl-tris(methyl-selenolato)titanium(IV) (P. Gowik, T. Klapötke, J. Pickardt), (393) 343
- Pentamethylcyclopentadiene, reaction with the titanium Ziegler-Natta catalyst of (K. Mach, H. Antropiusová, J. Poláček), (385) 335
- Phosphorus analogues of unsaturated hydrocarbon-transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- TiCl₄, interaction with *o*-, *m*- and *p*-diesters; crystal structures of [*o*-C₆H₄(COO-i-Bu)₂TiCl₄]CH₂Cl₂ and [*p*-C₆H₄(COOMe)₂TiCl₄] (P. Sobotka, J. Utko, T. Lis), (393) 349
- Titanium complexes and alkali metal hydrides, active hydrogenation catalysts from (Y. Zhang, S. Liao, Y. Xu, S. Chen), (382) 69
- Titanium-isocyanate complex, use in lactam synthesis by nitrogenation of enol lactones (Y. Uozumi, E. Mori, M. Mori, M. Shibasaki), (399) 93
- Titanium-nitrogen complexes, reaction with acid halides and acid anhydrides (M. Mori, Y. Uozumi, M. Shibasaki), (395) 255
- Titanocene, acetylene complexes of, as starting compounds in the preparation of five-membered titanacycles (H.G. Alt, G.S. Herrmann), (390) 159
- Titanocene, alkenyl and ethyl complexes of; crystal structure of [Cp₂Ti(CMe=CHMe)]₂ μ -O (G.S. Herrmann, H.G. Alt, U. Thewalt), (393) 83
- Titanocene aluminium hydride, reactions with alcohols, amines and ethers; structures of [(η^5 -C₅H₅)₂Ti(μ_2 -H)₂Al(H)(μ_2 -OC₂H₅)]₂ and [(η^5 -C₅H₅)₂Ti(μ_2 -H)₂Al(H)(μ_2 -N(C₂H₅)_{2)]₂ (T.Yu. Sokolova, A.I. Sizov, B.M. Bulychev, E.A. Rozova, V.K. Belsky, G.I. Soloveichik), (388) 11}
- Titanocene and zirconocene stereorigid derivatives; synthesis and crystal structure of [η^5 - η^5 -(C₅H₄)₂Si(CH₃)₂]Ti[CH₂Si(CH₃)₃]₂ (R. Gómez, T. Cuenca, P. Royo, W.A. Herrmann, E. Herdtweck), (382) 103
- Titanocene complexes containing the chelating ligands C₂S₄⁴⁻, C₂S₅²⁻, and C₂S₆²⁻, synthesis and spectra of (R. Steudel, U. Westphal), (388) 89
- Titanocene-trifluoroacetato complexes; molecular structures of [Cp₂Ti(OCOCF₃)₂] μ -O and Cp₂Ti(OCOCF₃)₂ (G.S. Herrmann, H.G. Alt, U. Thewalt), (399) 83

- Transition metal alkyne complexes, $^{13}\text{C}\{\text{H}\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119
 Transition metals, diene complexes of (A. Nakamura), (400) 35

Transition Metals – General

- Action of carbon monoxide on nickel (L. Mond, C. Langer, F. Quincke) (*Facsimile*), (383) 1
 Azide ion and *N*-nucleophile additions to coordinated carbon monoxide and CO-containing ligands; azido- and isocyanato-carbonyl metal complexes (W. Beck), (383) 143
 Cationic π -complexes of transition metals of groups 6–10, synthesis by exchange of the carbonyl ligands in strong protonic acids of (M.I. Rybinskaya), (383) 113
 CO substitution reactions of metal carbonyls, early kinetic studies on (F. Basolo), (383) 579
 Ludwig Mond—father of metal carbonyls—and so much more (7 March 1839–11 December 1909) (E. Abel), (383) 11
 Metal carbonyl reactivity, ligand and metal effects on (J.D. Atwood), (383) 59
 The history of my process of nickel extraction (L. Mond) (*Facsimile*), (383) 7
 100 years of metal carbonyls; a serendipitous chemical discovery of major scientific and industrial impact (W.A. Herrmann), (383) 21

Trans. Metals – General

- Transition metals in organic synthesis, annual survey 1989 (L.S. Hegedus), (392) 285
 Transition metals in organic synthesis, annual survey 1988 (L.S. Hegedus), (380) 169
 Transition metals in organic synthesis; hydroformylation, reduction and oxidation; annual survey 1988 (L. Markó), (380) 429

Tungsten

- AgNO_3 as nitrosylation reagent (K.-B. Shiu, C.-J. Chang), (395) C47
 Alkylidyne-tricobalt cluster, metal exchange reactions with reactive $\mu_3\text{-CX}$ groups of (H.T. Schacht, H. Vahrenkamp), (381) 261
 Alkylidynetungsten complexes $[\text{W}(\equiv\text{CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ ($\text{R} = \text{Me}$ or $\text{C}_6\text{H}_4\text{Me}-4$), reactions with $[\text{Rh}_2(\mu\text{-SPh})_2(\text{COD})_2]$ of; crystal structure of $[\text{W}_2\text{Rh}_2(\mu\text{-CMe})(\mu_3\text{-CMe})(\mu\text{-SPh})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ (P.K. Byers, N. Carr, F.G.A. Stone), (384) 315
 Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Daresbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191
 $(\eta^6\text{-Arene})\text{M}(\text{CO})_3$ complexes ($\text{M} = \text{Cr}$, Mo or W), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371
 Azadiphosphetine ring system $\text{RP}(\text{NR}')\text{P}=\text{CR}'$ ($\text{R} = \text{Et}_3\text{C}$, $\text{R}' = \text{Bu}^1$), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89
 1,3-Benzodiphospholes, organometallic complexes with (K. Issleib, H. Schmidt, E. Leisring), (382) 53
 Benzylidene(pentacarbonyl)wolfram, 1,4-insertion of a 1,4-diazabutadiene into the C–H bond of (H. Fischer, K. Treier, E.-C. Plappert, J. Hofmann), (399) 153
 2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333
 1,2-Bis(3-indenyl)ethane dianion, reactions with photochemically activated carbonyl complexes of chromium, molybdenum and tungsten; crystal structure of 1,2-bis(3-indenyl)ethane (H.G. Alt, S.J. Palackal, R.D. Rogers), (388) 105
 1,1'-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1'-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík, P.A. Bates, M.B. Hursthouse), (394) 455
 Bis(pentacarbonyltungsten) complex of 1,3-diphosphaaallene with η^1 -coordination mode, preparation and X-ray structure of (M. Yoshifuiji, K. Toyota, T. Niitsu, N. Inamoto, K. Hirotsu), (389) C12
 Carbon monoxide ligands as building blocks for alkenyl ketone compounds (H.G. Alt), (383) 125
 Carbonyl-free neutral and cationic phenylcarbynyl complexes of tungsten with isonitrile ligands (A.C. Filippou, E.O. Fischer), (383) 179

- Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands (X = S, N, P) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79
- Carbonyltris(alkyne)tungsten complexes, dynamic behaviour in solution of (J. Okuda, K.H. Zimmermann), (384) C21
- Cationic trimetallic clusters with Au-W bonds, synthesis of; crystal structure of $[\text{AuW}_2(\mu\text{-CR})_2(\text{CO})_4(\text{bipy})_2\text{Cl}_2]\cdot\text{PF}_6$ ($\text{R} = \text{C}_6\text{H}_4\text{Me}-4$) (G.A. Carriero, V. Riera, G. Sánchez, X. Solans, M. Labrador), (391) 431
- ($\eta^5\text{-C}_5\text{H}_4\text{CMe}_2\text{C}_1\text{H}_9$) $\text{M}(\text{CO})_3\text{X}$ ($\text{M} = \text{Cr, Mo, W; X} = \text{H, Me}$) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131
- Chromium and tungsten aziridinocarbene complexes, synthesis and reactivity with formation of nitrile and acetiminoester complexes of (B. Denise, A. Massoud, A. Parlier, H. Rudler, J.C. Daran, J. Vaissermann, C. Alvarez, R. Patino, R.A. Toscano), (386) 51
- cis*- and *trans*-[($\eta^5\text{-C}_5\text{H}_5$) $\text{W}(\text{CO})_2(\text{H})\text{PMe}_3$] half-sandwich complexes, one- and two-dimensional multi-nuclear magnetic resonance spectroscopy of (B. Wrackmeyer, H.G. Alt, H.E. Maisel), (399) 125
- $\text{Co}_2(\text{CO})_8$, $\text{Co}_4(\text{CO})_{12}$, and $\text{Cp}_2\text{Mo}_2(\text{CO})_4$, reactions with tungsten and molybdenum propargyl complexes; study of the formation of $(\text{CO})_3\text{Co}(\mu\text{-RC}\equiv\text{CMe})\text{WCp}(\text{CO})_2$ (G.H. Young, A. Wojcicki), (390) 351
- ($\text{CO})_5\text{M}=\text{C}(\text{OMe})\text{Ph}$ ($\text{M} = \text{Cr, W}$) complexes, matrix photochemistry of; reactive MLCT and LF states of (P.C. Servaas, D.J. Stufkens, A. Oskam), (390) 61
- ($\text{CO})_5\text{ML}$, stabilisation of RP(OH)_2 , RPHNEt_2 and RPHCl ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379
- trans*-[($\text{CO})_5\text{M}(\text{Ph}_2\text{PX}(\text{CH}_2)_3\text{N}=\text{CHC}_6\text{H}_4\text{o-O})]_2\text{M}'$ ($\text{M} = \text{Mo; X} = \text{NH or M} = \text{Cr, W; X} = \text{CH}_2; \text{M}' = \text{Ni, Cu, Zn}$) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-[$(\text{CO})_5\text{Mo}\{\text{POCH}_2\text{CMe}_2\text{CH}_2\text{O}\}\text{NH}(\text{CH}_2)_2\text{N}=\text{CHC}_6\text{H}_4\text{o-O}\}]_2\text{Cu}$, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53
- Coordinated acetyl and disubstituted alkynes, regiospecific coupling of; X-ray structures of $\text{C}_5\text{H}_5\text{WOs}_2(\text{CO})_7[\text{C}(\text{Tol})\text{C}(\text{Tol})\text{CC}^n\text{Bu}]$ and $\text{C}_5\text{H}_5\text{WOs}_2(\text{CO})_7[\text{C}(\text{CF}_3)\text{C}(\text{CF}_3)\text{CCPh}]$ (Y. Chi, G. Huttner, W. Imhof), (384) 93
- $\text{Cp}(\text{CO})_2\text{W}\equiv\text{CTol}$ and $\text{Cp}(\text{CO})_2\text{W}\equiv\text{C}(2\text{-C}_4\text{H}_3\text{S})$, protonation in the presence of alkynes and carbon monoxide; synthesis of 1-naphthols and 4-hydroxy-5,6-dimethylbenzothiophene (K.E. Garrett, W.C. Feng, H. Matsuzaka, G.L. Geoffroy, A.L. Rheingold), (394) 251
- Cycloaddition between metallic ylid and ketene imine, unexpected results of (W.P. Fehlhammer, G. Zinner, G. Beck, J. Fuchs), (379) 277
- Diboradiazaronaphthalenetricarbonylchromium complexes, synthesis and characterization of (S. Allaoud, A. Karim, A. Mortreux, F. Petit, B. Frange), (379) 89
- 1-Dicarbonyl-1-(η^5 -cyclopentadienyl)-2,4-dimethyl-3-phenyl-1-wolframa-2,4-dithiabicyclo[1.1.0]butane tetrafluoroborate, preparation and X-ray crystallographic analysis of (N. Ullrich, E. Herdtweck, F.R. Kreißl), (397) C9
- Dicarbonyl(η^5 -cyclopentadienyl) η^2 -aryl(methylthio)carbene)tungsten tetrafluoroborate, reaction with tri-methylphosphine with formation of an η^3 -thio-ketene intermediate of (N. Ullrich, H. Keller, C. Stegmair, F.R. Kreissl), (378) C19
- Dicyclopentadienyl-molybdenum and -tungsten *p*-substituted benzonitrile complexes, syntheses and reactivity of; oxidative electrochemistry; crystal structure of $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2(\text{SC}_6\text{H}_5)(p\text{-}(\text{CH}_3)_2\text{NC}_6\text{H}_4\text{CN})]\text{PF}_6$ (M.A.A.F. de C.T. Carrondo, A.R. Dias, M.H. Garcia, P.M. Matias, M.P. Robalo, M.L.H. Green, J. Higgins, Y.Y. Yang), (395) 279
- Diethylaminocarbyne(carbonyl)tungsten complexes with trimethyl-phosphites and isonitrile ligands (A.C. Filippou, E.O. Fischer), (382) 143
- (*N,N*-Diethyldithiocarbamato)-tungsten(II) and -molybdenum(IV) complexes, reactions with a "C₄" hydrocarbon cut containing a mixture of alkynes and olefins; crystal structure of $[\text{W}(\text{S}_2\text{CN}(\text{C}_2\text{H}_5)_2)_2\text{-}(\text{CO})(\eta^2\text{-CH}\equiv\text{C-CH=CH}_2)]$ (N. Le Berre, R. Kergoat, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 61
- Dimeric tungsten(0) complex of a chelating triisocyanide ligand, synthesis and crystal structure of (F.E. Hahn, M. Tamm), (398) C19
- d^3-d^3 Dimolybdenum and ditungsten, organometallic chemistry of (M.H. Chisholm), (400) 235
- Diphosphinoamines, $\text{X}_2\text{PN}(\text{R})\text{PX}_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[\text{Mo}(\text{CO})_4\text{PhN}(\text{P}(\text{OPh}))_2]_2$ and

- [W(CO)₄ⁱPrN(PPh₂)₂] (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203
- 2,5-Dithiahex-3-yne (MeSC≡CSMe) and tungsten carbonyl complexes, electrophilic and nucleophilic reactions of (D.C. Miller, R.J. Angelici), (394) 235
- 16-Electron carbene complexes (CO)₄MC(NR₂)SiR'₃ (M = Cr, Mo, W), preparation and properties of (W. Hepp, U. Schubert), (385) 221
- Fe(CO)₄(η^1 -dppf) [where dppf = (Ph₂PC₅H₄)₂Fe] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345
- [Fe(CO)₂(S₄')]ⁿ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of [Fe(CO)₂(μ -S₄'){M(CO)₅}_n] ($n = 1$: M = Cr, Mo, W; $n = 2$: M = W; S₄'²⁻ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2-)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327
- Gaseous dicyclopentadienyl-molybdenum and tungsten dihydrides, standard enthalpies of formation of (A.R. Dias, H.P. Diogo, M.E.M. da Piedade, J.A.M. Simões, A.S. Carson, E.H. Jamea), (391) 361
- Group 6 dimetalla-heterocycles; CO-substitution by electron transfer catalysis in (P. Holzmeier, H. Kisch, J.K. Kochi), (382) 129
- Group 6 metal carbonyl complexes containing 2-diphenylphosphinopyridine and 3,6-bis(diphenylphosphino)pyridazine, synthesis of; molecular structure of Cr(CO)₅(3-diphenylphosphino-6-diphenylphospholypyridazine), (Z.-Z. Zhang, H.-K. Wang, Y.-J. Shen, H.-G. Wang, R.-J. Wang), (381) 45
- Heteronuclear di- and tri-metal μ -carbyne compounds from the thiocarbyne [HB(pz)₃](CO)₂W≡CSMe, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81
- HW₂(CO)₉(NO), substitution of phosphine for CO ligand in; structures of HW₂(CO)₈(NO)(η^2 -(η^5 -C₅H₄PPh₂)₂Fe, HW₂(CO)₇(NO)(Ph₂PH)₂, HW₂(CO)₇(NO)-(η^2 -Ph₂PCH₂PPh₂), and [HW₂(CO)₈(NO)]₂-(μ -Ph₂PCH₂CH₂PPh₂), (J.T. Lin, S.Y. Wang, P.S. Huang, Y.M. Hsiao, Y.S. Wen, S.K. Yeh), (388) 151
- 1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Indium monohalide insertion reactions into metal–metal bonds; crystal structure of [InCl(THF){Mo(CO)₃(η -C₅H₅)}₂] (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10
- Inenylcarbene complexes, preparation from alkinylcarbene complexes and electron-rich alkynes (H. Fischer, T. Meissner, J. Hofmann), (397) 41
- Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24
- Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313
- Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
- LWRu₂(CO)₈(μ -H)(μ ₃-NPh), L = Cp and Cp*, imido complex; reaction with the tungsten acetylidyne complex CpW(CO)₃≡CPh (Y. Chi, L.-K. Liu, G. Huttner, L. Zsolnai), (390) C50
- [MCl₂(CNBu¹)₃(PMe₃)₂] (M = Mo or W) synthesis and reactivity of, preparation of [MCl(CNBu¹)₄(PMe₃)₂]Cl and [M(SnCl₃)(CNBu¹)₃(PMe₃)₃][SnCl₃] derivatives; crystal structure of [MoCl(CNBu¹)₄(PMe₃)₂]Cl · 2Me₂CO (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241
- M(CO)₃(η^2 -bpy)(η^1 -dppm) (M = Mo, W), thermal behaviour of (M. Cano, J.A. Campo, P. Ovejero, J.V. Heras), (396) 49
- M(CO)₄(η^4 -norbornadiene) complexes of group 6 transition metals (M = Cr, Mo, W) in low-temperature matrices, photobcchemistry of (F.-W. Grevels, J. Jacke, W.E. Klotzbücher, K. Schaffner, R.H. Hooker, A.J. Rest), (382) 201
- M(CO)₆ (M = Cr, Mo, W), pulsed laser flash photolysis of; volumes of activation for solvent displacement in (solvent)M(CO)₅ transients (S. Zhang, V. Zang, H.C. Bajaj, G.R. Dobson, R. van Eldik), (397) 279
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Metallocene hexafluoropnicogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1
- Mo(II) and W(II) centres, reductive CC coupling of two isocyanide ligands to; reaction sequence via Mo(0) and W(0) isocyanide and aminocarbene complexes (A.C. Fillipou, W. Grünleitner), (393) C10
- Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond

- formation reactions; crystal structures of $[L(CO)_2W\equiv CC_6H_4-p-CH_3]$ and $[L(CO)Mo(\mu-CO)Pd(I)C(C_6H_4-p-CH_3)C_6H_4-o-CH_2N(CH_3)_2]$, $L^- = [(C_5H_5)Co(P(O)(OCH_3)_2)_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213
- Molybdenum(0) and tungsten(0) complexes containing *cis*- $[M(NO)(N_2Ar)]^{2+}$ structural unit, synthesis, chemistry and X-ray crystallographic characterisation of (M.E. Deane, F.J. Lalor, G. Ferguson, B.L. Ruhl, M. Parvez), (381) 213
- Molybdenum(0) and tungsten(0) homoleptic alkylisocyanide complexes; precursors for the synthesis of low-valent dialkylaminocarbyne complexes (A.C. Filippou, W. Grünleitner), (398) 99
- Molybdenum- and tungsten-sulphur bonds, reversible insertion of alkynes into (L. Carlton, W.A.W.A. Bakar, J.L. Davidson), (394) 177
- Molybdenum(II) and tungsten(II) polyisonitrile substituted half-sandwich complexes (A.C. Filippou, W. Grünleitner), (378) 387
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
- Nickel-molybdenum and nickel-tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765
- Pentacarbonylhalogenaminophosphine complexes ($CO_5MPRXNR_2$), formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17
- Peroxo-molybdenum and -tungsten anionic complexes, fast atom bombardment mass spectra of (O. Bortolini, P. Traldi), (379) C13
- Phosphometallacycloalkanes, conformation and ^{31}P NMR data of (E. Lindner, R. Fawzi, H.A. Mayer, K. Eicheler, K. Pohmer), (386) 63
- Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83
- Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317
- η^3 -Phosphino-, -arsino- and -thioketen complexes of tungsten, synthesis of (M. Wolfgruber, C.M. Stegmaier, F.R. Kreissl), (376) 45
- Phosphorus analogues of unsaturated hydrocarbon-transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- (P)InM(L) and (P)TIM(L) σ -bonded heteronuclear metalloporphyrin complexes (M(L) = Mn(CO)₅, Co(CO)₄, Cr(CO)₃Cp, Mo(CO)₃Cp, or W(CO)₃Cp), physicochemical study of (R. Guillard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315
- Selenobenzaldehyde chromium and tungsten complexes, synthesis, structure and η^1/η^2 isomerism of (H. Fischer, S. Zeuner, U. Gerbing, J. Riede, C.G. Kreiter), (377) 105
- Tetranuclear mixed-metal hydride complexes, LWM₃(CO)₁₁(μ -H)₃, (L = C₅H₅, C₅Me₅ and M = Ru, Os), synthesis and characterization of (Y. Chi, C.-Y. Cheng, S.-L. Wang), (378) 45
- Tetranuclear tungsten carbide cluster formed by the reductive cleavage of carbon monoxide; structural characterization of W₄(μ_4 -C)(OCH₂-c-C₅H₉)₁₄ (M.H. Chisholm, C.E. Hammond, J.C. Huffman, V.J. Johnston), (394) C16
- Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57
- Thio- and seleno-ketene imines from thio- and seleno-carbene complexes of chromium, tungsten, manganese and isocyanides (R. Aumann, J. Schröder, C. Krüger, R. Goddard), (378) 185
- Transition metal alkyne complexes, $^{13}C(^1H)$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119
- Transition metal coordinated heteroalkenes thio- and seleno-aldehyde complexes, characterisation of intermediate in reaction with bis(diethylamino)acetylene of (H. Fischer, K. Treier, J. Hofmann), (384) 305
- Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73
- Tricarbonyl- $\eta^{5:1}$ -(2-cyclopentadienyl)ethyl-molybdenum and -tungsten, photochemical reactions with cyclic dienes (C.G. Kreiter, M. Wenz, P. Bell), (394) 195
- Tricarbonyl- $\eta^{5:1}$ -(2-cyclopentadienyl)ethyl-tungsten, photochemical reactions with conjugated dienes (C.G. Kreiter, M. Wenz, P. Bell), (387) 175
- Tricarbonyl hydride complexes, Cp'W(CO)₃H (Cp' = η^5 -C₅H₅, η^5 -C₅Me₅), rearrangements with methyl- and dimethyl-acetylenes of (H.G. Alt, H.E. Engelhardt, B. Wrackmeyer, R.D. Rogers), (379) 289

- Trifluoromethylisocyanide complexes of chromium, molybdenum and tungsten, synthesis of hexakis(trifluoromethylisocyanide chromium) (D. Lentz), (381) 205
- Trigonal bipyramidal methylidine clusters, $\text{EFe}_3(\text{CO})_9\text{CH}$ ($\text{E} = \text{As, Sb, Bi}$), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
- Trimetallic anionic compounds containing $\text{Fe}-\text{E}-\text{M}$ skeletons ($\text{E} = \text{Zn, Cd, Hg}$; $\text{M} = \text{Fe, Mo, W}$); crystal structure of $[\text{N}(\text{PPh}_3)_2]_2[(\text{OC})_4\text{Fe}-\text{Hg}-\text{Fe}(\text{CO})_4]$ (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291
- Tungsten(II) cationic monobut-2-yne complexes containing dithiocarbamates and related ligands (P.K. Baker, K.R. Flower), (397) 59
- Tungsten(II) metallacycles via two-dimensional indirect $^1\text{H}, ^{183}\text{W}$ NMR spectroscopy, ^{183}W NMR data for (R. Benn, A. Rusihska, M.A. King, C.E. Osterberg, T.G. Richmond), (376) 359
- Vinyl- and chlorovinyl-isocyanide complexes, synthesis and reactivity of (W.P. Fehlhammer, G. Beck), (379) 97
- $[\text{W}(\text{CO})(\text{NCMe})(\text{S}_2\text{CNC}_4\text{H}_8)(\eta^2-\text{MeC}_2\text{Me})_2]\text{BPh}_4$ cationic bisbut-2-yne complex, synthesis, structure and reactions of (P.K. Baker, M.G.B. Drew, K.R. Flower), (391) C12
- $\text{W}(\text{CO})_3(\text{PR}_3)_2$ H_2 -coordinating fragments, binding characteristics of; optical and electrochemical properties of dinuclear pyrazine complexes (W. Bruns, W. Kaim), (390) C45
- $\text{W}_4(\text{OCH}_2\text{Pr}^i)_12(\eta^2, \mu_4-\text{CO}(\text{CO})_2$ tricarbonyl, tetrานuclear tungsten cluster supported by alkoxide ligands (M.H. Chisholm, K. Folting, V.J. Johnston, C.E. Hammond), (394) 265
- Zirconoxycarbene complexes, preparation by regioselective coupling of (isoprene)zirconocene with hexacarbonyltungsten and a ketone; crystal structure of $\text{Cp}_2\text{ZrOC}=\text{W}(\text{CO})_5\text{CH}_2\text{CHC}(\text{CH}_3)\text{CH}_2$ (G. Erker, F. Sosna, R. Pfaff, R. Noe, C. Sarter, A. Kraft, C. Krüger, R. Zwettler), (394) 99

Uranium

- $(\text{C}_9\text{H}_7)_3\text{U}/(\text{C}_9\text{H}_7)_3\text{U}-\text{I}/(\text{C}_9\text{H}_7)_3\text{U}-\text{CH}_3$ system, uranium-ligand bond disruption enthalpies in (S. Bettounville, J. Goffart, J. Fuger), (393) 205
- $(\eta\text{-C}_8\text{H}_8)\text{UI}_2(\text{THF})_2$, a precursor to monoclooctatetraenyl uranium complexes, synthesis of (J.-C. Berthet, J.-F. Le Maréchal, M. Ephritikhine), (393) C47
- $(\eta\text{-C}_5\text{H}_5)_3\text{U}(\text{THF})$, oxidative addition of organic halides to; synthesis of triscyclopentadienyl uranium(IV) hydrocarbyl complexes (C. Villiers, M. Ephritikhine), (393) 339
- Cyanotrihydroboranato tris(η^5 -cyclopentadienyl)acetonitrileuranium(IV), preparation and X-ray diffraction study of (M. Adam, K. Yıldız, R.D. Fischer), (387) C13
- Diphenylphosphinocyclopentadienyluranium-transition metal heterodinuclear complexes ($\text{CpPPh}_2)_n\text{U}-(\text{NET}_2)_4-n\text{M}(\text{CO})_4$ ($n = 2, 4$; $\text{M} = \text{Cr, Mo}$) (A. Dormond, P. Hepiègne, A. Hafid, C. Moise), (398) C1
- Monoclooctatetraenyluranium(IV) borohydrides; crystal structure of $(\eta\text{-C}_8\text{H}_8)\text{U}(\text{BH}_4)_2(\text{OPPh}_3)$ (D. Baudry, E. Bulot, M. Ephritikhine, M. Nierlich, M. Lance, J. Vigner), (388) 279
- Monocyclopentadienyl uranium alkoxides, synthesis by alcoholysis of triscyclopentadienyl uranium chlorides (B. Delavaux-Nicot, M. Ephritikhine), (399) 77
- Substituted benzamidinate anions as steric equivalents of $\eta^5\text{-C}_5\text{H}_5$ and $\eta^5\text{-C}_5\text{Me}_5$; crystal structures of $[\text{PhC}(\text{NSiMe}_3)_2]_3\text{UCl}$, $[\text{4-CF}_3\text{C}_6\text{H}_4\text{C}(\text{NSiMe}_3)_2]_3\text{UCl}$, $[\text{2,4,6-(CF}_3)_3\text{C}_6\text{H}_2\text{C}(\text{NSiMe}_3)_2]_2\text{UCl}_2$ and $[\text{2,4,6-(CF}_3)_3\text{C}_6\text{H}_2\text{C}(\text{NSiMe}_3)_2]_2\text{ThCl}_2$ (M. Wedler, F. Knösel, M. Noltemeyer, F.T. Edelmann, U. Behrens), (388) 21
- Tricyclopentadienyluranium(III) anionic complexes; crystal structure of $[(\text{C}_5\text{H}_5)_3\text{UClU}(\text{C}_5\text{H}_5)_3]-[\text{Na}(18\text{-crown-6})(\text{THF})_2]$ (J.F. LeMaréchal, C. Villiers, P. Charpin, M. Nierlich, M. Lance, J. Vigner, M. Ephritikhine), (379) 259
- Tris(indenyl)actinide hydrocarbyls, actinide-ligand bond disruption enthalpies in (S. Bettounville, J. Goffart, J. Fuger), (377) 59
- Uranium cyclohexadienyl complexes (D. Baudry, E. Bulot, M. Ephritikhine), (397) 169

Vanadium

- Bis(1,4-difluorobenzene)vanadium, conformation of (M.-D. Su, S.-Y. Chu), (384) 71
- Carbonylvanadates, hydrido- and alkyl-carbonylvanadium complexes containing alkylated oligophosphines as ancillary ligands (F. Süßmilch, W. Glöckner, D. Rehder), (388) 95
- Carbonylvanadium, 1,4- and 2,3-diazadiene complexes of; their ^{51}V NMR properties; crystal structure of cis - $[\eta^5\text{-C}_5\text{Me}_5\text{V}(\text{CO})_2^+\text{PrN}=\text{CHCH}=\text{N}^+\text{Pr}]$ (C. Woitha, U. Behrens, V. Vergopoulos, D. Rehder), (393) 97

- Chalcogen-bridged dinuclear pentamethylcyclopentadienyl-vanadium complexes, ^{51}V NMR characterisation of; X-ray crystal structure determination of $\text{Cp}_2^*\text{V}_2\text{Se}_2\text{S}_2$ and $\text{Cp}_2^*\text{V}_2\text{Se}_2\text{O}$ (M. Herberhold, M. Kuhnlein, M. Schrepfermann, M.L. Ziegler, B. Nuber), (398) 259
- $(\text{C}_5\text{H}_5)_2\text{Ti}(\text{SbF}_6)_2$ and $(\text{C}_5\text{H}_5)_2\text{Ti}(\text{Sb}_2\text{F}_{11})_2$; synthesis and characterization of; structure of $(\text{C}_5\text{H}_5)_2\text{Ti}(\text{SbF}_6)_2$ and $(\text{C}_5\text{H}_5)_2\text{V}(\text{SbF}_6)_2$ (P. Gowik, T. Klapötke, U. Thewalt), (385) 345
- π -Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161
- 1,3-Dichalcogena-2-vanada-[3]ferrocenophanes (M. Herberhold, M. Schrepfermann, A.L. Rheingold), (394) 113
- (η^3 -Indenyl)(η^5 -indenyl)V(CO)₂ 17-electron complex, electrochemistry of an oxidatively induced ring slippage in (G.A. Miller, M.J. Therien, W.C. Troglar), (383) 271
- Metallocene hexafluoropnictogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1
- Monofluoroallyl alcohols, diastereoselective epoxidation of (T. Dubuffet, C. Bidon, R. Sauvêtre, J.-F. Normant), (393) 173
- Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
- Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165
- Transition metal alkyne complexes, $^{13}\text{C}(^1\text{H})$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119
- Vanadium binuclear complexes containing sulphur and selenium ligands; reactions of $\text{CpV}(\text{CO})_4$ and $\text{Cp}^*\text{V}(\text{CO})_4$ with dichalcogenides E_2R_2 ($\text{E} = \text{S}, \text{Se}$, $\text{R} = \text{Me}, \text{Ph}$); X-ray crystallographic structures of $\text{Cp}_2^*\text{V}_2(\text{CO})_4(\mu\text{-SR})_2$ ($\text{R} = \text{Me}, \text{Ph}$; $\text{Cp} = \text{C}_5\text{H}_5$, $\text{Cp}^* = \text{C}_5\text{Me}_5$) (M. Herberhold, M. Kuhnlein, W. Kremnitz, A.L. Rheingold), (383) 71

Ytterbium

- Anionic tetramethylethylene-bridged dicyclopentadienyl ytterbium chloride ion-pair complex, preparation and crystal structure of (P. Yan, N. Hu, Z. Jin, W. Chen), (391) 313
- Bis(t-butylcyclopentadienyl)ytterbium(II), synthesis of; derivatives and molecular structure of bis(t-butylcyclopentadienyl)bis(tetrahydrofuran)ytterbium(II) (Q. Shen, D. Zheng, L. Lin, Y. Lin), (391) 321
- Bis(triphenylgermane)tetrakis(tetradrofuran)ytterbium, synthesis and structure of (M.N. Bochkarev, I.M. Penyagine, L.N. Zakharov, Yu.F. Rad'kov, E.A. Fedorova, S.Ya. Khorshev, Yu.T. Struchkov), (378) 363
- Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289
- $\text{M}(\text{C}_5\text{H}_4\text{CH}_3)_2\cdot\text{CH}_3\text{OCH}_2\text{CH}_2\text{OCH}_3$ ($\text{M} = \text{Ca}, \text{Yb}$), investigations of (A. Hammel, W. Schwarz, J. Weidlein), (378) 347
- {1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251
- Samarium(II) soluble complex, synthesis of; crystal structure of $(\text{C}_5\text{H}_4\text{CH}_2\text{CH}_2\text{CH}_2\text{C}_5\text{H}_4)\text{Yb}(\text{THF})_2$ (S.J. Swamy, J. Loebel, H. Schumann), (379) 51
- $[\text{Yb}(\text{C}_5\text{H}_4\text{CH}_3)_2\text{NH}_2]_2$, crystal structure of (A. Hammel, J. Weidlein), (388) 75

Yttrium

- Heterobimetallic bridged alkyne complex, $(\text{C}_5\text{Me}_5)\text{Y}(\mu\text{-C}\equiv\text{CCMe}_3)_2\text{Li}(\text{THF})$, synthesis and X-ray structure of (W.J. Evans, D.K. Drummond, T.P. Hanusa, J.M. Olofson), (376) 311
- {1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Zinc

- Alkynylsilanes with a cyclic ether group, one-pot synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 139
- Bis(pentamethylcyclopentadienyl)zinc and bis(tetramethylphenylcyclopentadienyl)zinc, solid state structures of (B. Fischer, P. Wijkens, J. Boersma, G. van Koten, W.J.J. Smeets, A.L. Spek, P.H.M. Budzelaar), (376) 223
- Calcium and strontium, and zinc (phenazine)⁻ species (G.E. Jacobsen, C.L. Raston), (395) C1

- trans*-[(CO)₅M{Ph₂PX(CH₂)₃N=CHC₆H₄-o-O}]₂M' (M = Mo; X = NH or M = Cr, W; X = CH₂; M' = Ni, Cu, Zn) complexes, synthesis and characterization of; X-ray crystal structure of *trans*[(CO)₅Mo{P(OCH₂CMe₂CH₂O)NH(CH₂)₂N=CHC₆H₄-o-O}]₂Cu, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53
- Dihexyn-4-ylzinc, intramolecular interaction between a zinc atom and a carbon–carbon triple bond in (E. Oknińska, K.B. Starowiejski), (376) 7
- 4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115
- Diorganozincs, enantioselective addition to aldehydes catalyzed by β -amino alcohols of (B. Noyori, S. Suga, K. Kawai, S. Okada, M. Kitamura, N. Oguni, M. Hayashi, T. Kaneko, Y. Matsuda), (382) 19
- 1-Hydroxy-2,4,6,8-tetrakis(*t*-butyl)phenoxyazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
- Organometallic reagents derived from CF₂=CFCl, CF₂=CCl₂ and CF₂=CH₂ in the synthesis of selectively fluorinated substrates (J.-F. Normant), (400) 19
- Organozinc compounds, regioselectivity towards α -iminoesters of (G. Courtois, L. Miginiac), (376) 235
- Organozinc enolates of *N,N*-disubstituted glycine esters, synthesis of; crystal structure of [EtZnOC(OMe)=C(H)N(*t*-Bu)Me]₄ (F.H. van der Steen, J. Boersma, A.L. Spek, G. van Koten), (390) C21
- Quasi-aromatic main group ring systems; synthesis, characterisation and properties of (P.P. Power), (400) 49
- Trialkylsilyl α - or ω -chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127
- Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of [N(PPh₃)₂]₂[(OC)₄Fe–Hg–Fe(CO)₄] (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291
- Zinc[bis[3-(dimethylamino)propyl-C, N]tin]bis(dibenzoylmethanato)-(Sn–Zn), crystal structure of; stabilization of a dialkytin(II) compound by Sn–Zn coordination (J.T.B.H. Jastrzebski, H.A.J. Sypkens, F.J.A. des Tombe, P.A. van der Schaaf, J. Boersma, G. van Koten, A.L. Spek, A.J.M. Duisenberg), (396) 25
- Zinc–oxygen monomeric compounds containing diethylzinc and pyrocatechol or saligenin moieties, synthesis of (W. Kuran, E. Mazanek), (384) 13

Zirconium

- 3-Arsolenes (W.A. Schenk, E. Voss), (396) C8
- Benzyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77
- Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1
- Bridged dinuclear zirconocene complexes (H.G. Alt, C.E. Denner), (398) 91
- 1-Camphenyl-titanium, -zirconium and -hafnium compounds, synthesis of (D. Schenke, K.-H. Thiele), (382) 109
- Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvè-Bellan, B. Gautheron), (376) 321
- (η^5 -C₅H₅) $(\eta^5$ -C₅Me₅)Zr[Si(SiMe₃)₃]Me, insertions of nitriles and pyridine into the Zr–Si bond of (H.-G. Woo, T. D. Tilley), (393) C6
- (C₅H₅)₂Ti^{IV} and (C₅H₅)₂Zr^{IV} complexes with oxydiacetate ligands, preparation and reactions of (U. Thewalt, T. Güthner), (379) 59
- C₅H₅ZrCl₃, organometallic Lewis acid, molecular structure of a H₂O adduct of (G. Erker, C. Sarter, S. Werner, C. Krüger), (377) C55
- [(Cp₂ZrCl)(μ - η^1 : η^5 -C₅H₄)]₂ intermediate species, ¹H and ¹³C NMR evidence for; cyclopentadienyl C–H bond activation by thermolysis of [Cp₂Zr(HCl)]_n, Cp₂Zr(R)Cl, and [Cp₂ZrCl]₂ (R. Choukroun, Y. Raoult, D. Gervais), (391) 189
- Cp₂Zr ligand complexes, theoretical study of dyotropic rearrangements of (G.N. Sastry, E.D. Jemmis), (388) 289

- (η -Cyclopentadienyl)zirconium trichloride derivatives, potentially useful organometallic Lewis acid catalysts (G. Erker, C. Sarter, M. Albrecht, S. Dehnicke, C. Krüger, E. Raabe, R. Schlund, R. Benn, A. Rufińska, R. Mynott), (382) 89
- Di- μ -chlorobis[trichloro(ethylacetate)]dizirconium(IV), crystal structure of (P. Sobota, M.O. Mustafa, T. Lis), (377) 69
- Diphosphazirconocene dichloride, (η^5 -C₄Me₄P)₂ZrCl₂, reactivity of; crystal and molecular structure of (CO)₃Fe(μ - η^5 -C₄Me₄P)₂ZrCl₂ (F. Nief, F. Mathey, L. Ricard), (384) 271
- Directly bonded zirconium-ruthenium heterobimetallic complexes, synthesis and reactions of (C.P. Casey), (400) 205
- Early-late heterobimetallic μ -alkylidene complexes, synthesis of (C.P. Casey, F.R. Askham, L.M. Petrovich), (387) C31
- (η^2 -Formaldehyde)zirconocene, reactions with heteromolecules (G. Erker, M. Mena, S. Werner, C. Krüger), (390) 323
- Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61
- Hydrozirconation-isomerisation reaction, aspects of (U. Annby, J. Alvhäll, S. Gronowitz, A. Hallberg), (377) 75
- Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-(PH)₂C₆H₄ (E. Hey), (378) 375
- Mono(η -cyclopentadienyl)zirconium complexes, coordination chemistry of and enantioselective catalysis by (G. Erker), (400) 185
- Phosphorus analogues of unsaturated hydrocarbon-transition metal π -complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149
- Titanocene and zirconocene stereorigid derivatives; synthesis and crystal structure of [η^5 - η^5 -(C₅H₄)₂Si(CH₃)₂]Ti[CH₂Si(CH₃)₃]₂ (R. Gómez, T. Cuénca, P. Royo, W.A. Herrmann, E. Herdtweck), (382) 103
- Transition metals, diene complexes of (A. Nakamura), (400) 35
- Trimethylsiloxy groups, reactivity towards hydrozirconation reagent (C₅H₅)₂Zr(H)Cl of (E. Uhlig, B. Bürglen, C. Krüger, P. Betz), (382) 77
- Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53
- Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53
- Zirconoxy carbene complexes, preparation by regioselective coupling of (isoprene)zirconocene with hexa-carbonyltungsten and a ketone; crystal structure of Cp₂ZrOCl=W(CO)₅]CH₂CHC(CH₃)CH₂ (G. Erker, F. Sosna, R. Pfaff, R. Noe, C. Sarter, A. Kraft, C. Krüger, R. Zwettler), (394) 99

Book review

- Activation and functionalization of alkanes; edited by C.L. Hill (P.A. Chaloner), (391) C33
- Advances in metal carbene chemistry, NATO ASI Series, Series C: Mathematical and physical sciences, Volume 269; edited by U. Schubert (P.A. Chaloner), (378) C9
- Advances in metal-organic chemistry, Volume 1; edited by L.S. Liebeskind (P.A. Chaloner), (395) C51
- Bioinorganic chemistry, structure and bonding, Volume 70, contributions by P. Aisen, B.C. Antanaitis, S.J. Berners-Price, K. Doi, H. Köpf-Maier, and P.J. Sadler (P.A. Chaloner), (381) C62
- Boranes and metalloboranes: structure, bonding and reactivity; by C.E. Housecroft (J.D. Smith), (397) C33
- Carbyne complexes; by H. Fischer, P. Hofmann, F.R. Kreissl, R.R. Schrock, U. Schubert and K. Weiss (M.F. Lappert), (395) C21
- Carcinogenic and mutagenic metal compounds 2, Current topics in environmental and toxicological chemistry, Volume 11, edited by E. Merian, R.W. Frei, W. Härdi, and Ch. Schlatter (P.A. Chaloner), (381) C63
- Chemical reactions on polymers, ACS Symposium Series Volume 364, edited by J.L. Benham and J.F. Kinstle (P.A. Chaloner), (378) C7
- Chemistry of tin; edited by P.G. Harrison (C. Eaborn), (391) C17
- Chemistry with ultrasound; edited by T.J. Mason (P.D. Lickiss), (396) C25
- Comprehensive organic transformations; by R.C. Larock (J.R. Hanson), (389) C26
- Crown ethers and analogues; by E. Weber, J.L. Toner, I. Goldberg, F. Vögtle, D.A. Laidler, J.F. Stoddart, R.A. Bartsch, C.L. Liotta (P.A. Chaloner), (396) C26

- Dictionary of organometallic compounds. Fifth supplement (in two volumes); by J.E. Macintyre (C. Eaborn), (391) C48
- Dictionary of organometallic compounds. Fourth supplement; by J.E. Macintyre (C. Eaborn), (377) C42
- Electrophilic aromatic substitution; by R. Taylor (C. Eaborn), (396) C27
- Elements of inorganic photochemistry, by G.J. Ferraudi (K.R. Seddon), (385) C55
- Gas phase inorganic chemistry; edited by D.H. Russell (A.J. Stace), (387) C17
- Gmelin handbook of inorganic chemistry, Si — silicon. Supplement Volume B4. Silicon–nitrogen compounds. (C. Eaborn), (381) C31
- Gmelin handbook of inorganic chemistry, 8th edition, INDEX, Formula Index, 2nd Supplement (K.R. Seddon), (386) C20
- Gmelin handbook of inorganic chemistry, 8th edition, Mo—molybdenum, supplement volume B3b: oxomolybdenum species in aqueous solutions (continued). Oxomolybdenum species in nonaqueous solvents. Oxomolybdenum species in melts. Peroxomolybdenum species (K.R. Seddon), (399) C9
- Gmelin handbook of inorganic chemistry, 8th edition, Mo—molybdenum. Supplement Volume A2b: physical properties, part 2. Electrochemistry (K.R. Seddon), (398) C29
- Gmelin handbook of inorganic chemistry, 8th edition, Pd—palladium. Supplement Volume B2: palladium compounds (K.R. Seddon), (398) C11
- Gmelin handbook of inorganic chemistry, 8th edition, Pt. Supplement Volume A2: isotopes, atoms, and clusters (G.J. Leigh), (389) C26
- Gmelin handbook of inorganic chemistry, 8th edition, Th—thorium, Supplement Volume A4: General properties. Spectra. Recoil reactions (K.R. Seddon), (386) C19
- Gmelin handbook of inorganic chemistry, 8th edition, W. Supplement Volume A6b: reactions with metals (G.J. Leigh), (389) C36
- Gmelin handbook of inorganic chemistry, 8th edition, Ge — organogermanium compounds, part 2, (C. Eaborn), (377) C43
- Innovation in zeolite materials science; edited by P.J. Grobet, W.J. Mortier, E.F. Vansant, G. Schulz-Ekloff (K.R. Seddon), (382) C25
- Inorganic syntheses. Volume 25, editor-in-chief H.R. Allcock (P.A. Chaloner), (381) C61
- Instrumental methods of analysis, seventh edition; by H.H. Willard, L.L. Merritt, Jr., J.A. Dean, F.A. Settle, Jr. (J.R. Hanson), (393) C57
- Modern synthetic methods, edited by R. Scheffold (P.A. Chaloner), (381) C60
- Molecular structure of organosilicon compounds; by E. Lukevics, O. Pudova, R. Sturkovich (C. Eaborn), (391) C34
- Naming organic compounds; by E.W. Godly (C. Eaborn), (393) C56
- Nitration, methods and mechanism; by G.A. Olah, R. Malhotra, S.C. Narang (R. Taylor), (393) C21
- One and two dimensional NMR spectroscopy, by Atta-ur-Rahman (G. Lawless), (385) C33
- Organic and inorganic low-dimensional crystalline materials (NATO ASI series B: Physics volume 168); edited by P. Delhaes and M. Drillon (K. Prassides), (377) C40
- Organic chemical nomenclature; by P. Fresenius (C. Eaborn), (393) C56
- Organic functional group preparations, Volume 12-III, second edition; by S.R. Sandler and W. Karo (P.A. Chaloner), (395) C52
- Organic high pressure chemistry; edited by W.J. Le Noble (R.A. Jackson), (382) C26
- Organometallic Chemistry, Volume 17, (Specialist Periodical Report), Senior Reporters, E.W. Abel, F.G.A. Stone (P.A. Chaloner), (377) C81
- Organometallics in organic synthesis 2; edited by H. Werner and G. Erker (P.A. Chaloner), (395) C53
- Organotin chemistry; by I. Omae (J.D. Smith), (389) C19
- Photochemistry and photophysics of coordination compounds; edited by H. Yersin and A. Vogler (K.R. Seddon), (385) C21
- Photoinduced electron transfer, parts A–D; edited by M.A. Fox and M. Channon (P.A. Chaloner), (396) C28
- Reactions of Coordinated Ligands, Volume 2, edited by P.S. Brateman (P.A. Chaloner), (377) C83
- Ruthenium and other non-platinum metal complexes in cancer chemotherapy (P.A. Chaloner), (389) C34
- Syntheses and separations using functional polymers; edited by D.C. Sherrington and P. Hodge (P.A. Chaloner), (393) C20
- The chemistry of organic silicon compounds, parts 1 and 2; edited by S. Patai and Z. Rappoport (P.D. Lickiss), (384) C65
- The chemist's English, third edition; by R. Schoenfeld (C. Eaborn), (395) C54

- The elements; by J. Emsley (P.A. Chaloner), (390) C69
- The nuclear Overhauser effect in structural and conformational analysis; by D. Neuhaus, M. Williamson (G. Lawless), (376) C44
- Topics in current chemistry, Volume 148, Electrochemistry III; by E. Steckhan (P.A. Chaloner), (377) C41
- Transition metal complexes as drugs and chemotherapeutic agents; by N. Farrell (P.A. Chaloner), (389) C35
- Two-dimensional NMR methods for establishing molecular connectivity; a chemist's guide to experiment selection, performance and interpretation; by G.E. Martin and A.S. Zektzer (P.A. Chaloner), (386) C16
- Ultrasound in synthesis; by S.V. Ley, C.M.R. Low (P.D. Lickiss), (389) C20
- United States-Japan seminar on host-guest chemistry; edited by G.W. Gokel, K. Koga (P.A. Chaloner), (390) C70
- X-ray structure determination—a practical guide; by G.H. Stout, L.H. Jensen (P.B. Hitchcock), (389) C21