
JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 385 (1990)

SUBJECT INDEX**Aluminium**

- Dinitrosylmolybdenum alkylidene complex, synthesis, spectroscopic characterization and metathesis activity of (A. Keller), (385) 285
- Pentamethylcyclopentadiene, reaction with the titanium Ziegler–Natta catalyst of (K. Mach, H. Antropiusová, J. Poláček), (385) 335
- $[\text{Ph}_P(\text{O})_2 \cdot \text{AlCl}_2]_2$ and $[\text{Ph}_2\text{P} \cdot \text{Al}(\text{i-Bu})_2]_2$, synthesis and molecular structure of (S.A. Sangokoya, W.T. Pennington, G.H. Robinson, D.C. Hrnčíř), (385) 23

Boron

- Diborane $\{(\text{Me}_3\text{Si})_3\text{C}\}\text{HB}(\mu\text{-H})_2\text{BH}\{\text{C}(\text{SiMe}_3)_3\}$ and bis(aminoboryl)amine $\{(\text{Me}_3\text{Si})_3\text{CB}(\text{NH}_2)_2\}_2\text{NH}$, crystal structures of (S.S. Al-juaid, C. Eaborn, P.B. Hitchcock, K. Kundu, M.E. Molla, J.D. Smith), (385) 13
- $(\mu_2\text{-Te}_2)\text{Fe}_2(\text{CO})_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($\text{L} = \text{PPh}_3$, $\text{M} = \text{Pt, Pd, Ni}$; $\text{L} = \text{C}_5\text{H}_5$, $\text{M} = \text{Ti}$; $\text{L} = \text{Me, n-Bu}$, $\text{M} = \text{Sn}$) of (P. Mathur, V. Dayal Reddy), (385) 363
- Hydro(trisyl)boranes, $(\text{Me}_3\text{Si})_3\text{CBHX}$, and borates, $\text{M}[\text{H}_3\text{BC}(\text{SiMe}_3)_3]_x$, formation and reactions of (P. Paetzold, L. Geret, R. Boese), (385) 1
- 9-Monofluoro-, 9,12-difluoro-1,8,9,12-trifluoro-, and 8,9,10,12-tetrafluoro-*o*-carboranes and 9-monofluoro- and 9,10-difluoro-*m*-carboranes, synthesis of; molecular structure of 8,9,10,12-tetrafluoro-*o*-carborane (V.N. Lebedev, E.V. Balagurova, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov, L.I. Zakharkin), (385) 307
- Tris(trifluoromethyl)borane stabilization in complexes with primary, secondary and tertiary amines; crystal and molecular structure of $(\text{CF}_3)_3\text{B} \cdot \text{NH}_2\text{Et}$ and $(\text{CF}_3)_3\text{B} \cdot \text{NH}_2\text{Et}$ (D.J. Brauer, H. Bürger, F. Dörrenbach, B. Krumm, G. Pawelke, W. Weuter), (385) 161

Chromium

- $[(\text{C}_5\text{H}_5)_3\text{Cr}_3(\mu_3\text{-O})(\mu\text{-OCMe}_3)_3]^+ [(\text{C}_5\text{H}_5)\text{Mo}(\text{CO})_3]^-$, synthesis, molecular structure and magnetic properties of the salt with a trinuclear cyclopentadienyl-oxo-butoxide cluster cation of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhov, O.G. Ellert, V.M. Novotortsev, Yu.T. Struchkov, A.I. Yanovsky), (385) 277
- α -Cynichrodenyl- α -ferrocenylmethylum tetrafluoroborate, synthesis and 2D NMR spectra of (Yu.-P. Wang, J.-M. Hwu), (385) 61
- 16-Electron carbene complexes $(\text{CO})_4\text{MC}(\text{NR}_2)\text{SiR}'_3$ ($\text{M} = \text{Cr, Mo, W}$), preparation and properties of (W. Hepp, U. Schubert), (385) 221
- Fluoroarenetricarbonylchromium complexes, synthesis of α -substituted aryl imino esters or nitriles via addition of α -imino esters or nitriles to, (F. Rose-Munch, K. Aniss, E. Rose), (385) C1
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Pentacarbonylchromium complexes of Diels–Alder adducts of bis(trifluoromethyl)disphosphenes (J. Grobe, T. Grosspietsch, D. Le Van, J. Schulze, B. Krebs, M. Dartmann), (385) 255
- Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-*S*)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369

Cobalt

- Azaferrocene, axial coordination to a cobalt(II) porphyrin and alkylcobaloximes of (J. Zakrzewski, C. Giannotti), (385) C23

- Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289
- 1,3-Di-*t*-butylcyclopentadienyl ligands to iron, cobalt and titanium, complexation of (J. Okuda), (385) C39
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- N*-phenylalkynylimine-hexacarbonyldicobalt complexes, synthesis and reactions of (Y. Ito, M. Inouye, M. Murakami, M. Shiro), (385) 399

Germanium

- Germa- γ -lactones, synthesis and properties of (N. Kakimoto, T. Yoshiwara, M. Akiba, Y. Ishido), (385) 247

Iridium

- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Rhodium(I) and iridium(I) complexes of the dianions of 2,3-pyrazinedicarboxylic and 2,5-pyrazinedicarboxylic acid, synthesis and reactivity of (J.C. Bayón, G. Net, J. Real, P.G. Rasmussen), (385) 409

Iron

- Azaferrocene, axial coordination to a cobalt(II) porphyrin and alkylcobaloximes of (J. Zakrzewski, C. Giannotti), (385) C23
- Bis(diphenylphosphino)methanideiron complexes, $(C_5H_5)(L)Fe(Ph_2PCHPh_2)$ ($L = CO, Me_3P$), formation and reactions of (F. Scherhag, H. Käb, T.A. Bright, W. Malisch) (385) C27
- α -Cynichrodenyl- α -ferrocenylmethylmethyl tetrafluoroborate, synthesis and 2D NMR spectra of (Yu.-P. Wang, J.-M. Hwu), (385) 61
- Di-iron doubly bridged compound, electron-transfer catalysed stepwise replacement of two carbon monoxide ligands in (A. Darchen, E.K. Lhadi, H. Patin, D. Grandjean, A. Mousser), (385) C4
- 2,3-Dimethylindole, π -coordination into cyclopentadienyliron complexes of (N. Kuhn, E.-M. Lampe), (385) C9
- 1,3-Di-*t*-butylcyclopentadienyl ligands to iron, cobalt and titanium, complexation of (J. Okuda), (385) C39
- Dodecacarbonyltriiron, multi-substituted isonitrile and mixed ligand derivatives of; the crystal structure of $Fe_3(CO)_{10}(CNBu^t)_2$ (J.B. Murray, B.K. Nicholson, A.J. Whitton), (385) 91
- $Fe(CO)_4$ and $Fe(CO)_3P(OMe)_3$, reactions with stabilized phosphoranes of (D. Senechal, M.-C. Senechal-Tocquer, J.-Y. Le Bihan, D. Gentric, B. Caro), (385) C35
- $(\mu_2-Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($L = PPh_3$, $M = Pt, Pd, Ni$; $L = C_5H_5$, $M = Ti$; $L = Me, n-Bu$, $M = Sn$) of (P. Mathur, V. Dayal Reddy), (385) 363
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-*S*)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369

Lanthanides

- Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289

Lead

- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Lithium

- $(\mu_2-Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($L = PPh_3$, $M = Pt, Pd, Ni$; $L = C_5H_5$, $M = Ti$; $L = Me, n-Bu$, $M = Sn$) of (P. Mathur, V. Dayal Reddy), (385) 363
- Organolithium compounds, degree of association in liquid ammonia of (R. den Besten, S. Harder, L. Brandsma), (385) 153

Lutetium

Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289

Manganese

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Metalloenes

Azaferrocene, axial coordination to a cobalt(II) porphyrin and alkylcobaloximes of (J. Zakrzewski, C. Giannotti), (385) C23

Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289

$(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2Ti(Sb_2F_{11})_2$; synthesis and characterization of; structure of $(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2V(SbF_6)_2$ (P. Gowik, T. Klapötke, U. Thewalt), (385) 345

α -Cynichrodenyl- α -ferrocenylmethylum tetrafluoroborate, synthesis and 2D NMR spectra of (Yu.-P. Wang, J.-M. Hwu), (385) 61

2,3-Dimethylindole, π -coordination into cyclopentadienyliron complexes of (N. Kuhn, E.-M. Lampe), (385) C9

Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-S)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369

Molybdenum

$[(C_5H_5)_3Cr_3(\mu_3-O)(\mu-OCMe_3)_3]^+ [(C_5H_5)Mo(CO)_3]^-$, synthesis, molecular structure and magnetic properties of the salt with a trinuclear cyclopentadienyl-oxo-butoxide cluster cation of (S.E. Nefedov, A.A. Pasyanski, I.L. Eremenko, B. Orazsakhmatov, O.G. Ellert, V.M. Novotortsev, Yu.T. Struchkov, A.I. Yanovsky), (385) 277

$(CO)_5Mo[C(Aryl)H]$, synthesis and reactions of (H. Fischer, D. Reindl), (385) 351

Dinitrosylmolybdenum alkylidene complex, synthesis, spectroscopic characterization and metathesis activity of (A. Keller), (385) 285

16-Electron carbene complexes $(CO)_4MC(NR_2)SiR'_3$ ($M = Cr, Mo, W$), preparation and properties of (W. Hepp, U. Schubert), (385) 221

Heterocyclic complexes of the type $cis-Mo(CO)_4\{R_2PO\}_2Si(Me)R'\}$ ($R_2 = OCH_2CMe_2CH_2O$; $R' = Me, Bu^t$ or $R_2 = Ph_2$; $R' = Bu^t$) (G.M. Gray, F.P. Fish, D.K. Srivastava, A. Varshney, M.J. van der Woerd, S.E. Ealick), (385) 49

Nickel

$(\mu_2-Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($L = PPh_3, M = Pt, Pd, Ni$; $L = C_5H_5, M = Ti$; $L = Me, n-Bu, M = Sn$) of (P. Mathur, V. Dayal Reddy), (385) 363

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Nickel(0) catalysed electrogenerated carbon dioxide, incorporation into α,ω -diynes of (S. Dérien, E. Duñach, J. Périchon), (385) C43

Osmium

Pentaosmium carbonyl clusters; substitution chemistry of; crystal structure of $H_2Os_5(CO)_{13}P(OMe)_3PEt_3$ (B.F.G. Johnson, R. Khattar, J. Lewis, P.R. Raithby, M.J. Rosales), (385) 387

Palladium

π -Allylpalladium chloride complexes, cluster ions in the FD and FAB mass spectra of (C.A. Horiuchi, E. Miki, T. Takada, J.Y. Satoh, M. Tanaka, M. Hayashi, T. Yamamoto, Y. Koike, T. Takayama, S. Nozaki), (385) C17

$(\mu_2-Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($L = PPh_3, M = Pt, Pd, Ni$; $L = C_5H_5, M = Ti$; $L = Me, n-Bu, M = Sn$) of (P. Mathur, V. Dayal Reddy), (385) 363

- Palladium-catalysed synthesis of aromatic acids from carbon monoxide and aromatic compounds via aromatic C–H bond activation (T. Jintoku, Y. Fujiwara, I. Kawata, T. Kawauchi, H. Taniguchi), (385) 297
- Palladium(IV) and platinum(IV) complexes of flexible bidentate nitrogen donor ligands, conformational and fluxional effects in (P.K. Byers, A.J. Canty, R.T. Honeyman, A.A. Watson), (385) 429
- Tripodal nitrogen donor ligands, synthesis of; characterization as Pd^{II}Me₂ and Pd^{II}IME derivatives (P.K. Byers, A.J. Canty, R.T. Honeyman), (385) 417

Phosphorus

- Bis(diphenylphosphino)methanideiron complexes, (C₅H₅)(L)Fe(Ph₂PCHPPh₂) (L = CO, Me₃P), formation and reactions of (F. Scherhag, H. Käß, T.A. Bright, W. Malisch) (385) C27
- Chiral terpenes, hydroformylation with PtCl(SnCl₃)(bis-phosphine) as catalyst of (L. Kollár, J. Bakos, B. Heil, P. Sándor, G. Szalontai), (385) 147
- (CO)₅Mo[C(Aryl)H], synthesis and reactions of (H. Fischer, D. Reindl), (385) 351
- Fe(CO)₄ and Fe(CO)₃P(OMe)₃, reactions with stabilized phosphoranes of (D. Senechal, M.-C. Senechal-Tocquer, J.-Y. Le Bihan, D. Gentric, B. Caro), (385) C35
- Hydro(trisyl)boranes, (Me₃Si)₃CBHX, and borates, M[H₃BC(SiMe₃)₃]_x, formation and reactions of (P. Paetzold, L. Geret, R. Boese), (385) I
- Organotin halides, Lewis acidities toward tributylphosphine and tributylphosphine oxide, effect of the donor site (C.H. Yoder, J.C. Otter, A. Grushow, T.F. Ganunis, B.C. Enders, A.I. Zafar, J.N. Spencer), (385) 33
- Oxy- and thio-phosphorus acid derivatives of tin(IV); crystal and molecular structure of *O*-methylphosphatotriphenyltin(IV) (J.G. Masters, F.A.K. Nasser, M.B. Hossain, A.P. Hagen, D. van der Helm, J.J. Zuckerman), (385) 39
- Pentacarbonylchromium complexes of Diels–Alder adducts of bis(trifluoromethyl)disphosphenes (J. Grobe, T. Grosspietsch, D. Le Van, J. Schulze, B. Krebs, M. Dartmann), (385) 255
- Phospharhodacyclopentanes, synthesis by C–Cl bond into rhodium uncoordinated complexes of (E. Lindner, R. Fawzi, K. Pohmer), (385) C13
- [Ph_P(O)₂·AlCl₂]₂ and [Ph₂P·Al(i-Bu)₂]₂, synthesis and molecular structure of (S.A. Sangokoya, W.T. Pennington, G.H. Robinson, D.C. Hrnair), (385) 23
- [RhCl(cyclo-C₈H₁₂)(phosphine)], mechanism of hydrosilylation of 1-hexene catalysed by (B. Marciniak, W. Duczmal, W. Urbaniak, E. Śliwińska), (385) 319
- cis*-Rh(COD)(phosphine)₂⁺ influence of rigid cyclic phosphine ligands on inner coordination shell dynamics and catalysed olefin hydrogenation/isomerization in (R.J. Topping, L.D. Quin, A.L. Crumbliss), (385) 131
- Ru₃(CO)₆[P(Ph)C(Ph)C(Ph)](μ-PPh₂)₂, six vertex *nido*-pentagonal bipyramidal structure, synthesis via reductive elimination and acetylene insertion at a triruthenium centre of (F. Van Gastel, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio, E. Sappa), (385) C50
- Trimethylphosphine and tricyclohexylphosphine complexes, (η⁵-C₅Me₅)Re(CO)(PR₃)(N₂) (R = Me, cyclo-C₆H₁₁), companion of inter- and intra-molecular C–H activation reactions of; X-ray structure of (η⁵-C₅Me₅)Re[η²-C₆H₁₀P(C₆H₁₁)₂](H)(CO)·0.5C₆H₁₄ (J.M. Aramini, F.W.B. Einstein, R.H. Jones, A.H. Klahn-Oliva, D. Sutton), (385) 73

Platinum

- Chiral terpenes, hydroformylation with PtCl(SnCl₃)(bis-phosphine) as catalyst of (L. Kollár, J. Bakos, B. Heil, P. Sándor, G. Szalontai), (385) 147
- (μ₂-Te₂)Fe₂(CO)₆, reduction and reaction of the dianion formed with metal dihalides L₂MCl₂ (L = PPh₃, M = Pt, Pd, Ni; L = C₃H₅, M = Ti; L = Me, *n*-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363
- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
- Palladium(IV) and platinum(IV) complexes of flexible bidentate nitrogen donor ligands, conformational and fluxional effects in (P.K. Byers, A.J. Canty, R.T. Honeyman, A.A. Watson), (385) 429
- Pt^{II}/SnCl₂ catalysed hydroformylation (A. Scrivanti, S. Paganelli, U. Matteoki, C. Botteghi), (385) 439

Rhenium

- Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Trimethylphosphine and tricyclohexylphosphine complexes, $(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{CO})(\text{PR}_3)(\text{N}_2)$ ($\text{R} = \text{Me}$, $\text{cyclo-C}_6\text{H}_{11}$), companion of inter- and intra-molecular C–H activation reactions of; X-ray structure of $(\eta^5\text{-C}_5\text{Me}_5)\text{Re}\{\eta^2\text{-C}_6\text{H}_{10}\text{P}(\text{C}_6\text{H}_{11})_2\}(\text{H})(\text{CO})\cdot 0.5\text{C}_6\text{H}_{14}$ (J.M. Aramini, F.W.B. Einstein, R.H. Jones, A.H. Klahn-Oliva, D. Sutton), (385) 73

Rhodium

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Phospharhodacyclopentanes, synthesis by C–Cl bond into rhodium uncoordinated complexes of (E. Lindner, R. Fawzi, K. Pohmer), (385) C13

$[\text{RhCl}(\text{cyclo-C}_8\text{H}_{12})(\text{phosphine})]$, mechanism of hydrosilylation of 1-hexene catalysed by (B. Marciniak, W. Duczmal, W. Urbaniak, E. Śliwińska), (385) 319

cis- $\text{Rh}(\text{COD})(\text{phosphine})_2^+$ influence of rigid cyclic phosphine ligands on inner coordination shell dynamics and catalysed olefin hydrogenation/isomerization in (R.J. Topping, L.D. Quin, A.L. Crumbliss), (385) 131

Rhodium catalysed dimerization of vinyl ketones, NMR study of dynamic behaviour of intermediate η^2 - and η^4 -methyl vinyl ketone-rhodium(I) (I.P. Kovalev, Yu.N. Kolmogorov, Yu.A. Strelenko, A.V. Ignatenko, M.G. Vinogradov, G.I. Nikishin), (385) 173

Rhodium(I) and iridium(I) complexes of the dianions of 2,3-pyrazinedicarboxylic and 2,5-pyrazinedicarboxylic acid, synthesis and reactivity of (J.C. Bayón, G. Net, J. Real, P.G. Rasmussen), (385) 409

Ruthenium

Alkyl-, acyl-, silyl- and hydrido-ruthenium complexes, synthesis via nucleophilic iodo-ruthenates(0) of; crystal structure of glyoxalbis(isopropylimine)(η^4 -norborandiene)methylidoruthenium (W. Rohde, H. tom Dieck), (385) 101

$\text{Ru}(\text{CO})\text{Cl}(\text{RC}=\text{CHR}')(\text{PPh}_3)_2$ reactions with carboxylates of; crystal structure of $\text{Ru}(\text{O}_2\text{CMe})(\text{CO})(\text{HC}=\text{CHPh})(\text{PPh}_3)_2$ (M.R. Torres, A. Perales, H. Loumrhari, J. Ros), (385) 379

$\text{Ru}_3(\text{CO})_6[\text{P}(\text{Ph})\text{C}(\text{Ph})\text{C}(\text{Ph})](\mu\text{-PPh}_2)_2$, six vertex *nido*-pentagonal bipyramidal structure, synthesis via reductive elimination and acetylene insertion at a triruthenium centre of (F. Van Gastel, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio, E. Sappa), (385) C50

Selenium

$(\text{CO})_5\text{Mo}[\text{C}(\text{Aryl})\text{H}]$, synthesis and reactions of (H. Fischer, D. Reindl), (385) 351

Silicon

Alkyl-, acyl-, silyl- and hydrido-ruthenium complexes, synthesis via nucleophilic iodo-ruthenates(0) of; crystal structure of glyoxalbis(isopropylimine)(η^4 -norborandiene)methylidoruthenium (W. Rohde, H. tom Dieck), (385) 101

Chlorinated vinylsilanes, multinuclear NMR of (E. Lipeiņš, I. Birģele, E. Lukevics, V.D. Sheludyakov, V.G. Lahtin), (385) 185

Diborane $\{(\text{Me}_3\text{Si})_3\text{C}\}\text{HB}(\mu\text{-H})_2\text{BH}\{\text{C}(\text{SiMe}_3)_3\}$ and bis(aminoboryl)amine $\{(\text{Me}_3\text{Si})_3\text{CB}(\text{NH}_2)\}_2\text{NH}$, crystal structures of (S.S. Al-juaid, C. Eaborn, P.B. Hitchcock, K. Kundu, M.E. Molla, J.D. Smith), (385) 13

Di-*t*-butylsilylene, addition to 2,2'-bipyridyls of (M. Weidenbruch, A. Lesch, H. Marsmann), (385) C47
16-Electron carbene complexes $(\text{CO})_4\text{MC}(\text{NR}_2)\text{SiR}'_3$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$), preparation and properties of (W. Hepp, U. Schubert), (385) 221

Heterocyclic complexes of the type *cis*- $\text{Mo}(\text{CO})_4(\text{R}_2\text{PO})_2\text{Si}(\text{Me})\text{R}'$ ($\text{R}_2 = \text{OCH}_2\text{CMe}_2\text{CH}_2\text{O}$; $\text{R}' = \text{Me}$, Bu^t or $\text{R}_2 = \text{Ph}_2$; $\text{R}' = \text{Bu}^t$) (G.M. Gray, F.P. Fish, D.K. Srivastava, A. Varshney, M.J. van der Woerd, S.E. Ealick), (385) 49

Hydro(trisilyl)boranes, $(\text{Me}_3\text{Si})_3\text{CBHX}$, and borates, $\text{M}[\text{H}_3\text{BC}(\text{SiMe}_3)_3]_x$, formation and reactions of (P. Paetzold, L. Geret, R. Boese), (385) 1

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Phenylbromine and phenyliodine disilanes and trisilanes, synthesis of (K. Hassler, M. Pöschl), (385) 201
 $[\text{RhCl}(\text{cyclo-C}_8\text{H}_{12})(\text{phosphine})]$, mechanism of hydrosilylation of 1-hexene catalysed by (B. Marciniak, W. Duczmal, W. Urbaniak, E. Śliwińska), (385) 319

Trifluoromethylsilanes, thermolysis of formation of fluoromethylsilanes by insertion of CF_2 and CHF into Si–H bonds (H. Beckers, H. Bürger), (385) 207

Sulphur

Oxy- and thio-phosphorus acid derivatives of tin(IV); crystal and molecular structure of *O*-methylphosphatotriphenyltin(IV) (J.G. Masters, F.A.K. Nasser, M.B. Hossain, A.P. Hagen, D. van der Helm, J.J. Zuckerman), (385) 39

Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-*S*)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369

Tellurium

(μ_2 -Te₂)Fe₂(CO)₆, reduction and reaction of the dianion formed with metal dihalides L₂MCl₂ (L = PPh₃, M = Pt, Pd, Ni; L = C₅H₅, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363

Tin

Chiral terpenes, hydroformylation with PtCl(SnCl₃)(bis-phosphine) as catalyst of (L. Kollár, J. Bakos, B. Heil, P. Sándor, G. Szalontai), (385) 147

Dichlorobis(imidazole)dimethyltin(IV), crystal structure of (E. García Martínez, A. Sánchez González, A. Macías, M.V. Castaño, J.S. Casas, J. Sordo), (385) 329

(μ_2 -Te₂)Fe₂(CO)₆, reduction and reaction of the dianion formed with metal dihalides L₂MCl₂ (L = PPh₃, M = Pt, Pd, Ni; L = C₅H₅, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Organotin halides, Lewis acidities toward tributylphosphine and tributylphosphine oxide, effect of the donor site (C.H. Yoder, J.C. Otter, A. Grushow, T.F. Ganunis, B.C. Enders, A.I. Zafar, J.N. Spencer), (385) 33

Oxy- and thio-phosphorus acid derivatives of tin(IV); crystal and molecular structure of *O*-methylphosphatotriphenyltin(IV) (J.G. Masters, F.A.K. Nasser, M.B. Hossain, A.P. Hagen, D. van der Helm, J.J. Zuckerman), (385) 39

Pt^{II}/SnCl₂ catalysed hydroformylation (A. Scrivanti, S. Paganelli, U. Matteoki, C. Botteghi), (385) 439

Titanium

(C₅H₅)₂Ti(SbF₆)₂ and (C₅H₅)₂Ti(Sb₂F₁₁)₂; synthesis and characterization of; structure of (C₅H₅)₂Ti(SbF₆)₂ and (C₅H₅)₂V(SbF₆)₂ (P. Gowik, T. Klapötke, U. Thewalt), (385) 345

1,3-Di-*t*-butylcyclopentadienyl ligands to iron, cobalt and titanium, complexation of (J. Okuda), (385) C39

(μ_2 -Te₂)Fe₂(CO)₆, reduction and reaction of the dianion formed with metal dihalides L₂MCl₂ (L = PPh₃, M = Pt, Pd, Ni; L = C₅H₅, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363

Pentamethylcyclopentadiene, reaction with the titanium Ziegler–Natta catalyst of (K. Mach, H. Antropiusová, J. Poláček), (385) 335

Tungsten

16-Electron carbene complexes (CO)₄MC(NR₂)SiR'₃ (M = Cr, Mo, W), preparation and properties of (W. Hepp, U. Schubert), (385) 221

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Vanadium

(C₅H₅)₂Ti(SbF₆)₂ and (C₅H₅)₂Ti(Sb₂F₁₁)₂; synthesis and characterization of; structure of (C₅H₅)₂Ti(SbF₆)₂ and (C₅H₅)₂V(SbF₆)₂ (P. Gowik, T. Klapötke, U. Thewalt), (385) 345

Ytterbium

Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289

Book reviews

Elements of inorganic photochemistry, by G.J. Ferraudi (K.R. Seddon), (385) C55

One and two dimensional NMR spectroscopy, by Atta-ur-Rahman (G. Lawless), (385) C33

Photochemistry and photophysics of coordination compounds; edited by H. Yersin and A. Vogler (K.R. Seddon), (385) C21