

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 391 (1990)**SUBJECT INDEX****Boron**

Cesium monomercaptoundecahydro *cis*-*o*-dodecaborate(2-), oxidation products of (K. Nagasawa, Y. Ikenishi, Y. Nakagawa), (391) 139

Cadmium

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru₃ cluster anions and metal halogenides of Groups 11 and 12; crystal structure of HRu₃Au(CO)₈(PPh₃)(PPh₂)₂ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Chromium

Aminocarbene chromium complex as starting compound in the synthesis of β -tritypranes and β -trispyrroles (R. Aumann, H. Heinen), (391) C7

Bis(η^6 -bimesityl)chromium, magnetic shielding and conformational mobility (Ch. Elsenbroich, J. Schneider, H. Burdorf), (391) 195

[Fe(CO)₂(S₄')] as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of [Fe(CO)₂(μ -S₄')(M(CO)₅)_n] ($n = 1$: M = Cr, Mo, W; $n = 2$: M = W; S₄'²⁻ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2-)) (D. Sellmann, R. Weiβ, F. Knoch, M. Moll), (391) 327

Cobalt

(η^5 -C₅H₅)Co(CO)₂, reaction with dichloroethyne; structures of (CpCo)(η^4 -C₇Cl₆O), [CpCo]₂[μ -(η^1 , η^2)₂C₅Cl₄O] and [η^4 -(CpCo-CCl=CCl=CCl)(CoCp)](CoCp) (K. Sünkel), (391) 247

[HRuCo₃(CO)₁₁(SeMe₂)], [HRuCo₃(CO)₁₀(SeMe₂)₂] and [HRuRh₃(CO)₉]₂[SeMe₂]₃ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

Copper

[Au₃AgCu(C₂Ph)₆]⁻ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylide complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru₃ cluster anions and metal halogenides of Groups 11 and 12; crystal structure of HRu₃Au(CO)₈(PPh₃)(PPh₂)₂ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Copper(I) and silver(I) complexes with 1,5-cyclooctadiene, Raman spectra of; the nature of metal-olefin bonds; possibility of a copper(I)-olefin bond in cytochrome oxidase (H. Masuda, M. Munakata, S. Kitagawa), (391) 131

TMSI-activated butylcopper, stereoselective conjugate addition to 1-(*R*)-*endo*-(1-naphthyl)bornyl crotonate (M. Bergdahl, M. Nilsson, T. Olsson), (391) C19

Germanium

7-Sila- and 7-germa-norbornadienes, CIDNP ¹H study of the photolysis of (S.P. Kolesnikov, M.P. Egorov, A.M. Galminas, M.B. Ezhova, O.M. Nefedov, T.V. Leshina, M.B. Taraban, A.I. Kruppa, V.I. Maryasova), (391) C1

Gold

$[\text{Au}_3\text{AgCu}(\text{C}_2\text{Ph})_6]^-$ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylidyne complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $\text{HRu}_3\text{Au}(\text{CO})_8(\text{PPh}_3)(\text{PPh}_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Cationic trimetallic clusters with Au-W bonds, synthesis of; crystal structure of $[\text{AuW}_2(\mu-\text{CR})_2(\text{CO})_4(\text{bipy})_2\text{Cl}_2]\text{PF}_6$ ($\text{R} = \text{C}_6\text{H}_4\text{Me}-4$) (G.A. Carriero, V. Riera, G. Sánchez, X. Solans, M. Labrador), (391) 431

$\text{Ir}_4(\text{CO})_8(\mu\text{-CO})_3(\text{PPh}_2\text{AuPPh}_3)$, synthesis and structural characterization of; conversion into $\text{Ir}_4(\text{CO})_9(\mu\text{-CO})(\mu\text{-PPh}_2)(\mu\text{-AuPPh}_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28 ($\text{Ru}_3(\text{CO})_{11}\right)_2(\mu\text{-dppa})$ (dppa = $\text{C}_2(\text{PPh}_2)_2$), thermal behaviour of; crystal structures of $\text{Ru}_4(\mu\text{-PPh})(\mu_4\text{-PhC}_2\text{PPh}_2)(\mu\text{-CO})_2(\text{CO})_8\cdot\text{MeOH}$, $\text{Ru}_5(\mu_4\text{-PPh})\{\mu_3\text{-CCPh}(\text{PPh}_2)\}(\text{CO})_{12}$, $\text{Ru}_5(\mu_3\text{-H})(\mu_4\text{-PPh})\{\mu_4\text{-CCPh}(\text{C}_6\text{H}_4)\}\{\mu_3\text{-PPh}\}(\text{CO})_{10}$ and $\text{Ru}_5(\mu_4\text{-PPh})\{\mu_4\text{-CCPh}(\text{C}_6\text{H}_4)\}\{\mu\text{-PPh}(\text{OMe})\}(\text{CO})_{11}\cdot2\text{MeOH}\cdot\text{H}_2\text{O}$ (M.I. Bruce, M.J. Liddell, E.R.T. Tiekkink), (391) 81

Indium

$^1\text{Pr}_2\text{InBr}$, $^1\text{Pr}_2\text{InI}$ and $^1\text{PrInI}_2$, synthesis and properties of (G.G. Hoffmann, R. Faist), (391) 1

Iridium

$\text{Ir}_4(\text{CO})_8(\mu\text{-CO})_3(\text{PPh}_2\text{AuPPh}_3)$, synthesis and structural characterization of; conversion into $\text{Ir}_4(\text{CO})_9(\mu\text{-CO})(\mu\text{-PPh}_2)(\mu\text{-AuPPh}_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28

Iron

Bridged double butterfly-shaped Fe-S cluster complexes $[(\mu\text{-RS})\text{Fe}_2(\text{CO})_6]_2(\mu\text{-SCH}_2\text{C}_6\text{H}_4\text{CH}_2\text{S}-\mu)$, synthesis and structural characterization of (L.-C. Song, M. Kadiata, J.-T. Wang, R.-J. Wang, H.-G. Wang), (391) 387

Chloro-, bromo- and methyl-ferrocenes, mass spectrometric investigation by electron and photon impact ionisation (S. Barfuss, K.-H. Emrich, W. Hirschwald, P.A. Dowben, N.M. Boag), (391) 209

$[\text{Fe}(\text{CO})_2(\text{S}_4)]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[\text{Fe}(\text{CO})_2(\mu\text{-S}_4)(\text{M}(\text{CO})_5)_n]$ ($n = 1$: $\text{M} = \text{Cr}$, Mo, W; $n = 2$: $\text{M} = \text{W}$; $\text{S}_4^{2-} = 2,3,8,9\text{-dibenzo-1,4,7,10-tetrathiadecane(2-)}$) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

Mixed disubstituted $[\text{Fe}(\text{CO})_3\text{LL}']$ complexes, preparation and characterization by ^{31}P -NMR spectroscopy of (G. Bellachioma, G. Cardaci, A. Macchioni, G. Reichenbach), (391) 367

Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377

Tertiary phosphines, complexes with iron(II) and dinitrogen, dihydrogen, and other small molecules (A. Hills, D.L. Hughes, M. Jimenez-Tenorio, G.J. Leigh), (393) C41

Mercury

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $\text{HRu}_3\text{Au}(\text{CO})_8(\text{PPh}_3)(\text{PPh}_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Metallocenes

($\eta^5\text{C}_5\text{H}_5\text{Co}(\text{CO})_2$, reaction with dichloroethyne; structures of $(\text{CpCo})(\eta^4\text{C}_2\text{Cl}_6\text{O})$, $[\text{CpCo}]_2[\mu\text{-}(\eta^1, \eta^2)_2\text{C}_5\text{Cl}_4\text{O}]$ and $[\eta^4\text{(CpCo-CCl=CCl-CCl=CCl)}](\text{CoCp})$) (K. Sünkel), (391) 247

Chloro-, bromo- and methyl-ferrocenes, mass spectrometric investigation by electron and photon impact ionisation (S. Barfuss, K.-H. Emrich, W. Hirschwald, P.A. Dowben, N.M. Boag), (391) 209

Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377

Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53

Molybdenum

$[\text{Fe}(\text{CO})_2(\text{S}_4')]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[\text{Fe}(\text{CO})_2(\mu\text{-}\text{S}_4')(\text{M}(\text{CO})_5)_n]$ ($n=1$: $\text{M}=\text{Cr}$, Mo , W ; $n=2$: $\text{M}=\text{W}$; $\text{S}_4'^{2-}=2,3,8,9\text{-dibenzo-1,4,7,10-tetrathiadecane}(2-)$) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

Gaseous dicyclopentadienyl-molybdenum and tungsten dihydrides, standard enthalpies of formation of (A.R. Dias, H.P. Diogo, M.E.M. da Piedade, J.A.M. Simões, A.S. Carson, E.H. Jamea), (391) 361

$\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2$ derivatives containing phosphorus ligands, molecular structure, bonding, and reactions of; crystal structures of $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2\text{H}(\text{PPh}_3)]\text{I}\cdot\frac{1}{2}\text{H}_2\text{O}$ and $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CH}_3)(\text{PPh}_3)]\text{PF}_6$ (C.G. Azevedo, M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, C.C. Ramão), (391) 345

Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of $\text{HRh}([\text{P}(\text{OMe})_2\text{O}]_2\text{H})_2(\text{PPh}_2\text{Me})$ (A. Varshney, G.M. Gray), (391) 415

Transition metal alkyne complexes, $^{13}\text{C}\{^1\text{H}\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Nickel

Transition metal alkyne complexes, $^{13}\text{C}\{^1\text{H}\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Niobium

$[(\eta\text{-C}_5\text{H}_5)_2\text{Nb}(\text{CO})(\text{CR}^1=\text{CHR}^2)]$, reactivity of alkenyl complexes of; crystal structure of 1,3-dithiol-2-ylidene niobium complexes (J. Amaudrut, J. Sala-Pala, J.E. Guerchais, R. Mercier), (391) 61

Osmium

$\text{Os}_3(\text{CO})_9(\mu_3\text{-C}_6\text{H}_3\text{CH}_3)(\mu_3\text{-AsC}_6\text{H}_4\text{CH}_3)$ and $\text{Os}_3(\text{CO})_8(\mu_3\text{-C}_6\text{H}_3\text{CH}_3)(\mu_3\text{-AsC}_6\text{H}_4\text{CH}_3)\text{As}(p\text{-tol})_3$, synthesis and X-ray crystal structures of; ^{13}C and ^1H NMR spectroscopic studies (P.A. Jackson, B.F.G. Johnson, J. Lewis, A.D. Massey, D. Braga, C. Gradella, F. Grepioni), (391) 225

$[\text{Os}(\eta^6\text{-C}_6\text{H}_6)(\eta^6\text{-[2]}_2(1,4)\text{C}_{16}\text{H}_{16})]\text{BF}_4)_2$, synthesis and crystal structure of; synthesis and NMR characterisation of the trinuclear heterometallic complex $[(\eta^6\text{-C}_6\text{H}_6)\text{Os}(\eta^6\text{-[2]}_2(1,4)\text{C}_{16}\text{H}_{16})\text{Ru}(\eta^6\text{-[2]}_2(1,4)\text{C}_{16}\text{H}_{16})\text{Os}((\eta^6\text{-C}_6\text{H}_6))]\text{BF}_4)_6$ (M.R.J. Elsegood, D.A. Tocher), (391) 239

Palladium

Heck reaction, chloride ion effect in (C.A. Merlic, M.F. Semmelhack), (391) C23

Phosphorus

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $\text{HRu}_3\text{Au}(\text{CO})_8(\text{PPh}_3)(\text{PPh}_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süß-Fink), (391) 109

Dioxanyl methyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37

$\text{Ir}_4(\text{CO})_8(\mu\text{-CO})_3(\text{PPh}_2\text{AuPPh}_3)$, synthesis and structural characterization of; conversion into $\text{Ir}_4(\text{CO})_9(\mu\text{-CO})(\mu\text{-PPh}_2)(\mu\text{-AuPPh}_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28

$\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2$ derivatives containing phosphorus ligands, molecular structure, bonding, and reactions of; crystal structures of $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2\text{H}(\text{PPh}_3)]\text{I}\cdot\frac{1}{2}\text{H}_2\text{O}$ and $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CH}_3)(\text{PPh}_3)]\text{PF}_6$ (C.G. Azevedo, M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, C.C. Ramão), (391) 345

Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of $\text{HRh}([\text{P}(\text{OMe})_2\text{O}]_2\text{H})_2(\text{PPh}_2\text{Me})$ (A. Varshney, G.M. Gray), (391) 415

Rhodium(I) olefin complexes, reactions with (2-(2-methoxyethoxy)ethyl)diphenylphosphine; an NMR spectroscopic study of (V.V.S. Reddy, A. Varshney, G.M. Gray), (391) 259

Tertiary phosphines, complexes with iron(II) and dinitrogen, dihydrogen, and other small molecules (A. Hills, D.L. Hughes, M. Jimenez-Tenorio, G.J. Leigh), (393) C41

Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53

Platinum

PtX_2 ($X = \text{Cl, Br, I or Me}$) and PdX_2 ($X = \text{Cl, Br or I}$) complexes with $\text{Ph}_2\text{PCH}=\text{CH}_2$ (X.L.R. Fontaine, D.P. Markham, B.L. Shaw), (391) 123

Transition metal alkyne complexes, $^{13}\text{C}\{^1\text{H}\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Rhodium

Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37

[$\text{HRuCo}_3(\text{CO})_{11}(\text{SeMe}_2)_2$], [$\text{HRuCo}_3(\text{CO})_{10}(\text{SeMe}_2)_2$] and [$\text{HRuRh}_3(\text{CO})_9]_2[\text{SeMe}_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of $\text{HRh}[(\text{P}(\text{OMe})_2\text{O})_2\text{H}]_2(\text{PPh}_2\text{Me})$ (A. Varshney, G.M. Gray), (391) 415

Rhodium(I) olefin complexes, reactions with (2-(2-methoxyethoxy)ethyl)diphenylphosphine; an NMR spectroscopic study of (V.V.S. Reddy, A. Varshney, G.M. Gray), (391) 259

Ruthenium

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $\text{HRu}_3\text{Au}(\text{CO})_8(\text{PPh}_3)(\text{PPh}_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

$\text{Cp}^*\text{Ru}(\text{OMe})\text{PCy}_3$ and Cp^*RuHL_2 ($L = \text{PCyPh}_2, \text{PCy}_2\text{H}$), reactivity of; preparation from [$\text{Cp}^*\text{Ru}(\text{OMe})_2$] and bulky phosphines (B. Chaudret, A. Duteil, X.D. He), (393) C45

[$\text{HRuCo}_3(\text{CO})_{11}(\text{SeMe}_2)_2$], [$\text{HRuCo}_3(\text{CO})_{10}(\text{SeMe}_2)_2$] and [$\text{HRuRh}_3(\text{CO})_9]_2[\text{SeMe}_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

[$\text{Os}(\eta^6\text{-C}_6\text{H}_6)(\eta^6\text{-[2}_2\text{]}(1,4)\text{C}_{16}\text{H}_{16})](\text{BF}_4)_2$, synthesis and crystal structure of; synthesis and NMR characterisation of the trinuclear heterometallic complex [$(\eta^6\text{-C}_6\text{H}_6)\text{Os}(\eta^6\text{-[2}_2\text{]}(1,4)\text{C}_{16}\text{H}_{16})\text{Ru}(\eta^6\text{-[2}_2\text{]}(1,4)\text{C}_{16}\text{H}_{16})\text{Os}(\eta^6\text{-C}_6\text{H}_6)](\text{BF}_4)_6$ (M.R.J. Elsegood, D.A. Tocher), (391) 239

$\text{Ru}(\text{CO})\text{ClH}(\text{C}_5\text{H}_5\text{N})(\text{PPh}_3)_2$, reactions with 1-alkynes (A. Romero, A. Santos, J. López, A.M. Echavarren), (391) 219

{ $\text{Ru}_3(\text{CO})_{11}\right)_2(\mu\text{-dppa)}$ (dppa = $\text{C}_2(\text{PPh}_2)_2$), thermal behaviour of; crystal structures of $\text{Ru}_4(\mu_4\text{-PPh})(\mu_4\text{-PhC}_2\text{PPh}_2)(\mu\text{-CO})_2(\text{CO})_8\cdot\text{MeOH}$, $\text{Ru}_5(\mu_4\text{-PPh})\{\mu_3\text{-CCPh}(\text{PPh}_2)\}(\text{CO})_{12}$, $\text{Ru}_5(\mu_3\text{-H})(\mu_4\text{-PPh})(\mu_4\text{-CCPh}(\text{C}_6\text{H}_4))\{\mu_3\text{-PPh})(\text{CO})_{10}$ and $\text{Ru}_5(\mu_4\text{-PPh})(\mu_4\text{-CCPh}(\text{C}_6\text{H}_4))\{\mu\text{-PPh}(\text{OMe})(\text{CO})_{11}\cdot 2\text{MeOH}\cdot\text{H}_2\text{O}$ (M.I. Bruce, M.J. Liddell, E.R.T. Tiekkink), (391) 81

Trinuclear ruthenium clusters, fixation of hydrazines and hydrazones to; synthesis and crystal structure of ($\mu_2\text{-H})\text{Ru}_3(\text{CO})_9(\mu_3\text{-NHNH}_2)$ (T. Jenke, H. Stoeckli-Evans, G. Süss-Fink), (391) 395

Samarium

((t-C₄H₉C₅H₄)₂Sm(DME)), synthesis of; its reactivity with phenylacetylene; synthesis and structure of ((t-C₄H₉C₅H₄)₂SmC≡CPh)₂ (Q. Shen, D. Zheng, L. Lin, Y. Lin), (391) 307

Selenium

[$\text{HRuCo}_3(\text{CO})_{11}(\text{SeMe}_2)_2$], [$\text{HRuCo}_3(\text{CO})_{10}(\text{SeMe}_2)_2$] and [$\text{HRuRh}_3(\text{CO})_9]_2[\text{SeMe}_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

2-Phenylselenlenones and 2-haloenones, formation from enones; mechanistic and synthetic aspects, and X-ray crystal structures of intermediates (L. Engman, K.W. Törnroos), (391) 165

¹Pr₂InBr, ¹Pr₂InI and ¹PrInI₂, synthesis and properties of (G.G. Hoffmann, R. Faist), (391) 1

Silicon

Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37

Disilyl ethynes, platinum-catalysed hydrosilylation of (T. Suzuki, P.Y. Lo), (391) 19

1,1-Disodio-2,3,4,5-tetraphenyl-1-silacyclopentadiene, synthesis and reactivity of (W.-C. Joo, J.-H. Hong, S.-B. Choi, H.-E. Son, C.H. Kim), (391) 27

Enamines of acylsilanes, preparation of; synthesis of acylsilanes (J.P. Picard, J.M. Aizpurua, A. Elyusufi, P. Kowalski), (391) 13

- 3-Methoxy-1-(tributylstannylyl)-1-propene, a versatile vinyltin synthon (J.-B. Verlhac, M. Pereyre), (391) 283**
- 3-Methylene-1,1-dichlorosilacyclobutane and 1,1-dichlorosilacyclopent-3-ene, synthesis of (R. Damrauer, R. Simon, A. Laporterie, G. Manuel, Y.T. Park, W.P. Weber), (391) 7**
- Organosilicon compounds, surface ionization mass spectra of (T. Fujii, H. Ishii, H. Tokiwa), (391) 147**
- Poly(silaisoprene), preparation by laser-induced decomposition of 1-methyl-1-vinyl-1-silacyclobutane (J. Pola, E.A. Volnina, L.E. Guselnikov), (391) 275**
- 7-Sila- and 7-germa-norbornadienes, CIDNP ^1H study of the photolysis of (S.P. Kolesnikov, M.P. Egorov, A.M. Galminas, M.B. Ezhova, O.M. Nefedov, T.V. Leshina, M.B. Taraban, A.I. Kruppa, V.I. Maryasova), (391) C1**
- Silylstannyl triflates, silylstannylation of ethyl diazoacetate with (A. Fronda, G. Maas), (391) 289**
- TMSI-activated butylcopper, stereoselective conjugate addition to 1-(*R*)-*endo*-(1-naphthyl)bornyl crotonate (M. Bergdahl, M. Nilsson, T. Olsson), (391) C19**

Silver

- [Au₃AgCu(C₂Ph)₆]⁻ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylidyne complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267**
- Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru₃ cluster anions and metal halogenides of Groups 11 and 12; crystal structure of HRu₃Au(CO)₈(PPh₃)₂ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109**
- Copper(I) and silver(I) complexes with 1,5-cyclooctadiene, Raman spectra of; the nature of metal–olefin bonds; possibility of a copper(I)–olefin bond in cytochrome oxidase (H. Masuda, M. Munakata, S. Kitagawa), (391) 131**

Sodium

- 1,1-Disodio-2,3,4,5-tetraphenyl-1-silacyclopentadiene, synthesis and reactivity of (W.-C. Joo, J.-H. Hong, S.-B. Choi, H.-E. Son, C.H. Kim), (391) 27**

Sulphur

- Bridged double butterfly-shaped Fe–S cluster complexes $[(\mu\text{-RS})\text{Fe}_2(\text{CO})_6]_2(\mu\text{-SCH}_2\text{C}_6\text{H}_4\text{CH}_2\text{S}\text{-}\mu)$, synthesis and structural characterization of (L.-C. Song, M. Kadiata, J.-T. Wang, R.-J. Wang, H.-G. Wang), (391) 387**
- Cesium monomercaptoundecahydro *clos*-dodecaborate(2-), oxidation products of (K. Nagasawa, Y. Ikenishi, Y. Nakagawa), (391) 139**
- $[(\eta\text{-C}_5\text{H}_5)_2\text{Nb}(\text{CO})(\text{CR}^1=\text{CHR}^2)]$, reactivity of alkenyl complexes of; crystal structure of 1,3-dithiol-2-ylidene niobium complexes (J. Amaudrut, J. Sala-Pala, J.E. Guerchais, R. Mercier), (391) 61**

Tellurium

- Tellurium-containing aromatic azomethine derivatives, intramolecular Te \leftarrow N coordination in (I.D. Sadekov, A.A. Maksimenko, A.G. Maslakov, V.I. Minkin), (391) 179**

Tin

- Allyl-stannanes as reagents for the formation of homoallyl alcohols and 4-chlorotetrahydropyrans by allylation of aldehydes in the presence of TiCl₄ or Cp₂TiCl₂ (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (391) 295**
- 3-Methoxy-1-(tributylstannylyl)-1-propene, a versatile vinyltin synthon (J.-B. Verlhac, M. Pereyre), (391) 283**
- Mixed-valence 1,1,12,12-tetra-*n*-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377**
- Organotin(IV) complexes of some *N,N*-dimethylaniline *N*-oxide derivatives (T.A.K. Al-Allaf, M.A.M. Al-Tayy), (391) 37**
- Silylstannyl triflates, silylstannylation of ethyl diazoacetate with (A. Fronda, G. Maas), (391) 289**
- Tetrakis(pyrazolyl)borates (G.G. Lobbia, F. Bonati, P. Cecchi, D. Leonesi), (391) 155**

Titanium

Allyl-stannanes as reagents for the formation of homoallyl alcohols and 4-chlorotetrahydropyrans by allylation of aldehydes in the presence of TiCl_4 or Cp_2TiCl_2 (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (391) 295

Me_3TiCp^* , gas phase molecular structure of (R. Blom, K. Rypdal, M. Mena, P. Royo and R. Serrano), (391) 47

Transition metal alkyne complexes, $^{13}\text{C}\{^1\text{H}\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Tungsten

Cationic trimetallic clusters with Au-W bonds, synthesis of; crystal structure of $[\text{AuW}_2(\mu-\text{CR})_2(\text{CO})_4(\text{bipy})_2\text{Cl}_2]\cdot\text{PF}_6$ ($\text{R} = \text{C}_6\text{H}_4\text{Me}-4$) (G.A. Carriero, V. Riera, G. Sánchez, X. Solans, M. Labrador), (391) 431

$[\text{Fe}(\text{CO})_2('S_4')]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[\text{Fe}(\text{CO})_2(\mu-'S_4')\{\text{M}(\text{CO})_5\}_n]$ ($n = 1$; $\text{M} = \text{Cr}$, Mo, W; $n = 2$; $\text{M} = \text{W}$; $'S_4'^{2-} = 2,3,8,9$ -dibenzo-1,4,7,10-tetrathiadecane(2-)) (D. Sellmann, R. Weiβ, F. Knoch, M. Moll), (391) 327

Gaseous dicyclopentadienyl-molybdenum and tungsten dihydrides, standard enthalpies of formation of (A.R. Dias, H.P. Diogo, M.E.M. da Piedade, J.A.M. Simões, A.S. Carson, E.H. Jamea), (391) 361

Transition metal alkyne complexes, $^{13}\text{C}\{^1\text{H}\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

$[\text{W}(\text{CO})(\text{NCMe})(\text{S}_2\text{CNC}_4\text{H}_8)(\eta^2\text{-MeC}_2\text{Me})_2]\text{[BPh}_4]$ cationic bisbut-2-yne complex, synthesis, structure and reactions of (P.K. Baker, M.G.B. Drew, K.R. Flower), (391) C12

Vanadium

Transition metal alkyne complexes, $^{13}\text{C}\{^1\text{H}\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Ytterbium

Anionic tetramethylene-bridged dicyclopentadienyl ytterbium chloride ion-pair complex, preparation and crystal structure of (P. Yan, N. Hu, Z. Jin, W. Chen), (391) 313

Bis(*t*-butylcyclopentadienyl)ytterbium(II), synthesis of; derivatives and molecular structure of bis(*t*-butylcyclopentadienyl)bis(tetrahydrofuran)ytterbium(II) (Q. Shen, D. Zheng, L. Lin, Y. Lin), (391) 321

Zirconium

$[(\text{CpZrCl})(\mu-\eta^1 : \eta^5\text{-C}_5\text{H}_4)]_2$ intermediate species, ^1H and ^{13}C NMR evidence for; cyclopentadienyl C-H bond activation by thermolysis of $[\text{Cp}_2\text{Zr}(\text{HCl})_n]$, $\text{Cp}_2\text{Zr}(\text{R})\text{Cl}$, and $[\text{Cp}_2\text{ZrCl}]_2$ (R. Choukroun, Y. Raoult, D. Gervais), (391) 189

Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53

Book reviews

Chemistry of tin; edited by P.G. Harrison (C. Eaborn), (391) C17

Dictionary of organometallic compounds. Fifth supplement (in two volumes); by J.E. Macintyre (C. Eaborn), (393) C48

Molecular structure of organosilicon compounds; by E. Lukevics, O. Pudova, R. Sturkovich (C. Eaborn), (391) C34

Nitration, methods and mechanism; by G.A. Olah, R. Malhotra, S.C. Narang (R. Taylor), (391) C33