

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 390 (1990)

SUBJECT INDEX

Aluminium

$\{[(\eta^5\text{-C}_5\text{H}_4\text{Bu}^t)_2\text{Sm}(\mu_3\text{-H})](\mu_2\text{-H})_2\text{AlH}\cdot\text{OC}_4\text{H}_8]\}_2$ 20-electron alumohydride complex of bis(*t*-butylcyclopentadienyl)samarium, crystal and molecular structure of (Yu.K. Gun'ko, B.M. Bulychev, A.I. Sizov, V.K. Bel'sky, G.L. Soloveichik), (390) 153

Antimony

$[\eta^5\text{-C}_5\text{H}_5\text{Mo}(\text{CO})_2]_2(\mu, \eta^2\text{-Sb}_2)$, synthesis and molecular structure of; formation of an Sb=Sb double bond from metallic antimony (J.R. Harper, A.L. Rheingold), (390) C36

$[(\text{Me}_3\text{Sn})_2(\text{Me}_3\text{Sb})\text{M}(\text{CN})_6]_\infty$ ($\text{M} = \text{Fe}, \text{Ru}$): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülzen, R.D. Fischer), (390) 309

Arsenic

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

Boron

$\{[(\eta^6\text{-C}_6\text{Me}_6)_2\text{Ru}_2\text{H}_4]\}\text{RuB}_{10}\text{H}_8(\text{OEt})_2$, products of the reaction with carbon monoxide; NMR studies and crystal structure of $\{[(\eta^6\text{-C}_6\text{Me}_6)_2\text{Ru}_2\text{H}_2(\text{CO})_2]\}\text{RuB}_{10}\text{H}_8(\text{OEt})_2$ (M. Bown, J.M. Waters, X.L.R. Fontaine, J.D. Kennedy), (390) 379

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

Isopinocampheyl dibromoboranes, selective catalysts for asymmetric Diels-Alder reactions (G. Bir, D. Kaufmann), (390) 1

Chromium

$(\text{CO})_5\text{M}=\text{C}(\text{OMe})\text{Ph}$ ($\text{M} = \text{Cr}, \text{W}$) complexes, matrix photochemistry of; reactive MLCT and LF states of (P.C. Servaas, D.J. Stufkens, A. Oskam), (390) 61

$(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$ Friedel-Crafts acylation of; crystal structure of $(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_4)\text{C}(\text{O})(\eta^5\text{-C}_5\text{H}_4)\text{Cr}(\text{CO})_2(\text{NO})$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

$\text{Cr}(\text{CO})_5(\text{CNCN})$, a complex in which the coordinated CN group of isocyanogen binds and vibrates like a CO ligand (G.C. Schoemaker, D.J. Stufkens, S.J. Goede, T. van der Does, F. Bickelhaupt), (390) C1

Diphosphinoamines, $\text{X}_2\text{PN}(\text{R})\text{PX}_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[\text{Mo}(\text{CO})_4\text{PhN}(\text{P}(\text{OPh})_2)_2]$ and $[\text{W}(\text{CO})_4\text{PrN}(\text{PPh}_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

Indium monohalide insertion reactions into metal-metal bonds; crystal structure of $[\text{InCl}(\text{THF})\{\text{Mo}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)\}_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

Tricarbonyl(η^6 -[8]paracyclophane)chromium, solvent dependence of the $^1\text{H-NMR}$ coordination chemical shifts of (L.W. Jenneskens, W.H. de Wolf, F. Bickelhaupt), (390) 171

Cobalt

- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16
- Cobalt(II) salts containing weakly-coordinating anions, reductive carbonylation in the presence of diphosphine ligands (A. Del Zotto, P. Rigo), (390) 97
- $\text{Co}_2(\text{CO})_8$, $\text{Co}_4(\text{CO})_{12}$, and $\text{Cp}_2\text{Mo}_2(\text{CO})_4$, reactions with tungsten and molybdenum propargyl complexes; study of the formation of $(\text{CO})_3\text{Co}(\mu-\text{RC}\equiv\text{CMe})\text{WCp}(\text{CO})_2$ (G.H. Young, A. Wojciecki), (390) 351
- Pyridine- and polypyridine-Co(I) complexes, photochemical generation by visible light irradiation of $[\text{Co}(\text{bpy})_3](\text{BPh}_4)_2$ and $[\text{Co}(\text{py})_6](\text{BPh}_4)_2$ (P. Biagini, T. Funaioli, A. Juris, G. Fachinetti), (390) C61
- Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77

Gallium

- Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

Germanium

- Ethynylstannanes, isotope $^{13}/^{12}\text{C}$ effects on ^{119}Sn nucleus shielding in (E. Liepiņš, I. Birģe, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (390) 139
- 1,1,2,2,9,9,10,10-Octamethyl-1,2,9,10-tetragerma[2.2]paracyclophane: the first [2.2]paracyclophane bridged by two Ge–Ge bonds (A. Sekiguchi, T. Yatabe, C. Kabuto and H. Sakurai), (390) C27

Gold

- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

Indium

- Indium monohalide insertion reactions into metal–metal bonds; crystal structure of $[\text{InCl}(\text{THF})\{\text{Mo}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)\}_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

Iridium

- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

Iron

- Chalcone-analogous ferrocenes *ortho*-substituted in the aromatic ring, spectroscopic investigation of (A.G. Nagy, P. Sohár), (390) 217

- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

- $(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$ Friedel–Crafts acylation of; crystal structure of $(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_4)\text{C}(\text{O})(\eta^5\text{-C}_5\text{H}_4)\text{Cr}(\text{CO})_2(\text{NO})$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

- Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoichiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227

- Diphosphinoamines, $\text{X}_2\text{PN}(\text{R})\text{PX}_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[\text{Mo}(\text{CO})_4\text{PhN}(\text{P}(\text{OPh})_2)_2]$ and $[\text{W}(\text{CO})_4\text{iPrN}(\text{PPh}_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

- 1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

- $\text{Fe}(\text{CO})_4(\eta^1\text{-dppf})$ [where dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

- Ferrocenylalkyl substituted imines, nucleophilic addition to; asymmetric synthesis of chiral amines (D.M. David, L.A.P. Kane-Maguire, S.G. Pyne), (390) C6

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals; synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

$[(\text{Me}_3\text{Sn})_2(\text{Me}_3\text{Sb})\text{M}(\text{CN})_6]_\infty$ ($\text{M} = \text{Fe}$, Ru): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77

Lanthanides

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-C}_5\text{H}_3\text{Bu}^t)_2\text{Sm}\cdot\text{OC}_4\text{H}_8$ and homoleptic ate complex $[\text{NaSm}(\eta^5\text{-C}_5\text{H}_4\text{Bu}^t)_3\cdot\text{OC}_4\text{H}_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

Lithium

$[\text{Li}(\text{THF})_4](\text{C}_5\text{H}_5)_2\text{Lu}(\text{NPh}_2)_2$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

Lutetium

Dicyclopentadienylbis(trimethylsilyl)lutetate anion, crystal structure of (H. Schumann, J.A. Meese-Markscheffel, F. Ekkehardt Hahn), (390) 301

$[\text{Li}(\text{THF})_4](\text{C}_5\text{H}_5)_2\text{Lu}(\text{NPh}_2)_2$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

Magnesium

Magnesium, reaction with benzotribalides and benzal halides; synthetic and mechanistic studies (E.C. Ashby, D.M. Al-Fekri), (390) 275

Manganese

$\text{Fe}(\text{CO})_4(\eta^1\text{-dppf})$ [where dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

Mercury

Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293

Metallocenes

Chalcone-analogous ferrocenes *ortho*-substituted in the aromatic ring, spectroscopic investigation of (A.G. Nagy, P. Sohár), (390) 217

$(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)$ Friedel-Crafts acylation of; crystal structure of $(\text{CO})_2(\text{NO})\text{Cr}(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\eta^5\text{-C}_5\text{H}_4)\text{C}(\text{O})(\eta^5\text{-C}_5\text{H}_4)\text{Cr}(\text{CO})_2(\text{NO})$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoichiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-C}_5\text{H}_3\text{Bu}^t)_2\text{Sm}\cdot\text{OC}_4\text{H}_8$ and homoleptic ate complex $[\text{NaSm}(\eta^5\text{-C}_5\text{H}_4\text{Bu}^t)_3\cdot\text{OC}_4\text{H}_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

$\text{Fe}(\text{CO})_4(\eta^1\text{-dppf})$ [where dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

Ferrocenylalkyl substituted imines, nucleophilic addition to; asymmetric synthesis of chiral amines (D.M. David, L.A.P. Kane-Maguire, S.G. Pyne), (390) C6

- Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73
- (η^2 -Formaldehyde)zirconocene, reactions with heteromolecules (G. Erker, M. Mena, S. Werner, C. Krüger), (390) 323
- Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77
- Titanocene, acetylene complexes of, as starting compounds in the preparation of five-membered titanacycles (H.G. Alt, G.S. Herrmann), (390) 159
- Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Molybdenum

- Charge relocation in cationic diene complexes: formation of an iminium-substituted allyl complex and its deprotonation to an enamine (S.A. Benyunes, M. Green), (390) C32
- [η^5 -C₅H₅Mo(CO)₂]₂(μ , η^2 -Sb₂), synthesis and molecular structure of; formation of an Sb=Sb double bond from metallic antimony (J.R. Harper, A.L. Rheingold), (390) C36
- Co₂(CO)₈, Co₄(CO)₁₂, and Cp₂Mo₂(CO)₄, reactions with tungsten and molybdenum propargyl complexes; study of the formation of (CO)₃Co(μ -RC≡CMe)WCp(CO)₂ (G.H. Young, A. Wojcicki), (390) 351
- Dicyclopentadienylmolybdenum, amidinato complexes of; synthesis and redox properties of (A.R. Dias, M.A. Queirós), (390) 193
- Diphosphinoamines, X₂PN(R)PX₂, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of [Mo(CO)₄PhN(P(OPh)₂)₂] and [W(CO)₄PrN(PPh₂)₂] (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203
- Indium monohalide insertion reactions into metal–metal bonds; crystal structure of [InCl(THF){Mo(CO)₃(η -C₅H₅)₂}₂] (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10
- Molybdenum(0) bialkyne complexes; synthesis, structure and properties of (J.S. Lain, C.H. Cheng, C.Y. Cheng, S.L. Wang), (390) 333
- Molybdenum–molybdenum double bond electroregeneration from thiolate-bridged dinuclear precursors; carbon monoxide catalysed isomerisation about the Mo=Mo bond (C. Le Floc'h, F.Y. Pétillon, C.J. Pickett, J. Talarmin), (390) C39
- Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^{*}) ligands: synthesis and Cp^{*} transfer (P. Jutzi, R. Kroos), (390) 317

Nickel

- Butadiene nickel(0) complexes, diazadiene stabilized; synthesis, characterisation and reaction with acetylene and carbon monoxide; crystal structures of (dad)Ni- μ [($\sigma^{1,4}$; η^{1-4} -C₄H₄)Ni(dad) and (dad)Ni- μ [($\sigma^{1,4}$; η^{1-4} -C₄H₄)Ni(CO)₂ (J.C.M. Sinnema, G.H.B. Fendesak, H. tom Dieck), (390) 237
- 2,3- η^2 -(1,4-Dimethoxybut-2-yne)bis(tricyclohexylphosphane)nickel(0), (Cy₃P)₂Ni(MeOCH₂C≡CCH₂-OMe), crystal and molecular structure of; influence of phosphane ligands on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görts, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (390) 113
- Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

Osmium

- [HOs₃(η^2 -CH=CH₂)(CO)₁₀] and [CpFe(CO)₂(η^2 -CH₂=CH₂)]PF₆, kinetics and mechanism of the addition of methoxide ion to the π -hydrocarbon ligands in (T. Ghazy, L.A.P. Kane-Maguire, K. Do), (390) 91

Palladium

- Cyclopalladated 2-t-butyl-4,4-dimethyl-2-oxazoline, preparation and use in the functionalisation of a non-activated carbon–hydrogen bond (G. Balavoine, J.C. Clinet), (390) C84
- Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities

- toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73
- Neutral palladium(IV) complexes containing *fac*-PdMe₂R groups, synthesis and decomposition of; reductive elimination by η^3 -propenylpalladium(IV) complexes to form η^3 -propenylpalladium(II) species (P.K. Byers, A.J. Canty, P.R. Traill, A.A. Watson), (390) 399
- Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275
- Palladium-catalyzed synthesis of unsymmetrical donor-acceptor biaryls and polyaryls (C. Amatore, A. Jutand, S. Negri, J.-F. Fauvarque), (390) 389
- Palladium(II) metallacyclic complex, oxidative addition of 3-bromoprop-1-ene to (M. Catellani, B.E. Mann), (390) 251

Phosphorus

- Alkenyl carbonyl ruthenium(II) complexes, reaction with t-butyl isocyanide; synthesis of η^1 -acylruthenium(II) complexes by intramolecular CO insertion (J. Montoya, A. Santos, A.M. Echavarren, J. Ros), (390) C57
- Azadiphosphetine ring system RP(NR')P=CR' (R = Et₃C, R' = Bu^t), relative donor properties of the *sp*³ and *sp*² hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89
- Bis(chloromethyl)(1,5-cyclooctadiene)platinum(II), carbon-carbon bond formation upon ligand displacement with tricyclohexylphosphine; X-ray structure of *trans*-di- μ -chlorobis(2-tricyclohexylphosphonioethyl)bis(tricyclohexylphosphine)diplatinum(II) bis(hexafluorophosphate), (390) 121
- Cobalt(II) salts containing weakly-coordinating anions, reductive carbonylation in the presence of diphosphine ligands (A. Del Zotto, P. Rigo), (390) 97
- 2,3- η^2 -(1,4-Dimethoxybut-2-yne)bis(tricyclohexylphosphane)nickel(0), (Cy₃P)₂Ni(MeOCH₂C≡CCH₂-OMe), crystal and molecular structure of; influence of phosphane ligands on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görls, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (390) 113
- Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275
- Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp*) ligands: synthesis and Cp* transfer (P. Jutzi, R. Kroos), (390) 317
- Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73
- W(CO)₃(PR₃)₂ H₂-coordinating fragments, binding characteristics of; optical and electrochemical properties of dinuclear pyrazine complexes (W. Bruns, W. Kaim), (390) C45
- Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Platinum

- Azadiphosphetine ring system RP(NR')P=CR' (R = Et₃C, R' = Bu^t), relative donor properties of the *sp*³ and *sp*² hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89
- Bis(chloromethyl)(1,5-cyclooctadiene)platinum(II), carbon-carbon bond formation upon ligand displacement with tricyclohexylphosphine; X-ray structure of *trans*-di- μ -chlorobis(2-tricyclohexylphosphonioethyl)bis(tricyclohexylphosphine)diplatinum(II) bis(hexafluorophosphate), (390) 121
- Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73
- Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275
- trans*-Pt(η^1 -C₃H₅)(phosphine₂)Cl complexes in benzene, carbon monoxide insertion into; crystal structure of *trans*-[Pt(COCH₂CH=CH₂)(PPh₃)₂Cl] (S. Dirè, R. Campostrini, G. Carturan, M. Calligaris, G. Nardin), (390) 267

Rhodium

- η^1 - or η^3 -Alkylallylrhodium(III) complexes, reductive elimination of; synthesis of β,γ -unsaturated ketones (C.-H. Jun), (390) 361

- Azadiphosphetine ring system $\overline{RP(NR')P=CR'}$ ($R = Et_3C$, $R' = Bu^t$), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89
- Chiral ($\eta^5-C_5H_7$)Rh(diphosphine) complexes, stereochemistry of (F. Morandini, G. Consiglio), (390) C64
- Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16
- Rh(acac)(P(OPh)₃)₂ modified with amines as catalyst for hex-1-ene hydroformylation; formation of reactive $HRh(CO)(P(OPh)_3)_3$ and unreactive $Rh_4(CO)_8(P(OPh)_3)_4$ species (A.M. Trzeciak), (390) 105
- Rhodium/picolineoxazoline catalyst, use in enantioselective hydrosilylation of acetophenone (H. Brunner, P. Brandl), (390) C81

Ruthenium

- Alkenyl carbonyl ruthenium(II) complexes, reaction with t-butyl isocyanide; synthesis of η^1 -acylruthenium(II) complexes by intramolecular CO insertion (J. Montoya, A. Santos, A.M. Echavarren, J. Ros), (390) C57
- Areneruthenium(II) complexes, carbene derivatives of; one step preparation from terminal alkynes (D. Devanne, P.H. Dixneuf), (390) 371
- [$(\eta^6-C_6Me_6)_2Ru_2H_4$]RuB₁₀H₈(OEt)₂], products of the reaction with carbon monoxide; NMR studies and crystal structure of [$(\eta^6-C_6Me_6)_2Ru_2H_2(CO)_2$]RuB₁₀H₈(OEt)₂] (M. Bown, J.M. Waters, X.L.R. Fontaine, J.D. Kennedy), (390) 379
- LWRu₂(CO)₈(μ -H)(μ ₃-NPh), L = Cp and Cp*, imido complex; reaction with the tungsten acetylidyde complex CpW(CO)₃C≡CPh (Y. Chi, L.-K. Liu, G. Huttner, L. Zsolnai), (390) C50
- [$(Me_3Sn)_2(Me_3Sb)M(CN)_6$]_n (M = Fe, Ru): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

Samarium

- [$(\eta^5-C_5H_4Bu^t)_2Sm(\mu_3-H)[(\mu_2-H)_2AlH \cdot OC_4H_8]$]₂ 20-electron alumohydride complex of bis(t-butylcyclopentadienyl)samarium, crystal and molecular structure of (Yu.K. Gun'ko, B.M. Bulychev, A.I. Sizov, V.K. Bel'sky, G.L. Soloveichik), (390) 153
- Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5-C_5H_3Bu^t)_2Sm \cdot OC_4H_8$ and homoleptic ate complex [NaSm(η^5 : η^2 -C₅H₄Bu^t)₃·OC₄H₈]_n (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35
- [Li(THF)₄][$(C_5H_5)_2Lu(NPh_2)_2$], synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

Silicon

- Dicyclopentadienylbis(trimethylsilyl)lutetate anion, crystal structure of (H. Schumann, J.A. Meese-Markscheffel, F. Ekkehardt Hahn), (390) 301
- Phenyl(trimethylsilyl)silylene, reaction with chloromethanes; insertion into the C-Cl bond and abstraction of chlorine and HCl (K. Oka, R. Nakao), (390) 7

Sodium

- Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5-C_5H_3Bu^t)_2Sm \cdot OC_4H_8$ and homoleptic ate complex [NaSm(η^5 : η^2 -C₅H₄Bu^t)₃·OC₄H₈]_n (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

Sulphur

- Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoichiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227
- 1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339
- Molybdenum-molybdenum double bond electrogeneration from thiolate-bridged dinuclear precursors;

carbon monoxide catalysed isomerisation about the Mo=Mo bond (C. Le Floc'h, F.Y. Pétillon, C.J. Pickett, J. Talarmin), (390) C39

Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293

Tellurium

Chloro-*p*-ethoxyphenyl-2-(2-pyridyl)phenyltelluronium(IV) trichloromercurate(II), crystal and molecular structure of (T.S. Lobana, S.A. Mbogo, W.R. McWhinnie, W.C. Patalinghug, A.H. White), (390) 29

Thorium

Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293

Tin

Allylstannanes with boron trifluoride etherate and boron trichloride as reagents in allylation reactions of aldehydes (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (390) 127

Ethyneylstannanes, isotope $^{13}/^{12}$ C effects on ^{119}Sn nucleus shielding in (E. Liepiņš, I. Birģe, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (390) 139

$[(\text{Me}_3\text{Sn})_2(\text{Me}_3\text{Sb})\text{M}(\text{CN})_6]_{\infty}$ ($\text{M} = \text{Fe}, \text{Ru}$): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Düslen, R.D. Fischer), (390) 309

Triorganostannane esters of dicarboxylic acids, synthesis of; crystal structure of bis(dicyclohexylammonium) trisoxalatotetrakis(tri-n-butylstannate)-2ethanol (S.W. Ng, V.G. Kumar Das, M.B. Hossain, F. Goerlitz, D. van der Helm), (390) 19

Titanium

Titanocene, acetylene complexes of, as starting compounds in the preparation of five-membered titanacycles (H.G. Alt, G.S. Herrmann), (390) 159

Tungsten

Azadiphosphetine ring system $\overline{\text{RP}(\text{NR}')\text{P}=\text{CR}'}$ ($\text{R} = \text{Et}_3\text{C}$, $\text{R}' = \text{Bu}'$), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89

$\text{Co}_2(\text{CO})_8$, $\text{Co}_4(\text{CO})_{12}$, and $\text{Cp}_2\text{Mo}_2(\text{CO})_4$, reactions with tungsten and molybdenum propargyl complexes; study of the formation of $(\text{CO})_3\text{Co}(\mu-\text{RC}\equiv\text{CMe})\text{W}\text{Cp}(\text{CO})_2$ (G.H. Young, A. Wojcicki), (390) 351

$(\text{CO})_5\text{M}=\text{C}(\text{OMe})\text{Ph}$ ($\text{M} = \text{Cr}, \text{W}$) complexes, matrix photochemistry of; reactive MLCT and LF states of (P.C. Servaas, D.J. Stukens, A. Oskam), (390) 61

Diphosphinoamines, $\text{X}_2\text{PN}(\text{R})\text{PX}_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[\text{Mo}(\text{CO})_4\text{PhN}(\text{P}(\text{OPh})_2)_2]$ and $[\text{W}(\text{CO})_4^+\text{PrN}(\text{PPh}_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

$\text{Fe}(\text{CO})_4(\eta^1\text{-dppf})$ [where dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

Indium monohalide insertion reactions into metal-metal bonds; crystal structure of $[\text{InCl}(\text{THF})(\text{Mo}(\text{CO})_3(\eta\text{-C}_5\text{H}_5))_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

$\text{LWRu}_2(\text{CO})_8(\mu\text{-H})(\mu_3\text{-NPh})$, $\text{L} = \text{Cp}$ and Cp^* , imido complex; reaction with the tungsten acetylidyne complex $\text{CpW}(\text{CO})_3\text{C}\equiv\text{CPh}$ (Y. Chi, L.-K. Liu, G. Huttner, L. Zsolnai), (390) C50

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

$\text{W}(\text{CO})_3(\text{PR}_3)_2$ H_2 -coordinating fragments, binding characteristics of; optical and electrochemical properties of dinuclear pyrazine complexes (W. Bruns, W. Kaim), (390) C45

Zinc

Organozinc enolates of *N,N*-disubstituted glycine esters, synthesis of; crystal structure of $[\text{Et}_2\text{ZnOC}(\text{OMe})=\text{C}(\text{H})\text{N}(\text{t-Bu})\text{Me}]_4$ (F.H. van der Steen, J. Boersma, A.L. Spek, G. van Koten), (390) C21

Zirconium

(η^2 -Formaldehyde)zirconocene, reactions with heteromolecules (G. Erker, M. Mena, S. Werner, C.

Krüger), (390) 323

Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Book reviews

The elements; by J. Emsley (P.A. Chaloner), (390) C69

United States-Japan seminar on host-guest chemistry; edited by G.W. Gokel, K. Koga (P.A. Chaloner),

(390) C70