

## JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 393 (1990)

---

### SUBJECT INDEX

#### **Aluminium**

Diphenylphosphine, addition to Michael-type olefins; the preparation of phosphine-nitrile and phosphine-ester ligands (D.A. Blinn, R.S. Button, V. Farazi, M.K. Neeb, C.L. Tapley, T.E. Trehearne, S.D. West, T.L. Kruger, B.N. Storhoff), (393) 143

Hydroxylamido(-O, N)nitrosyl molybdenum complexes, reactions with EtAlCl<sub>2</sub>; olefin metathesis activity of these systems (A. Keller), (393) 389

#### **Arsenic**

Chromium (methoxymethyl)carbene complexes, reactions with 3*H*-indoles (C. Giordani, E. Licandro, S. Maiorana, A. Papagni, A.M. Slawin, D.J. William), (393) 227

Phenylarsane and its pentacarbonylchromium derivatives, dehydration of; trapping reactions for diphenyldiarsene, PhAs=AsPh (I. Jibril, L.-R. Frank, L. Zsolnai, K. Evertz, G. Huttner), (393) 213

#### **Chromium**

( $\eta^6$ -Arene)M(CO)<sub>3</sub> complexes (M = Cr, Mo or W), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371

$\eta^6$ -Arenetricarbonylchromium complexes, improved synthesis of (M. Hudeček, Š. Toma), (393) 115

Chelate ( $\eta^6$ -fluorobenzyl)diphenylphosphitodicarbonylchromium complexes, scalar <sup>13</sup>C, <sup>19</sup>F spin–spin couplings between carbonyl carbons and aromatic fluorine in (P. Szczęciński), (393) 111

Chromium (methoxymethyl)carbene complexes, reactions with 3*H*-indoles (C. Giordani, E. Licandro, S. Maiorana, A. Papagni, A.M. Slawin, D.J. William), (393) 227

(CO)<sub>2</sub>ML, stabilisation of RP(OH)<sub>2</sub>, RPHNEt<sub>2</sub> and RPHCl ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379

Phenylarsane and its pentacarbonylchromium derivatives, dehydration of; trapping reactions for diphenyldiarsene, PhAs=AsPh (I. Jibril, L.-R. Frank, L. Zsolnai, K. Evertz, G. Huttner), (393) 213

#### **Cobalt**

Alkyne clusters, cage expansion of; ligand assistance by alkyne substituents (W. Rohde, J. Fischer, A. De Cian), (393) C25

1-Cobalta-2-phospha-1,3-diene, isomerisation to tricarbonyl(1-phosphaallyl)cobalt (H. Lang, M. Leise), (393) C17

#### **Copper**

[Ru<sub>2</sub>( $\mu$ -1,2-(NH)<sub>2</sub>C<sub>6</sub>H<sub>4</sub>)(CO)<sub>4</sub>(PPh<sub>3</sub>)<sub>2</sub>], reactions with H<sup>+</sup>, NO<sup>+</sup> and Group 11 metal fragments; syntheses of trinuclear Ru<sub>2</sub>M (M = Cu, Ag, Au) and pentanuclear Ru<sub>4</sub>Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423

#### **Germanium**

Hetaryl-silanes and -germanes, reaction with metal hydrides (V. Gevorgyan, L. Borisova, E. Lukevics), (393) 57

#### **Gold**

[Ru<sub>2</sub>( $\mu$ -1,2-(NH)<sub>2</sub>C<sub>6</sub>H<sub>4</sub>)(CO)<sub>4</sub>(PPh<sub>3</sub>)<sub>2</sub>], reactions with H<sup>+</sup>, NO<sup>+</sup> and Group 11 metal fragments; syntheses of trinuclear Ru<sub>2</sub>M (M = Cu, Ag, Au) and pentanuclear Ru<sub>4</sub>Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423

**Hafnium**

Dichlorobis(cyclopentadienyl)hafnium(IV), *N*-(aryl)-2-mercaptoacetamide derivatives of (A.K. Narula, P. Lukose), (393) 365

**Iridium**

Iridium(I) complexes in the selective hydrogenation of the carbonyl group of  $\alpha,\beta$ -unsaturated aldehydes to alcohols (C.S. Chin, B. Lee, S.C. Park), (393) 131

**Iron**

Alkyne clusters, cage expansion of; ligand assistance by alkyne substituents (W. Rohde, J. Fischer, A. De Cian), (393) C25

$[\text{CpFe}(\mu\text{-PR}_2)\text{CO}]_2$  and  $[\text{Cp}_2\text{Fe}_2(\mu\text{-H})(\mu\text{-PR}_2)(\text{CO})_2]$  optically active phosphido-bridged iron complexes, photochemically induced *cis-trans* isomerisation of (H. Brunner, H. Peter), (393) 411

Iron azadiene and diene complexes, new method for synthesis of; reaction of ( $\eta^2\text{-RCHCHCOR'}$ ) $\text{Fe}(\text{CO})_4$  with aniline and ylide (M.F. Semmelhack, C.H. Cheng), (393) 237

Iron carbonyl, insertion into a C-S bond of tetrathiofulvane (H.G. Raubenheimer, L. Linford, H.M. Roos), (393) C49

Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401

**Lithium**

Alkylolithium and potassium alkoxide complex bases, utilization in the dimetallation of phenol, thiophenol, *o*, *m*- and *p*-cresol (H. Andringa, H.D. Verkruyse, L. Brandsma, L. Lochmann), (393) 307

Fluoroallyl alcohols, preparation of (T. Dubuffet, C. Bidon, P. Martinet, R. Sauvêtre, J.-F. Normant), (393) 161

Organopotassium compounds, activation of n-butyllithium by; preparation of strongly basic systems (F. Scott, A.M. Hamee, H.G. Raubenheimer), (393) C40

Phenyllithium complexes,  $^{13}\text{C}$  CP/MAS NMR spectroscopy of (D. Johnels, U. Edlund), (393) C35

**Magnesium**

Diarylmagnesium species, coordination modes of; some representative X-ray crystal structures (P.R. Markies, G. Schat, O.S. Akkerman, F. Bickelhaupt, W.J.J. Smeets, P. van der Sluis, A.L. Spek), (393) 315

Tris(3,5-dimethylpyrazolyl)hydroboratomagnesium alkyl derivatives, ligand redistribution reactions of; crystal structure of  $\{\eta^3\text{-HB}(3,5\text{-Me}_2\text{pz})_3\}_2\text{Mg}$  (R. Han, G. Parkin), (393) C43

**Metallocenes**

Titanocene, alkenyl and ethyl complexes of; crystal structure of  $[\text{Cp}_2\text{Ti}(\text{CMe}=\text{CHMe})]_2\mu\text{-O}$  (G.S. Herrmann, H.G. Alt, U. Thewalt), (393) 83

**Molybdenum**

( $\eta^6$ -Arene) $\text{M}(\text{CO})_3$  complexes ( $\text{M} = \text{Cr, Mo or W}$ ), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371

$(\text{CO})_5\text{ML}$ , stabilisation of  $\text{RP(OH)}_2$ ,  $\text{RPHNEt}_2$  and  $\text{RPHCl}$  ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379

Hydroxylamido(-*O,N*)nitrosyl molybdenum complexes, reactions with  $\text{EtAlCl}_2$ ; olefin metathesis activity of these systems (A. Keller), (393) 389

Mo(II) and W(II) centres, reductive CC coupling of two isocyanide ligands to; reaction sequence via Mo(0) and W(0) isocyanide and aminocarbyne complexes (A.C. Fillipou, W. Grünleitner), (393) C10

Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401

Transition metal sulfide clusters containing  $\text{Cp}^*\text{Mo}$  ( $\text{Cp}^* = \text{C}_5\text{Me}_5$ ),  $\text{CuCl}$  and  $\text{Fe}(\text{NO})$  groups, synthesis and characterisation of (H. Brunner, R. Graßl, J. Wachter, B. Nuber, M.L. Ziegler), (393) 119

## Nickel

Nickel 2,2'-bipyridine complexes as catalysts in the synthesis of asymmetrical biaryls by the electroreduction of aryl halides (G. Meyer, M. Troupel, J. Périchon), (393) 137

## Osmium

Osmium phosphido ( $\text{PH}_2$ ) complexes (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (393) 243

## Palladium

Diphenylphosphine, addition to Michael-type olefins; the preparation of phosphine-nitrile and phosphine-ester ligands (D.A. Blinn, R.S. Button, V. Farazi, M.K. Neeb, C.L. Tapley, T.E. Trehearne, S.D. West, T.L. Kruger, B.N. Storhoff), (393) 143

Methylpalladium(II) cationic complexes, synthesis from  $[\text{PdMe}(\text{SMe}_2)(\mu-\text{I})]_2$ ; crystal structure of  $[\text{PdMe}(\text{bpy})(\gamma\text{-pic})]\text{BF}_4^-$  (P.K. Byers, A.J. Canty, B.W. Skelton, A.H. White), (393) 299

Palladium(II), binuclear hydroxo-monopentahalophenyl complexes of (G. López, J. Ruiz, G. García, C. Vicente, J.M. Martí, M.D. Santana), (393) C53

## Phosphorus

Chelate ( $\eta^6$ -fluorobenzyl)diphenylphosphitodicarbonylchromium complexes, scalar  $^{13}\text{C}$ ,  $^{19}\text{F}$  spin-spin couplings between carbonyl carbons and aromatic fluorine in (P. Szczeciński), (393) 111

Chromium (methoxymethyl)carbene complexes, reactions with 3*H*-indoles (C. Giordani, E. Licandro, S. Maiorana, A. Papagni, A.M. Slawin, D.J. William), (393) 227

1-Cobalta-2-phospha-1,3-diene, isomerisation to tricarbonyl(1-phosphaallyl)cobalt (H. Lang, M. Leise), (393) C17

$(\text{CO})_5\text{ML}$ , stabilisation of  $\text{RP(OH)}_2$ ,  $\text{RPNHET}_2$  and  $\text{RPHCl}$  ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379

$[\text{CpFe}(\mu-\text{PR}_2)\text{CO}]_2$  and  $[\text{Cp}_2\text{Fe}_2(\mu-\text{H})(\mu-\text{PR}_2)(\text{CO})_2]$  optically active phosphido-bridged iron complexes, photochemically induced *cis-trans* isomerisation of (H. Brunner, H. Peter), (393) 411

Diphenylphosphine, addition to Michael-type olefins; the preparation of phosphine-nitrile and phosphine-ester ligands (D.A. Blinn, R.S. Button, V. Farazi, M.K. Neeb, C.L. Tapley, T.E. Trehearne, S.D. West, T.L. Kruger, B.N. Storhoff), (393) 143

Osmium phosphido ( $\text{PH}_2$ ) complexes (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (393) 243

Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401

Platinum sulfur ylide complexes, preparation by phase transfer catalysis (J.S. Lai, R.F. Wu, I.J.B. Lin, M.C. Cheng, Y. Wang), (393) 431

Rhodium- $\beta$ -diketonate complexes of diphosphines and pyridyl-substituted diphosphines, dichloromethane addition to (P.J. Fennis, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (393) 287

$[\text{Ru}_3(\mu-\text{H})(\mu_3\text{-ampy})(\text{CO})_9]$  (Hampy = 2-amino-6-methylpyridine), diphenylphosphine and diphenylphosphido derivatives of (P.L. Andreu, J.A. Cabeza, V. Riera), (393) C30

## Platinum

Isosteric isobutyl(isopropoxy)silanes,  $^1\text{Bu}_n(^1\text{PrO})_{3-n}\text{SiH}$  ( $n = 0-3$ ), reaction with allyl bromide in the presence of platinum compounds (J. Pikies, W. Wojnowski), (393) 187

Platinum-catalyzed hydroformylation, role of additives in (L. Kollár, P. Sándor, G. Szalontai, B. Heil), (393) 153

Platinum sulfur ylide complexes, preparation by phase transfer catalysis (J.S. Lai, R.F. Wu, I.J.B. Lin, M.C. Cheng, Y. Wang), (393) 431

## Potassium

Alkyllithium and potassium alkoxide complex bases, utilitzation in the dimetallation of phenol, thiophenol, *o*-, *m*- and *p*-cresol (H. Andringa, H.D. Verkruissse, L. Brandsma, L. Lochmann), (393) 307

Organopotassium compounds, activation of n-butyllithium by; preparation of strongly basic systems (F. Scott, A.M. Hamese, H.G. Raubenheimer), (393) C40

**Rhodium**

- Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401
- Rhodium- $\beta$ -diketonate complexes of diphosphines and pyridyl-substituted diphosphines, dichloromethane addition to (P.J. Fennis, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (393) 287

**Ruthenium**

- Osmium phosphido ( $\text{PH}_2$ ) complexes (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (393) 243
- $[\text{Ru}_2\{\mu\text{-1,2-(NH)}_2\text{C}_6\text{H}_4\}(\text{CO})_4(\text{PPh}_3)_2]$ , reactions with  $\text{H}^+$ ,  $\text{NO}^+$  and Group 11 metal fragments; syntheses of trinuclear  $\text{Ru}_2\text{M}$  ( $\text{M} = \text{Cu}, \text{Ag}, \text{Au}$ ) and pentanuclear  $\text{Ru}_4\text{Au}$  clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423
- $[\text{Ru}_3(\mu\text{-H})(\mu_3\text{-ampy})(\text{CO})_9]$  (Hampy = 2-amino-6-methylpyridine), diphenylphosphine and diphenylphosphido derivatives of (P.L. Andreu, J.A. Cabeza, V. Riera), (393) C30

**Selenium**

- $\mu$ -Oxo-bis( $\eta^5$ -cyclopentadienyldichlorotitanium(IV)), preparation from  $\eta^5$ -cyclopentadienyl-tris(methylselenolato)titanium(IV) (P. Gowik, T. Klapötke, J. Pickardt), (393) 343

**Silicon**

- Alkenylsilanes, radical addition of tetrahydrofuran and tetrahydro-2-furanone to; effect of the presence of di(t-butyl)peroxide (V. Gevorgyan, E. Priede, E. Liepiņš, M. Gavars, E. Lukevics), (393) 333
- ( $\eta^5\text{-C}_5\text{H}_5$ ) $(\eta^5\text{-C}_5\text{Me}_5)$  $\text{Zr}[\text{Si}(\text{SiMe}_3)_3]\text{Me}$ , insertions of nitriles and pyridine into the Zr-Si bond of (H.-G. Woo, T. D. Tilley), (393) C6
- ( $\eta\text{-C}_8\text{H}_8$ ) $\text{UI}_2(\text{THF})_2$ , a precursor to monocyclooctatetraenyl uranium complexes, synthesis of (J.-C. Berthet, J.-F. Le Maréchal, M. Ephritikhine), (393) C47
- 2,4-Dineopentyl-1,3-disilacyclobutanes, preparation and characterisation of (N. Auer, R. Gleixner), (393) 33
- Ethynylsilanes,  $J(^{29}\text{Si}-^{13}\text{C})$  coupling constants and  $^{13/12}\text{C}$  isotope shifts in  $^{29}\text{Si}$  NMR spectra of (E. Liepiņš, I. Birģe, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (393) 11
- Fluoroallyl alcohols, preparation of (T. Dubuffet, C. Bidon, P. Martinet, R. Sauvêtre, J.-F. Normant), (393) 161
- Hetaryl-silanes and -germanes, reaction with metal hydrides (V. Gevorgyan, L. Borisova, E. Lukevics), (393) 57
- Highly crowded organosilanol, 1,3-migration of triorganosilyl groups from carbon to oxygen in (A.I. Al-Mansour, M.I. Al-Gurashi, C. Eaborn, F.A. Fattah, P.D. Lickiss), (393) 27
- Isosteric isobutyl(isopropoxy)silanes,  $^1\text{Bu}_n(^1\text{PrO})_{3-n}\text{SiH}$  ( $n = 0-3$ ), reaction with allyl bromide in the presence of platinum compounds (J. Pikies, W. Wojnowski), (393) 187
- 3-Methyl-1,1-bis(trimethylsiloxy)-1,3-butadiene and trimethylsilyl 4-trimethylsilyl-3-methyl-2-butenoate, synthesis and reactions with benzaldehyde (M. Bellasoued, R. Ennigrou, M. Gaudemar), (393) 19
- Organosilicon-substituted alkenes, hydroformylation of (R. Takeuchi, N. Sato), (393) 1

**Silver**

- $[\text{Ru}_2\{\mu\text{-1,2-(NH)}_2\text{C}_6\text{H}_4\}(\text{CO})_4(\text{PPh}_3)_2]$ , reactions with  $\text{H}^+$ ,  $\text{NO}^+$  and Group 11 metal fragments; syntheses of trinuclear  $\text{Ru}_2\text{M}$  ( $\text{M} = \text{Cu}, \text{Ag}, \text{Au}$ ) and pentanuclear  $\text{Ru}_4\text{Au}$  clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423

**Sulphur**

- Dichlorobis(cyclopentadienyl)hafnium(IV), *N*-(aryl)-2-mercaptopacetamide derivatives of (A.K. Narula, P. Lukose), (393) 365
- Iron carbonyl, insertion into a C-S bond of tetrathiofulvane (H.G. Raubenheimer, L. Linford, H.M. Roos), (393) C49

**Tin**

- Di-*n*-butyltin(IV) di-*o*-bromobenzoate, a weakly-bridged dimer (S.W. Ng, V.G. Kumar Das, W.-H. Yip, R.-J. Wang, T.C.W. Mak), (393) 201

- 5-Hexenyltributyltin, reaction with pseudohalogens; cyclization vs. double bond addition (J.W. Herndon, J.J. Harp), (393) C1
- Organotin compounds,  $^{119}\text{Sn}$  NMR studies of the pyrazine adducts of (D. Cunningham, J. McManus, M.J. Hynes), (393) 69
- Polymeric trimethylstannyl thiophene-2-carboxylate, X-ray crystal structure of (G.K. Sandhu, S.P. Verma, E.R.T. Tiekkink), (393) 195

## Titanium

- Dicarbonylbiscyclopentadienyltitanium(II), standard molar enthalpy of formation of the crystalline compound (M.A.V. Ribeiro da Silva, M.D.M.C. Ribeiro da Silva), (393) 359
- Monofluoroallyl alcohols, diastereoselective epoxidation of (T. Dubuffet, C. Bidon, R. Sauvêtre, J.-F. Normant), (393) 173
- $\mu$ -Oxo-bis( $\eta^5$ -cyclopentadienyl dichlorotitanium(IV)), preparation from  $\eta^5$ -cyclopentadienyl-tris(methyl-selenolato)titanium(IV) (P. Gowik, T. Klapötke, J. Pickardt), (393) 343
- $\text{TiCl}_4$ , interaction with *o*-, *m*- and *p*-diesters; crystal structures of [*o*- $\text{C}_6\text{H}_4(\text{COO-i-Bu})_2\text{TiCl}_4]\text{CH}_2\text{Cl}_2$  and [*p*- $\text{C}_6\text{H}_4(\text{COOMe})_2\text{TiCl}_4]$  (P. Sobota, J. Utko, T. Lis), (393) 349
- Titanocene, alkenyl and ethyl complexes of; crystal structure of  $[\text{Cp}_2\text{Ti}(\text{CMe}=\text{CHMe})_2]_2\mu\text{-O}$  (G.S. Herrmann, H.G. Alt, U. Thewalt), (393) 83

## Tungsten

- ( $\eta^6$ -Arene) $\text{M}(\text{CO})_3$  complexes ( $\text{M} = \text{Cr, Mo or W}$ ), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371
- $(\text{CO})_3\text{ML}$ , stabilisation of  $\text{RP(OH)}_2$ ,  $\text{RPHNEt}_2$  and  $\text{RPHCl}$  ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379
- Mo(II) and W(II) centres, reductive CC coupling of two isocyanide ligands to; reaction sequence via Mo(0) and W(0) isocyanide and aminocarbyne complexes (A.C. Fillipou, W. Grünleitner), (393) C10

## Uranium

- $(\text{C}_9\text{H}_7)_3\text{U}/(\text{C}_9\text{H}_7)_3\text{U}-\text{I}/(\text{C}_9\text{H}_7)_3\text{U}-\text{CH}_3$  system, uranium-ligand bond disruption enthalpies in (S. Bettownville, J. Goffart, J. Fuger), (393) 205
- ( $\eta\text{-C}_8\text{H}_8$ ) $\text{UI}_2(\text{THF})_2$ , a precursor to monocyclooctatetraenyl uranium complexes, synthesis of (J.-C. Berthet, J.-F. Le Maréchal, M. Ephritikhine), (393) C47
- ( $\eta\text{-C}_5\text{H}_5$ ) $_3\text{U}(\text{THF})$ , oxidative addition of organic halides to; synthesis of triscyclopentadienyl uranium(IV) hydrocarbyl complexes (C. Villiers, M. Ephritikhine), (393) 339

## Vanadium

- Carbonylvanadium, 1,4- and 2,3-diazadiene complexes of; their  $^{51}\text{V}$  NMR properties; crystal structure of *cis*-[ $\eta^5\text{-C}_5\text{Me}_5\text{V}(\text{CO})_2^+\text{PrN=CHCH=N'Pr}$ ] (C. Woitha, U. Behrens, V. Vergopoulos, D. Rehder), (393) 97
- Monofluoroallyl alcohols, diastereoselective epoxidation of (T. Dubuffet, C. Bidon, R. Sauvêtre, J.-F. Normant), (393) 173

## Zirconium

- ( $\eta^5\text{-C}_5\text{H}_5$ ) $(\eta^5\text{-C}_5\text{Me}_5)\text{Zr}[\text{Si}(\text{SiMe}_3)_3]\text{Me}$ , insertions of nitriles and pyridine into the Zr-Si bond of (H.-G. Woo, T. D. Tilley), (393) C6

## Book reviews

- Instrumental methods of analysis, seventh edition; by H.H. Willard, L.L. Merritt, Jr., J.A. Dean, F.A. Settle, Jr. (J.R. Hanson), (393) C57
- Naming organic compounds; by E.W. Godly (C. Eaborn), (393) C56
- Nitration, methods and mechanism; by G.A. Olah, R. Malhotra, S.C. Narang (R. Taylor), (393) C21
- Organic chemical nomenclature; by P. Fresenius (C. Eaborn), (393) C56
- Syntheses and separations using functional polymers; edited by D.C. Sherrington and P. Hodge (P.A. Chaloner), (393) C20

- 5-Hexenyltributyltin, reaction with pseudohalogens; cyclization vs. double bond addition (J.W. Herndon, J.J. Harp), (393) C1
- Organotin compounds,  $^{119}\text{Sn}$  NMR studies of the pyrazine adducts of (D. Cunningham, J. McManus, M.J. Hynes), (393) 69
- Polymeric trimethylstannyl thiophene-2-carboxylate, X-ray crystal structure of (G.K. Sandhu, S.P. Verma, E.R.T. Tiekkink), (393) 195

## Titanium

- Dicarbonylbiscyclopentadienyltitanium(II), standard molar enthalpy of formation of the crystalline compound (M.A.V. Ribeiro da Silva, M.D.M.C. Ribeiro da Silva), (393) 359
- Monofluoroallyl alcohols, diastereoselective epoxidation of (T. Dubuffet, C. Bidon, R. Sauvêtre, J.-F. Normant), (393) 173
- $\mu$ -Oxo-bis( $\eta^5$ -cyclopentadienyl dichlorotitanium(IV)), preparation from  $\eta^5$ -cyclopentadienyl-tris(methyl-selenolato)titanium(IV) (P. Gowik, T. Klapötke, J. Pickardt), (393) 343
- $\text{TiCl}_4$ , interaction with *o*-, *m*- and *p*-diesters; crystal structures of [*o*- $\text{C}_6\text{H}_4(\text{COO-i-Bu})_2\text{TiCl}_4]\text{CH}_2\text{Cl}_2$  and [*p*- $\text{C}_6\text{H}_4(\text{COOMe})_2\text{TiCl}_4]$  (P. Sobota, J. Utko, T. Lis), (393) 349
- Titanocene, alkenyl and ethyl complexes of; crystal structure of  $[\text{Cp}_2\text{Ti}(\text{CMe}=\text{CHMe})_2]_2\mu\text{-O}$  (G.S. Herrmann, H.G. Alt, U. Thewalt), (393) 83

## Tungsten

- ( $\eta^6$ -Arene) $\text{M}(\text{CO})_3$  complexes ( $\text{M} = \text{Cr, Mo or W}$ ), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371
- $(\text{CO})_3\text{ML}$ , stabilisation of  $\text{RP(OH)}_2$ ,  $\text{RPHNEt}_2$  and  $\text{RPHCl}$  ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379
- Mo(II) and W(II) centres, reductive CC coupling of two isocyanide ligands to; reaction sequence via Mo(0) and W(0) isocyanide and aminocarbyne complexes (A.C. Fillipou, W. Grünleitner), (393) C10

## Uranium

- $(\text{C}_9\text{H}_7)_3\text{U}/(\text{C}_9\text{H}_7)_3\text{U}-\text{I}/(\text{C}_9\text{H}_7)_3\text{U}-\text{CH}_3$  system, uranium-ligand bond disruption enthalpies in (S. Bettounville, J. Goffart, J. Fuger), (393) 205
- ( $\eta\text{-C}_8\text{H}_8$ ) $\text{UI}_2(\text{THF})_2$ , a precursor to monocyclooctatetraenyl uranium complexes, synthesis of (J.-C. Berthet, J.-F. Le Maréchal, M. Ephritikhine), (393) C47
- ( $\eta\text{-C}_5\text{H}_5$ ) $_3\text{U}(\text{THF})$ , oxidative addition of organic halides to; synthesis of triscyclopentadienyl uranium(IV) hydrocarbyl complexes (C. Villiers, M. Ephritikhine), (393) 339

## Vanadium

- Carbonylvanadium, 1,4- and 2,3-diazadiene complexes of; their  $^{51}\text{V}$  NMR properties; crystal structure of *cis*-[ $\eta^5\text{-C}_5\text{Me}_5\text{V}(\text{CO})_2^+\text{PrN=CHCH=N'Pr}$ ] (C. Woitha, U. Behrens, V. Vergopoulos, D. Rehder), (393) 97
- Monofluoroallyl alcohols, diastereoselective epoxidation of (T. Dubuffet, C. Bidon, R. Sauvêtre, J.-F. Normant), (393) 173

## Zirconium

- ( $\eta^5\text{-C}_5\text{H}_5$ ) $(\eta^5\text{-C}_5\text{Me}_5)\text{Zr}[\text{Si}(\text{SiMe}_3)_3]\text{Me}$ , insertions of nitriles and pyridine into the Zr-Si bond of (H.-G. Woo, T. D. Tilley), (393) C6

## Book reviews

- Instrumental methods of analysis, seventh edition; by H.H. Willard, L.L. Merritt, Jr., J.A. Dean, F.A. Settle, Jr. (J.R. Hanson), (393) C57
- Naming organic compounds; by E.W. Godly (C. Eaborn), (393) C56
- Nitration, methods and mechanism; by G.A. Olah, R. Malhotra, S.C. Narang (R. Taylor), (393) C21
- Organic chemical nomenclature; by P. Fresenius (C. Eaborn), (393) C56
- Syntheses and separations using functional polymers; edited by D.C. Sherrington and P. Hodge (P.A. Chaloner), (393) C20