

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 397 (1990)**SUBJECT INDEX****Aluminium**

- Alkynylsilanes with a cyclic ether group, one-pot synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 139
- Trialkylsilyl α - or ω -chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127
- Trimethylaluminium complexes with a multidentate carbosiloxane-type ligand (S. Pasynkiewicz, W. Ziemkowska), (397) 269

Antimony

- Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2(\text{HONCMe}_2)_2$ and of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2[\text{S}(\text{CH}_2\text{Ph})_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347

Arsenic

- Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2(\text{HONCMe}_2)_2$ and of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2[\text{S}(\text{CH}_2\text{Ph})_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347

Boron

- Triethylboroxin-tetraethyldiboroxane binary system, vapour-liquid equilibrium in (A. Sporzyński, J. Gregorowicz), (397) 147

Chromium

- Inenylcarbene complexes, preparation from alkinylcarbene complexes and electron-rich alkynes (H. Fischer, T. Meissner, J. Hofmann), (397) 41
- $\text{M}(\text{CO})_6$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$), pulsed laser flash photolysis of; volumes of activation for solvent displacement in (solvent) $\text{M}(\text{CO})_5$ transients (S. Zhang, V. Zang, H.C. Bajaj, G.R. Dobson, R. van Eldik), (397) 279
- ansa*-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ^1H - and $^{13}\text{C-NMR}$ signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21
- $(\text{OC})_5\text{M}(\mu\text{-dppf})\text{M}(\text{CO})_5\cdot\text{CH}_2\text{Cl}_2$ ($\text{M} = \text{Cr}, \text{Mo}$; dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29

Cobalt

- $(\eta^5\text{C}_5\text{H}_4\text{CO}_2\text{CH}_3)\text{Co}(\text{CO})\text{I}_2$, reactions with polydentate phosphines (C. Moreno, M.J. Macazaga, S. Delgado), (397) 93

- Cobalt** phosphine carbonyl complex catalyst for the homologation of methanol (N. Isogai, K. Tanaka), (397) 101
- Mononuclear cobalt carbonyls containing monodentate thiolate or xanthate groups; structures of PhSCo(CO)₂(PPh₂OMe)₂ and MeOCS₂Co(CO)₂(PPh₂^tBu)₂ (S. Vastag, L. Markó, A.L. Rheingold), (397) 231
- Organocobaloximes, molecular oxygen insertion into; kinetics and decomposition studies of (B.D. Gupta, M. Roy, I. Das), (397) 219
- Telluride-substituted mixed metal clusters; crystal structures of [HRuCo₃(CO)₁₁(TeMe₂)], [HRuCo₃(CO)₁₀(TeMe₂)₂], and [HRuCo₃(CO)₁₁(TePh₂)] (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81

Copper

- endo*-Dicyclopentadiene and copper(I) chloride tetranuclear π complexes with cubane Cu₄Cl₄-cores, preparation and molecular structures of (M. Häkansson, S. Jagner), (397) 383

Germanium

- Dimesityl(fluorenylidene)germene, starting compound for preparation of (M. Lazraq, J. Escudié, C. Couret, J. Satgé, M. Soufiaoui), (397) 1
- Trimesitylgermyllithium, synthesis and reactivity of (A. Castel, P. Rivière, J. Satgé, Y.H. Ko, D. Desor), (397) 7

Iridium

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13

Iron

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13
- ansa*-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ¹H- and ¹³C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21
- (OC)₅M(μ -dppf)M(CO)₅·CH₂Cl₂ (M = Cr, Mo; dppf = (Ph₂PC₅H₄)₂Fe) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29

Lithium

- Trimesitylgermyllithium, synthesis and reactivity of (A. Castel, P. Rivière, J. Satgé, Y.H. Ko, D. Desor), (397) 7

Magnesium

- Trialkylsilyl α - or ω -chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127

Manganese

- Carbonyl complexes of manganese(I) containing monodentate Ph₂PCH₂PPh₂ (dppm), synthesis of (G.A. Carriero, M.C. Crespo, C. Diaz, V. Riera), (397) 309

- [L_nM=X=ML_n] complexes (X = Ge, Sn, Pb; L_nM = Cp'(CO)₂Mn), reactions with chelating ligands; synthesis and characterisation of [(L_nM)₂XDipy] derivatives (F. Ettel, G. Huttner, W. Imhof), (397) 299
- cis-M(CO)₄(PPh₃)CH₂I (M = Mn, Re), synthesis and rearrangement of (S.K. Mandal, D.M. Ho, M. Orchin), (397) 313
- Organomanganese reagents, reactions with a conjugated enone; influence of Lewis acids and iron or nickel salts (G. Cahiez, M. Alami), (397) 291

Metallocenes

- ansa*-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ¹H- and ¹³C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21

Molybdenum

- Cyclopentadienyl(dicarbonyl)[η²-(methylthio)phenylcarben]molybdenum tetrafluoroborate, addition of diphenylchlorophosphine to the metal–carbon double bond in (C.M. Stegmair, F.R. Kreißl), (397) C6
- M(CO)₆ (M = Cr, Mo, W), pulsed laser flash photolysis of; volumes of activation for solvent displacement in (solvent)M(CO)₅ transients (S. Zhang, V. Zang, H.C. Bajaj, G.R. Dobson, R. van Eldik), (397) 279
- [Mo₂(CO)₄(η-C₅R₅)₂] (R = H, Me), [Mo₂(CO)₆(η-C₅H₅)₂] and [{(Mo(CO)₃(η-C₅H₄)₂CH₂} as catalysts in the addition of halogenocarbons to alkenes (R. Davis, N.M.S. Khazal, T.E. Bitterwolf), (397) 51
- (OC)₅M(μ-dppf)M(CO)₅·CH₂Cl₂ (M = Cr, Mo; dppf = (Ph₂PC₅H₄)₂Fe) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29
- (6-Pentafulvenyl-η⁵-cyclopentadienyl)tricarbonylmolybdate(0), synthesis and structure of (P. Härtter, P. Kiprof), (397) C1

Nickel

- (1,4-Diazabutadiene)bis(alkene)nickel(0) complexes, reaction with ethyne (W. Bonrath, S. Michaelis, K.R. Pörschke, B. Gabor, R. Mynott, C. Krüger), (397) 255
- Dinuclear 2,2'-biallyl nickel complexes containing square-planar nickel(I); crystal structure of μ(η^{3,3}-(CH₂)₂CC(CH₂)₂)-trans-[Ni(dad)]₂ (dad = biacetyl bis(2,6-dimethylphenylimine)) (J. Sinnema, H. tom Dieck, G. Fendesak), (397) 261
- Ni⁰-catalysed preparation of δ-lactames from isoprene and phenyl isocyanate (H. Höberg, D. Bärhausen), (397) C20

Osmium

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13
- Dihydrido triosmium carbonyl clusters, attack at coordinated carbon monoxide in (G.R. Frauenhoff, J.R. Shapley), (397) 359
- Triosmium clusters linked by the bis(diphenylphosphino)acetylene ligand, synthesis and characterisation of (B.F.G. Johnson, J. Lewis, A.D. Massey, P.R. Raithby, W.T. Wong), (397) C28

Palladium

- Palladium-catalysed synthesis of aurone from salicyloyl chloride and phenylacetylene (Z.-w. An, M. Catellani, G.P. Chiusoli), (397) 371
- Palladium-catalysed synthesis of indoxyl derivatives (Z.-w. An, M. Catellani, G.P. Chiusoli), (397) C31

Phosphorus

- 1,2-Bis(dimethylphosphino)ethane, preparation of an enantioselective catalyst (H. Brunner, J. Ziegler), (397) C25
- Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2(\text{HONCMe}_2)_2$ and of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2[\text{S}(\text{CH}_2\text{Ph})_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347
- Carbonyl complexes of manganese(I) containing monodentate $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm), synthesis of (G.A. Carriedo, M.C. Crespo, C. Diaz, V. Riera), (397) 309
- Cobalt phosphine carbonyl complex catalyst for the homologation of methanol (N. Isogai, K. Tanaka), (397) 101
- Cyclopentadienyl(dicarbonyl)[η^2 -(methylthio)phenylcarben]molybdenum tetrafluoroborate, addition of diphenylchlorophosphine to the metal–carbon double bond in (C.M. Stegmair, F.R. Kreißl), (397) C6
- Mononuclear cobalt carbonyls containing monodentate thiolate or xanthate groups; structures of $\text{PhSCo}(\text{CO})_2(\text{PPh}_2\text{OMe})_2$ and $\text{MeOCS}_2\text{Co}(\text{CO})_2(\text{PPh}_2^1\text{Bu})_2$ (S. Vastag, L. Markó, A.L. Rheingold), (397) 231
- $(\text{OC})_5\text{M}(\mu\text{-dppf})\text{M}(\text{CO})_5 \cdot \text{CH}_2\text{Cl}_2$ ($\text{M} = \text{Cr, Mo}$; dppf = $(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}$) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29
- $\text{RuBr}_2(\text{CO})=\text{C}(\text{C}_6\text{H}_4\text{PPh}_2)_2$ bimettallacyclic carbene complex of ruthenium; synthesis, structure, and reactions of (L.M. Boyd, G.R. Clark, W.R. Roper), (397) 209

Platinum

- Platinum-based catalyst for olefin asymmetric homogeneous hydroformylation (S. Paganelli, U. Matteoli, A. Scrivanti), (397) 119
- Pt^0 -complexes as catalyst precursors for homogeneous carbon–carbon and carbon–oxygen double bond hydrogenation (S. Paganelli, U. Matteoli, A. Scrivanti, C. Botteghi), (397) 375

Rhenium

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13
- $\eta^3\text{-Allyl}(\eta^5\text{-pentamethylcyclopentadienyl})\text{dicarbonylrhenium tetrafluoroborate}$, $[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{CO})_2(\eta^3\text{-C}_3\text{H}_5)]\text{[BF}_4^-]$; synthesis, structure and dynamics of *endo*- and *exo*-isomers of (R.J. Batchelor, F.W.B. Einstein, J.-M. Zhuang, D. Sutton), (397) 69
- $[(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{NO})(\text{PPh}_3)(\text{ClC}_6\text{H}_5)]^+\text{BF}_4^-$ chiral rhenium chlorobenzene complex, an improved functional equivalent of the chiral Lewis acid $[(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{NO})(\text{PPh}_3)]^+\text{BF}_4^-$, preparation and reactivity of (J.J. Kowalczyk, S.K. Agbossou, J.A. Gladysz), (397) 333
- cis*- $\text{M}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{I}$ ($\text{M} = \text{Mn, Re}$), synthesis and rearrangement of (S.K. Mandal, D.M. Ho, M. Orchin), (397) 313

Rhodium

- β -Diketonatoclooctadienerhodium(I) complexes, kinetics of the substitution of the cyclooctadiene ligand by triphenylphosphite (J.G. Leipoldt, G.J. Lamprecht, E.C. Steynberg), (397) 239
- Rhodium complexes with chiral cationic water soluble ligands, immobilization on Nafion-H and other strongly acidic cation exchange resins (I. Tóth, B.E. Hanson, M.E. Davis), (397) 109
- Rhodium(I), complexation with 5-hydro-3,8-R, R-1,6-dioxa-4,9-diaza-5-phosphaspiro[4.4]nonane (E.E. Nifantyev, K.N. Gavrilov, G.I. Timofeeva, A.T. Teleshev, S.N. Krasnokutsky, E.Y. Zhorov, V.A. Pavlov, E.I. Klabunovsky), (397) 245

Ruthenium

- Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13

- Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2(\text{HONCMe}_2)_2$ and of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2[\text{S}(\text{CH}_2\text{Ph})_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347
- $[\text{CpRu}(\text{CO})_2]_2$, infrared spectra in liquid xenon solution in the presence of proton donors (B.V. Lokshin, A. Ginzburg, S.G. Kazaryan), (397) 203
- $\text{RuBr}_2(\text{CO})\{\text{C}(\text{C}_6\text{H}_4\text{PPh}_2)_2\}$ bimettallacyclic carbene complex of ruthenium; synthesis, structure, and reactions of (L.M. Boyd, G.R. Clark, W.R. Roper), (397) 209
- Telluride-substituted mixed metal clusters; crystal structures of $[\text{HRuCo}_3(\text{CO})_{11}(\text{TeMe}_2)]$, $[\text{HRuCo}_3(\text{CO})_{10}(\text{TeMe}_2)_2]$, and $[\text{HRuCo}_3(\text{CO})_{11}(\text{TePh}_2)]$ (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81
- σ -Vinyl-ruthenium complexes, reactions with 1-alkynes; X-ray structures of $\text{Ru}\{\eta^3\text{-CH}(\text{CO}_2\text{Me})\text{C}(\text{CO}_2\text{Me})\text{C}=\text{CHPh}\}(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)$ and $\text{Ru}(\eta\text{-C}_5\text{H}_5)\{\eta^5\text{-C}_3(\text{CO}_2\text{Me})_3\text{CHC}'\text{BuCH}(\text{CO}_2\text{Me})\}$ (M.I. Bruce, A. Catlow, M.P. Cifuentes, M.R. Snow, E.R.T. Tiekkari), (397) 187

Selenium

- Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2(\text{HONCMe}_2)_2$ and of $\text{Ru}_2(\text{CO})_4(\mu_2\text{-}\eta^2\text{-ONCMe}_2)_2[\text{S}(\text{CH}_2\text{Ph})_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347
- Telluride-substituted mixed metal clusters; crystal structures of $[\text{HRuCo}_3(\text{CO})_{11}(\text{TeMe}_2)]$, $[\text{HRuCo}_3(\text{CO})_{10}(\text{TeMe}_2)_2]$, and $[\text{HRuCo}_3(\text{CO})_{11}(\text{TePh}_2)]$ (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81

Silicon

- Alkynylsilanes with a cyclic ether group, one-pot synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 139
- Cyclopentadienyl-titanium complexes, sterical effects in the hydrolysis of (J. Okuda), (397) C37
- Trialkylsilyl α - or ω -chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127
- Trimethylaluminum complexes with a multidentate carbosiloxane-type ligand (S. Pasynkiewicz, W. Ziemkowska), (397) 269

Sulphur

- Mononuclear cobalt carbonyls containing monodentate thiolate or xanthate groups; structures of $\text{PhSCo}(\text{CO})_2(\text{PPh}_2\text{OMe})_2$ and $\text{MeOCS}_2\text{Co}(\text{CO})_2(\text{PPh}_2\text{iBu})_2$ (S. Vastag, L. Markó, A.L. Rheingold), (397) 231

Tellurium

- Cyclotellurated derivatives of 2-(3-thienyl)pyridine (H.B. Singh, N. Sudha), (397) 153
- Di-2-benz[b]thienyl ditelluride, synthesis and structure of (S.K. Kumar, H.B. Singh, K. Das, U.C. Sinha), (397) 161
- Telluride-substituted mixed metal clusters; crystal structures of $[\text{HRuCo}_3(\text{CO})_{11}(\text{TeMe}_2)]$, $[\text{HRuCo}_3(\text{CO})_{10}(\text{TeMe}_2)_2]$, and $[\text{HRuCo}_3(\text{CO})_{11}(\text{TePh}_2)]$ (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81

Tin

- $\text{CH}_3\text{OOCCH}_2\text{CH}(\text{COOCH}_3)\text{CH}_2\text{SnCl}_3$, preparation and structure of (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (397) 17

Titanium

Bis(η^5 -(1*R*,8*R*)- and (η^5 -(1*R*,8*R*), η^5 -(1*S*,8*S*)-7,7,9,9-tetramethyltricyclo[6.1.1.0^{2,6}]deca-3,5-dien-2-yl)di-chlorotitanium, comparative analysis of the solid state structural features of (M.R. Sivik, R.D. Rogers, L.A. Paquette), (397) 177

Cyclopentadienyl-titanium complexes, sterical effects in the hydrolysis of (J. Okuda), (397) C37

ansa-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ¹H- and ¹³C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21

Tungsten

1-Dicarbonyl-1-(η^5 -cyclopentadienyl)-2,4-dimethyl-3-phenyl-1-wolframa-2,4-dithiabicyclo[1.1.0]butane tetrafluoroborate, preparation and X-ray crystallographic analysis of (N. Ullrich, E. Herdtweck, F.R. Kreißl), (397) C9

Inenylcarbene complexes, preparation from alkinylcarbene complexes and electron-rich alkynes (H. Fischer, T. Meisner, J. Hofmann), (397) 41

M(CO)₆ (M = Cr, Mo, W), pulsed laser flash photolysis of; volumes of activation for solvent displacement in (solvent)M(CO)₅ transients (S. Zhang, V. Zang, H.C. Bajaj, G.R. Dobson, R. van Eldik), (397) 279

Tungsten(II) cationic monobut-2-yne complexes containing dithiocarbamates and related ligands (P.K. Baker, K.R. Flower), (397) 59

Uranium

Uranium cyclohexadienyl complexes (D. Baudry, E. Bulot, M. Ephritikhine), (397) 169

Zinc

Alkynylsilanes with a cyclic ether group, one-pot synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 139

Trialkylsilyl α - or ω -chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127

Book reviews

Boranes and metalloboranes: structure, bonding and reactivity; by C.E. Housecroft (J.D. Smith), (397) C33