

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 398 (1990)**SUBJECT INDEX****Antimony**

$(\text{Ph}_2\text{Sb})_2\text{O}$, $(\text{Ph}_2\text{Sb})_2$, $\text{Ph}_2\text{Sb}(\text{Bu}^\text{r})$, and Ph_3Sb , electroreduction of (Y. Mourad, Y. Mugnier, H.J. Breunig, M. Ates), (398) 85

Boron

$[\text{Fe}(\text{CO})_4\text{CHO}^-]$, infrared evidence for competitive $[\text{Li}^+]$ and Et_3B coordination to; thermodynamic evaluation of the ion pair equilibrium (S.W. Lee, W.D. Tucker, M.G. Richmond), (398) C6
Optically active vinylborates (I. Mikhail, D. Kaufmann), (398) 53

Chromium

Diphenylphosphinocyclopentadienyluranium-transition metal heterodinuclear complexes $(\text{CpPPh}_2)_n\text{U-(NEt}_2)_4-n\text{M}(\text{CO})_4$ ($n = 2, 4$; M = Cr, Mo) (A. Dormond, P. Hepiègne, A. Hafid, C. Moise), (398) C1

Cobalt

Discarbonylcobalt clusters with alkyne functionality, structure and redox processes of (S.M. Elder, B.H. Robinson, J. Simpson), (398) 165

Copper

Heterotetrานuclear $\text{Cu}_2^{\text{I}}\text{Fe}_2^{\text{II}}$ complex bridged by π -accepting 2,2'-bipyrimidine, electronic structure of; close-lying but orthogonal frontier orbitals (C. Vogler, W. Kaim), (398) 293

Erbium

{1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Gadolinium

{1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Iron

Anionic and neutral spiked triangle clusters of mercury; comparative study of the metal ligand redistribution process (R. Reina, O. Rossell, M. Seco), (398) 285

$[\text{Fe}(\text{CO})_4\text{CHO}^-]$, infrared evidence for competitive $[\text{Li}^+]$ and Et_3B coordination to; thermodynamic evaluation of the ion pair equilibrium (S.W. Lee, W.D. Tucker, M.G. Richmond), (398) C6

Ferrocenes as potential antitumor drugs, synthesis and activity of (N. Motohashi, R. Meyer, S.R. Gollapudi, K.R. Bhattacharji), (398) 205

Heterotetrานuclear $\text{Cu}_2^{\text{I}}\text{Fe}_2^{\text{II}}$ complex bridged by π -accepting 2,2'-bipyrimidine, electronic structure of; close-lying but orthogonal frontier orbitals (C. Vogler, W. Kaim), (398) 293

Iron pentaphenylcyclopentadienyl cationic complexes, a sonochemically promoted route to (P. Brégaint, J.-R. Hamon, C. Lapinte), (398) C25

Organoiron complexes of podocarpic acid derivatives (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (398) 117

Lead

Ions and radicals derived from tetramethyllead, hexamethyldilead, dimethyllead, and tetramethyldilead; SCF-MO study of the molecular and electronic structures of (C. Glidewell), (398) 241

Lithium

2-Propenyl-1,3-dithiane anion, regioselective addition of aldimines to (J.-M. Fang, S.-T. Chen, I.-H. Chen), (398) 219

Lutetium

{1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Manganese

η^2 -(2-Formylphenyl)tetracarbonylmanganese(I) complexes, synthesis and reactions of; cyclopentaannulation of a diterpenoid (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (398) C22

Manganese(I) octahedral cationic carbonyl complexes containing nitrogen donor chelate ligands, isocyanide migration from axial to equatorial position in the synthesis of (F.J. García Alonso, V. Riera, M. Vivanco), (398) 275

Mercury

Anionic and neutral spiked triangle clusters of mercury; comparative study of the metal ligand redistribution process (R. Reina, O. Rossell, M. Seco), (398) 285

Metallocenes

Bridged dinuclear zirconocene complexes (H.G. Alt, C.E. Denner), (398) 91

Ferrocenes as potential antitumor drugs, synthesis and activity of (N. Motohashi, R. Meyer, S.R. Gollapudi, K.R. Bhattacharjee), (398) 205

Molybdenum

Anionic and neutral spiked triangle clusters of mercury; comparative study of the metal ligand redistribution process (R. Reina, O. Rossell, M. Seco), (398) 285

Diphenylphosphinocyclopentadienyluranium-transition metal heterodinuclear complexes ($CpPPh_2$)_nU-(NEt₂)_{4-n}M(CO)₄ ($n = 2, 4$; M = Cr, Mo) (A. Dormond, P. Hépiègne, A. Hafid, C. Moise), (398) C1

Metallocene hexafluoropnictogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

[MoH₃(C≡CBu') $\{\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2\}_2$] trihydrido-alkynyl complex, synthesis and crystal structure of (A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (398) C15

Molybdenum(0) and tungsten(0) homoleptic alkylisocyanide complexes of; precursors for the synthesis of low-valent dialkylaminocarbyne complexes (A.C. Filippou, W. Grünleitner), (398) 99

Neodymium

{1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Nickel

Pentaphenylcyclopentadienylnickel complexes, reactions with thiurames and dithiocarbamate; nickel in oxidation states I, II and III (M. Huhn, W. Kläui, L. Ramacher, R. Herbst-Irmer, E. Egert), (398) 339

Niobium

Metallocene hexafluoropnictogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Osmium

- [Os₃(CO)₁₀(MeCN)₂], oxygen–hydrogen versus nitrogen–oxygen bond cleavage in the oxidative addition of oximes to; crystal structures of the isomers [Os₃H(Me₂C=N)(CO)₁₀] and [Os₃(OH)(Me₂C=N)(CO)₁₀] (A.J. Deeming, D.W. Owen, N.I. Powell), (398) 299
- Os₄H(CO)₁₁(C₄H₅) and Os₃H(CO)₉(C₄H₅) allyl complexes, isolation and structural characterisation of (H. Chen, B.F.G. Johnson, J. Lewis, D. Braga, F. Grepioni), (398) 159
- Osmium and ruthenium complexes containing tetrafluoroethylene and maleic anhydride ligands, synthesis and structure of (A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper, D.C. Ware), (398) 133

Palladium

- Cyclopalladated complexes, ¹⁵N and ¹³C NMR studies of; synthetic palladium cyanide chemistry leading to organic nitriles (S. Affolter, P.S. Pregosin), (398) 197
- Palladium complex catalysed hydrocarbalkoxylation of olefins, mechanism of (G. Cavinato, L. Toniolo), (398) 187
- Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325

Phosphorus

- Bridged dinuclear zirconocene complexes (H.G. Alt, C.E. Denner), (398) 91
- Heterotetranuclear Cu^I₂Fe^{II}₂ complex bridged by π -accepting 2,2'-bipyrimidine, electronic structure of; close-lying but orthogonal frontier orbitals (C. Vogler, W. Kaim), (398) 293
- [MoH₃(C≡CBu^t)(Ph₂PCH₂CH₂PPh₂)₂] trihydrido-alkynyl complex, synthesis and crystal structure of (A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (398) C15
- Osmium and ruthenium complexes containing tetrafluoroethylene and maleic anhydride ligands, synthesis and structure of (A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper, D.C. Ware), (398) 133
- Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325

Rhenium

- Metallocene hexafluoropnicogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Rhodium

- [Rh(CO)₂I₂]⁻, oxidative addition of iodomethane to; factors influencing the key step in methanol and methyl acetate carbonylation (A. Fulford, C.E. Hickey, P.M. Maitlis), (398) 311
- Rhodium(I) fluorothiolate derivatives, catalytic activity of; crystal structure of [Rh(μ -SC₆H₄F)(CO)₂]₂ (C. Claver, A.M. Masdeu, N. Ruiz, C. Foces-Foces, F.H. Cano, M.C. Apreda, L.A. Oro, J. Garcia-Alejandre, H. Torrens), (398) 177
- Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325

Ruthenium

- Osmium and ruthenium complexes containing tetrafluoroethylene and maleic anhydride ligands, synthesis and structure of (A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper, D.C. Ware), (398) 133

Silicon

- Allylsilanes, cyclisation of; biomimetic approximation of the cyclogeranyl skeleton (D. Serramedan, B. Delmond, G. Deleris, J. Dunogues, M. Pereyre, C. Filliatre), (398) 79
- 1,2-Bis(1-diazo-2-oxoalkyl)disilanes, synthesis and carbene reactions of (G. Maas, A. Fronda), (398) 229
- Bromo- and iododisilanes, synthesis and NMR spectra of (K. Hassler, M. Pöschl), (398) 225
- (H₃C)₃SiH₂CSCH₂Si(CH₃)₃ and ((CH₃C)₃Si)₃CSCH₃, β -trimethylsilyl substituted sulfides, rationalisation of the low first ionisation energies of (H. Bock, J. Meuret, U. Stein), (398) 65
- [(Me₃Si)₃C]Cl₂Si]₂O crowded disiloxane, synthesis and crystal structure of (C. Eaborn, P.B. Hitchcock, P.D. Lickiss, A.D. Taylor), (398) 59

Optically active vinylborates (I. Mikhail, D. Kaufmann), (398) 53

Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325

Titanium

Metallocene hexafluoropnictogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Tungsten

Dimeric tungsten(0) complex of a chelating triisocyanide ligand, synthesis and crystal structure of (F.E. Hahn, M. Tamm), (398) C19

Metallocene hexafluoropnictogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Molybdenum(0) and tungsten(0) homoleptic alkylisocyanide complexes of; precursors for the synthesis of low-valent dialkylaminocarbyne complexes (A.C. Filippou, W. Grünleitner), (398) 99

Uranium

Diphenylphosphinocyclopentadienyluranium-transition metal heterodinuclear complexes ($Cp^*PPh_2)_nU-(NEt_2)_{4-n}M(CO)_4$ ($n = 2, 4$; $M = Cr, Mo$) (A. Dormond, P. Hepiègne, A. Hafid, C. Moise), (398) C1

Vanadium

Chalcogen-bridged dinuclear pentamethylcyclopentadienyl-vanadium complexes, ^{51}V NMR characterisation of; X-ray crystal structure determination of $Cp_2^*V_2Se_2S_2$ and $Cp_2^*V_2Se_3O$ (M. Herberhold, M. Kuhnlein, M. Schrepfermann, M.L. Ziegler, B. Nuber), (398) 259

Metallocene hexafluoropnictogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Ytterbium

{1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Yttrium

{1,1'-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Zirconium

Bridged dinuclear zirconocene complexes (H.G. Alt, C.E. Denner), (398) 91

Book reviews

Gmelin handbook of inorganic chemistry, 8th edition, Mo—molybdenum. Supplement Volume A2b: physical properties, part 2. Electrochemistry (K.R. Seddon), (398) C29

Gmelin handbook of inorganic chemistry, 8th edition, Pd—palladium. Supplement Volume B2: palladium compounds (K.R. Seddon), (398) C11