

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 384 (1990)

SUBJECT INDEX

Aluminium

Dialkyl-aluminium and -gallium solution stabilized monomeric species, $[\text{MR}_2]^+$ ($\text{R} = 2\text{-C}(\text{SiMe}_3)\text{C}_5\text{H}_4\text{N}$), formation by reduction of MR_2Cl of; crystal structure of GaR_2Cl (U. Kynast, B.W. Skelton, A.H. White, M.J. Henderson, C.L. Raston), (384) C1

Antimony

Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263

Arsenic

$[(\text{C}_5\text{H}_5)_2\text{Lu}(\mu\text{-O}(\text{CH}_2)_4\text{P}(\text{C}_6\text{H}_5)_2)]_2$ and $[(\text{C}_5\text{H}_5)_2\text{Lu}(\text{OC}_4\text{H}_8)]_2(\mu\text{-O})$, formation and crystal structures of (H. Schumann, F. Palamidis, J. Loebel), (384) C49

Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263

(Thioketene) $\text{Fe}_2(\text{CO})_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49

Bismuth

Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263

Boron

$\text{Ru}_3(\text{CO})_9\text{B}_2\text{H}_6$, metal-rich ruthenaborane analogue of pentaborane(9) and model for triruthenium supported unsaturated hydrocarbon (A.K. Chipperfield, C.E. Housecroft, D.M. Matthews), (384) C38

Chromium

($\eta^6\text{-Arene}$)tricarbonylchromium(0) complexes of diterpenoids. regioselective hydroxylation of (R.C. Cambie, P.I. Higgs, P.S. Rutledge, P.D. Woodgate), (384) C6

$(\text{C}_5\text{H}_5)_2\text{Cr}(\mu\text{-OCMe}_3)_2$, reactions with chalcogens of; syntheses and molecular structures of $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-S}_4)$ and $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-Se})$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295

Cyclopentadienyl-alkoxide complexes, $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OR})_2[\text{OCCO}_3(\text{CO})_9]$ and $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\text{OR})_2(\mu\text{-OR})_2$ ($\text{R} = \text{CMe}_3$), synthesis, molecular structure, electronic structure and magnetic properties of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhov, V.M. Novotortsev, O.G. Ellert, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (384) 279

Cobalt

Benzophenone synthesis through carbonylation of aryl iodides catalysed by $\text{Fe}(\text{CO})_5\text{-Co}_2(\text{CO})_8$ systems (J.-J. Brunet, M. Taillefer), (384) 193

$[(\text{Co}(\text{CO})_2(\eta^5\text{-C}_5\text{H}_4))_2\text{CH}_2]$, reaction with iodine and mercuric halides of (M.G. Cox, A.R. Manning, A. McCabe), (384) 217

Cyclopentadienyl-alkoxide complexes, $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OR})_2[\text{OCCO}_3(\text{CO})_9]$ and $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\text{OR})_2(\mu\text{-OR})_2$ ($\text{R} = \text{CMe}_3$), synthesis, molecular structure, electronic structure and magnetic properties of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhov, V.M. Novotortsev, O.G. Ellert, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (384) 279

- (η^4 -Diene)Co(CO)₃BF₄ substituted complexes, regioselectivity of nucleophilic additions to (R. Pan-kayatselvan, K.M. Nicholas), (384) 361
- Dinuclear (M, M') complexes with [CH₂(C₅H₄)₂]²⁻ as bridging ligands (D. Schneider, H. Werner), (384) C33
- Nitrile formation in hydrocyanation and cyanation by cyanocobaltate, intermediates in (T. Funabiki, K. Tatsumi, S. Yoshida), (384) 199
- [Os₃H(CH=CHR)(CO)₁₀] (R = OEt, ferrocenyl), molecular structures of and substitution effects at bridging vinyl ligands in (A.J. Deeming, M.S.B. Felix, D. Nuel, N.I. Powell, D.A. Tocher, K.I. Hardcastle), (384) 181

Copper

- α -(Methylene)alkanoic esters, formation by substitution of α -(acetoxymethyl)acrylates using Grignard reagents of (H. Amri, M. Rambaud, J. Villieras), (384) 1

Gallium

- Dialkyl-aluminium and -gallium solution stabilized monomeric species, [MR₂]' (R = 2-C(SiMe₃)C₅H₄N)], formation by reduction of MR₂Cl of; crystal structure of GaR₂Cl (U. Kynast, B.W. Skelton, A.H. White, M.J. Henderson, C.L. Raston), (384) C1

Germanium

- Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61
- 1-Heteroaryl-silatranes and -germatranes, chemical ionization and fast atom bombardment mass spectra of (S. Rozite, I. Mažeika, A. Gaukhman, N.P. Erchak, L.M. Ignatovich, E. Lukevics), (384) 257
- Isomeric Ph₃E-E'Me₃, (E = Ge, E' = Si and E = Si, E' = Ge), structures of (K.H. Pannell, R.N. Kapoor, R. Raptis, L. Párkányi, V. Fülöp), (384) 41
- Palladium-catalyzed addition of the tin-germanium bond to allenes, reversal of regioselectivity in (T.N. Mitchell, U. Schneider, B. Fröhling), (384) C53

Gold

- Mono- and di-carbido-gold cluster compounds, molecular orbital analysis of (D.M.P. Mingos, R.P.F. Kanters), (384) 405

Hafnium

- Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61

Iridium

- Dinuclear (M, M') complexes with [CH₂(C₅H₄)₂]²⁻ as bridging ligands (D. Schneider, H. Werner), (384) C33
- Ir₄(CO)₁₂, method for high-yield synthesis of (F.P. Pruchnik, K. Wajda-Hermanowicz, M. Koralewicz), (384) 381
- Transition metal-assisted retro Diels-Alder reaction used in the synthesis of transition metal S₂O complexes (G.A. Urove, M.E. Welker, B.E. Eaton), (384) 105

Iron

- Benzophenone synthesis through carbonylation of aryl iodides catalysed by Fe(CO)₅-Co₂(CO)₈ systems (J.-J. Brunet, M. Taillefer), (384) 193
- Cationic isocyanide iron(II) derivatives, reactivity towards nucleophilic agents of (V. Riera, J. Ruiz), (384) 339
- (C₅H₅)₂Cr(μ -OCMe₃)₂, reactions with chalcogens of; syntheses and molecular structures of (C₅H₅)₂Cr₂(μ -OCMe₃)₂(μ -S₄) and (C₅H₅)₂Cr₂(μ -OCMe₃)₂(μ -Se) (S.E. Nefedov, A.A. Pasynskii, I.L. Eremente, B. Orazsakhmatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295

- Cryptates from cryptands containing a ferrocene unit (C.D. Hall, I.P. Danks, M.C. Lubienski, N.W. Sharpe), (384) 139
- Ferrocenyl carbinols, ethers, and ureas, synthesis of (S. Kovac, V. Rapić), (384) 147
- Grignard addition and reduction reactions of spiro[5]ferrocenophane-3,1'-cyclohexane-1,5-dione (S. Rachwal, B. Kawalek, T. Gorecki, P. Milart), (384) 165
- ω -Halogenoalkyl complexes $[(\eta\text{-C}_5\text{R}_5)(\text{CO})_2\text{Fe}(\text{CH}_2)_n\text{X}]$ (R = H, $n = 3\text{--}10$, X = Br, I; R = CH₃, $n = 3\text{--}5$, X = Br, I), (H.B. Friedrich, P.A. Makhsha, J.R. Moss, B.K. Williamson), (384) 325
- [Os₃H(CH=CHR)(CO)₁₀] (R = OEt, ferrocenyl), molecular structures of and substitution effects at bridging vinyl ligands in (A.J. Deeming, M.S.B. Felix, D. Nuel, N.I. Powell, D.A. Tocher, K.I. Hardcastle), (384) 181
- (Thioketene)Fe₂(CO)₆, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49
- Tricarbonyl(cyclohexadiene)iron sterically hindered complexes, preparation, isomer formation and isomerization reactions of (C.W. Ong, W.T. Liou, W.S. Hwang), (384) 133
- 1,2,3-Trisubstituted chiral ferrocenes, stereoselective synthesis, conformation and complexing behaviour of (N. Deus, G. Hübener, R. Herrmann), (384) 155

Lithium

- Dinuclear (M, M') complexes with $[\text{CH}_2(\text{C}_5\text{H}_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33

Lutetium

- $[(\text{C}_5\text{H}_5)_2\text{Lu}(\mu\text{-O}(\text{CH}_2)_4\text{P}(\text{C}_6\text{H}_5)_2)]_2$ and $[(\text{C}_5\text{H}_5)_2\text{Lu}(\text{OC}_4\text{H}_8)]_2(\mu\text{-O})$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49

Magnesium

- Grignard addition and reduction reactions of spiro[5]ferrocenophane-3,1'-cyclohexane-1,5-dione (S. Rachwal, B. Kawalek, T. Gorecki, P. Milart), (384) 165
- Magnesium activation of dichlorodi- η_5 -cyclopentadienylnitium in the catalytic hydrogenation of olefins and acetylenes (F. Scott, H.G. Raubenheimer, G. Pretorius, A.M. Hamese), (384) C17
- α -(Methylene)alkanoic esters, formation by substitution of α -(acetoxymethyl)acrylates using Grignard reagents of (H. Amri, M. Rambaud, J. Villieras), (384) 1

Manganese

- Transition metal-assisted retro Diels–Alder reaction used in the synthesis of transition metal S₂O complexes (G.A. Urove, M.E. Welker, B.E. Eaton), (384) 105

Mercury

- Monoorganomercury and diorganothallium derivatives of 2-thiouracil and 2-*S*-methylthiouracil; crystal structure of methylmercury(II)-2-*S*-methylthiouracilate (M.S.G. Tasende, M.I.S. Gimeno, A. Sánchez, J.S. Casas, J. Sordo, E.E. Castellano), (384) 19
- 2-(2-Pyridyl)phenyl(*p*-ethoxyphenyl)tellurium(II), reaction with mercury(II) chloride of (S.A. Mbogo, W.R. McWhinnie, T.S. Lobana), (384) 115

Metalloenes

- Cryptates from cryptands containing a ferrocene unit (C.D. Hall, I.P. Danks, M.C. Lubienski, N.W. Sharpe), (384) 139
- Cyclopentadienyl-alkoxide complexes, $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OR})_2[\text{OCCO}_3(\text{CO})_9]$ and $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\text{OR})_2(\mu\text{-OR})_2$ (R = CMe₃), synthesis, molecular structure, electronic structure and magnetic properties of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremanko, B. Orzszakhatov, V.M. Novotortsev, O.G. Ellert, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (384) 279
- Diphosphazirconocene dichloride, $(\eta^5\text{-C}_4\text{Me}_4\text{P})_2\text{ZrCl}_2$, reactivity of; crystal and molecular structure of $(\text{CO})_3\text{Fe}(\mu\text{-}\eta^5, \eta^1\text{-C}_4\text{Me}_4\text{P})_2\text{ZrCl}_2$ (F. Nief, F. Mathey, L. Ricard), (384) 271
- Ferrocenyl carbinols, ethers, and ureas, synthesis of (S. Kovac, V. Rapić), (384) 147
- Grignard addition and reduction reactions of spiro[5]ferrocenophane-3,1'-cyclohexane-1,5-dione (S. Rachwal, B. Kawalek, T. Gorecki, P. Milart), (384) 165

- $[\text{Os}_3\text{H}(\text{CH}=\text{CHR})(\text{CO})_{10}]$ ($\text{R} = \text{OEt}$, ferrocenyl), molecular structures of and substitution effects at bridging vinyl ligands in (A.J. Deeming, M.S.B. Felix, D. Nuel, N.I. Powell, D.A. Tocher, K.I. Hardcastle), (384) 181
- 1,2,3-Trisubstituted chiral ferrocenes, stereoselective synthesis, conformation and complexing behaviour of (N. Deus, G. Hübener, R. Herrmann), (384) 155

Molybdenum

- Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands ($\text{X} = \text{S}, \text{N}, \text{P}$) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79
- Trinuclear metal clusters, formation by reaction of dimolybdenum μ -acetylide anions with electrophilic metal species of; crystal structure of $[\text{Mo}_3(\mu_3\text{-C}_2\text{Ph})(\text{CO})_5(\eta\text{-C}_5\text{H}_5)_3]$ (A.W. Al-Saadoon, M. Green, R.J. Mercer, A.G. Orpen), (384) C12

Nickel

- (Lig)Ni⁰ systems, reactions with 1,7-octadiene and phenyl isocyanate of (H. Hoberg, D. Guhl), (384) C43
- Nickel complexes of cinnamic acid salts, hydrogenation over MRNi catalyst of (M. Bartók, G. Wittmann, G.B. Bartók, G. Göndös), (384) 385
- Nickel(0) complex with mono- and di-bormo derivatives of cyclopropane, interaction with formation of η^3 -allylnickel complexes of (T.A. Peganova, L.S. Isaeva, P.V. Petrovskii, D.N. Kravtsov), (384) 397

Osmium

- Coordinated acetylide and disubstituted alkynes, regiospecific coupling of; X-ray structures of $\text{C}_5\text{H}_5\text{WOs}_2(\text{CO})_7[\text{C}(\text{Tol})\text{C}(\text{Tol})\text{CC}^n\text{Bu}]$ and $\text{C}_5\text{H}_5\text{WOs}_2(\text{CO})_7[\text{C}(\text{CF}_3)\text{C}(\text{CF}_3)\text{CCPh}]$ (Y. Chi, G. Huttner, W. Imhof), (384) 93
- Triply-bridging C_6H_4 ligand in open triosmium clusters, attachment of; crystal structures and fluxionality of the clusters $[\text{Os}_3(\text{PMe})(\text{C}_6\text{H}_4)(\text{CO})_8\text{L}]$ ($\text{L} = \text{CO}$ or PEt_3) (A.J. Deeming, J.E. Marshall, D. Nuel, G. O'Brien, N.I. Powell), (384) 347

Palladium

- Palladacyclopentadienes and platinacyclopentadienes and co-cyclotrimerization of various alkynes (H. tom Dieck, C. Munz, C. Müller), (384) 243
- Palladium-catalyzed addition of the tin-germanium bond to allenes, reversal of regioselectivity in (T.N. Mitchell, U. Schneider, B. Fröhling), (384) C53

Phosphorus

- Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands ($\text{X} = \text{S}, \text{N}, \text{P}$) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79
- $[(\text{C}_5\text{H}_5)_2\text{Lu}(\mu\text{-O}(\text{CH}_2)_4\text{P}(\text{C}_6\text{H}_5)_2)]_2$ and $[(\text{C}_5\text{H}_5)_2\text{Lu}(\text{OC}_4\text{H}_8)]_2(\mu\text{-O})$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49
- Dinitrogen, diazenido and derived isocyanide complexes of rhenium with phosphite or phosphonite ligands, syntheses and properties of (M.F.N.N. Carvalho, A.J.L. Pombeiro), (384) 121
- Dinuclear (M, M') complexes with $[\text{CH}_2(\text{C}_5\text{H}_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33
- Diphosphazirconocene dichloride, ($\eta^5\text{-C}_4\text{Me}_4\text{P}$)₂ZrCl₂, reactivity of; crystal and molecular structure of $(\text{CO})_3\text{Fe}(\mu\text{-}\eta^5, \eta^1\text{-C}_4\text{Me}_4\text{P})_2\text{ZrCl}_2$ (F. Nief, F. Mathey, L. Ricard), (384) 271
- (Lig)Ni⁰ systems, reactions with 1,7-octadiene and phenyl isocyanate of (H. Hoberg, D. Guhl), (384) C43
- Rhodium(I) immobilised complexes as catalysts for heterogenic enantioselective hydration reactions (H. Brunner, E. Bielmeier, J. Wiehl), (384) 223
- (Thioketene)Fe₂(CO)₆, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49
- Triply-bridging C_6H_4 ligand in open triosmium clusters, attachment of; crystal structures and fluxionality of the clusters $[\text{Os}_3(\text{PMe})(\text{C}_6\text{H}_4)(\text{CO})_8\text{L}]$ ($\text{L} = \text{CO}$ or PEt_3) (A.J. Deeming, J.E. Marshall, D. Nuel, G. O'Brien, N.I. Powell), (384) 347

Platinum

Palladacyclopentadienes and platinacyclopentadienes and co-cyclotrimerization of various alkynes (H. tom Dieck, C. Munz, C. Müller), (384) 243

Rhenium

Dinitrogen, diazenido and derived isocyanide complexes of rhenium with phosphite or phosphonite ligands, syntheses and properties of (M.F.N.N. Carvalho, A.J.L. Pombeiro), (384) 121

Organometallic compounds, design and application of a reflux modification for synthesis using microwave dielectric loss heating effects of (D.R. Baghurst, D.M.P. Mingos), (384) C57

α -Pyridine, quinoline, and isoquinoline complexes of the formula $[(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{NO})\text{-}(\text{PPh}_3)(\text{NC}_x\text{H}_y)]^+\text{CF}_3\text{SO}_3^-$, syntheses and structures of (M.A. Dewey, A.M. Arif, J.A. Gladysz), (384) C29

Rhodium

Alkylidynetungsten complexes $[\text{W}(\equiv\text{CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ (R = Me or C₆H₄Me-4), reactions with $[\text{Rh}_2(\mu\text{-SPh})_2(\text{COD})_2]$ of; crystal structure of $[\text{W}_2\text{Rh}_2(\mu\text{-CMe})(\mu_3\text{-CMe})(\mu\text{-SPh})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ (P.K. Byers, N. Carr, F.G.A. Stone), (384) 315

Dinuclear (M, M') complexes with $[\text{CH}_2(\text{C}_5\text{H}_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33

Organometallic compounds, design and application of a reflux modification for synthesis using microwave dielectric loss heating effects of (D.R. Baghurst, D.M.P. Mingos), (384) C57

Rhodium(I) immobilised complexes as catalysts for heterogenic enantioselective hydration reactions (H. Brunner, E. Bielmeyer, J. Wiehl), (384) 223

Ruthenium

Alkenylruthenium complexes, carbonylation of; formation of alkene or acyl complexes (M.R. Torres, A. Perales, H. Loumrhari, J. Ros), (384) C61

$[\text{H}_2\text{Ru}_4(\text{CO})_{13}]$, polymorphism and multiple independent molecules in (A.L. Rheingold, B.S. Haggerty, G.L. Geoffroy, S.-H. Han), (384) 209

Organometallic compounds, design and application of a reflux modification for synthesis using microwave dielectric loss heating effects of (D.R. Baghurst, D.M.P. Mingos), (384) C57

$\text{Ru}_3(\text{CO})_9\text{B}_2\text{H}_6$, metal-rich ruthenaborane analogue of pentaborane(9) and model for triruthenium supported unsaturated hydrocarbon (A.K. Chipperfield, C.E. Housecroft, D.M. Matthews), (384) C38

$[\text{Ru}_3(\mu\text{-H})(\mu_3\text{-ampy})(\text{CO})_9]$ and its protonated derivative, selective carbonyl substitution reactions of; crystal structure of $[\text{Ru}_3(\mu\text{-H})_2(\mu_3\text{-ampy})(\text{CO})_9][\text{BF}_4]$ (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, V. Riera, C. Bois, Y. Jeannin), (384) C25

Selenium

$(\text{C}_5\text{H}_5)_2\text{Cr}(\mu\text{-OCMe}_3)_2$, reactions with chalcogens of; syntheses and molecular structures of $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-S}_4)$ and $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-Se})$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295

Transition metal coordinated heteroalkenes thio- and seleno-aldehyde complexes, characterisation of intermediate in reaction with bis(diethylamino)acetylene of (H. Fischer, K. Treier, J. Hofmann), (384) 305

Silicon

Allyltrimethylsilane, reactions with acetylcyclopropanes in the presence of Lewis acids of (P. Piras, M. Afshari, G. Léandre, H. Monti), (384) C9

$[(\text{C}_5\text{H}_5)_2\text{Lu}(\mu\text{-O}(\text{CH}_2)_4\text{P}(\text{C}_6\text{H}_5)_2)_2]$ and $[(\text{C}_5\text{H}_5)_2\text{Lu}(\text{OC}_4\text{H}_8)_2(\mu\text{-O})]$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49

Dialkyl-aluminium and -gallium solution stabilized monomeric species, $[\text{MR}_2]'$ (R = 2-C(SiMe₃)C₅H₄N)], formation by reduction of MR_2Cl of; crystal structure of GaR_2Cl (U. Kynast, B.W. Skelton, A.H. White, M.J. Henderson, C.L. Raston), (384) C1

1-Heteroaryl-silatranes and -germatranes, chemical ionization and fast atom bombardment mass spectra of (S. Rozite, I. Mažeika, A. Gaukhman, N.P. Erchak, L.M. Ignatovich, E. Lukevics), (384) 257

Isomeric $\text{Ph}_3\text{E}-\text{E}'\text{Me}_3$, (E = Ge, E' = Si and E = Si, E' = Ge), structures of (K.H. Pannell, R.N. Kapoor, R. Raptis, L. Párkányi, V. Fülöp), (384) 41

Organosilane diols, hydrogen-bonding in; crystal structure of bis(pentamethylcyclopentadienyl)silane diol (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, P.D. Lickiss, A. Möhrke, P. Jutzi), (384) 33

Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263

Sulphur

Alkylidyne tungsten complexes $[\text{W}(\equiv\text{CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ (R = Me or $\text{C}_6\text{H}_4\text{Me-4}$), reactions with $[\text{Rh}_2(\mu\text{-SPh})_2(\text{COD})_2]$ of; crystal structure of $[\text{W}_2\text{Rh}_2(\mu\text{-CMe})(\mu_3\text{-CMe})(\mu\text{-SPh})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ (P.K. Byers, N. Carr, F.G.A. Stone), (384) 315

Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands (X = S, N, P) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79

$(\text{C}_5\text{H}_5)_2\text{Cr}(\mu\text{-OCMe}_3)_2$, reactions with chalcogens of; syntheses and molecular structures of $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-S}_4)$ and $(\text{C}_5\text{H}_5)_2\text{Cr}_2(\mu\text{-OCMe}_3)_2(\mu\text{-Se})$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orasakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295

Monoorganomercury and diorganothallium derivatives of 2-thiouracil and 2-S-methylthiouracil; crystal structure of methylmercury(II)-2-S-methylthiouracilate (M.S.G. Tasende, M.I.S. Gimeno, A. Sánchez, J.S. Casas, J. Sordo, E.E. Castellano), (384) 19

(Thioetene) $\text{Fe}_2(\text{CO})_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49

Transition metal coordinated heteroalkenes thio- and seleno-aldehyde complexes, characterisation of intermediate in reaction with bis(diethylamino)acetylene of (H. Fischer, K. Treier, J. Hofmann), (384) 305

Tellurium

2-(2-Pyridyl)phenyl(*p*-ethoxyphenyl)tellurium(II), reaction with mercury(II) chloride of (S.A. Mbogo, W.R. McWhinnie, T.S. Lobana), (384) 115

Thallium

Monoorganomercury and diorganothallium derivatives of 2-thiouracil and 2-S-methylthiouracil; crystal structure of methylmercury(II)-2-S-methylthiouracilate (M.S.G. Tasende, M.I.S. Gimeno, A. Sánchez, J.S. Casas, J. Sordo, E.E. Castellano), (384) 19

Tin

Palladium-catalyzed addition of the tin-germanium bond to allenes, reversal of regioselectivity in (T.N. Mitchell, U. Schneider, B. Fröhling), (384) C53

Titanium

Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61

Magnesium activation of dichloro- η_5 -cyclopentadienyltitanium in the catalytic hydrogenation of olefins and acetylenes (F. Scott, H.G. Raubenheimer, G. Pretorius, A.M. Hamese), (384) C17

Tungsten

Alkylidyne tungsten complexes $[\text{W}(\equiv\text{CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ (R = Me or $\text{C}_6\text{H}_4\text{Me-4}$), reactions with $[\text{Rh}_2(\mu\text{-SPh})_2(\text{COD})_2]$ of; crystal structure of $[\text{W}_2\text{Rh}_2(\mu\text{-CMe})(\mu_3\text{-CMe})(\mu\text{-SPh})_2(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ (P.K. Byers, N. Carr, F.G.A. Stone), (384) 315

Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands (X = S, N, P) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79

Carbonyltris(alkyne)tungsten complexes, dynamic behaviour in solution of (J. Okuda, K.H. Zimmermann), (384) C21

Coordinated acetylide and disubstituted alkynes, regiospecific coupling of; X-ray structures of $C_5H_5WOs_2(CO)_7[C(Tol)C(Tol)CC^nBu]$ and $C_5H_5WOs_2(CO)_7[C(CF_3)C(CF_3)CCPh]$ (Y. Chi, G. Huttner, W. Imhof), (384) 93

Transition metal coordinated heteroalkenes thio- and seleno-aldehyde complexes, characterisation of intermediate in reaction with bis(diethylamino)acetylene of (H. Fischer, K. Treier, J. Hofmann), (384) 305

Vanadium

Bis(1,4-difluorobenzene)vanadium, conformation of (M.-D. Su, S.-Y. Chu), (384) 71

Zinc

Zinc-oxygen monomeric compounds containing diethylzinc and pyrocatechol or saligenin moieties, synthesis of (W. Kuran, E. Mazanek), (384) 13

Zirconium

Diphosphazirconocene dichloride, $(\eta^5-C_4Me_4P)_2ZrCl_2$, reactivity of; crystal and molecular structure of $(CO)_3Fe(\mu-\eta^5, \eta^1-C_4Me_4P)_2ZrCl_2$ (F. Nief, F. Mathey, L. Ricard), (384) 271

Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61

Book reviews

The chemistry of organic silicon compounds, parts 1 and 2; edited by S. Patai and Z. Rappoport (P.D. Lickiss), (384) C65