

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 413 (1991)**SUBJECT INDEX****Aluminium**

- Methyl- and ethylrhenium oxides, synthesis and structural aspects (W.A. Herrmann, C.C. Romao, P. Kiprof, J. Behm, M.R. Cook, M. Taillefer), (413) 11
 Platinum-indium and cobalt-gallium complexes, synthesis of; crystal structure of $[\text{Cy}_2\text{P}(\text{CH}_2\text{CH}_2)\text{PCy}_2]\text{-Pt}(\text{InR}_2)(\text{R})$ (Cy = cyclo- C_6H_{11}) (R.A. Fischer, J. Behm), (413) C10

Boron

- $[\text{NEt}_4][\text{WFe}_2\{\mu_3\text{-}\eta^3,\eta^5\text{-CH=C=C('Bu)C(O)C}_2\text{B}_9\text{H}_8\text{Me}_2\}(\text{CO})_8]$, a tungstendioiron cluster derived from $[\text{Fe}_2(\text{CO})_9]$ and $[\text{NEt}_4][\text{W}(\equiv\text{CC=C('Bu))CO}_2(\eta^5\text{-C}_2\text{B}_9\text{H}_8\text{Me}_2)]$ (N. Carr, S.J. Dossett, F.G.A. Stone), (413) 223

Chromium

- ortho*- And *meta*-substituted tricarbonylchromium benzaldehydes, enantioselective reduction by bakers' yeast (S. Top, G. Jaouen, C. Baldoli, P. Del Buttero, S. Maiorana), (413) 125
 Chromium aminocarbene complexes in organic synthesis (M.A. Schwindt, J.R. Miller, L.S. Hegedus), (413) 143
 $\text{Cr}(\text{CO})_6$, acid catalysed complexation with arenes (P. Hrnčiar, Š. Toma), (413) 161
 $\text{Cr}(\text{CO})_6$, complexation with arenes; catalyst effects (M. Hudeček, V. Gajda, Š. Toma), (413) 155
 $(\eta^5\text{-Cyclopentadienyl})$ dicarbonylnitrosylchromium (cynichrodene), functionally substituted derivatives; formation and reactions of (M.D. Rausch, Y.-P. Wang), (413) 111
 1,2:9,10-dibenzo[2.2]paracyclophane-1,9-dienes, regioselective complexation of (O. Reiser, A. de Meijere), (413) 137

Cobalt

- Acetylenes and diazoketones in organic synthesis (F. Serratosa), (413) 445
 Four-membered cobaltahterocycles from $\text{C}_5\text{H}_5\text{Co}(\text{CNR})(\text{PMc}_3)$ and isocyanates or isothiocyanates, synthesis and reactivity of; unusual fragmentation of the chiral isocyanide ligand (*S*)- $\text{CNCH}(\text{Me})\text{Ph}$ (H. Werner, B. Strecker), (413) 379
 Paason-Khand reaction, application to the synthesis of pentalenic acid (E.G. Rowley, N.E. Schore), (413) C5
 Platinum-indium and cobalt-gallium complexes, synthesis of; crystal structure of $[\text{Cy}_2\text{P}(\text{CH}_2\text{CH}_2)\text{PCy}_2]\text{-Pt}(\text{InR}_2)(\text{R})$ (Cy = cyclo- C_6H_{11}) (R.A. Fischer, J. Behm), (413) C10
 Thiophene complexes of cobalt (R. Albrecht, E. Weiss), (413) 355

Copper

- Three-membered metallacycle $\text{Cp}_3\text{Rh}_3(\mu\text{-CO})_3$, cluster and benzenoid system in reactions with 12-electron particles PPh_3M^+ ($\text{M} = \text{Cu}, \text{Ag}, \text{Au}$) and CpM^+ ($\text{M} = \text{Fe}, \text{Ru}$) (M.I. Rybinskaya, A.R. Kudinov, D.V. Muratov, N.P. Gambaryan, I.V. Stankevich, A.L. Chistyakov), (413) 419

Gallium

- Platinum-indium and cobalt-gallium complexes, synthesis of; crystal structure of $[\text{Cy}_2\text{P}(\text{CH}_2\text{CH}_2)\text{PCy}_2]\text{-Pt}(\text{InR}_2)(\text{R})$ (Cy = cyclo- C_6H_{11}) (R.A. Fischer, J. Behm), (413) C10

Gold

Three-membered metallacycle $\text{Cp}_3\text{Rh}_3(\mu\text{-CO})_3$, cluster and benzenoid system in reactions with 12-electron particles PPh_3M^+ ($\text{M} = \text{Cu, Ag, Au}$) and CpM^+ ($\text{M} = \text{Fe, Ru}$) (M.I. Rybinskaya, A.R. Kudinov, D.V. Muratov, N.P. Gambaryan, I.V. Stankevich, A.L. Chistyakov), (413) 419

Indium

Platinum-indium and cobalt-gallium complexes, synthesis of; crystal structure of $[\text{Cy}_2\text{P}(\text{CH}_2\text{CH}_2)\text{PCy}_2]\text{Pt}(\text{InR}_2)(\text{R})$ ($\text{Cy} = \text{cyclo-C}_6\text{H}_{11}$) (R.A. Fischer, J. Behm), (413) C10

Iridium

Pentamethylcyclopentadienyliridium complexes, ring-methyl activation in; synthesis of $[(\text{C}_5\text{Me}_4\text{CH}_2)_2\text{E}] \text{IrL}_n$ ($\text{E} = \text{SiMe}_3, \text{PhCH}_2, \text{CH}_2=\text{CHCH}_2, \text{PPh}_2, \text{Pt}(\text{PEt}_3)_2\text{Cl}$); synthesis and crystal structure of $[(1,3-\text{C}_5\text{Me}_3(\text{CH}_2\text{SiMe}_3)_2)\text{Ir}(\text{CO})\text{Me}(\text{Cl})]$ (J.A. Miguel-Garcia, H. Adams, N.A. Bailey, P.M. Maitlis), (413) 427

Iron

Acetylenes and diazoketones in organic synthesis (F. Serratosa), (413) 445

4-Alkoxy-4'-cyanobiphenyl esters of ferrocene dicarboxylic acid, preparation and thermal properties of (J. Bhatt, B.M. Fung, K.M. Nicholas), (413) 263

Chiral ferrocenylbisphosphines containing an aminoalkyl side chain, preparation of (T. Hayashi, A. Yamazaki), (413) 295

Deuterated sandwich- and piano-stool organo-iron complexes and polyalkylbenzenes, syntheses of (J.-R. Hamon, P. Hamon, S. Sinbandhit, P. Guenot, D. Astruc), (413) 243

(η^4 -Diene) $\text{Fe}(\text{CO})_2\text{L}$ complexes, evidence for correlated rotation and diastereoisomer discrimination in; crystal and solution structures of (cyclohexadiene) $\text{Fe}(\text{CO})_2\text{P}(o\text{-tolyl})_3$ and (cyclohepta-diene) $\text{Fe}(\text{CO})_2(+)-\text{PPh}_2(\text{neomenthyl})$ (J.A.S. Howell, M.G. Palin, M.-C. Tirvengadum, D. Cunningham, P. McArdle, Z. Goldschmidt, H.E. Gottlieb), (413) 269

Ferrocenyl(alkoxy)methylium cations, generation and isolation of salts of; their intermediacy in acid-promoted acetal hydrolysis (T.P.E. Kenny, A.C. Knipe, W.E. Watts), (413) 257

$[\text{NEt}_4][\text{WF}_2\{\mu_3\text{-}\eta^3, \eta^5\text{-CH=C=C('Bu)C(O)C}_2\text{B}_9\text{H}_9\text{Me}_2\}(\text{CO})_8]$, a tungstendiiiron cluster derived from $[\text{Fe}_2(\text{CO})_9]$ and $[\text{NEt}_4][\text{W}(\equiv\text{CC=C('Bu))CO}_2(\eta^5\text{-C}_2\text{B}_9\text{H}_9\text{Me}_2)]$ (N. Carr, S.J. Dossett, F.G.A. Stone), (413) 223

Oligonuclear ferrocene derivatives with chalcogene bridges (M. Herberhold, H.-D. Brendel, O. Nuyken, T. Pöhlmann), (413) 65

Stacked face-to-face ferrocene polymer, segment of; crystal and molecular structure of (B.M. Foxman, D.A. Gronbeck, M. Rosenblum), (413) 287

Three-membered metallacycle $\text{Cp}_3\text{Rh}_3(\mu\text{-CO})_3$, cluster and benzenoid system in reactions with 12-electron particles PPh_3M^+ ($\text{M} = \text{Cu, Ag, Au}$) and CpM^+ ($\text{M} = \text{Fe, Ru}$) (M.I. Rybinskaya, A.R. Kudinov, D.V. Muratov, N.P. Gambaryan, I.V. Stankevich, A.L. Chistyakov), (413) 419

Lithium

Oligonuclear ferrocene derivatives with chalcogene bridges (M. Herberhold, H.-D. Brendel, O. Nuyken, T. Pöhlmann), (413) 65

Manganese

η^6 -Arenetricarbonylmanganese cations, nucleophilic addition to; role of intermediates in reactions with phosphines (D.A. Brown, W.K. Glass, K.M. Kreddan), (413) 233

Mercury

Organic calomels, recent developments in studies of (O.A. Reutov, K.P. Butin), (413) 1

Metallocenes

4-Alkoxy-4'-cyanobiphenyl esters of ferrocene dicarboxylic acid, preparation and thermal properties of (J. Bhatt, B.M. Fung, K.M. Nicholas), (413) 263

Chiral ferrocenylbisphosphines containing an aminoalkyl side chain, preparation of (T. Hayashi, A. Yamazaki), (413) 295

Oligonuclear ferrocene derivatives with chalcogene bridges (M. Herberhold, H.-D. Brendel, O. Nuyken, T. Pöhlmann), (413) 65

Stacked face-to-face ferrocene polymer, segment of; crystal and molecular structure of (B.M. Foxman, D.A. Gronbeck, M. Rosenblum), (413) 287

Molybdenum

($\eta^5\text{-C}_5\text{Me}_5$)(CO)₂Mo≡CNEt₂, low-valent diethylaminocarbyne complex of molybdenum with a pentamethylcyclopentadienyl ligand; synthesis and crystal structure of (A.C. Filippou, W. Grünleitner, E.O. Fischer, W. Imhof, G. Huttner), (413) 165

η^2 -Iminoacyl, η^3 -1-azaallyl and η^2 -1,4-diazaabutadien-2-yl complexes of molybdenum, selective formation from ethyl isocyanide complexes (A.C. Filippou, W. Grünleitner, C. Völkl, P. Kiprof), (413) 181

[M{ $\eta^3\text{-C}(\text{CF}_3)_3\text{C}(\text{CF}_3)\text{SR}$ }(CF₃) $\equiv\text{CCF}_3$ ($\eta^5\text{-C}_5\text{H}_5$)], molybdenum and tungsten $\eta^2\text{-C,C-vinyl}$ complexes; reactions with alkynes leading to novel metallacycles (L. Carlton, N.M. Agh-Atabay, J.L. Davidson), (413) 205

Nickel

Acetylenes and diazoketones in organic synthesis (F. Serratosa), (413) 445

Niobium

η^6 -Arene derivatives of niobium(II), niobium(I), and niobium(0); synthesis and reactivity of (F. Calderazzo, G. Pampalini, L. Rocchi, J. Strähle, K. Wurst), (413) 91

Osmium

Organic osmium oxide, pyridine complexes of; synthesis, spectra and crystal structure of R₂OsO₂·(L) and R₂OsO₂·(L)₂ (W.A. Herrmann, S.J. Eder, P. Kiprof), (413) 27

Tertiary-phosphine, arsine and stibine complexes of hexaosmium clusters; preparation and aspects of the chemistry of (B.F.G. Johnson, J. Lewis, M.-A. Pearsall, L.G. Scott), (413) 337

Palladium

Acetylenes and diazoketones in organic synthesis (F. Serratosa), (413) 445

Depalladation of organopalladium compounds; annulation of aryl rings and formation of pyrones in (M. Pfeffer, M.A. Rotteveel, A. de Cian, J. Fisher, G. le Borgne), (413) C15

Phosphorus

Chiral ferrocenylbisphosphines containing an aminoalkyl side chain, preparation of (T. Hayashi, A. Yamazaki), (413) 295

Four-membered cobaltahterocycles from C₅H₅Co(CNR)(PMe₃) and isocyanates or isothiocyanates, synthesis and reactivity of; unusual fragmentation of the chiral isocyanide ligand (S)-CNCH(Me)Ph (H. Werner, B. Strecker), (413) 379

P-substituted olefins, base-catalysed addition of optically active P-H complexes (H. Brunner, S. Limmer), (413) 55

Platinum-indium and cobalt-gallium complexes, synthesis of; crystal structure of [Cy₂P(CH₂CH₂)PCy₂]-Pt(InR₂)(R) (Cy = cyclo-C₆H₁₁) (R.A. Fischer, J. Behm), (413) C10

Tetranuclear rhodium-triruthenium carbonyl clusters containing phosphorus(III) ligands; crystal and molecular structure of [RhRu₃(μ -H)₂(μ -CO)(CO)₇(PPh₃)₂($\eta^5\text{-C}_5\text{H}_5$)] (J.-L. Le Grand, W.E. Lindsell, K.J. McCullough), (413) 321

Thiophene complexes of cobalt (R. Albrecht, E. Weiss), (413) 355

Platinum

Platinum-indium and cobalt-gallium complexes, synthesis of; crystal structure of [Cy₂P(CH₂CH₂)PCy₂]-Pt(InR₂)(R) (Cy = cyclo-C₆H₁₁) (R.A. Fischer, J. Behm), (413) C10

Rhenium

Methyl- and ethylrhenium oxides, synthesis and structural aspects (W.A. Herrmann, C.C. Romao, P. Kiprof, J. Behm, M.R. Cook, M. Taillefer), (413) 11

Rhodium

P-substituted olefins, base-catalysed addition of optically active P-H complexes (H. Brunner, S. Limmer), (413) 55

Phosphaalkene complexes, catalytic hydrogenation of the phosphorus–carbon double bond (R. de Vaumas, A. Marinetti, F. Mathey), (413) 411

Tetranuclear rhodium-triruthenium carbonyl clusters containing phosphorus(III) ligands; crystal and molecular structure of $[\text{RhRu}_3(\mu\text{-H})_2(\mu\text{-CO})(\text{CO})_7(\text{PPh}_3)_2(\eta^5\text{-C}_5\text{H}_5)]$ (J.-L. Le Grand, W.E. Lindsell, K.J. McCullough), (413) 321

Three-membered metallacycle $\text{Cp}_3\text{Rh}_3(\mu\text{-CO})_3$, cluster and benzenoid system in reactions with 12-electron particles PPh_3M^+ ($\text{M} = \text{Cu, Ag, Au}$) and CpM^+ ($\text{M} = \text{Fe, Ru}$) (M.I. Rybinskaya, A.R. Kudinov, D.V. Muratov, N.P. Gambaryan, I.V. Stankevich, A.L. Chistyakov), (413) 419

Unsaturated amines, rhodium-catalysed reactions with hydrogen and carbon monoxide; new synthesis of 2-piperidinones (D. Anastasiou, W.R. Jackson), (413) 399

Ruthenium

$[(\eta^5\text{-C}_5\text{H}_5)\text{L}_2\text{Ru}=\text{C}=\text{C}(\text{Me})\text{Ph}]^+$ ($\text{L}_2 = (\text{PMe}_3)_2$ or $(\text{PPh}_2\text{CH}_2)_2$), stereoselective nucleophilic addition of cyanide to (S.G. Davies, A.J. Smallridge), (413) 313

$\text{Ru}(\eta^6\text{-naphthalene})(\eta^4\text{-1,5-cyclooctadiene})/\text{acetonitrile}$ system, homogeneous catalytic precursor for fast isomerization of 1,5-cyclooctadiene and 1-hexene (P. Pertici, G. Uccello Barretta, F. Burzagli, P. Salvadori, M.A. Bennett), (413) 303

Tetranuclear rhodium-triruthenium carbonyl clusters containing phosphorus(III) ligands; crystal and molecular structure of $[\text{RhRu}_3(\mu\text{-H})_2(\mu\text{-CO})(\text{CO})_7(\text{PPh}_3)_2(\eta^5\text{-C}_5\text{H}_5)]$ (J.-L. Le Grand, W.E. Lindsell, K.J. McCullough), (413) 321

Three-membered metallacycle $\text{Cp}_3\text{Rh}_3(\mu\text{-CO})_3$, cluster and benzenoid system in reactions with 12-electron particles PPh_3M^+ ($\text{M} = \text{Cu, Ag, Au}$) and CpM^+ ($\text{M} = \text{Fe, Ru}$) (M.I. Rybinskaya, A.R. Kudinov, D.V. Muratov, N.P. Gambaryan, I.V. Stankevich, A.L. Chistyakov), (413) 419

Samarium

Samarocene and ytterbocene hydroxides, synthesis and crystal structures of $[(\text{SmCp}'_2(\mu\text{-OH}))_2]$ and $[(\text{YbCp}'_2(\mu\text{-OH}))_2]$ [$\text{Cp}'' = \eta^5\text{-C}_5\text{H}_3(\text{SiMe}_3)_2\text{-1,3}$; $\text{Cp}' = \eta^5\text{-C}_5\text{H}_4\text{SiMe}_3$] (P.B. Hitchcock, M.F. LapPERT, S. Prashar), (413) 79

Selenium

Oligonuclear ferrocene derivatives with chalcogene bridges (M. Herberhold, H.-D. Brendel, O. Nuyken, T. Pöhlmann), (413) 65

Silicon

Methyl- and ethylrhenium oxides, synthesis and structural aspects (W.A. Herrmann, C.C. Romao, P. Kiprof, J. Behm, M.R. Cook, M. Taillefer), (413) 11

Organic osmium oxide, pyridine complexes of; synthesis, spectra and crystal structure of $\text{R}_2\text{OsO}_2\cdot(\text{L})$ and $\text{R}_2\text{OsO}_2\cdot(\text{L})_2$ (W.A. Herrmann, S.J. Eder, P. Kiprof), (413) 27

Pentamethylcyclopentadienyliridium complexes, ring-methyl activation in; synthesis of $[(\text{C}_5\text{Me}_4\text{CH}_2\text{-E})\text{IrL}_n]$ ($\text{E} = \text{SiMe}_3$, PhCH_2 , $\text{CH}_2=\text{CHCH}_2$, PPh_2 , $\text{Pt}(\text{PEt}_3)_2\text{Cl}$); synthesis and crystal structure of $[(1,3\text{-C}_5\text{Me}_3(\text{CH}_2\text{SiMe}_3)_2)\text{Ir}(\text{CO})\text{Me}(\text{Cl})]$ (J.A. Miguel-Garcia, H. Adams, N.A. Bailey, P.M. Maitlis), (413) 427

Platinum–indium and cobalt–gallium complexes, synthesis of; crystal structure of $[\text{Cy}_2\text{P}(\text{CH}_2\text{CH}_2)\text{PCy}_2]\text{-Pt}(\text{InR}_2)(\text{R})$ ($\text{Cy} = \text{cyclo-C}_6\text{H}_{11}$) (R.A. Fischer, J. Behm), (413) C10

Silver

Acetylenes and diazoketones in organic synthesis (F. Serratosa), (413) 445

Three-membered metallacycle $\text{Cp}_3\text{Rh}_3(\mu\text{-CO})_3$, cluster and benzenoid system in reactions with 12-elec-

tron particles PPh_3M^+ ($\text{M} = \text{Cu, Ag, Au}$) and CpM^+ ($\text{M} = \text{Fe, Ru}$) (M.I. Rybinskaya, A.R. Kudinov, D.V. Muratov, N.P. Gambaryan, I.V. Stankevich, A.L. Chistyakov), (413) 419

Technetium

Methyl- and ethylrhenium oxides, synthesis and structural aspects (W.A. Herrmann, C.C. Romao, P. Kiprof, J. Behm, M.R. Cook, M. Taillefer), (413) 11

Tellurium

Oligonuclear ferrocene derivatives with chalcogene bridges (M. Herberhold, H.-D. Brendel, O. Nuyken, T. Pöhlmann), (413) 65

Tin

Organotin(IV) compounds $2-(\text{Me}_2\text{NCHR})\text{C}_6\text{H}_4(\text{SnR}'\text{R}''\text{Br})$, fixed *s-cis* arrangement of the chiral carbon and tin centers; crystal structure of $2-(\text{Me}_2\text{NCHBu}^1)\text{C}_6\text{H}_4\text{SnMePhBr}$ (J.T.B.H. Jastrzebski, J. Boersma, G. van Koten), (413) 43

Titanium

Methyl- and ethylrhenium oxides, synthesis and structural aspects (W.A. Herrmann, C.C. Romao, P. Kiprof, J. Behm, M.R. Cook, M. Taillefer), (413) 11

Titanium and zirconium half-sandwich η -cycloheptatrienyl and η -toluene derivatives, one-pot synthesis of; crystal structure of $[\text{Zr}(\eta^6\text{-C}_6\text{H}_5\text{Me})(\text{PMe}_3)_2\text{Cl}_2]$ (G.M. Diamond, M.L.H. Green, N.M. Walker), (413) C1

Tungsten

$[\text{M}\{\eta^3\text{-CF}_3\}\text{C}(\text{CF}_3)\text{SR}](\text{CF}_3\equiv\text{CCF}_3)(\eta^5\text{-C}_5\text{H}_5)$], molybdenum and tungsten $\eta^2\text{-C,C-vinyl}$ complexes; reactions with alkynes leading to novel metallacycles (L. Carlton, N.M. Agh-Atabay, J.L. Davidson), (413) 205

$[\text{NEt}_4][\text{WF}_2\{\mu_3\text{-}\eta^3,\eta^5\text{-CH=C=C('Bu)}\text{C}(\text{O})\text{C}_2\text{B}_9\text{H}_9\text{Me}_2\}(\text{CO})_8]$, a tungstendiiiron cluster derived from $[\text{Fe}_2(\text{CO})_9]$ and $[\text{NEt}_4]\text{W}(\equiv\text{CC=C('Bu)}\text{C}(\text{O})_2(\eta^5\text{-C}_2\text{B}_9\text{H}_9\text{Me}_2)]$ (N. Carr, S.J. Dossett, F.G.A. Stone), (413) 223

Ytterbium

Samarocene and ytterbocene hydroxides, synthesis and crystal structures of $[(\text{SmCp}_2''(\mu\text{-OH}))_2]$ and $[(\text{YbCp}_2'(\mu\text{-OH}))_2]$ [$\text{Cp}'' = \eta^5\text{-C}_5\text{H}_3(\text{SiMe}_3)_2\text{-1,3}$; $\text{Cp}' = \eta^5\text{-C}_5\text{H}_4\text{SiMe}_3$] (P.B. Hitchcock, M.F. LapPERT, S. Prashar), (413) 79

Zinc

Methyl- and ethylrhenium oxides, synthesis and structural aspects (W.A. Herrmann, C.C. Romao, P. Kiprof, J. Behm, M.R. Cook, M. Taillefer), (413) 11

Zirconium

Titanium and zirconium half-sandwich η -cycloheptatrienyl and η -toluene derivatives, one-pot synthesis of; crystal structure of $[\text{Zr}(\eta^6\text{-C}_6\text{H}_5\text{Me})(\text{PMe}_3)_2\text{Cl}_2]$ (G.M. Diamond, M.L.H. Green, N.M. Walker), (413) C1