

SUBJECT INDEX

Aluminium

Homogeneous Cp_2ZrCl_2 /methylaluminumoxane Ziegler-Natta catalysts, reversible and irreversible deactivation of propene polymerization (D. Fischer, R. Mülhaupt), (417) C7

Bismuth

Diphenyl(trifluoromethyl)bismuth and phenylbis(trifluoromethyl)bismuth, new organoperfluoroalkyl derivatives of trivalent bismuth (S. Pasenok, D. Naumann, W. Tyrra), (417) C47

Boron

$(\text{ArBMe}_3)_2\text{Li}\cdot\text{OEt}_2$ complexes, studies on reactions with the electron donors OEt_2 and THF by means of ^1H , ^7Li , ^{11}B , and ^{13}C NMR spectroscopy (E. Kalbarczyk-Bidelska, S. Pasykiewicz), (417) 1

Chromium

Metal complexed indoles, chemistry and synthetic utility of (U.S. Gill, R.M. Moriarty, Y.Y. Ku, I.R. Butler), (417) 313

Cobalt

Alkynyl substituted chlorosilanes as cluster units (H. Lang, U. Lay, L. Zsolnai), (417) 377

α -Amidocarboxylic acids, amidocarbonylation as a route to (J.J. Lin, J.F. Knifton), (417) 99

Bis(fulvalene)diron and bis(fulvalene)iron-cobalt monohexafluorophosphates, crystallographic comparison of the cation (P. Brüggeller, P. Jaitner, H. Schottenberger, K.E. Schwarzzhans), (417) C53

Cobalt-catalysed dimerization of styrenes under syngas (M. Fontaine, A.J. Hubert, A.F. Noels, A. Demonceau, P. Teyssié), (417) C28

Cobalt-catalyzed hydroformylation, activation of molecular hydrogen (P. Pino, A. Major, F. Spindler, R. Tannenbaum, G. Bor, I.T. Horváth), (417) 65

Cobalt(O) and cobalt(I) complexes, reactivity with diynes towards $\text{C}\equiv\text{C}$, $\text{C}\equiv\text{N}$, $\text{C}\equiv\text{C}$ bonds; X-ray structure of a cyclopentadienylcobaltacyclopentadiene complex (Z. Zhou, L.P. Battaglia, G.P. Chiusoli, M. Costa, M. Nardelli, C. Pelizzi, G. Predieri), (417) 51

Dihydrogen activation by $\text{Co}_2\text{Rh}_2(\text{CO})_{12}$ disproportionation and a second order cluster fragmentation, kinetics of (M. Garland, P. Pino), (417) 121

(Dimethoxycarbonyl)tricarbonyl cobaltates, reductive elimination of dimethylcarbonate from: isolation and crystal structures of $\text{Cs}[\text{Co}(\text{COOCH}_3)_2(\text{CO})_3]$ and $\text{K}[(\text{dibenzo-18-crown-6})][\text{Co}(\text{COOCH}_3)_2(\text{CO})_3]$ (G. Fachinetti, T. Funaioli, D. Masi, C. Mealli), (417) C32

Enantioselective hydrogenation catalysts, some general regularities in the action of (E.I. Klabunovskii), (417) 181

Hydrido tetracarbonyl cobalt kinetics of the ring-opening carbonylation of ethyloxirane with (J. Kreis, F. Ungváry, A. Sisak, L. Markó), (417) 89

Hydroformylation of olefins in the presence of dicobalt octacarbonyl: some considerations (F. Piacenti, M. Bianchi, P. Frediani, G. Menchi, U. Matteoli), (417) 77

$\text{M}_4(\text{CO})_{11}\text{L}$ (M = Co, Ir; L = PPh_3 , P^nBu_3 , $\text{P}(\text{OMe})_3$, $\text{P}(\text{OEt})_3$): kinetics and mechanisms of CO substitution with L in the presence of Me_3NO (J.-Q. Wang, J.-K. Shen, Y.-C. Gao, Q.-Z. Shi, F. Basolo), (417) 131

Pyridinyloxazoline cobalt(I) complexes as catalysts, enantioselective hydrosilylation of acetophenone (H. Brunner, K. Amberger), (417) C63

The use of ^2H NMR in the elucidation of the catalytic pathway of the hydroformylation reaction (G. Uccello-Barretta, R. Lazzaroni, R. Settambolo, P. Salvadori), (417) 111

Copper

Alkylcuprates, reaction with 1-bromo-1,2-dienes as a regio- and stereo-selective route to acetylenic or allenic compounds (C. Polizzi, C. Consoloni, L. Lardicci, A.M. Caporusso), (417) 289

Enantioselective hydrogenation catalysts, some general regularities in the action of (E.I. Klabunovskii), (417) f8f

Palladium-catalyzed reactions of 2-alkynyl carbonates with terminal acetylenes, synthesis of 1,2-dien-4-ynes (T. Mandai, H. Murayama, T. Nakata, H. Yamaoki, M. Ogawa, M. Kawada, J. Tsuji), (417) 305

Germanium

Some silicon, germanium and tin acyloxyderivatives; ^{13}C , ^{17}O , ^{29}Si NMR study of (I. Zicmane, E. Liepiņš, L.M. Ignatovich, E. Lukevics), (417) 355

Hafnium

Group 4 1,1'-bis(trimethylsilyl)metallocenes, binuclear benzyl-1,2,4,5-tetrathiolato complexes of; synthesis and structure of $[(\eta^5\text{-Me}_3\text{SiC}_5\text{H}_4)_2\text{TiS}_2]_2\text{TiS}_2\text{C}_6\text{H}_2$ and $[(\eta^5\text{-Me}_3\text{SiC}_5\text{H}_4)_2\text{HfS}_2]_2\text{C}_6\text{H}_2$ (H. Balz, H. Köpf, J. Pickardt), (417) 397

Hafnium and titanium catalysts, comparative behaviour in copolymerization of α -olefins (A. Altomare, R. Solaro, F. Ciardelli, L. Barazzoni, F. Menconi, S. Malquori, F. Masi), (417) 29

Iridium

Iridium hydrogenation catalysts, hybrid P-N phosphines as participative ligands (E. Farnetti, G. Nardin, M. Graziani), (417) 163

$\text{M}_4(\text{CO})_8\text{L}$ ($\text{M} = \text{Co}, \text{Ir}; \text{L} = \text{PPh}_2, \text{P}^n\text{Bu}_2, \text{P}(\text{DMe})_2, \text{P}(\text{DEt})_2$); kinetics and mechanisms of CO substitution with L in the presence of Me_3NO (J.-Q. Wang, J.-K. Shen, Y.-C. Gao, Q.-Z. Shi, F. Basile), (417) 131

Iron

Bis(fulvalene)diiron and bis(fulvalene)iron-cobalt monohexafluorophosphates, crystallographic comparison of the cation (P. Brüggeller, P. Jaitner, H. Schottenberger, K.E. Schwarzhaus), (417) C53

$(\eta^3\text{-C}_3\text{H}_3)\text{Fe}(\text{CO})_3\text{X}$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$) complexes, electrochemical reduction of; evidence of formation of surface heterometallic compounds (D. Osella, M. Ravera, S.V. Kukhareno, V.V. Strelets, C.E. Housecroft), (417) 421

Iron and ruthenium complexes with 1,1-difluoroethene (W. Keim, W. Fischer), (417) C20

Lithium

$(\text{ArBMe}_3)\text{Li}\cdot\text{OEt}_2\text{OEt}_2$ complexes, studies on reactions with the electron donors OEt_2 and THF by means of ^1H , ^7Li , ^{11}B , and ^{13}C NMR spectroscopy (E. Kalbarczyk-Bidelska, S. Pasynekiewicz), (417) 1

Magnesium

Nickel complexes containing (*R,R*)-1,2-cyclopentanediybis(diphenylphosphine) and related ligands, enantioselective cross-coupling of vinyl-, aryl and allyl-electrophiles catalyzed by (G. Consiglio, A. Inobese), (417) C36

Mercury

Mercury(II) and thallium(III) organometallic derivatives of 2-mercaptobenzoxazole (M.V. Castaño, H. Calvo, A. Sánchez, J.S. Casas, J. Sordo, Y.P. Mascarenhas, C. de O.P. Santos), (417) 327

Metalloenes

Aryl-substituted titanocene and zirconocene complexes with interannular tetramethylethano- or dimethylsilano-bridges; crystal structures of representative examples (P. Burger, K. Hortmann, J. Diebold, H.-H. Brintzinger), (417) 9

Metal complexed indoles, chemistry and synthetic utility of (U.S. Gill, R.M. Moriarty, Y.Y. Ku, L.R. Butler), (417) 313

Permethylscandocene complex, investigations of the magnitude of steric and α deuterium kinetic isotope effects in a carbon-carbon bond-forming reaction of (W.D. Cotter, J.E. Bercaw), (417) C1

Zirconocene complexes, olefin hydrosilation catalyzed by (M.R. Kesti, M. Abdulrahman, R.M. Waymouth), (417) C12

Molybdenum

[MeCpMo(CO)₃]₂, photochemical reactions with quinones; EPR studies of (M. Hanaya, M. Iwaizumi), (417) 407

Neodymium

Neodymium(III) complexes with bulky cyclopentadienyl and benzamidinate ligands, a comparison (A. Recknagel, F. Knösel, H. Gornitzka, M. Noltemeyer, F.T. Edelmann, U. Behrens), (417) 363

Nickel

Enantioselective hydrogenation catalysts, some general regularities in the action of (E.I. Klabunovskii), (417) 181

P-substituted olefins, addition of optically active amines to (H. Brunner, S. Limmer), (417) 173

Nickel complexes containing (*R, R*)-1,2-cyclopentanediybis(diphenylphosphine) and related ligands, enantioselective cross-coupling of vinyl-, aryl and allyl-electrophiles catalyzed by (G. Consiglio, A. Indolese), (417) C36

Palladium

Allylamine, the Wacker-type oxidation of (W. Kaufmann, L.M. Venanzi), (417) 205

Efficient palladium catalysts for the copolymerization of carbon monoxide with olefins to produce perfectly alternating polyketones (E. Drent, J.A.M. van Broekhoven, M.J. Doyle), (417) 235

Enantioselective hydrogenation catalysts, some general regularities in the action of (E.I. Klabunovskii), (417) 181

N-alkenylamides and α -alkenylactams, amide-directed hydrocarbonylation of (I. Ojima, Z. Zhang), (417) 253

Palladium carbene cluster; synthesis, structure and reactivity (T.A. Stromnova, I.N. Busygina, D.I. Kochubey, I.I. Moiseev), (417) 193

Palladium-catalyzed reactions of 2-alkynyl carbonates with terminal acetylenes, synthesis of 1,2-dien-4-ynes (T. Mandai, H. Murayama, T. Nakata, H. Yamaoki, M. Ogawa, M. Kawada, J. Tsuji), (417) 305

Pd^{II} and Pd⁰ complexes as homogeneous catalysts, reductive carbonylation of nitroaromatic compounds to isocyanates (R. Ugo, R. Psaro, M. Pizzotti, P. Nardi, C. Dossi, A. Andreatta, G. Capparella), (417) 211

Phosphorus

P-substituted olefins, addition of optically active amines to (H. Brunner, S. Limmer), (417) 173

Platinum

Alkene complexes of platinum(0), hydroformylation of olefins catalyzed by (C. Botteghi, S. Paganelli), (417) C41

2-Pyridyl(phosphine) complexes of platinum(0), synthesis and chemistry of (Y. Xie, B.R. James), (417) 277

Rhodium

α -Amidocarboxylic acids, amidocarbonylation as a route to (J.J. Lin, J.F. Knifton), (417) 99

¹⁰³Bu₄N[Rh(CO)₂(OAc)₂], synthesis, properties, and crystal structure of: ¹⁰³Bu₄N[Rh(CO)₂(X)₂], exchange of acetate, chloride, and iodide in (A. Fulford, N.A. Bailey, H. Adams, P.M. Maitlis), (417) 139

- Dihydrogen activation by $\text{Co}_2\text{Rh}_2(\text{CO})_{12}$ disproportionation and a second order cluster fragmentation, kinetics of (M. Garland, P. Pino), (417) 121
- N-alkenylamides and α -alkenylactams, amide-directed hydrocarbonylation of (I. Ojima, Z. Zhang), (417) 253
- The use of ^2H NMR in the elucidation of the catalytic pathway of the hydroformylation reaction (G. Uccello-Barretta, R. Lazzaroni, R. Settambolo, P. Salvadori), (417) 111
- Υλιθε ισοδυναμικόν και ισοδυναμικόν complexes, synthesis, structure, and reactivity of Ni , Werner, O. Schippel, J. Wolf, M. Schulz), (417) 149

Ruthenium

- Anionic ruthenium iodocarbonyl complexes as selective dehydroxylation catalysts in aqueous solution (G. Braca, A.M. Raspolli Galletti, G. Sbrana), (417) 41
- Diastereoisomeric (η^6 -arene)ruthenium(II) chiral Schiff base complexes; crystal structure of a triphenylphosphine adduct (S.K. Mandal, A.R. Chakravarty), (417) C59
- Iron and ruthenium complexes with 1,1-difluoroethene (W. Keim, W. Fischer), (417) C20
- Metal complexed indoles, chemistry and synthetic utility of (U.S. Gill, R.M. Moriarty, Y.Y. Ku, I.R. Butler), (417) 313
- $\text{Ru}_3(\text{CO})_{12}/\text{Ru}(\text{CO})_5/\text{CO}$ equilibrium, thermodynamic study of (R. Koelliker, G. Bor), (417) 439
- $[\text{RuH}(\text{PPh}_3)_2(9,10\text{-dimethylanthracene})]^+$, homogeneous catalysis of the hydrogenation of 9,10-dimethylanthracene to 1,2-dihydro-9,10-dimethylanthracene by (Z. Lin, J. Halpern), (417) C24
- $\text{Ru}_3\{\mu_3\text{-C}_2(\text{CO}_2\text{Me})_2\}(\mu\text{-CO})(\text{CO})_7(\text{PMe}_2\text{Ph})_2$, preparation and X-ray structure of (M.I. Bruce, P.A. Humphrey, H. Miyamae, A.H. White), (417) 431

Scandium

- Permethylscandocene complex, investigations of the magnitude of steric and α deuterium kinetic isotope effects in a carbon-carbon bond-forming reaction of (W.D. Cotter, J.E. Bercaw), (417) C1

Silicon

- Alkyl substituted chlorosilanes as cluster units (H. Lang, U. Lay, L. Zsolnai), (417) 377
- Cyclohexyl(4-fluorophenyl) (3-piperidinopropyl)silanol (*p*-fluorohexahydro-sila-difenidol, *p*-F-HHSiD) and derivatives; synthesis and antimuscarinic properties (R. Tacke, K. Mahner, C. Strohmann, B. Forth, E. Mutschler, T. Friebe, G. Lambrecht), (417) 339
- FeCl_3 -doped poly(alkynylsilane)s, electrical conductivity of (R.J.P. Corriu, W.E. Douglas, Z.-X. Yang, F. Garnier, A. Yasser), (417) C50
- Neodymium(III) complexes with bulky cyclopentadienyl and benzamidinate ligands, a comparison (A. Recknagel, F. Knösel, H. Gornitzka, M. Noltemeyer, F.T. Edelman, U. Behrens), (417) 363
- Pyridinyloxazoline cobalt(I) complexes as catalysts, enantioselective hydrosilylierung of acetophenone (H. Brunner, K. Amberger), (417) C63
- Some silicon, germanium and tin acyloxyderivatives; ^{13}C , ^{17}O , ^{29}Si NMR study of (I. Zicmane, E. Liepiņš, L.M. Ignatovich, E. Lukevics), (417) 355
- Zirconocene complexes, olefin hydrosilation catalyzed by (M.R. Kesti, M. Abdulrahman, R.M. Waymouth), (417) C12

Tin

- Some silicon, germanium and tin acyloxyderivatives; ^{13}C , ^{17}O , ^{29}Si NMR study of (I. Zicmane, E. Liepiņš, L.M. Ignatovich, E. Lukevics), (417) 355

Titanium

- Aryl-substituted titanocene and zirconocene complexes with interannular tetramethylethano- or dimethylsilano-bridges; crystal structures of representative examples (P. Burger, K. Hortmann, J. Diebold, H.-H. Brintzinger), (417) 9
- Di- μ -[bis(2-phenylethyl) *m*-phthalate]octachlorodititanium(IV) bis(dichloromethane), crystal structure and properties (P. Sobota, J. Utko, T. Lis), (417) 389
- Group 4 1,1'-bis(trimethylsilyl)metallocenes, binuclear benzyl-1,2,4,5-tetrathiolato complexes of; synthesis and structure of $[(\eta^5\text{-Me}_3\text{SiC}_5\text{H}_4)_2\text{TiS}_2]_2\text{TiS}_2\text{C}_6\text{H}_2$ and $[(\eta^5\text{-Me}_3\text{SiC}_5\text{H}_4)_2\text{HfS}_2]_2\text{C}_6\text{H}_2$ (H. Balz, H. Köpf, J. Pickardt), (417) 397

Hafnium and titanium catalysts, comparative behaviour in copolymerization of α -olefins (A. Altomare, R. Solaro, F. Ciardelli, L. Barazzoni, F. Menconi, S. Malquori, F. Masi), (417) 29

Vanadium

$[\text{V}(\eta^6\text{-1,3,5-Me}_3\text{C}_6\text{H}_3)_2]\text{AlCl}_4$, primary product of the reduction of VCl_3 by $\text{Al}/\text{AlCl}_3/1,3,5\text{-Me}_3\text{C}_6\text{H}_3$, crystal structure of: further reduction to $\text{V}(\eta^6\text{-1,3,5-Me}_3\text{C}_6\text{H}_3)$, (F. Calderazzo, G. Pampaloni, L. Rocchi, F. Marchetti), (417) C16

Zirconium

Group 4 1,1'-bis(trimethylsilyl)metallocenes, binuclear benzyl-1,2,4,5-tetrathiolato complexes of; synthesis and structure of $[(\eta^5\text{-Me}_3\text{SiC}_3\text{H}_4)_2\text{TiS}_2]_2\text{TiS}_2\text{C}_6\text{H}_2$ and $[(\eta^5\text{-Me}_3\text{SiC}_3\text{H}_4)_2\text{HfS}_2]_2\text{C}_6\text{H}_2$ (H. Balz, H. Köpf, J. Pickardt), (417) 397

Homogeneous Cp_2ZrCl_2 /methylaluminoxane Ziegler-Natta catalysts, reversible and irreversible deactivation of propene polymerization (D. Fischer, R. Mülhaupt), (417) C7

Zirconocene complexes, olefin hydrosilation catalyzed by (M.R. Kesti, M. Abdulrahman, R.M. Waymouth), (417) C12

Book reviews

Enzymatic and Model Carboxylation and Reduction Reactions for Carbon Dioxide Utilization; edited by M. Aresta and T.V. Schloss (G.L. Leigh), (417) C67

Sonochemistry: The Uses of Ultrasound in Chemistry, edited by T.J. Mason (P.D. Lickiss), (417) C66