
JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 410 (1991)

SUBJECT INDEX**Chromium**

- Carbonylchromium, carbonylmolybdenum and carbonyltungsten complexes of the asymmetrically substituted phosphino sulfur diimides ${}^1\text{Bu}_2\text{P}(\text{NSN})\text{PPh}_2$ and ${}^1\text{Bu}_2\text{P}(\text{NSN})\text{P}({}^1\text{Bu})\text{Ph}$; ${}^1\text{H}$, ${}^{13}\text{C}$ and ${}^{31}\text{P}$ NMR spectroscopic characterisation of (M. Herberhold, S.M. Frank, B. Wrackmeyer), (410) 159
- $\text{CH}_3\text{C}[\text{CH}_2\text{NC}-\text{M}(\text{CO})_x]_3$ complexes (M = Cr, W, $x = 5$; M = Fe, $x = 4$), synthesis of; crystal structure of $\text{CH}_3\text{C}[\text{CH}_2\text{NC}-\text{W}(\text{CO})_5]_3$ (F.E. Hahn, M. Tamm), (410) C9
- Naphthalenyttberium, reactions with bis(cyclopentadienyl)complexes of cobalt, nickel, chromium and vanadium; crystal structure of the triple-decker compound $\text{CpVC}_{10}\text{H}_8\text{VCp}$ (M.N. Bochkarev, I.L. Fedushkin, H. Schumann, J. Loebel), (410) 321

Cobalt

- Naphthalenyttberium, reactions with bis(cyclopentadienyl)complexes of cobalt, nickel, chromium and vanadium; crystal structure of the triple-decker compound $\text{CpVC}_{10}\text{H}_8\text{VCp}$ (M.N. Bochkarev, I.L. Fedushkin, H. Schumann, J. Loebel), (410) 321
- Octacarbonyldicobalt, reductive dehalogenation of chloro(alkynyl)phosphines by (H. Lang, M. Leise, L. Zsolnai), (410) 379

Germanium

- Methylethynylgermanes; ${}^{73}\text{Ge}$, ${}^{13}\text{C}$ and ${}^1\text{H}$ NMR spectroscopy of (E. Liepiņš, M.V. Petrova, E.T. Bogorodovsky, V.S. Zavgorodny), (410) 287

Gold

- Iridium-193 and gold-197 Mössbauer investigations of iridium(I), iridium(III) and iridium(I)/gold(I) complexes (A.L. Bandini, G. Banditelli, F. Bonati, S. Calogero, F.E. Wagner), (410) 241

Hafnium

- Heterobimetallic Zr,Hf(μ -formaldehyde) complex from $[(\text{CH}_2\text{O})\text{ZrCp}_2]$ dimer and hafnocene dichloride (G. Erker, M. Mena, M. Bendix), (410) C5

Iridium

- Chiral chloro(dimethylsulfoxide)(η^5 -pentamethylcyclopentadienyl)thyminatoiridium(III), preparation and structure of (R. Krämer, K. Polborn, W. Beck), (410) 111
- Iridium-193 and gold-197 Mössbauer investigations of iridium(I), iridium(III) and iridium(I)/gold(I) complexes (A.L. Bandini, G. Banditelli, F. Bonati, S. Calogero, F.E. Wagner), (410) 241
- Tris(diphenylthiophosphinoyl)methane and tris(diphenylthiophosphinoyl)methanide complexes of rhodium and iridium, synthesis and structural characterisation of; crystal structures of $[\text{Rh}(\text{C}_8\text{H}_{12})\{\eta^2\text{-C}(\text{P}(\text{S})\text{Ph}_2)_3\text{-S,S}\}]$ and $[\text{Ir}(\text{CO})_2\{\eta^2\text{-C}(\text{P}(\text{S})\text{Ph}_2)_3\text{-S,S}\}]$ (J. Browning, K.R. Dixon, R.W. Hiltz, N.J. Meanwell, F. Wang), (410) 389

Iron

- $\text{CH}_3\text{C}[\text{CH}_2\text{NC}-\text{M}(\text{CO})_x]_3$ complexes (M = Cr, W, $x = 5$; M = Fe, $x = 4$), synthesis of; crystal structure of $\text{CH}_3\text{C}[\text{CH}_2\text{NC}-\text{W}(\text{CO})_5]_3$ (F.E. Hahn, M. Tamm), (410) C9

Cyclopentadienyliron bis(phosphine) complexes with dimethylchalcogenide ligands; synthesis, reactivity and crystal structure of $[\text{C}_5\text{H}_5\text{Fe}(\text{P}(\text{OCH}_3)_3)_2(\text{S}(\text{CH}_3)_2)]\text{PF}_6$ (H. Schumann, J.W. Ziller), (410) 365
 Ferrocenyl-CO-CH=CH-aryl-type chalcone-analogous ferrocenes *ortho*-substituted in the aromatic ring, spectroscopic investigation of (Á.G. Nagy, P. Sohár, J. Márton), (410) 357
 $\text{Fe}_2\text{Ru}(\mu_3\text{-Se})(\mu_3\text{-Te})(\text{CO})_9$ and $(\eta^5\text{-C}_5\text{H}_5)\text{CoFe}_2(\mu_3\text{-Se})(\mu_3\text{-Te})(\text{CO})_6$, synthesis and characterisation of (D. Chakrabarty, Md.M. Hossain, R.K. Kumar, P. Mathur), (410) 143
 Mixed-valence 1',1'''-dibenzylferrocenium cations, micromodulation of electron transfer rates in (T.-Y. Dong, C.-C. Schei, M.-Y. Hwang, T.-Y. Lee), (410) C39

Lead

Diphenyllead(IV) dichloride, molecular electronic structure of; comparison with diphenyltin(IV) dichloride by the SCF-MS molecular-orbital method (E.M. Berksoy, M.A. Whitehead), (410) 293

Lithium

1,6-Dilithio-3-hexyne, preparation by cleavage of 1,1'-bicyclopropylidene with lithium powder; isolation of the intermediate (1,3-dilithiopropylidene)cyclopropane (A. Maercker, K.-D. Klein), (410) C35
 Organolithium and -magnesium compounds, conjugated addition to α -ethylenic mesitylketones (F. Barbot, D. N'Goma, Ph. Miginiac), (410) 277

Magnesium

Organolithium and -magnesium compounds, conjugated addition to α -ethylenic mesitylketones (F. Barbot, D. N'Goma, Ph. Miginiac), (410) 277

Mercury

trans-NiI₂(RNC)₂ complex, unusual reductive behaviour at mercury and platinum electrodes (K. Ehara, K. Kumagaya, Y. Yamamoto, K. Takahashi, H. Yamazaki), (410) C49

Metalloenes

(μ -Alkylideneamido)titanocene complex $[(\text{C}_5\text{H}_5)_2\text{TiCl}]_2[\mu\text{-}\{\text{N}=\text{C}(\text{CH}_2\text{C}_6\text{H}_5)\text{C}(\text{CH}_2\text{C}_6\text{H}_5)=\text{N}\}]$, preparation and crystal structure of (F. Rehbaum, K.-H. Thiele, S.I. Trojanov), (410) 327
 $\text{Cp}_2^*\text{Sm}(\text{THF})_2$, reactions with 1,4-diazadienes and cyclooctatetraene (A. Recknagel, M. Noltemeyer, F.T. Edelmann), (410) 53
 Disilanes, dehydrogenative polymerisation catalysed by titanocene and zirconocene complexes; novel route to oligo- and poly-silanes (E. Hengge, M. Weinberger, Ch. Jammegg), (410) C1
 Heterobimetallic Zr,Hf(μ -formaldehyde) complex from $[(\text{CH}_2\text{O})\text{ZrCp}_2]$ dimer and hafnocene dichloride (G. Erker, M. Mena, M. Bendix), (410) C5
 Mixed-valence 1',1'''-dibenzylferrocenium cations, micromodulation of electron transfer rates in (T.-Y. Dong, C.-C. Schei, M.-Y. Hwang, T.-Y. Lee), (410) C39

Molybdenum

Carbonylchromium, carbonylmolybdenum and carbonyltungsten complexes of the asymmetrically substituted phosphino sulfur diimides ${}^t\text{Bu}_2\text{P}(\text{NSN})\text{PPh}_2$ and ${}^t\text{Bu}_2\text{P}(\text{NSN})\text{P}({}^t\text{Bu})\text{Ph}$; ${}^1\text{H}$, ${}^{13}\text{C}$ and ${}^{31}\text{P}$ NMR spectroscopic characterisation of (M. Herberhold, S.M. Frank, B. Wrackmeyer), (410) 159
 $\text{CpMH}(\text{=C}(\text{NHEt})\text{Ph})(\text{CO})_2$ (M = Mo, W) system, hydride to carbene migration in; crystal structure of $\text{CpMo}(\eta^2\text{-CH}(\text{Ph})\text{NHEt})(\text{CO})_2$ (H. Adams, N.A. Bailey, M.J. Winter, S. Woodward), (410) C21
 High-valent molybdenum complexes, reaction with carbon monoxide (R. Lai, S. Le Bot, F. Djafri), (410) 335
 $[(\text{OC})_3\text{M}(\mu\text{-Cl})(\mu\text{-CO})(\mu\text{-dppm})\text{Rh}(\text{NBD})]$ (M = Mo, W) tribridged derivatives, formation by ring opening of $[(\text{OC})_4\text{M}(\text{dppm-PP})]$; crystal structure of $[(\text{OC})_3\text{Mo}(\mu\text{-Cl})(\mu\text{-CO})(\mu\text{-dppm})\text{Rh}(\text{NBD})]$ (M. Cano, J.V. Heras, P. Ovejero, E. Pinilla, A. Monge), (410) 101
 Tetra-tert-butyl-pentafulvalene as ligand in dinuclear molybdenum complexes; *cis*-configuration without a metal-metal bond (P. Jutzi, J. Schnittger, B. Neumann, H.-G. Stammler), (410) C13

Nickel

η^3, η^2, η^2 -Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-ynickel(II) complexes $[\text{Ni}(\text{C}_{12}\text{H}_{19})]\text{X}$ (X = BF_4 , $\text{B}(\text{O}_2\text{C}_6\text{H}_4)_2$, CF_3SO_3 , AlBr_4) as catalysts for 1,4-polymerisation of butadiene; anion influence on catalytic structure-reactivity relationships (R. Taube, J.-P. Gehrke, P. Böhme, K. Scherzer), (410) 403

Naphthalenytterbium, reactions with bis(cyclopentadienyl)complexes of cobalt, nickel, chromium and vanadium; crystal structure of the triple-decker compound $\text{CpVC}_{10}\text{H}_8\text{VCp}$ (M.N. Bochkarev, I.L. Fedushkin, H. Schumann, J. Loebel), (410) 321

Ni^0 catalysed reactions between 1,3-butadiene and phenylisocyanate (H. Hoberg, D. Bärhausen, R. Mynott, G. Schroth), (410) 117

trans- $\text{NiI}_2(\text{RNC})_2$ complex, unusual reductive behaviour at mercury and platinum electrodes (K. Ehara, K. Kumagaya, Y. Yamamoto, K. Takahashi, H. Yamazaki), (410) C49

Osmium

$\text{Os}_3(\text{CO})_{10}(\mu\text{-Br})(\text{CH}=\text{CHPh})$ triosmium complex, reactions with benzyl isonitrile and triphenylphosphine; crystal structure and solution fluxionality of the ethenyl derivatives (S.-H. Chuang, Y. Chi, F.-L. Liao, S.-L. Wang, S.-M. Peng, G.-H. Lee, J.-C. Wu, K.-M. Horng), (410) 85

Triosmium and triruthenium carbon radicals, reactivity toward fluoro- and hexafluorobenzene (N. Hadj-Bagheri, D.S. Strickland, S.R. Wilson, J.R. Shapley), (410) 231

Palladium

Binuclear palladium complexes of isocyanides with novel bridging η^3 -indenyl ligands, synthesis and characterisation of; crystal structure of $[\text{Pd}_2(\mu\text{-}\eta^3\text{-indenyl})_2(\text{RNC})_2]$ (R = 2,6-dimethylphenyl) (T. Tanase, T. Nomura, Y. Yamamoto, K. Kobayashi), (410) C25

Double cyclopalladation of diacetylbenzene dioximes and 1,5-bis(dimethylamino)naphthalene (I.G. Phillips, P.J. Steel), (410) 247

Palladium(II) complexes of 3,3'-, 5,5'-, and 7,7'-dimethyl-2,2'-biindazole (A.C. Albéniz, J.C. Cuevas, P. Espinet, J. de Mendoza, P. Prados), (410) 257

Phosphorus

Carbonylchromium, carbonylmolybdenum and carbonyltungsten complexes of the asymmetrically substituted phosphino sulfur diimides ${}^t\text{Bu}_2\text{P}(\text{NSN})\text{PPh}_2$ and ${}^t\text{Bu}_2\text{P}(\text{NSN})\text{P}({}^t\text{Bu})\text{Ph}$; ${}^1\text{H}$, ${}^{13}\text{C}$ and ${}^{31}\text{P}$ NMR spectroscopic characterisation of (M. Herberhold, S.M. Frank, B. Wrackmeyer), (410) 159

9,9-(1,2,5,6- η^4 -Cycloocta-1,5-diene)-3,6-bis(tert-butyl)dibenzoplatinol and 9,9-bis(triphenylphosphine)-3,6-bis(trifluoromethyl)dibenzoplatinol, crystal and molecular structures of (T. Debaerdemaeker, R. Hohenadel, H.-A. Brune), (410) 265

Cyclopentadienyliron bis(phosphine) complexes with dimethylchalcogenide ligands; synthesis, reactivity and crystal structure of $[\text{C}_5\text{H}_5\text{Fe}(\text{P}(\text{OCH}_3)_3)_2(\text{S}(\text{CH}_3)_2)]\text{PF}_6$ (H. Schumann, J.W. Ziller), (410) 365

Ni^0 catalysed reactions between 1,3-butadiene and phenylisocyanate (H. Hoberg, D. Bärhausen, R. Mynott, G. Schroth), (410) 117

Octacarbonyldicobalt, reductive dehalogenation of chloro(alkynyl)phosphines by (H. Lang, M. Leise, L. Zsolnai), (410) 379

Platinum

9,9-(1,2,5,6- η^4 -Cycloocta-1,5-diene)-3,6-bis(tert-butyl)dibenzoplatinol and 9,9-bis(triphenylphosphine)-3,6-bis(trifluoromethyl)dibenzoplatinol, crystal and molecular structures of (T. Debaerdemaeker, R. Hohenadel, H.-A. Brune), (410) 265

$[\text{PtMe}(\text{pp}_3)]^+$ ($\text{pp}_3 = \text{P}(\text{CH}_2\text{CH}_2\text{PPh}_2)_3$) five-coordinate organoplatinum cation, synthesis by oxidative addition of methyl iodide to $[\text{Pt}_2(\mu\text{-pp}_3)_2]$ (M. Peter, M. Probst, P. Peringer, E.P. Müller), (410) C29

Potassium

Tetra-tert-butyl-pentafulvalene as ligand in dinuclear molybdenum complexes; *cis*-configuration without a metal-metal bond (P. Jutzi, J. Schnittger, B. Neumann, H.-G. Stammner), (410) C13

Rhenium

Rhenium cyanamide-isocyanide complexes *trans*- $[\text{ReL}(\text{CNR})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]^+$ (L = NCNH_2 or NCNH^-), synthesis and electrochemical behaviour of (M.F.N.N. Carvalho, A.J.L. Pombeiro), (410) 347

Rhodium

$[(OC)_3M(\mu-Cl)(\mu-CO)(\mu-dppm)Rh(NBD)]$ ($M = Mo, W$) tribriged derivatives, formation by ring opening of $[(OC)_4M(dppm-PP)]$; crystal structure of $[(OC)_3Mo(\mu-Cl)(\mu-CO)(\mu-dppm)Rh(NBD)]$ (M. Cano, J.V. Heras, P. Ovejero, E. Pinilla, A. Monge), (410) 101

Tris(diphenylthiophosphinoyl)methane and tris(diphenylthiophosphinoyl)methanide complexes of rhodium and iridium, synthesis and structural characterisation of; crystal structures of $[Rh(C_6H_{12})\{\eta^2-C(P(S)Ph_2)_3-S,S\}]$ and $[Ir(CO)_2\{\eta^2-C(P(S)Ph_2)_3-S,S\}]$ (J. Browning, K.R. Dixon, R.W. Hilt, N.J. Meanwell, F. Wang), (410) 389

Ruthenium

Binuclear (η^6 -benzene)ruthenium(II) complexes with one or two bridging N-donor ligands, synthesis and structural characterisation of (W.S. Sheldrick, H.-S. Hagen-Eckhard), (410) 73

$Fe_2Ru(\mu_3-Se)(\mu_3-Te)(CO)_9$ and $(\eta^5-C_5H_5)CoFe_2(\mu_3-Se)(\mu_3-Te)(CO)_6$, synthesis and characterisation of (D. Chakrabarty, Md.M. Hossain, R.K. Kumar, P. Mathur), (410) 143

$Ru_5(\mu_5-C_2PPh_2)(\mu-PPH_2)(CO)_{13}$, substitution of CO by P(OEt)₃ in; X-ray structures of two isomers of $Ru_5(\mu_5-C_2PPh_2)(\mu-PPH_2)(CO)_{12}\{P(OEt)_3\}$ and of $Ru_5(\mu_5-C_2PPh_2)(\mu-PPH_2)(CO)_{11}\{P(OEt)_3\}_2$ (M.I. Bruce, M.J. Liddell, E.R.T. Tiekink, B.K. Nicholson, B.W. Skelton, A.H. White), (410) 211

Ruthenaborane cluster $HRu_4(CO)_{12}BH_2$, insertion of 1-phenyl-1-propyne into; isolation and molecular structure of 1-phenyl-2,3-dimethylazulene (S.M. Draper, C.E. Housecroft, A.K. Keep, D.M. Matthews, B.S. Haggerty, A.L. Rheingold), (410) C44

Triosmium and triruthenium carbon radicals, reactivity toward fluoro- and hexafluorobenzene (N. Hadj-Bagheri, D.S. Strickland, S.R. Wilson, J.R. Shapley), (410) 231

Samarium

$Cp_2^*Sm(THF)_2$, reactions with 1,4-diazadienes and cyclooctatetraene (A. Recknagel, M. Noltemeyer, F.T. Edelmann), (410) 53

Selenium

Cyclopentadienyliron bis(phosphine) complexes with dimethylchalcogenide ligands; synthesis, reactivity and crystal structure of $[C_5H_5Fe(P(OCH_3)_3)_2(S(CH_3)_2)]PF_6$ (H. Schumann, J.W. Ziller), (410) 365

$Fe_2Ru(\mu_3-Se)(\mu_3-Te)(CO)_9$ and $(\eta^5-C_5H_5)CoFe_2(\mu_3-Se)(\mu_3-Te)(CO)_6$, synthesis and characterisation of (D. Chakrabarty, Md.M. Hossain, R.K. Kumar, P. Mathur), (410) 143

Silicon

Cyclic tellurides; synthesis, reaction and ligand properties of 2,2,6,6-tetramethyl-1-oxa-4-tellura-2,6-disilacyclohexane ($C_6H_{16}OSi_2Te$); crystal structure of $C_6H_{16}OSi_2TeI_2$ (A.Z. Al-Rubaie, S. Uemura, H. Masuda), (410) 309

[5,6:7,8]Dibenzo-2-silabicyclo[2.2.2]octanes, photochemical reactions of (B.R. Yoo, M.E. Lee, I.N. Jung), (410) 33

α,ω -Diphenylpermethylated oligosilanes, dearylation with triflic acid (K.E. Ruehl, K. Matyjaszewski), (410) 1

Disilanes, dehydrogenative polymerisation catalysed by titanocene and zirconocene complexes; novel route to oligo- and poly-silanes (E. Hengge, M. Weinberger, Ch. Jammegg), (410) C1

Hydrosilylation of carbonyl compounds catalysed by alkali metal fluorides in the presence of crown ethers (Yu. Goldberg, E. Ábele, M. Shymanska, E. Lukevics), (410) 127

Trimethyliodosilane, reactions with mono-, di-, and trioxacycloalkanes (M.G. Voronkov, E.I. Dubinskaya), (410) 13

Technetium

$Cp^*Tc(CO)_3$ derivatives; synthesis, reactions and structure of (H.H. Knight Castro, A. Meetsma, J.H. Teuben, W. Vaalburg, K. Panek, G. Ensing), (410) 63

Tellurium

Cyclic tellurides; synthesis, reaction and ligand properties of 2,2,6,6-tetramethyl-1-oxa-4-tellura-2,6-disilacyclohexane ($C_6H_{16}OSi_2Te$); crystal structure of $C_6H_{16}OSi_2TeI_2$ (A.Z. Al-Rubaie, S. Uemura, H. Masuda), (410) 309

Cyclopentadienyliron bis(phosphine) complexes with dimethylchalcogenide ligands; synthesis, reactivity and crystal structure of $[\text{C}_5\text{H}_5\text{Fe}(\text{P}(\text{OCH}_3)_3)_2(\text{S}(\text{CH}_3)_2)]\text{PF}_6$ (H. Schumann, J.W. Ziller), (410) 365
 $\text{Fe}_2\text{Ru}(\mu_3\text{-Se})(\mu_3\text{-Te})(\text{CO})_9$ and $(\eta^3\text{-C}_3\text{H}_5)\text{CoFe}_2(\mu_3\text{-Se})(\mu_3\text{-Te})(\text{CO})_6$, synthesis and characterisation of (D. Chakrabarty, Md.M. Hossain, R.K. Kumar, P. Mathur), (410) 143

Tin

Diorganotin(IV) carboxylates containing 2-thiophene- or 2-furan-carboxylic acid, synthesis and characterisation of; crystal structure of $[\text{Et}_2\text{Sn}(\text{O}_2\text{CC}_4\text{H}_7\text{S}_2)]$ (C. Vatsa, V.K. Jain, T. Kesavadas, E.R.T. Tiekink), (410) 135

Diphenyllead(IV) dichloride, molecular electronic structure of; comparison with diphenyltin(IV) dichloride by the SCF-MS molecular-orbital method (E.M. Berksoy, M.A. Whitehead), (410) 293

{1-Methyl-1-aza-5-stannabicyclo[3.3.0]^{1,5}octane}sulfide dimers and trimers; crystal structure of the dimer; study of dimer-trimer equilibrium by ¹¹⁹Sn-NMR and FD mass spectrometry (B.M. Schmidt, M. Dräger, K. Jurkschat), (410) 43

Titanium

(μ -Alkylideneamido)titanocene complex $[(\text{C}_5\text{H}_5)_2\text{TiCl}]_2[\mu\text{-}\{\text{N}=\text{C}(\text{CH}_2\text{C}_6\text{H}_5)\text{C}(\text{CH}_2\text{C}_6\text{H}_5)=\text{N}\}]$, preparation and crystal structure of (F. Rehbaum, K.-H. Thiele, S.I. Trojanov), (410) 327

Di- μ -chloro-tetrachlorobis(diethyl *o*-phthalate)ditanium(III), a new intermediate for the synthesis of titanium(III) compounds; crystal structure and properties of (P. Sobota, J. Ejfler, J. Utko, T. Lis), (410) 149

Disilanes, dehydrogenative polymerisation catalysed by titanocene and zirconocene complexes; novel route to oligo- and poly-silanes (E. Hengge, M. Weinberger, Ch. Jammegg), (410) C1

Tungsten

Carbonylchromium, carbonylmolybdenum and carbonyltungsten complexes of the asymmetrically substituted phosphino sulfur diimides ^tBu₂P(NSN)PPh₂ and ^tBu₂P(NSN)P(^tBu)Ph; ¹H, ¹³C and ³¹P NMR spectroscopic characterisation of (M. Herberhold, S.M. Frank, B. Wrackmeyer), (410) 159

CH₃C[CH₂NC-M(CO)_x]₃ complexes (M = Cr, W, x = 5; M = Fe, x = 4), synthesis of; crystal structure of CH₃C[CH₂NC-W(CO)₅]₃ (F.E. Hahn, M. Tamm), (410) C9

CpMH($=\text{C}(\text{NHEt})\text{Ph}$)(CO)₂ (M = Mo, W) system, hydride to carbene migration in; crystal structure of CpMo($\eta^2\text{-CH}(\text{Ph})\text{NHEt}$)(CO)₂ (H. Adams, N.A. Bailey, M.J. Winter, S. Woodward), (410) C21

$[(\text{OC})_3\text{M}(\mu\text{-Cl})(\mu\text{-CO})(\mu\text{-dppm})\text{Rh}(\text{NBD})]$ (M = Mo, W) tribridged derivatives, formation by ring opening of $[(\text{OC})_4\text{M}(\text{dppm-PP})]$; crystal structure of $[(\text{OC})_3\text{Mo}(\mu\text{-Cl})(\mu\text{-CO})(\mu\text{-dppm})\text{Rh}(\text{NBD})]$ (M. Cano, J.V. Heras, P. Ovejero, E. Pinilla, A. Monge), (410) 101

Tungsten(0) anionic ethylisocyanide complex, alkylation of; synthesis of alkyl-, η^2 -iminoacyl-, 1-azaallyl- and dialkylaminocarbene complexes of tungsten (A.C. Filippou, W. Grünleitner, P. Kiprof), (410) 175

Vanadium

Naphthalenytterbium, reactions with bis(cyclopentadienyl)complexes of cobalt, nickel, chromium and vanadium; crystal structure of the triple-decker compound CpVC₁₀H₈VCp (M.N. Bochkarev, I.L. Fedushkin, H. Schumann, J. Loebel), (410) 321

Ytterbium

Naphthalenytterbium, reactions with bis(cyclopentadienyl)complexes of cobalt, nickel, chromium and vanadium; crystal structure of the triple-decker compound CpVC₁₀H₈VCp (M.N. Bochkarev, I.L. Fedushkin, H. Schumann, J. Loebel), (410) 321

Zinc

Organolithium and -magnesium compounds, conjugated addition to α -ethylenic mesitylketones (F. Barbot, D. N'Goma, Ph. Miginiac), (410) 277

Zirconium

Disilanes, dehydrogenative polymerisation catalysed by titanocene and zirconocene complexes; novel route to oligo- and poly-silanes (E. Hengge, M. Weinberger, Ch. Jammegg), (410) C1

Heterobimetallic Zr,Hf(μ -formaldehyde) complex from $[(\text{CH}_2\text{O})\text{ZrCp}_2]$ dimer and hafnocene dichloride (G. Erker, M. Mena, M. Bendix), (410) C5