

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 401 (1991)

SUBJECT INDEX**Aluminium**

Metalloporphyrins with metal-metal σ -bonds; synthesis, spectroscopic characterization, and electrochemistry of (P)MRe(CO)₅, where P is the dianion of octaethylporphyrin (OEP) or tetraphenylporphyrin (TPP) and M = Al, Ga, In or Tl (R. Guillard, A. Zrineh, A. Tabard, L. Courthaudon, B. Han, M. Ferhat, K.M. Kadish), (401) 227

Chromium

Alkynylalkoxycarbene metal (Cr, W) complexes, conjugate addition of alcohols to (F. Camps, A. Llebaria, J.M. Moretó, S. Ricart, J.M. Viñas, J. Ros, R. Yáñez), (401) C17

β - And δ -aryl amino esters; synthesis by reaction of methyl arylacetate tricarbonylchromium complexes with halogeno α -amino esters (A. Jenhi, J.-P. Lavergne, Ph. Viallefont), (401) C14

α -Aryl amino acids, enantioselective synthesis of; aromatic nucleophilic substitution of fluorobenzene tricarbonylchromium by chiral enolates (M. Chaari, A. Jenhi, J.-P. Lavergne, Ph. Viallefont), (401) C10

Copper, redox behaviour in new heteropentannuclear complexes prepared from functionalised phenanthroline tweezer ligands; influence of arenechromium tricarbonyl (C. Diaz, J.-P. Gisselbrecht, M. Gross, J. Suffert, R. Ziessel), (401) C54

Metal carbonyls, rate of O-atom transfer to; effect of substituents on amine *N*-oxides on (J.-K. Shen, Y.-C. Gao, Q.-Z. Shi, F. Basolo), (401) 295

Cobalt

(η^6 -Phenyl)Cr(CO)₃- and (η^6 -phenyl)Co₂(CO)₉-substituted metallocenylcarbinols of the iron subgroup; synthesis, structure and hydrogen bonding in (E.S. Shubina, L.M. Epstein, Yu.L. Slovokhotov, A.V. Mironov, Yu.T. Struchkov, V.S. Kaganovich, A.Z. Kreindlin, M.I. Rybinskaya), (401) 155

Transition metal complexes as electrochemical markers for steroids (D. Osella, E. Stein, G. Jaouen, P. Zanello), (401) 37

Copper

Copper, redox behaviour in new heteropentannuclear complexes prepared from functionalised phenanthroline tweezer ligands; influence of arenechromium tricarbonyl (C. Diaz, J.-P. Gisselbrecht, M. Gross, J. Suffert, R. Ziessel), (401) C54

Gadolinium

Tricyclopentadienyllanthanides/sodium hydride, reaction with organic halides (C. Qian, D. Zhu, Y. Gu), (401) 23

Gallium

Metalloporphyrins with metal-metal σ -bonds; synthesis, spectroscopic characterization, and electrochemistry of (P)MRe(CO)₅, where P is the dianion of octaethylporphyrin (OEP) or tetraphenylporphyrin (TPP) and M = Al, Ga, In or Tl (R. Guillard, A. Zrineh, A. Tabard, L. Courthaudon, B. Han, M. Ferhat, K.M. Kadish), (401) 227

Germanium

Group IVB organometallic radicals, regioselective addition to substituted benzo[2,1,3]thiadiazoles; an ESR investigation (A. Alberti, M. Benaglia, D.F. Dal Monte, M. Lucarini, G.F. Pedulli), (401) 13

Gold

[Os₆AuC(CO)₂₀(μ-OMe)]; isolation, characterisation, and crystal and molecular structure of (C.M. Hay, B.F.G. Johnson, J. Lewis, N.D. Prior, P.R. Raithby, W.T. Wong), (401) C20

Indium

Metalloporphyrins with metal-metal σ-bonds; synthesis, spectroscopic characterization, and electrochemistry of (P)MR₂(CO)₅ where P is the dianion of octaethylporphyrin (OEP) or tetraphenylporphyrin (TPP) and M = Al, Ga, In or Tl (R. Guillard, A. Zrineh, A. Tabard, L. Courthaudon, B. Han, M. Ferhat, K.M. Kadish), (401) 227

Iron

Chiral (η⁶-arene)(η⁵-cyclopentadienyl)iron(II) complexes, synthesis of; their characterisation by ¹³C NMR spectroscopy (K. Bambridge, R.M.G. Roberts), (401) 125

(CO)₆Fe₂(μ₃-Se)(μ₃-Te)Pt(PPh₃)₂ and Fe₃(CO)₇(PPh₃)₂(μ₃-Se)(μ₃-Te), synthesis and characterisation of (P. Mathur, D. Chakrabarty, Md.M. Hossain), (401) 167

Cyclic and acyclic (diene)Fe(CO)₂L complexes (L = phosphine, phosphite, isonitrile), solution structure and fluxional behaviour of (J.A.S. Howell, P. McArdle, D. Cunningham, Z. Goldschmidt, H. Gottlieb, G. Strul), (401) 91

Fe₃(CO)₉(μ₃-Te)₂, addition to methylene groups to (P. Mathur, V.D. Reddy, R. Bohra), (401) 339

Fe₃(η⁴-C₆H₈)(μ-CO)₂(CO)₆(μ₃-S) trinuclear cluster, synthesis and structure of (A.I. Nekhaev, S.D. Alekseeva, B.I. Kolobkov, G.G. Aleksandrov, M.T. Toshev, H.B. Dustov), (401) 75

Ferrocene, heterodisubstituted derivatives of; ferrocene-containing penicillins and cephalosporins (D. Scutaru, I. Mazilu, M. Vâjã, L. Tãtaru, A. Vlase, T. Lixandru, Cr. Simionescu), (401) 87

Ferrocene, monosubstituted derivatives of; ferrocene-containing penicillins and cephalosporins (D. Scutaru, L. Tãtaru, I. Mazilu, E. Diaconu, T. Lixandru, Cr. Simionescu), (401) 81

Half-sandwich and tripledecker *nido* and *claso* compounds, a simple MO model to explain the redox behaviour of clusters (B. Eber, D. Buchholz, G. Huttner, Th. Fãssler, W. Imhof, M. Fritz, J.C. Jochims, J.C. Daran, Y. Jeannin), (401) 49

Organotin hexacyanoferrates, synthesis and characterisation of (A. Bonardi, C. Carini, C. Pelizzi, G. Pelizzi, G. Predieri, P. Tarasconi, M.A. Zoroddu, K.C. Molloy), (401) 283

Permethylated α-metalloacenylcarbinols in the solid state (M = Fe, Ru, Os), IR spectroscopic study of hydrogen bonds in (E.S. Shubina, L.M. Epstein, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (401) 145

Permethylated α-metalloacenylcarbinols (M = Os, Ru, Fe), hydrogen bonds in and conformations of (E.S. Shubina, L.M. Epstein, T.V. Timofeeva, Yu. T. Struchkov, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (401) 133

(η⁶-Phenyl)Cr(CO)₃- and (η⁶-phenyl)Co₄(CO)₉-substituted metalloacenylcarbinols of the iron subgroup; synthesis, structure and hydrogen bonding in (E.S. Shubina, L.M. Epstein, Yu.L. Slovokhotov, A.V. Mironov, Yu.T. Struchkov, V.S. Kaganovich, A.Z. Kreindlin, M.I. Rybinskaya), (401) 155

Pt(II) complexes of tetrathia[n](1,1')ferrocenophanes, preparation and properties of (M. Sato, H. Asano, S. Akabori), (401) 363

Reaction of norbornadiene with sulfur and dodecacarbonyltriiron; crystal structure of one of the isomeric products (A.I. Nekhaev, S.D. Alekseeva, B.I. Kolobkov, G.G. Aleksandrov, M.T. Toshev, H.B. Dustov, N.A. Parpiev), (401) 65

Lanthanium

Tricyclopentadienyllanthanides/sodium hydride, reaction with organic halides (C. Qian, D. Zhu, Y. Gu), (401) 23

Lithium

Elementary lithium, reaction with diphenylmethylenecyclobutane; reductive cleavage of a cyclobutane σ-bond and rearrangement with 1,7-proton shift of the 1,4-dilithio compound that is formed primarily (A. Maercker, K.-D. Klein), (401) C1

Lutetium

Tris(2,4-dimethylpentadienyl)lutetium, synthesis and crystal structure of (H. Schumann, A. Dietrich), (401) C33

Magnesium

Titanocene-catalysed hydromagnesation of silylacetylenes, reversibility of (M.A. Djadchenko, K.K. Pivnitsky, J. Spanig, H. Schick), (401) 1

Manganese

Linked metal acetylide complexes for nonlinear optics, synthesis of (S.J. Davies, B.F.G. Johnson, J. Lewis, M.S. Khan), (401) C43

$M_2(CO)_{10}$ ($M = Mn, Re$), mechanisms of the photochemical reactions with *ortho*- and *para*-quinones; a combined EPR and FTIR study (T. van der Graaf, D.J. Stufkens, J. Vichová, A. Vlček, Jr.), (401) 305

Metalloenes

Ferrocene, heterodisubstituted derivatives of; ferrocene-containing penicillins and cephalosporins (D. Scutaru, I. Mazilu, M. Vâță, L. Tătaru, A. Vlase, T. Lixandru, Cr. Simionescu), (401) 87

Ferrocene, monosubstituted derivatives of; ferrocene-containing penicillins and cephalosporins (D. Scutaru, L. Tătaru, I. Mazilu, E. Diaconu, T. Lixandru, Cr. Simionescu), (401) 81

Permethylated α -metalloenylcarbinols in the solid state ($M = Fe, Ru, Os$), IR spectroscopic study of hydrogen bonds in (E.S. Shubina, L.M. Epstein, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (401) 145

Permethylated α -metalloenylcarbinols ($M = Os, Ru, Fe$), hydrogen bonds in and conformations of (E.S. Shubina, L.M. Epstein, T.V. Timofeeva, Yu. T. Struchkov, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (401) 133

(η^6 -Phenyl)Cr(CO)₃- and (η^6 -phenyl)Co₂(CO)₉-substituted metallocenylcarbinols of the iron subgroup; synthesis, structure and hydrogen bonding in (E.S. Shubina, L.M. Epstein, Yu.L. Slovokhotov, A.V. Mironov, Yu.T. Struchkov, V.S. Kaganovich, A.Z. Kreindlin, M.I. Rybinskaya), (401) 155

Pt(II) complexes of tetrathia[n](1,1')ferrocenophanes, preparation and properties of (M. Sato, H. Asano, S. Akabori), (401) 363

ansa-Titanocene and zirconocene complexes with asymmetrically substituted carbon bridges (G.S. Herrmann, H.G. Alt, M.D. Rausch), (401) C5

Titanocene-catalysed hydromagnesation of silylacetylenes, reversibility of (M.A. Djadchenko, K.K. Pivnitsky, J. Spanig, H. Schick), (401) 1

Molybdenum

Metal carbonyls, rate of O-atom transfer to; effect of substituents on amine *N*-oxides on (J.-K. Shen, Y.-C. Gao, Q.-Z. Shi, F. Basolo), (401) 295

Mo(CO)₆, photochemical reactions with *o*-semiquinones; EPR studies of the paramagnetic complexes formed (M. Hanaya, M. Iwaizumi), (401) 31

Transition metal complexes as electrochemical markers for steroids (D. Osella, E. Stein, G. Jaouen, P. Zanello), (401) 37

Nickel

Chiral metal complexes of 1-dimethylphosphino-3-dimethylamines, homogeneous asymmetric catalysis by means of (C. Döbler, A. Kinting), (401) C23

Nickel-catalysed electrochemical Reformatsky reaction with methyl chlorodifluoroacetate (S. Mcharek, S. Sibille, J.-Y. Nédélec, J. Périchon), (401) 211

{[PhSiO]₆(μ_4 -O)₂(μ_3 -O)₄[Ni₈(μ_3 -O)₂](μ_3 -O)₄(μ_4 -O)₂[PhSiO]₆]} · 14*n*-BuOH · 10H₂O · 2Me₂CO sandwich-type nickel oxide-siloxanolate complex; synthesis and crystal structure of (M.M. Levitsky, O.I. Schegolikhina, A.A. Zhdanov, V.A. Igonin, Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov), (401) 199

Osmium

- Ester and amide functionalized alkyidyne triosmium clusters; rearrangement to acyl-coordinated alkydene complexes (D.A. Strickland, J.R. Shapley), (401) 187
- [Os₃AuC(CO)₂₀(μ-OMe)]; isolation, characterisation, and crystal and molecular structure of (C.M. Hay, B.F.G. Johnson, J. Lewis, N.D. Prior, P.R. Raithby, W.T. Wong), (401) C20
- Osmium carbonyl anion [HOs₃(CO)₁₀·O₂C·Os₃(CO)₂₀]⁻, synthesis and X-ray structure of (B.F.G. Johnson, J. Lewis, P.R. Raithby, W.T. Wong), (401) C50
- Osmium heptanuclear clusters; crystal structure of {Os₇(CO)₂₀P(OMe)₃} (B.F.G. Johnson, J. Lewis, J. Luniss, D. Braga, F. Grepioni), (401) C46
- OSNC₆H₄Me-4, pseudo-olefinic coordination to zerovalent osmium; crystal structure of [OsCl(NO)(PPh₃)₂(OSNC₆H₄Me-4)] (A.F. Hill, G.R. Clark, C.E.F. Rickard, W.R. Roper, M. Herberhold), (401) 357
- Permethylated α-metalloenylcarbinols in the solid state (M = Fe, Ru, Os), IR spectroscopic study of hydrogen bonds in (E.S. Shubina, L.M. Epstein, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (401) 145
- Permethylated α-metalloenylcarbinols (M = Os, Ru, Fe), hydrogen bonds in and conformations of (E.S. Shubina, L.M. Epstein, T.V. Timofeeva, Yu. T. Struchkov, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (401) 133
- (η⁶-Phenyl)Cr(CO)₃⁻ and (η⁶-phenyl)Co₄(CO)₉-substituted metalloenylcarbinols of the iron subgroup; synthesis, structure and hydrogen bonding in (E.S. Shubina, L.M. Epstein, Yu.L. Slovokhotov, A.V. Mironov, Yu.T. Struchkov, V.S. Kaganovich, A.Z. Kreindlin, M.I. Rybinskaya), (401) 155

Palladium

- Chiral metal complexes of 1-dimethylphosphino-3-dimethylamines, homogeneous asymmetric catalysis by means of (C. Döbler, A. Kinting), (401) C23
- Cyclometallated complexes of palladium(II), synthesis of; X-ray crystal structure of di-μ-bromo-bis[*N*-(3,4-dimethoxybenzylidene)cyclohexylamino-*C*6,*N*]dipalladium(II) (J.M. Vila, M. Gayoso, M.T. Pereira, A. Romar, J.J. Fernández, M. Thornton-Petti), (401) 385
- Cyclometallated derivatives of palladium(II) with 1,4-benzodiazepin-2-ones; crystal structure of (L-H)Pd(PPh₃)Cl·CHCl₂ (L = Prazepam: 7-chloro-1-cyclopropylmethyl-1,3-dihydro-5-phenyl-2*H*-1,4-benzodiazepin-2-one); synthesis of isoindolo[2,1-*d*][1,4]benzodiazepine derivatives by reaction of [(L-H)PdCl]₂ species with carbon monoxide (M.A. Cinellu, S. Gladiali, G. Minghetti, S. Stoccoro, F. Demartin), (401) 371
- Linked metal acetylide complexes for nonlinear optics, synthesis of (S.J. Davies, B.F.G. Johnson, J. Lewis, M.S. Khan), (401) C43
- Palladium(0) complex as catalyst in a tandem arylsulfonylation and cyclization of arylazoxy aryl sulfones with norbornene (N. Kamigata, M. Satoh, M. Yoshida), (401) C26
- 2-Substituted 8-quinolinols containing C, N, O-donor atoms and their Pd^{II} or Pt^{II} complexes, preparation of (A. Yoneda, G.R. Newkome, K.J. Theriot), (401) 217

Phosphorus

- Cyclometallated derivatives of palladium(II) with 1,4-benzodiazepin-2-ones; crystal structure of (L-H)Pd(PPh₃)Cl·CHCl₂ (L = Prazepam: 7-chloro-1-cyclopropylmethyl-1,3-dihydro-5-phenyl-2*H*-1,4-benzodiazepin-2-one); synthesis of isoindolo[2,1-*d*][1,4]benzodiazepine derivatives by reaction of [(L-H)PdCl]₂ species with carbon monoxide (M.A. Cinellu, S. Gladiali, G. Minghetti, S. Stoccoro, F. Demartin), (401) 371
- Cyclopentadienyl-ruthenium *t*-butyl thiol complexes, synthesis of (P.M. Treichel, R.A. Crane, K.N. Haller), (401) 173
- Electron-rich tungsten diethylaminocarbyne complexes, synthesis from Cp(Br)₂(CO)W≡CNEt₂ (A.C. Filippou, W. Grünleitner, E.O. Fischer), (401) C37
- Half-sandwich and tripledecker *nido* and *closo* compounds, a simple MO model to explain the redox behaviour of clusters (B. Eber, D. Buchholz, G. Huttner, Th. Fässler, W. Imhof, M. Fritz, J.C. Jochims, J.C. Daran, Y. Jeannin), (401) 49

Platinum

- Chiral metal complexes of 1-dimethylphosphino-3-dimethylamines, homogeneous asymmetric catalysis by means of (C. Döbler, A. Kinting), (401) C23
- $(\text{CO})_6\text{Fe}_2(\mu_3\text{-Se})(\mu_3\text{-Te})\text{Pt}(\text{PPh}_3)_2$ and $\text{Fe}_3(\text{CO})_7(\text{PPh}_3)_2(\mu_3\text{-Se})(\mu_3\text{-Te})$, synthesis and characterisation of (P. Mathur, D. Chakrabarty, Md.M. Hossain), (401) 167
- Pt(II) complexes of tetrathia[n](1,1')ferrocenophanes, preparation and properties of (M. Sato, H. Asano, S. Akabori), (401) 363
- 2-Substituted 8-quinolines containing C, N, O-donor atoms and their Pd^{II} or Pt^{II} complexes, preparation of (A. Yoneda, G.R. Newkome, K.J. Theriot), (401) 217

Rhenium

- $\text{M}_2(\text{CO})_{10}$ (M = Mn, Re), mechanisms of the photochemical reactions with *ortho*- and *para*-quinones; a combined EPR and FTIR study (T. van der Graaf, D.J. Stufkens, J. Vichová, A. Vlček, Jr.), (401) 305
- Metalloporphyrins with metal-metal σ -bonds; synthesis, spectroscopic characterization, and electrochemistry of (P)MRe(CO), where P is the dianion of octaethylporphyrin (OEP) or tetraphenylporphyrin (TPP) and M = Al, Ga, In or Tl (R. Guilard, A. Zrineh, A. Tabard, L. Courthaudon, B. Han, M. Ferhat, K.M. Kadish), (401) 227
- Re(2,4-C₇H₁₁)(H)₂(P(C₆H₅)₃)₂; synthesis, characterization, and structural study of (T.E. Waldman, A.L. Rheingold, R.D. Ernst), (401) 331

Rhodium

- Chiral metal complexes of 1-dimethylphosphino-3-dimethylamines, homogeneous asymmetric catalysis by means of (C. Döbler, A. Kinting), (401) C23

Ruthenium

- Cyclopentadienyl-ruthenium *t*-butyl thiol complexes, synthesis of (P.M. Treichel, R.A. Crane, K.N. Haller), (401) 173
- Permethylated α -metallocenylcarbinols in the solid state (M = Fe, Ru, Os), IR spectroscopic study of hydrogen bonds in (E.S. Shubina, L.M. Epstein, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (401) 145
- Permethylated α -metallocenylcarbinols (M = Os, Ru, Fe), hydrogen bonds in and conformations of (E.S. Shubina, L.M. Epstein, T.V. Timofeeva, Yu. T. Struchkov, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (401) 133
- $(\eta^6\text{-Phenyl})\text{Cr}(\text{CO})_3^-$ and $(\eta^6\text{-phenyl})\text{Co}_4(\text{CO})_6$ -substituted metallocenylcarbinols of the iron subgroup; synthesis, structure and hydrogen bonding in (E.S. Shubina, L.M. Epstein, Yu.L. Slovokhotov, A.V. Mironov, Yu.T. Struchkov, V.S. Kaganovich, A.Z. Kreindlin, M.I. Rybinskaya), (401) 155
- Ruthenium complexes for use in Langmuir-Blodgett films, preparation of (S.G. Davies, A.J. Smallridge, R. Colbrook, T. Richardson, G.G. Roberts), (401) 181
- Trinuclear ruthenium clusters, coordination of carbamates, hydrazides, guanidines and isoureas to; molecular structure of $(\mu_2\text{-H})\text{Ru}_3(\text{CO})_9[\mu_3\text{-}\eta^2\text{-(1R,2S,5R)NEtCOOC}_{16}\text{H}_{23}]$ (T. Jenke, H. Stoeckli-Evans, U. Bodensieck, G. Süß-Fink), (401) 347

Samarium

- Tricyclopentadienyllanthanides/sodium hydride, reaction with organic halides (C. Qian, D. Zhu, Y. Gu), (401) 23

Selenium

- $(\text{CO})_6\text{Fe}_2(\mu_3\text{-Se})(\mu_3\text{-Te})\text{Pt}(\text{PPh}_3)_2$ and $\text{Fe}_3(\text{CO})_7(\text{PPh}_3)_2(\mu_3\text{-Se})(\mu_3\text{-Te})$, synthesis and characterisation of (P. Mathur, D. Chakrabarty, Md.M. Hossain), (401) 167

Silicon

- Chiral metal complexes of 1-dimethylphosphino-3-dimethylamines, homogeneous asymmetric catalysis by means of (C. Döbler, A. Kinting), (401) C23
- 9,10-Dihydrosilaanthracenes with substituents *ortho* to the silicon and methylene bridges, synthesis of (T.C. Bedard, J.Y. Corey, L.D. Lange, N.P. Rath), (401) 261

- Group IVB organometallic radicals, regioselective addition to substituted benzo[2,1,3]thiadiazoles; an ESR investigation (A. Alberti, M. Benaglia, D.F. Dal Monte, M. Lucarini, G.F. Pedulli), (401) 13
- $\{[\text{PhSiO}]_6(\mu_4\text{-O})_2(\mu_3\text{-O})_4[\text{Ni}_8(\mu_3\text{-O})_2(\mu_3\text{-O})_4(\mu_4\text{-O})_2[\text{PhSiO}]_6\} \cdot 14n\text{-BuOH} \cdot 10\text{H}_2\text{O} \cdot 2\text{Me}_2\text{CO}$ sandwich-type nickel oxide-siloxanolate complex; synthesis and crystal structure of (M.M. Levitsky, O.I. Schegolikina, A.A. Zhdanov, V.A. Igonin, Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov), (401) 199
- Si-H bonds, difluorocarbene insertion into; preparation and properties of difluoromethylsilanes (H. Bürger, R. Eujen, P. Moritz), (401) 249
- Si-substituted silacyclobutanes, thermochemical properties of (M.G. Voronkov, V.A. Klyuchnikov, E.V. Sokolova, T.F. Danilova, G.N. Shvets, A.N. Korchagina, L.E. Gussel'nikov, V.V. Volkova), (401) 245
- Titanocene-catalysed hydromagnesation of silylacetylenes, reversibility of (M.A. Djadchenko, K.K. Pivnitsky, J. Spanig, H. Schick), (401) 1

Sulphur

- $\text{Fe}_3(\eta^4\text{-C}_6\text{H}_8)(\mu\text{-CO})_2(\text{CO})_6(\mu_3\text{-S})$ trinuclear cluster, synthesis and structure of (A.I. Nekhaev, S.D. Alekseeva, B.I. Kolobkov, G.G. Aleksandrov, M.T. Toshev, H.B. Dustov), (401) 75
- Reaction of norbornadiene with sulfur and dodecacarbonyltriiron; crystal structure of one of the isomeric products (A.I. Nekhaev, S.D. Alekseeva, B.I. Kolobkov, G.G. Aleksandrov, M.T. Toshev, H.B. Dustov, N.A. Parpiev), (401) 65

Tellurium

- $(\text{CO})_6\text{Fe}_2(\mu_3\text{-Se})(\mu_3\text{-Te})\text{Pt}(\text{PPh}_3)_2$ and $\text{Fe}_3(\text{CO})_7(\text{PPh}_3)_2(\mu_3\text{-Se})(\mu_3\text{-Te})$, synthesis and characterisation of (P. Mathur, D. Chakrabarty, Md.M. Hossain), (401) 167
- $\text{Fe}_3(\text{CO})_5(\mu_3\text{-Te})_2$, addition to methylene groups to (P. Mathur, V.D. Reddy, R. Bohra), (401) 339

Thallium

- Metalloporphyrins with metal-metal σ -bonds; synthesis, spectroscopic characterization, and electrochemistry of $(\text{P})\text{MR}e(\text{CO})_5$, where P is the dianion of octaethylporphyrin (OEP) or tetraphenylporphyrin (TPP) and M = Al, Ga, In or Tl (R. Guillard, A. Zrineh, A. Tabard, L. Courthaudon, B. Han, M. Ferhat, K.M. Kadish), (401) 227

Tin

- Group IVB organometallic radicals, regioselective addition to substituted benzo[2,1,3]thiadiazoles; an ESR investigation (A. Alberti, M. Benaglia, D.F. Dal Monte, M. Lucarini, G.F. Pedulli), (401) 13
- Linked metal acetylide complexes for nonlinear optics, synthesis of (S.J. Davies, B.F.G. Johnson, J. Lewis, M.S. Khan), (401) C43
- Methyl 4,6-O-benzylidene-3-deoxy-3-triphenylstannyl- α -D-altropyranoside, structure and reactivity of (S.M.S.V. Doidge-Harrison, I.W. Nowell, P.J. Cox, R.A. Howie, O.J. Taylor, J.L. Wardell), (401) 273
- Organotin hexacyanoferrates, synthesis and characterisation of (A. Bonardi, C. Carini, C. Pelizzi, G. Pelizzi, G. Predieri, P. Tarasconi, M.A. Zoroddu, K.C. Molloy), (401) 283

Titanium

- ansa*-Titanocene and zirconocene complexes with asymmetrically substituted carbon bridges (G.S. Herrmann, H.G. Alt, M.D. Rausch), (401) C5
- Titanocene-catalysed hydromagnesation of silylacetylenes, reversibility of (M.A. Djadchenko, K.K. Pivnitsky, J. Spanig, H. Schick), (401) 1

Tungsten

- Alkynylalkoxycarbene metal (Cr, W) complexes, conjugate addition of alcohols to (F. Camps, A. Llebaria, J.M. Moretó, S. Ricart, J.M. Viñas, J. Ros, R. Yáñez), (401) C17
- Electron-rich tungsten diethylaminocarbyne complexes, synthesis from $\text{Cp}(\text{Br})_2(\text{CO})\text{W}\equiv\text{CNEt}_2$ (A.C. Filippou, W. Grünleiner, E.O. Fischer), (401) C37
- Metal carbonyls, rate of O-atom transfer to; effect of substituents on amine *N*-oxides on (J.-K. Shen, Y.-C. Gao, Q.-Z. Shi, F. Basolo), (401) 295

Yttrium

Tricyclopentadienyllanthanides/sodium hydride, reaction with organic halides (C. Qian, D. Zhu, Y. Gu), (401) 23

Zinc

Nickel-catalysed electrochemical Reformatsky reaction with methyl chlorodifluoroacetate (S. Mcharek, S. Sibille, J.-Y. Nédélec, J. Périchon), (401) 211

Zirconium

ansa-Titanocene and zirconocene complexes with asymmetrically substituted carbon bridges (G.S. Herrmann, H.G. Alt, M.D. Rausch), (401) C5