

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 405 (1991)**SUBJECT INDEX****Chromium**

Benzyl tricarbonyl chromium allyl and crotyl ethers, 2,3-Wittig rearrangement of (M. Mahmoudi, L. Pelinski, L. Maciejewski, J. Brocard), (405) 93

Chromium–iron–sulfide $\text{Cp}_3\text{Cr}_3(\mu_3\text{-S})_4\text{FeSPh}$ and $[\text{Cp}_3\text{Cr}_3(\mu_3\text{-S})_4\text{Fe}]_2\text{Fe}(\text{CO})_3\text{S}\cdot\text{C}_6\text{H}_6$ clusters with tetrahedral metal frameworks, syntheses and molecular structures of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, E.E. Stomakhina, A.I. Yanovsky, Yu.T. Struchkov), (405) 287

Cobalt

Stable titanium-cobalt complex with non-bridged Ti-Co bond, synthesis and characterisation of (D. Selent, R. Beckhaus, T. Bartik), (405) C15

Indium

Trialkylindium compounds, reaction with (cyclopentadienyl)(tricarbonyl)metal radicals (D.L. Thorn), (405) 161

Iridium

Coordinated water complexes of rhodium and iridium, formation and characterisation of; crystal structure of $\text{trans}-[\text{Rh}(\text{PPh}_3)_2(\text{CO})(\text{H}_2\text{O})]^+\text{CF}_3\text{SO}_3^-$ (P.J. Stang, L. Song, Y.-H. Huang, A.M. Arif), (405) 403

Iron

σ -Alkenyl cyclopentadienyl iron(II) complexes $[\text{Fe}(\text{C}\equiv\text{CR})\text{L}_2(\eta\text{-C}_5\text{H}_5)]$ [$\text{L} = \text{CO}; \text{L}_2 = \text{bis}(\text{diphenylphosphino)methane (dppm)}$], synthesis and characterisation of; crystal structure of $[\text{Fe}(\text{C}\equiv\text{CC}_6\text{H}_5)(\text{dppm})(\eta\text{-C}_5\text{H}_5)]$ (M.P. Gamasa, J. Gimeno, E. Lastra, M. Lanfranchi, A. Tiripicchio), (405) 333

Chromium–iron–sulfide $\text{Cp}_3\text{Cr}_3(\mu_3\text{-S})_4\text{FeSPh}$ and $[\text{Cp}_3\text{Cr}_3(\mu_3\text{-S})_4\text{Fe}]_2\text{Fe}(\text{CO})_3\text{S}\cdot\text{C}_6\text{H}_6$ clusters with tetrahedral metal frameworks, syntheses and molecular structures of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, E.E. Stomakhina, A.I. Yanovsky, Yu.T. Struchkov), (405) 287

Clusters with Re_2Fe and Re_2Ni_2 cores, phenylacetylene transformations in; synthesis and molecular structure of $\text{Re}_2\text{Fe}(\text{CO})_9(\mu_3,\eta^4\text{-CH}=\text{CHC}_6\text{H}_4)$ and $\text{Cp}_2\text{Ni}_2\text{Re}_2(\text{CO})_6(\mu_4\text{-PhC}\equiv\text{CCH=CHPh})$ (A.D. Shaposhnikova, G.L. Kamalov, R.A. Stadnichenko, A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, Yu.T. Struchkov, A.I. Yanovsky), (405) 111

$[\text{CpM}(\text{CO})_2\text{R}]$ long-chain alkyl complexes ($\text{Cp} = \eta^5\text{-C}_5\text{H}_5$; $\text{M} = \text{Fe}$ or Ru ; $\text{R} = \text{n-C}_6\text{H}_{13}$ to $\text{n-C}_{12}\text{H}_{25}$), synthesis, characterisation and properties of (A. Emeran, M.A. Gafoor, J.K.I. Goslett, Y.-H. Liao, L. Pimble, J.R. Moss), (405) 237

1, *n*-Dicarbonyl compounds, one-step synthesis from carboxylic acid derivatives and di-Grignard reagents in the presence of transition metal catalysts (F. Babudri, A. D'Ettore, V. Fiandanese, G. Marchese, F. Naso), (405) 53

Ferrocenecarboxaldoxime, crystal structure of the low-melting form of (G. Ferguson, W. Bell, C. Glidewell), (405) 229

Ferrocene complexes with cyclodextrins in DMSO, carbon-13 spin-lattice relaxation studies of (R.M.G. Roberts, J.F. Warmsley), (405) 357

Ferrocenethioles, reactions with norbornadiene and norbornene (M. Herberhold, O. Nuyken, T. Pöhlmann), (405) 217

Iron sandwich complexes and related species, carbon-13 spin-lattice relaxation in (R.M.G. Roberts, J.F. Warmsley), (405) 347

Metallocene-containing cryptands, NMR studies on metal complexes of (C.D. Hall, N.W. Sharpe), (405) 365

(Pentadienyl)iron[1,2-bis(diethylphosphino)ethane] electron-rich complexes, synthesis and characterisation of (J.R. Blecke, R.J. Wittenbrink), (405) 121

Platinum(II) chloride complexes of 1,1'-bis(methylthio)ferrocene, 1,1'-bis(methylseleno)ferrocene and 1,1'-bis(methylthio)ruthenocene, synthesis and stereodynamics of (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik), (405) 375

Titanium, iron and thallium vinylcyclopentadienyl derivatives, synthesis and structure of (M. Ogasa, D.T. Mallin, D.W. Macomber, M.D. Rausch, R.D. Rogers, A.N. Rollins), (405) 41

Lithium

Benzyl tricarbonyl chromium allyl and crotyl ethers, 2,3-Wittig rearrangement of (M. Mahmoudi, L. Pelinski, L. Maciejewski, J. Brocard), (405) 93

Titanium, iron and thallium vinylcyclopentadienyl derivatives, synthesis and structure of (M. Ogasa, D.T. Mallin, D.W. Macomber, M.D. Rausch, R.D. Rogers, A.N. Rollins), (405) 41

Magnesium

1, *n*-Dicarbonyl compounds, one-step synthesis from carboxylic acid derivatives and di-Grignard reagents in the presence of transition metal catalysts (F. Babudri, A. D'Ettore, V. Fiandanese, G. Marchese, F. Naso), (405) 53

Manganese

Manganese cyclopentadienyldicarbonyl complexes of 1,2,3-selenadiazoles and thiadiazoles; structural comparison of free and complexed 1,2,3-benzothiadiazole and 4-phenyl-1,2,3-thiadiazole (A.J. Mayr, B. Carrasco-Flores, F. Cervantes-Lee, K.H. Pannell, L. Párkányi, K. RaghuVeer), (405) 309

Mercury

Alkymercury(II) compound-derived ions and radicals, molecular and electronic structures of; an SCF-MO study (C. Glidewell), (405) 141

$[(\text{HOMe}_2\text{Si})(\text{Me}_3\text{Si})_2\text{Cl}]_2\text{Zn}$, $[(\text{MeOMe}_2\text{Si})(\text{Me}_3\text{Si})_2\text{Cl}_2]\text{Zn}$, and $[(\text{MeOMe}_2\text{Si})(\text{Me}_3\text{Si})_2\text{Cl}]_2\text{Hg}$, crystal structures of (F.I. Aigbirhio, S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock, J.D. Smith), (405) 149

Mercuration of n-butyric, n-valeric and isovaleric acid; crystal structure of $\text{C}_2\text{H}_5\text{C}(\text{HgCl})_2\text{COOH}\cdot\text{DMSO}$ (B. Korpar-Čolig, Z. Popović, M. Sikirica, D. Grdenić), (405) 59

Methyl- and phenylmercury(II) diphenyldithiophosphinates, synthesis and structural characterisation of; crystal structure of $\text{MeHgS}_2\text{PPh}_2$ (J. Zukerman-Schpector, E.M. Vázquez-López, A. Sánchez, J.S. Casas, J. Sordo), (405) 67

Metallocenes

Bis(η^5 -cyclopentadienyl)methyl(alkoxy)- and bis(η^5 -cyclopentadienyl)methyl(acyloxy)titanium(IV) complexes, synthesis and reactions of (R. Schobert), (405) 201

Ferrocenecarboxaldoxime, crystal structure of the low-melting form of (G. Ferguson, W. Bell, C. Glidewell), (405) 229

Ferrocene complexes with cyclodextrins in DMSO, carbon-13 spin-lattice relaxation studies of (R.M.G. Roberts, J.F. Warmsley), (405) 357

Ferrocenethioles, reactions with norbornadiene and norbornene (M. Herberhold, O. Nuyken, T. Pöhlmann), (405) 217

Iron sandwich complexes and related species, carbon-13 spin-lattice relaxation in (R.M.G. Roberts, J.F. Warmsley), (405) 347

Metallocene-containing cryptands, NMR studies on metal complexes of (C.D. Hall, N.W. Sharpe), (405) 365

Platinum(II) chloride complexes of 1,1'-bis(methylthio)ferrocene, 1,1'-bis(methylseleno)ferrocene and 1,1'-bis(methylthio)ruthenocene, synthesis and stereodynamics of (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik), (405) 375

Titanium, iron and thallium vinylcyclopentadienyl derivatives, synthesis and structure of (M. Ogasa, D.T. Mallin, D.W. Macomber, M.D. Rausch, R.D. Rogers, A.N. Rollins), (405) 41

Molybdenum

Carbonyl carbene complex of molybdenum, preparation of naphthoquinones and indanones by anellation of (K.H. Dötz, H. Larbig), (405) C38

- Dimolybdenum oxo-imido complexes; reactivity of $[(\text{MeC}_5\text{H}_4)_2\text{Mo}_2\text{O}_2(\mu\text{-O})(\mu\text{-NPh})]$ and crystal structure of $[(\text{MeC}_5\text{H}_4)_2\text{Mo}_2\text{O}(\text{S})(\mu\text{-O})(\mu\text{-NPh})]$ (J. Fletcher, G. Hogarth, D.A. Tocher), (405) 207
 Molybdenum(0) and tungsten(0) tricarbonylphosphine complexes with chelating uninegative (X,Y)-donor ligands (X, Y = S, N, O) (A.E. Sánchez-Peláez, M.F. Perpiñán), (405) 101
 Trialkylindium compounds, reaction with (cyclopentadienyl)(tricarbonyl)metal radicals (D.L. Thorn), (405) 161

Nickel

- Clusters with Re_2Fe and Re_2Ni_2 cores, phenylacetylene transformations in; synthesis and molecular structure of $\text{Re}_2\text{Fe}(\text{CO})_9(\mu_3,\eta^4\text{-CH}=\text{CHC}_6\text{H}_4)$ and $\text{Cp}_2\text{Ni}_2\text{Re}_2(\text{CO})_6(\mu_4\text{-PhC}\equiv\text{CCH}=\text{CHPh})$ (A.D. Shaposhnikova, G.L. Kamalov, R.A. Stadnichenko, A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, Yu.T. Struchkov, A.I. Yanovsky), (405) 111
 1,*n*-Dicarbonyl compounds, one-step synthesis from carboxylic acid derivatives and di-Grignard reagents in the presence of transition metal catalysts (F. Babudri, A. D'Ettore, V. Fiandanese, G. Marchese, F. Naso), (405) 53

Osmium

- $\text{Hg}(\text{O}_2\text{CCF}_3)_2$, reaction with $[\text{Os}_6(\text{CO})_{18}]$; synthesis and crystal structures of $[\text{HOs}_5\text{Hg}_2(\text{CO})_{15}(\text{O}_2\text{CCF}_3)_3]$ and *cis*- $[\text{Os}_4(\text{CO})_{12}(\text{O}_2\text{CCF}_3)_2]$ (M.P. Diebold, B.F.G. Johnson, J. Lewis, V.P. Saharan, M. McPartlin, H.R. Powell), (405) C25
 Tetraosmium cluster, displacement of benzene by an alkyne in; synthesis and structural characterisation of $[\text{H}_2\text{Os}_4(\text{CO})_9(\mu_3\text{-}\eta^2\text{-Ph}_2\text{C}_2)(\eta^2\text{-Ph}_2\text{C}_2)]$ (H. Chen, B.F.G. Johnson, J. Lewis, D. Braga, F. Grepioni, P. Sabatino), (405) C22

Palladium

- Palladium-mediated *ortho*-alkylation of 2-aryloxazolines (J.C. Clinet, G. Balavoine), (405) C29

Phosphorus

- Chirally modified ruthenium clusters in the catalytic hydrogenation of racemic mixtures of terpenes; kinetic resolution of the enantiomers in (T. Jenke, G. Süss-Fink), (405) 383
 $((-)\text{-Norphos})\text{Ru}^{\text{II}}(\eta^5\text{-C}_5\text{H}_5)\text{I}$ diastereomers, synthesis and structure of (H. Nishiyama, H. Brunner, P.G. Jones), (405) 247
 (Pentadienyl)iron[1,2-bis(diethylphosphino)ethane] electron-rich complexes, synthesis and characterisation of (J.R. Bleeke, R.J. Wittenbrink), (405) 121
 Phosphasilene, synthesis and reactivity of; an improved route to 1-(2,4,6-tri-tert-butylphenyl)-2-tert-butyl-2-(2,4,6-tri-isopropylphenyl)phosphasilene (Y. van den Winkel, H.M.M. Bastiaans, F. Bickelhaupt), (405) 183
 $(\text{Ph}_3\text{P})_2\text{Pt}(\text{H})\text{SiR}_3$ hydridosilyl complexes, base-induced $(\text{Ph}_3\text{P})_2\text{Pt}$ release from (C. Müller, U. Schubert), (405) C1

Platinum

- Low-valent platinum complexes, ketene formation by reactions with acid chlorides (Y. Ishii, Y. Kobayashi, M. Iwasaki, M. Hidai), (405) 133
 Phenylselenolato-bridged dinuclear platinum(II) complexes, preparation and characterisation of (V.K. Jain, S. Kannan), (405) 265
 $(\text{Ph}_3\text{P})_2\text{Pt}(\text{H})\text{SiR}_3$ hydridosilyl complexes, base-induced $(\text{Ph}_3\text{P})_2\text{Pt}$ release from (C. Müller, U. Schubert), (405) C1
 Platinum(II) chloride complexes of 1,1'-bis(methylthio)ferrocene, 1,1'-bis(methylseleno)ferrocene and 1,1'-bis(methylthio)ruthenocene, synthesis and stereodynamics of (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík), (405) 375

Rhenium

- Clusters with Re_2Fe and Re_2Ni_2 cores, phenylacetylene transformations in; synthesis and molecular structure of $\text{Re}_2\text{Fe}(\text{CO})_9(\mu_3,\eta^4\text{-CH}=\text{CHC}_6\text{H}_4)$ and $\text{Cp}_2\text{Ni}_2\text{Re}_2(\text{CO})_6(\mu_4\text{-PhC}\equiv\text{CCH}=\text{CHPh})$ (A.D. Shaposhnikova, G.L. Kamalov, R.A. Stadnichenko, A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, Yu.T. Struchkov, A.I. Yanovsky), (405) 111

Rhodium

- Bis(μ -methylenepentamethylcyclopentadienyl)dirhodium di-, tri- and tetra-nuclear cationic complexes, synthesis and reactions of; crystal structure of tetrานuclear $\{[(C_5Me_5Rh-\mu-CH_2)_2]_2(\mu-CN)_2\}(PF_6)_2$ (J. Martinez, H. Adams, N.A. Bailey, P.M. Maitlis), (405) 393
- Chirally modified ruthenium clusters in the catalytic hydrogenation of terpenes; kinetic resolution of the enantiomers in (T. Jenke, G. Süss-Fink), (405) 383
- Coordinated water complexes of rhodium and iridium, formation and characterisation of; crystal structure of $trans-[Rh(PPh_3)_2(CO)(H_2O)]^+CF_3SO_3^-$ (P.J. Stang, L. Song, Y.-H. Huang, A.M. Arif), (405) 403

Ruthenium

- Chirally modified ruthenium clusters in the catalytic hydrogenation of racemic mixtures of terpenes; kinetic resolution of the enantiomers in (T. Jenke, G. Süss-Fink), (405) 383
- $[CpM(CO)_2R]$ long-chain alkyl complexes ($Cp = \eta^5-C_5H_5$; M=Fe or Ru; R=n-C₆H₁₃ to n-C₁₂H₂₅), synthesis, characterisation and properties of (A. Emeran, M.A. Gafoor, J.K.I. Goslett, Y.-H. Liao, L. Pimble, J.R. Moss), (405) 237
- HRu₃[$\mu_3, \eta^2-P(NEt_2)_2](CO)_9$, a compound containing a five-membered cage-like Ru₃PN skeleton; crystal structure of (L. Qiwang, H. Xiang, W. Binfang, L. Shutang), (405) 257
- Metallocene-containing cryptands, NMR studies on metal complexes of (C.D. Hall, N.W. Sharpe), (405) 365
- [(-)-Norphos]Ru^{II}($\eta^5-C_5H_5$)I diastereomers, synthesis and structure of (H. Nishiyama, H. Brunner, P.G. Jones), (405) 247
- Platinum(II) chloride complexes of 1,1'-bis(methylthio)ferrocene, 1,1'-bis(methylseleno)ferrocene and 1,1'-bis(methylthio)ruthenocene, synthesis and stereodynamics of (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík), (405) 375
- Polyolefinic ruthenium(0) complexes, synthesis from ruthenium(II) precursors (J.G. Toerien), (405) C43

Selenium

- Manganese cyclopentadienyldicarbonyl complexes of 1,2,3-selenadiazoles and thiadiazoles; structural comparison of free and complexed 1,2,3-benzothiadiazole and 4-phenyl-1,2,3-thiadiazole (A.J. Mayr, B. Carrasco-Flores, F. Cervantes-Lee, K.H. Pannell, L. Párkányi, K. RaghuVeer), (405) 309

Silicon

- Carbonyl carbene complex of molybdenum, preparation of naphthoquinones and indanones by anellation of (K.H. Dötz, H. Larbig), (405) C38
- $[(HOMe_2Si)(Me_3Si)_2Cl]_2Zn$, $[(MeOMe_2Si)(Me_3Si)_2Cl]_2Zn$, and $[(MeOMe_2Si)(Me_3Si)_2Cl]_2Hg$, crystal structures of (F.I. Aigbirhio, S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock, J.D. Smith), (405) 149
- Phosphasilene, synthesis and reactivity of; an improved route to 1-(2,4,6-tri-tert-butylphenyl)-2-tert-butyl-2-(2,4,6-tri-isopropylphenyl)phosphasilene (Y. van den Winkel, H.M.M. Bastiaans, F. Bickelhaupt), (405) 183
- (Ph₃P)₂Pt(H)SiR₃ hydridosilyl complexes, base-induced (Ph₃P)₂Pt release from (C. Müller, U. Schubert), (405) C1
- Silicenium ions as intermediates in reactions in solution (C. Eaborn), (405) 173
- Siloxanylpropoxy- and sodium sulfopropoxy- α, α, ω -trihydoperfluoroalkenes, synthesis of (G. Sonnek, C. Rabe, G. Schmaucks, R. Kaden, I. Lehms), (405) 179

Technetium

- (C₅Me₅)Tc(CO)₃, photolysis products of; synthesis of (C₅Me₅)₂Tc₂(CO)₅ and (C₅Me₅)₂Tc₂(CO)₃; X-ray structure analysis of tri- μ -carbonyl-bis[η^5 -pentamethylcyclopentadienyl]technetium] (Tc=Tc) (K. Raptis, B. Kanellakopoulos, B. Nuber, M.L. Ziegler), (405) 323

Thallium

- Titanium, iron and thallium vinylcyclopentadienyl derivatives, synthesis and structure of (M. Ogasa, D.T. Mallin, D.W. Macomber, M.D. Rausch, R.D. Rogers, A.N. Rollins), (405) 41

Tin

Organotin derivatives of 4-acyl-5-pyrazolones; crystal structure of *trans*-di(t-butyl)bis(1-phenyl-3-methyl-4-benzoyl-pyrazolone-5-ato)tin(IV) (C. Pettinari, G. Rafaiani, G. Gioia Lobbia, A. Lorenzotti, F. Bonati, B. Bovio), (405) 75

Palladium catalysed and free radical hydrostannation of allenes, a comparison (T.N. Mitchell, U. Schneider), (405) 195

Titanium

Bis(η^5 -cyclopentadienyl)methyl(alkoxy)- and bis(η^5 -cyclopentadienyl)methyl(acyloxy)titanium(IV) complexes, synthesis and reactions of (R. Schobert), (405) 201

[$(C_5Me_4R)_2TiAs_3O_6$], a molecule with an AB_3X_6 adamantane skeleton (B. Bettinger, O.J. Scherer, G. Heckmann), (405) C19

Low-valent organotitanium species; their applications to organic synthesis (Y. Dang, H.J. Geise), (405) 1
Stable titanium-cobalt complex with non-bridged Ti-Co bond, synthesis and characterisation of (D. Selent, R. Beckhaus, T. Bartik), (405) C15

Titanium, iron and thallium vinylcyclopentadienyl derivatives, synthesis and structure of (M. Ogasa, D.T. Mallin, D.W. Macomber, M.D. Rausch, R.D. Rogers, A.N. Rollins), (405) 41

Tungsten

Cationic mono(but-2-yne) bis(phosphine) complexes $[W(CO)L_2(S_2CX)(\eta^2-MeC_2Me)] [BPh_4^-]$ ($X = NC_4H_3$, NMe_2 , NEt_2 , $N(CH_2Ph)_2$ or OEt), synthesis and spectral properties of (P.K. Baker, K.R. Flower), (405) 299

Manganese cyclopentadienyldicarbonyl complexes of 1,2,3-selenadiazoles and thiadiazoles; structural comparison of free and complexed 1,2,3-benzothiadiazole and 4-phenyl-1,2,3-thiadiazole (A.J. Mayr, B. Carrasco-Flores, F. Cervantes-Lee, K.H. Pannell, L. Párkányi, K. RaghuVeer), (405) 309

Molybdenum(0) and tungsten(0) tricarbonylphosphine complexes with chelating uninegative (X,Y)-donor ligands ($X, Y = S, N, O$) (A.E. Sánchez-Peláez, M.F. Perpiñán), (405) 101

Tricarbonyl- η^5 -cyclohexadienyl tungstate and tricarbonyl- η^5 -cyclohexadienylmethyltungsten, synthesis of (C.G. Kreiter, T. Hellmann), (405) C6

Ytterbium

$\{(\eta-C_5H_4CH_3)_2Yb^{III}(OC_4H_8)\}_2(\mu_2-O)$, a binuclear lanthanoid complex with strictly linear Ln–O–Ln skeleton (M. Adam, G. Massarweh, R.D. Fischer), (405) C33

Zinc

$[(HOMe_2Si)(Me_3Si)_2C]_2Zn$, $[(MeOMe_2Si)(Me_3Si)_2Cl]_2Zn$, and $[(MeOMe_2Si)(Me_3Si)_2Cl]_2Hg$, crystal structures of (F.I. Aigbirhio, S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock, J.D. Smith), (405) 149

Organozinc derivatives of functionalised allylic compounds, preparation and properties of (F. Lambert, B. Kirschleger, J. Villiéras), (405) 273

Trialkylindium compounds, reaction with (cyclopentadienyl)(tricarbonyl)metal radicals (D.L. Thorn), (405) 161

Book reviews

Gmelin handbook of inorganic chemistry, 8th edition, Pb. Organolead compounds, part 2 (C. Eaborn), (405) C12

Nomenclature of organic chemistry: recommendations 1990; edited by G.J. Leigh (C. Eaborn), (405) C48

Photocatalysis: fundamentals and applications; edited by N. Serpone and E. Pelizzetti (K.R. Seddon), (405) C11