

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 420 (1991)

SUBJECT INDEX
Aluminium

Crystal and molecular structures of the octanuclear aluminohydride samarium complex $(\eta^5\text{-C}_5\text{H}_3^t\text{Bu}_2)\text{Sm}[(\mu_2\text{-H})_2(\mu_3\text{-H})_2\text{Al}(\text{Me}_2\text{NC}_2\text{H}_4\text{NMe}_2)]_2 [(\eta^5\text{-C}_5\text{H}_3^t\text{Bu}_2)\text{SmH}]_2[(\mu_2\text{-H})_3\text{Al}(\mu_2\text{-H})\text{Al}(\mu_2\text{-H})_3] [(\mu_3\text{-H})_2\text{Sm}(\eta^5\text{-C}_5\text{H}_3^t\text{Bu}_2)]$ (V.K. Belsky, Y.K. Gun'ko, B.M. Bulychev and G.L. Soloveichik), (420) 43

Synthèse en une étape par voie organométallique d'amines primaires β -acétyléniques α -ramifiées (L. Leboutet, G. Courtois and L. Miginiac), (420) 155

Ab initio molecular orbital study of dialuminum-ethylene complexes (S.P. So), (420) 293

Some new organotin(IV), aluminium(III)- μ -oxoisopropoxides and their benzoylacetone derivatives (P.N. Kapoor, A.K. Bhagi, R.N. Kapoor and H.K. Sharma), (420) 321

Cadmium

Oxidative alkylation of $(\eta^5\text{-C}_5\text{Me}_5)_2\text{TiR}$ (R = Cl, Me, Et, $\text{CH}=\text{CH}_2$, Ph, OMe, $\text{N}=\text{C}(\text{H})^t\text{Bu}$) to $(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ti}(\text{Me})\text{R}$ by group 12 organometallic compounds MMe_2 (G.A. Luinstra and J.H. Teuben), (420) 337

Chromium

Déprotonation des allylbenzènes chrometricarbylène en milieu basique. Influence du système basique et du groupement chrometricarbylène sur la régiosélectivité de l'addition des dérivés carbonylés et sur la nature des produits isolés (M.-C. Sénéchal-Tocquer, D. Sénéchal, J.-Y. Le Bihan, D. Gentric and B. Caro), (420) 185

Cobalt

Cluster chemistry. LXXIII. Preparation and X-ray structure of the hexanuclear cobalt-ruthenium cluster, $\text{CoRu}_5(\mu_4\text{-PPh})\mu_4\text{-C}_2\text{Ph}(\mu\text{-PPh}_2\text{XCO})_2(\eta\text{-C}_5\text{H}_5)$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (420) 95

Germanium

On carbon-13 spectra of thio- and dithiocarboxylic acids triorgano group 14 metal esters (S. Kato, A. Hori, M. Mizuta, T. Katada, H. Ishihara, K. Fujieda and Y. Ikebe), (420) 13

"Head-to-head" dimerization and dehydrodimerization of vinyl ketones catalyzed by modified rhodium(I) complexes (I.P. Kovalev, Y.N. Kolmogorov, Y.A. Strelenko, A.V. Ignatenko, M.G. Vinogradov and G.I. Nikishin), (420) 125

Indium

Dialkylindium derivatives of unsaturated nitrogen heterocycles—preparation, spectroscopic properties and the use in MOVPE (K. Locke, J. Weidlein, F. Scholz, N. Bouanah, N. Brianese, P. Zanella and Y. Gao), (420) 1

Iron

Heteropolymetallic complexes of 1,1'-bis(diphenylphosphino)ferrocene (dppf). VII. Redox behaviour of dppf (G. Pilloni, B. Longato and B. Corain), (420) 57

Ultraviolet vapour-phase absorption spectra of d^6 metallocenes (S.Y. Ketkov and G.A. Domrachev), (420) 67

Mixed chalcogen carbonyl compounds. IV. Reactivity of $\text{Fe}_2(\text{CO})_6(\mu\text{-STe})$ and $\text{Fe}_3(\text{CO})_9(\mu_3\text{-S})(\mu_3\text{-Te})$ towards coordinatively unsaturated species (P. Mathur, D. Chakrabarty, M.M. Hossain and R.S. Rashid), (420) 79

Syntheses of dibenzo[*b,e*]1,4-dioxin derivatives via iron complexes, and further functionalizations via directed metallation (R.C. Cambie, S.J. Janssen, P.S. Rutledge and P.D. Woodgate), (420) 387

Lead

On carbon-13 spectra of thio- and dithiocarboxylic acids triorgano group 14 metal esters (S. Kato, A. Hori, M. Mizuta, T. Katada, H. Ishihara, K. Fujieda and Y. Ikebe), (420) 13

Lithium

The structure of 2-(diphenylphosphino)phenyllithium: the significance of P–Li bonding (S. Harder, L. Brandsma, J.A. Kanters, A. Duisenberg and J.H. van Lenthe), (420) 143

Magnesium

Synthèse en une étape par voie organométallique d'amines primaires β -acétyléniques α -ramifiées (L. Leboutet, G. Courtois and L. Miginiac), (420) 155

Manganese

A study of η^3 -allyl(η^5 -cyclopentadienyl)-dicarbonylmanganese salts (G.R. Knox, P.L. Pauson and J. Rooney), (420) 379

Novel heterobimetallic complexes with $\text{S}_2\text{CPR}_3(\kappa\text{-S},\text{S}')(\kappa\text{-S},\text{C},\text{S}')$ bridges. X-Ray structure of $[\text{MnMo}(\text{CO})_6(\mu\text{-Br})(\mu\text{-S}_2\text{CP}^i\text{Pr}_3)]$ (D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), (420) C12

Mercury

Oxidative alkylation of $(\eta^5\text{-C}_5\text{Me}_5)_2\text{TiR}$ (R = Cl, Me, Et, $\text{CH}=\text{CH}_2$, Ph, OMe, $\text{N}=\text{C}(\text{H})^t\text{Bu}$) to $(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ti}(\text{Me})\text{R}$ by group 12 organometallic compounds MMe_2 (G.A. Luinstra and J.H. Teuben), (420) 337

Mercury–ruthenium mixed-metal carbonyl clusters containing 2-amido-6-methylpyridine (ampy) as a μ_3,η^2 -ligand. Crystal structures of $[\text{Ru}_6(\mu_4\text{-Hg})(\mu_3\text{-ampy})_2(\text{CO})_{18}] \cdot 2\text{C}_4\text{H}_8\text{O}$ and $[\text{Ru}_3(\mu\text{-HgBr})(\mu_3\text{-ampy})(\text{CO})_9]$ (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, C. Bois and Y. Jeannin), (420) 431

Metalloenes

Heteropolymetallic complexes of 1,1'-bis(diphenylphosphino)ferrocene (dppf). VII. Redox behaviour of dppf (G. Pilloni, B. Longato and B. Corain), (420) 57

Ultraviolet vapour-phase absorption spectra of d^6 metalloenes (S.Y. Ketkov and G.A. Domrachev), (420) 67

Acetylen-Komplexe von $\text{Di}(\eta^5\text{-cyclopentadienyl})\text{molybdän}$: Synthesen und Protonierung. Struktur von $[\text{Cp}_2\text{MoH}(\eta^2\text{-C}_2(\text{SiMe}_3)_2)]\text{PF}_6$ (G.E. Herberich, U. Englert and W. Faßbender), (420) 303

Molybdenum

Organotransition-metal complexes of multidentate ligands. XVI. On the nature of the sigma-donicity of the saturated nitrogen ligands; chelate-assisted weakening of the $\alpha\text{-N-H}$ bond: synthesis, and spectral and structural study of $[\text{Mo}(\text{N-N})(\text{CO})_4]$ (N–N = saturated nitrogen bidentate ligands) (K.-B. Shiu, S.-L. Wang and F.-L. Liao), (420) 207

Acetylen-Komplexe von $\text{Di}(\eta^5\text{-cyclopentadienyl})\text{molybdän}$: Synthesen und Protonierung. Struktur von $[\text{Cp}_2\text{MoH}(\eta^2\text{-C}_2(\text{SiMe}_3)_2)]\text{PF}_6$ (G.E. Herberich, U. Englert and W. Faßbender), (420) 303

Organotransition-metal complexes of multidentate ligands. XVII. Synthesis and characterization of some η^3 -allylcarbonyl complexes of molybdenum containing dithiocarbamates as the uni-negative sulphur-bidentate ligands: crystal structure of $[\text{Mo}(\eta^2\text{-S}_2\text{CNET}_2)(\text{CO})\text{-}(\eta^3\text{-allyl})(\eta^2\text{-bis(diphenylphosphino)methane})]$ (K.-B. Shiu, K.-H. Yih, S.-L. Wang and F.-L. Liao), (420) 359

An unexpectated molybdenum(0) complex with "MoP₆" coordination: crystal structure of $[\text{Mo}(\text{P}(\text{CH}_2\text{CH}_2\text{PPh}_2)_3)_2] \cdot \text{C}_5\text{H}_{10}$ (M. García-Basallote, P. Valerga, M.C. Puerta-Vizcaíno, A. Romero, A. Vegas and M. Martínez-Ripoll), (420) 371

Osmium

- Ultraviolet vapour-phase absorption spectra of d^6 metallocenes (S.Y. Ketkov and G.A. Domrachev), (420) 67
- Cyclopentadienyl-ruthenium and -osmium chemistry. XXXVI. Oligomerisation of phenylacetylide residues on ruthenium. Crystal structures of $\{\text{Ru}(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-C}_6\text{Ph}_4)\}$ and $\{\text{Ru}(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)_2(\mu\text{-C}_{10}\text{Ph}_4(\text{C}_6\text{H}_4))\}$ (M.I. Bruce, G.A. Koutsantonis, M.J. Liddell and E.R.T. Tiekink), (420) 253
- Cyclopentadienyl-ruthenium and -osmium chemistry. XXXVII. Oligomerisation of $\text{C}_2(\text{CO}_2\text{Me})_2$ at a cyclopentadienyl-ruthenium centre: X-ray structures of $\text{Ru}\{\eta^4\text{-CH}(\text{CO}_2\text{Me})\text{C}(\text{CO}_2\text{Me})\text{C}(\text{CO}_2\text{Me})=\text{CH}(\text{CO}_2\text{Me})\}(\eta\text{-C}_5\text{H}_5)$, $\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_6\text{H}(\text{CO}_2\text{Me})_6)$ and $\text{Ru}(\eta^5\text{C}_5\text{H}_5)(\eta^5\text{-C}_6[\text{C}(\text{CO}_2\text{Me})=\text{CH}(\text{CO}_2\text{Me})](\text{CO}_2\text{Me})_6)$ (M.I. Bruce, G.A. Koutsantonis, E.R.T. Tiekink and B.K. Nicholson), (420) 271
- Preferential attack of the terminal hydrogen in $(\mu\text{-H})\text{Os}_3(\text{CO})_{11}\text{H}$ by the $(\text{CF}_3)_2\text{NO}$ radical and X-ray structure of $\{(\mu\text{-H})\text{Os}_3(\text{CO})_{11}\}[\text{ON}(\text{CF}_3)_2]$ (H.G. Ang, W.L. Kwik, C.H. Koh, W.K. Leong, B.F.G. Johnson, J. Lewis and P.R. Raithby), (420) 289

Palladium

- Mixed chalcogen carbonyl compounds. IV. Reactivity of $\text{Fe}_2(\text{CO})_6(\mu\text{-STe})$ and $\text{Fe}_3(\text{CO})_9(\mu_3\text{-S})(\mu_3\text{-Te})$ towards coordinatively unsaturated species (P. Mathur, D. Chakrabarty, M.M. Hossain and R.S. Rashid), (420) 79

Phosphorus

- Crystal structure and reactivity of $\{(\text{pp}_3)\text{Rh}(\text{H})(\text{SeCH}_3)\}\text{BPh}_4$. An organometallic complex from metal-assisted Se-H activation (M. Di Vaira, D. Rovai, P. Stoppioni and M. Peruzzini), (420) 135
- The structure of 2-(diphenylphosphino)phenyllithium: the significance of P-Li bonding (S. Harder, L. Brandsma, J.A. Kanters, A. Duisenberg and J.H. van Lenthe), (420) 143
- $[\text{Ph}_4\text{P}][\text{CpTi}(1,2\text{-S}_2\text{C}_6\text{H}_4)_2]$: Synthese und Molekülstruktur eines anionischen, tetragonal-pyramidal koordinierten Benzol-1,2-dithiolato-Komplexes des Titans (H. Köpf, K. Lange and J. Pickardt), (420) 345

Platinum

- Mixed chalcogen carbonyl compounds. IV. Reactivity of $\text{Fe}_2(\text{CO})_6(\mu\text{-STe})$ and $\text{Fe}_3(\text{CO})_9(\mu_3\text{-S})(\mu_3\text{-Te})$ towards coordinatively unsaturated species (P. Mathur, D. Chakrabarty, M.M. Hossain and R.S. Rashid), (420) 79
- Hydrosilylation of olefins with monosilane catalyzed by transition metal complexes (M. Itoh, K. Iwata, R. Takeuchi and M. Kobayashi), (420) C5

Rhodium

- The role of alcohol in the catalytic reductive carbonylation of nitrobenzenes to carbamates in the presence of $\text{Rh}(\text{CO})_4^-$ or $\text{Ru}_3(\text{CO})_{12}$ (C.-H. Liu and C.-H. Cheng), (420) 119
- “Head-to-head” dimerization and dehydrodimerization of vinyl ketones catalyzed by modified rhodium(I) complexes (I.P. Kovalev, Y.N. Kolmogorov, Y.A. Strelenko, A.V. Ignatenko, M.G. Vinogradov and G.I. Nikishin), (420) 125
- Crystal structure and reactivity of $\{(\text{pp}_3)\text{Rh}(\text{H})(\text{SeCH}_3)\}\text{BPh}_4$. An organometallic complex from metal-assisted Se-H activation (M. Di Vaira, D. Rovai, P. Stoppioni and M. Peruzzini), (420) 135

Ruthenium

- Ultraviolet vapour-phase absorption spectra of d^6 metallocenes (S.Y. Ketkov and G.A. Domrachev), (420) 67
- Mixed chalcogen carbonyl compounds. IV. Reactivity of $\text{Fe}_2(\text{CO})_6(\mu\text{-STe})$ and $\text{Fe}_3(\text{CO})_9(\mu_3\text{-S})(\mu_3\text{-Te})$ towards coordinatively unsaturated species (P. Mathur, D. Chakrabarty, M.M. Hossain and R.S. Rashid), (420) 79
- Cluster chemistry. LXXI. Isomerisation of a pentanuclear ruthenium cluster by elimination of phenylphosphinidene from a tertiary phosphine. X-Ray structure of $\text{Ru}_5(\mu_5\text{-C}_2\text{Ph})(\mu_4\text{-PPh})(\mu\text{-PPh}_2)(\text{CO})_{13}$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (420) 87

- Cluster chemistry. LXXIII. Preparation and X-ray structure of the hexanuclear cobalt-ruthenium cluster, $\text{CoRu}_5(\mu_4\text{-PPh})(\mu\text{-C}_2\text{Ph})(\mu\text{-PPh}_2\text{CO})_{12}(\eta\text{-C}_5\text{H}_5)$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), (420) 95
- Cluster chemistry. LXXIV. Reactions between $\text{Ru}_5(\mu_5\text{-C}_2\text{PPh}_2)(\mu\text{-PPh}_2\text{CO})_{13}$ and allyl halides: cluster cleavage and three-component addition reactions. Crystal structures of $\text{Ru}_4(\mu_4\text{-C}_2\text{PPh}_2\text{Ru}(\text{CO})_2(\eta\text{-C}_3\text{H}_5)(\mu\text{-Cl})(\mu\text{-PPh}_2\text{CO})_{10})$ and $\text{Ru}_5(\mu_5\text{-CCCC(O)CH}_2\text{CH=CH}_2)(\mu\text{-PPh}_2)_2(\mu\text{-Br})(\text{CO})_{11}$ (C.J. Adams, M.I. Bruce, M.J. Liddell and B.K. Nicholson), (420) 105
- Organometallic cumulenes: allenylidene- and alkenyl allenylidene-ruthenium complexes (A. Wolinska, D. Touchard, P.H. Dixneuf and A. Romero), (420) 217
- Ligand addition to $[\text{Cp}^*\text{RuCl}]_4$ —molecular structure of $[\text{Cp}^*\text{Ru}(\text{C}_2\text{H}_4)\text{Cl}]_2$ (U. Koelle, B.-S. Kang and U. Englert), (420) 227
- Ketone, aldehyde and aldimine complexes of cyclopentadienylruthenium organometallic Lewis acids (J.W. Faller, Y. Ma, C.J. Smart and M.J. DiVerdi), (420) 237
- Cyclopentadienyl-ruthenium and -osmium chemistry. XXXVI. Oligomerisation of phenylacetylide residues on ruthenium. Crystal structures of $\{\text{Ru}(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)\}_2(\mu\text{-C}_6\text{Ph}_4)$ and $\{\text{Ru}(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)\}_2(\mu\text{-C}_{10}\text{Ph}_4(\text{C}_6\text{H}_4))$ (M.I. Bruce, G.A. Koutsantonis, M.J. Liddell and E.R.T. Tiekink), (420) 253
- Cyclopentadienyl-ruthenium and -osmium chemistry. XXXVII. Oligomerisation of $\text{C}_2(\text{CO}_2\text{Me})_2$ at a cyclopentadienyl-ruthenium centre: X-ray structures of $\text{RuI}(\eta^4\text{-CH}(\text{CO}_2\text{Me})=\text{C}(\text{CO}_2\text{Me})\text{C}(\text{CO}_2\text{Me})=\text{CH}(\text{CO}_2\text{Me}))(\eta\text{-C}_5\text{H}_5)$, $\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_6\text{H}(\text{CO}_2\text{Me})_6)$ and $\text{Ru}(\eta^5\text{C}_5\text{H}_5)(\eta^5\text{-C}_6[\text{C}(\text{CO}_2\text{Me})=\text{CH}(\text{CO}_2\text{Me})]\text{CO}_2\text{Me})_6$ (M.I. Bruce, G.A. Koutsantonis, E.R.T. Tiekink and B.K. Nicholson), (420) 271
- Pericyclic organometallic reactions. Cycloaddition reactions of $(\eta^4\text{-cycloheptatriene})\text{Ru}(\text{CO})_3$. Crystal structure of tricarbonyl[(2,3,4,9- η)-bicyclo[4.2.1]non-2-ene-4,9-diy]-7,7,8,8-tetracarbonitrile] ruthenium (Z. Goldschmidt, E. Genizi, H.E. Gottlieb, D. Hezroni-Langermann, H. Berke, H.W. Bosch and J. Takats), (420) 419
- Mercury-ruthenium mixed-metal carbonyl clusters containing 2-amido-6-methylpyridine (ampy) as a μ_3, η^2 -ligand. Crystal structures of $[\text{Ru}_6(\mu_4\text{-Hg})(\mu_3\text{-ampy})_2(\text{CO})_{18}] \cdot 2\text{C}_4\text{H}_8\text{O}$ and $[\text{Ru}_3(\mu\text{-HgBr})(\mu_3\text{-ampy})(\text{CO})_9]$ (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, C. Bois and Y. Jeannin), (420) 431
- The cleavage of a cluster carbonyl C–O bond by trifluoromethanesulphonic anhydride (P.J. Bailey), (420) C21

Samarium

- Crystal and molecular structures of the octanuclear aluminohydride samarium complex $(\eta^5\text{-C}_5\text{H}_3^t\text{Bu}_2)\text{Sm}[(\mu_2\text{-H})_2(\mu_3\text{-H})_2\text{Al}(\text{Me}_2\text{NC}_2\text{H}_4\text{NMe}_2)_2][(\eta^5\text{-C}_5\text{H}_3^t\text{Bu}_2)\text{SmH}]_2[(\mu_2\text{-H})_3\text{Al}(\mu_2\text{-H})\text{Al}(\mu_2\text{-H})_3][(\mu_3\text{-H})_2\text{Sm}(\eta^5\text{-C}_5\text{H}_3^t\text{Bu}_2)_2]$ (V.K. Belsky, Y.K. Gun'ko, B.M. Bulychev and G.L. Soloveichik), (420) 43

Selenium

- Crystal structure and reactivity of $[(\text{pp}_3)\text{Rh}(\text{H})(\text{SeCH}_3)]\text{BPh}_4$. An organometallic complex from metal-assisted Se–H activation (M. Di Vaira, D. Rovai, P. Stoppioni and M. Peruzzini), (420) 135

Silicon

- On carbon-13 spectra of thio- and dithiocarboxylic acids triorgano group 14 metal esters (S. Kato, A. Hori, M. Mizuta, T. Katada, H. Ishihara, K. Fujieda and Y. Ikebe), (420) 13
- Hydroxylation of olefins with monosilane catalyzed by transition metal complexes (M. Itoh, K. Iwata, R. Takeuchi and M. Kobayashi), (420) C5
- Alcynylsilanes fonctionnels. III. Synthèse régiosélective par voie organozincique de 1-triméthylsilyl-4-ène-1-yne fonctionnels (D. Mesnard and L. Miginiac), (420) 163
- Acetylen-Komplexe von Di(η^5 -cyclopentadienyl)molybdän: Synthesen und Protonierung. Struktur von $[\text{Cp}_2\text{MoH}(\eta^2\text{-C}_2(\text{SiMe}_3)_2)]\text{PF}_6$ (G.E. Herberich, U. Englert and W. Faßbender), (420) 303

Tellurium

- TeCl_4 in organic synthesis. Elimination reactions (M. Albeck and T. Tamary), (420) 35
- Mixed chalcogen carbonyl compounds. IV. Reactivity of $\text{Fe}_2(\text{CO})_6(\mu\text{-STe})$ and $\text{Fe}_3(\text{CO})_9(\mu_3\text{-S})(\mu_3\text{-Te})$ towards coordinatively unsaturated species (P. Mathur, D. Chakrabarty, M.M. Hossain and R.S. Rashid), (420) 79

The crystal structures of 2-(2'-pyridyl)phenyltellurium(II) bromide and of the inclusion compound bis[2-(2'-pyridyl)phenyltellurium(II) chloride]·*p*-ethoxyphenyl-mercury(II) chloride (M.R. Greaves, T.A. Hamor, B.J. Howlin, T.S. Lobana, S.A. Mbogo, W.R. McWhinnie and D.C. Povey), (420) 327

Tin

On carbon-13 spectra of thio- and dithiocarboxylic acids triorgano group 14 metal esters (S. Kato, A. Hori, M. Mizuta, T. Katada, H. Ishihara, K. Fujieda and Y. Ikebe), (420) 13

Preparation and ^{119m}Sn Mössbauer studies of diorganotin(IV) derivatives of nicotinic acid and nicotinic acid *N*-oxide (G.K. Sandhu and N.S. Boparoy), (420) 23

"Head-to-head" dimerization and dehydrodimerization of vinyl ketones catalyzed by modified rhodium(I) complexes (I.P. Kovalev, Y.N. Kolmogorov, Y.A. Strelenko, A.V. Ignatenko, M.G. Vinogradov and G.I. Nikishin), (420) 125

Organozinnverbindungen. XXXIV. 2-(Chlordimethylstannyl)-4-methoxy-2',4'-dinitroazobenzol: Ein ungewöhnliches Produkt bei Azokupplungen an 3-Trimethylstannylanisol. Intramolekulare Komplexierung der Azogruppe durch die Stannylgruppe unter deren Halodemethylierung (W.P. Neumann and C. Wicenec), (420) 171

Crystal structure of bis(*O*-isopropylthiocarbonato)diphenyltin(IV) (N. Donoghue and E.R.T. Tiekink), (420) 179

Synthèse et réactivité d'un nouvel hydrure organostannique à "queue polaire": le dibutyl-4,7,10-trioxaundécylstannane (F. Ferkous, D. Messadi, B. De Jeso, M. Degueil-Castaing and B. Maillard), (420) 315

Some new organotin(IV), aluminium(III)- μ -oxoisopropoxides and their benzoylacetone derivatives (P.N. Kapoor, A.K. Bhagi, R.N. Kapoor and H.K. Sharma), (420) 321

Titanium

Darstellung und Struktur von $\text{Cp}_2\text{Ti}(\text{SO}_3\text{CF}_3)(\text{THF})$ (K. Berhalter and U. Thewalt), (420) 53

Oxidative alkylation of $(\eta^5\text{-C}_5\text{Me}_5)_2\text{TiR}$ (R = Cl, Me, Et, $\text{CH}=\text{CH}_2$, Ph, OMe, $\text{N}=\text{C}(\text{H})^t\text{Bu}$) to $(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ti}(\text{Me})\text{R}$ by group 12 organometallic compounds MMe_2 (G.A. Luinstra and J.H. Teuben), (420) 337

$[\text{Ph}_4\text{P}][\text{CpTi}(1,2\text{-S}_2\text{C}_6\text{H}_4)_2]$: Synthese und Molekülstruktur eines anionischen, tetragonal-pyramidal koordinierten Benzol-1,2-dithiolato-Komplexes des Titans (H. Köpf, K. Lange and J. Pickardt), (420) 345

Uranium

Tricyclopentadienyluranium azide complexes (J.-C. Berthet, M. Lance, M. Nierlich, J. Vigner and M. Ephritikhine), (420) C9

Zinc

Synthèse en une étape par voie organométallique d'amines primaires β -acétyléniques α -ramifiées (L. Leboutet, G. Courtois and L. Miginiac), (420) 155

Alcynylsilanes fonctionnels. III. Synthèse régiosélective par voie organozincique de 1-triméthylsilyl-4-ène-1-yne fonctionnels (D. Mesnard and L. Miginiac), (420) 163

Oxidative alkylation of $(\eta^5\text{-C}_5\text{Me}_5)_2\text{TiR}$ (R = Cl, Me, Et, $\text{CH}=\text{CH}_2$, Ph, OMe, $\text{N}=\text{C}(\text{H})^t\text{Bu}$) to $(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ti}(\text{Me})\text{R}$ by group 12 organometallic compounds MMe_2 (G.A. Luinstra and J.H. Teuben), (420) 337

Zirconium

Influence of the modification of the ligands on hex-1-ene hydroformylation catalyzed by $[\text{HRh}(\text{P}(\text{OPh})_3)_4]$ and $[\text{HRh}(\text{CO})(\text{P}(\text{OPh})_3)_3]$. Catalytic activity of the system $[\text{HRh}(\text{P}(\text{OPh})_3)_4] + \text{Cp}_2\text{Zr}(\text{CH}_2\text{PPh}_2)_2$ (A.M. Trzeciak, J.J. Ziółkowski and R. Choukroun), (420) 353

Preparation and some properties of chiral *ansa*-mono(η^5 -fluorenyl)zirconium(IV) complexes (B. Rieger), (420) C17