

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 403 (1991)**SUBJECT INDEX****Aluminium**

Chlorinated trimethylsilyl α -allenyl alcohols, regioselective synthesis via an organoaluminium compound (D. Mesnard, L. Miginiac), (403) 299

Antimony

[$C_5H_5Fe(CO)_2(ER_3)$]BF₄ complexes (E = N, P, As, Sb and Bi), synthesis and characterisation of; crystal structure of [$C_5H_5Fe(CO)_2(Bi(C_6H_5)_3)$]BF₄ (H. Schumann, L. Eguren), (403) 183

Arsenic

[$C_5H_5Fe(CO)_2(ER_3)$]BF₄ complexes (E = N, P, As, Sb and Bi), synthesis and characterisation of; crystal structure of [$C_5H_5Fe(CO)_2(Bi(C_6H_5)_3)$]BF₄ (H. Schumann, L. Eguren), (403) 183

Bismuth

[$C_5H_5Fe(CO)_2(ER_3)$]BF₄ complexes (E = N, P, As, Sb and Bi), synthesis and characterisation of; crystal structure of [$C_5H_5Fe(CO)_2(Bi(C_6H_5)_3)$]BF₄ (H. Schumann, L. Eguren), (403) 183

Chromium

[(η^5 -(Dimethylphosphino)cyclopentadienyl)][η^7 -(dimethylphosphino)cycloheptatrienyl]titanium, heterobimetallic compounds derived from (M. Ogasa, M.D. Rausch, R.D. Rogers), (403) 279
 α -Fluorobenzaldehyde-chromium-tricarbonyl, a chiral complex for highly diastereoselective nucleophilic additions (A. Solladié-Cavallo, M. Bencheqroun), (403) 159

Cobalt

Bis[tris(*m*-(sodium sulfonato)phenyl)phosphine] hexacarbonyl dicobalt, Co₂(CO)₆(P(*m*-C₆H₄SO₃Na)₃)₂, in a supported aqueous phase for the hydroformylation of 1-hexene (I. Guo, B.E. Hanson, I. Tóth, M.E. Davis), (403) 221

Cobalt, ruthenium, and rhodium complexes as catalysts in the reaction of terminal olefins with a hydrosilane and with carbon monoxide (Y. Seki, K. Kawamoto, N. Chatani, A. Hidaka, N. Sonoda, K. Ohe, Y. Kawasaki, S. Murai), (403) 73

Co₂(CO)₈ and NaCo(CO)₄ reagents, synthesis by the reduction of CoCl₂ or CoBr₂ under carbon monoxide at atmospheric pressure (A. Devasagayaraj, S.A. Rao, M. Periasamy), (403) 387

C-Nitroso compounds and their coordination complexes, NO bond length/stretching frequency relationships in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (403) 325

Germanium

Difluorenyl- and tert-butylfluorenyl(fluorenylidene)germanes; synthesis, stabilisation and reactivity of (G. Anselme, J. Escudié, C. Couret, J. Satgé), (403) 93

1-Halo- and 1-organoxygermatranes, synthesis of (M. Nasim, L.I. Livantsova, G.S. Zaitseva, J. Lorberth), (403) 85

Hafnium

Bis(cyclopentadienyl)hafnium(IV) dichloride, heterocarboxylates of (P. Lukose, S.C. Bhatia, A.K. Narula), (403) 153

Zirconium and hafnium hexakis(trimethylsilyl)metallocene dichlorides, hindered cyclopentadienyl rotation in; evidence for complete rotation of the tris(trimethylsilyl)cyclopentadienyl ligands (C.H. Winter, D.A. Dobbs, X.-X. Zhou), (403) 145

Iridium

Rhodium(I) and iridium(I) complexes of $\text{Ph}_2\text{P}(\text{S})\text{CH}_2\text{P}(\text{S})\text{Ph}_2$, bis(diphenylphosphino)methane disulfide (M.S. Abbassioun, P.A. Chaloner, C. Claver, P.B. Hitchcock, A.M. Masdeu, A. Ruiz, T. Saballs), (403) 229

Iron

$[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{ER}_3)]\text{BF}_4$ complexes ($\text{E} = \text{N, P, As, Sb}$ and Bi), synthesis and characterisation of; crystal structure of $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{Bi}(\text{C}_6\text{H}_5)_3)]\text{BF}_4$ (H. Schumann, L. Eguren), (403) 183

Cyclopentadienyliron complexes, monosubstituted nitrogen donors as ligands in; synthesis, reactivity, ligand properties, and crystal structure of $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{C}_5\text{H}_5\text{N})]\text{SbF}_6$ (H. Schumann, M. Speis, W.P. Bosman, J.M.M. Smits, P.T. Beurskens), (403) 165

$[(\eta^5\text{-}(\text{Dimethylphosphino})\text{cyclopentadienyl})|\eta^7\text{-}(\text{dimethylphosphino})\text{cycloheptatrienyl}]$ titanium, heterobimetallic compounds derived from (M. Ogasa, M.D. Rausch, R.D. Rogers), (403) 279

$\text{HFe}_3(\text{CO})_9(\text{C}\equiv\text{CSiMe}_3)$, synthesis and crystal structure of (J.J. Schneider, M. Nolte, C. Krüger), (403) C4

C-Nitroso compounds and their coordination complexes, NO bond length/stretching frequency relationships in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (403) 325

Substituted ferrocenes and ruthenocenes, dynamic NMR studies of ring rotation in (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik), (403) 195

Lithium

$[(\eta^5\text{-}(\text{Dimethylphosphino})\text{cyclopentadienyl})|\eta^7\text{-}(\text{dimethylphosphino})\text{cycloheptatrienyl}]$ titanium, heterobimetallic compounds derived from (M. Ogasa, M.D. Rausch, R.D. Rogers), (403) 279

Manganese

$\eta^5\text{-C}_5\text{H}_4\text{CH}_2\text{CH}(\text{CH}_3)\text{N}(\text{CH}_3)(\text{C}_3\text{H}_5)\text{Mn}(\text{CO})_2$, synthesis of a novel bidentate complex of (T.-F. Wang, T.-Y. Lee, Y.-S. Wen, L.-K. Liu), (403) 353

Metallocenes

Substituted ferrocenes and ruthenocenes, dynamic NMR studies of ring rotation in (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik), (403) 195

Zirconium and hafnium hexakis(trimethylsilyl)metallocene dichlorides, hindered cyclopentadienyl rotation in; evidence for complete rotation of the tris(trimethylsilyl)cyclopentadienyl ligands (C.H. Winter, D.A. Dobbs, X.-X. Zhou), (403) 145

Molybdenum

Bis(pentamethylcyclopentadienyl)dioxodimolybdenum(VI) oxide, $[\text{Cp}^*\text{MoO}_2]_2\text{O}$, comparison of the solid-state structures of four crystallographically independent molecules of (A.L. Rheingold, J.R. Harper), (403) 335

$[(\eta^5\text{-}(\text{Dimethylphosphino})\text{cyclopentadienyl})|\eta^7\text{-}(\text{dimethylphosphino})\text{cycloheptatrienyl}]$ titanium, heterobimetallic compounds derived from (M. Ogasa, M.D. Rausch, R.D. Rogers), (403) 279

Dimolybdenum oxo-imido complexes; crystal structures of $[(\text{MeC}_5\text{H}_4)_2\text{Mo}_2\text{O}_2(\mu\text{-O})(\mu\text{-NPh})]$ and $[(\text{MeC}_5\text{H}_4)\text{MoO}(\mu\text{-NPh})]_2$ (J. Fletcher, G. Hogarth, D.A. Tocher), (403) 345

Nickel

$[(\eta^5\text{-}(\text{Dimethylphosphino})\text{cyclopentadienyl})|\eta^7\text{-}(\text{dimethylphosphino})\text{cycloheptatrienyl}]$ titanium, heterobimetallic compounds derived from (M. Ogasa, M.D. Rausch, R.D. Rogers), (403) 279

Nickel(0)-ligand complex, formation of C-C bonds between carbon dioxide and cycloalkenes on (H. Hoberg, A. Ballesteros, A. Sigan), (403) C19

Ni^{+2} -induced and -catalysed preparation of unsaturated adipic acid anilides (H. Hoberg, D. Bärhausen), (403) 401

Osmium

- $\text{Os}_3(\text{CO})_9[1,1,1\text{-tris(isocyanomethyl)ethane}]$, synthesis and crystal and molecular structure of (E.C. Constable, B.F.G. Johnson, F.K. Khan, J. Lewis, P.R. Raithby, P. Mikulcik), (403) C15
 $\text{Os}_3(\text{CO})_{10}[(\text{CF}_3)_2\text{P}=\text{N}=\text{PPh}_3]_2$ novel delocalised diphosphazene, preparation and X-ray structure of (H.G. Ang, Y.M. Cai, W.L. Kwik, E.C. Morrison, D.A. Tocher), (403) 383

Palladium

- Five-coordinate trigonal-bipyramidal palladium(II) species, stabilisation of; crystal structure of (2,9-di-methyl-1,10-phenanthroline)methylchloropalladium(II) (V. De Felice, V.G. Albano, C. Castellari, M.E. Cucciolito, A. De Renzi), (403) 269
 Mono- and polynuclear perhalophenyl palladium–platinum acetylides complexes, synthesis of; molecular structure of $(\text{NBu}_4)_2[\text{Pt}_2\text{Ag}_2(\text{C}_6\text{F}_5)_4(\text{C}\equiv\text{CPh})_4]\cdot 4\text{CH}_2\text{Cl}_2$ (P. Espinet, J. Forniés, F. Martínez, M. Sotes, E. Lalinde, M.T. Moreno, A. Ruiz, A.J. Welch), (403) 253
 C-Nitroso compounds and their coordination complexes, NO bond length/stretching frequency relationships in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (403) 325

Phosphorus

- $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{ER}_3)]\text{BF}_4$ complexes ($\text{E} = \text{N, P, As, Sb}$ and Bi), synthesis and characterisation of; crystal structure of $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{Bi}(\text{C}_6\text{H}_5)_3)]\text{BF}_4$ (H. Schumann, L. Eguren), (403) 183
 Nickel(0)-ligand complex, formation of C–C bonds between carbon dioxide and cycloalkenes on (H. Hoberg, A. Ballesteros, A. Sigan), (403) C19
 Ni^0 -induced and -catalysed preparation of unsaturated adipic acid anilides (H. Hoberg, D. Bärhausen), (403) 401

Platinum

- Five-coordinate stable $[\widehat{\text{Pt}}(\text{NN}^')(\text{olefin})(\text{R})\text{X}]$ complexes formed by oxidative addition to $[\widehat{\text{Pt}}(\text{NN}^')(\text{olefin})]$ precursors (V. De Felice, M. Funicello, A. Panunzi, F. Ruffo), (403) 243
 Five-coordinate trigonal-bipyramidal palladium(II) species, stabilisation of; crystal structure of (2,9-di-methyl-1,10-phenanthroline)methylchloropalladium(II) (V. De Felice, V.G. Albano, C. Castellari, M.E. Cucciolito, A. De Renzi), (403) 269
 Mono- and polynuclear perhalophenyl palladium–platinum acetylides complexes, synthesis of; molecular structure of $(\text{NBu}_4)_2[\text{Pt}_2\text{Ag}_2(\text{C}_6\text{F}_5)_4(\text{C}\equiv\text{CPh})_4]\cdot 4\text{CH}_2\text{Cl}_2$ (P. Espinet, J. Forniés, F. Martínez, M. Sotes, E. Lalinde, M.T. Moreno, A. Ruiz, A.J. Welch), (403) 253
 C-Nitroso compounds and their coordination complexes, NO bond length/stretching frequency relationships in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (403) 325

Potassium

- Sodium and potassium pentamethylcyclopentadienyl pyridine solvates, preparation and crystal structures of (G. Rabe, H.W. Roesky, D. Stalke, F. Pauer, G.M. Sheldrick), (403) 11

Rhenium

- $[\text{Re}(\text{NCC}_6\text{H}_4\text{Me}-4)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]\text{[ReF}_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]\text{[BF}_4\text{]}_2$ complex double salt, synthesis and crystal structure of (M.F.C.G. Silva, A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (403) C1

Rhodium

- Cationic dinuclear rhodium(I) complexes as catalysts in the hydroformylation of alkenes; effect of counter ions (J.C. Bayón, P. Esteban, J. Real, C. Claver, A. Polo, A. Ruiz, S. Castillón), (403) 393
 Cobalt, ruthenium, and rhodium complexes as catalysts in the reaction of terminal olefins with a hydrosilane and with carbon monoxide (Y. Seki, K. Kawamoto, N. Chatani, A. Hidaka, N. Sonoda, K. Ohe, Y. Kawasaki, S. Murai), (403) 73
 C-Nitroso compounds and their coordination complexes, NO bond length/stretching frequency relationships in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (403) 325
 Rhodium(I) and iridium(I) complexes of $\text{Ph}_2\text{P}(\text{S})\text{CH}_2\text{P}(\text{S})\text{Ph}_2$, bis(diphenylphosphino)methane disulfide (M.S. Abbassioun, P.A. Chaloner, C. Claver, P.B. Hitchcock, A.M. Masdeu, A. Ruiz, T. Saballs), (403) 229

Ruthenium

- 4,4'-Bipyridyl-bridged diruthenium(II) carbonyl catecholate complex, ligand-localised oxidation of (C. Carriero, N.G. Connelly), (403) 359
- Cobalt, ruthenium, and rhodium complexes as catalysts in the reaction of terminal olefins with a hydrosilane and with carbon monoxide (Y. Seki, K. Kawamoto, N. Chatani, A. Hidaka, N. Sonoda, K. Ohe, Y. Kawasaki, S. Murai), (403) 73
- Ruthenium-catalysed oxidation of primary alcohols with sodium bromate (A. Behr, K. Eusterwiemann), (403) 209
- Ruthenium-catalysed oxidation of primary alcohols with the oxidation system *N*-methylmorpholine/hydrogen peroxide (A. Behr, K. Eusterwiemann), (403) 215
- Ruthenium-containing precatalysts in the cyclotrimerisation of alkynes (E. Lindner, H. Kühbauch), (403) C9
- Six-coordinate ruthenium(II) complexes containing both formate and alkenyl ligands; crystal structure of Ru(O₂CH)(CO)(HC=CHPh)(PPh₃)₂ (H. Loumrhari, L. Matas, J. Ros, M.R. Torres, A. Perales), (403) 373
- Substituted ferrocenes and ruthenocenes, dynamic NMR studies of ring rotation in (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šík), (403) 195
- Substituted ruthenium(II) η^5 -cyclopentadienyl η^5 - or η^6 -arene salts, synthesis and nonlinear optical properties of (M. Kimura, H. Abdel-Halim, D.W. Robinson, D.O. Cowan), (403) 365

Silicon

- Bis(2,3-naphthalenediolato)[2-(pyrrolidinio)ethyl]silicate; synthesis and structural characterisation of a zwitterionic λ^5 -spirosilicate (C. Strohmann, R. Tacke, G. Mattern, W.F. Kuhs), (403) 63
- (t-Bu₂SiOH)₂, crystal structure of (R. West, E.K. Pham), (403) 43
- Carbamylsilane (Me₃Si)₃SiC(O)NMe₂, preparation and crystal structure of (S.S. Al-Juaid, Y. Derouiche, P.B. Hitchcock, P.D. Lickiss, A.G. Brook), (403) 293
- Chlorinated trimethylsilyl α -allenyl alcohols, regioselective synthesis via an organoaluminium compound (D. Mesnard, L. Miginac), (403) 299
- Cobalt, ruthenium, and rhodium complexes as catalysts in the reaction of terminal olefins with a hydrosilane and with carbon monoxide (Y. Seki, K. Kawamoto, N. Chatani, A. Hidaka, N. Sonoda, K. Ohe, Y. Kawasaki, S. Murai), (403) 73
- Racemic acetyl(t-butyl)methylphenylsilane, stereoselective microbial reduction by *Trigonopsis variabilis* and *Corynebacterium dioxydans* (R. Tacke, S. Brakmann, F. Wuttke, J. Fooladi, C. Syldatk, D. Schomburg), (403) 29
- Trimethylsilyl ethylene oxide, reaction with α -sulfonyl anions and α,α -sulfonyl dianions; stereocontrolled synthesis of (*E*)- and (*Z*)-allylic alcohols (P. Jankowski, S. Marczak, M. Masnyk, J. Wicha), (403) 49
- Trimethylsilyl group, 1,2-migration in free radicals (J.M. Harris, I. MacInnes, J.C. Walton, B. Maillard), (403) C25
- Zirconium and hafnium hexakis(trimethylsilyl)metallocene dichlorides, hindered cyclopentadienyl rotation in; evidence for complete rotation of the tris(trimethylsilyl)cyclopentadienyl ligands (C.H. Winter, D.A. Dobbs, X.-X. Zhou), (403) 145

Sodium

- Sodium alkoxides, standard enthalpies of formation of (J.P. Leal, A. Pires de Matos, J.A. Martinho Simões), (403) 1
- Sodium and potassium pentamethylcyclopentadienyl pyridine solvates, preparation and crystal structures of (G. Rabe, H.W. Roesky, D. Stalke, F. Pauer, G.M. Sheldrick), (403) 11

Sulphur

- η^5 -Cyclopentadienyl(dicarbonyl)[η^2 -diethylamino(methylthio)carbene]tungsten, preparation by thiomethylation of η^5 -cyclopentadienyl(dicarbonyl)diethylaminocarbintungsten (F.R. Kreißl, N. Ullrich, H. Keller), (403) C29
- Triorganostannate esters of dicarboxylic acids, synthesis of; crystal structure of dicyclohexylammonium 2,6-pyridinedicarboxylatotributylstannate (S.W. Ng, V.G. Kumar Das, E.R.T. Tieckink), (403) 111

Tin

Diorganotin(IV) complexes with thiophenoxyacetic acid, synthesis and spectroscopic properties of; crystal structures of [$\text{^nPr}_2\text{Sn}(\text{O}_2\text{CCH}_2\text{SPh})_2$] and $\{\text{[R}_2\text{Sn}(\text{O}_2\text{CCH}_2\text{SPh})_2\text{O}\}_2$, R = ^nPr , ^nBu (G.K. Sandhu, N. Sharma, E.R.T. Tieckink), (403) 119

C-Nitroso compounds and their coordination complexes, NO bond length/stretching frequency relationships in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (403) 325

Tributyltin acetate, $^2J(\text{^{119}Sn}-\text{O}-\text{^{13}CO})$ coupling in (H.-V. Pham, B. Rusterholz, E. Pretsch, W. Simon), (403) 311

Triorganostannate esters of dicarboxylic acids, synthesis of; crystal structure of dicyclohexylammonium 2,6-pyridinedicarboxylatotributylstannate (S.W. Ng, V.G. Kumar Das, E.R.T. Tieckink), (403) 111

Triphenyltin derivatives of isothiazol-3(2*H*)-one 1,1-dioxides; synthesis, Mössbauer spectra, fungitoxicity data, and crystal structure of triphenylstannyli 1,2-benzisothiazol-3(2*H*)-one 1,1-dioxide-*N,N*-dimethylformamide (S.W. Ng, A.J. Kuthubutheen, Z. Arifin, C. Wei, V.G. Kumar Das, B. Schulze, K.C. Molloy, W.-H. Yip, T.C.W. Mak), (403) 101

Tris(3,5-dimethylpyrazolyl)borates, preparation and properties of (G. Gioia Lobbia, F. Bonati, P. Cecchi, A. Lorenzotti, C. Pettinari), (403) 317

Titanium

[(η^5 -(Dimethylphosphino)cyclopentadienyl] η^7 -(dimethylphosphino)cycloheptatrienyl]titanium, heterobimetallic compounds derived from (M. Ogasa, M.D. Rausch, R.D. Rogers), (403) 279

Tungsten

η^5 -Cyclopentadienyl(dicarbonyl)[η^2 -diethylamino(methylthio)carbene]tungsten, preparation by thiomethylation of η^5 -cyclopentadienyl(dicarbonyl)diethylaminocarbintungsten (F.R. Kreißl, N. Ullrich, H. Keller), (403) C29

Zinc

Allylic organozinc derivatives, condensation with nitriles; synthesis of β,γ -unsaturated ketones (P. Marceau, L. Gautreau, F. Béguin, G. Guillaumet), (403) 21

C-Nitroso compounds and their coordination complexes, NO bond length/stretching frequency relationships in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (403) 325

Zirconium

Hydrozirconation of (*E*)-3-methoxy-1-phenyl-1-propene and (*E*)-3-phenyl-2-propenol (S. Karlsson, A. Hallberg, S. Gronowitz), (403) 133

Zirconium and hafnium hexakis(trimethylsilyl)metallocene dichlorides, hindered cyclopentadienyl rotation in; evidence for complete rotation of the tris(trimethylsilyl)cyclopentadienyl ligands (C.H. Winter, D.A. Dobbs, X.-X. Zhou), (403) 145

Book reviews

Advances in physical organic chemistry, vol. 25; edited by D. Bethell (C. Eaborn), (403) C32

Gmelin handbook of inorganic chemistry, 8th edition, Sn. Organotin compounds. Part 17 (C. Eaborn), (403) C32

The chemistry of the metal–carbon bond, volume 5; organometallic compounds in organic and biological syntheses; edited by F.R. Hartley (P.A. Chaloner), (403) C33