

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 428 (1992)**SUBJECT INDEX****Chromium**

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XXXIX. Synthese und dynamisches Verhalten von Tetracarbonyl- η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien-metall(0)- und Dicarbonyl-bis(η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (S. Özkar, N.K. Tunali and C.G. Kreiter), (428) 345

Cobalt

Charge-transfer salts of carbonylmetalates as outer-sphere ion pairs in photochemical and thermal electron transfer (C.-H. Wei, T.M. Bockman and J.K. Kochi), (428) 85

Preparation and properties of inclusion compounds of cobalt cluster complexes with γ -cyclodextrin (M. Shimada, A. Harada and S. Takahashi), (428) 199

Two-dimensional nutation ⁵⁹Co NMR of solid Co₄(CO)₁₂ (T. Eguchi, H. Nakayama, H. Ohki, S. Takeda, N. Nakamura, S. Kernaghan and B.T. Heaton), (428) 207

Copper

Chemie polyfunktioneller Moleküle. CIX. Synthese, Molekül- und Kristallstruktur des über (NH ··· O)- und (OH ··· NC)-Wasserstoffbrückenbindungen verknüpften tetraedrischen Chelatkomplexes [Cu(CN)(Ph₂P-NH-PPh₂)PPh₃]⁺·CH₃OH (J. Ellermann, F.A. Knoch, K.J. Meier and M. Moll), (428) C44

Gold

Chemistry of hexaruthenium carbidocarbonyl cluster complexes. Syntheses and X-ray crystal structures of Ru₆C(CO)₁₅(μ -SePh)(μ -AuPPh₃), Ru₆C(CO)₁₄(μ -SePh)₂, and Ru₆C(CO)₁₄(μ -SePh)(μ , η^3 -C₃H₅) (T. Chihara and H. Yamazaki), (428) 169

Synthesis, structure and properties of dimethyl(alkoxycarbonyl)gold(III) complexes having a triphenylphosphine ligand (S. Komiya, T. Sone, S. Ozaki, M. Ishikawa and N. Kasuga), (428) 303

Hafnium

Agostic interaction in early transition metal alkyls and their role in catalytic activity for olefin polymerizations (K. Mashima and A. Nakamura), (428) 49

Iridium

Chemoselective asymmetric hydrogenation of α,β -unsaturated carbonyl compounds to allylic alcohols catalysed by [Ir(binap)(cod)]BF₄-aminophosphine (K. Mashima, T. Akutagawa, X. Zhang, H. Takaya, T. Takeuchi, H. Kumobayashi and S. Akutagawa), (428) 213

Hydride addition to and reduction of Cp^{*}Ir(η^6 -BT)²⁺ and Cp^{*}Ir(η^6 -DBT)²⁺, where BT = benzo[b]thiophene and . DBT = dibenzothiophene (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), (428) 415

Iron

Charge-transfer salts of carbonylmetalates as outer-sphere ion pairs in photochemical and thermal electron transfer (C.-H. Wei, T.M. Bockman and J.K. Kochi), (428) 85

Mono- and binuclear σ -aryl iron-lithium hydrides; synthesis and molecular structure (T.A. Bazhenova, L.M. Kachapina, A.E. Shilov, M.Y. Antipin and Y.T. Struchkov), (428) 107

Photoreactions of silyliron(II) complexes $\text{Cp}^*\text{Fe}(\text{CO})_2\text{SiMe}_3$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{H}_5, \eta^5\text{-C}_5\text{Me}_5$) in the presence of trihydrosilanes (Y. Kawano, H. Tobita and H. Ogino), (428) 125

Isolation of cationic cyclopentadienyl iron complexes containing phosphinite and formation of metal-laphosphineoxide complexes by the Arbusov-like dealkylation reaction (H. Nakazawa, M. Yamaguchi, K. Kubo and K. Miyoshi), (428) 145

Synthese und Charakterisierung von 1,3-disubstituierten Decamethylcyclohexasilanen (E. Hengge and M. Eibi), (428) 335

Cluster mit Fe_6Cd - und Fe_6Hg -Baueinheiten (W. Deck, A.K. Powell and H. Vahrenkamp), (428) 353
Synthese, Struktur und Reaktivität der Ferriophosphonium-Salze $[\text{CpFe}(\text{CO})(\text{L})(\text{PPh}_2\text{CH}_2\text{R}')]\text{BF}_4^-$ ($\text{L} = \text{CO}, \text{CH}_3\text{CN}, \text{P}^n\text{Bu}_3; \text{R}' = \text{Ph}, \text{CN}, \text{COOEt}, \text{PPh}_2, \text{SiMe}_3$); Kristallstrukturen von $[\text{CpFe}(\text{CO})_2\text{PPh}_2\text{CH}_2\text{SiMe}_3]\text{BF}_4^-$ und $[\text{CpFe}(\text{PPh}_2\text{CH}_2\text{Ph})\text{CpFe}(\text{CO})](\mu\text{-CO})_2$ (C. Klasen, I.-P. Lorenz, S. Schmid and G. Beuter), (428) 363

Darstellung μ_3 -Chalkogenverbrückter dreikerniger Carbonyleisencluster durch die Reaktionsfolge XCN^- , Et_3O^+ . Aufbau und Dynamik von $(\mu_3\text{-X})(\mu_3\text{-PR})\text{Fe}_3(\text{CO})_7\text{L}_2$ ($\text{X} = \text{S}, \text{Se}, \text{Te}; \text{L} = \text{CO}, \text{EtNC}, \text{P}(\text{OMe})_3$) (W. Imhof, G. Huttner, B. Eber and D. Günauer), (428) 379

$[\text{Rh}(\text{CO})_4]^-$, $[\text{Rh}_5(\text{CO})_{15}]^-$, and bimetallic clusters as catalysts for the carbonylation of nitrobenzene to methyl phenylcarbamate (F. Ragaini, S. Cenini, A. Fumagalli and C. Crotti), (428) 401

Thermolysis of $\text{Cp}(\text{CO})_n\text{M}-\text{CH}(\text{CH}_3)\text{C}_6\text{H}_5$ ($n = 2, \text{M} = \text{Fe, Ru}; n = 3, \text{M} = \text{Mo, W}$). Some vertical trends in transition metal-alkyl bond dissociation energies (C. Mancuso and J. Halpern), (428) C8

Lanthanum

Metallorganische Verbindungen der Lanthanoide. LXXI. Synthese und Röntgenstrukturanalyse von $\text{CpLa}(\text{C}_5\text{H}_4\text{PPh}_2)_2$ (THF), einem zweizähnigen Liganden zur Herstellung heterobimetallischer Lanthanoidkomplexe (H. Schumann, J.A. Meese-Markscheffel, B. Gorella and F.H. Görlitz), (428) C27

Lithium

Mono- and binuclear σ -aryl iron-lithium hydrides; synthesis and molecular structure (T.A. Bazhenova, L.M. Kachapina, A.E. Shilov, M.Y. Antipin and Y.T. Struchkov), (428) 107

Manganese

Charge-transfer salts of carbonylmetalates as outer-sphere ion pairs in photochemical and thermal electron transfer (C.-H. Wei, T.M. Bockman and J.K. Kochi), (428) 85

Metallocenes

Insertion of alkynes into zirconium-nitrogen bonds leading to 2,3-diazamettallacyclopentenes. Generation and reactivity of $\text{Cp}_2\text{Zr}(\text{N}_2\text{Ph}_2)$ (P.J. Walsh, F.J. Hollander and R.G. Bergman), (428) 13

Molybdenum

A novel Redox/Fission reaction of the molybdenum tetracarbonyl complex of 3-diphenylphosphino-(1*R*)-(+)-camphor dimethylhydrazone. Crystal structure of $[\text{Mo}(\text{CO})_4(\text{PPh}_2\text{C}_{10}\text{H}_{15}\text{NH})]$ (S.D. Perera, B.L. Shaw and M. Thornton-Pett), (428) 59

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XXXIX. Synthese und dynamisches Verhalten von Tetracarbonyl- η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien-metall(0)- und Dicarbonyl-bis(η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (S. Özkar, N.K. Tunali and C.G. Kreiter), (428) 345

Thermolysis of $\text{Cp}(\text{CO})_n\text{M}-\text{CH}(\text{CH}_3)\text{C}_6\text{H}_5$ ($n = 2, \text{M} = \text{Fe, Ru}; n = 3, \text{M} = \text{Mo, W}$). Some vertical trends in transition metal-alkyl bond dissociation energies (C. Mancuso and J. Halpern), (428) C8
Übergangsmetall-Carbin-Komplexe. CII. Alkylierung von $\text{Na}[\text{CpMo}(\text{CO})_2(\text{CN}^+\text{Bu})]$; Einfluß des Isocyanid-Substituenten auf den Reaktionsablauf (A.C. Filippou, W. Grünleitner and E.O. Fischer), (428) C37

Nickel

Mechanism of C-C coupling reactions of aromatic halides, promoted by $\text{Ni}(\text{COD})_2$ in the presence of 2,2'-bipyridine and PPh_3 , to give biaryls (T. Yamamoto, S. Wakabayashi and K. Osakada), (428) 223

Synthesis and reactivities of novel η^2 -(C₆O) alkylphenylketene complexes of nickel. Coordination-mode switching reaction of the ketene ligand (A. Miyashita, R.-j. Sugai and J.-i. Yamamoto), (428) 239
 Komplexkatalyse. XXXVII. η^3 , η^2 , η^2 -Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-yl-nickel(II)-tetrakis[3,5-bis(trifluoromethyl)phenyl]borat als Katalysator für die 1,4-*cis*-Polymerisation des Butadiens. Aktivität und Selektivität des C₁₂-Allylnickel(II)-Kations (R. Taube and S. Wache), (428) 431

Niobium

Agostic interaction in early transition metal alkyls and their role in catalytic activity for olefin polymerizations (K. Mashima and A. Nakamura), (428) 49

Osmium

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CI. Stereoselektive Synthese gemischalkylierter Osmiumoxide (W.A. Herrmann, S.J. Eder, P. Kiprof and P. Watzlowik), (428) 187

[Rh(CO)₄]⁻, [Rh₅(CO)₁₅]⁻, and bimetallic clusters as catalysts for the carbonylation of nitrobenzene to methyl phenylcarbamate (F. Ragaini, S. Cenini, A. Fumagalli and C. Crotti), (428) 401

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CIII. *cis*-Dimethylbils (2,2-dimethylpropyl)oxoosmium(VI): Röntgenstrukturanalyse eines gemischalkylierten Osmiumoxids (S.J. Eder, W.A. Herrmann and P. Kiprof), (428) 409

Palladium

Metallation of aliphatic carbon atoms. VI. Reactions of 2-pivaloylpyridine with palladium(II) acetate resulting in cyclopalladation and nucleophilic attacks on carbonyl carbon (K. Hiraki, M. Nakashima, T. Uchiyama and Y. Fuchita), (428) 249

Isomerization of alkynemono-ols catalyzed by palladium(0) complex and diols (X. Lu, J. Ji, C. Guo and W. Shen), (428) 259

Catalytic asymmetric arylation of *N*-substituted 2-pyrrolines with aryl triflates (F. Ozawa and T. Hayashi), (428) 267

Palladium- and platinum-catalyzed cyclocarbonylation reactions of substituted allyl acetates (Y. Ishii and M. Hidai), (428) 279

Recent developments in the chemistry of olefin complexes of palladium and platinum: some novel findings as well as elaborate extensions (H. Kurosawa and I. Ikeda), (428) 289

Phosphorus

Isolation of cationic cyclopentadienyl iron complexes containing phosphinite and formation of metal-laphosphineoxide complexes by the Arbuzov-like dealkylation reaction (H. Nakazawa, M. Yamaguchi, K. Kubo and K. Miyoshi), (428) 145

Asymmetric hydrogenation of prochiral carboxylic acids catalyzed by the five-coordinate ruthenium(II)-hydride complex [RuH(binap)₂]BF₄ (binap = (*R*)- or (*S*)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl) (M. Saburi, H. Takeuchi, M. Ogasawara, T. Tsukahara, Y. Ishii, T. Ikariya, T. Takahashi and Y. Uchida), (428) 155

Chemoselective asymmetric hydrogenation of α,β -unsaturated carbonyl compounds to allylic alcohols catalysed by [Ir(binap)(cod)]BF₄-aminophosphine (K. Mashima, T. Akutagawa, X. Zhang, H. Takaya, T. Taketomi, H. Kumobayashi and S. Akutagawa), (428) 213

Synthese, Struktur und Reaktivität der Ferriophosphonium-Salze [CpFe(CO)(L)(PPh₂CH₂R')]⁺BF₄⁻ (L = CO, CH₃CN, PⁿBu₃; R' = Ph, CN, COOEt, PPh₂, SiMe₃); Kristallstrukturen von [CpFe(CO)₂PPh₂CH₂SiMe₃]⁺BF₄⁻ und [CpFe(PPh₂CH₂Ph)CpFe(CO)]⁺(μ -CO)₂ (C. Klasen, I.-P. Lorenz, S. Schmid and G. Beuter), (428) 363

Darstellung μ_3 -Chalkogenverbrückter dreikerniger Carbonyleisencluster durch die Reaktionsfolge XCN⁻, Et₃O⁺. Aufbau und Dynamik von (μ_3 -X)(μ_3 -PR)Fe₃(CO)₇L₂ (X = S, Se, Te; L = CO, EtNC, P(OMe)₃) (W. Imhof, G. Huttner, B. Eber and D. Günauer), (428) 379

Metallorganische Verbindungen der Lanthanoide. LXXI. Synthese und Röntgenstrukturanalyse von CpLa(C₅H₄PPh₂)₂(THF), einem zweizähnigen Liganden zur Herstellung heterobimetallischer Lanthanoidkomplexe (H. Schumann, J.A. Meese-Märktscheffel, B. Gorella and F.H. Görlitz), (428) C27

Chemie polyfunktioneller Moleküle. CIX. Synthese, Molekül- und Kristallstruktur des über (NH ··· O)- und (OH ··· NC)-Wasserstoffbrückenbindungen verknüpften tetraedrischen Chelatkomplexes [Cu(CN)(Ph₂P-NH-PPh₂)PPh₃][·]CH₃OH (J. Ellermann, F.A. Knoch, K.J. Meier and M. Moll), (428) C44

Platinum

Platinum complex-catalyzed dehydrogenative double silylation of olefins and dienes with *o*-bis(dimethylsilyl)benzene (M. Tanaka, Y. Uchimaru and H.-J. Lautenschlager), (428) 1

Palladium- and platinum-catalyzed cyclocarbonylation reactions of substituted allyl acetates (Y. Ishii and M. Hidai), (428) 279

Recent developments in the chemistry of olefin complexes of palladium and platinum: some novel findings as well as elaborate extensions (H. Kurosawa and I. Ikeda), (428) 289

Rhenium

Phosphine induced cyclopentadienyl ring slippage catalyzes CO insertion into a methyl rhenium compound to produce an acetyl rhenium compound (C.P. Casey, R.A. Widenhoefer and J.M. O'Connor), (428) 99

Rhodium

Rhodium(I) complex-catalyzed hydrosilylation of dimethyl muconates (K. Yamamoto and T. Tabei), (428) C1

Ruthenium

Asymmetric hydrogenation of prochiral carboxylic acids catalyzed by the five-coordinate ruthenium(II)-hydride complex [RuH(binap)₂]PF₆ (binap = (*R*- or (*S*)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl) (M. Saburi, H. Takeuchi, M. Ogasawara, T. Tsukahara, Y. Ishii, T. Ikariya, T. Takahashi and Y. Uchida), (428) 155

Chemistry of hexaruthenium carbidocarbonyl cluster complexes. Syntheses and X-ray crystal structures of Ru₆C(CO)₁₅(μ-SePh)(μ-AuPPh₃), Ru₆C(CO)₁₄(μ-SePh)₂, and Ru₆C(CO)₁₄(μ-SePh)(μ,η³-C₃H₅) (T. Chihara and H. Yamazaki), (428) 169

[Rh(CO)₄]⁻, [Rh₅(CO)₁₅]⁻, and bimetallic clusters as catalysts for the carbonylation of nitrobenzene to methyl phenylcarbamate (F. Ragaini, S. Cenini, A. Fumagalli and C. Crotti), (428) 401

Thermolysis of Cp(CO)_nM-CH(CH₃)C₆H₅ (*n* = 2, M = Fe, Ru; *n* = 3, M = Mo, W). Some vertical trends in transition metal-alkyl bond dissociation energies (C. Mancuso and J. Halpern), (428) C8
Single and unsupported Ru-H-Ru bond: preparation and crystal structure of {Ru₂H(μ-H)Cl(syn-Me₄[14]aneS₄)₂}Cl (Me₄[14]aneS₄ = 1,4,8,11-tetrathiacyclotetradecane) (T. Yoshida, T. Adachi, T. Tanaka and F. Goto), (428) C12

Synthesis and protonation of new 1,3-diene complexes of zerovalent ruthenium (M.A. Bennett and X.-q. Wang), (428) C17

Oligomerization of butadiene with (η-C₅R₅)Ru^{II} complexes; stoichiometric and catalytic chemistry (K. Masuda, K. Nakano, T. Fukahori, H. Nagashima and K. Itoh), (428) C21

Selenium

Chemistry of hexaruthenium carbidocarbonyl cluster complexes. Syntheses and X-ray crystal structures of Ru₆C(CO)₁₅(μ-SePh)(μ-AuPPh₃), Ru₆C(CO)₁₄(μ-SePh)₂, and Ru₆C(CO)₁₄(μ-SePh)(μ,η³-C₃H₅) (T. Chihara and H. Yamazaki), (428) 169

Silicon

Platinum complex-catalyzed dehydrogenative double silylation of olefins and dienes with *o*-bis(dimethylsilyl)benzene (M. Tanaka, Y. Uchimaru and H.-J. Lautenschlager), (428) 1

Photoreactions of silyliron(II) complexes Cp^{*}Fe(CO)₂SiMe₃ (Cp^{*} = η⁵-C₅H₅, η⁵-C₅Me₅) in the presence of trihydrosilanes (Y. Kawano, H. Tobita and H. Ogino), (428) 125

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CI. Stereoselektive Synthese gemischalkylierter Osmiumoxide (W.A. Herrmann, S.J. Eder, P. Kiprof and P. Watzlowik), (428) 187

Conversion of hydrosilanes to alkoxy silanes catalyzed by $\text{Cp}_2\text{TiCl}_2 / ^n\text{BuLi}$ (T.C. Bedard and J.Y. Corey), (428) 315

Synthese und Charakterisierung von 1,3-disubstituierten Decamethylcyclohexasilanen (E. Hengge and M. Eibl), (428) 335

Synthese, Struktur und Reaktivität der Ferriophosphonium-Salze $[\text{CpFe}(\text{CO})(\text{L})(\text{PPh}_2\text{CH}_2\text{R}')]\text{BF}_4$ ($\text{L} = \text{CO}, \text{CH}_3\text{CN}, \text{P}^n\text{Bu}_3; \text{R}' = \text{Ph}, \text{CN}, \text{COOEt}, \text{PPh}_2, \text{SiMe}_3$); Kristallstrukturen von $[\text{CpFe}(\text{CO})_2\text{PPh}_2\text{CH}_2\text{SiMe}_3]\text{BF}_4$ und $[\text{CpFe}(\text{PPh}_2\text{CH}_2\text{Ph})\text{CpFe}(\text{CO})\langle\mu\text{-CO}\rangle_2$ (C. Klasen, I.-P. Lorenz, S. Schmid and G. Beuter), (428) 363

Rhodium(I) complex-catalyzed hydrosilylation of dimethyl muconates (K. Yamamoto and T. Tabei), (428) C1

Tantalum

Convenient synthesis of pentamethylcyclopentadienyl-tantalum-diene complexes via the reaction of Cp^*TaCl_4 with methylated-allyl anions (K. Mashima, Y. Yamanaka, S. Fujikawa, H. Yasuda and A. Nakamura), (428) C5

Thallium

Metallorganische Verbindungen der Lanthanoide. LXXI. Synthese und Röntgenstrukturanalyse von $\text{CpLa}(\text{C}_5\text{H}_4\text{PPh}_2)_2(\text{THF})$, einem zweizähnigen Liganden zur Herstellung heterobimetallischer Lanthanoidkomplexe (H. Schumann, J.A. Meese-Märktscheffel, B. Gorella and F.H. Görlich), (428) C27

Titanium

Conversion of hydrosilanes to alkoxy silanes catalyzed by $\text{Cp}_2\text{TiCl}_2 / ^n\text{BuLi}$ (T.C. Bedard and J.Y. Corey), (428) 315

Tungsten

Reaction of bis(cyclopentadienyl)hydridophenyltungsten(IV) with carboxylic acids, carbon dioxide, and related compounds (T. Ito, S. Sugimoto, T. Ohki, T. Nakano and K. Osakada), (428) 69

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XXXIX. Synthese und dynamisches Verhalten von Tetracarbonyl- η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien-metall(0)- und Dicarbonylbis(η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (S. Özkar, N.K. Tunali and C.G. Kreiter), (428) 345

Thermolysis of $\text{Cp}(\text{CO})_n\text{M}-\text{CH}(\text{CH}_3)\text{C}_6\text{H}_5$ ($n = 2, \text{M} = \text{Fe, Ru}; n = 3, \text{M} = \text{Mo, W}$). Some vertical trends in transition metal-alkyl bond dissociation energies (C. Mancuso and J. Halpern), (428) C8

Zirconium

Insertion of alkynes into zirconium-nitrogen bonds leading to 2,3-diazametallacyclopentenes. Generation and reactivity of $\text{Cp}_2\text{Zr}(\text{N}_2\text{Ph}_2)$ (P.J. Walsh, F.J. Hollander and R.G. Bergman), (428) 13

Agostic interaction in early transition metal alkyls and their role in catalytic activity for olefin polymerizations (K. Mashima and A. Nakamura), (428) 49

Cyclohexyl[*trans*-1,2-bis(1-indenyl)]zirkonium(IV)dichlorid: Ein chiraler Polymerisationskatalysator mit stereochemisch starrer Brücke (B. Rieger), (428) C33