

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 431 (1992)

SUBJECT INDEX

Aluminium

- Methylation of bis(oxazolinyl)pyridinerhodium(III) chlorides with trimethylaluminum (H. Nishiyama, T. Hirai and K. Itoh), (431) 227
 Synthesis and characterization of alkylaluminum and -gallium derivatives of thiomorpholine. Molecular structures of $\text{Me}_3\text{Al}\cdot\text{N}(\text{H})\text{C}_4\text{H}_8\text{S}$ and $[\text{Et}_2\text{Al}(\mu\text{-NC}_4\text{H}_8\text{S})_2]$ (M. Taghiof, D.G. Hendershot, M. Barber and J.P. Oliver), (431) 271

Boron

- Derivatives of tetrahedral boronic acids (M. Biedrzycki, W.H. Scouten and Z. Biedrzycka), (431) 255

Chromium

- Synthese und strukturelle Charakterisierung von bcpm-Metallcarbonyl-Dimeren (bcpm = Biscyclopentadienylmethan) mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, J. Wachter, B. Nuber und M.L. Ziegler), (431) 143
 Untersuchungen zum Einfluß des Biscyclopentadienylmethanliganden auf die Bildung von Cyclopentadienylchromsulfiden (H. Brunner, R. Graßl und J. Wachter), (431) 151
 Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XL. Synthese und dynamisches Verhalten von Tricarbonyl- η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien-trimethylphosphit-metall(0)- und Dicarbonyl- η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien-bis(trimethylphosphit)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (C.G. Kreiter, M. Kotzian, S. Özkar und I. Abu-Mour), (431) 159
 Dihydropyridine-induced reductions of methyl(ethoxy)carbene complexes of chromium and tungsten: formation and X-ray crystal structure of the adduct between pyridine and the corresponding ethylidene carbene complexes (F. Cohen, R. Goumont, H. Rudler, J.C. Daran and R.A. Toscano), (431) C6

Cobalt

- Optically active complexes of transition metals (Rh^{I} , Ru^{II} , Co^{II} and Ni^{II}) with 2-aminocarbonylpyrrolidine ligands. Selective catalysts for hydrogenation of prochiral olefins (A. Corma, M. Iglesias, C. del Pino and F. Sánchez), (431) 233
 Use of metal complexation in the synthesis of medium-ring acetylenic lactones (S.D. Najdi, M.M. Olmstead and N.E. Schore), (431) 335

Gallium

- Synthesis and characterization of alkylaluminum and -gallium derivatives of thiomorpholine. Molecular structures of $\text{Me}_3\text{Al}\cdot\text{N}(\text{H})\text{C}_4\text{H}_8\text{S}$ and $[\text{Et}_2\text{Al}(\mu\text{-NC}_4\text{H}_8\text{S})_2]$ (M. Taghiof, D.G. Hendershot, M. Barber and J.P. Oliver), (431) 271

Germanium

- Sur la stabilisation d'une germa-imine par effet stérique et mésomérie (M. Rivière-Baudet et A. Morère), (431) 17
 Si-, Ge- and Sn-diine derivatives in 1,3-dipolar cycloaddition reactions (A.D. Jurayev, A.G. Makhsumov, K. Yuldasheva and M.A. Tolipova), (431) 129

Iridium

Binuclear hydroxo-, methoxo-, and pyrazolate-bridged complexes of ruthenium(II). Molecular structure of $\{[(p\text{-cymene})\text{Ru}]_2(\mu\text{-pz})(\mu\text{-OH})_2\}\text{BF}_4$ ($p\text{-cymene} = p\text{-MeC}_6\text{H}_4\text{CHMe}_2$, pz = pyrazolate) (D. Carmona, A. Mendoza, J. Ferrer, F.J. Lahoz and L.A. Oro), (431) 87

Reactivity studies of square planar platinum, iridium, and rhodium triflate complexes with alkynols (P.J. Stang and Y.-H. Huang), (431) 247

Iron

The synthesis and polymerisation of some new 1,1'-substituted vinylferrocenes of the type $[\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{X})\{\eta^5\text{-C}_5\text{H}_4(\text{CH}=\text{CH}_2)\}]$ (X = Cl, Br, CN or CONH_2) (S. Afeworki, P.K. Baker, O.L. Parri and C. D'Silva), (431) 81

Synthesis and structure of $[\text{NEt}_4]\text{Fe}(\text{CO})_3(\mu\text{-SPh})_2\text{Mo}(\text{CO})_3(\text{SPh})$: a heterodinuclear compound with bridging and terminal thiolate ligands (L.D. Rosenheim and P.E. Fanwick), (431) 327

Interesting magnetic effects caused by bulky substituents in ferrocenium salts. Zero applied-field magnetic hyperfine interactions in 1,1',3,3'-tetrakis(trimethylsilyl)ferrocenium triflate (A. Houlton, R.A. Brown, J.R. Miller, R.M.G. Roberts, J. Silver and M. Thomas), (431) C17

Ein neues Verfahren zur Synthese von Metall-funktionalisierten Diphospheren, Arsaphosphenen und Tetraphospha-bicyclobutanen (P. Jutzi und S. Opiela), (431) C29

Photolysis of $\text{Fe}(\text{CO})_4^{2-}$ in an aqueous NaOH glass at 77 K. Formation of solvated electrons (H. Kunkely and A. Vogler), (431) C42

Lead

Structure and equilibria in triorganolead halide adduct formation (H.J. Eppley, J.L. Ealy, C.H. Yoder, J.N. Spencer and A.L. Rheingold), (431) 133

Manganese

Reactions of η^2 -tetracarbonylmanganese complexes derived from podocarpic acid with electrophiles; functionalization of ring C (R.C. Cambie, M.R. Metzler, C.E.F. Rickard, P.S. Rutledge and P.D. Woodgate), (431) 177

Synthesis and chemistry of 1-acetyl, 2-methylsubstituted cyclopentadienyl thallium and its chiral manganese and rhodium carbonyl derivatives. The molecular structure of $[1\text{-CH}_3\text{CO}, 2\text{-CH}_3\text{C}_5\text{H}_3]\text{Rh}(\text{CO})[\text{P}(\text{C}_6\text{H}_5)_3]$ (T.E. Bitterwolf, T.L. Hubler and A.L. Rheingold), (431) 199

Metallocenes

Organometall-Chemie hochfluorierter Ligand-Systeme. XIV. Vanadocenhexafluoroarsenat-Komplexe: Struktur von $\text{Cp}_2\text{V}(\text{AsF}_6)_2$ und ^{51}V -NMR von $[\text{Cp}_2\text{VCl}_2]^+[\text{AsF}_6]^-$ (P. Gowik, T.M. Kläpötke, K. Siems and U. Thewalt), (431) 47

The synthesis and polymerisation of some new 1,1'-substituted vinylferrocenes of the type $[\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{X})\{\eta^5\text{-C}_5\text{H}_4(\text{CH}=\text{CH}_2)\}]$ (X = Cl, Br, CN or CONH_2) (S. Afeworki, P.K. Baker, O.L. Parri and C. D'Silva), (431) 81

Structure of an oxazirconacyclohexadiene synthesized by thermolysis of difurylzirconocene (G. Erker, R. Petrenz, C. Krüger and M. Nolte), (431) 297

Interesting magnetic effects caused by bulky substituents in ferrocenium salts. Zero applied-field magnetic hyperfine interactions in 1,1',3,3'-tetrakis(trimethylsilyl)ferrocenium triflate (A. Houlton, R.A. Brown, J.R. Miller, R.M.G. Roberts, J. Silver and M. Thomas), (431) C17

Molybdenum

Oxidation of the molybdenum hydride $\text{CpMo}(\text{CO})_2(\text{PPh}_3)\text{H}$. Synthesis of *cis*- and *trans*- $\text{CpMo}(\text{CO})_2(\text{PPh}_3)(\text{NCMe})^+$ and the kinetics of their interconversion (K.-T. Smith and M. Tilset), (431) 55

Synthese und strukturelle Charakterisierung von bcpm-Metallcarbonyl-Dimeren (bcpm = Biscyclopentadienylmethan) mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, J. Wachter, B. Nuber und M.L. Ziegler), (431) 143

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XL. Synthese und dynamisches Verhalten von Tricarbonyl- η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien-trimethylphosphit-metall(0)- und Dicarbonyl- η^4 -tricyclo[6.3.0.0^{2,7}]undeca-3,5-dien-bis(trimethylphosphit)metall(0)-Komplexen der Elemente Chrom, Molybdän und Wolfram (C.G. Kreiter, M. Kotzian, S. Özkar und I. Abu-Mour), (431) 159

Synthese des neuartigen organometallischen Molybdän-Antimon-Clusters (μ_4 -Sb)₂Cp₄Mo₅(CO)₁₄ (M. Gorzellik, B. Nuber und M.L. Ziegler), (431) 171

Reaktion von Hydridotrispyrazolylboratomolybdän-Komplexen des Typs [TpMo(CO)₂(η^4 -dien)]⁺ mit Ein-Elektronen-Donor-Reagenzien (J. Ipaktschi und A. Hartmann), (431) 303

Molybdenum-95 nuclear magnetic resonance studies on molybdenum carbonyl complexes of isonitriles and amines (C.A. Merlic and B. Adams), (431) 313

Synthesis and structure of [NEt₄]Fe(CO)₃(μ -SPh)₂Mo(CO)₃(SPh): a heterodinuclear compound with bridging and terminal thiolate ligands (L.D. Rosenheim and P.E. Fanwick), (431) 327

Übergangsmetall-Heteroallen-Komplexe. XXVI. Synthese und Struktur von zweikernigen Molybdän-Thioketen-Komplexen (W. Ziegler, D. Wormsbächer und U. Behrens), (431) C11

X-Ray structure analyses of diphosphinideneacyclobutene and its chelate type tetracarbonylmolybdenum(0) complex (K. Toyota, K. Tashiro, M. Yoshifumi, I. Miyahara, A. Hayashi and K. Hirotsu), (431) C35

Nickel

Optically active complexes of transition metals (Rh^I, Ru^{II}, Co^{II} and Ni^{II}) with 2-aminocarbonylpyrrolidine ligands. Selective catalysts for hydrogenation of prochiral olefins (A. Corma, M. Iglesias, C. del Pino and F. Sánchez), (431) 233

Palladium

Reactions with nucleophiles and cathodic electrochemical behaviour of some neutral and cationic diamino-, dioxy- and aminoxy carbene complexes of palladium(II) and platinum(II) (R. Bertani, M. Mozzon, R.A. Michelin, T.J. Castilho and A.J.L. Pombeiro), (431) 117

Cyclometallation of phenylhydrazones of ketones. Crystal and molecular structure of [PdCl{C₆-H₄CC₆H₅}≡NNH(C₆H₄-4-Cl)(PPh₃)₂] (J. Granell, R. Moragas, J. Sales, M. Font-Bardía and X. Solans), (431) 359

Phosphorus

Ein neues Verfahren zur Synthese von Metall-funktionalisierten Diphosphenen, Arsaphosphenen und Tetraphospha-bicyclobutanen (P. Jutzi und S. Opiela), (431) C29

Platinum

Reactions with nucleophiles and cathodic electrochemical behaviour of some neutral and cationic diamino-, dioxy- and aminoxy carbene complexes of palladium(II) and platinum(II) (R. Bertani, M. Mozzon, R.A. Michelin, T.J. Castilho and A.J.L. Pombeiro), (431) 117

Reactivity studies of square planar platinum, iridium, and rhodium triflate complexes with alkynols (P.J. Stang and Y.-H. Huang), (431) 247

Rhenium

The reaction between unsaturated tetrarhenium cluster H₄Re₄(CO)₁₂ and tris(diphenylphosphino)methane (S.R. Wang, S.-L. Wang, C.P. Cheng and C.S. Yang), (431) 215

Rhodium

Binuclear hydroxo-, methoxo-, and pyrazolate-bridged complexes of ruthenium(II). Molecular structure of [{(p-cymene)Ru}₂(μ -pz)(μ -OH)₂]BF₄ (p-cymene = p-MeC₆H₄CHMe₂, pz = pyrazolate) (D. Carmona, A. Mendoza, J. Ferrer, F.J. Lahoz and L.A. Oro), (431) 87

Rhodium pentafluorophenylthiolate complexes derived from [Rh₂(μ -SC₆F₅)₂(PPh₃)₄] (L. Carlton), (431) 103

Synthesis and chemistry of 1-acetyl, 2-methylsubstituted cyclopentadienyl thallium and its chiral manganese and rhodium carbonyl derivatives. The molecular structure of $[1\text{-CH}_3\text{CO}, 2\text{-CH}_3\text{C}_5\text{H}_3]\text{Rh}(\text{CO})[\text{PC}_6\text{H}_5]_3$ (T.E. Bitterwolf, T.L. Hubler and A.L. Rheingold), (431) 199

Methylation of bis(oxazolinyl)pyridinerhodium(III) chlorides with trimethylaluminum (H. Nishiyama, T. Hirai and K. Itoh), (431) 227

Optically active complexes of transition metals (Rh^{I} , Ru^{II} , Co^{II} and Ni^{II}) with 2-aminocarbonylpyrrolidine ligands. Selective catalysts for hydrogenation of prochiral olefins (A. Corma, M. Iglesias, C. del Pino and F. Sánchez), (431) 233

Reactivity studies of square planar platinum, iridium, and rhodium triflate complexes with alkynols (P.J. Stang and Y.-H. Huang), (431) 247

Ruthenium

Binuclear hydroxo-, methoxo-, and pyrazolate-bridged complexes of ruthenium(II). Molecular structure of $[(p\text{-cymene})\text{Ru}]_2(\mu\text{-pz})(\mu\text{-OH})_2\text{BF}_4$ ($p\text{-cymene} = p\text{-MeC}_6\text{H}_4\text{CHMe}_2$, pz = pyrazolate) (D. Carrasco, A. Mendoza, J. Ferrer, F.J. Lahoz and L.A. Oro), (431) 87

Optically active complexes of transition metals (Rh^{I} , Ru^{II} , Co^{II} and Ni^{II}) with 2-aminocarbonylpyrrolidine ligands. Selective catalysts for hydrogenation of prochiral olefins (A. Corma, M. Iglesias, C. del Pino and F. Sánchez), (431) 233

Struktur von $[\text{Cp}^*\text{Ru}(\text{CO})_2]_2$ ($\text{Cp}^* = \eta^5\text{-Pentamethylcyclopentadienyl}$) (A. Steiner, H. Gornitzka, D. Stalke und F.T. Edelmann), (431) C21

Ein neues Verfahren zur Synthese von Metall-funktionalisierten Diphosphenen, Arsaphosphenen und Tetraphospha-bicyclobutanen (P. Jutzi und S. Opiela), (431) C29

Silicon

Permethylheteroatomcycopolysilane mit Heteroatomen der VI. Hauptgruppe. Darstellung und spektroskopische Eigenschaften (H. Stüger, M. Eibl, E. Hengge und I. Kovacs), (431) 1

Si-, Ge- and Sn-diine derivatives in 1,3-dipolar cycloaddition reactions (A.D. Jurayev, A.G. Makhsumov, K. Yuldasheva and M.A. Tolipova), (431) 129

Dimere Alkalimetallbenzamidinate: Einfluß des Metallions auf die Struktur (D. Stalke, M. Wedler und F.T. Edelmann), (431) C1

Sulphur

Übergangsmetall-Heteroallen-Komplexe. XXVI. Synthese und Struktur von zweikernigen Molybdän-Thioketen-Komplexen (W. Ziegler, D. Wormsbächer und U. Behrens), (431) C11

Tin

Addition of sulphenyl halides and thiocyanates to alkenyl-metal compounds. Structures of [1-chloro-2-(4-methyl-2-nitrophenyl)ethyl]-triphenylstannane and [2-(2-nitrophenyl)-1-thiocyanatoethyl]triphenylstannane (R.A. Howie, J.L. Wardell, E. Zanetti, P.J. Cox and S.M.S.V. Doidge-Harrison), (431) 27

Si-, Ge- and Sn-diine derivatives in 1,3-dipolar cycloaddition reactions (A.D. Jurayev, A.G. Makhsumov, K. Yuldasheva and M.A. Tolipova), (431) 129

Structural chemistry of organotin carboxylates. XVIII. Synthesis, characterization and X-ray crystal structure of bis(μ -hydroxo)-bis[di-t-butyltin(IV)acetate]: $[\text{^tBu}_2\text{Sn}(\text{O}_2\text{CCH}_3)(\mu\text{-OH})]_2$ (V.B. Mokal, V.K. Jain and E.R.T. Tiekkink), (431) 283

Titanium

Die Struktur von $[\text{Cp}_2\text{Ti}^{\text{III}}(\text{CN})]_4$ (P. Schinnerling und U. Thewalt), (431) 41

Tungsten

Reactivity of dinuclear tungsten carbonyls bridged both by hydride and by bidentate phosphine ligands, ($\mu\text{-H})(\mu\text{-Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2)\text{W}_2(\text{CO})_7(\text{NO})$ ($n = 1\text{--}3$) (J.T. Lin, K.-Y. Chang, M.L. Gong, C.-C. Chang, H.-M. Gau, L.-H. Tsien and Y.S. Wen), (431) 65