

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 434 (1992)

SUBJECT INDEX

Boron

Carbonylation of >B-H -boranes; evidence for a Fischer-Tropsch type reaction (M. Yalpani and R. Köster), (434) 133

Chromium

Einfluß verschiedenartig substituierter Cyclopentadienylliganden auf die Chemie schwefelreicher Organometallkomplexe mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, W. Meier, J. Wachter, B. Nuber und M.L. Ziegler), (434) 63

Übergangsmetall-Stannyl-Komplexe. V. Darstellung der anionischen Stannyl-Komplexe $\text{K}[(\pi\text{-Aromat})(\text{CO})_2\text{CrSnPh}_3]$ und Reaktion mit Organozinnhalogeniden zu Bis(stannyl)-Komplexen $(\pi\text{-Aromat})(\text{CO})_2\text{Cr}(\text{SnPh}_3)(\text{SnR}_3)$ ($\pi\text{-Aromat} = \text{C}_6\text{H}_{6-n}\text{Me}_n$) (U. Schubert und J. Schubert), (434) 169

Synthese und Charakterisierung von Hydridotrispyrazolylborat-Heterobimetall-Komplexen mit Titan und Molybden (J. Ipaktschi und W. Sulzbach), (434) 287

Cobalt

Reactivity of main-group-transition-metal bonds. X. The kinetics of iodination of compounds containing one, two, three or four tin-cobalt bonds (J.R. Chipperfield, D.E. Webster and H. Yusof), (434) 53

Mercury-bridged transition-metal clusters. Synthesis of pentanuclear Ru_3HgM ($\text{M} = \text{Mo}, \text{W}, \text{or Co}$) clusters and X-ray structure of $[(\text{Ru}_3(\mu_3, \eta^2\text{-ampy})(\text{CO})_9)(\mu_3\text{-Hg})\text{Co}(\text{CO})_4]$ (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123

Gallium

Ligand redistribution reactions of $\text{Me}_2\text{Ga}(\text{C}_5\text{H}_5)$ and $\text{MeGa}(\text{C}_5\text{H}_5)_2$ (O.T. Beachley, Jr., T.L. Royster, Jr. and J.R. Arhar), (434) 11

Primary amide and amine complexes of gallium and indium: X-ray crystal structures of $[\text{Me}_2\text{Ga}(\mu\text{-NH}(\text{tBu}))_2]$, $\text{Me}_3\text{Ga}\cdot\text{NH}_2(\text{tBu})$ and $\text{Me}_3\text{In}\cdot\text{NH}_2(\text{tBu})$ (D.A. Atwood, R.A. Jones, A.H. Cowley, S.G. Bott and J.L. Atwood), (434) 143

Germanium

Multinuclear NMR spectroscopic studies of some organometallic N-substituted anilines (B.K. Barr, A.J. Herman, L.K. Myers, P.I. Young, C.D. Schaeffer, Jr., H.J. Eppley, J.C. Otter and C.H. Yoder), (434) 45

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Hafnium

Base-free cationic 14-electron alkyls of Ti, Zr and Hf as polymerisation catalysts: a comparison (M. Bochmann and S.J. Lancaster), (434) C1

Indium

Primary amide and amine complexes of gallium and indium: X-ray crystal structures of $[\text{Me}_2\text{Ga}(\mu\text{-NH}(\text{tBu}))_2]$, $\text{Me}_3\text{Ga}\cdot\text{NH}_2(\text{tBu})$ and $\text{Me}_3\text{In}\cdot\text{NH}_2(\text{tBu})$ (D.A. Atwood, R.A. Jones, A.H. Cowley, S.G. Bott and J.L. Atwood), (434) 143

Iridium

Coordination chemistry of $[\text{CH}(\text{P}(\text{S})\text{Ph}_2)_2]^-$: X-ray diffraction studies of *S,S*-chelate complexes of iridium and rhodium (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilt), (434) 241

Iron

One-electron reduction of the iron carbene complexes $[\text{Fe}(\text{Cp}^*)(\text{CO})_2(=\text{C}(\text{OMe})\text{R})]^+$ (R = H or Me) and hydrogen-atom *vs.* alkyl-radical transfer in the 19-electron intermediates (S. Nlate, V. Guerschais and C. Lapinte), (434) 89

Functionalization of chlorobenzenes via their CpFe^+ salts: a synthesis of substituted diphenyl ethers (R.C. Cambie, S.J. Janssen, P.S. Rutledge and P.D. Woodgate), (434) 97

The constitution of a ferrocenyl diketone: solution and solid state NMR spectroscopy. Crystal structure of 1-ferrocenyl-3-hydroxybut-2-en-1-one (W. Bell, J.A. Crayston, C. Glidewell, M.A. Mazid and M.B. Hursthouse), (434) 115

Lead

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Manganese

3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Synthesis and structure analysis of $[(\text{tBuC}_6\text{H}_5)_3\text{Mn}(\text{CO})_3]\text{ClO}_4$ and its reaction with some nucleophiles (E. Jeong and Y.K. Chung), (434) 225

The vacuum ultraviolet spectrum of $[\text{Mn}_2(\text{CO})_{10}]$ (A. Márquez, J.F. Sanz, M. Gelizé and A. Dargelos), (434) 235

Hydrogen bonds and conformations of α -carbinol derivatives of cyclopentadienyltricarbonyls of manganese and rhenium (E.S. Shubina, A.N. Krylov, T.V. Timofeeva, Y.T. Struchkov, A.G. Ginzburg, N.M. Loim and L.M. Epstein), (434) 329

Mercury

Mercuriation of 3,4,5-trimethoxybenzoic acid. Synthesis of derivatives of the mercuriation product and crystal and molecular structure of $[\text{PPh}_3(\text{CH}_2\text{Ph})][\text{HgCl}(\text{C}_6\text{H}_4(\text{CO}_2)_6(\text{OMe})_{3,2,3,4})]$ (J. Vicente, J.-A. Abad, A. Sandoval and P.G. Jones), (434) 1

Mercury-bridged transition-metal clusters. Synthesis of pentanuclear Ru_3HgM (M = Mo, W, or Co) clusters and X-ray structure of $[\{\{\text{Ru}_3(\mu_3, \eta^2\text{-ampy})(\text{CO})_9\}-(\mu_3\text{-Hg})\text{Co}(\text{CO})_4\}]$ (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123

Synthesis, characterisation and molecular structure of $[\text{Ru}_5\text{C}(\text{CO})_{15}(\text{HgCF}_3)(\text{CF}_3\text{CO}_2)]$ (B.F.G. Johnson, J. Lewis, P.R. Raithby, V.P. Saharan and W.T. Wong), (434) C10

Metalloenes

Ligand redistribution reactions of $\text{Me}_2\text{Ga}(\text{C}_5\text{H}_5)$ and $\text{MeGa}(\text{C}_5\text{H}_5)_2$ (O.T. Beachley, Jr., T.L. Royster, Jr. and J.R. Arhar), (434) 11

Functionalization of chlorobenzenes via their CpFe^+ salts: a synthesis of substituted diphenyl ethers (R.C. Cambie, S.J. Janssen, P.S. Rutledge and P.D. Woodgate), (434) 97

Molybdenum

Einfluß verschiedenartig substituierter Cyclopentadienylliganden auf die Chemie schwefelreicher Organometallkomplexe mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, W. Meier, J. Wachter, B. Nuber und M.L. Ziegler), (434) 63

- Mercury-bridged transition-metal clusters. Synthesis of pentanuclear Ru_3HgM ($\text{M} = \text{Mo}, \text{W}, \text{or Co}$) clusters and X-ray structure of $[\{\text{Ru}_3(\mu_3, \eta^2\text{-ampy})(\text{CO})_9\}(\mu_3\text{-Hg})\text{Co}(\text{CO})_4]$ (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123
- Coordinated 2-halo-1,3,2-dioxaphosphorinane ligands. III. *cis*- $\text{Mo}(\text{CO})_4(\text{REP}(\text{OCH}_2\text{CMe}_2\text{CH}_2\text{O}))_2$ ($\text{E} = \text{O}, \text{S}, \text{NH}$; $\text{R} = \text{alkyl}, \text{aryl}$ or $\text{ER} = \text{Cl}, \text{Br}$) complexes: syntheses, spectroscopic studies and the molecular structures of the *cis*- $\text{Mo}(\text{CO})_4(\text{PrEP}(\text{OCH}_2\text{CMe}_2\text{CH}_2\text{O}))_2$ ($\text{E} = \text{O}, \text{NH}$) complexes (G.M. Gray and W. Watt), (434) 181
- Carbyne-carbyne coupling at a single metal center. Synthesis and structure of bis(diethylamino)acetylene complexes of molybdenum(II) and tungsten(II) (A.C. Filippou, C. Völkl, W. Grünleitner and P. Kiprof), (434) 201
- Synthese und Charakterisierung von Hydridotrispyrazolylborat-Heterobimetall-Komplexen mit Titan und Molybdän (J. Ipaktschi und W. Sulzbach), (434) 287
- Synthese und stereokontrollierte Funktionalisierung von Hydridotrispyrazolylborat-Molybdän-Dien-Komplexen (J. Ipaktschi, A. Hartmann und R. Boese), (434) 303
- Synthesis and X-ray crystal structure of *trans*- $[\text{MoF}(\equiv\text{CCH}_2^t\text{Bu})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2][\text{BF}_4]$, a paramagnetic alkylidynefluorocomplex (M.A.N.D.A. Lemos, A.J.L. Pombeiro, D.L. Hughes and R.L. Richards), (434) C6
- Nucleophilic attack by isocyanides, phosphines and cyclohexenesulphide on the α -carbon of "side-on" bonded $\mu\text{-}\sigma\text{:}\eta^2\text{-(4e)}$ -vinylidenes; formation of thio ketene and thioaldehyde dimolybdenum complexes (M. Bamber, S.F.T. Froom, M. Green, M. Schulz and H. Werner), (434) C19

Phosphorus

- Die Kristallstruktur des Tris(dimethylthiophosphinyl)phosphans (M. Scheer und P.G. Jones), (434) 57
- Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XLI. Das dynamische Verhalten von 1,2-Bis(dimethylphosphino)ethan-dicarbonyl- (η^4 -dien)-wolfram(0) (S. Özkar, C. Kayran und C.G. Kreiter), (434) 79
- 3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151
- Synthese und Charakterisierung von Hydridotrispyrazolylborat-Heterobimetall-Komplexen mit Titan und Molybdän (J. Ipaktschi und W. Sulzbach), (434) 287

Platinum

- Photochemical reactions of diphosphineplatinum(II) oxalate complexes (G.K. Anderson, G.J. Lumetta and J.W. Sria), (434) 253

Rhenium

- 3,5-Di-tert-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151
- Hydrogen bonds and conformations of α -carbinol derivatives of cyclopentadienyltricarbonyls of manganese and rhenium (E.S. Shubina, A.N. Krylov, T.V. Timofeeva, Y.T. Struchkov, A.G. Ginzburg, N.M. Loim and L.M. Epstein), (434) 329

Rhodium

- Coordination chemistry of $[\text{CH}(\text{P}(\text{S})\text{Ph}_2)_2]^-$: X-ray diffraction studies of *S,S*-chelate complexes of iridium and rhodium (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilt), (434) 241

Ruthenium

- Mercury-bridged transition-metal clusters. Synthesis of pentanuclear Ru_3HgM ($\text{M} = \text{Mo}, \text{W}, \text{or Co}$) clusters and X-ray structure of $[\{\text{Ru}_3(\mu_3, \eta^2\text{-ampy})(\text{CO})_9\}(\mu_3\text{-Hg})\text{Co}(\text{CO})_4]$ (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123
- [Tris(1-pyrazolyl)hydroborato]ruthenium chemistry: preparation and reactions of $\{\text{Ru}(\eta^3\text{-HB}[1\text{-pyrazolyl}]_3)(\text{PPh}_3)(\text{CO})(\text{X})\}$ ($\text{X} = \text{H}, \text{Cl}$). The X-ray crystal structure of $\{\text{Ru}(\eta^3\text{-HB}[1\text{-pyrazolyl}]_3)(\text{PPh}_3)(\text{CO})(\text{PMe}_3))\text{PF}_6$ (N.-Y. Sun and S.J. Simpson), (434) 341

The synthesis and characterisation of an ortho-metallated carbeneruthenium(II) complex, containing a metallated *N*-benzyl substituent with a 6-membered metallate nucleus, crystal structure of $[\text{RuCl}(\text{CN}(\text{CH}_2\text{C}_6\text{H}_5)\text{CH}_2\text{CH}_2\text{NCH}_2\text{C}_6\text{H}_4)(\text{PPh}_3)_2]$ (M.A. Owen, P.L. Pye, B. Piggott and M.V. Capparelli), (434) 351

Synthesis, crystal structures, and solution dynamics of some mono(2,4-dimethylpentadienyl)ruthenium(II) complexes (T. Lumini, D.N. Cox, R. Roulet and K. Schenk), (434) 363

Synthesis, characterisation and molecular structure of $[\text{Ru}_5\text{C}(\text{CO})_{15}(\text{HgCF}_3)(\text{CF}_3\text{CO}_2)]$ (B.F.G. Johnson, J. Lewis, P.R. Raithby, V.P. Saharan and W.T. Wong), (434) C10

Selenium

3,5-Di-*tert*-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Silicon

Ab initio study of the molecule $\text{C}_6\text{H}_5\text{SiH}_3$ and the molecular anion $\text{C}_6\text{H}_5\text{SiH}_2^-$: geometries and rotational barriers (F. Ramondo), (434) 19

Reaktionen subvalenter Verbindungen des Siliciums mit Benzol und mit Biphenyl (F. Huppmann, W. Maringgele, T. Kottke und A. Meller), (434) 35

Multinuclear NMR spectroscopic studies of some organometallic *N*-substituted anilines (B.K. Barr, A.J. Herman, L.K. Myers, P.I. Young, C.D. Schaeffer, Jr., H.J. Eppley, J.C. Otter and C.H. Yoder), (434) 45

3,5-Di-*tert*-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Sulphur

3,5-Di-*tert*-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Tin

Multinuclear NMR spectroscopic studies of some organometallic *N*-substituted anilines (B.K. Barr, A.J. Herman, L.K. Myers, P.I. Young, C.D. Schaeffer, Jr., H.J. Eppley, J.C. Otter and C.H. Yoder), (434) 45

Reactivity of main-group-transition-metal bonds. X. The kinetics of iodination of compounds containing one, two, three or four tin-cobalt bonds (J.R. Chipperfield, D.E. Webster and H. Yusof), (434) 53

3,5-Di-*tert*-butylthiobenzoyltriphenylsilane: a versatile spin trapping agent (A. Alberti and M. Benaglia), (434) 151

Darstellung und Eigenschaften trifluormethylsubstituierter Stannane, $(\text{CF}_3)_n\text{SnH}_{4-n}$ ($n = 1-3$) (R. Eujen, N. Jahn und U. Thurmann), (434) 159

Übergangsmetall-Stannyl-Komplexe. V. Darstellung der anionischen Stannyl-Komplexe $\text{K}[(\pi\text{-Aromat})(\text{CO})_2\text{CrSnPh}_3]$ und Reaktion mit Organozinnhalogeniden zu Bis(stannyl)-Komplexen $(\pi\text{-Aromat})(\text{CO})_2\text{Cr}(\text{SnPh}_3)(\text{SnR}_3)$ ($\pi\text{-Aromat} = \text{C}_6\text{H}_{6-n}\text{Me}_n$) (U. Schubert und J. Schubert), (434) 169

Organotin compounds with 2,2'-biimidazole derivatives. The crystal structure of dibromo(*N,N'*-dimethyl-2,2'-biimidazole)dimethyltin(IV) (C. López, A. Sánchez González, M.E. García, J.S. Casas, J. Sordo, R. Graziani and U. Casellato), (434) 261

Stereoselective hydrostannation: synthesis and absolute configuration of (–)-menthyl 2,3-diphenyl-3-(trimethylstannyl) propanoates and derivatives (J.C. Podestá, A.B. Chopa, L.C. Koll and S.D. Mandolesi), (434) 269

Titanium

Base-free cationic 14-electron alkyls of Ti, Zr and Hf as polymerisation catalysts: a comparison (M. Bochmann and S.J. Lancaster), (434) C1

Tungsten

Einfluß verschiedenartig substituierter Cyclopentadienylliganden auf die Chemie schwefelreicher Organometallkomplexe mit Metallen der 6. Nebengruppe (H. Brunner, R. Graßl, W. Meier, J. Wachter, B. Nuber und M.L. Ziegler), (434) 63

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen. XLI. Das dynamische Verhalten von 1,2-Bis(dimethylphosphino)ethan-dicarbonyl- (η^4 -dien)-wolfram(0) (S. Özkar, C. Kayran und C.G. Kreiter), (434) 79

Mercury-bridged transition-metal clusters. Synthesis of pentanuclear Ru_3HgM (M = Mo, W, or Co) clusters and X-ray structure of $[\{\text{Ru}_3(\mu_3, \eta^2\text{-ampy})(\text{CO})_9\}(\mu_3\text{-Hg})\text{Co}(\text{CO})_4]$ (Hampy = 2-amino-6-methylpyridine) (P.L. Andreu, J.A. Cabeza, A. Llamazares, V. Riera, S. García-Granda and J.F. Van der Maelen), (434) 123

Carbyne-carbyne coupling at a single metal center. Synthesis and structure of bis(diethylamino)acetylene complexes of molybdenum(II) and tungsten(II) (A.C. Filippou, C. Völkl, W. Grünleitner and P. Kiprof), (434) 201

Reactions of $[\text{Wl}_2(\text{CO})(\text{NCMe})(\eta^2\text{-RC}_2\text{R})_2]$ (R = Me or Ph) with t-butylisocyanide (E.M. Armstrong, P.K. Baker, T. Callow, K.R. Flower, P.D. Jackson and L.M. Severs), (434) 321

Zirconium

Base-free cationic 14-electron alkyls of Ti, Zr and Hf as polymerisation catalysts: a comparison (M. Bochmann and S.J. Lancaster), (434) C1

The constitution of a ferrocenyl diketone: solution and solid state NMR spectroscopy. Crystal structure of 1-ferrocenyl-3-hydroxybut-2-en-1-one (W. Bell, J.A. Crayston, C. Glidewell, M.A. Mazid and M.B. Hursthouse), (434) 115

Book reviews

Chemistry of the Platinum Group Metals: Recent Developments, F.R. Hartley (Ed.) (D.M.P. Mingos), (434) C15