

---

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 438 (1992)**


---

**SUBJECT INDEX****Boron**

Indenyl carbametallaboranes. III. The synthesis and characterization of novel rhodium carbaborane compounds with 3-(C<sub>2</sub>B<sub>9</sub>)-8-((C<sub>9</sub>H<sub>6</sub>)Rh(C<sub>9</sub>H<sub>7</sub>))-3,1,2-*closo*-RhC<sub>2</sub>B<sub>9</sub>, 10-((C<sub>9</sub>H<sub>6</sub>)Rh(C<sub>9</sub>H<sub>7</sub>))-7,8-*nido*-C<sub>2</sub>B<sub>9</sub>, 9-((C<sub>9</sub>H<sub>6</sub>)Rh(C<sub>9</sub>H<sub>7</sub>))-7,8-*nido*-C<sub>2</sub>B<sub>9</sub> and 3-(η-C<sub>9</sub>H<sub>7</sub>)-3,1,2-*closo*-RhC<sub>2</sub>B<sub>9</sub> structures (Z.G. Lewis and A.J. Welch), (438) 353

**Gadolinium**

Synthesis and crystal structure of (C<sub>9</sub>H<sub>7</sub>GdCl<sub>2</sub>·3THF)THF (F. Gao, G. Wei, Z. Jin and W. Chen), (438) 289

**Germanium**

Verbindungen des Germaniums und Zinns. XI. Neue viergliedrige Ringe: Thiatriggermetan, Selenatriggermetan und *N*-Phenyltrigermacyclobutanimin (M. Weidenbruch, A. Ritschl, K. Peters und H.G. von Schnering), (438) 39

Bis(4-fluorophenyl)methyl(1*H*-1,2,4-triazol-1-yl-methyl)germane, a germanium analogue of the agricultural fungicide flusilazole: synthesis and biological properties (R. Tacke, B. Becker, D. Berg, W. Brandes, S. Dutzmann and K. Schaller), (438) 45

**Gold**

The synthesis and characterization of σ-bonded gold carbaborane compounds: *closo*-carbaboranes as good σ-donor ligands (B.D. Reid and A.J. Welch), (438) 371

**Iridium**

Carbon monoxide activation by poly(1-pyrazolyl)boratoiridium complexes (M.J. Fernandez, M.J. Rodriguez and L.A. Oro), (438) 337

**Iron**

Significance of entropies and volumes of activation for the addition of 4-formylpyridine to tricarbonyl(1-5-η-dienyl)iron(II) complexes (dienyl = C<sub>6</sub>H<sub>7</sub>, 2-MeOC<sub>6</sub>H<sub>6</sub> and C<sub>7</sub>H<sub>9</sub>) (T.I. Odiaka and R. van Eldik), (438) 131

A reinvestigation of the reaction of [Fe<sub>2</sub>(η-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(CO)<sub>4-n</sub>(CNR)<sub>n</sub>] (n = 1 or 2) with strong alkylating agents (G. Cox, C. Dowling, A.R. Manning, P. McArdle and D. Cunningham), (438) 143

Electrochemical behaviour of *trans*-[FeH(CNR)(dppe)<sub>2</sub>]<sup>+</sup>. Kinetic parameters determined by digital simulation of cyclic voltammetry (M.A.N.D.A. Lemos and A.J.L. Pombeiro), (438) 159

Anodic oxidation of the ferrocenyl-derived β-ketophosphine [Ph<sub>2</sub>PCH<sub>2</sub>C(O)(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>)Fe(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)] and of two of its palladium complexes. Ferricinium-mediated oxidation of palladium(II)-phosphine complexes (A. Louati, M. Gross, L. Douce and D. Matt), (438) 167

The reaction between ferrocenyllithium and trimethylacetylchloride to form either trimethylacetylferrocene or 1,1'-bis(ferrocenyl)-2,2'-dimethylpropan-1-ol, an unusual hydrogen bonded dimer (H.K. Sharma, F. Cervantes-Lee and K.H. Pannell), (438) 183

First optically active ferricinium salts: a circular dichroism study (V.I. Sokolov, I.A. Mamedyarova, M.N. Nefedova and G. Snatzke), (438) C26

## Lead

Trifluoromethylsubstituierte Plumbane. Synthese, Eigenschaften und NMR-Spektren der Verbindungen  $(CF_3)_n PbR_{4-n}$  ( $n = 1-3$ ) und  $(CF_3)_n PbR_{3-n}X$  ( $n = 1, 2$ ;  $R = Me, Et$ ;  $X = Hal$ ) (R. Eujen und A. Patorra), (438) 57

Synthesis and spectroscopic properties of tetrakis(trifluoromethyl)plumbane,  $(CF_3)_4Pb$  (R. Eujen and A. Patorra), (438) C1

## Lithium

Solid-state and solution structures of three lithiumsulfinimidamides: identification of two distinct structural types (F.T. Edelmann, F. Knösel, F. Pauer, D. Stalke and W. Bauer), (438) 1

Structures of lithium salts of substituted 1-phenylpropynes:  $^{13}C$  NMR and MNDO study (P.I. Dem'yanov, I.M. Styrkov, D.P. Krut'ko, M.V. Vener and V.S. Petrosyan), (438) 265

## Lutetium

Alpha-metallated diazoalkanes: synthesis of yttrium, lutetium and ytterbium trimethylsilyldiazomethyl complexes (H. Siebald, M. Dartiguenave and Y. Dartiguenave), (438) 83

## Manganese

Fulvenylsubstituierte Cp-Liganden. III. Komplexe des Anions  $[C_5H_4CH=C_9H_6]^-$  mit Molybdän, Mangan und Rhodium (P. Härter, J. Behm und K.J. Burkert), (438) 297

Activation of carbon-carbon bond in the Mn-mediated cycloaddition reaction between disilacyclobutene and cyclohepta-1,3-diene (H.-J. Chiang and C.-S. Liu), (438) C9

## Mercury

Preparation of polyfunctional diorganomercurials and their transmetallation to diorganozincs. Applications to the preparation of optically active secondary alcohols (M.J. Rozema, D. Rajagopal, C.E. Tucker and P. Knochel), (438) 11

## Metalloenes

The reaction between ferrocenyllithium and trimethylacetylchloride to form either trimethylacetylferrocene or 1,1'-bis(ferrocenyl)-2,2'-dimethylpropan-1-ol, an unusual hydrogen bonded dimer (H.K. Sharma, F. Cervantes-Lee and K.H. Pannell), (438) 183

First optically active ferricinium salts: a circular dichroism study (V.I. Sokolov, I.A. Mamedyarova, M.N. Nefedova and G. Snatzke), (438) C26

## Molybdenum

Silylated diphosphite complexes of molybdenum. Crystal structures of the compounds  $Mo(CO)_4[P(OMe)_2O]_2SiR^2R^3$  ( $R^2 = R^3 = Ph$  or  $R^2 = Me, R^3 = Ph$ ) (V. Sum, T.P. Kee and M. Thornton-Pett), (438) 89

Organometallics of diphosphazanes. V. The different coordination behaviour of *cis*- and *trans*-cyclo-diphosphazanes towards Group 6 metal carbonyl moieties (V.S. Reddy, S.S. Krishnamurthy and M. Nethaji), (438) 99

Fulvenylsubstituierte Cp-Liganden. III. Komplexe des Anions  $[C_5H_4CH=C_9H_6]^-$  mit Molybdän, Mangan und Rhodium (P. Härter, J. Behm und K.J. Burkert), (438) 297

Heterobimetallic Group 6-rhodium complexes. II. Reactions of  $[Rh(S_2CNEt_2)(CO)_2]$  with the complexes  $[M(CO)_3(\eta^2\text{-phen})(\eta^1\text{-dppm})]$  ( $M = Mo$  or  $W$ ) and  $[Mo(CO)_4(\eta^2\text{-dppm})]$  as P-donor systems (M. Cano, P. Ovejero and J.V. Heras), (438) 329

## Niobium

Synthesis of  $\eta$ -cyclopentadienyliidene-4-imidopropylniobium derivatives  $[Nb(\eta\text{-}\sigma\text{-}C_5H_4(CH_2)_3N)Cl_2]$  and  $[Nb(\eta\text{-}\sigma\text{-}C_5H_4(CH_2)_3N)(PMe_3)Cl_2]$  (D.M. Antonelli, M.L.H. Green and P. Mountford), (438) C4

## Osmium

Novel synthesis and vibrational analysis of (arene)osmium(II) complexes of the type  $[(C_6H_3(CH_3)_3)OsH_2(L)]$  (T. Polzer, A. Ellebracht, W. Kiefer, U. Wecker and H. Werner), (438) 319

## Palladium

Anodic oxidation of the ferrocenyl-derived  $\beta$ -ketophosphine  $[Ph_2PCH_2C(O)(\eta^5-C_5H_4)Fe(\eta^5-C_5H_5)]$  and of two of its palladium complexes. Ferricinium-mediated oxidation of palladium(II)-phosphine complexes (A. Louati, M. Gross, L. Douce and D. Matt), (438) 167

Organometallics of diphosphazanes. VI. Reactions of bicyclo-1,3,2- $\lambda^3$ ,4- $\lambda^3$ -diazadiphosphetidines (bicyclic diphosphazenes) with Group 6 metal carbonyls and palladium and platinum(II) complexes (T.K. Prakasha, S.S. Krishnamurthy, S.E. Davies, M.F. Meidine and J.F. Nixon), (438) 241

Organometallic nucleophiles. Mechanism of halide displacement at saturated carbon by 2-pyridyl and 4-pyridyl complexes  $[M(dmtc)(C_5H_4N-C''(L))]$  (M = Pd, Pt; dmtc = dimethyldithiocarbamate;  $n = 2,4$ ; L = tertiary phosphine) (L. Canovese, P. Uguagliati, F. Di Bianca and B. Crociani), (438) 253

Palladium(II) complexes with the cyclometallated C-Y-N( $sp^2$ )-Pd-C( $sp^2$ ) ring (Y = N,C) and (R)-(+)-hydroxy-methylene camphor (M. Ghedini, F. Neve, D. Pucci, E. Cesarotti and M. Grassi), (438) 343

## Phosphorus

Reaktionen von  $[Cp^*Ru(OMe)]_2$ . XIII. Pentaalkylcyclopentadienyl Ru und Rh Alkoxo-, Hydroxo- und Thiolato-Komplexe (U. Kölle, A. Hörnig und U. Englert), (438) 309

## Platinum

Organometallics of diphosphazanes. VI. Reactions of bicyclo-1,3,2- $\lambda^3$ ,4- $\lambda^3$ -diazadiphosphetidines (bicyclic diphosphazenes) with Group 6 metal carbonyls and palladium and platinum(II) complexes (T.K. Prakasha, S.S. Krishnamurthy, S.E. Davies, M.F. Meidine and J.F. Nixon), (438) 241

Organometallic nucleophiles. Mechanism of halide displacement at saturated carbon by 2-pyridyl and 4-pyridyl complexes  $[M(dmtc)(C_5H_4N-C''(L))]$  (M = Pd, Pt; dmtc = dimethyldithiocarbamate;  $n = 2,4$ ; L = tertiary phosphine) (L. Canovese, P. Uguagliati, F. Di Bianca and B. Crociani), (438) 253

## Rhenium

Novel concepts in directed biaryl synthesis. XV. Chiral rhenium complexes  $[(\eta^5-C_5H_5)Re(NO)(PPh_3)(R,R\text{-lactone})]^+ BF_4^-$  of lactone-bridged biaryls as ligands: synthesis, structure, and stereochemical properties (G. Bringmann, O. Schupp, K. Peters, L. Walz and H.G. von Schnering), (438) 117

Phosphinic complexes of rhenium and tungsten in reactions with stereoincitors (Z.V. Todres, E.A. Ionina and A.J.L. Pombeiro), (438) C23

## Rhodium

Chiral sulfonated phosphines. VIII. Hydrogenation of dehydropeptides in a two-phase system (M. Laghmari, D. Sinou, A. Masdeu and C. Claver), (438) 213

Synthesis and characterization of rhodium complexes  $[Rh(Az)(L)Cl]$  (Az = 2,2-dimethyl-3-phenyl-3-allylaziridine; L =  $C_2H_4$ , CO, or  $PPh_3$ ). Crystal and molecular structure of  $[Rh(Az)(CO)Cl]$  (R.B. Cheikh, M.C. Bonnet, R. Chaabouni and F. Dahan), (438) 217

Pentafluorophenyl compounds of rhodium(III) with bidentate phosphorus or nitrogen ligands (M.P. García, M.V. Jiménez and L.A. Oro), (438) 229

Fulvenylsubstituierte Cp-Liganden. III. Komplexe des Anions  $[C_5H_4CH=C_9H_6]^-$  mit Molybdän, Mangan und Rhodium (P. Härter, J. Behm und K.J. Burkert), (438) 297

Reaktionen von  $[Cp^*Ru(OMe)]_2$ . XIII. Pentaalkylcyclopentadienyl Ru und Rh Alkoxo-, Hydroxo- und Thiolato-Komplexe (U. Kölle, A. Hörnig und U. Englert), (438) 309

Heterobimetallic Group 6-rhodium complexes. II. Reactions of  $[Rh(S_2CNET_2)(CO)_2]$  with the complexes  $[M(CO)_3(\eta^2\text{-phen})(\eta^1\text{-dppm})]$  (M = Mo or W) and  $[Mo(CO)_4(\eta^2\text{-dppm})]$  as P-donor systems (M. Cano, P. Ovejero and J.V. Heras), (438) 329

Indenyl carbametallaboranes. III. The synthesis and characterization of novel rhodium carbaborane compounds with 3-(C<sub>2</sub>B<sub>9</sub>)-8-((C<sub>9</sub>H<sub>6</sub>)Rh(C<sub>9</sub>H<sub>7</sub>))-3,1,2-*closo*-RhC<sub>2</sub>B<sub>9</sub>, 10-((C<sub>9</sub>H<sub>6</sub>)Rh(C<sub>9</sub>H<sub>7</sub>))-7,8-*nido*-C<sub>2</sub>B<sub>9</sub>, 9-((C<sub>9</sub>H<sub>6</sub>)Rh(C<sub>9</sub>H<sub>7</sub>))-7,8-*nido*-C<sub>2</sub>B<sub>9</sub> and 3-( $\eta$ -C<sub>9</sub>H<sub>7</sub>)-3,1,2-*closo*-RhC<sub>2</sub>B<sub>9</sub> structures (Z.G. Lewis and A.J. Welch), (438) 353

### Ruthenium

Hydrogen migration to acyclic pentadienyl ligands: the reactions of ( $\eta^5$ -2,4-dimethylpentadienyl) ( $\eta^4$ -2,4-dimethylpenta-1,3-diene)(L)ruthenium(II) tetrafluoroborates (L = <sup>t</sup>BuNC, CO, P(OMe)<sub>3</sub>) with dienes (D.N. Cox, T. Lumini and R. Roulet), (438) 195

Synthesis of 1,3-dienyl complexes of ruthenium(II) by facile hydorruthenation/dehydration of propargylic alcohols (M.C.J. Harris and A.F. Hill), (438) 209

Reaktionen von [Cp\*<sup>+</sup>Ru(OMe)]<sub>2</sub>. XIII. Pentaalkylcyclopentadienyl Ru und Rh Alkoxo-, Hydroxo- und Thiolato-Komplexe (U. Kölle, A. Hörnig und U. Englert), (438) 309

### Selenium

New cyclic selenide. Synthesis, characterization and reactions of 2-methylselenolan (A.Z. Al-Rubaie), (438) 77

### Silicon

Solid-state and solution structures of three lithiumsulfonimidamides: identification of two distinct structural types (F.T. Edelmann, F. Knösel, F. Pauer, D. Stalke and W. Bauer), (438) 1

### Thallium

Dimethyl(diorganophosphinodithioformato-*S,S'*)-thallium(III) compounds. X-Ray structure of [Tl(CH<sub>3</sub>)<sub>2</sub>{S<sub>2</sub>CPC(C<sub>6</sub>H<sub>5</sub>)<sub>2</sub>}(THF)] (E.M. Vázquez-López, A. Sánchez, J.S. Casas, J. Sordo and E.E. Castellano), (438) 29

### Tungsten

Organometallics of diphosphazanes. V. The different coordination behaviour of *cis*- and *trans*-cyclo-diphosphazanes towards Group 6 metal carbonyl moieties (V.S. Reddy, S.S. Krishnamurthy and M. Nethaji), (438) 99

Heterobimetallic Group 6-rhodium complexes. II. Reactions of [Rh(S<sub>2</sub>CNEt<sub>2</sub>)(CO)<sub>2</sub>] with the complexes [M(CO)<sub>3</sub>( $\eta^2$ -phen)( $\eta^1$ -dppm)] (M = Mo or W) and [Mo(CO)<sub>4</sub>( $\eta^2$ -dppm)] as P-donor systems (M. Cano, P. Ovejero and J.V. Heras), (438) 329

Übergangsmetall-Carbin-Komplexe. CIII. Aktivierung von Ethylisocyanid an elektronenreichen Metallzentren; Synthese von einkernigen Wolfram-Aminocarbin-Komplexen des Typs Tp'(CO)<sub>2</sub>W $\equiv$ CN(R)-Et (R = Me, Et) (A.C. Filippou, C. Wagner, E.O. Fischer und C. Völkl), (438) C15

Phosphinic complexes of rhenium and tungsten in reactions with stereoindicators (Z.V. Todres, E.A. Ionina and A.J.L. Pombeiro), (438) C23

### Ytterbium

Alpha-metalated diazoalkanes: synthesis of yttrium, lutetium and ytterbium trimethylsilyldiazomethyl complexes (H. Siebald, M. Dartiguenave and Y. Dartiguenave), (438) 83

### Yttrium

Alpha-metalated diazoalkanes: synthesis of yttrium, lutetium and ytterbium trimethylsilyldiazomethyl complexes (H. Siebald, M. Dartiguenave and Y. Dartiguenave), (438) 83

### Zinc

Preparation of polyfunctional diorganomercurials and their transmetalation to diorganozincs. Applications to the preparation of optically active secondary alcohols (M.J. Rozema, D. Rajagopal, C.E. Tucker and P. Knochel), (438) 11

### Book reviews

*The Organometallic Chemistry of the Transition Elements*, by R.H. Crabtree (G.J. Leigh), (438) C13