

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 437 (1992)****SUBJECT INDEX****Aluminium**

Reactions of trimethylaluminium with 2-[methyl-bis(trimethylsiloxy)silyl]but-2-ene-1,4-diol: synthesis and structure of  $[Al(CH_3)_2]OCH_2(SiMe(OSiMe_3)_2)C=C(H)CH_2O]_2[Al(CH_3)_2]_2$  (S. Pasynkiewicz and W. Ziemkowska), (437) 99

Stereoselective opening of chiral  $\alpha$ -stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

**Boron**

Steric and metal-centre control of two-, three- and four-orbital carborane–metal interaction in tin and platinum complexes of the  $\{C_2B_8H_9X\}$  ligand, where X = H and Ph (J.D. Kennedy, K. Nestor, B. Štibr, M. Thornton-Pett and G.S.A. Zammit), (437) C1

**Cadmium**

Reactions of sterically hindered organozinc and organocadmium compounds containing functional silicon centres. Crystal structures of  $Zn[C(SiMe_3)_2(SiMe_2OCOCF_3)]_2$  and  $Cd[C(SiMe_3)_2(SiMe_2OMe)]_2$  (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock and J.D. Smith), (437) 41

**Chalcogenides**

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

**Chromium**

Static and dynamic structures of pentacarbonyl-chromium(0) and -tungsten(0) complexes of dithioether ligands. I. Symmetrical dithioether complexes and X-ray crystal structure of  $[W(CO)_5(^1BuSCH_2-S'Bu)]$  (E.W. Abel, K.G. Orrell, H. Rahoo, V. Šik, M.A. Mazid and M.B. Hursthouse), (437) 191

**Cobalt**

Alkylcobalamins: formation by enantioselective alkylation of cob(I)alamin,  $^1H$  NMR spectra, and conformational analysis of the alkyl group (R.J. Anderson, R.M. Dixon and B.T. Golding), (437) 227

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe:  $[(CO)_4Fe(\mu-P'Bu_2)Rh(CO)L](Fe-Rh)$  ( $L = CO$ ,  $HP'Bu_2$ ),  $[(CO)_3Co(\mu-H)(\mu-P'Bu_2)Rh(CO)(HP'Bu_2)](Co-Rh)$  (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

**Copper**

Stereoselective opening of chiral  $\alpha$ -stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

**Europium**

The first examples of intermolecular weak (agostic)  $\gamma$ -methyl–metal interactions in organolanthanide complexes: the synthesis and X-ray structures of  $[(Yb(\eta-Cp'')_2)_k]$  and  $[(Eu(\eta-Cp'')_2)_k]$  [ $Cp'' = C_5H_3(SiMe_3)_2-1,3$ ] (P.B. Hitchcock, J.A.K. Howard, M.F. Lappert and S. Prashar), (437) 177

## Gallium

Organometal-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl( $\eta^5$ -cyclopentadienyl)nickel] zum Carbonyl( $\eta^5$ -cyclopentadienyl)nickel-Anion durch C<sub>8</sub>K. Synthese und Struktur von ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(CO)Ni-Ga[CH<sub>2</sub>C(CH<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(OC<sub>4</sub>H<sub>8</sub>) (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

## Germanium

Addition of sulphenyl halides to alkenyl-metal compounds. III. Arenesulphenyl chloride additions to triethoxy- and triphenylvinylsilanes and to triphenylvinylgermanium. Crystal structure of (4-Me-2-O<sub>2</sub>N-C<sub>6</sub>H<sub>3</sub>S)CH(SiPh<sub>3</sub>)CH<sub>2</sub>Cl (R.A. Howie, G.M. Spencer, J.L. Wardell und J.N. Low), (437) 111

Excimer laser photolysis of tetramethylgermane (J. Pola und R. Taylor), (437) 271

Verbindungen des Germaniums und Zinns. XII. Ein Telluratrigerman durch Tellur-Insertion in ein Cyclotrigerman (M. Weidenbruch, A. Ritschl, K. Peters und H.G. von Schnerring), (437) C25

Organometal-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl( $\eta^5$ -cyclopentadienyl)nickel] zum Carbonyl( $\eta^5$ -cyclopentadienyl)nickel-Anion durch C<sub>8</sub>K. Synthese und Struktur von ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(CO)Ni-Ga[CH<sub>2</sub>C(CH<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(OC<sub>4</sub>H<sub>8</sub>) (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

## Indium

Organometal-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl( $\eta^5$ -cyclopentadienyl)nickel] zum Carbonyl( $\eta^5$ -cyclopentadienyl)nickel-Anion durch C<sub>8</sub>K. Synthese und Struktur von ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(CO)Ni-Ga[CH<sub>2</sub>C(CH<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(OC<sub>4</sub>H<sub>8</sub>) (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

## Iridium

Decarboxylation syntheses of transition metal organometallics. VI. Preparations of polyfluorophenyliridium(I) compounds (G.B. Deacon und S.J. Faulks), (437) 239

## Iron

The reactivity of bridging hydride ligands at the di-iron centre. Synthesis and reactivity towards alkynes of [Fe<sub>2</sub>(CO)<sub>6</sub>( $\mu$ -H)( $\mu$ -CO)( $\mu$ -dppm)][BF<sub>4</sub>]. X-ray crystal structure of [Fe<sub>2</sub>(CO)<sub>6</sub>( $\mu$ -PhC=CH<sub>2</sub>)( $\mu$ -dppm)][BF<sub>4</sub>] (J. Boothman und G. Hogarth), (437) 201

Catalytic de-ligation of bis(arene)iron dication upon electro-reduction (Z.J. Karpinski und J.K. Kochi), (437) 211

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Synthese, Charakterisierung und Reaktivität heterodinukleärer Komplexe: [(CO)<sub>4</sub>Fe( $\mu$ -P<sup>t</sup>Bu<sub>2</sub>)Rh(CO)L](Fe-Rh) (L = CO, HP<sup>t</sup>Bu<sub>2</sub>), [(CO)<sub>3</sub>Co( $\mu$ -H)( $\mu$ -P<sup>t</sup>Bu<sub>2</sub>)Rh(CO)(HP<sup>t</sup>Bu<sub>2</sub>)][Co-Rh] (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

Synthesis, structure and redox chemistry of ferrocenylsilylmethylidinetricobaltnonacarbonyl complexes, FcSi(R)<sub>2</sub>CCo<sub>9</sub>(CO)<sub>9</sub>, 1,1'-Fc'[Si(R)<sub>2</sub>CCo<sub>9</sub>(CO)<sub>9</sub>]<sub>2</sub> (R = Me, Et, Ph) and their derivatives (J. Borgdorff, E.J. Ditzel, N.W. Duffy, B.H. Robinson und J. Simpson), (437) 323

## Lithium

Stereoselective opening of chiral  $\alpha$ -stannyacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat und J.-P. Quintard), (437) C19

## Mercury

$\beta$ -Peroxyalkyl radicals and their role in the generation of epoxides during the autoxidation of alkenes. An example of the interplay of free radical, peroxide and organometallic chemistries (J.L. Courtneidge und M. Bush), (437) 57

The thermal decomposition of dibenzylmercury: a suitable model reaction for determination of substituent effects on radical stability? (R.A. Jackson), (437) 77

## Metallocenes

The first examples of intermolecular weak (agostic)  $\gamma$ -methyl–metal interactions in organolanthanide complexes: the synthesis and X-ray structures of  $[(Yb(\eta\text{-}Cp'')_2)_n]$  and  $[(Eu(\eta\text{-}Cp'')_2)_n]$  [ $Cp'' = C_5H_3(SiMe_3)_2$ , 1,3] (P.B. Hitchcock, J.A.K. Howard, M.F. Lappert and S. Prashar), (437) 177

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

Synthesis, structure and redox chemistry of ferrocenylsilylmethylidinetricobaltnonacarbonyl complexes,  $FcSi(R)_2CCo_3(CO)_9$ ,  $1,1'\text{-}Fc'[Si(R)_2CCo_3(CO)_9]_2$  ( $R = Me$ , Et, Ph) and their derivatives (J. Borgdorff, E.J. Ditzel, N.W. Duffy, B.H. Robinson and J. Simpson), (437) 323

## Nickel

Organoerdmetall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl( $\eta^5$ -cyclopentadienyl)nickel] zum Carbonyl( $\eta^5$ -cyclopentadienyl)nickel-Anion durch  $C_8K$ . Synthese und Struktur von  $(\eta^5\text{-}C_5H_5)(CO)Ni\text{-}Ga[CH_2C(CH_3)_3]_2(OC_4H_8)$  (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

## Osmium

Triosmium carbonyl cluster complexes of bridging phosphonate, arsonate, and phosphinate ligands (G.R. Frauenhoff, J.-C. Liu, S.R. Wilson and J.R. Shapley), (437) 347

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXV. Dihalogenoxoosmium(VI)-Komplexe des Pinakols: Synthese, Spektroskopie und Alkylierung (W.A. Herrmann und P. Watzlowik), (437) 363

## Palladium

A simple direct synthesis of an alkylaromatic palladacycle (M. Catellani and G.P. Chiusoli), (437) 369

Palladium-catalyzed norbornene–carbon monoxide co-oligomerization initiated by aryl groups and terminated by double bond formation (E. Dalcanale, Z. An, L.P. Battaglia, M. Catellani and G.P. Chiusoli), (437) 375

## Phosphorus

Quasiphosphonium intermediates. VI. Crystal structure of neopentyloxy(phenacyl)diphenylphosphonium bromide: a stable Michaelis–Arbusov intermediate formed in the reaction of neopentyl diphenylphosphinite with phenacyl bromide (K. Henrick, H.R. Hudson, M. McPartlin, L. Powroznik and L.S. Shaw), (437) 157

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe:  $[(CO)_4Fe(\mu\text{-}P^tBu_2)Rh(CO)L](Fe\text{-}Rh)$  ( $L = CO$ ,  $HP^tBu_2$ ),  $[(CO)_3Co(\mu\text{-}H)(\mu\text{-}P^tBu_2)Rh(CO)(HP^tBu_2)](Co\text{-}Rh)$  (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

## Platinum

Photochemistry of mononuclear and binuclear tetramethylplatinum(IV) complexes: reactivity of an organometallic free radical (J.E. Hux and R.J. Puddephatt), (437) 251

Steric and metal-centre control of two-, three- and four-orbital carborane–metal interaction in tin and platinum complexes of the  $\{C_2B_8H_9X\}$  ligand, where  $X = H$  and  $Ph$  (J.D. Kennedy, K. Nestor, B. Štíbr, M. Thornton-Pett and G.S.A. Zammit), (437) C1

## Rhodium

Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe:  $[(CO)_4Fe(\mu\text{-}P^tBu_2)Rh(CO)L](Fe\text{-}Rh)$  ( $L = CO$ ,  $HP^tBu_2$ ),  $[(CO)_3Co(\mu\text{-}H)(\mu\text{-}P^tBu_2)Rh(CO)(HP^tBu_2)](Co\text{-}Rh)$  (B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske und G. Süss-Fink), (437) 307

## Selenium

An *ab initio* study of some free radical homolytic substitution reactions at selenium (J.E. Lyons and C.H. Schiesser), (437) 165

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

## Silicon

Silicon knocked into a cocked hat (I.M.T. Davidson), (437) 1

Reactions of sterically hindered organozinc and organocadmium compounds containing functional silicon centres. Crystal structures of  $Zn[C(SiMe_3)_2(SiMe_2OCOCF_3)]_2$  and  $Cd[C(SiMe_3)_2(SiMe_2OMe)]_2$  (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock and J.D. Smith), (437) 41

Carbanion mechanisms. XVIII. Generation of silyl anions by nucleophilic cleavage of disilanes (E. Buncel, T.K. Venkatachalam and U. Edlund), (437) 85

Regioselectivity of dechlorination: reductive dechlorination of polychlorobiphenyls by polymethylhydro-siloxane-alkali metal (J. Hawari), (437) 91

Reactions of trimethylaluminium with 2-[methyl-bis(trimethylsiloxy)silyl]but-2-ene-1,4-diol: synthesis and structure of  $[Al(CH_3)_2]OCH_2(SiMe(OSiMe_3)_2)C=C(H)CH_2O_2[Al(CH_3)_2]_2$  (S. Pasynkiewicz and W. Ziemkowska), (437) 99

Addition of sulphenyl halides to alkenyl–metal compounds. III. Arenesulphenyl chloride additions to triethoxy- and triphenylvinylsilanes and to triphenylvinylgermanium. Crystal structure of (4-Me-2- $O_2NC_6H_3S)CH(SiPh_3)CH_2Cl$  (R.A. Howie, G.M. Spencer, J.L. Wardell and J.N. Low), (437) 111

A convenient synthesis of 1,3-disilacyclobutanes (J.-H. Hong, J.S. Han, G.-H. Lee and I.N. Jung), (437) 265

Chemical vapour deposition of metals and metal silicides on the internal surfaces of porous silicon (D.G. Anderson, N. Anwar, B.J. Aylett, L.G. Earwaker, M.I. Nasir, J.P.G. Farr, K. Stiebahl and J.M. Keen), (437) C7

Organometall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl( $\eta^5$ -cyclopentadienyl)nickel] zum Carbonyl( $\eta^5$ -cyclopentadienyl)nickel-Anion durch C<sub>8</sub>K. Synthese und Struktur von ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(CO)Ni-Ga[CH<sub>2</sub>C(CH<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(OC<sub>4</sub>H<sub>8</sub>) (R.A. Fischer, J. Behm, E. Herdtweck und C. Kroneder), (437) C29

## Tellurium

Diferrocenyldichalkogenide: Synthese und Struktur von Bis[2-(dimethylaminomethyl)ferrocenyl]diselenid (H. Gornitzka, S. Besser, R. Herbst-Irmer, U. Kilimann, F.T. Edelmann und K. Jacob), (437) 299

## Tin

Use of organotin halides as catalytic precursors in dehydration processes (G. Tagliavini), (437) 15

Tin for organic synthesis. VI. The new role of organotin reagents in organic synthesis Part 1: Stannyll groups as leaving groups in electrophilic substitutions Part 2: Polymer-supported organotin reagents for organic synthesis (W.P. Neumann), (437) 23

The first synthesis of 1,1,2-tristannylalkenes (T.N. Mitchell and B. Kowall), (437) 127

Preparation, spectroscopic studies and structure of bis(triorganostannyl) esters of substituted aliphatic dicarboxylic acids (A. Samuel-Lewis, P.J. Smith, J.H. Aupers, D. Hampson and D.C. Povey), (437) 131

FT-IR study of the gas phase thermal decomposition of dimethyldivinyltin in the presence of oxygen (P.G. Harrison and E.N. Clark), (437) 145

Polysulfonylamine. XXXV. Synthese, Röntgenstrukturanalysen und hochaufgelöste Festkörper-NMR-Spektren der ionischen Organozinn(IV)-dimesylamide  $[Me_3Sn(NH_3)_2]_2[N(SO_2Me)_2]$  und  $[Me_2Sn(DMSO)_4]_2[N(SO_2Me)_2]$  (A. Blaschette, I. Hippel, J. Krahl, E. Wieland, P.G. Jones und A. Sebald), (437) 279

Steric and metal-centre control of two-, three- and four-orbital carborane–metal interaction in tin and platinum complexes of the {C<sub>2</sub>B<sub>8</sub>H<sub>9</sub>X} ligand, where X = H and Ph (J.D. Kennedy, K. Nestor, B. Šíbr, M. Thornton-Pett and G.S.A. Zammit), (437) C1

Synthesis of acylsilanes via transmetalation of 1-triorganosilyloxyvinyltin derivatives (J.-B. Verlhac, H.A. Kwon und M. Pereyre), (437) C13

Stereoselective opening of chiral  $\alpha$ -stannylacetals with organometallic reagents (J.-L. Parrain, J.-C. Cintrat and J.-P. Quintard), (437) C19

Organometall-Komplexe von *d*-Block-Elementen. V. Selektive Reduktion von Bis[carbonyl( $\eta^5$ -cyclopentadienyl)nickel] zum Carbonyl( $\eta^5$ -cyclopentadienyl)nickel-Anion durch C<sub>8</sub>K. Synthese und Struktur von ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>CONi-Ga[CH<sub>2</sub>C(CH<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(OC<sub>4</sub>H<sub>8</sub>) (R.A. Fischer, J. Behm, E. Herdtweck und C. Kronseder), (437) C29

## Tungsten

Static and dynamic structures of pentacarbonyl-chromium(0) and -tungsten(0) complexes of dithioether ligands. I. Symmetrical dithioether complexes and X-ray crystal structure of [W(CO)<sub>5</sub>(<sup>1</sup>BuSCH<sub>2</sub>-S<sup>1</sup>Bu)] (E.W. Abel, K.G. Orrell, H. Rahoo, V. Šík, M.A. Mazid and M.B. Hursthouse), (437) 191

## Ytterbium

The first examples of intermolecular weak (agostic)  $\gamma$ -methyl–metal interactions in organolanthanide complexes: the synthesis and X-ray structures of [{Yb( $\eta$ -Cp'')<sub>2</sub>}<sub>n</sub>] and [{Eu( $\eta$ -Cp'')<sub>2</sub>}<sub>n</sub>] [Cp'' = C<sub>5</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>-1,3] (P.B. Hitchcock, J.A.K. Howard, M.F. Lappert and S. Prashar), (437) 177

## Zinc

Reactions of sterically hindered organozinc and organocadmium compounds containing functional silicon centres. Crystal structures of Zn[C(SiMe<sub>3</sub>)<sub>2</sub>(SiMe<sub>2</sub>OCOCF<sub>3</sub>)<sub>2</sub>]<sub>2</sub> and Cd[C(SiMe<sub>3</sub>)<sub>2</sub>(SiMe<sub>2</sub>-OMe)<sub>2</sub>] (S.S. Al-Juaid, C. Eaborn, A. Habtemariam, P.B. Hitchcock and J.D. Smith), (437) 41

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXV. Dihalogenoxoosmium(VI)-Komplexe des Pinakols: Synthese, Spektroskopie und Alkylierung (W.A. Herrmann und P. Watzlowik), (437) 363

## Book reviews

*Hazardous Metals in the Environment*, M. Stoepller (Ed.) (G.J. Leigh), (437) C35

*Environmental analysis using chromatography interfaced with atomic spectroscopy*, R.M. Harrison and S. Rapsomanikis (Eds.) (G.J. Leigh), (437) C35

*Introduction to cluster chemistry*, D.M.P. Mingos and D.J. Wales (G. Cloke), (437) C36