

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 439 (1992)**SUBJECT INDEX****Arsenic**

η^1 - und η^2 -Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammmer), (439) 279

Synthesis of the first diarsadigallatane (D.A. Atwood, A.H. Cowley, R.A. Jones and M.A. Mardones), (439) C33

Calcium

Characterization of 1:1 heterobimetallic complexes of $(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\text{CO})_2$ with zinc, cadmium and mercury(II) chloride and the X-ray structure determination of the 1:2 mercury complex (F.W.B. Einstein, X. Yan, X. Zhang and D. Sutton), (439) 221

Chromium

$\{\eta^6\text{-aren}(\text{CO})_2\text{Cr}\}$ als metallorganische 16-Elektronenkomplexfragmente: Synthese und Eigenschaften von Stibinidenkomplexen $[(\eta^6\text{-aren}(\text{CO})_2\text{Cr})_2\text{SbX}]$ (F. Bringewski, G. Huttner, W. Imhof und L. Zsolnai), (439) 33

Reaktionen von Komplexliganden. LII. Sechsgliedrige Aminocarben-Chelatkomplexe: Synthese, Alkin/Carben-Verknüpfung und Carbénanellierung (K.H. Dötz, A. Rau und K. Harms), (439) 263

η^1 - und η^2 -Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammmer), (439) 279

Cobalt

Syntheses and characterization of tri-metal cluster compounds; X-ray structure determination of $[\text{Co}_2\text{Mo}(\mu_3\text{-CC}_6\text{H}_5)\text{Br}(\text{CO})_8(\text{bipy})]$ (bipy = α,α -dipyridyl) (Y. Yin, H. Sun, D. Jin and Y. Zhu), (439) 45

The synthesis of dimetallic thioalkyne complexes of cobalt and molybdenum (S.C. Bennett, A. Gelling and M.J. Went), (439) 189

Synthesis and characterization of cobalt and molybdenum complexes derived from linear conjugated diynenes, triynedienes and tetracynetrienes (W.E. Lindsell, P.N. Preston and P.J. Tomb), (439) 201

Gallium

Organometallic precursors to the formation of GaN by MOCVD: structural characterisation of $\text{Me}_3\text{Ga}\cdot\text{NH}_3$ by gas-phase electron diffraction (M.J. Almond, C.E. Jenkins, D.A. Rice and K. Hagen), (439) 251

Synthesis of the first diarsadigallatane (D.A. Atwood, A.H. Cowley, R.A. Jones and M.A. Mardones), (439) C33

Germanium

Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115

^{13}C NMR studies of silyl and germyl complexes of rhodium and iridium containing carbonyl ligands (E.A.V. Ebsworth and S. Moreton), (439) 213

Hafnium

Condensation of primary silanes in the presence of $\text{Cp}_2\text{MCl}_2 / {}^n\text{BuLi}$ ($\text{M} = \text{Ti}, \text{Zr}, \text{Hf}$) (J.Y. Corey and X.-H. Zhu), (439) 1

Iridium

Electronic structure of catalytic intermediates for production of H_2 : $(\text{C}_5\text{Me}_5)\text{Ir}(\text{bpy})$ and its conjugated acid (M. Ladwig and W. Kaim), (439) 79

^{13}C NMR studies of silyl and germyl complexes of rhodium and iridium containing carbonyl ligands (E.A.V. Ebsworth and S. Moreton), (439) 213

Characterization of 1:1 heterobimetallic complexes of $(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\text{CO})_2$ with zinc, cadmium and mercury(II) chloride and the X-ray structure determination of the 1:2 mercury complex (F.W.B. Einstein, X. Yan, X. Zhang and D. Sutton), (439) 221

Iron

$\text{Fe}(\text{CO})_2[\text{P}(\text{OMe})_3]_2\text{L}$, Dicarbonylbis(trimethylphosphite)eisen-Komplexe mit den Liganden L = Ethen, Diphenylethin und SO_2 (F. Meier-Brocks, R. Albrecht und E. Weiss), (439) 65

η^1 - und η^2 -Komplexe von Cp^* -substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp^* -Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammle), (439) 279

Ferrocenliganden in der Lanthanid-Chemie: Chelatstabilisierung des ersten Diorganyllanthanid(III)-halogenids (H. Gornitzka, A. Steiner, D. Stalke, U. Kilimann, F.T. Edelmann, K. Jacob und K.-H. Thiele), (439) C6

Phosphonium-Übergangsmetallkomplexe. XX. Stabilisierung von Mesitylphosphiniden durch ein $\text{Cp}(\text{CO})_2\text{W}$ - und ein $\text{Cp}(\text{CO})_2\text{Fe}$ -Fragment (U.-A. Hirth und W. Malisch), (439) C16

Protophilic isotopic hydrogen exchange of 1-ferrocenyl-2-(nitrophenyl)ethylenes (Z.V. Todres and D.S. Ermekov), (439) C28

A new reaction of $[\text{Cp}(\text{CO})_2\text{Fe}(\text{PPh}_2\text{H})]\text{PF}_6$ with NaBH_4 to give $\text{Cp}(\text{CO})(\text{H})\text{Fe}(\text{PPh}_2\text{H})$ via $\text{Cp}(\text{CO})_2\text{FeH}$ and PPh_2H (H. Nakazawa, K. Kubo, C. Kai and K. Miyoshi), (439) C42

High resolution EPR spectra of ferrocenyl(nitrophenyl)ethylene anion-radicals (G.F. Pedulli and Z.V. Todres), (439) C46

Cis/trans isomerization of β -ferrocenylacrylonitrile during protophylic isotope hydrogen exchange (Z.V. Todres, D.S. Ermekov and I.A. Garbuzova), (439) C53

Lithium

Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115

Reactions of chelating alkali metal amides with the Grignard reagent ${}^n\text{BuMgCl}$: crystal structures and solution ^1H NMR spectroscopic studies of the expected mono(amido)-product $[\text{PhCH}_2(\text{Me}_2\text{-NCH}_2\text{CH}_2)\text{NMg}{}^n\text{Bu}]_2$ and the unexpected bis(amido)-product $\{[\text{Ph}(2\text{-Pyr})\text{N}]_2\text{Mg}\cdot(\text{THF})_2\}$ (K.W. Henderson, R.E. Mulvey, W. Clegg and P.A. O'Neil), (439) 237

Magnesium

Reactions of chelating alkali metal amides with the Grignard reagent ${}^n\text{BuMgCl}$: crystal structures and solution ^1H NMR spectroscopic studies of the expected mono(amido)-product $[\text{PhCH}_2(\text{Me}_2\text{-NCH}_2\text{CH}_2)\text{NMg}{}^n\text{Bu}]_2$ and the unexpected bis(amido)-product $\{[\text{Ph}(2\text{-Pyr})\text{N}]_2\text{Mg}\cdot(\text{THF})_2\}$ (K.W. Henderson, R.E. Mulvey, W. Clegg and P.A. O'Neil), (439) 237

Manganese

Electron spin resonance spectroscopy of $\text{Mn}(\text{CO})_5\cdot$ radicals generated in the gas phase thermolysis of $\text{Mn}_2(\text{CO})_{10}$ (K. Mach, J. Nováková and J.B. Raynor), (439) 341

Alkylmanganese pentacarbonyls (J.-A.M. Andersen and J.R. Moss), (439) C25

Mercury

Characterization of 1:1 heterobimetallic complexes of $(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\text{CO})_2$ with zinc, cadmium and mercury(II) chloride and the X-ray structure determination of the 1:2 mercury complex (F.W.B. Einstein, X. Yan, X. Zhang and D. Sutton), (439) 221

Metallocenes

- Catalytic activity of the titanocene complex with tolane in homogeneous hydrogenation of unsaturated hydrocarbons (V.B. Shur, V.V. Burlakov and M.E. Vol'pin), (439) 303
- Ferrocenliganden in der Lanthanid-Chemie: Chelatstabilisierung des ersten Diorganylanthanid(III)-halogenids (H. Gornitzka, A. Steiner, D. Stalke, U. Kilimann, F.T. Edelmann, K. Jacob und K.-H. Thiele), (439) C6
- Protophilic isotopic hydrogen exchange of 1-ferrocenyl-2-(nitrophenyl)ethylenes (Z.V. Todres and D.S. Ermekov), (439) C28
- Die Bildung von $[Cp_2Ti(C\equiv CSiMe_3)]_2$ aus Titanocen und 1,4-Bis(trimethylsilyl)-1,3-Butadiin (U. Rosenthal und H. Görts), (439) C36
- High resolution EPR spectra of ferrocenyl(nitrophenyl)ethylene anion-radicals (G.F. Pedulli and Z.V. Todres), (439) C46
- Cis/trans* isomerization of β -ferrocenylacrylonitrile during protophylic isotope hydrogen exchange (Z.V. Todres, D.S. Ermekov and I.A. Garbuzova), (439) C53

Molybdenum

- Syntheses and characterization of tri-metal cluster compounds; X-ray structure determination of $[Co_2Mo(\mu_3-CC_6H_5)Br(CO)_8(bipy)]$ (bipy = α,α -dipyridyl) (Y. Yin, H. Sun, D. Jin and Y. Zhu), (439) 45
- Half-sandwich complexes with intramolecular amino group coordination: synthesis and structure of cationic molybdenum dienyl complexes (T.-F. Wang and Y.-S. Wen), (439) 155
- The synthesis of dimetallic thioalkyne complexes of cobalt and molybdenum (S.C. Bennett, A. Gelling and M.J. Went), (439) 189
- Synthesis and characterization of cobalt and molybdenum complexes derived from linear conjugated diynes, triynedienes and tetraynetrienes (W.E. Lindsell, P.N. Preston and P.J. Tomb), (439) 201
- η^1 - und η^2 -Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammmer), (439) 279
- Some P–H bond substitution derivatives and fluxionality of $Cp_2Mo_2(\mu-H)(\mu-PPh_3)(CO)_4$ (S. Woodward and M.D. Curtis), (439) 319
- The synthesis of dinuclear molybdenum and tungsten complexes with the bridging heterodifunctional ligand $C_5H_4PPh_2$: X-ray crystal structure of $Mo_2(\mu-C_5H_4PPh_2)\eta^5-C_5H_5\eta^5-CO_3$ (T.J. Duckworth, M.J. Mays, G. Conole and M. McPartlin), (439) 327
- Cycloadditionsreaktionen von Phosphoniumkomplexen. VIII. Regioselektive Cycloaddition chiraler Phosphonium-Komplexe $Cp(OC)[Ph_2(R)P]M=PPh_2$ ($M = Mo, W; R = H, Me$) mit Isothiocyanaten (H. Pfister und W. Malisch), (439) C11
- Phosphonium-Übergangsmetallkomplexe. XXI. Schwefel- und Selenaddition an die Metall–Phosphor-Doppelbindung der zweikernigen Phosphinidenkomplexe $Cp(CO)_2M=PMes[M(CO)_3Cp]$ ($M = Mo, W$) (U.-A. Hirth, W. Malisch und H. Käb), (439) C20

Nickel

- Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobutene (M. Ishikawa, H. Sakamoto, S. Okazaki and A. Naka), (439) 19
- η^1 - und η^2 -Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammmer), (439) 279

Osmium

- Structural aspects of the osmium and ruthenium clusters $[M_3(CO)_{10}(\text{alkyne})]$ and related substituted compounds (A.J. Deeming and A.M. Senior), (439) 177
- Synthesis of tetrานuclear heterometallic cluster complexes via condensation of triosmium alkyne complexes $Os_3(CO)_{10}(C_2R_2)$, $R = \text{Tol}$ and Me , and mononuclear tungsten acetylides complexes $LW(CO)_3\equiv CR'$, $L = Cp$ and Cp^* , $R' = \text{Ph}$ and $'Bu$ (Y. Chi, R.-C. Lin, C.-C. Chen, S.-M. Peng and G.-H. Lee), (439) 347

Palladium

- Synthesis and structure of a thioazobenzene palladacycle: oxygen insertion into the Pd–C bond by *m*-chloroperbenzoic acid (C.K. Pal, S. Chattopadhyay, C. Sinha and A. Chakravorty), (439) 91
- The palladium-catalysed addition of hexamethylditin to 1,3-dienes (T.N. Mitchell, B. Kowall, H. Killing and C. Nettelbeck), (439) 101
- Synthesis and characterization of dinuclear palladium(II) complexes containing both chloro and organochalcogenides as bridging ligands (V.K. Jain and S. Kannan), (439) 231

Phosphorus

- Synthesis and characterization of dinuclear palladium(II) complexes containing both chloro and organochalcogenides as bridging ligands (V.K. Jain and S. Kannan), (439) 231
- η^1 - und η^2 -Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stammel), (439) 279
- Cycloadditionsreaktionen von Phospheniumkomplexen. VIII. Regioselektive Cycloaddition chiraler Phosphenium-Komplexe $\text{Cp}(\text{OC})(\text{Ph}_2(\text{R})\text{P})\text{M}=\text{PPPh}_2$ ($\text{M} = \text{Mo, W; R} = \text{H, Me}$) mit Isothiocyanaten (H. Pfister und W. Malisch), (439) C11
- Phosphenium-Übergangsmetallkomplexe. XX. Stabilisierung von Mesitylphosphiniden durch ein $\text{Cp}(\text{CO})_2\text{W}$ - und ein $\text{Cp}(\text{CO})_2\text{Fe}$ -Fragment (U.-A. Hirth und W. Malisch), (439) C16
- Phosphenium-Übergangsmetallkomplexe. XXI. Schwefel- und Selenaddition an die Metall–Phosphor-Doppelbindung der zweikernigen Phosphinidenkomplexe $\text{Cp}(\text{CO})_2\text{M}=\text{PMes}[\text{M}(\text{CO})_3\text{Cp}]$ ($\text{M} = \text{Mo, W}$) (U.-A. Hirth, W. Malisch und H. Käb), (439) C20
- A new reaction of $[\text{Cp}(\text{CO})_2\text{Fe}(\text{PPh}_2\text{H})]\text{PF}_6$ with NaBH_4 to give $\text{Cp}(\text{CO})(\text{H})\text{Fe}(\text{PPh}_2\text{H})$ via $\text{Cp}(\text{CO})_2\text{FeH}$ and PPh_2H (H. Nakazawa, K. Kubo, C. Kai and K. Miyoshi), (439) C42

Platinum

- Five-coordinate hydrido/olefin platinum(II) complexes (V. De Felice, M.L. Ferrara, A. Panunzi and F. Ruffo), (439) C49

Rhenium

- The synthesis and reactions of Re^{I} carboxylic acids. The X-ray structure of *fac*- $\text{Re}(\text{CO})_3(\text{dppp})\text{CO}_2\text{D}\cdot 0.5\text{C}_6\text{D}_6$ (S.K. Mandal, D.M. Ho and M. Orchin), (439) 53
- Synthesis and reactivity of bridging bis(alkyl) and bis(alkylidene) complexes derived from the chiral rhenium fragment $[(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{NO})(\text{PPh}_3)]^+$ (C. Roger, T.-S. Peng and J.A. Gladysz), (439) 163

Rhodium

- ^{13}C NMR studies of silyl and germyl complexes of rhodium and iridium containing carbonyl ligands (E.A.V. Ebsworth and S. Moreton), (439) 213

Ruthenium

- Structural aspects of the osmium and ruthenium clusters $[\text{M}_3(\text{CO})_{10}(\text{alkyne})]$ and related substituted compounds (A.J. Deeming and A.M. Senior), (439) 177
- Co-ordinatively unsaturated metal cluster compounds: facile reactivity of the phosphinidene-capped phosphido-bridged triruthenium cluster $[\text{Ru}_3(\mu_3\text{-PPh})(\mu_2\text{-PPh}_2)_2(\text{CO})_7]$ (J.S. Field, R.J. Haines and F. Mulla), (439) C56

Selenium

- Synthesis and characterization of dinuclear palladium(II) complexes containing both chloro and organochalcogenides as bridging ligands (V.K. Jain and S. Kannan), (439) 231

Silicon

- Condensation of primary silanes in the presence of $\text{Cp}_2\text{MCl}_2 / {}^n\text{BuLi}$ ($\text{M} = \text{Ti, Zr, Hf}$) (J.Y. Corey and X.-H. Zhu), (439) 1

- Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobutene (M. Ishikawa, H. Sakamoto, S. Okazaki and A. Naka), (439) 19
- Generation and reactivities of methoxyphenylsilylene (Y.-W. Kwak, I.-H. Jeong, J.-Y. Ko and B.H. Boo), (439) 107
- Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115
- ^{13}C NMR studies of silyl and germyl complexes of rhodium and iridium containing carbonyl ligands (E.A.V. Ebsworth and S. Moreton), (439) 213
- Reaktionen von Komplexliganden. LII. Sechsgliedrige Aminocarben-Chelatkomplexe: Synthese, Alkin-/Carben-Verknüpfung und Carbenanellierung (K.H. Dötz, A. Rau und K. Harms), (439) 263
- Hydride transfer reactions between penta- and tetra-coordinate silicon derivatives (R.J.P. Corriu, C. Guerin, B.J.L. Henner and Q. Wang), (439) C1
- Die Bildung von $[\text{Cp}_2\text{Ti}(\text{C}\equiv\text{CSiMe}_3)]_2$ aus Titanocen und 1,4-Bis(trimethylsilyl)-1,3-Butadiin (U. Rosenthal und H. Görls), (439) C36

Sodium

- Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115
- Reactions of chelating alkali metal amides with the Grignard reagent $^n\text{BuMgCl}$: crystal structures and solution ^1H NMR spectroscopic studies of the expected mono(amido)-product $[\text{PhCH}_2(\text{Me}_2\text{NCH}_2\text{CH}_2)\text{NMg}^n\text{Bu}]_2$ and the unexpected bis(amido)-product $[(\text{Ph}(2\text{-Pyr})\text{N})_2\text{Mg}\cdot(\text{THF})_2]$ (K.W. Henderson, R.E. Mulvey, W. Clegg and P.A. O'Neil), (439) 237

Tantalum

- Reactions of tetrachlorocyclopentadienyltantalum(V) derivatives with hexamethyldialuminium: Crystal and molecular structure of dichlorodimethylpentamethylcyclopentadienyltantalum(V) (M. Gómez, G. Jimenez, P. Royo, J.M. Selas and P.R. Raithby), (439) 147
- Methylation of (pentamethylcyclopentadienyl)trichloro(diphenyldimethylenephosphoranyl-*C,C*)tantalum(V). Crystal structures of $[\text{TaCp}^*\text{Cl}_3((\text{CH}_2)_2\text{PPh}_2)]$ and $[\text{TaCp}^*\text{Me}_2(\text{CH})(\text{CH}_2)\text{PPh}_2]$ (M. Gómez, G. Jimenez, P. Royo, M.A. Pellinghelli and A. Tiripicchio), (439) 309

Tellurium

- Synthesis and characterization of dinuclear palladium(II) complexes containing both chloro and organochalcogenides as bridging ligands (V.K. Jain and S. Kannan), (439) 231

Tin

- Synthesis and coordination chemistry of itaconic estertin(IV) complexes (O.-S. Jung, J.H. Jeong and Y.S. Sohn), (439) 23
- The palladium-catalysed addition of hexamethylditin to 1,3-dienes (T.N. Mitchell, B. Kowall, H. Killing and C. Nettelbeck), (439) 101
- Some further studies on acyltrimethylstannanes (T.N. Mitchell and K. Kwetkat), (439) 127
- Complex salts derived from the reactions of Me_2SnCl_2 with some aromatic Schiff bases. Crystal structure of bis[*N*-(2-methoxy-1-naphthalidene)-3-methoxyanilinium]hexachlorotetramethyltinanate(IV)dihydrate: $[\text{CH}_3\text{OC}_{10}\text{H}_6\text{CH}:\text{NHC}_6\text{H}_4\text{OCH}_3]_2[(\text{CH}_3)_4\text{Sn}_2\text{Cl}_6]\text{H}_2\text{O}]_2$ (S.-G. Teoh, S.-B. Teo, G.-Y. Yeap and H.-K. Fun), (439) 139

Titanium

- Condensation of primary silanes in the presence of $\text{Cp}_2\text{MCl}_2 / ^n\text{BuLi}$ ($\text{M} = \text{Ti}, \text{Zr}, \text{Hf}$) (J.Y. Corey and X.-H. Zhu), (439) 1
- Catalytic activity of the titanocene complex with tolane in homogeneous hydrogenation of unsaturated hydrocarbons (V.B. Shur, V.V. Burlakov and M.E. Vol'pin), (439) 303
- Die Bildung von $[\text{Cp}_2\text{Ti}(\text{C}\equiv\text{CSiMe}_3)]_2$ aus Titanocen und 1,4-Bis(trimethylsilyl)-1,3-Butadiin (U. Rosenthal und H. Görls), (439) C36

Tungsten

η^1 - und η^2 -Komplexe von Cp*-substituierten Diphosphenen und Arsaphosphenen: Synthese, Struktur und Umlagerung unter Cp*-Wanderung (P. Jutzi, U. Meyer, S. Opiela, B. Neumann und H.-G. Stamm), (439) 279

The synthesis of dinuclear molybdenum and tungsten complexes with the bridging heterodifunctional ligand C₅H₄PPh₂: X-ray crystal structure of Mo₂(μ -C₅H₄PPh₂) \times η^5 -C₅H₅ \times CO)₅ (T.J. Duckworth, M.J. Mays, G. Conole and M. McPartlin), (439) 327

Synthesis of tetranuclear heterometallic cluster complexes via condensation of triosmium alkyne complexes Os₃(CO)₁₀(C₂R₂), R = Tol and Me, and mononuclear tungsten acetylide complexes LW(CO)₃C≡CR', L = Cp and Cp*, R' = Ph and ¹Bu (Y. Chi, R.-C. Lin, C.-C. Chen, S.-M. Peng and G.-H. Lee), (439) 347

Cycloadditionsreaktionen von Phosphoniumkomplexen. VIII. Regioselektive Cycloaddition chiraler Phosphonium-Komplexe Cp(OC)[Ph₂(R)P]M=PPh₂ (M = Mo, W; R = H, Me) mit Isothiocyanaten (H. Pfister und W. Malisch), (439) C11

Phosphonium-Übergangsmetallkomplexe. XX. Stabilisierung von Mesitylphosphiniden durch ein Cp(CO)₂W- und ein Cp(CO)₂Fe-Fragment (U.-A. Hirth und W. Malisch), (439) C16

Phosphonium-Übergangsmetallkomplexe. XXI. Schwefel- und Selenaddition an die Metall-Phosphor-Doppelbindung der zweikernigen Phosphinidenkomplexe Cp(CO)₂M=PMes[M(CO)₃Cp] (M = Mo, W) (U.-A. Hirth, W. Malisch und H. Käb), (439) C20

Ytterbium

Ferrocenliganden in der Lanthanid-Chemie: Chelatstabilisierung des ersten Diorganylanthanid(III)-halogenids (H. Gornitzka, A. Steiner, D. Stalke, U. Kilimann, F.T. Edelmann, K. Jacob und K.-H. Thiele), (439) C6

Zinc

Synthesis of polymetallacycloalkanes (P. Mazerolles and C. Laurent), (439) 115

Zirconium

Condensation of primary silanes in the presence of Cp₂MCl₂ / ⁿBuLi (M = Ti, Zr, Hf) (J.Y. Corey and X.-H. Zhu), (439) 1

Characterization of 1:1 heterobimetallic complexes of (η^5 -C₅Me₅)Ir(CO)₂ with zinc, cadmium and mercury(II) chloride and the X-ray structure determination of the 1:2 mercury complex (F.W.B. Einstein, X. Yan, X. Zhang and D. Sutton), (439) 221