

## Subject Index of Volume 450

---

### Aluminium

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), 53

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

### Arsenic

Reaktive Arsen-Heterocyclen. II. 3-Arsolene als Arsiniden-Quelle (W.A. Schenk und M. Stubbe), C4

### Boron

Convenient method for the preparation of catecholborane and promotion of the formation of alkenyl catecholborane using  $\text{BH}_3$  complexes (Y. Suseela and M. Periasamy), 47

Crystal structure of  $\text{Fe}(\eta^6\text{-C}_5\text{H}_5\text{BCMe}_3)_2$ , a “problem structure” (M.R. Churchill and R.F. See), 171

### Calcium

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

### Cobalt

Reactivity of tri- and tetra-nuclear ethyldyne cyclopentadienylcobalt clusters towards protonic acids (H. Wadeohl and H. Pritzow), 9

Formation of the unusual alkynyl carboxamide complex,  $\text{C}_2\text{H}_5\text{N}\text{-}(\text{HC(O)}\equiv\text{C})[\text{Co}_2(\text{CO})_6]\text{CCO}_3(\text{CO})_9$  (G.H. Worth, B.H. Robinson and J. Simpson), 219

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), 229

### Gallium

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), 53

### Germanium

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), 53

Chemie der schweren Carben-Analogen  $\text{R}_2\text{M}$ ,  $\text{M} = \text{Si}, \text{Ge}, \text{Sn}$ . XVIII. Eine unerwartete Ge–C-Spaltung des als Dimethylgermylen-Speicher dienenden 7,7-Dimethyl-7-germanorbornadiens (B. Klein und W.P. Neumann), 91

### Indium

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), 53

### Iridium

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), 229

Ethylene hydrogenation by the hydride alkoxide species  $\text{Ir}(\text{H})_2(\text{OCH}_2\text{CF}_3)(\text{P}^t\text{Bu}_2\text{Ph})_2$ . Ethylene-induced reductive elimination of alcohol from  $\text{Ir}^{\text{III}}$  (B. Hauger and K.G. Caulton), 253

### Iron

A facile synthetic route to ( $\eta^5$ -benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Crystal structure of  $\text{Fe}(\eta^6\text{-C}_5\text{H}_5\text{BCMe}_3)_2$ , a “problem structure” (M.R. Churchill and R.F. See), 171

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Ferrocene derivatives, LXXI; Stereochemistry of metallocenes, LVI. Synthesis and structure of optically active ferrocenylaminoalcohols (H. Wally, C. Kratky, W. Weissensteiner, M. Widhalm and K. Schlögl), 185

The redox behaviour of ferrocene derivatives. III. Ferrocenylacyl complexes ( $\eta^5\text{-C}_5\text{H}_5$ )  $\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{-COER}_3)$ , E = C, Si or Ge; R = Me or Ph (P. Zanello, G. Oppomolla, L. Pardi, K.H. Pannell and H.K. Sharma), 193

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

### Manganese

A facile synthetic route to ( $\eta^5$ -benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

### Mercury

Complexes derived from 4-amino-3-methyl-5-thione-1,2,4-triazole and monoorganomercury moieties. Crystal structure of (4-amino-5-mercaptop-3-methyl-1,2,4-triazolato)methylmercury(II) (J.M. Varela, A. Macías, J.S. Casas and J. Sordo), 41

Darstellung und spektroskopische Charakterisierung verzweigter funktioneller Hexasilangerüste (H. Stüger und P. Lassacher), 79

## Metallocenes

Stereoselective propene polymerization at a metallocene/alumoxane catalyst derived from the chirally-substituted "meso-like" (*p*-*R*,*p*-S)bis[1-(neoisopinocampyl)-4,5,6,7-tetrahydroindenyl]zirconium dichloride (G. Erker, M. Aulbach, C. Krüger and S. Werner), 1  
Carbonylation of 2-bornenyl(methyl)zirconocene (G. Erker, R. Noe, M. Albrecht and A.L. Rheingold), 137

Rearrangement of cyclooctyne to 1,2-cyclooctadiene within the coordination sphere of CpMn(CO)<sub>2</sub> (S.M. Coughlan and G.K. Yang), 151

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Ferrocene derivatives, LXXI; Stereochemistry of metallocenes, LVI. Synthesis and structure of optically active ferrocenylaminoalcohols (H. Wally, C. Kratky, W. Weissensteiner, M. Widhalm and K. Schlögl), 185

The redox behaviour of ferrocene derivatives. III. Ferrocenylacyl complexes ( $\eta^5\text{-C}_5\text{H}_5$ )Fe( $\eta^5\text{-C}_5\text{H}_4\text{-COER}_3$ ), E = C, Si or Ge; R = Me or Ph (P. Zanello, G. Opronolla, L. Pardi, K.H. Pannell and H.K. Sharma), 193

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

## Molybdenum

Phenylbis(2-pyridyl)phosphine: *P* vs. *N,N'*-coordination in carbonylmolybdenum-(0) and -(II) complexes (P. Espinet, P. Gómez-Elipe and F. Villafaña), 145

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

## Nickel

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

## Osmium

Cyclopentadienyl-ruthenium and -osmium chemistry. XXXIX. Syntheses of novel alkynyl-ruthenium complexes. X-Ray structures of two forms of {Ru(PPh<sub>3</sub>)<sub>2</sub>( $\eta^5\text{-C}_5\text{H}_5$ )<sub>2</sub>( $\mu\text{-C}_4$ ) and of Ru(C≡CC-(O)Me)(PPh<sub>3</sub>)<sub>2</sub>( $\eta^5\text{-C}_5\text{H}_5$ ) (M.I. Bruce, P. Hinterding, E.R.T. Tiekkink, B.W. Skelton and A.H. White), 209

Reaction of [ $(\mu\text{-H})\text{Os}_3(\text{CO})_{11}$ ]<sup>-</sup> anion with dioxygen (C.J. Cathey, B.F.G. Johnson, J. Lewis, P.R. Raithby and W.T. Wong), C12

## Palladium

Synthesis and characterisation of new 2-bromovinyl selenides and their platinum group metal complexes (P.K. Khanna and C.P. Morley), 109

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Stereo and regioselectivity in the phenylation of cationic allylpalladium(II)  $\alpha$ -diimine complexes by tetraphenylborate anion (B. Crociani, S. Antonaroli, F. Di Bianca and A. Fontana), 21

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghini), 229

Steric effects of the 2-(diphenylphosphino)pyridine bridging ligand in the synthesis of binuclear palladium(II) complexes (G. De Munno, G. Bruno, C.G. Arena, D. Drommi and F. Faraone), 263

Cyclometallated derivatives of palladium(II) and platinum(II) derived from 6-t-butyl-2,2'-bipyridine (S. Stoccero, G. Chelucci, M.A. Cinelli, A. Zucca and G. Minghetti), C15

## Phosphorus

Tetra-*ortho*-substituierte *cis*-Bis(phenyl)platin(II)-Verbindungen: Synthesen und photochemisches Verhalten (H.-A. Brune, J. Lerche, G. Schmidtberg und A. Baur), 269

## Platinum

Synthesis and characterisation of new 2-bromovinyl selenides and their platinum group metal complexes (P.K. Khanna and C.P. Morley), 109

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghini), 229

Tetra-*ortho*-substituierte *cis*-Bis(phenyl)platin(II)-Verbindungen: Synthesen und photochemisches Verhalten (H.-A. Brune, J. Lerche, G. Schmidtberg und A. Baur), 269

Cyclometallated derivatives of palladium(II) and platinum(II) derived from 6-t-butyl-2,2'-bipyridine (S. Stoccero, G. Chelucci, M.A. Cinelli, A. Zucca and G. Minghetti), C15

## Rhenium

A facile synthetic route to ( $\eta^5\text{-benzoylcyclopentadienyl}$ )metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Structures of propionaldehyde, butyraldehyde, and pivalaldehyde complexes of the chiral rhenium fragment [ $(\eta^5\text{-C}_5\text{H}_5)\text{-Re}(\text{NO})(\text{PPh}_3)_2$ ]<sup>+</sup> (D.P. Klein, N. Quirós Méndez, J.W. Seyler, A.M. Arif and J.A. Gladysz), 157

Electrochemical and chemical generation of a mixed-valent organorhenium oxide and its subsequent aggregation (R.W. Albach, U. Küsthhardt, J. Behm, B. Ebert, M.-H. Delville and D. Astruc), 165

Carbyne-fluoro complexes of rhenium. Single-pot synthesis of *trans*-[Re(F=CC<sub>2</sub>R)<sub>2</sub>Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]BF<sub>4</sub><sup>-</sup> (S.S.P.R. Almeida, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), C7

## Rhodium

A facile synthetic route to ( $\eta^5\text{-benzoylcyclopentadienyl}$ )metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghini), 229

The crystal and molecular structure of bis(indazol-1-yl)pyridin-2'-ylmethane (BIPM) and [Rh(BIPM)(NBD)]PF<sub>6</sub> (M.C. López Gallego-Preciado, P. Ballesteros, R.M. Claramunt, M. Cano, J.V. Heras, E. Pinilla and A. Monge), 237

<sup>31</sup>P and <sup>13</sup>C NMR investigation of the system tetracarbonyldi- $\mu$ -chlorodirhodium(I)-tertiary phosphine (E. Rotondo, G. Battaglia, G. Giordano and F.P. Cusmano), 245

## Ruthenium

Stability of the silicon–ruthenium bond in the presence of a strong nucleophile. Phase sensitive  $^1\text{H}$  NMR COSY and crystal structure of  $\text{Ru}(\text{CO})_2(\text{NH}_2\text{CH}_2\text{C}_6\text{H}_5)_2(\text{Si}(\text{C}_6\text{H}_5)(\text{CH}_3)_2)\text{I}$  (B.J. Rapoport, K.J. McGrath, C.F. George and J.C. Cooper), 85

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Ruthenium complex-catalyzed allylic alkylation of carbonucleophiles with allylic carbonates (S.-W. Zhang, T.-a. Mitsudo, T. Kondo and Y. Watanabe), 197

Cyclopentadienyl-ruthenium and -osmium chemistry. XXXIX. Syntheses of novel alkynyl-ruthenium complexes. X-Ray structures of two forms of  $[\text{Ru}(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)_2]_2(\mu\text{-C}_4)$  and of  $\text{Ru}[\text{C}\equiv\text{CC}(\text{O})\text{Me}](\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$  (M.I. Bruce, P. Hinterding, E.R.T. Tiekkink, B.W. Skelton and A.H. White), 209

A new route to complexes containing the tetracarbon ( $\text{C}_4$ ) ligand (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), C9

## Samarium

Tetrahedral versus square planar arrangement of cyclopentadienyl ligands in bimetallic organosamarium complexes. X-ray crystal structure of  $[(\text{C}_5\text{H}_4\text{Me})_2(\text{THF})\text{Sm}(\mu\text{-Cl})_2]$  (W.J. Evans, R.A. Keyer and J.W. Ziller), 115

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

## Selenium

Bis(2-bromoethyl)selenium dibromide as the selenium-introducing reagent: One-pot preparation of 2,5-bis(alkoxymethyl)tetrahydro-selenophenes by the cyclization of 1,5-hexadiene (Y. Takanohashi, N. Tabata, T. Tanase and S. Akabori), 103

Synthesis and characterisation of new 2-bromovinyl selenides and their platinum group metal complexes (P.K. Khanna and C.P. Morley), 109

## Silicon

Siliciumverbindungen mit starken intramolekularen sterischen Wechselwirkungen. XLIX. Disilane und ein Disilen mit unsymmetrischer Substitution an den Siliciumatomen (M. Weidenbruch, A. Pellmann, Y. Pan, S. Pohl, W. Saak und H. Marsmann), 67

Synthesis of siloxanes. XXII. Synthesis and crystal structure of 2-t-butoxy-2,4,6-trimethyl-4,6-diphenyl-( $2\alpha,4\alpha,6\alpha$ )-cyclotrisiloxane (R. Gewald, U. Scheim, K. Rühlmann, H. Goesman and D. Fenske), 73

Darstellung und spektroskopische Charakterisierung verzweigter funktioneller Hexasilangerüste (H. Stüger und P. Lassacher), 79

Stability of the silicon–ruthenium bond in the presence of a strong nucleophile. Phase sensitive  $^1\text{H}$  NMR COSY and crystal structure of  $\text{Ru}(\text{CO})_2(\text{NH}_2\text{CH}_2\text{C}_6\text{H}_5)_2(\text{Si}(\text{C}_6\text{H}_5)(\text{CH}_3)_2)\text{I}$  (B.J. Rapoport, K.J. McGrath, C.F. George and J.C. Cooper), 85

## Sodium

A facile synthetic route to ( $\eta^5$ -benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

## Thallium

A facile synthetic route to ( $\eta^5$ -benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Molecular structure of *meso*-tetraphenylporphyrinatothallium(III) cyanide:  $\text{Tl}(\text{tpy})(\text{CN})$  (W.-B. Lee, S.-C. Suen, T.-T. Jong, F.-E. Hong, J.-H. Chen, H.-J. Lin and L.-P. Hwang), 63

## Tin

Synthesis and thermal decomposition of substituted [2-(acyloxy)alkyl]diorganotins compounds,  $\text{Bu}_2\text{Sn}(\text{X})\text{CH}_2\text{CHR}^1\text{OCOR}^2$  ( $\text{X}$  = halogen, 2,4-pentanedionate, or OCOR), potential sources of organotin catalysts (B. Jousseau, V. Guillou, N. Noiret, M. Pereyre and J.-M. Francès), 97

## Titanium

Isodicyclopentadienes and related molecules. LVII. Solid state structural studies of the diastereomeric *exo*- and *endo*- $(\eta^5\text{-cyclopentadienyl})(\eta^5\text{-(1S,8R)-9,9-dimethyltricyclo[6.1.1.0^{2,6}]deca-2,5-dienyl})$ dichlorotitaniums and a stereopure *exo*- $(\eta^5\text{-pentamethylcyclopentadienyl})$  congener (R.D. Rogers, M.R. Sivik and L.A. Paquette), 125

## Ytterbium

Synthesis and molecular structure of  $(\text{CH}_3\text{Cp})_2\text{Yb}\cdot\text{DME}$  and its catalytic activity for the polymerization of methyl methacrylate (T. Jiang, Q. Shen, Y. Lin and S. Jin), 121

## Zinc

Etude de la régiosélectivité de l'action des organozinciques sur les  $\alpha$ -aminoesters issus de 2-amino ou 3-aminoalcools. I. Synthèse d' $\alpha$ -aminoesters polyfonctionnels (G. Courtois et L. Migniac), 33

## Zirconium

Stereoselective propene polymerization at a metallocene/alumoxane catalyst derived from the chirally-substituted "meso-like" (*p*-*R*, *p*-*S*)bis[1-(neoisopinocampyl)-4,5,6,7-tetrahydroindenyl]zirconium dichloride (G. Erker, M. Aulbach, C. Krüger and S. Werner), 1  
Carbonylation of 2-bornenyl(methyl)zirconocene (G. Erker, R. Noe, M. Albrecht and A.L. Rheingold), 137