

Subject Index of Volume 445

Aluminium

Reaction of Me_3Ga and Me_3Al with the tertiary-tetraaza analog of adamantane, hexamethylenetetramine ($\text{N}_4\text{-Ada}$). Syntheses and molecular structures of $[(\text{Me}_3\text{M})_n \cdot \text{N}_4\text{-Ada}]$ ($n = 1\text{--}4$, M = Ga or Al) (J.B. Hill, S.J. Eng, W.T. Pennington and G.H. Robinson), 11

Arsenic

Atropisomerism in (\pm) -7-methyl- and -phenyl-substituted dinaphtho[2,1-*b*;1',2'-*d*]phospholes and dinaphth[2,1-*b*;1',2'-*d*]arsoles (A.A. Watson, A.C. Willis and S.B. Wild), 71

Boron

Formation and instability of an α -acetoxyborane (J.L. Hubbard), 7
Synthesis, molecular structure and NMR behaviour of [9,9-(PMe_2Ph)₂*arachno*-9,6,8-PtS₂B₇H₇]: Direct evidence for the ten-vertex borane vertex-flip mechanism of isomerization (J.H. Jones, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett, B. Štíbr and H. Langhoff), C15

Chalcogenides

Stereochemistry of the compounds $[\text{Fe}_3(\text{CO})_9\text{XY}]$. Crystal and molecular structures of the mixed triiron carbonyl compounds $[\text{Fe}_3(\text{CO})_9\text{XY}]$ (X, Y = S, Se, or Te) (G. Gervasio), 147

Cobalt

1,1'-Bis(diphenylphosphino)ferrocene ligand substitution in the benzylidene-capped cluster $\text{PhCCo}_3(\text{CO})_9$. Synthesis, X-ray structure, and redox reactivity of $\text{PhCCo}_3(\text{CO})_7(\text{dppf})$ (W.H. Watson, A. Nagl, S. Hwang and M.G. Richmond), 163

Coordination of a tripodal phosphine sulphide P₂S towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), 171

Synthetic pathways for selective introduction of a dicobalt hexacarbonyl cluster into a polyfunctional molecule: methotrexate (M. Salmain and G. Jaouen), 237

Copper

A novel high nuclearity bimetallic cluster: the crystal structure of $[\text{N}(\text{PPh}_3)_2\text{I}\text{Ag}_6\text{Cu}_7(\text{C}_2\text{Ph})_{14}]$ (M.S. Hussain and O.M. Abu-Salah), 295

Gallium

Reaction of Me_3Ga and Me_3Al with the tertiary-tetraaza analog of adamantane, hexamethylenetetramine ($\text{N}_4\text{-Ada}$). Syntheses and molecular structures of $[(\text{Me}_3\text{M})_n \cdot \text{N}_4\text{-Ada}]$ ($n = 1\text{--}4$, M = Ga or Al) (J.B. Hill, S.J. Eng, W.T. Pennington and G.H. Robinson), 11

Germanium

Über gemischte Gruppe 14–Gruppe 14-Bindungen. V. Sechs Perphenylierte Propan-Analoga $\text{Ph}_3\text{M}'\text{M}''\text{Ph}_2$ ($\text{M}', \text{M}'' = \text{Si}/\text{Ge}$): ein Beitrag zum Elektronegativitätsunterschied zw.

schen Silicium und Germanium (M. Charissé, M. Mathes, D. Simon und M. Dräger), 39

Iridium

Synthesis, structure and hydrogenation of η^3 -benzyl diphosphine complexes of rhodium and iridium (M.D. Fryzuk, D.H. McConville and S.J. Rettig), 245

$\text{IrCl}_2\text{H}(\text{P}^i\text{Pr}_3)_2$ as catalyst precursor for the reduction of unsaturated substrates (H. Werner, M. Schulz, M.A. Esteruelas and L.A. Oro), 261

Synthesis and reactivity of binuclear 7-azaindolate complexes of iridium. I. Characterization of isomers by H,H-COSY NMR spectroscopy (M.A. Ciriano, J.J. Pérez-Torrente and L.A. Oro), 267

Synthesis and reactivity of binuclear 7-azaindolate complexes of iridium. II. Oxidative-addition reactions of halogens and halocarbons to $[(\text{Ir}(\mu\text{-aza})(\text{CO})_2)_2]$ (M.A. Ciriano, J.J. Pérez-Torrente and L.A. Oro), 273

The synthesis of ionic iridium(III) carbene complexes of the type $[\text{Ir}=\text{CR}-\text{NHMe}]\text{Cl}(\text{OSO}_2\text{CF}_3)(\text{CO})(\text{PPh}_3)_2]^+[\text{O}_3\text{SCF}_3]^-$ (B.L. Booth and A.C. Wickens), 283

Iron

Zur Chemie des Dimesityleisens. VI. Die Struktur von Tetramesityldieisen (H. Müller, W. Seidel und H. Görls), 133

The preparation, polymerization and copolymerization of (η^5 -vinylcyclopentadienyl)dicarbonylmethyliron monomer (A.K. Saha and M.M. Hossain), 137

The reaction of iron-alkyls with triethyloxonium tetrafluoroborate: formation of iron ethoxycarbene complexes (J.R. Tinder, R.R. Kohl, R.S. Bly and M.M. Hossain), 143

Stereochemistry of the compounds $[\text{Fe}_3(\text{CO})_9\text{XY}]$. Crystal and molecular structures of the mixed triiron carbonyl compounds $[\text{Fe}_3(\text{CO})_9\text{XY}]$ (X, Y = S, Se, or Te) (G. Gervasio), 147

Synthesis of 1-alkynyl(phthalocyaninato)iron(II) and -ruthenium(II) complexes (M. Hanack, S. Knecht and H.-J. Schulze), 157

1,1'-Bis(diphenylphosphino)ferrocene ligand substitution in the benzylidene-capped cluster $\text{PhCCo}_3(\text{CO})_9$. Synthesis, X-ray structure, and redox reactivity of $\text{PhCCo}_3(\text{CO})_7(\text{dppf})$ (W.H. Watson, A. Nagl, S. Hwang and M.G. Richmond), 163

Coordination of a tripodal phosphine sulphide P₂S towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), 171

Enantiomerically pure C_2 -symmetric bridged ferrocene and titanocene derivatives (K.-L. Gibis, G. Helmchen, G. Huttner and L. Zsolnai), 181

Un nouveau type de ferrocénophane, premier exemple de structure dimère (R. Broussier, Y. Gobet, R. Amardeil, A. Da Rold, M.M. Kubicki et B. Gautheron), C4

Lanthanum

Komplexe-Katalyse. XL. Darstellung und Kristallstruktur des Tetra(allyl)lanthanat(III)-Komplexes $[\text{Li}(\mu\text{-C}_4\text{H}_8\text{O}_2)_{3/2}][\text{La}(\eta^3\text{-C}_3\text{H}_5)_4]$

eines Katalysators für die stereospezifische Butadienpolymerisation (R. Taube, H. Windisch, F.H. Görlitz und H. Schumann), 85
 Metallorganische Verbindungen der Lanthanoide. LXXIV. Tris(trimethylcyclopentadienyl)komplexe der Lanthanoide (H. Schumann, M. Glanz und H. Hemling), C1

Lithium

A solid state ^7Li NMR study of phenyllithium aggregates (D. Johnels), 1

Manganese

Cyclometallated complexes of Pd^{II} and Mn^{I} with N,N -terephthalylidenebis(cyclohexylamine) (J.M. Vila, M. Gayoso, M.T. Pereira, M. López, G. Alonso and J.J. Fernández), 287

Metallocenes

Ketene acetal metallocene complexes. Crystal structure of $(\text{C}_5\text{H}_5)_2\text{Ti}(\text{Cl})\text{OC}(\text{OCH}_3)=\text{C}(\text{CH}_3)_2$ (K. Hortmann, J. Diebold and H.-H. Brintzinger), 107

Stabilization of a catalytically syndiotactic-specific metallocene cation by trimethylphosphine. The crystal structure of $[(\eta^5\text{-C}_5\text{H}_4)\text{CMe}_2\cdot\eta^5\text{-}(\text{C}_{13}\text{H}_8)]\text{ZrMePME}_3^+ [\text{B}(\text{C}_6\text{F}_5)_4]^-$ (A. Razavi and U. Thewalt), 111

Studies on molybdenocene derivatives: reactions of $[\text{Cp}_2\text{Mo}(\eta^2\text{-NCMe})]$ and preparation of alkyl hydride complexes. Crystal structure of $[\text{Cp}_2\text{Mo}(\text{PMe}_3)]$ (C.G. de Azevedo, M.A.A.F. de C.T. Carrondo, A.R. Dias, A.M. Martins, M.F.M. Piedade and C.C. Romão), 125

1,1'-Bis(diphenylphosphino)ferrocene ligand substitution in the benzylidine-capped cluster $\text{PhCCo}_3(\text{CO})_9$. Synthesis, X-ray structure, and redox reactivity of $\text{PhCCo}_3(\text{CO})_7(\text{dpf})$ (W.H. Watson, A. Nagl, S. Hwang and M.G. Richmond), 163

Enantiomerically pure C_2 -symmetric bridged ferrocene and titanocene derivatives (K.-L. Gibis, G. Helmchen, G. Huttner and L. Zsolnai), 181

Un nouveau type de ferrocénophane, premier exemple de structure dimère (R. Broussier, Y. Gobet, R. Amardeil, A. Da Rold, M.M. Kubicki et B. Gautheron), C4

Molybdenum

Darstellung und Charakterisierung von Indenyl- und Fluorenylfunktionalisierten Cyclopentadienylcarbonyl-Methylkomplexen des Molybdäns und Wolframs. Molekülstrukturen von $(\eta^5\text{-C}_5\text{H}_4\text{CMe}_2\text{C}_9\text{H}_7)\text{M}(\text{CO})_3\text{Me}$ ($\text{M} = \text{Mo}, \text{W}$), $(\eta^5\text{-C}_5\text{H}_4\text{CMe}_2\text{C}_{13}\text{H}_9)\text{M}(\text{CO})_3\text{Me}$ und $(\eta^5\text{:}\eta^2\text{-C}_5\text{H}_4\text{CMe}_2\text{C}_9\text{H}_7)\text{Mo}(\text{CO})_2\text{Me}$ (H.G. Alt, J.S. Han und R.D. Rogers), 115

Studies on molybdenocene derivatives: reactions of $[\text{Cp}_2\text{Mo}(\eta^2\text{-NCMe})]$ and preparation of alkyl hydride complexes. Crystal structure of $[\text{Cp}_2\text{Mo}(\text{PMe}_3)]$ (C.G. de Azevedo, M.A.A.F. de C.T. Carrondo, A.R. Dias, A.M. Martins, M.F.M. Piedade and C.C. Romão), 125

Neodymium

Studies on organolanthanide complexes. XLVI. Synthesis and characterization of N-containing ring-linked biscyclopentadienyl lanthanide and yttrium chlorides (C. Qian and D. Zhu), 79

Nickel

Coordination of a tripodal phosphine sulphide P_2S towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), 171

Osmium

Stereoselektive Bildung von Organoosmium-Komplexen mit Amino-carboxylat-Liganden (H. Werner, T. Daniel, O. Nürnberg, W. Knaup und U. Meyer), 229

Palladium

Coordination of a tripodal phosphine sulphide P_2S towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), 171

Cyclometallated complexes of Pd^{II} and Mn^{I} with N,N -terephthalylidenebis(cyclohexylamine) (J.M. Vila, M. Gayoso, M.T. Pereira, M. López, G. Alonso and J.J. Fernández), 287

Convenient synthesis of $[\eta^3\text{-1-(formyl)allyl}]$ - and $[\eta^3\text{-1-(dimethoxy-methyl)allyl}]$ palladium chlorides (S. Ogoshi, K. Hirako, J. Nakaniishi, K. Ohe and S. Murai), C13

Phosphorus

1:1 Complexes of dimethyltin dihalides with tris(2,6-dimethoxyphenyl)-phosphine oxide, its sulphide, and related compounds (M. Wada, T. Fujii, S. Iijima, S. Hayase, T. Erabi and G.-e. Matsubayashi), 65

Atropisomerism in (\pm) -7-methyl- and -phenyl-substituted dinaphtho[2,1-*b*;1',2'-*d*]phospholes and dinaphth[2,1-*b*;1',2'-*d*]jarsoles (A.A. Watson, A.C. Willis and S.B. Wild), 71

Metallorganische Lewissäuren. XLVII. Kationische Komplexe $[(\text{OC})_3\text{ReL}]^+$ und $[\text{Cp}(\text{OC})(\text{Ph}_3\text{P})\text{RuL}]^+$ mit O-Donoren und N-Donoren (L = Carbonsäureester, Ethanol, Lacton, Lactam, Diphenylketimin) (J. Milke, C. Missling, K. Sünkel und W. Beck), 219

Stereoselektive Bildung von Organoosmium-Komplexen mit Amino-carboxylat-Liganden (H. Werner, T. Daniel, O. Nürnberg, W. Knaup und U. Meyer), 229

Platinum

Coordination of a tripodal phosphine sulphide P_2S towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), 171

Highly stereoselective hydroformylation of a $(2R)$ -2-tert-butyl- Δ^4 -1,3-oxazoline derivative (L. Kollár and P. Sándor), 257

Synthesis, molecular structure and NMR behaviour of $[9,9\text{-}(\text{PMe}_2\text{Ph})_2\text{-arachno-9,6,8-PtS}_2\text{B}_7\text{H}_7]$: Direct evidence for the ten-vertex borane vertex-flip mechanism of isomerization (J.H. Jones, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett, B. Štíbr and H. Langhoff), C15

Rhenium

Metallorganische Lewissäuren. XLVII. Kationische Komplexe $[(\text{OC})_3\text{ReL}]^+$ und $[\text{Cp}(\text{OC})(\text{Ph}_3\text{P})\text{RuL}]^+$ mit O-Donoren und N-Donoren (L = Carbonsäureester, Ethanol, Lacton, Lactam, Diphenylketimin) (J. Milke, C. Missling, K. Sünkel und W. Beck), 219

Rhodium

Coordination of a tripodal phosphine sulphide P_2S towards various transition metal ions (H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu), 171

Synthesis, structure and hydrogenation of η^3 -benzyl diphosphine complexes of rhodium and iridium (M.D. Fryzuk, D.H. McConville and S.J. Rettig), 245

Highly stereoselective hydroformylation of a $(2R)$ -2-tert-butyl- Δ^4 -1,3-oxazoline derivative (L. Kollár and P. Sándor), 257

Simultaneous substitution of bridging acetate groups and reversible Rh-C bond cleavage in $[Rh_2(O_2CCH_3)_3((C_6H_4)PPh_2)(HO_2CCH_3)_2]$ in the presence of CF_3CO_2H . Crystal structure of $[Rh_2(O_2CCF_3)_3((C_6H_4)PPh_2)(HO_2CCF_3)_2]$ (P. Lahuerta, J. LaTorre, E. Peris, M. Sanaú, M.A. Ubeda and S. García-Granda), C10

Ruthenium

Synthesis of 1-alkynyl(phthalocyaninato)iron(II) and -ruthenium(II) complexes (M. Hanack, S. Knecht and H.-J. Schulze), 157

Cluster chemistry. LXXXIII. Reactions of $Ru_5(\mu_5-C_2PPh_2)(\mu-PPh_2)(CO)_{13}$ with olefins: Products formed by addition of an alkene to the C_2 fragment. X-ray structures of $Ru_5(\mu_4-PPh)(\mu_4-C_2(CHCHR)CH_2R)(\mu-PPh_2)(CO)_{12}$ ($R = H, Me$) and $Ru_5-(\mu_4-PPh)(\mu-PPh_2)(\mu-CO)(CO)_{10}(\eta^5-C_5H_5Me-1-(CH=CH_2)3)$ (C.J. Adams, M.I. Bruce, M.J. Liddell, E.R.T. Tiekkink, B.W. Skelton and A.H. White), 187

Cluster chemistry. LXXXIV. Reactions of $Ru_5(\mu_5-C_2PPh_2)(\mu-PPh_2)(CO)_{13}$ with alkenes: attack at the C_2PPh_2 ligand without cleavage of the C-P bond. X-Ray structures of $Ru_5(\mu_5-C)(\mu-PPh_2)(\mu-RC_3H_3PPh_2)(CO)_{11}$ ($R = Me, Ph$) and $Ru_5(\mu_5-C)(\mu-PPh_2)(\mu-PhC_3H_3PPh_2)(CO)_{11-n}[P(OMe)_3]$ ($n = 0, 1$) (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 199

Cluster chemistry. LXXXVI. Metallation of pyridine in reactions with an Ru_5 cluster. X-Ray structures of $Ru_4(\mu_4-C_2H(PPh_2))(\mu-PPh_2)(\mu-NC_5H_4)(CO)_{10} \cdot CH_2Cl_2$ and $Ru_6(\mu_6-C_2H)(\mu_3-NC_5H_4)(\mu-PPh_2)_2(\mu-CO)(CO)_{12} \cdot 1.25CHCl_3$ (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 211

Metallorganische Lewissäuren. XLVII. Kationische Komplexe $[(OC)_5ReL]^+$ und $[(Cp)(OC)(Ph_3P)RuL]^+$ mit O-Donoren und N-Donoren ($L =$ Carbonsäureester, Ethanol, Lacton, Lactam, Diphenylketimin) (J. Milke, C. Missling, K. Sünkel und W. Beck), 219

Stereoselektive Bildung von Organoosmium-Komplexen mit Amino-carboxylat-Liganden (H. Werner, T. Daniel, O. Nürnberg, W. Knaup und U. Meyer), 229

Reactions of Ru_3 clusters with functional phosphines: formation of μ_3 -acyl and μ_3 -imidoyl complexes (C.J. Adams, M.I. Bruce, O. Kühl, B.W. Skelton and A.H. White), C6

Samarium

Studies on organolanthanide complexes. XLVI. Synthesis and characterization of N-containing ring-linked biscyclopentadienyl lanthanide and yttrium chlorides (C. Qian and D. Zhu), 79

Synthesis and characterization of novel covalent biphenyldiyl Sm^{II} and Yb^{II} complexes (Y. Chauvin, N. Marchal, H. Olivier and L. Saussine), 93

Metallorganische Verbindungen der Lanthanoide. LXXIV. Tris(trimethylcyclopentadienyl)komplexe der Lanthanoide (H. Schumann, M. Glanz und H. Hemling), C1

Selenium

Stereochemistry of the compounds $[Fe_3(CO)_9XY]$. Crystal and molecular structures of the mixed triiron carbonyl compounds $[Fe_3(CO)_9XY]$ ($X, Y = S, Se,$ or Te) (G. Gervasio), 147

Un nouveau type de ferrocénophane, premier exemple de structure dimère (R. Broussier, Y. Gobet, R. Amardeil, A. Da Rold, M.M. Kubicki et B. Gautheron), C4

Silicon

Sterically overcrowded or charge perturbed molecules. XXIII. Hexakis(trimethylsilyl)disilane: structure and photoelectron spectrum of a sterically overcrowded molecule (H. Bock, J. Meuret and K. Ruppert), 19

Photoelectron spectrum and reactivity of silylalkyl sulphides. Stabilization of radical cations by the β -silyl effect (L. Nyulászi, T. Vesprémi and J. Réffy), 29

Synthesis and characterization of bis(trichlorosilylmethyl)benzenes (M. Mottevalli, D.L. Ou, A.C. Sullivan and S.W. Carr), 35

Über gemischte Gruppe 14-Gruppe 14-Bindungen. V. Sechs Phenylisierte Propan-Analoga $Ph_3M-M'Ph_2-M''Ph_3$ ($M, M', M'' = Si/Ge$): ein Beitrag zum Elektronegativitätsunterschied zwischen Silicium und Germanium (M. Charissé, M. Mathes, D. Simon und M. Dräger), 39

Synthesis, reactivity, and molecular structure of $[(N(CH_2CH_2O)_3Si-C_6H_5)W(CO)_3]$ (J.-S. Lee, Y.K. Chung, D. Whang and K. Kim), 49

Silver

A novel high nuclearity bimetallic cluster: the crystal structure of $[N(PPh_3)_2]Ag_6Cu_7(C_2Ph)_{14}$ (M.S. Hussain and O.M. Abu-Salah), 295

Sulphur

Stereochemistry of the compounds $[Fe_3(CO)_9XY]$. Crystal and molecular structures of the mixed triiron carbonyl compounds $[Fe_3(CO)_9XY]$ ($X, Y = S, Se,$ or Te) (G. Gervasio), 147

Tellurium

Stereochemistry of the compounds $[Fe_3(CO)_9XY]$. Crystal and molecular structures of the mixed triiron carbonyl compounds $[Fe_3(CO)_9XY]$ ($X, Y = S, Se,$ or Te) (G. Gervasio), 147

Terbium

Metallorganische Verbindungen der Lanthanoide. LXXIV. Tris(trimethylcyclopentadienyl)komplexe der Lanthanoide (H. Schumann, M. Glanz und H. Hemling), C1

Tin

Polysulfonymlamine. XXXVIII. Darstellung und Festkörperstruktur von Bis(trimethylzinn)-dimesylamid-hydroxid $[Me_3Sn(\mu-(MeSO_2)_2N)Me_3Sn(\mu-OH)]_n$ (A. Blaschette, E. Wieland, P.G. Jones und I. Hippel), 55

Zur Struktur sterisch gehinderter Zinn-Elementverbindungen: Kristallstruktur der Zinn-Schwefel-Stickstoff-Ringe $[(^1Bu_2Sn)_2N_2S_2]$ und $[(^1Bu_2Sn)N_2S_2]_2$ (D. Hänsgen, M. Jansen, W. Assenmacher und H. Salz), 61

1:1 Complexes of dimethyltin dihalides with tris(2,6-dimethoxyphenyl)- phosphine oxide, its sulphide, and related compounds (M. Wada, T. Fujii, S. Iijima, S. Hayase, T. Erabi and G.-e. Matsubayashi), 65

Titanium

Ketene acetal metallocene complexes. Crystal structure of $(C_5H_5)_2Ti(Cl)OC(OCH_3)=C(CH_3)_2$ (K. Hortmann, J. Diebold and H.-H. Brintzinger), 107

Tungsten

Synthesis, reactivity, and molecular structure of $[(N(CH_2CH_2O)_3Si-C_6H_5)W(CO)_3]$ (J.-S. Lee, Y.K. Chung, D. Whang and K. Kim), 49

Darstellung und Charakterisierung von Indenyl- und Fluorenylfunktionalisierten Cyclopentadienylcarbonyl-Methylkomplexen des Molybdäns und Wolframs. Molekülstrukturen von $(\eta^5-C_5H_4CMe_2C_9H_7)M(CO)_3Me$ ($M = Mo, W$), $(\eta^5-C_5H_4CMe_2-$

$C_{13}H_9M(CO)_3Me$ und $(\eta^5:\eta^2-C_5H_4CMe_2C_9H_7)Mo(CO)_2Me$ (H.G. Alt, J.S. Han und R.D. Rogers), 115

Uranium

Synthesis, structure and oxidative addition reactions of triscyclopentadienyluranium(III) nitrile complexes (R. Adam, C. Villiers, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner), 99

Ytterbium

Studies on organolanthanide complexes. XLVI. Synthesis and characterization of N-containing ring-linked biscyclopentadienyl lanthanide and yttrium chlorides (C. Qian and D. Zhu), 79

Synthesis and characterization of novel covalent biphenyldiyl Sm^{II} and Yb^{II} complexes (Y. Chauvin, N. Marchal, H. Olivier and L. Saussine), 93

Yttrium

Studies on organolanthanide complexes. XLVI. Synthesis and characterization of N-containing ring-linked biscyclopentadienyl lanthanide and yttrium chlorides (C. Qian and D. Zhu), 79

Zirconium

Ketene acetal metallocene complexes. Crystal structure of $(C_5H_5)_2Ti(Cl)OC(OCH_3)=C(CH_3)_2$ (K. Hortmann, J. Diebold and H.-H. Brintzinger), 107

Stabilization of a catalytically syndiotactic-specific metallocene cation by trimethylphosphine. The crystal structure of $[(\eta^5-C_5H_4)CMe_2-\eta^5-(C_{13}H_8)ZrMePME_3]^+ [B(C_6F_5)_4]^-$ (A. Razavi and U. The-walt), 111

Un nouveau type de ferrocénone, premier exemple de structure dimère (R. Broussier, Y. Gobet, R. Amardeil, A. Da Rold, M.M. Kubicki et B. Gautheron), C4

Book reviews

A Guide for the Perplexed Organic Experimentalist, H.J.E. Loewenthal (C. Eaborn), C17

Advances in Physical Organic Chemistry, Vol. 27, D. Bethell (ed.), (C. Eaborn), C17

Directory of Graduate Research 1991 (C. Eaborn), C18

Organometallics: A Concise Introduction by Ch. Elschenbroich and A. Salzer (C. Eaborn), C18