

Subject Index of Volume 453

Boron

Synthese und Charakterisierung sauerstofffreier Poly(borodiphenylcarbosilane) (V.P. Gutenberger, W. Habel, C. Nover und P. Sartori), 1

Chalcogenides

Synthese und Reaktivität von Diferrocenyl-thio-, -seleno- und -telluro-keton (P. Denifl und B. Bildstein), 53

Chromium

Synthese und Reaktivität von Diferrocenyl-thio-, -seleno- und -telluro-keton (P. Denifl und B. Bildstein), 53

Reactions of coordinated ligands. VII. Preparation of $(CO)_5MR(H)PP(Cl)RM(CO)_5$ ($M = Cr, Mo, W; R = Ph, NEt_2$) by dehydrohalogenation of $(CO)_5MPRHCl$, and some of their reactions leading to complexes with bridging diphosphine ligands (A. Bartmann, K. Diemert and W. Kuchen), 65

Synthesis, structure and fluxional behavior of phosphido-bridged complex $CpW(CO)_3(\mu\text{-}PPh_3)Cr(CO)_5$ (S.-G. Shyu, J.-Y. Hsu and Y.-S. Wen), 97

η^6 -Chromiumtricarbonyl complexes of stilbene and 4,4'-dimethoxy-stilbene: slipping off the ligands enables *cis-trans* isomerization (Z.V. Todres and E.A. Ionina), 193

The chromiumtricarbonyl group as an electron acceptor in η^6 -complexes of stilbene and its derivatives (Z.V. Todres and E.A. Ionina), 197

Coordination characteristics of three N,N'-di(azol-1-yl)methanes: substituent effects on infrared absorption and structure of the Group VI metal carbonyl derivatives (K.-B. Shiu, K.-S. Liou, Y. Wang, M. C. Cheng and G.-H. Lee), 201

η^1,η^2 -Hetero-bimetallic phospha-alkyne complexes. Synthesis and NMR spectra of $[Pt(dppe)(^1BuCP)M(CO)_5]$ ($M = Cr, Mo, W$) (D. Carmichael, S.I. Al-Resayes and J.F. Nixon), 207

Comparative multinuclear magnetic resonance spectroscopic study of transition metal (Cr, W and Mn) mesitylene tricarbonyls and transition metal (Ru and Co) carbonyl clusters (E. Kolehmainen, K. Laihia, M.I. Rybinskaya, V.S. Kaganovich and Z.A. Kerzina), 273

Cobalt

Metallation reactions of diphosphiranes: new access to σ - and π -diphosphallyl complexes (R. El-Ouatib, D. Ballivet-Tkatchenko, G. Etemad-Moghadam and M. Koenig), 77

Synthesis and characterization of homo- and heterobimetallic complexes $[\eta^5\text{-}RC_5H_4W(CO)_2]_2$ ($W \equiv W$) and $\eta^5\text{-}RC_5H_4\text{-}(CO)_3WCo(CO)_4$ ($W \equiv Co$). X-ray molecular structure of $[\eta^5\text{-}EtO_2CC_5H_4W(CO)_2]_2$ (L.-C. Song, J.-Q. Wang, W.-J. Zhao, Q.-M. Hu, Y.-Q. Fang, S.-J. Zhang, R.-J. Wang and H.-G. Wang), 105

Photolysis of methylcobalamin. Nature of the reactive excited state (H. Kunkely and A. Vogler), 269

Comparative multinuclear magnetic resonance spectroscopic study of transition metal (Cr, W and Mn) mesitylene tricarbonyls and transition metal (Ru and Co) carbonyl clusters (E. Kolehmainen, K. Laihia, M.I. Rybinskaya, V.S. Kaganovich and Z.A. Kerzina), 273

Transformation of μ_3 -acetylide cluster $Co_2(CO)_6[\mu\text{-}PhC\equiv CRe(CO)_5]$ into carbyne cluster $Co_2Re(CO)_{10}(\mu_3\text{-}CPh)$ (A.D. Shaposhnikova, R.A. Stadnichenko, G.L. Kamalov, A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, Y.T. Struchkov and A.I. Yanovsky), 279

Paramagnetische 17-Elektronen-[Tripod-Cobalt-Allyl] 1 -Komplexe: Synthese, Struktur und katalytische Anwendung (V. Sernau, G. Huttner, M. Fritz, L. Zsolnai und O. Walter), C23

Copper

Co-ordination of copper and silver by $[Co_2(\mu\text{-}C_2(CH_2SCH_2CH_2)_2S)(CO)_6]$ (F. Demirhan, S. İrişli, S.N. Salek, O.S. Şentürk, M.J. Went and J.C. Jeffery), C30

Gallium

The reaction of hydrogallium(III) dichloride ($HGaCl_2$) with olefines, acetylenes, and α,β -unsaturated ketones (J. Ohshita and H. Schmidbaur), 7

Germanium

Tetraphenylzirkonacyclopentadien-Derivate als Synthone für Tetraphenylthiophenmonoxid und substituierte Germanole (F. Meier-Brocks und E. Weiss), 33

Iridium

A stable dicarbonylcycloocta-1,5-diene(η^1 -indenyl)iridium intermediate in the substitution reaction of cycloocta-1,5-diene(η^5 -indenyl)iridium with carbon monoxide (S. Bellomo, A. Ceccan, A. Gambaro, S. Santi and A. Venzo), C4

Iron

Tetraphenylzirkonacyclopentadien-Derivate als Synthone für Tetraphenylthiophenmonoxid und substituierte Germanole (F. Meier-Brocks und E. Weiss), 33

Synthese und Reaktivität von Diferrocenyl-thio-, -seleno- und -telluro-keton (P. Denifl und B. Bildstein), 53

Transition metal mediated asymmetric synthesis. XIV. A new strategy for the reactivation of tricarbonyliron complexes (I.J. Alexander, N.J. Hales and G.R. Stephenson), 111

The synthesis and crystal structure of 1,2,3-tri(phenylphosphano)[3]ferrocenophane (A.G. Osborne, H.M. Pain, M.B. Hursthouse and M.A. Mazid), 117

Fragmentation reactions of 1,3,5-triferrocenyl-4-(1-ferrocenylvinyl)-1-aryl-4-(1-arylviny)-3,5-diferrocenyl-, and 3,5-diaryl-1-ferrocenyl-4-(1-ferrocenylvinyl)cyclohexenes (V.N. Postnov, E.I. Klimova, M. Martinez Garcia and N.N. Meleshonkova), 121

Organometallic compounds for non-linear optics: synthesis, reactivity and electrochemistry of chiral η^5 -monocyclopentadienyl-(nitrile)iron complexes (A.R. Dias, M.H. Garcia, M.P. Robalo, M.L.H. Green, K.K. Lai, A.J. Pulham, S.M. Klueber and G. Balavoine), 241

Triphospha-ferrocenes as ligands. Crystal structures of $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2\text{'Bu}_2\text{P}_3)\text{Ru}_3(\text{CO})_{11}]$ and the novel cluster complex $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2\text{'Bu}_2\text{P}_3)\text{Ru}_3(\text{CO})_9]$ involving side-on and end-on coordination of three ruthenium atoms (C. Müller, R. Bartsch, A. Fischer and P.G. Jones), C16

Novel ditopic terpyridine and phenylterpyridine ligands bridged by one or two ethynyl bonds: syntheses of rigid rod-like multinuclear complexes (V. Grosshenny and R. Ziessel), C19

Lithium

Activated alkyl- and allyl-alkali metal reagents: Contrasting behaviour towards ethylene (C.G. Screttas and B.R. Steele), 163

Magnesium

Synthesis and crystal structure of $[(\text{Me}_4\text{C}_2\text{Cp}_2\text{SmCl} \cdot \text{MgCl}_2 \cdot 3\text{THF})\text{THF}]_2$ (C. Sun, G. Wei, Z. Jin and W. Chen), 61

Metallocenes

Synthese und Reaktivität von Diferrocenyl-thio-, -seleno- und -teluro-keton (P. Denifl und B. Bildstein), 53

The synthesis and crystal structure of 1,2,3-tri(phenylphosphano)[3]ferrocenophane (A.G. Osborne, H.M. Pain, M.B. Hursthouse and M.A. Mazid), 117

Fragmentation reactions of 1,3,5-triferrocenyl-4-(1-ferrrocenylvinyl)-, 1-aryl-4-(1-arylviny)-3,5-diferrocenyl-, and 3,5-diaryl-1-ferrocenyl-4-(1-ferrocenylvinyl)cyclohexenes (V.N. Postnov, E.I. Klimova, M. Martinez Garcia and N.N. Meleshonkova), 121

Reactions of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ru}(\text{OMe})]_2$. XIV. Hydrolysis products: synthesis and molecular structure of $[(\eta^5\text{-C}_5\text{Me}_4\text{Et})\text{RuOH}]_4$ (A. Hörnig, U. Englert and U. Koelle), 255

Triphospha-ferrocenes as ligands. Crystal structures of $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2\text{'Bu}_2\text{P}_3)\text{Ru}_3(\text{CO})_{11}]$ and the novel cluster complex $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2\text{'Bu}_2\text{P}_3)\text{Ru}_3(\text{CO})_9]$ involving side-on and end-on coordination of three ruthenium atoms (C. Müller, R. Bartsch, A. Fischer and P.G. Jones), C16

Molybdenum

Synthese und Reaktivität von Diferrocenyl-thio-, -seleno- und -teluro-keton (P. Denifl und B. Bildstein), 53

Reactions of coordinated ligands. VII. Preparation of $(\text{CO})_5\text{MR(H)PP(Cl)RM(CO)}_5$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}; \text{R} = \text{Ph}, \text{NET}_2$) by dehydrohalogenation of $(\text{CO})_5\text{MPRHCl}$, and some of their reactions leading to complexes with bridging diphosphine ligands (A. Bartmann, K. Diemert and W. Kuchen), 65

Syntheses of 1,2-diamidobenzene complexes of molybdenum. Crystal structure of the complex *cis*-dicarbonyl 1,2-diamidobenzene-bis(triphenylphosphine)molybdenum $[\text{Mo}\{\text{(NH)}_2\text{C}_6\text{H}_4\}(\text{CO})_2(\text{PPh}_3)_2]$ (A. Anillo, R. Obeso-Rosete, M. Lanfranchi and A. Tiripicchio), 71

Metallation reactions of diphosphiranes: new access to σ - and π -di-phosphallyl complexes (R. El-Ouatib, D. Ballivet-Tkatchenko, G. Etemad-Moghadam and M. Koenig), 77

Coordination characteristics of three N,N'-di(azol-1-yl)methanes; substituent effects on infrared absorption and structure of the Group VI metal carbonyl derivatives (K.-B. Shiu, K.-S. Liou, Y. Wang, M.-C. Cheng and G.-H. Lee), 201

η^1,η^2 -Hetero-bimetallic phospha-alkyne complexes. Synthesis and NMR spectra of $[\text{Pt}(\text{dppe})(^1\text{BuCP})\text{M}(\text{CO})_5]$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) (D. Carmichael, S.I. Al-Resayes and J.F. Nixon), 207

Structures and properties of molybdenum carbonyl complexes containing uninegative nitrogen-tripod ligands derived from heterocyclic compounds including 1-H-pyrazole and 1-H-1,2,4-triazole (K.-B. Shiu, J.Y. Lee, Y. Wang, M.-C. Cheng, S.-L. Wang and F.-L. Liao), 211

Synthesis, structure, and reactivity of $\text{HMn}_2(\text{CO})_9(\text{NO})$ (J.T. Lin, A.C. Yeh, T.Y.R. Tsai and Y.S. Wen), 221

Synthesis, characterization and bonding of fulvalene dimolybdenum(III) and ditungsten(III) cations with one thiolate bridging ligand. Crystal structure of $[\text{Mo}_2(\mu-\eta^5:\eta^5\text{-C}_{10}\text{H}_8)(\mu-\text{SC}_6\text{H}_5)(\eta^5\text{-C}_5\text{H}_5)_2]\text{[Re}_2(\mu-\text{SC}_6\text{H}_5)_3(\text{CO})_6]$ (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, A.M. Galvão, M.H. Garcia, P.M. Matias and M.J. Villa de Brito), 231

Comparative multinuclear magnetic resonance spectroscopic study of transition metal (Cr, W and Mn) mesitylene tricarbonyls and transition metal (Ru and Co) carbonyl clusters (E. Kohlemainen, K. Laihia, M.I. Rybinskaya, V.S. Kaganovich and Z.A. Kerzina), 273

Transition-metal derivatives of the cyclopentadienylphosphine ligands. IX. Molecular structure of $[\text{Mo}_2(\mu\text{-C}_5\text{H}_4\text{PPh}_2)_2(\text{CO})_4]$ and first account of its redox properties (B. Brumas, F. Dahan, D. de Montauzon and R. Poilblanc), C13

Nickel

Steuerung der Nickel(0)-katalysierten Hydrosilylierung von Phenylacetylen mit Phosphorliganden (T. Bartik, G. Nagy, P. Kvintovics und B. Happ), 29

CO_2 als Synthesebaustein: Seitenkettenaufbau von Steroid-17 β -pentensäuren via oxidative Kopplung von CO_2 mit einem Steroiddien an Nickel(0)-Verbindungen (G. Bräunlich, D. Walther, H. Eibisch und B. Schönecker), 295

Osmium

Facile route for the synthesis of triosmium and triruthenium isocyanide complexes (K.-L. Lu, C.-C. Chen, Y.-W. Lin, F.-E. Hong, H.-M. Gau, L.-L. Gan and H.-D. Luoh), 263

Palladium

Palladation and subsequent functionalization at the second *peri* position of 1-substituted naphthyl groups (M. Pfeffer, N. Sutter-Beydoun, A. De Cian and J. Fischer), 139

Reactivity of cyclometallated compounds of N-benzylideneamines.

Synthesis and X-ray crystal structure of $[\text{Pd}(1\text{-CH}_2\text{-2-(CH = N-C}_6\text{H}_5\text{-)3,5-(CH}_3\text{)}_2\text{C}_6\text{H}_2)](2,4\text{-Me}_2\text{C}_5\text{H}_3\text{N})\text{ClO}_4$ (R. Bosque, J. Granell, J. Sales, M. Font-Bardía and X. Solans), 147

The reaction of $\text{Sn}[\text{CH}(\text{SiMe}_3)_2]_2$ with ethyne: formation of $(\text{HC}\equiv\text{C}\text{Sn}[\text{CH}(\text{SiMe}_3)_2]_2(\mu\text{-trans-CH=CH})\text{Sn}[\text{CH}(\text{SiMe}_3)_2]_2\text{-CH=CH}_2)$ (C. Pluta and K.-R. Pörschke), C11

Phosphorus

Steuerung der Nickel(0)-katalysierten Hydrosilylierung von Phenylacetylen mit Phosphorliganden (T. Bartik, G. Nagy, P. Kvintovics und B. Happ), 29

η^1,η^2 -Hetero-bimetallic phospha-alkyne complexes. Synthesis and NMR spectra of $[\text{Pt}(\text{dppe})(^1\text{BuCP})\text{M}(\text{CO})_5]$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) (D. Carmichael, S.I. Al-Resayes and J.F. Nixon), 207

Das Verhalten des Bis(chelat)rhomium-Komplexes $[\text{Rh}(\text{P}_2\text{O}_7)_2]\text{[BPh}_4]$ gegenüber H_2 , O_2 und CH_3I (E. Lindner, Q. Wang, H.A. Mayer, R. Fawzi und M. Steimann), 289

Triphospha-ferrocenes as ligands. Crystal structures of $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2\text{'Bu}_2\text{P}_3)\text{Ru}_3(\text{CO})_{11}]$ and the novel cluster complex $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2\text{'Bu}_2\text{P}_3)\text{Ru}_3(\text{CO})_9]$ involving side-on and end-on coordination of three ruthenium atoms (C. Müller, R. Bartsch, A. Fischer and P.G. Jones), C16

Paramagnetische 17-Elektronen-[Tripod-Cobalt-Allyl]⁺-Komplexe: Synthese, Struktur und katalytische Anwendung (V. Sernau, G. Huttner, M. Fritz, L. Zsolnai und O. Walter), C23

Platinum

Platinum-catalysed enantioselective hydroformylation of styrene. Platinum-diphosphine-tin(II)fluoride catalytic system: a novel asymmetric hydroformylation catalyst (L. Kollár, T. Kégl and J. Bakos), 155

Functionalization of the estrone skeleton via homogeneous coupling and hydroformylation reactions (L. Kollár, R. Skoda-Földes, S. Mahó and Z. Tuba), 159

Formation of Pt(CH₃)(CF₃) (diolefin) from Pt(CH₃)₂(diolefin) and CF₃I (diolefin = NBD, norbornadiene, or COD, 1,5-cyclooctadiene). The crystal structures of (η^4 -norbornadiene)(methyl)(trifluoromethyl)platinum(II) and (η^4 -norbornadiene)bis(trifluoromethyl)platinum(II) (T.G. Appleton, J.R. Hall, C.H.L. Kennard, M.T. Mathieson, D.W. Neale, G. Smith and T.C.W. Mak), 299

Displacement of norbornadiene (NBD) from the mixed alkyl compound, Pt(CH₃)(CF₃)(NBD) by various ligands and the insertion of difluorocarbene into a Pt-CH₃ bond promoted by the addition of iodide ion to Pt(CH₃)(CF₃)(NBD) (T.G. Appleton, J.R. Hall, M.T. Mathieson and D.W. Neale), 307

Potassium

Activated alkyl- and allyl-alkali metal reagents: Contrasting behaviour towards ethylene (C.G. Scerettas and B.R. Steele), 163

Rhenium

Synthesis, characterization and bonding of fulvalene dimolybdenum(III) and ditungsten(III) cations with one thiolate bridging ligand. Crystal structure of [Mo₂(μ - η^5 : η^5 -C₁₀H₈)(μ -SC₆H₅)(η^5 -C₅H₅)₂]Re₂(μ -SC₆H₅)₃(CO)₆ (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, A.M. Galvão, M.H. Garcia, P.M. Matias and M.J. Villa de Brito), 231

Transformation of μ_5 -acetylide cluster Co₂(CO)₆ [μ -PhC≡CRe(CO)₅] into carbyne cluster Co₂Re(CO)₁₀(μ_3 -CPh) (A.D. Shaposhnikova, R.A. Stadnichenko, G.L. Kamalov, A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, Y.T. Struchkov and A.I. Yanovsky), 279

Rhodium

Functionalization of the estrone skeleton via homogeneous coupling and hydroformylation reactions (L. Kollár, R. Skoda-Földes, S. Mahó and Z. Tuba), 159

Matrix and solution photochemistry of [C₅(CH₃)₅Rh(CO)₂] (F. Pradella, D. Rehorek, M. Scoponi, S. Sostero and O. Traverso), 283

Das Verhalten des Bis(chelat)rhodium-Komplexes [Rh($\overline{P}O$)₂]BPh₄] gegenüber H₂, O₂ und CH₃I (E. Lindner, Q. Wang, H.A. Mayer, R. Fawzi und M. Steimann), 289

Ruthenium

Cp^{*}Ru(DMSO)₂Cl und Cp^{*}Ru(TMEDA)Cl. Synthese und Moleküllstruktur zweier Cp^{*}Ru-Komplexe mit harten σ -Donatorliganden (M.H. Wang, U. Englert und U. Kölle), 127

Structural characterization of [Ru₃(CO)₁₀(μ_1 - η^2 -cis-1,2-bis(diphenylphosphino)ethene)] (K.-B. Shiu, S.-M. Peng and M.-C. Cheng), 133

Einschlußverbindungen von Aromatruthenium-Komplexen mit Cyclodextrinen (G. Meister, H. Stoeckli-Evans und G. Süss-Fink), 249

Reactions of [η^5 -C₅Me₅]Ru(OMe)₂. XIV. Hydrolysis products: synthesis and molecular structure of [η^5 -C₅Me₄Et]RuOH)₄ (A. Hörlig, U. Englert and U. Koelle), 255

Comparative multinuclear magnetic resonance spectroscopic study of transition metal (Cr, W and Mn) mesitylene tricarbonyls and transition metal (Ru and Co) carbonyl clusters (E. Kolhemainen, K. Lahtia, M.I. Rybinskaya, V.S. Kaganovich and Z.A. Kerzina), 273

Novel ditopic terpyridine and phenylterpyridine ligands bridged by one or two ethynyl bonds: syntheses of rigid rod-like multinuclear complexes (V. Grosshennig and R. Ziessch), C19

Samarium

Synthesis and crystal structure of [(Me₄C₅Cp₂SmCl·MgCl₂·3THF)THF]₂ (C. Sun, G. Wei, Z. Jin and W. Chen), 61

Selenium

Synthese und Reaktivität von Diferrocenyl-thio-, -seleno- und -teluro-keton (P. Denifl und B. Bildstein), 53

Silicon

Synthese und Charakterisierung sauerstofffreier Poly(borodiphenylcarbosilane) (V.P. Guttenberger, W. Habel, C. Nover und P. Sartori), 1

The crystal structure of (HOMe₂Si)₂O (P.D. Lickiss, A.D. Redhouse, R.J. Thompson, W.A. Stańczyk and K. Różga), 13

Efficient laser-induced generation and polymerization of the highly unsaturated compound diethynylsilene in the gas phase (D. Čukanová and J. Pola), 17

Comparison of the electronic effect and the steric influence between the 1,1,2,2-pentamethylsilyl and the trimethylsilyl groups (J.R. Hwu, J.M. Wetzel, J.S. Lee and R.J. Butcher), 21

Steuerung der Nickel(0)-katalysierten Hydrosilylierung von Phenylacetylen mit Phosphoriganden (I. Bartik, G. Nagy, P. Kyintovics und B. Happ), 29

Silver

Co-ordination of copper and silver by [Co₂(μ -C₂(CH₂SCH₂CH₂)₂S)(CO)₆] (F. Demirhan, S. İrişli, S.N. Salek, O.S. Şentürk, M.J. Went and J.C. Jeffery), C30

Sodium

Activated alkyl- and allyl-alkali metal reagents: Contrasting behaviour towards ethylene (C.G. Scerettas and B.R. Steele), 163

Sulphur

Synthese und Reaktivität von Diferrocenyl-thio-, -seleno- und -teluro-keton (P. Denifl und B. Bildstein), 53

Tellurium

Synthese und Reaktivität von Diferrocenyl-thio-, -seleno- und -teluro-keton (P. Denifl und B. Bildstein), 53

Tin

Organotin complexes with 1-methyl-2(3H)-imidazolinethione. The crystal structure of dichlorof 1-methyl-2(3H)-imidazolinethione)dimethyltin(IV) (E.G. Martínez, A.S. González, J.S. Casas, J. Sordo, G. Valle and U. Russo), 47

Functionalization of the estrone skeleton via homogeneous coupling and hydroformylation reactions (L. Kollár, R. Skoda-Földes, S. Mahó and Z. Tuba), 159

X-Ray structure investigation of trimethyltin α -phenyl- α -oxoacetate (T.V. Sizova, N.S. Yashina, V.S. Petrosyan, A.V. Yatsenko, V.V. Chernyshov and L.A. Aslanov), 171

A convenient synthesis of functionalized allyltrialostannanes (E. Fouquet, B. Jousseau, B. Maillard and M. Pereyre), C1

The reaction of $\text{Sn}[\text{CH}(\text{SiMe}_3)_2]_2$ with ethyne: formation of $(\text{HC}\equiv\text{C})\text{Sn}[\text{CH}(\text{SiMe}_3)_2]_2(\mu\text{-trans-CH=CH})\text{Sn}[\text{CH}(\text{SiMe}_3)_2]_2$ (CH=CH_2) (C. Pluta and K.-R. Pörschke), C11

Titanium

TiCl_4 diester complexes: relationships between the crystal structures and properties of Ziegler–Natta catalysts (H.J. Kakkonen, J. Pursiainen, T.A. Pakkanen, M. Ahlgren and E. Iiskola), 175

Preparation and crystal structure of (η^5 -pentabenzylcyclopentadienyl)- and (η^5 -cyclopentadienyl)-titanium(III)bis(tetrachloroaluminate) complexes (G. Schmid, U. Thewalt, S.I. Troyanov and K. Mach), 185

Tungsten

Tetraphenylzirkonacyclopentadien-Derivate als Synthone für Tetraphenylthiophenmonoxid und substituierte Germanole (F. Meier-Brocks und E. Weiss), 33

Synthese und Reaktivität von Diferrocenyl-thio-, -seleno- und -teluro-keton (P. Denifl und B. Bildstein), 53

Reactions of coordinated ligands. VII. Preparation of $(\text{CO})_5\text{MR}(\text{H})\text{PP}(\text{Cl})\text{RM}(\text{CO})_5$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$; $\text{R} = \text{Ph}, \text{NEt}_2$) by dehydrohalogenation of $(\text{CO})_5\text{MPRHCl}$, and some of their reactions leading to complexes with bridging diphosphine ligands (A. Bartmann, K. Diemert and W. Kuchen), 65

Metallation reactions of diphosphiranes: new access to σ - and π -diphosphallyl complexes (R. El-Ouatib, D. Ballivet-Tkatchenko, G. Etemad-Moghadam and M. Koenig), 77

Haloalkyl complexes of the transition metals. VIII. The synthesis and properties of $[\text{CpW}(\text{CO})_3\text{CH}_2\text{X}]$ ($\text{X} = \text{OCH}_3, \text{Cl}, \text{Br}, \text{I}$) and their reactivity with neutral donor ligands (H.B. Friedrich and J.R. Moss), 85

Synthesis, structure and fluxional behavior of phosphido-bridged complex $\text{CpW}(\text{CO})_2(\mu\text{-PPh}_2)\text{Cr}(\text{CO})_5$ (S.-G. Shyu, J.-Y. Hsu and Y.-S. Wen), 97

Synthesis and characterization of homo- and heterobimetallic com-

plexes $[\eta^5\text{-RC}_5\text{H}_4\text{W}(\text{CO})_2]_2$ ($\text{W} \equiv \text{W}$) and $\eta^5\text{-RC}_5\text{H}_4(\text{CO})_3\text{WCo}(\text{CO})_4$ ($\text{W}-\text{Co}$). X-ray molecular structure of $[\eta^5\text{-EtO}_2\text{CC}_5\text{H}_4\text{W}(\text{CO})_2]_2$ (L.-C. Song, J.-Q. Wang, W.-J. Zhao, Q.-M. Hu, Y.-Q. Fang, S.-J. Zhang, R.-J. Wang and H.-G. Wang), 105

Coordination characteristics of three $\text{N,N}'\text{-di(azol-1-yl)methanes}$; substituent effects on infrared absorption and structure of the Group VI metal carbonyl derivatives (K.-B. Shiu, K.-S. Liou, Y. Wang, M.-C. Cheng and G.-H. Lee), 201

η^1,η^2 -Hetero-bimetallic phospha-alkyne complexes. Synthesis and NMR spectra of $[\text{Pt}(\text{dppe})\text{X}^1\text{BuCP}]\text{M}(\text{CO})_5$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) (D. Carmichael, S.I. Al-Resayes and J.F. Nixon), 207

Comparative multinuclear magnetic resonance spectroscopic study of transition metal (Cr, W and Mn) mesitylene tricarbonyls and transition metal (Ru and Co) carbonyl clusters (E. Kolehmainen, K. Laihia, M.I. Rybinskaya, V.S. Kaganovich and Z.A. Kerzina), 273

Zirconium

Tetraphenylzirkonacyclopentadien-Derivate als Synthone für Tetraphenylthiophenmonoxid und substituierte Germanole (F. Meier-Brocks und E. Weiss), 33

Book reviews

Selective Reactions of Metal-Activated Molecules (Proceedings of the Symposium held in Würzburg, September 18–20, 1991), H. Werner, A.G. Griesbeck, W. Adam, G. Bringmann and W. Kiefer (eds.) (G.J. Leigh), C7

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition. In Organoindium Compounds 1 (G.J. Leigh), C7

Gmelin Handbook of Inorganic and Organometallic Chemistry, Eighth Edition, System Number 13 B, Boron Compounds, Fourth Supplement, Vol. 3a, Boron and Nitrogen, (Ed.) by J. Faust and Vol. 4, *Boron and Cl, Br, I, S, Se, Te, Carboranes* (Ed.) by K.-C. Buschbeck (J.D. Smith), C8

Gmelin–Durrer Metallurgy of Iron, Vol. 10, Practice of Steelmaking 4, Ingots, Castings, Powder Metallurgy (Ed.) by H. Hiebler (J.D. Smith), C9

Gmelin–Durrer Metallurgy of Iron, Vol. 12, Future of Iron- and Steelmaking (Ed.) by P Nilles (J.D. Smith), C9