

Subject Index of Volume 460

Actinides

The crystal structure of tris(indenyl)uranium (β,β,β -trifluoroethanolate) (M.-R. Spirlet, J. Rebizant, S. Betonville and J. Goffart), 177

Aluminium

(Dimethylaminoethyl)cyclopentadienyl-Liganden in der Chemie von Gruppe-13-Elementen (Al, Ga, In) (P. Jutzi, J. Dahlhaus und M. Bangel), C13

Bismuth

A cationic, four-coordinate, ten-electron bismuth(III) complex: synthesis and structure of $[\text{BiPh}_2(\text{HMPA})_2\text{IBF}_4]$ (HMPA = hexamethylphosphoramide) (C.J. Carmalt, N.C. Norman, A.G. Orpen and S.E. Stratford), C22

Boron

ortho-Directed electrophilic boronation of a benzyl ketone: the preparation, X-ray crystal structure, and some reactions of 4-ethyl-1-hydroxy-3-(4-hydroxyphenyl)-2-oxa-1-boranaphthalene (V.L. Arcus, L. Main and B.K. Nicholson), 139

Multipolar framework chemistry. Gallium- and phosphorus-containing heterocycles (K.M. Webb and N.E. Miller), 1

Chromium

Substituted metal carbonyls. XXIII. Syntheses of unicoordinated diphosphine complexes of Cr and Mo and their entry into heterobimetallics $\text{MM}'(\text{CO})_{10}(\mu\text{-P-P})$ [M, M' = Cr, Mo, W; P-P = $\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2$, $n = 2-4$] as metalloligands (K.-S. Gan, H.K. Lee and T.S.A. Hor), 197

Cobalt

Acylcobalt salophen complexes. Homolytic decomposition to salicyl aldehyde esters (G. Pattenden and M. Tankard), 237

The thermally-induced prototropic isomerization of $\eta^4\text{-}1,3$ -, $\eta^4\text{-}1,4$ -, $\eta^4\text{-}1,5$ -dialkenes complexed to (η^5 -cyclopentadienyl)cobalt (J.A. King Jr. and K.P.C. Vollhardt), 91

The synthesis of heteronuclear transition metal clusters derived from alkylidyne tricobalt cluster precursors. I. The reaction of $(\mu_3\text{-CCl})\text{Co}_3(\text{CO})_9$ with transition metal carbonyl anions. The crystal and molecular structure of $(\mu_3\text{-CCl})\text{Co}_2\text{Mo}(\text{CO})_8(\eta^5\text{-C}_5\text{H}_5)$ (D.N. Duffy, M.M. Kassis and A.D. Rae), 97

Mono- und Di-t-butylcyclopentadienyl-Carbonyl-Komplexe des Mangans, Eisens, Cobalts und Rhodiums—Die Kristallstrukturen von $[\text{Cp}^x\text{Fe}(\text{CO})_2]_2$ ($\text{Cp}^x = \eta^5\text{-C}_5\text{H}_3(\text{'Bu})\text{R}-1,3$; R = H, 'Bu) (M. Scheer, K. Schuster, U. Becker, A. Krug und H. Hartung), 105

Gallium

(Dimethylaminoethyl)cyclopentadienyl-Liganden in der Chemie von Gruppe-13-Elementen (Al, Ga, In) (P. Jutzi, J. Dahlhaus und M. Bangel), C13

Multipolar framework chemistry. Gallium- and phosphorus-containing heterocycles (K.M. Webb and N.E. Miller), 1

Germanium

Synthèses de 3-silyl et de 3-germyl 1-sila et 1-germacyclopent-3-ènes (R. Boukherroub et G. Manuel), 155

Indium

(Dimethylaminoethyl)cyclopentadienyl-Liganden in der Chemie von Gruppe-13-Elementen (Al, Ga, In) (P. Jutzi, J. Dahlhaus und M. Bangel), C13

Iridium

Coordination chemistry of $[\text{C}(\text{PPh}_2)\text{X}(\text{P}(\text{S})\text{Ph}_2)_2]^-$: ^{31}P NMR of rhodium, iridium and platinum complexes, and the crystal and molecular structures of $[\text{Rh}(\text{cod})(\text{C}(\text{PPh}_2)\text{X}(\text{P}(\text{S})\text{Ph}_2)_2\text{P},\text{S})]\cdot\text{CH}_2\text{Cl}_2$ and $[\text{RhI}_2(\text{'BuNC})_2(\text{C}(\text{PPh}_2)\text{X}(\text{P}(\text{S})\text{Ph}_2)_2\text{P},\text{S})]$ (J. Brownning, K.R. Dixon, N.J. Meanwell and F. Wang), 117

Iron

Reaction of heterocumulenes R-N=C=N-R and R-P=C=P-R with a di-iron aminocarbene complex (M. Gouygou, J.-C. Daran, B. Heim and Y. Jeannin), 219

Structures and Mössbauer spectra of phosphido-bridged heterobimetallic complexes $\text{CpFe}(\text{CO})_2(\mu\text{-PPh}_2)\text{W}(\text{CO})_5$ and $\text{CpFe}(\text{CO})(\mu\text{-CO})(\mu\text{-PPh}_2)\text{W}(\text{CO})_4$ (S.-G. Shyu, P.-J. Lin, T.-Y. Dong and Y.-S. Wen), 229

Spaltung von Diazen- und Diphosphen-Liganden bei der Cluster-Expansion (B. Hansert and H. Vahrenkamp), C19

The synthesis of iron sandwich complexes by microwave dielectric heating using a simple solid CO_2 -cooled apparatus in an unmodified commercial microwave oven (Q. Dabirmanesh and R.M.G. Roberts), C28

The synthesis of tricarbonyl(2,4-cycloheptadiene-1,6-dione)iron and tricarbonyl(2,4-cyclooctadiene-1,6-dione)iron (N. Morita, S. Ito and T. Asao), 67

Metallacycle formation through the linking of an alkyne with phosphido and acetyl groups at an iron centre: X-ray structure of $[\text{CpFe}(\text{CO})(\text{Ph}_2\text{PCH}(\text{CO}_2\text{Me})\text{C}(\text{CO}_2\text{Me})=\text{C}(\text{Me})\text{O})]$ ($\text{Cp} = \eta^5\text{-C}_5\text{H}_5$) (H. Adams, N.A. Bailey, P. Blenckiron and M.J. Morris), 73

Trinuclear and tetrานuclear iron/ruthenium carbonyl clusters stabilized by bridging selenium ligands (P. Mathur, M.M. Hossain and R.S. Rashid), 83

Mono- und Di-t-butylcyclopentadienyl-Carbonyl-Komplexe des Mangans, Eisens, Cobalts und Rhodiums—Die Kristallstrukturen von $[\text{Cp}^x\text{Fe}(\text{CO})_2]_2$ ($\text{Cp}^x = \eta^5\text{-C}_5\text{H}_3(\text{'Bu})\text{R}-1,3$; R = H, 'Bu) (M. Scheer, K. Schuster, U. Becker, A. Krug und H. Hartung), 105

Deprotonation of decamethylferrocenium cation — new approach to alkyl group functionalization in transition metal complexes (L.N. Novikova, D.V. Zagorevskii and N.A. Ustyryuk), C6

Lithium

Standard molar enthalpies of formation of lithium alkoxides (J.P. Leal and J.A.M. Simões), 131
 One-bond CC and two-bond CH coupling constants in vinyllithium (A. Dabrowski and K. Kamieńska-Trela), C1

Lutetium

Lutetium complexes with an anthracene dianion ligand. Molecular structure of $[(C_5H_5)_2Lu(C_{14}H_{10}^{2-})][Na^+(diglyme)_2]$ (D.M. Röttersheim, L.F. Rybakova, E.S. Petrov, A.M. Ellern, M.Y. Antipin and Y.T. Struchkov), 39

Manganese

Metallorganische Lewis-Säuren. LII. Kationische Pentacarbonylcarben-Komplexe von Mangan und Rhodium, $[(OC)_5COCH_2CH_2C-H_2]^+BF_4^-$ ($M = Mn, Re$) (E. Fritsch, T. Kerscher, K. Polborn und W. Beck), C25
 Carbonylmangan-Cluster mit Ga-, In- und Tl-Baustein (M. Schollenberger, B. Nuber, M.L. Ziegler und E. Hey-Hawkins), 55
 Mono- und Di-t-butylcyclopentadienyl-Carbonyl-Komplexe des Mangans, Eisens, Cobals und Rhodiums—Die Kristallstrukturen von $[Cp^*Fe(CO)_2]_2$ ($Cp^* = \eta^5-C_5H_3(^1Bu)R-1,3; R = H, ^1Bu$) (M. Scheer, K. Schuster, U. Becker, A. Krug und H. Hartung), 105

Metallocenes

Cooperative effects in binuclear zirconocenes: their synthesis and use as catalyst in propene polymerization (S. Jüngling, R. Mühlaupt und H. Plenio), 191
 Deprotonation of decamethylferrocenium cation — new approach to alkyl group functionalization in transition metal complexes (L.N. Novikova, D.V. Zagorevskii and N.A. Ustyuk), C6

Molybdenum

Substituted metal carbonyls. XXIII. Syntheses of unicoordinated diphosphine complexes of Cr and Mo and their entry into heterobimetallics $MM'(\text{CO})_{10}(\mu\text{-P-P})$ [$M, M' = Cr, Mo, W; P-P = Ph_2P(CH_2)_nPPh_2, n = 2-4$] as metalloligands (K.-S. Gan, H.K. Lee and T.S.A. Hor), 197

Synthesis and application of diphenylbis(3,5-dimethylpyrazol-1-yl)methane to form η^2 -arene complexes of molybdenum (K.-B. Shiu, L.-Y. Yeh, S.-M. Peng and M.-C. Cheng), 203

The crystal structure of $MoO_2Cl_2[(CH_3OCH_2CH_2)_2P(O)CH_2-CH_2P(O)CH_2CH_2OCH_3]_2$ (A. Herbowski, T. Lis and E.A. Deutsch), 25

The synthesis of heteronuclear transition metal clusters derived from alkylidyne tricobalt cluster precursors. I. The reaction of $(\mu_3-CCl)Co_3(CO)_9$ with transition metal carbonyl anions. The crystal and molecular structure of $(\mu_3-CCl)Co_2Mo(CO)_8(\eta^5-C_5H_5)$ (D.N. Duffy, M.M. Kassis and A.D. Rae), 97

Synthesis of a bridging-imido η -cycloheptatrienyl molybdenum complex (M.L.H. Green, W.-H. Leung and D.K.P. Ng), C4

Osmium

Ionic hydrogen bond and deprotonation of cationic hydride $[(\eta^5-C_5Me_5)_2OsH]^+A^-$ (L.M. Epstein, E.S. Shubina, A.N. Krylov, A.Z. Kreindlin and M.I. Rybinskaya), 87

Palladium

Synthesis and characterization of hydroxo, pyrazolato and carboxylato derivatives of the $PdR(PPh_3)$ moiety ($R = C_6F_5$ or C_6Cl_5) (J. Ruiz, C. Vicente, J.M. Martí, N. Cutillas, G. García and G. López), 241

The effect of some additives on the Stille Pd^0 -catalyzed cross-coupling reaction (S. Gronowitz, P. Björk, J. Malm and A.-B. Hörfeldt), 127

Phosphorus

Vinylenid-Übergangsmetallkomplexe. XXVI. Synthese und Struktur kationischer Carbonyl-, Alken-, Vinylenid-, Alkinyl- und Alkin-Rhodiumkomplexe mit der Baueinheit $trans-[Rh(P^iPr_3)_2]$ (O. Nürnberg und H. Werner), 163

Spaltung von Diazen- und Diphosphen-Liganden bei der Cluster-Expansion (B. Hansert und H. Vahrenkamp), C19

1,2-Bis[bis(methoxyethyl)phosphino]ethane, 1,2-bis[bis(methoxypropyl)phosphino]ethane and their quarternary salts. Unexpected hydrolytic susceptibility of the ethanediylbis[bis(methoxyethyl)phosphonium]- $PH_2P^{\prime}H'$ cation (A. Herbowski and E.A. Deutsch), 19

The crystal structure of $MoO_2Cl_2[(CH_3OCH_2CH_2)_2P(O)CH_2-CH_2P(O)(CH_2CH_2OCH_3)_2]$ (A. Herbowski, T. Lis and E.A. Deutsch), 25

Platinum

Coordination chemistry of $[C(PPh_2)(P(S)Ph_2)_2]^-$: ^{31}P NMR of rhodium, iridium and platinum complexes, and the crystal and molecular structures of $[Rh(\text{cod})(C(PPh_2)(P(S)Ph_2)_2-P,S)] \cdot CH_2Cl_2$ and $[RhI_2(^1BuNC)_2(C(PPh_2)(P(S)Ph_2)_2-P,S)]$ (J. Brown-ing, K.R. Dixon, N.J. Meanwell and F. Wang), 117

Rhenium

Synthesis and reactivity towards tetrafluoroboric acid of a new family of heterobimetallic polyhydride complexes $[(CO)(PPh_3)_2HRe(\mu-H)_3RhL_2]$ ($L = PPh_3, 1,2,5$ -triphenylphosphole, or $P(OMe)_3$) (Z. He, D. Neibecker and R. Mathieu), 213

Metallorganische Lewis-Säuren. LII. Kationische Pentacarbonylcarben-Komplexe von Mangan und Rhodium, $[(OC)_5COCH_2CH_2C-H_2]^+BF_4^-$ ($M = Mn, Re$) (E. Fritsch, T. Kerscher, K. Polborn und W. Beck), C25

Rhodium

Vinylenid-Übergangsmetallkomplexe. XXVI. Synthese und Struktur kationischer Carbonyl-, Alken-, Vinylenid-, Alkinyl- und Alkin-Rhodiumkomplexe mit der Baueinheit $trans-[Rh(P^iPr_3)_2]$ (O. Nürnberg und H. Werner), 163

Synthesis and reactivity towards tetrafluoroboric acid of a new family of heterobimetallic polyhydride complexes $[(CO)(PPh_3)_2HRe(\mu-H)_3RhL_2]$ ($L = PPh_3, 1,2,5$ -triphenylphosphole, or $P(OMe)_3$) (Z. He, D. Neibecker and R. Mathieu), 213

Disproportionation of homoleptic rhodium carbonyls (G. Fachinetti, T. Funaioli and P.F. Zanazzi), C34

Mono- und Di-t-butylcyclopentadienyl-Carbonyl-Komplexe des Mangans, Eisens, Cobals und Rhodiums—Die Kristallstrukturen von $[Cp^*Fe(CO)_2]_2$ ($Cp^* = \eta^5-C_5H_3(^1Bu)R-1,3; R = H, ^1Bu$) (M. Scheer, K. Schuster, U. Becker, A. Krug und H. Hartung), 105

Transformation of organic compounds in the presence of metal complexes. VII. Selective reduction of diketones by hydrosilylation in the presence of rhodium(I) complexes (B. Török, K. Felföldi, Á. Molnár and M. Bartók), 111

Coordination chemistry of $[C(PPh_2)(P(S)Ph_2)_2]^-$: ^{31}P NMR of rhodium, iridium and platinum complexes, and the crystal and molecular structures of $[Rh(\text{cod})(C(PPh_2)(P(S)Ph_2)_2-P,S)] \cdot CH_2Cl_2$ and $[RhI_2(^1BuNC)_2(C(PPh_2)(P(S)Ph_2)_2-P,S)]$ (J. Brown-ing, K.R. Dixon, N.J. Meanwell and F. Wang), 117

Ruthenium

Synthesis and electrochemistry of organometallic ethanethiolato bridged complexes of ruthenium(IV) (G. Belchem, J.W. Steed and D.A. Tocher), C30

Trinuclear and tetrานuclear iron/ruthenium carbonyl clusters stabilized by bridging selenium ligands (P. Mathur, M.M. Hossain and R.S. Rashid), 83

Complete desulfurization of diethyldithiocarbamato ligands to give a pentaruthenium cluster containing diethylaminomethylidyne ligands (A.J. Deeming and R. Vaish), C8

Selenium

Synthesis of α -phenylchalcogeno acetic acids, ethyl- α -phenylchalcogeno acetates and ethyl- α -halo- α -phenylchalcogeno acetates (M.J. Dabdoub, P.G. Guerrero Jr. and C.C. Silveira), 31

Trinuclear and tetrานuclear iron/ruthenium carbonyl clusters stabilized by bridging selenium ligands (P. Mathur, M.M. Hossain and R.S. Rashid), 83

Silicon

^{29}Si -Kernresonanzspektren und Synthese von Bromdisilanen und Ioddisilanen (K. Hassler und G. Bauer), 149

Synthèses de 3-silyl et de 3-germyle 1-sila et 1-germacyclopent-3-ènes (R. Boukherroub et G. Manuel), 155

Reactions of the highly sterically hindered compounds ($\text{Me}_3\text{-Si}_3\text{CSiMe}_2\text{X}$ (X = Cl, Br, I, or ONO_2) with NaN_3 , CsF , KSCN , and KOCN in MeOH (Y.Y. El-Kaddar, C. Eaborn and P.D. Lickiss), 7

One-bond CC spin–spin coupling constants in silyl-substituted cyclopropenes (P. Jankowski, K. Kamieńska-Trela, K. Minksztym and J. Wicha), 15

Transformation of organic compounds in the presence of metal complexes. VII. Selective reduction of diketones by hydrosilylation in the presence of rhodium(I) complexes (B. Török, K. Felföldi, Á. Molnár and M. Bartók), 111

Sodium

Lutetium complexes with an anthracene dianion ligand. Molecular structure of $[(\text{C}_5\text{H}_5)_2\text{Lu}(\text{C}_{14}\text{H}_{10}^{2-})]\text{Na}^+(\text{diglyme})_2$ (D.M. Roitershtein, L.F. Rybakova, E.S. Petrov, A.M. Ellern, M.Y. Antipin and Y.T. Struchkov), 39

Tellurium

Synthesis of α -phenylchalcogeno acetic acids, ethyl- α -phenylchalcogeno acetates and ethyl- α -halo- α -phenylchalcogeno acetates (M.J. Dabdoub, P.G. Guerrero Jr. and C.C. Silveira), 31

Tin

The crystal structure of dichlorobis(2-imidazolidone)dimethyltin (P. Tavridou, U. Russo, G. Valle and D. Kovala-Demertz), C16

Titanium

Bis(π -pentamethylcyclopentadienyl)(2-methyliden)titancyclobutan: Selektive Insertion von Isonitrilen und Diphenylketen—Bildung fünf- und sechsgliedriger Metallacylen (R. Beckhaus, T. Wagner, C. Zimmermann und E. Herdtweck), 181

Tungsten

Substituted metal carbonyls. XXIII. Syntheses of unicoordinated diphosphine complexes of Cr and Mo and their entry into heterobimetallics $\text{MM}'(\text{CO})_{10}(\mu\text{-P-P})$ [$\text{M}, \text{M}' = \text{Cr}, \text{Mo}, \text{W}; \text{P-P} = \text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2, n = 2\text{--}4$] as metalloligands (K.-S. Gan, H.K. Lee and T.S.A. Hor), 197

Structures and Mössbauer spectra of phosphido-bridged heterobimetallic complexes $\text{CpFe}(\text{CO})_2(\mu\text{-PPh}_2)\text{W}(\text{CO})_5$ and $\text{CpFe}(\text{CO})(\mu\text{-CO})(\mu\text{-PPh}_2)\text{W}(\text{CO})_4$ (S.-G. Shyu, P.-J. Lin, T.-Y. Dong and Y.-S. Wen), 229

Uranium

The crystal structure of tris(indenyl)uranium (β,β,β -trifluoroethanolate) (M.-R. Spirlet, J. Rebizant, S. Betonville and J. Goffart), 177

Synthesis of the triscyclopentadienyl(hydroxido)uranium(IV) complexes $[\text{U}(\text{C}_5\text{H}_4\text{R})_3\text{OH}]$ ($\text{R} = \text{SiMe}_3$ or 'Bu) and their transformation into μ -oxo bridged derivatives. Crystal structure of the trinuclear compound $[(\text{U}(\text{C}_5\text{H}_4\text{SiMe}_3)_2(\mu\text{-O}))_3]$ (J.-C. Berthet, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner), 47

Zirconium

Cooperative effects in binuclear zirconocenes: their synthesis and use as catalyst in propene polymerization (S. Jüngling, R. Mühlaupt and H. Plenio), 191