

Subject Index of Volume 452

Boron

Allylboration of some ketones and aldehydes with 2-allyl-1,2-oxaborolane. Isolation of their intermediate adducts and synthesis of homoallylic alcohols (W. Zhou, S. Liang, S. Yu and W. Luo), 13

Nature of the hydrogen bridge in transition metal complexes. VI. A comparison of the electronic structure of Cu–H–B and Cu–H–Cu bridges (B. Nissen-Sobocińska and B. Jeżowska-Trzebiatowska), 277

Cobalt

[Co₄(CO)₁₂] derivatives with bis(diphenylphosphino)amine, an electrochemical study (C. Moreno, M.J. Macazaga, M.L. Marcos, J. González-Velasco and S. Delgado), 185

Synthesis and fluxionality of the mixed metal *syn*-(μ -cycloheptatriene) complex [CpCo(C₇H₈)RhCp] (H. Wadepohl, W. Galm and A. Wolf), 193

Synthesis and structural characterization of the mixed-metal species [Co₂Ir₂(CO)₁₀(η^4 -cod)] and [CoIr₃(CO)₁₀(η^4 -cod)] (cod = 1,5-cyclooctadiene) (F.S. Livotto, M.D. Vargas, F. Grepioni and D. Braga), 197

Copper

Bis(benzyldi-2-pyridylamine)- η^2, η'^2 -(*s-trans*-isoprene)dicopper(I) bistrifluoromethanesulfonate. A stable Cu^I-diene complex (L. Song and W.C. Trogler), 271

Nature of the hydrogen bridge in transition metal complexes. VI. A comparison of the electronic structure of Cu–H–B and Cu–H–Cu bridges (B. Nissen-Sobocińska and B. Jeżowska-Trzebiatowska), 277

Regioselective *ortho*-alkylation of *N,N*-diethylbenzamides *via* lithiation and copper transmetalation (D. Pini, S. Superchi and P. Salvadori), C4

Germanium

Réactions de cycloaddition-1,4 de germylènes cycliques soufrés et oxygénés sur divers hétéro-1,3 butadiènes siliciés ou germaniés et la 3,5-di *t*-butylorthoquinone (C. Laurent, S. Mazières, H. Lavayssière, P. Mazerolles et G. Dousse), 41

Gold

Synthesis and structure of a gold-capped palladium *triangulo*-cluster compound containing an azide ligand (A.D. Burrows, A.A. Gosden, C.M. Hill and D.M.P. Mingos), 251

Reactions of trimeric 1-benzyl-2-gold(I)imidazole leading to Au^I carbene complexes. Crystal structure of [1-benzyl-3-benzoyl-imidazolin-2-ylidene]chlorogold(I) (B. Bovio, A. Burini and B.R. Pietroni), 287

Iridium

Synthesis and structural characterization of the mixed-metal species [Co₂Ir₂(CO)₁₀(η^4 -cod)] and [CoIr₃(CO)₁₀(η^4 -cod)] (cod = 1,5-cyclooctadiene) (F.S. Livotto, M.D. Vargas, F. Grepioni and D. Braga), 197

Coordination chemistry of [CH₂(PPh₂)X(P(Y)R₂)] and [CH₂(PPh₂)X(P(Y)R₂)]⁻, Y = S or Se, R = Ph or ^tBu; rhodium, iridium and ruthenium complexes; ¹³C, ³¹P, and ⁷⁷Se NMR studies; and the crystal and molecular structures of [Ir(cod){CH₂(PPh₂)(P(S)^tBu₂)-*P,S*}]BF₄ · CH₂Cl₂, [Rh(cod){CH₂(PPh₂)(P(S)^tBu₂)-*P,S*}]ClO₄ · CH₂Cl₂, [Rh(cod){CH(PPh₂)(P(S)Ph₂)-*P,S*}], and [RuCl₂(*p*-cymene){CH₂(PPh₂)X(P(S)Ph₂)-*P*}] · CH₂Cl₂ (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilt), 205

Iron

Lineare Oligophosphaalkane. XXVI. Funktionalisierte primäre Phosphane in der Clustersynthese – metallassistierte Fragmentierung von Ph₂P–CH₂–PH₂ (G. Heßler, K.P. Langhans, O. Stelzer und W.S. Sheldrick), 55

Crystal and molecular structures of Os₃(CO)₉[μ_3 -(C₅H₄PR)-Fe(C₂H₄)] (R = Fc or Ph), two molecules with Fe → Os bonds (W.R. Cullen, S.J. Rettig and T.C. Zheng), 97

Novel dimeric structure in the Pd^{II} complex of 1,10-dithia[2]2,6)pyridino[2](1,1')ferrocenophane. A connected metal-metal interaction (M. Sato, H. Asano and S. Akabori), 105

Synthesis in the ferrocenyl series. I. Preparation of ω -haloalkanylferrocenes (Y. Fort, P. Caudère, J.C. Gautier and J.C. Mondet), 111

Synthesis and characterization of ferrocenyl and bis(ferrocenyl) alkynes and polyynes: crystal structure of 1,4-bis(ferrocenyl)butadiyne and third order nonlinear optical properties of 1,8-bis(ferrocenyl)octatetrayne (Z. Yuan, G. Stringer, I.R. Jobe, D. Kreller, K. Scott, L. Koch, N.J. Taylor and T.B. Marder), 115

Palladium-catalyzed arylation of ferrocene derivatives: a convenient high yield route to 1,1'-bis(halophenyl)ferrocenes (R. Knapp and M. Rehahn), 235

Lithium

Strukturuntersuchungen an den Produkten aus der Reaktion des Tris(trimethylsilyl)silyllithiums mit Aceton (H. Oehme, R. Wustrack, A. Heine, G.M. Sheldrick und D. Stalke), 33

A novel aryllithium · lithium bromide complex containing an anionic pentadentate organylpolyamine system enfolding two lithium centres (I.C.M. Wehman-Ooyevaar, G.M. Kapteijn, D.M. Grove, A.L. Spek and G. van Koten), C1

Regioselective *ortho*-alkylation of *N,N*-diethylbenzamides *via* lithiation and copper transmetalation (D. Pini, S. Superchi and P. Salvadori), C4

Magnesium

Synthesis of organomagnesium β -diketonates and alkoxides (S. Gupta, S. Sharma and A.K. Narula), 1

Manganese

Synthesis of new neutral and cationic monocarbonyl complexes of manganese with bipyridine ligands (G.A. Carriedo, C. Carriedo, C. Crespo and P. Gómez), 91

Metalloenes

Torsional isomerism of bent metallocene complexes. The structures of *meso*- and *rac*-bis(1-cyclohexyltetrahydroindenyl)zirconium dichloride in the solid state (C. Krüger, F. Lutz, M. Nolte, G. Erker and M. Aulbach), 79

Synthesis and structure of η^1 -N-diphenyldiazomethane complexes of niobo- and tantalocene monohydrides (G.I. Nikonov, M. Putala, A.I. Zinin, N.B. Kazennova, D.A. Lemenovskii, A.S. Batsanov and Y.T. Struchkov), 87

Synthesis in the ferrocenyl series. I. Preparation of ω -haloalkanoylferrocenes (Y. Fort, P. Caubère, J.C. Gautier and J.C. Mondet), 111

Synthesis and characterization of ferrocenyl and bis(ferrocenyl)alkynes and polyynes: crystal structure of 1,4-bis(ferrocenyl)butadiyne and third order nonlinear optical properties of 1,8-bis(ferrocenyl)octatetrayne (Z. Yuan, G. Stringer, I.R. Jobe, D. Kreller, K. Scott, L. Koch, N.J. Taylor and T.B. Marder), 115

Electrochemical generation of 19- and 20-electron rhodocenium complexes and their properties (O.V. Gusev, L.I. Denisovich, M.G. Peterleitner, A.Z. Rubezhov, N.A. Ustynyuk and P.M. Maitlis), 219

Palladium-catalyzed arylation of ferrocene derivatives: a convenient high yield route to 1,1'-bis(halophenyl)ferrocenes (R. Knapp and M. Rehahn), 235

Niobium

Synthesis and structure of η^1 -N-diphenyldiazomethane complexes of niobo- and tantalocene monohydrides (G.I. Nikonov, M. Putala, A.I. Zinin, N.B. Kazennova, D.A. Lemenovskii, A.S. Batsanov and Y.T. Struchkov), 87

Osmium

Crystal and molecular structures of $\text{Os}_3(\text{CO})_9[\mu_3\text{-(C}_5\text{H}_4\text{PR)}\text{Fe(C}_5\text{H}_4\text{)}]$ (R = Fc or Ph), two molecules with Fe \rightarrow Os bonds (W.R. Cullen, S.J. Rettig and T.C. Zheng), 97

Synthesis, and ^{19}F NMR and X-ray structural studies of triosmium clusters ($\mu\text{-H})\text{Os}_3(\text{CO})_{10}[\text{ON}(\text{CF}_3)_2]$ (L = PPh_3 , AsPh_3 and SbPh_3) (H.G. Ang, C.H. Koh, L.L. Koh and W.L. Kwik), 181

Palladium

Novel dimeric structure in the Pd^{II} complex of 1,10-dithia[2(2,6)pyridino[2(1,1')ferrocenophane. A connected metal-metal interaction (M. Sato, H. Asano and S. Akabori), 105

The palladium-catalyzed addition of various vinyl compounds to dimethyl acetylenedicarboxylate (C. Stephan, C. Munz and H. Dieck), 223

On the requirements of the precursor complex for olefin insertion: reactivity of *cis*- and *trans*- $\text{Pd}(\text{C}_6\text{F}_5)(\text{L})_2^+$ with dienes (A.C. Albéniz and P. Espinet), 229

Palladium-catalyzed arylation of ferrocene derivatives: a convenient high yield route to 1,1'-bis(halophenyl)ferrocenes (R. Knapp and M. Rehahn), 235

Mono- and polynuclear complexes of palladium(II) and platinum(II) with $\text{HC}(\text{PPh}_2)_3$ (J. Forniés, R. Navarro and E.P. Urriolabeitia), 241

Preparation and properties of alkylpalladium(II) and -platinum(II) alkynyl complexes (Y.-J. Kim, K. Osakada and A. Yamamoto), 247

Synthesis and structure of a gold-capped palladium *triangulo*-cluster compound containing an azide ligand (A.D. Burrows, A.A. Gosden, C.M. Hill and D.M.P. Mingos), 251

Phosphorus

Lineare Oligophosphaalkane. XXVI. Funktionalisierte primäre Phosphane in der Clustersynthese – metallassistierte Fragmentierung von $\text{Ph}_2\text{P-CH}_2\text{-PH}_2$ (G. Heßler, K.P. Langhans, O. Stelzer und W.S. Sheldrick), 55

Eine einfache Methode zur Darstellung von Alkalimetall-bis(trimethylsilyl)-phosphiden (F. Uhlig und R. Hummeltenberg), C9

Platinum

Mono- and polynuclear complexes of palladium(II) and platinum(II) with $\text{HC}(\text{PPh}_2)_3$ (J. Forniés, R. Navarro and E.P. Urriolabeitia), 241

Preparation and properties of alkylpalladium(II) and -platinum(II) alkynyl complexes (Y.-J. Kim, K. Osakada and A. Yamamoto), 247

Electrochemical and spectroelectrochemical study of cyclometallated platinum derivatives with nitrogen ligands. Electrogeneration of monomeric reduced platinum species (G. Minghetti, M.I. Pilo, G. Sanna, R. Seeber, S. Stoccoro and F. Laschi), 257

Influence of the size of the phosphine ligand on primary-secondary alkyl isomerization equilibria with $(\text{Me}_2\text{NCS}_2)\text{Pt}(\text{PR}_3)(\text{alkyl})$ complexes (D.L. Reger, Y. Ding, D.G. Garza and L. Lebioda), 263

Rhodium

The synthesis, characterization and molecular structures of two mixed metal octahedral carbido clusters, $\text{Ru}_5\text{Rh}(\text{CO})_{14}(\eta^5\text{-C}_5\text{Me}_5)$ and $\text{Ru}_5\text{Rh}(\text{CO})_9(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_5)_2$ (P.J. Bailey, A.J. Blake, P.J. Dyson, B.F.G. Johnson, J. Lewis and E. Parisini), 175

Synthesis and fluxionality of the mixed metal *syn*- $(\mu\text{-cycloheptatriene})$ complex $[\text{CpCo}(\text{C}_7\text{H}_8)\text{RhCp}]$ (H. Wadepohl, W. Galm and A. Wolf), 193

Coordination chemistry of $[\text{CH}_2(\text{PPh}_2)(\text{P}(\text{Y})\text{R}_2)]$ and $[\text{CH}(\text{PPh}_2)(\text{P}(\text{Y})\text{R}_2)]^-$, Y = S or Se, R = Ph or ^tBu : rhodium, iridium and ruthenium complexes; ^{13}C , ^{31}P , and ^{77}Se NMR studies; and the crystal and molecular structures of $[\text{Ir}(\text{cod})\{\text{CH}_2(\text{PPh}_2)(\text{P}(\text{S})^t\text{Bu}_2)-\text{P}, \text{S}\}]\text{BF}_4 \cdot \text{CH}_2\text{Cl}_3$, $[\text{Rh}(\text{cod})\{\text{CH}_2(\text{PPh}_2)(\text{P}(\text{S})^t\text{Bu}_2)-\text{P}, \text{S}\}]\text{ClO}_4 \cdot \text{CH}_2\text{Cl}_2$, $[\text{Rh}(\text{cod})\{\text{CH}(\text{PPh}_2)(\text{P}(\text{S})\text{Ph}_2)-\text{P}, \text{S}\}]$, and $[\text{RuCl}_2(\text{p-cymene})\{\text{CH}_2(\text{PPh}_2)(\text{P}(\text{S})\text{Ph}_2)-\text{P}\}]\cdot\text{CH}_2\text{Cl}_2$ (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilts), 205

Electrochemical generation of 19- and 20-electron rhodocenium complexes and their properties (O.V. Gusev, L.I. Denisovich, M.G. Peterleitner, A.Z. Rubezhov, N.A. Ustynyuk and P.M. Maitlis), 219

Ruthenium

Cluster chemistry. LXXXVIII. Reactions between $\text{Ru}_5(\mu_5\text{-C}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_{13}$ and thiols. Formation and X-ray structures of Ru_5 clusters containing C_2H , C_2PPh_2 and $\text{CCH}(\text{PPh}_2)$ ligands (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), 121

Structural characterization and comparison of $[\text{Ru}_2(\text{O}_2\text{CR})_2(\text{CO})_4\text{L}_2]$ (K.-B. Shiu, S.-M. Peng and M.-C. Cheng), 143

Structural studies on ruthenium carbonyl hydrides. XVIII. Synthesis and characterization of $(\mu\text{-H})\text{Ru}_3(\mu_3\text{-}\eta^3\text{-XCCRCR}')(\text{CO})_{9-n}(\text{PPh}_3)_n$ complexes. Crystal structures of $(\mu\text{-H})\text{Ru}_3(\mu_3\text{-}\eta^3\text{-Et}_2\text{NCCCHMe}(\text{CO}))_8(\text{PPh}_3)$ and $(\mu\text{-H})\text{Ru}_3(\mu_3\text{-}\eta^3\text{-MeOCMe}(\text{CO}))_7(\text{PPh}_3)_2\cdot 2\text{CH}_2\text{Cl}_2$ (M.R. Churchill, C.H. Lake,

- R.A. Lashewycz-Rubycz, H. Yao, R.D. McCargar and J.B. Keister), 151
- Olefin hydrogenation and isomerization catalysed by $\text{Ru}_3(\text{CO})_{12}$ and its derivatives. Cluster *vs.* non-cluster catalysis (H.S. Hilal, W. Jondi, S. Khalaf and R. Abu-Halawa), 161
- Cluster *versus* non-cluster catalysis in olefin thermal isomerization and hydrosilylation in the presence of $\text{Ru}_3(\text{CO})_{12}$ (H.S. Hilal, S. Khalaf and W. Jondi), 167
- The synthesis, characterization and molecular structures of two mixed metal octahedral carbido clusters, $\text{Ru}_5\text{RhC}(\text{CO})_{14}(\eta^5\text{-C}_5\text{Me}_5)$ and $\text{Ru}_5\text{RhC}(\text{CO})_9(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_5)_2$ (P.J. Bailey, A.J. Blake, P.J. Dyson, B.F.G. Johnson, J. Lewis and E. Parisini), 175
- Coordination chemistry of $[\text{CH}_2(\text{PPh}_2)(\text{P}(\text{Y})\text{R}_2)]$ and $[\text{CH}(\text{PPh}_2)(\text{P}(\text{Y})\text{R}_2)]^-$, Y = S or Se, R = Ph or ^iBu : rhodium, iridium and ruthenium complexes; ^{13}C , ^{31}P , and ^{77}Se NMR studies; and the crystal and molecular structures of $[\text{Ir}(\text{cod})(\text{CH}_2(\text{PPh}_2)(\text{P}(\text{S})^i\text{Bu}_2)\text{-P,S})]\text{BF}_4 \cdot \text{CHCl}_3$, $[\text{Rh}(\text{cod})(\text{CH}_2(\text{PPh}_2)(\text{P}(\text{S})^i\text{Bu}_2)\text{-P,S})]\text{ClO}_4 \cdot \text{CH}_2\text{Cl}_2$, $[\text{Rh}(\text{cod})(\text{CH}(\text{PPh}_2)(\text{P}(\text{S})\text{Ph}_2)\text{-P,S})]$, and $[\text{RuCl}_2(p\text{-cymene})(\text{CH}_2(\text{PPh}_2)(\text{P}(\text{S})\text{Ph}_2)\text{-P})] \cdot \text{CH}_2\text{Cl}_2$ (J. Browning, G.W. Bushnell, K.R. Dixon and R.W. Hilt), 205

Silicon

- Insoluble ligands and their applications. III. Polysiloxane diaminoethane derivatives (I.M. El-Nahhal and R.V. Parish), 19
- Insoluble ligands and their applications. IV. Polysiloxane-bis(2-aminoethyl)amine ligands and some derivatives (I. Ahmed and R.V. Parish), 23
- Synthese funktioneller Silyltriflate auf der Basis von Allylsilanen (W. Uhlig), 29
- Strukturuntersuchungen an den Produkten aus der Reaktion des Tris(trimethylsilyl)silyllithiums mit Aceton (H. Oehme, R. Wustrack, A. Heine, G.M. Sheldrick und D. Stalke), 33
- Cluster *versus* non-cluster catalysis in olefin thermal isomerization and hydrosilylation in the presence of $\text{Ru}_3(\text{CO})_{12}$ (H.S. Hilal, S. Khalaf and W. Jondi), 167
- Zur Synthese des 1,2-Diphenyldecamethylcyclohexasilans (W. Uhlig), C6
- Eine einfache Methode zur Darstellung von Alkalimetall-bis(tri-

methylsilyl)-phosphiden (F. Uhlig und R. Hummeltenberg), C9

Tantalum

- Synthesis and structure of $\eta^1\text{-N}$ -diphenyldiazomethane complexes of niobo- and tantalocene monohydrides (G.I. Nikonov, M. Putala, A.I. Zinin, N.B. Kazennova, D.A. Lemenovskii, A.S. Batsanov and Y.T. Struchkov), 87

Tin

- Hydrogen bonding in the coordination of *N*- and *S*-donor heterocycles to dialkyltin dihalides. Synthesis and structure of *trans*-dibromodicyclohexylbis(pyrazole-*N*²)tin(IV), *trans*-dibromodicyclohexylbis(imidazole-*N*³)tin(IV), and dibutyldichloro[1-methyl-2(3*H*)-imidazolinethione-*S*]tin(IV) (G. Bandoli, A. Dolmella, V. Peruzzo and G. Plazzogna), 47

Zinc

- Etude de la régiosélectivité de l'action des organozinciques sur les α -iminoesters issus de 2-amino ou 3-aminoalcools. II. Synthèse de tétrahydro-1,4-oxazin-2-ones et d'hexahydro-1,4-oxazépin-2-ones 3-substituées (G. Courtois et L. Miginiac), 5

Zirconium

- The role of agostic H \rightarrow Zr interactions in the insertion of olefins with metallocene catalysts. An MO study (C. Janiak), 63
- Synthese und Eigenschaften eines Zirconacyclobutan-Derivates (U. Böhme und K.-H. Thiele), 75
- Torsional isomerism of bent metallocene complexes. The structures of *meso*- and *rac*-bis(1-cyclohexyltetrahydroindenyl)zirconium dichloride in the solid state (C. Krüger, F. Lutz, M. Nolte, G. Erker and M. Aulbach), 79

Book reviews

- Solid Supports and Catalysts in Organic Synthesis*, K. Smith (Ed.) (D.W. Young), C11
- Academic Press Dictionary of Science and Technology*, C.G. Morris (ed.) (C. Eaborn), C11
- Advanced Organic Chemistry*, J. March (C. Eaborn), C13