

## Subject Index of Volume 461

---

### Aluminium

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

### Antimony

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

### Arsenic

The preparation of (*Z*)-2-lithio-*ortho*-styryllithium *via* an *ortho*-directed lithiation (A.J. Ashe III and P.M. Savla), 1  
PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

### Bismuth

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

### Chromium

A novel approach to the preparation of pentacarbonyl(dialkylamino-fluorocarbene)chromium compounds. Confirmation of structure by single crystal X-ray diffraction (J.T. Welch, E.M. Keskeny and P.J. Toscano), 95

Half-sandwich aminocarbyne complexes of chromium (A.C. Filippou, K. Wanninger and C. Mehnert), 99

$P_x$  ligands with a maximum of electron-donating ability. VI.  $[CoCp''(\eta^4-P_4)(Cr(CO)_5)_3]$  ( $Cp'' = \eta^5-C_5H_5^{'Bu}_2-1,3$ ), the product of the reaction between  $P_4$  and  $[CoCp''(\mu-CO)]_2$  in the presence of  $[Cr(CO)_5THF]$  (M. Scheer, U. Becker, J.C. Huffman and M.H. Chisholm), C1

### Cobalt

A Mössbauer effect and Fenske–Hall molecular orbital study of some sulfur containing organoiron–cobalt clusters (M.L. Buhl and G.J. Long), 177

Synthesis, structure and solution conformation of some  $[(\eta^5\text{-indenyl})(I_{2-n}XR)L_n]Co^{III}(n-1)^+$  ( $n = 1, 2$ ; R = perfluoroalkyl; L = P-donor) complexes (Z. Zhou, C. Jablonski and J. Bridson), 215

### Copper

A Mössbauer effect and Fenske–Hall molecular orbital study of the bonding in a series of organoiron–copper clusters (M.L. Buhl, G.J. Long and G. Doyle), 187

### Gallium

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

Synthese von Galla-3-cyclopentenen und Struktur von  $[(3,4-Me_2-C_4H_4)Ga(NEt_2)]_2$  (G.E. Herberich, U. Englert und D. Posselt), 21

### Germanium

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

Interaction of the ( $O \rightarrow Ge$ )-chelate bis-(lactamo-*N*-methyl)-*cis*-dichlorogermandes with trimethylsilyltriflate. Synthesis of bis-(lactamo-*N*-methyl)-*trans*-(trifluoromethylsulfonyloxy)chlorogermandes (Yu.I. Baukov, A.G. Shipov, L.S. Smirnova, E.P. Kramarova, S.Yu. Bylikin, Yu.E. Ovchinnikov and Yu.T. Struchkov), 39

### Indium

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

### Iron

Synthesis and reactivity of the pentamethylcyclopentadienyl iron acetyl complex  $[(\eta^5-C_5Me_5)Fe(CO)(PPh_3)COMe]$  (J.-P. Barras, S.G. Davies, M.R. Metzler, A.J. Edwards, V.M. Humphreys and K. Prout), 157

An unusual epimerization in the diene tricarbonyliron series (J.-P. Lelouche, A. Gigou-Barbedette and R. Grée), 167

The reaction of  $[PPN][HFe(CO)_4]$  with styrene in THF: an unexpected and facile synthesis of  $[PPN]_2[Fe_2(CO)_8]$  (J.-J. Brunet, D. Neibecker and R.S. Srivastava), 169

1,1-Dimesityl-1-silacyclopenta-2,4-diene: A stable carbon-unsubstituted silole (M. Kako, S. Oba and Y. Nakadaira), 173

A Mössbauer effect and Fenske–Hall molecular orbital study of some sulfur containing organoiron–cobalt clusters (M.L. Buhl and G.J. Long), 177

A Mössbauer effect and Fenske–Hall molecular orbital study of the bonding in a series of organoiron–copper clusters (M.L. Buhl, G.J. Long and G. Doyle), 187

### Lanthanum

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente. XXXV. Absorptions- und lumineszenzspektroskopische Charakterisierung von optisch verdünntem  $Cp_3Sm(NCCH_3)_2$  (H. Schulz, H. Reddmann und H.-D. Amberger), 69

### Lead

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

### Lithium

The preparation of (*Z*)-2-lithio-*ortho*-styryllithium *via* an *ortho*-directed lithiation (A.J. Ashe III and P.M. Savla), 1

## Manganese

Syntheses, structures, and spectroscopic properties of novel sulfurdiiimine complexes; spectroscopic properties of the di-t-butylsulfurdiiimine (DBSD) complexes  $M(CO)_3Br(DBSD-N,N')$  ( $M = Mn, Re$ ) and X-ray structures of the metal–metal bonded compounds  $(CO)_8Mn_2(DBSD-N,N')$  and  $(CO)_6Mn_2(\mu\text{-}DBSD-N,N':N, S, N')$  (C. Mahabiersing, W.G.J. de Lange, K. Goubitz and D.J. Stukens), 127

## Metallocenes

Dimeric titanocene hydride–hydridomagnesium chloride and bromide complexes. Crystal structures of the tetramethylcyclopentadienyl derivatives (S.I. Troyanov, V. Varga and K. Mach), 85  
Darstellung und Charakterisierung der kationischen Metallocen-Komplexe  $[Cp_2Zr(CH_3CN)_3]AsF_6$  und  $[Cp_2NbCl_2]UF_6$ : Laborsynthese von  $UF_6$  (A. Schulz und T.M. Klapötke), 91

## Molybdenum

Synthesis and structural characterization of two molybdenum carbonyl complexes containing dithiocarbamato ligands derived from pyrrolidine and piperidine (K.-B. Shiu, S.-M. Peng, M.-C. Cheng, S.-L. Wang and F.-L. Liao), 111

Synthesis, characterization and crystal structures of  $[Mo(CO)_4]_2TPTA$  and  $[W(CO)_4]_2TPTA$  (TPTA = 1,4,8,11-tetrakis-(methyldiphenylphosphino)-1,4,8,11-tetraazacyclotetradecane) (D. Matković-Calogović, H. Meider and P. Planinić), 117

## Niobium

Darstellung und Charakterisierung der kationischen Metallocen-Komplexe  $[Cp_2Zr(CH_3CN)_3]AsF_6$  und  $[Cp_2NbCl_2]UF_6$ : Laborsynthese von  $UF_6$  (A. Schulz und T.M. Klapötke), 91

## Osmium

Synthesis, crystal structure and reactivity of  $Os_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C_2Ph_2)(\mu\text{-}C(OMe)Ph)$  (W.-Y. Yeh, S.-L. Chen, S.-M. Peng and G.-H. Lee), 207

## Palladium

(Dihalogenmethyl)palladium(II)-Komplexe aus Palladium(0)-Vorstufen des Dibenzylidenacetons: Synthese, Strukturchemie und Reaktivität (W.A. Herrmann, W.R. Thiel, C. Broßmer, K. Öfele, T. Priermeier und W. Scherer), 51

Syntheses and NMR spectroscopic characterisation of transition metal complexes containing the azadiphosphhetine ring system  $RP(NR')P=CR'$  ( $R = Et_3C$ ,  $R' = ^1Bu$ ) (P.B. Hitchcock, R.M. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, D. Barion and E. Niecke), 61

## Phosphorus

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

(Dihalogenmethyl)palladium(II)-Komplexe aus Palladium(0)-Vorstufen des Dibenzylidenacetons: Synthese, Strukturchemie und Reaktivität (W.A. Herrmann, W.R. Thiel, C. Broßmer, K. Öfele, T. Priermeier und W. Scherer), 51

Syntheses and NMR spectroscopic characterisation of transition metal complexes containing the azadiphosphhetine ring system  $RP(NR')P=CR'$  ( $R = Et_3C$ ,  $R' = ^1Bu$ ) (P.B. Hitchcock, R.M. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, D. Barion and E. Niecke), 61

X-Ray analysis of 1-phospha-1,2,3-butatriene as a ligand of carbonyltungsten complex (M. Yoshifuji, K. Toyota, T. Uesugi, I. Miyahara and K. Hirotsu), 81

$^{31}P$  and  $^{195}Pt$  NMR studies on fluxional  $\eta^1$ -ligated 1,2,4-triphosphacyclopentadienyl palladium(II) and platinum(II) complexes (J.F. Nixon and G.J.D. Sillett), 237

$P_x$  ligands with a maximum of electron-donating ability. VI.  $[CoCp''(\eta^4\text{-}P_4)Cr(CO)_5]_2$  ( $Cp'' = \eta^5\text{-}C_5H_3^+Bu_2$ -1,3), the product of the reaction between  $P_4$  and  $[CoCp''(\mu\text{-}CO)]_2$  in the presence of  $[Cr(CO)_5THF]$  (M. Scheer, U. Becker, J.C. Huffman and M.H. Chisholm), C1

## Platinum

Syntheses and NMR spectroscopic characterisation of transition metal complexes containing the azadiphosphhetine ring system  $RP(NR')P=CR'$  ( $R = Et_3C$ ,  $R' = ^1Bu$ ) (P.B. Hitchcock, R.M. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, D. Barion and E. Niecke), 61

$^{31}P$  and  $^{195}Pt$  NMR studies on fluxional  $\eta^1$ -ligated 1,2,4-triphosphacyclopentadienyl palladium(II) and platinum(II) complexes (J.F. Nixon and G.J.D. Sillett), 237

Synthesis, NMR spectra and X-ray crystal structure of the trinuclear complex  $[CH_3C(CH_2SPh(PPh_3))_3] \cdot CH_2Cl_2$  (C.A. Ghilardi, S. Midollini, A. Orlandini, G. Scapacci and A. Vacca), C4

## Rhenium

Syntheses, structures, and spectroscopic properties of novel sulfurdiiimine complexes; spectroscopic properties of the di-t-butylsulfurdiiimine (DBSD) complexes  $M(CO)_3Br(DBSD-N,N')$  ( $M = Mn, Re$ ) and X-ray structures of the metal–metal bonded compounds  $(CO)_8Mn_2(DBSD-N,N')$  and  $(CO)_6Mn_2(\mu\text{-}DBSD-N,N':N, S, N')$  (C. Mahabiersing, W.G.J. de Lange, K. Goubitz and D.J. Stukens), 127

Protonation of the nitrile ligand *versus* protonation of rhenium at *cis*- or *trans*- $[ReCl(NCC_6H_4R-4)(Ph_2PCH_2CH_2PPh_2)_2]$  ( $R = Cl$ , F, Me or MeO). A mechanistic study (J.J.R. Fraústo da Silva, M.F.C. Guedes da Silva, R.A. Henderson, A.J.L. Pombeiro and R.L. Richards), 141

Some rhenium hydride complexes with tetradeinate phosphine co-ligands: the crystal structure of  $Re(H_2BET_2)_2$  (*racemic*-tetraphos) (G. Jia, A.J. Lough and R.H. Morris), 147

## Rhodium

Syntheses and NMR spectroscopic characterisation of transition metal complexes containing the azadiphosphhetine ring system  $RP(NR')P=CR'$  ( $R = Et_3C$ ,  $R' = ^1Bu$ ) (P.B. Hitchcock, R.M. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, D. Barion and E. Niecke), 61

Complexation of rhodium(I) with hydrophosphorane derivatives of bicyclo[3.3.0]-1-phospha-2,8-dioxa-5-aza-octane (K.N. Gavrilov, I.S. Michel, A.T. Teleshev and E.E. Nifantyev), 229

Chlorocarbonyl rhodium(I) complexes with chiral catecholphosphitoamines (K.N. Gavrilov, A.T. Teleshev and E.E. Nifantyev), 233

## Ruthenium

Bis(arene) complexes of  $Ru^{II}$ . Synthesis, crystal structure and electrochemical behavior of  $[bis(\eta^6\text{-}p\text{-}isopropyltoluene})RuBF_4]_2$  (S. Suravajjala, J.R. Polani and L.C. Porter), 201

## Samarium

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente. XXXV. Absorptions- und lumineszenzspektroskopische Charakterisierung von optisch verdünntem  $Cp_3Sm(NCCH_3)_2$  (H. Schulz, H. Riedmann und H.-D. Amberger), 69

## Silicon

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

Crystal structure of hypervalent silicon compounds. ( $N \rightarrow Si$ )(2-benzothiazolylthiomethyl)trifluorosilane and ( $N \rightarrow Si$ )(2-benzoxazolylthiomethyl)trifluorosilane (Yu.E. Ovchinnikov, Yu.T. Struchkov, N.F. Chernov, O.M. Trofimova and M.G. Voronkov), 27

Reactions of compounds of the type  $(Me_3Si)_2C(SiMe_2C_6H_4Y)(SiMe_2X)$  with trifluoroacetic acid (C. Eaborn, K.L. Jones and P.D. Lickiss), 31

Siliciumverbindungen mit starken intramolekularen sterischen Wechselwirkungen. LI. Arylisocyanid-Insertionen in Si–Si-Bindungen einiger Vierringe (M. Weidenbruch, E. Kroke, K. Peters und H.G. von Schnering), 35

Interaction of the ( $O \rightarrow Ge$ )-chelate bis-(lactamo-*N*-methyl)-*cis*-dichlorogermandes with trimethylsilyltriflate. Synthesis of bis-(lactamo-*N*-methyl)-*trans*-(trifluoromethylsulfonyloxy)chlorogermandes (Yu.I. Baukov, A.G. Shipov, L.S. Smirnova, E.P. Kramarova, S.Yu. Bylikin, Yu.E. Ovchinnikov and Yu.T. Struchkov), 39

Preparation and properties of molybdenum and tungsten dinitrogen complexes. XLII. Preparation and characterization of W(V) diazoalkane complexes *mer,trans*-[WX<sub>3</sub>(NN=CMeR)(PMe<sub>2</sub>Ph)<sub>2</sub>] (X = Br, I; R = Me, Ph) and hydrazido(2–) complex [WI<sub>3</sub>(NNH<sub>2</sub>)(PMe<sub>2</sub>Ph)<sub>2</sub>]. X-ray structure of *mer,trans*-[WBr<sub>3</sub>(NN=CMePh)(PMe<sub>2</sub>Ph)<sub>2</sub>] (H. Oshita, Y. Mizobe and M. Hidai), 43

Synthesis and crystal structure of two titanasilazanes (Yu.E. Ovchinnikov, M.V. Ustinov, V.A. Igonin, Yu.T. Struchkov, I.D. Kakhman and M.G. Voronkov), 75

1,1-Dimesityl-1-silacyclopenta-2,4-diene: A stable carbon-unsubstituted silole (M. Kako, S. Oba and Y. Nakadaira), 173

## Thallium

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

## Tin

The preparation of (*Z*)-2-lithio-*ortho*-styryllithium *via* an *ortho*-directed lithiation (A.J. Ashe III and P.M. Savla), 1

PM3 study of organometallic radicals formed by elements in periodic Groups 13–16 (C. Glidewell), 15

## Titanium

Synthesis and crystal structure of two titanasilazanes (Yu.E. Ovchinnikov, M.V. Ustinov, V.A. Igonin, Yu.T. Struchkov, I.D. Kakhman and M.G. Voronkov), 75

X-Ray analysis of 1-phospho-1,2,3-butatriene as a ligand of carbonyl-tungsten complex (M. Yoshifuji, K. Toyota, T. Uesugi, I. Miya-

hara and K. Hirotsu), 81

Dimeric titanocene hydride–hydridomagnesium chloride and bromide complexes. Crystal structures of the tetramethylcyclopentadienyl derivatives (S.I. Troyanov, V. Varga and K. Mach), 85

## Tungsten

Preparation and properties of molybdenum and tungsten dinitrogen complexes. XLII. Preparation and characterization of W(V) diazoalkane complexes *mer,trans*-[WX<sub>3</sub>(NN=CMeR)(PMe<sub>2</sub>Ph)<sub>2</sub>] (X = Br, I; R = Me, Ph) and hydrazido(2–) complex [WI<sub>3</sub>(NNH<sub>2</sub>)(PMe<sub>2</sub>Ph)<sub>2</sub>]. X-ray structure of *mer,trans*-[WBr<sub>3</sub>(NN=CMePh)(PMe<sub>2</sub>Ph)<sub>2</sub>] (H. Oshita, Y. Mizobe and M. Hidai), 43

Syntheses and NMR spectroscopic characterisation of transition metal complexes containing the azadiphosphetine ring system RP(NR')P=CR' (R = Et<sub>3</sub>C, R' = <sup>1</sup>Bu) (P.B. Hitchcock, R.M. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, D. Barion and E. Niecke), 61

Synthesis, characterization and crystal structures of [Mo(CO)<sub>4</sub>]<sub>2</sub>TPTA and [W(CO)<sub>4</sub>]<sub>2</sub>TPTA (TPTA = 1,4,8,11-tetrakis-(methyldiphenylphosphino)-1,4,8,11-tetraazacyclotetradecane) (D. Matković-Čalogović, H. Meider and P. Planinić), 117

## Uranium

Darstellung und Charakterisierung der kationischen Metallocen-Komplexe [Cp<sub>2</sub>Zr(CH<sub>3</sub>CN)<sub>3</sub>[AsF<sub>6</sub>]<sub>2</sub> und [Cp<sub>2</sub>NbCl<sub>2</sub>][UF<sub>6</sub>]: Laborsynthese von UF<sub>6</sub> (A. Schulz und T.M. Klapötke), 91

## Zinc

The preparation, reactivity, and crystal structure of a 1:1 adduct of dimethylzinc and (–)-sparteine (M. Motevalli, P. O'Brien, A.J. Robinson, J.R. Walsh, P.B. Wyatt and A.C. Jones), 5

Electrochemical activation of zinc in the coupling reaction of α-bromoesters with carbonyl compounds (Y. Rollin, C. Gebhenne, S. Derien, E. Duñach and J. Perichon), 9

## Zirconium

Darstellung und Charakterisierung der kationischen Metallocen-Komplexe [Cp<sub>2</sub>Zr(CH<sub>3</sub>CN)<sub>3</sub>[AsF<sub>6</sub>]<sub>2</sub> und [Cp<sub>2</sub>NbCl<sub>2</sub>][UF<sub>6</sub>]: Laborsynthese von UF<sub>6</sub> (A. Schulz und T.M. Klapötke), 91

## Book reviews

*Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Organorhenium Compounds, Part 3, Mononuclear Compounds 3* (G.J. Leigh), C7

*Multiple Bonds Between Metal Atoms*, F.A. Cotton and R.A. Walton (M.F. Lappert), C7

*Transition Metal Carbyne Complexes, NATO ASI Series, Volume 392*, Kluwer Academic Publishers, F.R. Kreissl (ed.) (M.F. Lappert), C7