

Subject Index of Volume 475

Ab initio

Molecular mechanical studies on the olefin metathesis reaction.
III. Modelling of the “well-defined” carbenes (L. Bencze and R. Szilagyi), 183

Alane

Recent developments in the chemistry of alane (AlH_3) and gallane (GaH_3) (C.L. Raston), 15

Alkene

Organometallic chemistry of alkenes and alkynes (H. Werner), 45

Alkoxide

Polyhedral silsesquioxanes as precursors of tailor-made heterogeneous catalyst centres. I. Water oxidation (V.L. Kuznetsov, G.L. Elizarova, L.G. Matvienko, I.G. Lantyukhova, V.N. Kolomiichuk, A.A. Zhdanov and O.I. Shchegolikhina), 65

Alkyne

Homogeneous catalysis by cationic palladium complexes. Precision catalysis in the carbonylation of alkynes (E. Drent, P. Arnoldy and P.H.M. Budzelaar), 57

Organometallic chemistry of alkenes and alkynes (H. Werner), 45

Aluminium

Recent developments in the chemistry of alane (AlH_3) and gallane (GaH_3) (C.L. Raston), 15

Arene

Arene complexes of titanium and zirconium. Synthesis and structure (S. Troyanov), 139

Arene-cluster compounds (B.F.G. Johnson), 31

Arsaphospholide

Recent advances in the chemistry of phospholide and polyphospholide ions (F. Mathey), 25

Arsenic

Recent advances in the chemistry of phospholide and polyphospholide ions (F. Mathey), 25

Azacyclopentadienyl

Effects of isolobal substitution in cyclopentadienyl ligands: the azacyclopentadienyl system $\text{C}_4\text{R}_4\text{N}$. Comparative photoelectron spectra of the tetra-tert-butyl ferrocene derivatives (C. Janiak, N. Kuhn and R. Gleiter), 223

Azaferrocene

Effects of isolobal substitution in cyclopentadienyl ligands: the azacyclopentadienyl system $\text{C}_4\text{R}_4\text{N}$. Comparative photoelectron spectra of the tetra-tert-butyl ferrocene derivatives (C. Janiak, N. Kuhn and R. Gleiter), 223

Bis(trimethylsilyl)acetylene

Titanium-magnesium complexes containing perpendicularly bridging bis(trimethylsilyl)acetylene ligands (V. Varga, K. Mach, G. Schmid and U. Thewalt), 127

π -Bonding

Arene complexes of titanium and zirconium. Synthesis and structure (S. Troyanov), 139

Bridging ligand

Titanium-magnesium complexes containing perpendicularly bridging bis(trimethylsilyl)acetylene ligands (V. Varga, K. Mach, G. Schmid and U. Thewalt), 127

Calixarene

Multifunctional phosphane and phosphane oxide ligands derived from *p*-tert-butylcalix[4]arene. Synthesis of a large diphosphane with C_2 symmetry and behaving as a *cis* or *trans* binding ligand (C. Loeber, D. Matt, A. De Cian and J. Fischer), 297

Carbene

Molecular mechanical studies on the olefin metathesis reaction. III. Modelling of the “well-defined” carbenes (L. Bencze and R. Szilagyi), 183

Organometallic chemistry of alkenes and alkynes (H. Werner), 45
Carbon dioxide

Activation of carbon dioxide. IV. Rhodium-catalysed hydrogenation of carbon dioxide to formic acid (W. Leitner, E. Dinjus and F. Gaßner), 257

Carbonyl

Coordination chemistry of perhalogenated cyclopentadienes and alkynes. XVIII. Mechanistic studies on the metal-halogen exchange reaction of ring-halogenated metallocenes: the influence of stoichiometry, temperature, solvent and reaction time (K. Sünkel, W. Kempinger and J. Hofmann), 201

O atom transfer reactions in some manganese and rhenium carbonyl compounds (B.F.G. Johnson, A. Sieker, A.J. Blake and R.E.P. Winpenny), 193

P-Funktionalisierte Diferriophosphonium Salze des Typs $[(\text{CpFe}(\text{CO})_2)_2\text{PPhR}]^+X^-$ und $[(\text{CpFe}(\text{CO})_2)_2\text{PClR}]^+X^-$ (I.-P. Lorenz, W. Pohl, H. Nöth und M. Schmidt), 211

Carbylation

Homogeneous catalysis by cationic palladium complexes. Precision catalysis in the carbonylation of alkynes (E. Drent, P. Arnoldy and P.H.M. Budzelaar), 57

Catalysis

Activation of carbon dioxide. IV. Rhodium-catalysed hydrogenation of carbon dioxide to formic acid (W. Leitner, E. Dinjus and F. Gaßner), 257

Heterobimetallic heptamethylindenyl complexes of Cr^0 and Rh^{II} : $[\text{Cr}(\text{CO})_3\text{-indenyl}^*\text{-RhL}_2]$ ($\text{L}_2 = \text{COD}$, $\text{L} = \text{CO}$) (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, L. Mantovani, S. Santi and A. Venzo), 267

Homogeneous catalysis by cationic palladium complexes. Precision catalysis in the carbonylation of alkynes (E. Drent, P. Arnoldy and P.H.M. Budzelaar), 57

Supported rhodium-catalysts: new aspects in the formation of trisubstituted olefins from simple alkenes and diazoalkanes (H. Werner and U. Möhring), 277

Wasserlösliche Phosphane. II. Ein neuer Syntheseweg für wasserlösliche sekundäre und tertiäre Phosphane mit sulfonierten aromatischen Resten – Kristallstruktur von $\text{P}(p\text{-C}_6\text{H}_4\text{-SO}_3\text{K})_3 \cdot \text{KCl} \cdot 0.5\text{H}_2\text{O}$ (O. Herd, A. Heßler, K.P. Langhans, O. Stelzer, W.S. Sheldrick und N. Weferling), 99

Chirality

Atropisomeric diaryl-core phosphole ligands: Pd^{II} and Pt^{II} complexes with *P*-phenyl dinaphthophosphole (S. Gladiali, D. Fabbri, G. Banditelli, M. Manassero and M. Sansoni), 307

- Synthesis of a new asymmetric cyclopentadienyl ligand: application to the preparation of a trivalent samarium complex (P. Van de Weghe, C. Bied, J. Collin, J. Marçalo and I. Santos), 121
- Chromium**
- Arene-cluster compounds (B.F.G. Johnson), 31
 - Heterobimetallic heptamethylindenyl complexes of Cr⁰ and Rh¹: *trans*-[Cr(CO)₃-indenyl*-RhL₂] (L₂ = COD, L = CO) (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, L. Mantovani, S. Santi and A. Venzo), 267
- Cluster**
- Arene complexes of titanium and zirconium. Synthesis and structure (S. Troyanov), 139
 - Arene-cluster compounds (B.F.G. Johnson), 31
 - Termetallocenes (P. Jaitner, H. Schottenberger, S. Gamper and D. Obendorf), 113
- Cobalt**
- Cooperative effects in π -ligand bridged dinuclear complexes. XV. Heterodinuclear Fe-Co complexes from mononuclear η^5 -cyclooctatrienyl iron complexes (U. Behrens, J. Heck, M. Maters, G. Frenzen, A. Roelofsen and H.T. Sommerdijk), 233
 - Generation and gas-phase reactivity of CoGa⁺ (C. Kronseder, T. Schindler, C. Berg, R. Fischer, G. Niedner-Schatteburg and V.E. Bondybey), 247
- π -Complexes**
- Arene-cluster compounds (B.F.G. Johnson), 31
- Conproportionation**
- Cp^{*}Mo-halide chemistry. Rapid halide scrambling during the conproportionation of Cp₂Mo₂Y₄ (Y = Cl, Br, I) and Cp^{*}MoX₄ (X = Cl, Br): a paramagnetic ¹H NMR study (H.-B. Kraatz and R. Poli), 167
- Copper**
- Polyhedral silsesquioxanes as precursors of tailor-made heterogeneous catalyst centres. I. Water oxidation (V.L. Kuznetsov, G.L. Elizarova, L.G. Matvienko, I.G. Lantukhova, V.N. Kolomiichuk, A.A. Zhdanov and O.I. Shchegolikhina), 65
 - Towards organometallic zeolites: spontaneous self-assembly of Et₃SnCN, CuCN and (nBu₄N)CN to supramolecular [(nBu₄N)(Et₃Sn)₂Cu(CN)₄] (A.K. Brimah, E. Siebel, R.D. Fischer, N.A. Davies, D.C. Apperley and R.K. Harris), 85
- Crystal structure**
- Towards organometallic zeolites: spontaneous self-assembly of Et₃SnCN, CuCN and (nBu₄N)CN to supramolecular [(nBu₄N)(Et₃Sn)₂Cu(CN)₄] (A.K. Brimah, E. Siebel, R.D. Fischer, N.A. Davies, D.C. Apperley and R.K. Harris), 85
- Cumulene**
- Organometallic chemistry of alkenes and alkynes (H. Werner), 45
- Cyanide**
- Towards organometallic zeolites: spontaneous self-assembly of Et₃SnCN, CuCN and (nBu₄N)CN to supramolecular [(nBu₄N)(Et₃Sn)₂Cu(CN)₄] (A.K. Brimah, E. Siebel, R.D. Fischer, N.A. Davies, D.C. Apperley and R.K. Harris), 85
- Cyclooctatetraene**
- Cooperative effects in π -ligand bridged dinuclear complexes. XV. Heterodinuclear Fe-Co complexes from mononuclear η^5 -cyclooctatrienyl iron complexes (U. Behrens, J. Heck, M. Maters, G. Frenzen, A. Roelofsen and H.T. Sommerdijk), 233
- Cyclopentadienyl**
- Coordination chemistry of perhalogenated cyclopentadienes and alkynes. XVIII. Mechanistic studies on the metal–halogen exchange reaction of ring-halogenated metallocenes: the influence of stoichiometry, temperature, solvent and reaction time (K. Sünkel, W. Kempinger and J. Hofmann), 201
 - Synthesis and characterization of η^5 -monocyclopentadienyl (*p*-nitrobenzonitrile)ruthenium(II) salts: second harmonic generation powder efficiencies (A.R. Dias, M.H. Garcia, J.C. Rodrigues, M.L.H. Green and S.M. Kuebler), 241
 - Synthesis of a new asymmetric cyclopentadienyl ligand: application to the preparation of a trivalent samarium complex (P. Van de Weghe, C. Bied, J. Collin, J. Marçalo and I. Santos), 121
- Cyclopentadienyl**
- Cp^{*}Mo-halide chemistry. Rapid halide scrambling during the conproportionation of Cp₂Mo₂Y₄ (Y = Cl, Br, I) and Cp^{*}MoX₄ (X = Cl, Br): a paramagnetic ¹H NMR study (H.-B. Kraatz and R. Poli), 167
- Dealkylation**
- Umsetzung von 2,4-Dithio-1-wolframa-bicyclo[1.1.0]-butan-bis-trifluoroborat-Komplexen mit Thioharnstoff (W. Schütt, J. Ostermeier, O. Orama und F.R. Kreißl), 177
- Electrochemistry**
- Cooperative effects in π -ligand bridged dinuclear complexes. XV. Heterodinuclear Fe-Co complexes from mononuclear η^5 -cyclooctatrienyl iron complexes (U. Behrens, J. Heck, M. Maters, G. Frenzen, A. Roelofsen and H.T. Sommerdijk), 233
 - Termetallocenes (P. Jaitner, H. Schottenberger, S. Gamper and D. Obendorf), 113
- Electron spin resonance**
- Cooperative effects in π -ligand bridged dinuclear complexes. XV. Heterodinuclear Fe-Co complexes from mononuclear η^5 -cyclooctatrienyl iron complexes (U. Behrens, J. Heck, M. Maters, G. Frenzen, A. Roelofsen and H.T. Sommerdijk), 233
- Extended Hückel calculations**
- Bonding of organometallic fragments to polyoxometallates (M.J. Calhorda), 149
- Ferrocene**
- Aspects of the chemistry of the mixed ferrocene [MeO(CH₂CH₂O)₃(CH₂)₃C₅Me₄]Fe(C₅H₅). Generation of the unusual α -ferrocenyl carbocation {[MeO(CH₂CH₂O)₃(CH₂)₃C₅Me₄]Fe(C₅H₄CH₂)⁺} (U. Siemeling and G. Häffmann), 229
 - Effects of isolobal substitution in cyclopentadienyl ligands: the azacyclopentadienyl system C₄R₄N. Comparative photoelectron spectra of the tetra-tert-butyl ferrocene derivatives (C. Janiak, N. Kuhn and R. Gleiter), 223
- Gallane**
- Recent developments in the chemistry of alane (AlH₃) and gallane (GaH₃) (C.L. Raston), 15
- Gallium**
- Generation and gas-phase reactivity of CoGa⁺ (C. Kronseder, T. Schindler, C. Berg, R. Fischer, G. Niedner-Schatteburg and V.E. Bondybey), 247
 - Recent developments in the chemistry of alane (AlH₃) and gallane (GaH₃) (C.L. Raston), 15
- Germanium**
- Novel trichlorosilylation and trichlorogermylation of a *P*-chlorophosphaalkene leading to functionally substituted diphosphenes (A. Zanin, M. Karnop, J. Jeske, P.G. Jones and W.-W. Du Mont), 95
 - Theoretical study of stable silylenes and germylenes (C. Heinemann, W.A. Herrmann and W. Thiel), 73
- Grignard reagents**
- Organomagnesium chemistry: nearly hundred years but still fascinating (F. Bickelhaupt), 1

Halide

Cp^*Mo -halide chemistry. Rapid halide scrambling during the conproportionation of $\text{Cp}_2^*\text{Mo}_2\text{Y}_4$ ($\text{Y} = \text{Cl}, \text{Br}, \text{I}$) and Cp^*MoX_4 ($\text{X} = \text{Cl}, \text{Br}$): a paramagnetic ^1H NMR study (H.-B. Kraatz and R. Poli), 167

Heterobimetallitics

Heterobimetallic heptamethylindenyl complexes of Cr^0 and Rh^1 : trans -[$\text{Cr}(\text{CO})_3$ -indenyl*- RhL_2] ($\text{L}_2 = \text{COD}$, $\text{L} = \text{CO}$) (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, L. Mantovani, S. Santi and A. Venzo), 267

Hydride

Recent developments in the chemistry of alane (AlH_3) and gallane (GaH_3) (C.L. Raston), 15

Hydroformylation

Wasserlösliche Phosphane. II. Ein neuer Syntheseweg für wasserlösliche sekundäre und tertiäre Phosphane mit sulfonierten aromatischen Resten – Kristallstruktur von $\text{P}(p\text{-C}_6\text{H}_4\text{SO}_3\text{K})_3 \cdot \text{KCl} \cdot 0.5\text{H}_2\text{O}$ (O. Herd, A. Heßler, K.P. Langhans, O. Stelzer, W.S. Sheldrick und N. Weferling), 99

Hydrogenation

Activation of carbon dioxide. IV. Rhodium-catalysed hydrogenation of carbon dioxide to formic acid (W. Leitner, E. Dinjus and F. Gaßner), 257

Imide

Higher-valent derivatives of the d-metal acids. XII. α -Phosphonio(methylidene) complexes of niobium and tantalum containing the metallocene-like $[(\eta^5\text{-C}_5\text{R}_5)\text{M}(\text{N}^t\text{Bu})]$ core (S. Schmidt, J. Sundermeyer and F. Möller), 157

Indenyl

Heterobimetallic heptamethylindenyl complexes of Cr^0 and Rh^1 : trans -[$\text{Cr}(\text{CO})_3$ -indenyl*- RhL_2] ($\text{L}_2 = \text{COD}$, $\text{L} = \text{CO}$) (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, L. Mantovani, S. Santi and A. Venzo), 267

Indole

Palladium-catalysed cyclization of 2-alkynylanilines to 2-substituted indoles under an acidic two-phase system (S. Cacchi, V. Carnicelli and F. Marinelli), 289

Iron

Aspects of the chemistry of the mixed ferrocene [$\text{MeO}(\text{CH}_2\text{CH}_2\text{O})_3(\text{CH}_2)_3\text{C}_5\text{Me}_4\text{Fe}(\text{C}_5\text{H}_5)$. Generation of the unusual α -ferrocenyl carbocation $[(\text{MeO}(\text{CH}_2\text{CH}_2\text{O})_3(\text{CH}_2)_3\text{C}_5\text{Me}_4)\text{Fe}(\text{C}_5\text{H}_4\text{CH}_2)]^+$ (U. Siemeling and G. Hüffmann), 229

Cooperative effects in π -ligand bridged dinuclear complexes. XV.

Heterodinuclear Fe-Co complexes from mononuclear η^5 -cyclooctatetraenyl iron complexes (U. Behrens, J. Heck, M. Maters, G. Frenzen, A. Roelofsen and H.T. Sommerdijk), 233

Effects of isolobal substitution in cyclopentadienyl ligands: the azacyclopentadienyl system $\text{C}_4\text{R}_4\text{N}$. Comparative photoelectron spectra of the tetra-tert-butyl ferrocene derivatives (C. Janiak, N. Kuhn and R. Gleiter), 223

P-Funktionalisierte Diferriophosphonium Salze des Typs $[(\text{CpFe}(\text{CO})_2)_2\text{PPhR}]^+\text{X}^-$ und $[(\text{CpFe}(\text{CO})_2)_2\text{PClR}]^+\text{X}^-$ (I.-P. Lorenz, W. Pohl, H. Nöth und M. Schmidt), 211

Polyhedral silsesquioxanes as precursors of tailor-made heterogeneous catalyst centres. I. Water oxidation (V.L. Kuznetsov, G.L. Elizarova, L.G. Matvienko, I.G. Lantyukhova, V.N. Kolomiichuk, A.A. Zhdanov and O.I. Shchegolikhina), 65

Isolobal

Effects of isolobal substitution in cyclopentadienyl ligands: the azacyclopentadienyl system $\text{C}_4\text{R}_4\text{N}$. Comparative photoelectron spectra of the tetra-tert-butyl ferrocene derivatives (C. Janiak, N. Kuhn and R. Gleiter), 223

Lithium

Coordination chemistry of perhalogenated cyclopentadienes and alkynes. XVIII. Mechanistic studies on the metal–halogen exchange reaction of ring-halogenated metallocenes: the influence of stoichiometry, temperature, solvent and reaction time (K. Sünkel, W. Kempinger and J. Hofmann), 201

Macrocycle

Multifunctional phosphane and phosphane oxide ligands derived from *p*-tert-butylcalix[4]arene. Synthesis of a large diphosphane with C_2 symmetry and behaving as a *cis* or *trans* binding ligand (C. Loeber, D. Matt, A. De Cian and J. Fischer), 297

Macrocycle, polyphosphaphane

Recent advances in the chemistry of phospholide and polyphospholide ions (F. Mathey), 25

Magnesium

Organomagnesium chemistry: nearly hundred years but still fascinating (F. Bickelhaupt), 1

Titanium-magnesium complexes containing perpendicularly bridging bis(trimethylsilyl)acetylene ligands (V. Varga, K. Mach, G. Schmid and U. Thewalt), 127

Manganese

Coordination chemistry of perhalogenated cyclopentadienes and alkynes. XVIII. Mechanistic studies on the metal–halogen exchange reaction of ring-halogenated metallocenes: the influence of stoichiometry, temperature, solvent and reaction time (K. Sünkel, W. Kempinger and J. Hofmann), 201

O atom transfer reactions in some manganese and rhenium carbonyl compounds (B.F.G. Johnson, A. Sieker, A.J. Blake and R.E.P. Winpenny), 193

Polyhedral silsesquioxanes as precursors of tailor-made heterogeneous catalyst centres. I. Water oxidation (V.L. Kuznetsov, G.L. Elizarova, L.G. Matvienko, I.G. Lantyukhova, V.N. Kolomiichuk, A.A. Zhdanov and O.I. Shchegolikhina), 65

Mass spectrometry

Generation and gas-phase reactivity of CoGa^+ (C. Kronseder, T. Schindler, C. Berg, R. Fischer, G. Niedner-Schatteburg and V.E. Bondybey), 247

Materials

Generation and gas-phase reactivity of CoGa^+ (C. Kronseder, T. Schindler, C. Berg, R. Fischer, G. Niedner-Schatteburg and V.E. Bondybey), 247

Metal–halogen exchange

Coordination chemistry of perhalogenated cyclopentadienes and alkynes. XVIII. Mechanistic studies on the metal–halogen exchange reaction of ring-halogenated metallocenes: the influence of stoichiometry, temperature, solvent and reaction time (K. Sünkel, W. Kempinger and J. Hofmann), 201

Metallocenes

Higher-valent derivatives of the d-metal acids. XII. α -Phosphonio(methylidene) complexes of niobium and tantalum containing the metallocene-like $[(\eta^5\text{-C}_5\text{R}_5)\text{M}(\text{N}^t\text{Bu})]$ core (S. Schmidt, J. Sundermeyer and F. Möller), 157

Termetallocenes (P. Jaitner, H. Schottenberger, S. Gamper and D. Obendorf), 113

Metal–metal interactions

Termetallocenes (P. Jaitner, H. Schottenberger, S. Gamper and D. Obendorf), 113

Metathesis

Molecular mechanical studies on the olefin metathesis reaction. III. Modelling of the “well-defined” carbenes (L. Bencze and R. Szilagyi), 183

Methyl methacrylate

Homogeneous catalysis by cationic palladium complexes. Precision catalysis in the carbonylation of alkynes (E. Drent, P. Arnoldy and P.H.M. Budzelaar), 57

Molecular mechanics

Molecular mechanical studies on the olefin metathesis reaction. III. Modelling of the "well-defined" carbenes (L. Bencze and R. Szilagyi), 183

Molybdenum

Bonding of organometallic fragments to polyoxometallates (M.J. Calhorda), 149

Cp^*Mo -halide chemistry. Rapid halide scrambling during the conproportionation of $\text{Cp}_2^*\text{Mo}_2\text{Y}_4$ ($\text{Y} = \text{Cl}, \text{Br}, \text{I}$) and Cp^*MoX_4 ($\text{X} = \text{Cl}, \text{Br}$): a paramagnetic ^1H NMR study (H.-B. Kraatz and R. Poli), 167

Nickel

Polyhedral silsesquioxanes as precursors of tailor-made heterogeneous catalyst centres. I. Water oxidation (V.L. Kuznetsov, G.L. Elizarova, L.G. Matvienko, I.G. Lantyukhova, V.N. Kolomiichuk, A.A. Zhdanov and O.I. Shchegolikhina), 65

Niobium

Bonding of organometallic fragments to polyoxometallates (M.J. Calhorda), 149

Higher-valent derivatives of the d-metal acids. XII. α -Phosphonio(methylidene) complexes of niobium and tantalum containing the metallocene-like $[(\eta^5\text{-C}_5\text{R}_5)\text{M}(\text{N}^1\text{Bu})]$ core (S. Schmidt, J. Sundermeyer and F. Möller), 157

Non-linear optics

Synthesis and characterization of η^5 -monocyclopentadienyl (p -nitrobenzonitrile)ruthenium(II) salts: second harmonic generation powder efficiencies (A.R. Dias, M.H. Garcia, J.C. Rodrigues, M.L.H. Green and S.M. Kuebler), 241

Nuclear magnetic resonance

Cp^*Mo -halide chemistry. Rapid halide scrambling during the conproportionation of $\text{Cp}_2^*\text{Mo}_2\text{Y}_4$ ($\text{Y} = \text{Cl}, \text{Br}, \text{I}$) and Cp^*MoX_4 ($\text{X} = \text{Cl}, \text{Br}$): a paramagnetic ^1H NMR study (H.-B. Kraatz and R. Poli), 167

Towards organometallic zeolites: spontaneous self-assembly of Et_3SnCN , CuCN and $(^n\text{Bu}_4\text{N})\text{CN}$ to supramolecular $[(^n\text{Bu}_4\text{N})(\text{Et}_3\text{Sn})_2\text{Cu}(\text{CN})_4]$ (A.K. Brimah, E. Siebel, R.D. Fischer, N.A. Davies, D.C. Apperley and R.K. Harris), 85

Wasserlösliche Phosphane. II. Ein neuer Syntheseweg für wasserlösliche sekundäre und tertiäre Phosphane mit sulfonierten aromatischen Resten – Kristallstruktur von $\text{P}(p\text{-C}_6\text{H}_4\text{-SO}_3\text{K})_3 \cdot \text{KCl} \cdot 0.5\text{H}_2\text{O}$ (O. Herd, A. Heßler, K.P. Langhans, O. Stelzer, W.S. Sheldrick und N. Weferling), 99

Olefin

Molecular mechanical studies on the olefin metathesis reaction. III. Modelling of the "well-defined" carbenes (L. Bencze and R. Szilagyi), 183

Supported rhodium-catalysts: new aspects in the formation of trisubstituted olefins from simple alkenes and diazoalkanes (H. Werner and U. Möhring), 277

Osmium

Arene-cluster compounds (B.F.G. Johnson), 31

Oxidative addition

P -Funktionalisierte Diferriophosphonium Salze des Typs $[(\text{CpFe}(\text{CO})_2)_2\text{PPhR}]^+\text{X}^-$ und $[(\text{CpFe}(\text{CO})_2)_2\text{PClR}]^+\text{X}^-$ (I.-P. Lorenz, W. Pohl, H. Nöth und M. Schmidt), 211

Palladium

Atropisomeric diaryl-core phosphole ligands: Pd^{II} and Pt^{II} complexes with P -phenyl dinaphthophosphole (S. Gladiali, D. Fabbri, G. Banditelli, M. Manassero and M. Sansoni), 307

Homogeneous catalysis by cationic palladium complexes. Precision catalysis in the carbonylation of alkynes (E. Drent, P. Arnoldy and P.H.M. Budzelaar), 57

Interpenetrating organometallic polymer networks in heterogeneous catalysis: mild hydrogenation of p -nitrotoluene (B. Corain, M. Zecca, A. Biffis, S. Lora and G. Palma), 283

Palladium-catalysed cyclization of 2-alkynylanilines to 2-substituted indoles under an acidic two-phase system (S. Cacchi, V. Carnicelli and F. Marinelli), 289

Paramagnetism

Cp^*Mo -halide chemistry. Rapid halide scrambling during the conproportionation of $\text{Cp}_2^*\text{Mo}_2\text{Y}_4$ ($\text{Y} = \text{Cl}, \text{Br}, \text{I}$) and Cp^*MoX_4 ($\text{X} = \text{Cl}, \text{Br}$): a paramagnetic ^1H NMR study (H.-B. Kraatz and R. Poli), 167

Phase transfer

Wasserlösliche Phosphane. II. Ein neuer Syntheseweg für wasserlösliche sekundäre und tertiäre Phosphane mit sulfonierten aromatischen Resten – Kristallstruktur von $\text{P}(p\text{-C}_6\text{H}_4\text{-SO}_3\text{K})_3 \cdot \text{KCl} \cdot 0.5\text{H}_2\text{O}$ (O. Herd, A. Heßler, K.P. Langhans, O. Stelzer, W.S. Sheldrick und N. Weferling), 99

Phosphanes

Activation of carbon dioxide. IV. Rhodium-catalysed hydrogenation of carbon dioxide to formic acid (W. Leitner, E. Dinjus and F. Gaßner), 257

Multifunctional phosphane and phosphane oxide ligands derived from p -tert-butylcalix[4]arene. Synthesis of a large diphosphane with C_2 symmetry and behaving as a *cis* or *trans* binding ligand (C. Loeber, D. Matt, A. De Cian and J. Fischer), 297

Phosphane ligands

Atropisomeric diaryl-core phosphole ligands: Pd^{II} and Pt^{II} complexes with P -phenyl dinaphthophosphole (S. Gladiali, D. Fabbri, G. Banditelli, M. Manassero and M. Sansoni), 307

Phosphine

Wasserlösliche Phosphane. II. Ein neuer Syntheseweg für wasserlösliche sekundäre und tertiäre Phosphane mit sulfonierten aromatischen Resten – Kristallstruktur von $\text{P}(p\text{-C}_6\text{H}_4\text{-SO}_3\text{K})_3 \cdot \text{KCl} \cdot 0.5\text{H}_2\text{O}$ (O. Herd, A. Heßler, K.P. Langhans, O. Stelzer, W.S. Sheldrick und N. Weferling), 99

Phospholide

Recent advances in the chemistry of phospholide and polyphospholide ions (F. Mathey), 25

Phosphorus

Higher-valent derivatives of the d-metal acids. XII. α -Phosphonio(methylidene) complexes of niobium and tantalum containing the metallocene-like $[(\eta^5\text{-C}_5\text{R}_5)\text{M}(\text{N}^1\text{Bu})]$ core (S. Schmidt, J. Sundermeyer and F. Möller), 157

Novel trichlorosilylation and trichlorogermylation of a *P*-chlorophosphaalkene leading to functionally substituted diphosphenes (A. Zanin, M. Karnop, J. Jeske, P.G. Jones and W.-W. Du Mont), 95

P-Funktionalisierte Diferriophosphonium Salze des Typs $[(\text{CpFe}(\text{CO})_2)_2\text{PPhR}]^+\text{X}^-$ und $[(\text{CpFe}(\text{CO})_2)_2\text{PClR}]^+\text{X}^-$ (I.-P. Lorenz, W. Pohl, H. Nöth und M. Schmidt), 211

Recent advances in the chemistry of phospholide and polyphospholide ions (F. Mathey), 25

Photoelectron spectroscopy

Effects of isolobal substitution in cyclopentadienyl ligands: the azacyclopentadienyl system $\text{C}_4\text{R}_4\text{N}$. Comparative photoelectron spectra of the tetra-tert-butyl ferrocene derivatives (C. Janiak, N. Kuhn and R. Gleiter), 223

Platinum

Atropisomeric diaryl-core phosphole ligands: Pd^{II} and Pt^{II} complexes with P-phenyl dinaphthophosphole (S. Gladiali, D. Fabbri, G. Banditelli, M. Manassero and M. Sansoni), 307

Multifunctional phosphane and phosphane oxide ligands derived from *p*-tert-butylcalix[4]arene. Synthesis of a large diphosphane with C₂ symmetry and behaving as a *cis* or *trans* binding ligand (C. Loeber, D. Matt, A. De Cian and J. Fischer), 297

Polymer

Interpenetrating organometallic polymer networks in heterogeneous catalysis: mild hydrogenation of *p*-nitrotoluene (B. Corain, M. Zecca, A. Biffi, S. Lora and G. Palma), 283

Towards organometallic zeolites: spontaneous self-assembly of Et₃SnCN, CuCN and (ⁿBu₄N)CN to supramolecular [(ⁿBu₄N)(Et₃Sn)₂Cu(CN)₄] (A.K. Brimah, E. Siebel, R.D. Fischer, N.A. Davies, D.C. Apperley and R.K. Harris), 85

Polyoxometallate

Bonding of organometallic fragments to polyoxometallates (M.J. Calhorda), 149

Polyphospholide

Recent advances in the chemistry of phospholide and polyphospholide ions (F. Mathey), 25

2-Pyridylphosphine

Homogeneous catalysis by cationic palladium complexes. Precision catalysis in the carbonylation of alkynes (E. Drent, P. Arnoldy and P.H.M. Budzelaar), 57

Rhenium

O atom transfer reactions in some manganese and rhenium carbonyl compounds (B.F.G. Johnson, A. Sieker, A.J. Blake and R.E.P. Winpenny), 193

Rhodium

Activation of carbon dioxide. IV. Rhodium-catalysed hydrogenation of carbon dioxide to formic acid (W. Leitner, E. Dinjus and F. Gaßner), 257

Bonding of organometallic fragments to polyoxometallates (M.J. Calhorda), 149

Heterobimetallic heptamethylindenyl complexes of Cr⁰ and Rh^I: *trans*-[Cr(CO)₃-indenyl*-RhL₂] (L₂ = COD, L = CO) (C. Bonifaci, A. Ceccon, A. Gambaro, P. Ganis, L. Mantovani, S. Santi and A. Venzo), 267

Multifunctional phosphane and phosphane oxide ligands derived from *p*-tert-butylcalix[4]arene. Synthesis of a large diphosphane with C₂ symmetry and behaving as a *cis* or *trans* binding ligand (C. Loeber, D. Matt, A. De Cian and J. Fischer), 297

Organometallic chemistry of alkenes and alkynes (H. Werner), 45

Supported rhodium-catalysts: new aspects in the formation of trisubstituted olefins from simple alkenes and diazoalkanes (H. Werner and U. Möhring), 277

Ruthenium

Multifunctional phosphane and phosphane oxide ligands derived from *p*-tert-butylcalix[4]arene. Synthesis of a large diphosphane with C₂ symmetry and behaving as a *cis* or *trans* binding ligand (C. Loeber, D. Matt, A. De Cian and J. Fischer), 297

Synthesis and characterization of η⁵-monocyclopentadienyl (*p*-nitrobenzonitrile)ruthenium(II) salts: second harmonic generation powder efficiencies (A.R. Dias, M.H. Garcia, J.C. Rodrigues, M.L.H. Green and S.M. Kuebler), 241

Samarium

Synthesis of a new asymmetric cyclopentadienyl ligand: application to the preparation of a trivalent samarium complex (P. Van de Weghe, C. Bied, J. Collin, J. Marçalo and I. Santos), 121

Second harmonic generation

Synthesis and characterization of η⁵-monocyclopentadienyl (*p*-nitrobenzonitrile)ruthenium(II) salts: second harmonic generation powder efficiencies (A.R. Dias, M.H. Garcia, J.C. Rodrigues, M.L.H. Green and S.M. Kuebler), 241

Silicon

Novel trichlorosilylation and trichlorogermylation of a *P*-chlorophosphaalkene leading to functionally substituted diphosphenes (A. Zanin, M. Karnop, J. Jeske, P.G. Jones and W.-W. Du Mont), 95

Polyhedral silsesquioxanes as precursors of tailor-made heterogeneous catalyst centres. I. Water oxidation (V.L. Kuznetsov, G.L. Elizarova, L.G. Matvienko, I.G. Lantyukhova, V.N. Kolomiichuk, A.A. Zhdanov and O.I. Shchegolikhina), 65

Theoretical study of stable silylenes and germylenes (C. Heinemann, W.A. Herrmann and W. Thiel), 73

Structure

Arene complexes of titanium and zirconium. Synthesis and structure (S. Troyanov), 139

Termetallocenes (P. Jaitner, H. Schottenberger, S. Gamper and D. Obendorf), 113

Umsetzung von 2,4-Dithio-1-wolframa-bicyclo[1.1.0]-butan-bis-trifluoroborat-Komplexen mit Thioharnstoff (W. Schütt, J. Ostermeier, O. Orama und F.R. Kreißl), 177

Supported catalyst

Polyhedral silsesquioxanes as precursors of tailor-made heterogeneous catalyst centres. I. Water oxidation (V.L. Kuznetsov, G.L. Elizarova, L.G. Matvienko, I.G. Lantyukhova, V.N. Kolomiichuk, A.A. Zhdanov and O.I. Shchegolikhina), 65

Supported rhodium-catalysts: new aspects in the formation of trisubstituted olefins from simple alkenes and diazoalkanes (H. Werner and U. Möhring), 277

Synthesis

Arene complexes of titanium and zirconium. Synthesis and structure (S. Troyanov), 139

Tantalum

Higher-valent derivatives of the d-metal acids. XII. α-Phosphonio(methyldiene) complexes of niobium and tantalum containing the metallocene-like [(η⁵-C₅R₅)M(N^tBu)] core (S. Schmidt, J. Sundermeyer and F. Möller), 157

Theory

Theoretical study of stable silylenes and germylenes (C. Heinemann, W.A. Herrmann and W. Thiel), 73

Tin

Towards organometallic zeolites: spontaneous self-assembly of Et₃SnCN, CuCN and (ⁿBu₄N)CN to supramolecular [(ⁿBu₄N)(Et₃Sn)₂Cu(CN)₄] (A.K. Brimah, E. Siebel, R.D. Fischer, N.A. Davies, D.C. Apperley and R.K. Harris), 85

Titanium

Arene complexes of titanium and zirconium. Synthesis and structure (S. Troyanov), 139

Bonding of organometallic fragments to polyoxometallates (M.J. Calhorda), 149

Titanium-magnesium complexes containing perpendicularly bridging bis(trimethylsilyl)acetylene ligands (V. Varga, K. Mach, G. Schmid and U. Thewalt), 127

Transition metals general

Termetallocenes (P. Jaitner, H. Schottenberger, S. Gamper and D. Obendorf), 113

Trimethylsilyl

P-Funktionalisierte Diferriophosphonium Salze des Typs $[(\text{CpFe}(\text{CO})_2)_2\text{PPhR}]^+\text{X}^-$ und $[(\text{CpFe}(\text{CO})_2)_2\text{PClR}]^+\text{X}^-$ (I.-P. Lorenz, W. Pohl, H. Nöth und M. Schmidt), 211

Tungsten

Molecular mechanical studies on the olefin metathesis reaction. III. Modelling of the "well-defined" carbenes (L. Bencze and R. Szilagyi), 183

Umsetzung von 2,4-Dithio-1-wolframa-bicyclo[1.1.0]-butan-bis-te-trafuoroborat-Komplexen mit Thioharnstoff (W. Schütt, J. Ostermeier, O. Orama und F.R. Kreißl), 177

Two-phase catalysis

Palladium-catalysed cyclization of 2-alkynylanilines to 2-substituted indoles under an acidic two-phase system (S. Cacchi, V. Carnicelli and F. Marinelli), 289

Vinylidene

Organometallic chemistry of alkenes and alkynes (H. Werner), 45

Water soluble phosphine

Wasserlösliche Phosphane. II. Ein neuer Syntheseweg für wasserlösliche sekundäre und tertiäre Phosphane mit sulfonierten aromatischen Resten – Kristallstruktur von $\text{P}(p$ -

$\text{C}_6\text{H}_4\text{-SO}_3\text{K})_3 \cdot \text{KCl} \cdot 0.5\text{H}_2\text{O}$ (O. Herd, A. Heßler, K.P. Langhans, O. Stelzer, W.S. Sheldrick und N. Weferling), 99

X-ray diffraction

Cooperative effects in π -ligand bridged dinuclear complexes. XV. Heterodinuclear Fe-Co complexes from mononuclear η^5 -cyclooctatrienyl iron complexes (U. Behrens, J. Heck, M. Maters, G. Frenzen, A. Roelofsen and H.T. Sommerdijk), 233

X-ray structure

Titanium-magnesium complexes containing perpendicularly bridging bis(trimethylsilyl)acetylene ligands (V. Varga, K. Mach, G. Schmid and U. Thewalt), 127

Ylide

Higher-valent derivatives of the d-metal acids. XII. α -Phosphonio(methylidene) complexes of niobium and tantalum containing the metallocene-like $[(\eta^5\text{-C}_5\text{R}_5)\text{M}(\text{N}^t\text{Bu})]$ core (S. Schmidt, J. Sundermeyer and F. Möller), 157

Zirconium

Arene complexes of titanium and zirconium. Synthesis and structure (S. Troyanov), 139