

Subject Index of Volume 474

Aldehyde

Polyfunctional phosphine ligands. Preparation of 4'-formyl-2-di-phenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207

Aldimine

Hydroxy-group directing hydroiminoacylation of α,ω -dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183

Alkene

1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27

Alkenylboronic ester

Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49

Alkoxides

Alkylation of lanthanide alkoxides: synthesis of $[\text{Ln}(\mu\text{-OBu}^{\text{i}})_3(\mu\text{-Me})_3(\text{AlMe}_2)_3]$ ($\text{Ln} = \text{Pr, Nd or Y}$) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16

Alkyl

Alkylation of lanthanide alkoxides: synthesis of $[\text{Ln}(\mu\text{-OBu}^{\text{i}})_3(\mu\text{-Me})_3(\text{AlMe}_2)_3]$ ($\text{Ln} = \text{Pr, Nd or Y}$) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16

Alkyldyne

Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$ and $[\text{Os}_3(\mu\text{-H})(\text{CO})_9(\mu\text{-C(H)NC}_5\text{H}_4\text{-}\eta^2\text{-CH=CH}_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30

Alkyne

Copper(I)-induced activation of monosubstituted acetylenes. Perturbation of ligand geometry resulting from π -complexation (K. Brantin, M. Håkansson and S. Jagner), 229

Alkynyl

Reactions of novel cationic diphenylallenylidene complexes $[\text{Ru}(\text{C=C-CPh}_2)\text{L}_2(\eta\text{-C}_9\text{H}_7)]^+$ ($\text{L} = \text{PPh}_3$; $\text{L}_2 = \text{bis}(\text{diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)ethane, dppe)}$ with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27

Allenylidene

Reactions of novel cationic diphenylallenylidene complexes $[\text{Ru}(\text{C=C-CPh}_2)\text{L}_2(\eta\text{-C}_9\text{H}_7)]^+$ ($\text{L} = \text{PPh}_3$; $\text{L}_2 = \text{bis}(\text{diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)ethane, dppe})$ with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27

Amine–borane

Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(\text{CF}_3)_2\text{BNMe}_2$ (H. Bürger, G. Pawelke and J. Rothe), 43

Arene

A new method for the synthesis of $\text{Ln}(\eta^6\text{-C}_6\text{Me}_6)(\text{AlCl}_4)_3$ ($\text{Ln} = \text{Nd, Sm, Gd, Yb}$), and the X-ray crystal structure of $\text{Yb}(\eta^6\text{-C}_6\text{Me}_6)(\text{AlCl}_4)_3 \cdot \text{MeC}_6\text{H}_5$ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113

Areneruthenium complexes with S_2CPR_3 and trichlorostannate (B. Alvarez, D. Miguel, J.A. Pérez-Martínez and V. Riera), 143

Synthesis of some heterocyclic derivatives of $(\eta\text{-arene})(\eta\text{-cyclopentadienyl})\text{iron(II)}$ hexafluorophosphates including estimation of dihedral angles in both free and complexed ligands (S.I.S. Fernando and R.M.G. Roberts), 133

Barium

Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderrain, L. Contreras, M. Panque, E. Carmona, A. Monge and C. Ruiz), C5

Benzannulation

Benzannulation of podocarpic acid derivatives via directed *ortho* metallation and lithium-copper(I) transmetallation (R.C. Cambie, J.H.M. Hill, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 31

Biaryl

Novel concepts in directed biaryl synthesis. XXXIII. An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to CpZrCl_3 in toluene solution (F. Böckman, H. Bertagnoli, O. Schupp and G. Bringmann), 117

Biometallics

Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49

Bond energy

Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177

π -Bonding

Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71

Boron

Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(\text{CF}_3)_2\text{BNMe}_2$ (H. Bürger, G. Pawelke and J. Rothe), 43

Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49

Bridging ligand

Novel concepts in directed biaryl synthesis. XXXIII. An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to CpZrCl_3 in toluene solution (F. Böckman, H. Bertagnoli, O. Schupp and G. Bringmann), 117

Calcium

Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderrain, L. Contreras, M. Panque, E. Carmona, A. Monge and C. Ruiz), C5

Carbamoylsilane

The reaction of carbamoylcopper with a silyl chloride to give a carbamoylsilane (A. Orita, K. Ohe and S. Murai), 23

Carbene

Reactions of novel cationic diphenylallenylidene complexes $[\text{Ru}(\text{C=C-CPh}_2)\text{L}_2(\eta\text{-C}_9\text{H}_7)]^+$ ($\text{L} = \text{PPh}_3$; $\text{L}_2 = \text{bis}(\text{diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)ethane, dppe})$ with neutral and anionic nucle-

- ophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27
- Regioselective formation of allylidene cyclopropanes from Fischer chromium carbene complexes and vinylidene cyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123
- Carbon monoxide**
- Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223
- Carbonyl**
- Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic *vs.* kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165
- Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_6(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$ and $[\text{Os}_3(\mu\text{-H})(\text{CO})_9(\mu\text{-C(H)NC}_5\text{H}_4\text{-}\eta^2\text{-CH=CH}_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30
- Carbosilane**
- Synthese und Charakterisierung von Hydridopoly(carbosilanen) (W. Habel, L. Mayer und P. Sartori), 63
- C-H activation**
- Hydroxy-group directing hydroiminoacylation of α,ω -dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183
- Chlorine**
- Dichlorobis(pentachlorophenyl)germane and derivatives; synthesis of bis(pentachlorophenyl)germanediol and molecular structure of diiodobis(pentachlorophenyl)germane (L. Fajári, J. Carilla, L. Juliá, J. Riera, A. Párraga, M. Coll and X. Solans), 89
- Chromium**
- Regioselective formation of allylidene cyclopropanes from Fischer chromium carbene complexes and vinylidene cyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123
- Cluster**
- Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic *vs.* kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165
- Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_6(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$ and $[\text{Os}_3(\mu\text{-H})(\text{CO})_9(\mu\text{-C(H)NC}_5\text{H}_4\text{-}\eta^2\text{-CH=CH}_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30
- X-ray structural analysis of the polyhydride complex salt $[(\text{Ph}_3\text{P})_3\text{Ir}(\mu\text{-H})_3\text{Ag}(\mu\text{-H})_3\text{Ir}(\text{Ph}_3\text{P})_3]\text{[O}_3\text{SCF}_3]$ (F. Bachechi), 191
- Cobalt**
- Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177
- The structure of $[\text{Co}_3(\eta\text{-C}_5\text{H}_5)_3(\mu_3\text{-S})(\mu_3\text{-CNC}_6\text{H}_4\text{Me-4})]$ (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 173
- Copper**
- Benzannulation of podocarpic acid derivatives via directed *ortho*-metallation and lithium-copper(I) transmetalation (R.C. Cambie, J.H.M. Hill, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 31
- Copper(I)-induced activation of monosubstituted acetylenes. Perturbation of ligand geometry resulting from π -complexation (K. Brantin, M. Håkansson and S. Jagner), 229
- Cothermolytic synthesis**
- Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71
- Crystal structure
1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27
- Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic *vs.* kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165
- Copper(I)-induced activation of monosubstituted acetylenes. Perturbation of ligand geometry resulting from π -complexation (K. Brantin, M. Håkansson and S. Jagner), 229
- Low-valent metal complexes as redox-active ligands: new heteropolynuclear derivatives of manganese and rhenium cyanides and the crystal structure of $[(\text{o-phen})(\text{OC})_3\text{Re}(\mu\text{-CN})\text{Ru}(\text{CO})_2(\text{PPh}_3)(\text{o-O}_2\text{C}_6\text{Cl}_4)]$ (M. Bardaji, N.C. Brown, N.G. Connelly, R. Davies, A.G. Orpen, G.M. Rosair and N.R. Seear), C21
- Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs $[\text{R}_3\text{Sn}(\text{OPPh}_3)_2]^{+} \cdot [\text{(MeSO}_2)_2\text{N}]^{-}$ und des Molekülkomplexes $[\text{Me}_2\text{Sn}(\text{OS(O-})_2\text{Me})_2(\text{OPPh}_3)_2]$ (I. Lange, J. Krahf, P.G. Jones und A. Blaschette), 97
- Square planar platinum(II) complexes. Crystal structures of *cis*-bis(triphenylphosphine)hydro(triphenylstannyl)platinum(II) and *cis*-bis(triphenylphosphine)hydro(triphenylsilyl)platinum(II) (L. Abdol Latif, C. Eaborn, A.P. Pidcock and N.S. Weng), 217
- Synthesis, crystal and molecular structure of *N,N*-dimethyl-3-[tris(trimethylsiloxanyl)silyl]pyrrolinium chloride (R. Rudert and G. Schmaucks), 59
- Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_6(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$ and $[\text{Os}_3(\mu\text{-H})(\text{CO})_9(\mu\text{-C(H)NC}_5\text{H}_4\text{-}\eta^2\text{-CH=CH}_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30
- The structure of $[\text{Co}_3(\eta\text{-C}_5\text{H}_5)_3(\mu_3\text{-S})(\mu_3\text{-CNC}_6\text{H}_4\text{Me-4})]$ (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 173
- Cuprate addition**
- A convenient stereoselective synthesis of disubstituted alk-1-enyl phosphonates (H.-J. Cristau, M.-B. Gasc and X. Yangkou Mbianda), C14
- Cyanide**
- Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24
- Low-valent metal complexes as redox-active ligands: new heteropolynuclear derivatives of manganese and rhenium cyanides and the crystal structure of $[(\text{o-phen})(\text{OC})_3\text{Re}(\mu\text{-CN})\text{Ru}(\text{CO})_2(\text{PPh}_3)(\text{o-O}_2\text{C}_6\text{Cl}_4)]$ (M. Bardaji, N.C. Brown, N.G. Connelly, R. Davies, A.G. Orpen, G.M. Rosair and N.R. Seear), C21
- Cycloaddition**
- Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71
- Cyclopentadienyl**
- Bis(tert-butylcyclopentadienyl)(divinyl)hafnium from bis(tert-butylcyclopentadienyl)hafnium dichloride and vinylolithium (U. Böhme, R.J.H. Clark and M. Jennens), C19
- Novel concepts in directed biaryl synthesis. XXXIII. An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to CpZrCl_3 in toluene solution (F. Bökman, H. Bertagnoli, O. Schupp and G. Bringmann), 117

- Spectroscopic studies of hydride addition to the tricarbonylcyclopentadienyliron cation (D.A. Brown, W.K. Glass and M.M. Salama), 129
- Synthesis of some heterocyclic derivatives of (η -arene)(η -cyclopentadienyl)iron(II) hexafluorophosphates including estimation of dihedral angles in both free and complexed ligands (S.I.S. Fernando and R.M.G. Roberts), 133
- The structure of $[\text{Co}_3(\eta\text{-C}_5\text{H}_5)_3(\mu_3\text{-S})(\mu_3\text{-CNC}_6\text{H}_4\text{Me}-4)]$ (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 173
- Zur Synthese von Silicium-, Zinn- und Thallium-Verbundurgen mit Dimethylaminoethyl-substituierten Cyclopentadienyl-Liganden (J. Dahlhaus, M. Bangel und P. Jutzi), 55
- Diastereoselective hydrozirconation**
- Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49
- Dimesyl amide**
- Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs $[\text{R}_3\text{Sn}(\text{OPPh}_3)_2]^+ \cdot [(\text{MeSO}_2)_2\text{N}]^-$ und des Molekülkomplexes $[\text{Me}_2\text{Sn}(\text{OS}(\text{O}, \text{Me})\text{NSO}_2\text{Me})_2(\text{OPPh}_3)_2]$ (I. Lange, J. Krahl, P.G. Jones und A. Blaschette), 97
- Diolefins**
- Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71
- Dioxygen**
- Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177
- Diphosphine**
- Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223
- Electrochemistry**
- Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24
- Low-valent metal complexes as redox-active ligands: new heteropolynuclear derivatives of manganese and rhenium cyanides and the crystal structure of $[(o\text{-phen})(\text{OC})_3\text{Re}(\mu\text{-CN})\text{Ru}(\text{CO})_2(\text{PPh}_3)(o\text{-O}_2\text{C}_6\text{Cl}_4)]$ (M. Bardaji, N.C. Brown, N.G. Connelly, R. Davies, A.G. Orpen, G.M. Rosair and N.R. Seear), C21
- Ene-type reactions**
- Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(\text{CF}_3)_2\text{BN-Me}_2$ (H. Bürger, G. Pawelke and J. Rothe), 43
- EXAFS**
- Novel concepts in directed biaryl synthesis. XXXIII. An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to CpZrCl_3 in toluene solution (F. Bökman, H. Bertagnolli, O. Schupp and G. Bringmann), 117
- Ferrocene**
- Hydroxy-group directing hydroiminoacetylation of α,ω -dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183
- Free radical**
- Hydrostannation and hydrostannolysis by diorganotin hydrides R_2SnXH (X = halide, carboxylate, sulphonate, etc.) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11
- Free radicals**
- The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8
- Gadolinium**
- A new method for the synthesis of $\text{Ln}(\eta^6\text{-C}_6\text{Me}_6)(\text{AlCl}_4)_3$ ($\text{Ln} = \text{Nd, Sm, Gd, Yb}$), and the X-ray crystal structure of $\text{Yb}(\eta^6\text{-C}_6\text{Me}_6)(\text{AlCl}_4)_3 \cdot \text{MeC}_6\text{H}_5$ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113
- Germanium**
- Dichlorobis(pentachlorophenyl)germane and derivatives; synthesis of bis(pentachlorophenyl)germanediol and molecular structure of diiodobis(pentachlorophenyl)germane (L. Fajará, J. Carilla, L. Juliá, J. Riera, A. Párraga, M. Coll and X. Solans), 89
- Gold**
- Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic vs. kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165
- Some aspects of the organometallic chemistry of univalent gold (K.I. Grandberg and V.P. Dyadchenko), 1
- Group 1**
- 1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27
- Group 10**
- Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223
- Hafnium**
- Bis(tert-butylcyclopentadienyl)(divinyl)hafnium from bis(tert-butylcyclopentadienyl)hafnium dichloride and vinyl lithium (U. Böhme, R.J.H. Clark and M. Jennens), C19
- Hydride**
- Hydrostannation and hydrostannolysis by diorganotin hydrides R_2SnXH (X = halide, carboxylate, sulphonate, etc.) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11
- Spectroscopic studies of hydride addition to the tricarbonylcyclopentadienyliron cation (D.A. Brown, W.K. Glass and M.M. Salama), 129
- Synthese und Charakterisierung von Hydridopoly(carbosilanen) (W. Habel, L. Mayer und P. Sartori), 63
- The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8
- X-ray structural analysis of the polyhydride complex salt $[(\text{Ph}_3\text{P})_3\text{Ir}(\mu\text{-H})_3\text{Ag}(\mu\text{-H})_3\text{Ir}(\text{Ph}_3\text{P})_3]\text{[O}_3\text{SCF}_3]$ (F. Bachechi), 191
- Hydride-shift reactions**
- Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(\text{CF}_3)_2\text{BN-Me}_2$ (H. Bürger, G. Pawelke and J. Rothe), 43
- Hydroboration**
- Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49
- Hydrogen bonding**
- Crystal structures of $\text{Ph}_2\text{PbCl}_2(\text{imidazole})_2$ isomers with *trans*- and *cis*-arrangements of the phenyl groups (A.V. Yatsenko, H. Schenk and L.A. Aslanov), 107
- Hydroiminoacylation**
- Hydroxy-group directing hydroiminoacetylation of α,ω -dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183

Hydrosilylation

Synthesis, crystal and molecular structure of *N,N*-dimethyl-3-[tris(trimethylsilyloxanyl)silyl]pyrrolinium chloride (R. Rudert and G. Schmaucks), 59

Hydrostannation

Hydrostannation and hydrostannolysis by diorganotin hydrides R_2SnXH (X = halide, carboxylate, sulphonate, etc.) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11

The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8

Hydrostannolysis

Hydrostannation and hydrostannolysis by diorganotin hydrides R_2SnXH (X = halide, carboxylate, sulphonate, etc.) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11

The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8

Imidazole

Crystal structures of $Ph_2PbCl_2(imidazole)_2$ isomers with *trans*- and *cis*-arrangements of the phenyl groups (A.V. Yatsenko, H. Schenk and L.A. Aslanov), 107

Imine

Polyfunctional phosphine ligands. Preparation of 4'-formyl-2-di-phenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207

Indenyl

Reactions of novel cationic diphenylallenylidene complexes $[Ru(=C=C=CPh_2)L_2(\eta-C_9H_7)]^+$ ($L = PPh_3$; $L_2 =$ bis(diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)ethane, dppe) with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27

Indole

Synthesis of some heterocyclic derivatives of (η -arene)(η -cyclopentadienyl)iron(II) hexafluorophosphates including estimation of dihedral angles in both free and complexed ligands (S.I.S. Fernando and R.M.G. Roberts), 133

Infrared spectroscopy

Regioselective formation of allylidene cyclopropanes from Fischer chromium carbene complexes and vinylidene cyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123

Iridium

Coordination chemistry of $[CH(PPh_2)(P(S)Ph_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[Ir(cod)(CH(PPh_2)(P(S)Ph_2)_2-P,S,S)]BF_4 \cdot CH_2Cl_2$ (J. Browning, K.R. Dixon and S.F. Wang), 199

X-ray structural analysis of the polyhydride complex salt $[(Ph_3P)_3Ir(\mu-H)_3Ag(\mu-H)_3Ir(Ph_3P)_3][O_3SCF_3]$ (F. Bachechi), 191

Iron

Hydroxy-group directing hydroiminoacylation of α,ω -dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183

Spectroscopic studies of hydride addition to the tricarbonylcyclopentadienyliron cation (D.A. Brown, W.K. Glass and M.M. Salama), 129

Synthesis of some heterocyclic derivatives of (η -arene)(η -cyclopentadienyl)iron(II) hexafluorophosphates including estimation of dihedral angles in both free and complexed ligands (S.I.S. Fernando and R.M.G. Roberts), 133

Irradiation

Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177

Isocyanide

Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223

The structure of $[Co_3(\eta-C_5H_5)_3(\mu_3-S)(\mu_3-CNC_6H_4Me-4)]$ (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 173

Ketone

Polyfunctional phosphine ligands. Preparation of 4'-formyl-2-di-phenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207

Lactone

Novel concepts in directed biaryl synthesis. XXXIII. An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to $CpZrCl_3$ in toluene solution (F. Bökmann, H. Bertagnoli, O. Schupp and G. Bringmann), 117

Lead

Crystal structures of $Ph_2PbCl_2(imidazole)_2$ isomers with *trans*- and *cis*-arrangements of the phenyl groups (A.V. Yatsenko, H. Schenk and L.A. Aslanov), 107

Lithium

1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27

Benzannulation of podocarpic acid derivatives via directed *ortho* metallation and lithium-copper(I) transmetallation (R.C. Cambie, J.H.M. Hill, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 31

$(Li[C(PMe_2)_2(SiMe_2Ph)])_3$, ein Heteroorganolithium-Trimer (H.H. Karsch, R. Richter, M. Paul und J. Riede), C1

The reaction of carbamoylcopper with a silyl chloride to give a carbamoylsilane (A. Orita, K. Ohe and S. Murai), 23

Manganese

Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24

Low-valent metal complexes as redox-active ligands: new heteropolynuclear derivatives of manganese and rhenium cyanides and the crystal structure of $[(o\text{-phen})(OC)_3Re(\mu\text{-CN})Ru(CO)_2(PPh_3)(o\text{-O}_2C_6Cl_4)]$ (M. Bardaji, N.C. Brown, N.G. Connelly, R. Davies, A.G. Orpen, G.M. Rosair and N.R. Seear), C21

Mass spectrometry

Regioselective formation of allylidene cyclopropanes from Fischer chromium carbene complexes and vinylidene cyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123

Metallacycle

1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27

Metathesis

Metathesis of silicon-containing olefins. X. Metathesis of vinyltrimethylsilane catalyzed by ruthenium complexes (B. Marciniec, C. Pietraszuk and Z. Foltynowicz), 83

Molybdenum

Regioselective formation of allylidene cyclopropanes from Fischer chromium carbene complexes and vinylidene cyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123

Neodymium

A new method for the synthesis of $Ln(\eta^6-C_6Me_6)(AlCl_4)_3$ ($Ln =$ Nd, Sm, Gd, Yb), and the X-ray crystal structure of $Yb(\eta^6-C_6Me_6)(AlCl_4)_3 \cdot MeC_6H_5$ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113

- Alkylation of lanthanide alkoxides: synthesis of $[\text{Ln}(\mu\text{-OBu}^{\prime})_3(\mu\text{-Me})_3(\text{AlMe}_2)_3]$ (Ln = Pr, Nd or Y) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16**
- Nuclear magnetic resonance**
- Regioselective formation of allylidene cyclopropanes from Fischer chromium carbene complexes and vinylidene cyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123
- Nucleophilic addition**
- Reactions of novel cationic diphenylallenylidene complexes $[\text{Ru}(\text{C=C=CPH}_2)\text{L}_2\eta\text{-C}_9\text{H}_7]^+$ ($\text{L} = \text{PPH}_3$; $\text{L}_2 = \text{bis}(\text{diphenylphosphino})\text{methane}$, dppm or 1,2-bis(diphenylphosphino)ethane, dppe) with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27
- Olefin**
- Metathesis of silicon-containing olefins. X. Metathesis of vinyltrimethylsilane catalyzed by ruthenium complexes (B. Marciniec, C. Pietraszuk and Z. Foltynowicz), 83
- Osmium**
- Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic *vs.* kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165
- Reaction of pentafluoronitrosobenzene with $[\text{Os}_3\text{H}(\mu\text{-H})(\text{CO})_{10}(\text{MPH}_2)]$ ($\text{M} = \text{P}, \text{As}, \text{Sb}$): synthesis and X-ray structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}(\text{PPH}_3)(\text{ONC}_6\text{F}_4\text{O})]$ (H.G. Ang, W.L. Kwik and K.K. Ong), 149
- Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$ and $[\text{Os}_3(\mu\text{-H})(\text{CO})_9(\mu\text{-C(H)NC}_5\text{H}_4\text{-}\eta^2\text{-CH=CH}_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30
- Synthesis, X-ray structural and spectroscopic study of new silyl-substituted triosmium clusters (H.G. Ang, B. Chang, W.L. Kwik and E.S.H. Sim), 153
- Palladium**
- Coordination chemistry of $[\text{CH}(\text{PPh}_2)(\text{P(S)Ph}_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[\text{Ir}(\text{cod})(\text{CH}(\text{PPh}_2)(\text{P(S)Ph}_2)_2\text{-P,S,S})]\text{BF}_4 \cdot \text{CH}_2\text{Cl}_2$ (J. Brownning, K.R. Dixon and S.F. Wang), 199
- Polyfunctional phosphine ligands. Preparation of 4'-formyl-2-di-phenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207
- Transfer of the (dithiomethoxy carbonyl)diphenylphosphine ligand from tungsten to palladium: syntheses and crystal structures of two palladium (dithiomethoxy carbonyl)phosphine complexes (K.-H. Yih, Y.-C. Lin, M.-C. Cheng and Y. Wang), C34
- Pentachlorophenyl**
- Dichlorobis(pentachlorophenyl)germane and derivatives; synthesis of bis(pentachlorophenyl)germanediol and molecular structure of diiodobis(pentachlorophenyl)germane (L. Fajári, J. Carilla, L. Juliá, J. Riera, A. Párraga, M. Coll and X. Solans), 89
- Perfluoralkyl**
- Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(\text{CF}_3)_2\text{BNMe}_2$ (H. Bürger, G. Pawelke and J. Rothe), 43
- Peroxide**
- Reactions of alkylcobaloximes with oxygen under irradiation.
- Phosphine**
- Polyfunctional phosphine ligands. Preparation of 4'-formyl-2-di-phenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207
- Transfer of the (dithiomethoxy carbonyl)diphenylphosphine ligand from tungsten to palladium: syntheses and crystal structures of two palladium (dithiomethoxy carbonyl)phosphine complexes (K.-H. Yih, Y.-C. Lin, M.-C. Cheng and Y. Wang), C34
- Phosphine oxide**
- Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs $[\text{R}_3\text{Sn}(\text{OPPh}_3)_2]^+ \cdot [\text{MeSO}_2\text{N}]^-$ und des Molekülkomplexes $[\text{Me}_2\text{Sn}(\text{OS(O,Me)}\text{NSO}_2\text{Me})_2(\text{OPPh}_3)_2]$ (I. Lange, J. Krahl, P.G. Jones und A. Blaschette), 97
- Phosphonate**
- A convenient stereoselective synthesis of disubstituted alk-1-enyl phosphonates (H.-J. Cristau, M.-B. Gasc and X. Yangkou Mbianda), C14
- Phosphorus**
- A convenient stereoselective synthesis of disubstituted alk-1-enyl phosphonates (H.-J. Cristau, M.-B. Gasc and X. Yangkou Mbianda), C14
- Coordination chemistry of $[\text{CH}(\text{PPh}_2)(\text{P(S)Ph}_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[\text{Ir}(\text{cod})(\text{CH}(\text{PPh}_2)(\text{P(S)Ph}_2)_2\text{-P,S,S})]\text{BF}_4 \cdot \text{CH}_2\text{Cl}_2$ (J. Brownning, K.R. Dixon and S.F. Wang), 199
- $[\text{Li}[\text{CPMe}_2)_2(\text{SiMe}_2\text{Ph})]]_3$, ein Heteroorganolithium-Trimer (H.H. Karsch, R. Richter, M. Paul und J. Riede), C1
- Photochemistry**
- Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connally), C24
- Platinum**
- Coordination chemistry of $[\text{CH}(\text{PPh}_2)(\text{P(S)Ph}_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[\text{Ir}(\text{cod})(\text{CH}(\text{PPh}_2)(\text{P(S)Ph}_2)_2\text{-P,S,S})]\text{BF}_4 \cdot \text{CH}_2\text{Cl}_2$ (J. Brownning, K.R. Dixon and S.F. Wang), 199
- Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223
- Square planar platinum(II) complexes. Crystal structures of *cis*-bis(triphenylphosphine)hydro(triphenylstannyly)platinum(II) and *cis*-bis(triphenylphosphine)hydro(triphenylsilyl)platinum(II) (L. Abdol Latif, C. Eaborn, A.P. Pidcock and N.S. Weng), 217
- Podocarpic acid**
- Benzannulation of podocarpic acid derivatives via directed *ortho* metallation and lithium-copper(I) transmetallation (R.C. Cambie, J.H.M. Hill, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 31
- Poly(carbosilanes)**
- Synthese und Charakterisierung von Hydridopoly(carbosilanen) (W. Habel, L. Mayer und P. Sartori), 63
- Poly(pyrazolyl)borates**
- Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderrain, L. Contreras, M. Panque, E. Carmona, A. Monge and C. Ruiz), C5

Praseodymium

Alkylation of lanthanide alkoxides: synthesis of $[\text{Ln}(\mu\text{-OBu}^t)_3(\mu\text{-Me})_3(\text{AlMe}_2)_3]$ ($\text{Ln} = \text{Pr, Nd or Y}$) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16

Radical

Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177

Rhenium

Low-valent metal complexes as redox-active ligands: new heteropolymer complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhenium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C21

Rhodium

Coordination chemistry of $[\text{CH}(\text{PPh}_2)_2(\text{P}(\text{S})\text{Ph}_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[\text{Ir}(\text{cod})(\text{CH}(\text{PPh}_2)_2(\text{P}(\text{S})\text{Ph}_2)_2\text{-P},\text{S},\text{S})]\text{BF}_4 \cdot \text{CH}_2\text{Cl}_2$ (J. Browning, K.R. Dixon and S.F. Wang), 199

Heteropolymer complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhenium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24

Hydroxy-group directing hydroiminoacetylation of α,ω -dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183

Ruthenium

Areneruthenium complexes with S_2CPR_3 and trichlorostannate (B. Alvarez, D. Miguel, J.A. Pérez-Martínez and V. Riera), 143

Metathesis of silicon-containing olefins. X. Metathesis of vinyltrimethylsilane catalyzed by ruthenium complexes (B. Marciniec, C. Pietraszuk and Z. Foltynowicz), 83

Reactions of novel cationic diphenylallenylidene complexes $[\text{Ru}(=\text{C=C=CPh}_2)\text{L}_2(\eta\text{-C}_9\text{H}_7)]^+$ ($\text{L} = \text{PPh}_3$; $\text{L}_2 = \text{bis}(\text{diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)-ethane, dppe}$) with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27

Samarium

A new method for the synthesis of $\text{Ln}(\eta^6\text{-C}_6\text{Me}_6)(\text{AlCl}_4)_3$ ($\text{Ln} = \text{Nd, Sm, Gd, Yb}$), and the X-ray crystal structure of $\text{Yb}(\eta^6\text{-C}_6\text{Me}_6)(\text{AlCl}_4)_3 \cdot \text{MeC}_6\text{H}_5$ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113

Silane

Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71

Silicon

$\{\text{Li}[\text{C}(\text{PMe}_2)_2(\text{SiMe}_2\text{Ph})]\}_3$, ein Heteroorganolithium-Trimer (H.H. Karsch, R. Richter, M. Paul und J. Riede), C1

Metathesis of silicon-containing olefins. X. Metathesis of vinyltrimethylsilane catalyzed by ruthenium complexes (B. Marciniec, C. Pietraszuk and Z. Foltynowicz), 83

Square planar platinum(II) complexes. Crystal structures of *cis*-bis(triphenylphosphine)hydro(triphenylstannylyl)platinum(II) and *cis*-bis(triphenylphosphine)hydro(triphenylsilylyl)platinum(II) (L. Abdol Latif, C. Eaborn, A.P. Pidcock and N.S. Weng), 217

Synthesis, crystal and molecular structure of *N,N*-dimethyl-3-[tris(trimethylsilyloxanyl)silyl]pyrrolinium chloride (R. Rudert and G. Schmaucks), 59

The reaction of carbamoylcopper with a silyl chloride to give a carbamoylsilane (A. Orita, K. Ohe and S. Murai), 23

Zur Synthese von Silicium-, Zinn- und Thallium-Verbindungen mit Dimethylaminoethyl-substituierten Cyclopentadienyl-Liganden (J. Dahlhaus, M. Bangel und P. Jutzi), 55

Siloxane

Synthesis, crystal and molecular structure of *N,N*-dimethyl-3-[tris(trimethylsilyloxanyl)silyl]pyrrolinium chloride (R. Rudert and G. Schmaucks), 59

Silver

X-ray structural analysis of the polyhydride complex salt $[(\text{Ph}_3\text{P})_3\text{Ir}(\mu\text{-H})_3\text{Ag}(\mu\text{-H})_3\text{Ir}(\text{Ph}_3\text{P})_3]\text{O}_3\text{SCF}_3$ (F. Bachechi), 191

Silyl

Synthesis, X-ray structural and spectroscopic study of new silyl-substituted triosmium clusters (H.G. Ang, B. Chang, W.L. Kwik and E.S.H. Sim), 153

Silylene

Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71

Small ring

Regioselective formation of allylidene cyclopropanes from Fischer chromiumcarbene complexes and vinylidene cyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123

Stereoselective synthesis

A convenient stereoselective synthesis of disubstituted alk-1-enyl phosphonates (H.-J. Cristau, M.-B. Gasc and X. Yangkou Mbiana), C14

Strontium

Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderrain, L. Contreras, M. Paneque, E. Carmona, A. Monge and C. Ruiz), C5

Sulfur

Coordination chemistry of $[\text{CH}(\text{PPh}_2)_2(\text{P}(\text{S})\text{Ph}_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[\text{Ir}(\text{cod})(\text{CH}(\text{PPh}_2)_2(\text{P}(\text{S})\text{Ph}_2)_2\text{-P},\text{S},\text{S})]\text{BF}_4 \cdot \text{CH}_2\text{Cl}_2$ (J. Browning, K.R. Dixon and S.F. Wang), 199

Synthesis

Reaction of pentafluoronitrosobenzene with $[\text{Os}_3\text{H}(\mu\text{-H})(\text{CO})_{10}(\text{MPH}_3)]$ ($\text{M} = \text{P, As, Sb}$): synthesis and X-ray structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}(\text{PPh}_3)_2\text{ONC}_6\text{F}_4\text{O}]$ (H.G. Ang, W.L. Kwik and K.K. Ong), 149

Thallium

Zur Synthese von Silicium-, Zinn- und Thallium-Verbindungen mit Dimethylaminoethyl-substituierten Cyclopentadienyl-Liganden (J. Dahlhaus, M. Bangel und P. Jutzi), 55

Thiocarbonyl compounds

Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(\text{CF}_3)_2\text{BNMe}_2$ (H. Bürger, G. Pawelke and J. Rothe), 43

Tin

Areneruthenium complexes with S_2CPR_3 and trichlorostannate (B. Alvarez, D. Miguel, J.A. Pérez-Martínez and V. Riera), 143

Hydrostannation and hydrostannylysis by diorganotin hydrides R_2SnXH ($\text{X} = \text{halide, carboxylate, sulphonate, etc.}$) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11

Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs $[\text{R}_3\text{Sn}(\text{OPPh}_3)_2]^+ \cdot (\text{MeSO}_2)_2\text{N}^-$ und des Molekülkomplexes $[\text{Me}_2\text{Sn}(\text{OS}: \text{O},$

- Me)NSO₂Me]₂(OPPh₃)₂] (I. Lange, J. Krah, P.G. Jones und A. Blaschette), 97**
- Square planar platinum(II) complexes. Crystal structures of *cis*-bis(triphenylphosphine)hydro(triphenylstannyl)platinum(II) and *cis*-bis(triphenylphosphine)hydro(triphenylsilyl)platinum(II) (L. Abdol Latif, C. Eaborn, A.P. Pidcock and N.S. Weng), 217**
- The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8**
- Zur Synthese von Silicium-, Zinn- und Thallium-Verbindungen mit Dimethylaminoethyl-substituierten Cyclopentadienyl-Liganden (J. Dahlhaus, M. Bangel und P. Jutzi), 55**
- Triazene**
- Heteropolymer complexes containing multiple redox sites: cyanometal ligand derivatives of the triazeno-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24
- Triflate**
- Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223
- Tungsten**
- Transfer of the (dithiomethoxycarbonyl)diphenylphosphine ligand from tungsten to palladium: syntheses and crystal structures of two palladium (dithiomethoxycarbonyl)phosphine complexes (K.-H. Yih, Y.-C. Lin, M.-C. Cheng and Y. Wang), C34
- Univalent**
- Some aspects of the organometallic chemistry of univalent gold (K.I. Grandberg and V.P. Dyadchenko), 1
- Vinyl**
- Bis(tert-butylcyclopentadienyl)(divinyl)hafnium from bis(tert-butylcyclopentadienyl)hafnium dichloride and vinyl lithium (U. Böhme, R.J.H. Clark and M. Jennens), C19
- X-ray diffraction**
- 1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27
- A new method for the synthesis of Ln(η^6 -C₆Me₆)(AlCl₄)₃ (Ln = Nd, Sm, Gd, Yb), and the X-ray crystal structure of Yb(η^6 -C₆Me₆)(AlCl₄)₃ · MeC₆H₅ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113
- Crystal structures of Ph₂PbCl₂(imidazole)₂ isomers with *trans*- and *cis*-arrangements of the phenyl groups (A.V. Yatsenko, H. Schenk and L.A. Aslanov), 107
- Dichlorobis(pentachlorophenyl)germane and derivatives; synthesis of bis(pentachlorophenyl)germanediol and molecular structure of diiodobis(pentachlorophenyl)germane (L. Fajári, J. Carilla, L. Juliá, J. Riera, A. Párraga, M. Coll and X. Solans), 89
- Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs [R₃Sn(OPPh₃)₂]⁺ [(MeSO₂)₂N]⁻ und des Molekülkomplexes [Me₂Sn(OS(=O)Me)NSO₂Me]₂(OPPh₃)₂] (I. Lange, J. Krah, P.G. Jones und A. Blaschette), 97
- Synthesis, X-ray structural and spectroscopic study of new silyl-substituted triosmium clusters (H.G. Ang, B. Chang, W.L. Kwik and E.S.H. Sim), 153
- Transfer of the (dithiomethoxycarbonyl)diphenylphosphine ligand from tungsten to palladium: syntheses and crystal structures of two palladium (dithiomethoxycarbonyl)phosphine complexes (K.-H. Yih, Y.-C. Lin, M.-C. Cheng and Y. Wang), C34
- X-ray structure**
- Alkylation of lanthanide alkoxides: synthesis of [Ln(μ -OBu^t)₃(μ -Me)₃(AlMe₂)₃] (Ln = Pr, Nd or Y) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16
- Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderrain, L. Contreras, M. Paneque, E. Carmona, A. Monge and C. Ruiz), C5
- X-ray structural analysis of the polyhydride complex salt [(Ph₃P)₃Ir(μ -H)₃Ag(μ -H)₃Ir(Ph₃P)₃]O₃SCF₃] (F. Bachechi), 191
- Ytterbium**
- A new method for the synthesis of Ln(η^6 -C₆Me₆)(AlCl₄)₃ (Ln = Nd, Sm, Gd, Yb), and the X-ray crystal structure of Yb(η^6 -C₆Me₆)(AlCl₄)₃ · MeC₆H₅ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113
- Alkylation of lanthanide alkoxides: synthesis of [Ln(μ -OBu^t)₃(μ -Me)₃(AlMe₂)₃] (Ln = Pr, Nd or Y) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16
- Zirconium**
- Bis(tert-butylcyclopentadienyl)(divinyl)hafnium from bis(tert-butylcyclopentadienyl)hafnium dichloride and vinyl lithium (U. Böhme, R.J.H. Clark and M. Jennens), C19
- Novel concepts in directed biaryl synthesis. XXXIII. An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to CpZrCl₃ in toluene solution (F. Bökman, H. Bertagnolli, O. Schupp and G. Bringmann), 117
- Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49
- Book reviews**
- Gmelin Handbook of Inorganic and Organometallic Compounds, 8th edn., S, Sulfur-Nitrogen Compounds, Part 9* (C. Eaborn), C37
- Siloxane Polymers*, S.J. Clarson and J.A. Semlyem (Eds.) (C. Eaborn), C37