

## Subject Index of Volume 479

### Acidity

1-Aminoalkanediphosphonic acids. Synthesis and acidic properties (Z.H. Kudzin, A. Kotyński and G. Andrijewski), 199

### Alkylidyne

Reactions of di- and poly-nuclear complexes. 12. Synthesis and thermal decomposition reactions of tetranuclear clusters  $[\text{Co}_4\text{Cp}_2(\text{CO})_{5-n}\text{L}_n(\text{RC}_2\text{R}')] ]$  ( $\text{L} = \text{PPh}_2\text{H}$ ;  $n = 0, 1$  or  $2$ ) ( $\text{R} = \text{R}' = \text{CF}_3, \text{C}_6\text{F}_5, \text{C}_6\text{H}_5$  or  $\text{Me}$ ;  $\text{R} = \text{H}, \text{R}' = \text{CF}_3$ ). (P. Quénech, R. Rumin and F.Y. Pétilion), 93

### Alkylidyne complexes

Reactions of phosphine-substituted alkylidyne carbonyl tungsten complexes with dithiocarbamate ligands: phosphine substitution and alkylidyne-carbonyl coupling (A. Mayr, R.T. Chang, T.-Y. Lee, O.K. Cheung, M.A. Kjelsberg, G.A. McDermott and D. Van Engen), 47

### Alkyne

Easy triphenylphosphine replacement of a CO ligand in the dicarbene complex  $[\text{Fe}_2(\text{CO})_7(\mu\text{-C}(\text{R})\text{C}(\text{NEt}_2))] ]$ . Syntheses and characterizations of  $[\text{Fe}_2(\text{CO})_6(\text{PPh}_3)(\mu\text{-C}(\text{R})\text{C}(\text{NEt}_2))] ]$  (J.C. Daran, B. Heim, M. Gouygou and Y. Jeannin), 109

Reactions of di- and poly-nuclear complexes. 12. Synthesis and thermal decomposition reactions of tetranuclear clusters  $[\text{Co}_4\text{Cp}_2(\text{CO})_{5-n}\text{L}_n(\text{RC}_2\text{R}')] ]$  ( $\text{L} = \text{PPh}_2\text{H}$ ;  $n = 0, 1$  or  $2$ ) ( $\text{R} = \text{R}' = \text{CF}_3, \text{C}_6\text{F}_5, \text{C}_6\text{H}_5$  or  $\text{Me}$ ;  $\text{R} = \text{H}, \text{R}' = \text{CF}_3$ ). (P. Quénech, R. Rumin and F.Y. Pétilion), 93

### Alkynes

Reaction of  $[(\text{PEt}_3)_3\text{Rh}(\text{C}(\text{N}_2)\text{SiMe}_3)]$  with terminal alkynes—synthesis of  $\sigma$ -alkynyl rhodium(III) complexes (E. Deydier, M.-J. Menu, M. Dartiguenave and Y. Dartiguenave), 55

### Amino acids

1-Aminoalkanediphosphonic acids. Synthesis and acidic properties (Z.H. Kudzin, A. Kotyński and G. Andrijewski), 199

### Aminoalkanediphosphonic acids

1-Aminoalkanediphosphonic acids. Synthesis and acidic properties (Z.H. Kudzin, A. Kotyński and G. Andrijewski), 199

### Arene

Single insertion of propene into a cationic zirconium(IV) complex: isolation and X-ray crystal structure of  $[(\text{C}_5\text{Me}_5)\text{Zr}(\text{CH}_2\text{CHMeCH}_2\text{Ph})(\text{CH}_2\text{Ph})][\text{B}(\text{CH}_2\text{Ph})(\text{C}_6\text{F}_5)_3]$  (C. Pellecchia, A. Immirzi and A. Zambelli), C9

Structures of a series of  $[4\text{-R-C}_6\text{H}_4\text{-CH}(\text{OR}')_2]\text{Cr}(\text{CO})_3$  complexes: evidence against a favored carbonyl orientation in (*para*-disubstituted arene)chromium tricarbonyl compounds (T.M. Gilbert, A.H. Bond and R.D. Rogers), 73

### 5-Aryl complexes

2,4,6-Tris(trifluoromethyl)phenyl und 2,4,6-Tris(trifluormethyl)dithiobenzoat als Liganden in Cobalt(II)- und Nickel(II)-Verbindungen (M. Belay und F.T. Edelmann), C21

### Azine

Cyclometallation of 2-halogenobenzaldehyde mixed azine phosphines of type  $\text{PPh}_2\text{CH}_2\text{C}(\text{tBu})\text{N}=\text{N}=\text{CH}(\text{C}_6\text{H}_4\text{X-2})$  ( $\text{X} = \text{I}, \text{Br}$  or  $\text{Cl}$ ) involving facile C–X bond fission at tungsten(0) (S.D. Perera and B.L. Shaw), 117

### Benzonitrile

Synthesis and applications of  $[\text{Au}(\text{NCPh})_2][\text{BF}_4]$ , a versatile labile intermediate for gold(I) chemistry (D.M.P. Mingos and J. Yau), C16

### BINAP

An unprecedented tridentate mode of co-ordination of a BINAP ligand: synthesis and crystal structures of  $[\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\text{R})\text{-}(\text{BINAP})] ]^+\text{CF}_3\text{SO}_3^-$  and  $\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\text{R})\text{-}(\text{BINAP})\text{I}$  (D.D. Pathak, H. Adams, N.A. Bailey, P.J. King and C. White), 237

### Bis(trimethylsilyl)phosphide

Strukturen der Strontium-bis[bis(trimethylsilyl)phosphanide] in Abhängigkeit vom THF-Gehalt (M. Westerhausen), 141

### $\pi$ -Bonding

Single insertion of propene into a cationic zirconium(IV) complex: isolation and X-ray crystal structure of  $[(\text{C}_5\text{Me}_5)\text{Zr}(\text{CH}_2\text{CHMeCH}_2\text{Ph})(\text{CH}_2\text{Ph})][\text{B}(\text{CH}_2\text{Ph})(\text{C}_6\text{F}_5)_3]$  (C. Pellecchia, A. Immirzi and A. Zambelli), C9

### Bridging ligand

Metallorganische Lewissäuren. LIII. Koordination von metallorganischen Lewissäuren an Übergangsmetall-gebundene Nitril- und Carbonylgruppen (M. Wieser, C. Missling, C. Robl und W. Beck), 227

### Bromides

Palladium-catalyzed coupling reactions of functionalized styryl bromides with 1-propenyltributyltin (A.J. Zapata and J. Ruíz), C6

### Bipyridine

Solid-state cyclometallation of the 1-methyl-2,4'-bipyridinium complexes of palladium<sup>II</sup> and platinum<sup>II</sup> (P. Castan, B. Labiad, D. Villemin, F.L. Wimmer and S. Wimmer), 153

### Cadmium

Intramolekular stabilisierte Gallium- und Indiumorganyle: Synthese und Röntgenstrukturanalyse repräsentativer Bis- und Tris[3-(dialkylamino)propyl]gallium- und -indium-Derivate (H. Schumann, T.D. Seuß, O. Just, R. Weimann, H. Hemling und F.H. Görlitz), 171

### Carbene

Carbene complexes of  $\text{Fe}^{\text{II}}$  prepared from a precursor complex containing a remote nucleophilic heteroatom (J.G. Toerien, M. Desmet, G.J. Kruger and H.G. Raubenheimer), C12

### Carbonyl

Metallkomplexe mit biologisch wichtigen Liganden. LXXI. Carbonyl-cyclopentadienyl-Eisen-, Ruthenium- und Wolfram-Komplexe von 1-Thioglucose (Y. Zhou und W. Beck), 217

Molecular and crystal structure of  $[\text{Et}_4\text{N}][\text{Cl}] \cdot 2[\text{Fe}_2(\text{CO})_6\text{Te}_2]$  (R.E. Bachman and K.H. Whitmire), 31

Oxidative addition reactions of 2,2'-bithiophene and 2,2':5',2''-terthiophene with trinuclear clusters of iron, ruthenium and osmium (A.J. Arce, P. Arrojo, Y. De Sanctis, M. Márquez and A.J. Deeming), 159

- Structures of a series of  $[4-R-C_6H_4-CH(OR')_2]Cr(CO)_3$  complexes: evidence against a favored carbonyl orientation in (*para*-disubstituted arene)chromium tricarbonyl compounds (T.M. Gilbert, A.H. Bond and R.D. Rogers), 73
- Synthesis and structural characterization of the isomers of  $Rh_6(CO)_{14}L_2$  clusters (L = NCMe, Py, P(OPh)<sub>3</sub>), X-ray crystal structure of *trans*- $Rh_6(CO)_{14}\{P(OPh)_3\}_2$  (S.P. Tunik, A.V. Vlasov, K.V. Kogdov, G.L. Starova, A.B. Nikol'skii, O.S. Manole and Y.T. Struchkov), 59
- The structures of two  $[Fe(\eta^4-C_7H_8)(CO)_2(L)]$  complexes ( $C_7H_8$  = Norbornadiene; L = CNMe or PPh<sub>3</sub>) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan and A.R. Manning), 103
- Carboxylic acid derivatives**
- Synthesis of the new organometallic carboxylic acid complexes  $[(\eta^5-C_5H_4COOH)M(CO)_nMe]$  (M = Mo,  $n = 3$ ; M = Fe,  $n = 2$ ), and their potential as bioconjugates (B. El Mouatassim, H. ElAmouri, M. Salmain and G. Jaouen), C18
- Catalysis**
- Palladium-catalyzed coupling reactions of functionalized styryl bromides with 1-propenyltributyltin (A.J. Zapata and J. Ruiz), C6
- Chalcogenide**
- Molecular and crystal structure of  $[Et_4N][Cl] \cdot 2[Fe_2(CO)_6Te_2]$  (R.E. Bachman and K.H. Whitmire), 31
- Chromium**
- Metallorganische Lewisäuren. LIII. Koordination von metallorganischen Lewisäuren an Übergangsmetall-gebundene Nitril- und Carbonylgruppen (M. Wieser, C. Missling, C. Robl und W. Beck), 227
- Structures of a series of  $[4-R-C_6H_4-CH(OR')_2]Cr(CO)_3$  complexes: evidence against a favored carbonyl orientation in (*para*-disubstituted arene)chromium tricarbonyl compounds (T.M. Gilbert, A.H. Bond and R.D. Rogers), 73
- Cluster**
- Synthesis and structural characterization of the isomers of  $Rh_6(CO)_{14}L_2$  clusters (L = NCMe, Py, P(OPh)<sub>3</sub>), X-ray crystal structure of *trans*- $Rh_6(CO)_{14}\{P(OPh)_3\}_2$  (S.P. Tunik, A.V. Vlasov, K.V. Kogdov, G.L. Starova, A.B. Nikol'skii, O.S. Manole and Y.T. Struchkov), 59
- Cobalt**
- 2,4,6-Tris(trifluormethyl)phenyl und 2,4,6-Tris(trifluormethyl)dithiobenzoat als Liganden in Cobalt(II)- und Nickel(II)-Verbindungen (M. Belay und F.T. Edelmann), C21
- Cyclopentasilanderivate mit Übergangselementen (E. Hengge, H. Siegl und B. Stadelmann), 187
- Reactions of di- and poly-nuclear complexes. 12. Synthesis and thermal decomposition reactions of tetranuclear clusters  $[Co_4Cp_2(CO)_{5-n}L_n(RC_2R')]$  (L = PPh<sub>2</sub>H;  $n = 0, 1$  or  $2$ ) (R = R' = CF<sub>3</sub>, C<sub>6</sub>F<sub>5</sub>, C<sub>6</sub>H<sub>5</sub> or Me; R = H, R' = CF<sub>3</sub>). (P. Quénech, R. Rumin and F.Y. Pétilion), 93
- Coupling**
- Niobium-phosphorus coupling constants (V.C. Gibson, R. Gobetto, R.K. Harris, C. Langdale-Brown and U. Siemeling), 207
- Coupling reaction**
- Palladium-catalyzed coupling reactions of functionalized styryl bromides with 1-propenyltributyltin (A.J. Zapata and J. Ruiz), C6
- Coupling reactions**
- Reactions of phosphine-substituted alkylidyne carbonyl-tungsten complexes with dithiocarbamate ligands: phosphine substitution and alkylidyne-carbonyl coupling (A. Mayr, R.T. Chang, T.-Y. Lee, O.K. Cheung, M.A. Kjelsberg, G.A. McDermott und D. Van Engen), 47
- Crystal structure**
- An unprecedented tridentate mode of co-ordination of a BINAP ligand: synthesis and crystal structures of  $[Ru(\eta^5-C_5H_5)(R)-(BINAP)]^+CF_3SO_3^-$  and  $Ru(\eta^5-C_5H_5)(R)-(BINAP)I$  (D.D. Pathak, H. Adams, N.A. Bailey, P.J. King and C. White), 237
- Carbene complexes of Fe<sup>II</sup> prepared from a precursor complex containing a remote nucleophilic heteroatom (J.G. Toerien, M. Desmet, G.J. Kruger and H.G. Raubenheimer), C12
- Structures of a series of  $[4-R-C_6H_4-CH(OR')_2]Cr(CO)_3$  complexes: evidence against a favored carbonyl orientation in (*para*-disubstituted arene)chromium tricarbonyl compounds (T.M. Gilbert, A.H. Bond and R.D. Rogers), 73
- Synthese und Struktur eines stabilen 16-Elektronen- $\alpha$ -Acyl-Esterenolat-Iridium(III)-Komplexes  $(Cl)(Ph_3P)_2Ir-COCH=C(OEt)O$  (E. Lippmann, J. Milke, K. Sünkel und W. Beck), 221
- Synthesis and characterization of chloro/pyrazolato bridged binuclear organoplatinum(II) complexes: Single crystal structure of  $[Pt_2Ph_2(\mu-Cl)(\mu-pz)(PMe_2Ph)_2]$  (A. Singhal, V.K. Jain, R.P. Patel, A. Vyas and R. Bohra), 87
- The structures of two  $[Fe(\eta^4-C_7H_8)(CO)_2(L)]$  complexes ( $C_7H_8$  = Norbornadiene; L = CNMe or PPh<sub>3</sub>) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan and A.R. Manning), 103
- Cyclisation**
- A convenient synthesis of pentaphosphorus analogues of ferrocene  $[Fe(\eta^5-P_2C_3R_3)(\eta^5-P_3C_2R_2)]$  (P. Binger and G. Glaser), C28
- Cyclometallation**
- Cyclometallation of 2-halogenobenzaldehyde mixed azine phosphines of type  $PPh_2CH_2C(^tBu)=N-N=CH(C_6H_4X-2)$  (X = I, Br or Cl) involving facile C-X bond fission at tungsten(0) (S.D. Perera and B.L. Shaw), 117
- Reactivity of tetranuclear cyclometallated palladium(II) halide-bridged complexes of bis(*N*-benzylidene)-1,4-phenylenediamines (J.M. Vila, M. Gayoso, T. Pereira, C. Rodríguez, J.M. Ortigueira, J.J. Fernández and M.L. Torres), 37
- Solid-state cyclometallation of the 1-methyl-2,4'-bipyridinium complexes of palladium<sup>II</sup> and platinum<sup>II</sup> (P. Castan, B. Labiad, D. Villemin, F.L. Wimmer and S. Wimmer), 153
- Cyclooligomerisation**
- A convenient synthesis of pentaphosphorus analogues of ferrocene  $[Fe(\eta^5-P_2C_3R_3)(\eta^5-P_3C_2R_2)]$  (P. Binger and G. Glaser), C28
- Cyclopentadienes**
- Synthesis and structural characterization of Hexa(cyclohexyl)ferrocene,  $[1,2,4-(C_6H_{11})_3C_5H_2]_2Fe$  (J.A. Burman, M.L. Hays, D.J. Burke, P.S. Tanner and T.P. Hanusa), 135
- Cyclopentadienyl**
- An unprecedented tridentate mode of co-ordination of a BINAP ligand: synthesis and crystal structures of  $[Ru(\eta^5-C_5H_5)(R)-(BINAP)]^+CF_3SO_3^-$  and  $Ru(\eta^5-C_5H_5)(R)-(BINAP)I$  (D.D. Pathak, H. Adams, N.A. Bailey, P.J. King and C. White), 237
- Homogeneous Group 4 metallocene Ziegler-Natta catalysts: the influence of cyclopentadienyl-ring substituents (P.C. Möhring and N.J. Coville), 1
- Metallkomplexe mit biologisch wichtigen Liganden. LXXI. Carbonyl-cyclopentadienyl-Eisen-, Ruthenium- und Wolfram-Komplexe von 1-Thiogluucose (Y. Zhou und W. Beck), 217
- Cyclopentadienyl derivatives**
- Synthesis of the new organometallic carboxylic acid complexes  $[(\eta^5-C_5H_4COOH)M(CO)_nMe]$  (M = Mo,  $n = 3$ ; M = Fe,  $n = 2$ ), and their potential as bioconjugates (B. El Mouatassim, H. ElAmouri, M. Salmain and G. Jaouen), C18

## Cyclosilane

Mehrcyclische Ringsysteme mit Cyclopentasilanen (E. Hengge, P. Gspaltl und A. Spielberger), 165

## Diazoalkanes

Reaction of  $[(PEt_3)_3Rh(C(N_2)SiMe_3)]$  with terminal alkynes—synthesis of  $\sigma$ -alkynyl rhodium(III) complexes (E. Deydier, M.-J. Menu, M. Dartiguenave and Y. Dartiguenave), 55

## Dicarbene

Easy triphenylphosphine replacement of a CO ligand in the dicarbene complex  $[Fe_2(CO)_7(\mu-C(R)C(NEt_2))]$ . Syntheses and characterizations of  $[Fe_2(CO)_6(PPh_3)(\mu-C(R)C(NEt_2))]$  (J.C. Daran, B. Heim, M. Gouygou and Y. Jeannin), 109

## Diene

The structures of two  $[Fe(\eta^4-C_7H_8)(CO)_2(L)]$  complexes ( $C_7H_8$  = Norbornadiene; L = CNMe or  $PPh_3$ ) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan and A.R. Manning), 103

## Enolate

Synthese und Struktur eines stabilen 16-Elektronen- $\alpha$ -Acyl-Esterenolat-Iridium(III)-Komplexes  $(Cl)(Ph_3P)_2Ir-C(O)CH=C(OEt)O$  (E. Lippmann, J. Milke, K. Sünkel und W. Beck), 221

## Ferrocenes

Synthesis and structural characterization of Hexa(cyclohexyl)ferrocene,  $[1,2,4-(C_6H_{11})_3C_5H_2]_2Fe$  (J.A. Burman, M.L. Hays, D.J. Burkey, P.S. Tanner and T.P. Hanusa), 135

## Gallium

Intramolekular stabilisierte Gallium- und Indiumorganyle: Synthese und Röntgenstrukturanalyse repräsentativer Bis- und Tris[3-(dialkylamino)propyl]gallium- und -indium-Derivate (H. Schumann, T.D. Seuß, O. Just, R. Weimann, H. Hemling und F.H. Görlitz), 171

## Germanium

Synthesis and reactivity of 3-(triphenylgermyl)propanoic acid (Z.G. Zhu, Y. Di Guan and J.W. Zou), C1

## Gold

Synthesis and applications of  $[Au(NCPh)_2][BF_4]$ , a versatile labile intermediate for gold(I) chemistry (D.M.P. Mingos and J. Yau), C16

## Group 4

Homogeneous Group 4 metallocene Ziegler–Natta catalysts: the influence of cyclopentadienyl-ring substituents (P.C. Möhring and N.J. Coville), 1

## Group 16

Molecular and crystal structure of  $[Et_4N][Cl] \cdot 2[Fe_2(CO)_6Te_2]$  (R.E. Bachman and K.H. Whitmire), 31

## Halide-bridged complexes

Reactivity of tetranuclear cyclometallated palladium(II) halide-bridged complexes of bis(*N*-benzylidene)-1,4-phenylenediamines (J.M. Vila, M. Gayoso, T. Pereira, C. Rodríguez, J.M. Ortigueira, J.J. Fernández and M.L. Torres), 37

## Hydride

Reaction of  $[(PEt_3)_3Rh(C(N_2)SiMe_3)]$  with terminal alkynes—synthesis of  $\sigma$ -alkynyl rhodium(III) complexes (E. Deydier, M.-J. Menu, M. Dartiguenave and Y. Dartiguenave), 55

## Hydroformylation

Rhodium complex catalyzed hydroformylation reactions of linear and cyclic mono- and diolefins (A.M. Trzeciak and J.J. Ziólkowski), 213

## Indium

Intramolekular stabilisierte Gallium- und Indiumorganyle: Synthese und Röntgenstrukturanalyse repräsentativer Bis- und Tris[3-(dialkylamino)propyl]gallium- und -indium-Derivate (H. Schumann, T.D. Seuß, O. Just, R. Weimann, H. Hemling und F.H. Görlitz), 171

## Infrared spectroscopy

Reactivity of tetranuclear cyclometallated palladium(II) halide-bridged complexes of bis(*N*-benzylidene)-1,4-phenylenediamines (J.M. Vila, M. Gayoso, T. Pereira, C. Rodríguez, J.M. Ortigueira, J.J. Fernández and M.L. Torres), 37

## Insertion

Single insertion of propene into a cationic zirconium(IV) complex: isolation and X-ray crystal structure of  $[(C_5Me_5)Zr(CH_2CHMeCH_2Ph)(CH_2Ph)]^+ [B(CH_2Ph)(C_6F_5)_3]^-$  (C. Pellicchia, A. Immirzi and A. Zambelli), C9

## Iridium

Synthese und Struktur eines stabilen 16-Elektronen- $\alpha$ -Acyl-Esterenolat-Iridium(III)-Komplexes  $(Cl)(Ph_3P)_2Ir-C(O)CH=C(OEt)O$  (E. Lippmann, J. Milke, K. Sünkel und W. Beck), 221

## Iron

Carbene complexes of  $Fe^{II}$  prepared from a precursor complex containing a remote nucleophilic heteroatom (J.G. Toerien, M. Desmet, G.J. Kruger and H.G. Raubenheimer), C12

Cyclopentasilanderivate mit Übergangselementen (E. Hengge, H. Siegl und B. Stadelmann), 187

Easy triphenylphosphine replacement of a CO ligand in the dicarbene complex  $[Fe_2(CO)_7(\mu-C(R)C(NEt_2))]$ . Syntheses and characterizations of  $[Fe_2(CO)_6(PPh_3)(\mu-C(R)C(NEt_2))]$  (J.C. Daran, B. Heim, M. Gouygou and Y. Jeannin), 109

Metallkomplexe mit biologisch wichtigen Liganden. LXXI. Carbonyl-cyclopentadienyl-Eisen-, Ruthenium- und Wolfram-Komplexe von 1-Thioglucose (Y. Zhou und W. Beck), 217

Molecular and crystal structure of  $[Et_4N][Cl] \cdot 2[Fe_2(CO)_6Te_2]$  (R.E. Bachman and K.H. Whitmire), 31

Oxidative addition reactions of 2,2'-bithiophene and 2,2':5',2''-terthiophene with trinuclear clusters of iron, ruthenium and osmium (A.J. Arce, P. Arrojo, Y. De Sanctis, M. Márquez and A.J. Deeming), 159

Synthesis and structural characterization of Hexa(cyclohexyl)ferrocene,  $[1,2,4-(C_6H_{11})_3C_5H_2]_2Fe$  (J.A. Burman, M.L. Hays, D.J. Burkey, P.S. Tanner and T.P. Hanusa), 135

Synthesis of the new organometallic carboxylic acid complexes  $[(\eta^5-C_5H_4COOH)M(CO)_nMe]$  (M = Mo,  $n = 3$ ; M = Fe,  $n = 2$ ). and their potential as bioconjugates (B. El Mouatassim, H. ElAmouri, M. Salmain and G. Jaouen), C18

The structures of two  $[Fe(\eta^4-C_7H_8)(CO)_2(L)]$  complexes ( $C_7H_8$  = Norbornadiene; L = CNMe or  $PPh_3$ ) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan and A.R. Manning), 103

## Isocyanide

The structures of two  $[Fe(\eta^4-C_7H_8)(CO)_2(L)]$  complexes ( $C_7H_8$  = Norbornadiene; L = CNMe or  $PPh_3$ ) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan and A.R. Manning), 103

## Isomerism

Synthesis and structural characterization of the isomers of  $Rh_6(CO)_{14}L_2$  clusters (L = NCMe, Py,  $P(OPh)_3$ ), X-ray crystal structure of *trans*- $Rh_6(CO)_{14}(P(OPh_3))_2$  (S.P. Tunik, A.V. Vlasov, K.V. Kogdov, G.L. Starova, A.B. Nikol'skii, O.S. Manole and Y.T. Struchkov), 59

## Ketenyl

Reactions of phosphine-substituted alkylidyne carbonyl tungsten complexes with dithiocarbamate ligands: phosphine substitution and alkylidyne-carbonyl coupling (A. Mayr, R.T. Chang,

- T.-Y. Lee, O.K. Cheung, M.A. Kjelsberg, G.A. McDermott and D. Van Engen), 47
- Magic-angle spinning**  
Niobium–phosphorus coupling constants (V.C. Gibson, R. Gobetto, R.K. Harris, C. Langdale-Brown and U. Siemeling), 207
- Magnesium**  
Optical activity retention in the reaction of magnesium with (+)-R-1-chloro-1-phenylethane (A.M. Egorov and A.V. Anisimov), 197
- Mercury**  
Mehrcyclische Ringsysteme mit Cyclopentasilanen (E. Hengge, P. Gspaltl und A. Spielberger), 165
- Metal carbonyl cations**  
Metallorganische Lewissäuren. LIII. Koordination von metallorganischen Lewissäuren an Übergangsmetall-gebundene Nitril- und Carbonylgruppen (M. Wieser, C. Missling, C. Robl und W. Beck), 227
- Metal clusters**  
Molecular and crystal structure of  $[\text{Et}_4\text{N}][\text{Cl}] \cdot 2[\text{Fe}_2(\text{CO})_6\text{Te}_2]$  (R.E. Bachman and K.H. Whitmire), 31
- Metallacycle**  
Synthese und Struktur eines stabilen 16-Elektronen- $\alpha$ -Acyl-Esterenolat-Iridium(III)-Komplexes  $(\text{Cl})(\text{Ph}_3\text{P})_2\text{Ir}-\text{C}(\text{OCH}=\text{C}(\text{OEt})\text{O})$  (E. Lippmann, J. Milke, K. Sünkel und W. Beck), 221
- Metallocenes**  
Synthesis and structural characterization of Hexa(cyclohexyl)ferrocene,  $[\text{1,2,4}-(\text{C}_6\text{H}_{11})_3\text{C}_5\text{H}_2]_2\text{Fe}$  (J.A. Burman, M.L. Hays, D.J. Burkey, P.S. Tanner and T.P. Hanusa), 135
- Microwave heating**  
Solid-state cyclometallation of the 1-methyl-2,4'-bipyridinium complexes of palladium<sup>II</sup> and platinum<sup>II</sup> (P. Castan, B. Labiad, D. Villemin, F.L. Wimmer and S. Wimmer), 153
- Molecular structure**  
Strukturen der Strontium-bis[bis(trimethylsilyl)phosphanide] in Abhängigkeit vom THF-Gehalt (M. Westerhausen), 141
- Molybdenum**  
Cyclopentasilanderivate mit Übergangselementen (E. Hengge, H. Siegl und B. Stadelmann), 187  
Synthesis of the new organometallic carboxylic acid complexes  $[(\eta^5\text{-C}_5\text{H}_4\text{COOH})\text{M}(\text{CO})_n\text{Me}]$  (M = Mo,  $n = 3$ ; M = Fe,  $n = 2$ ). and their potential as bioconjugates (B. El Moutassim, H. ElAmouri, M. Salmain and G. Jaouen), C18
- Nickel**  
2,4,6-Tris(trifluormethyl)phenyl und 2,4,6-Tris(trifluormethyl)dithiobenzoat als Liganden in Cobalt(II)- und Nickel(II)-Verbindungen (M. Belay und F.T. Edelmann), C21
- Niobium**  
Niobium–phosphorus coupling constants (V.C. Gibson, R. Gobetto, R.K. Harris, C. Langdale-Brown and U. Siemeling), 207
- Nitrile**  
Metallorganische Lewissäuren. LIII. Koordination von metallorganischen Lewissäuren an Übergangsmetall-gebundene Nitril- und Carbonylgruppen (M. Wieser, C. Missling, C. Robl und W. Beck), 227
- NMR parameter**  
Strukturen der Strontium-bis[bis(trimethylsilyl)phosphanide] in Abhängigkeit vom THF-Gehalt (M. Westerhausen), 141
- Nonfluoromesityl**  
2,4,6-Tris(trifluormethyl)phenyl und 2,4,6-Tris(trifluormethyl)dithiobenzoat als Liganden in Cobalt(II)- und Nickel(II)-Verbindungen (M. Belay und F.T. Edelmann), C21
- Nuclear magnetic resonance**  
Easy triphenylphosphine replacement of a CO ligand in the dicarbene complex  $[\text{Fe}_2(\text{CO})_7\{\mu\text{-C}(\text{R})\text{C}(\text{NEt}_2)\}]$ . Syntheses and characterizations of  $[\text{Fe}_2(\text{CO})_6(\text{PPh}_3)\{\mu\text{-C}(\text{R})\text{C}(\text{NEt}_2)\}]$  (J.C. Daran, B. Heim, M. Gouygou and Y. Jeannin), 109  
Niobium–phosphorus coupling constants (V.C. Gibson, R. Gobetto, R.K. Harris, C. Langdale-Brown and U. Siemeling), 207  
Reactivity of tetranuclear cyclometallated palladium(II) halide-bridged complexes of bis(*N*-benzylidene)-1,4-phenylenediamines (J.M. Vila, M. Gayoso, T. Pereira, C. Rodríguez, J.M. Ortigueira, J.J. Fernández and M.L. Torres), 37  
Structures of a series of  $[4\text{-R-C}_6\text{H}_4\text{-CH}(\text{OR}')_2]\text{Cr}(\text{CO})_3$  complexes: evidence against a favored carbonyl orientation in (*para*-disubstituted arene)chromium tricarbonyl compounds (T.M. Gilbert, A.H. Bond and R.D. Rogers), 73  
Synthesis and structural characterization of the isomers of  $\text{Rh}_6(\text{CO})_{14}\text{L}_2$  clusters (L = NCMe, Py, P(OPh)<sub>3</sub>), X-ray crystal structure of *trans*- $\text{Rh}_6(\text{CO})_{14}(\text{P}(\text{OPh})_3)_2$  (S.P. Tunik, A.V. Vlasov, K.V. Kogdov, G.L. Starova, A.B. Nikol'skii, O.S. Manole and Y.T. Struchkov), 59
- Olefins**  
Rhodium complex catalyzed hydroformylation reactions of linear and cyclic mono- and diolefins (A.M. Trzeciak and J.J. Ziółkowski), 213
- Optical activity**  
Optical activity retention in the reaction of magnesium with (+)-R-1-chloro-1-phenylethane (A.M. Egorov and A.V. Anisimov), 197
- Organogermanium**  
Synthesis and reactivity of 3-(triphenylgermyl)propanoic acid (Z.G. Zhu, Y. Di Guan and J.W. Zou), C1
- Osmium**  
Oxidative addition reactions of 2,2'-bithiophene and 2,2':5',2''-terthiophene with trinuclear clusters of iron, ruthenium and osmium (A.J. Arce, P. Arrojo, Y. De Sanctis, M. Márquez and A.J. Deeming), 159
- Oxidative addition**  
Cyclometallation of 2-halogenobenzaldehyde mixed azine phosphines of type  $\text{PPh}_2\text{CH}_2\text{C}(\text{tBu})=\text{N}-\text{N}=\text{CH}(\text{C}_6\text{H}_4\text{X}-2)$  (X = I, Br or Cl) involving facile C–X bond fission at tungsten(0) (S.D. Perera and B.L. Shaw), 117  
Oxidative addition reactions of 2,2'-bithiophene and 2,2':5',2''-terthiophene with trinuclear clusters of iron, ruthenium and osmium (A.J. Arce, P. Arrojo, Y. De Sanctis, M. Márquez and A.J. Deeming), 159
- Palladium**  
Palladium-catalyzed coupling reactions of functionalized styryl bromides with 1-propenyltributyltin (A.J. Zapata and J. Ruiz), C6  
Reactivity of tetranuclear cyclometallated palladium(II) halide-bridged complexes of bis(*N*-benzylidene)-1,4-phenylenediamines (J.M. Vila, M. Gayoso, T. Pereira, C. Rodríguez, J.M. Ortigueira, J.J. Fernández and M.L. Torres), 37
- Palladium (II)**  
Solid-state cyclometallation of the 1-methyl-2,4'-bipyridinium complexes of palladium<sup>II</sup> and platinum<sup>II</sup> (P. Castan, B. Labiad, D. Villemin, F.L. Wimmer and S. Wimmer), 153
- Pentaphospha-ferrocene**  
A convenient synthesis of pentaphosphorus analogues of ferrocene  $[\text{Fe}(\eta^5\text{-P}_2\text{C}_3\text{R}_3)(\eta^5\text{-P}_3\text{C}_2\text{R}_2)]$  (P. Binger and G. Glaser), C28
- Phosphaalkynes**  
A convenient synthesis of pentaphosphorus analogues of ferrocene  $[\text{Fe}(\eta^5\text{-P}_2\text{C}_3\text{R}_3)(\eta^5\text{-P}_3\text{C}_2\text{R}_2)]$  (P. Binger and G. Glaser), C28
- Phosphine**  
Cyclometallation of 2-halogenobenzaldehyde mixed azine phosphines of type  $\text{PPh}_2\text{CH}_2\text{C}(\text{tBu})=\text{N}-\text{N}=\text{CH}(\text{C}_6\text{H}_4\text{X}-2)$  (X = I,

- Br or Cl) involving facile C–X bond fission at tungsten(0) (S.D. Perera and B.L. Shaw), 117
- Reaction of  $[(\text{PEt}_3)_3\text{Rh}(\text{CN}_2)\text{SiMe}_3]$  with terminal alkynes—synthesis of  $\sigma$ -alkynyl rhodium(III) complexes (E. Deydier, M.-J. Menu, M. Dartiguenave and Y. Dartiguenave), 55
- The structures of two  $[\text{Fe}(\eta^4\text{-C}_7\text{H}_8)(\text{CO})_2(\text{L})]$  complexes ( $\text{C}_7\text{H}_8$  = Norbornadiene; L = CNMe or  $\text{PPh}_3$ ) (D. Cunningham, T. Higgins, P. McArdle, W. Corrigan and A.R. Manning), 103
- Phosphines**
- Reactions of phosphine-substituted alkylidyne carbonyltungsten complexes with dithiocarbamate ligands: phosphine substitution and alkylidyne–carbonyl coupling (A. Mayr, R.T. Chang, T.-Y. Lee, O.K. Cheung, M.A. Kjelsberg, G.A. McDermott and D. Van Engen), 47
- Phosphonic acid**
- 1-Aminoalkanediphosphonic acids. Synthesis and acidic properties (Z.H. Kudzin, A. Kotyński and G. Andrijewski), 199
- Phosphorus**
- 1-Aminoalkanediphosphonic acids. Synthesis and acidic properties (Z.H. Kudzin, A. Kotyński and G. Andrijewski), 199
- Cyclopentasilanderivate mit Übergangselementen (E. Hengge, H. Siegl und B. Stadelmann), 187
- Easy triphenylphosphine replacement of a CO ligand in the dicarbene complex  $[\text{Fe}_2(\text{CO})_7(\mu\text{-C}(\text{R})\text{C}(\text{NET}_2))]_2$ . Syntheses and characterizations of  $[\text{Fe}_2(\text{CO})_6(\text{PPh}_3)(\mu\text{-C}(\text{R})\text{C}(\text{NET}_2))]_2$  (J.C. Daran, B. Heim, M. Gouygou and Y. Jeannin), 109
- Metallorganische Lewisäuren. LIII. Koordination von metallorganischen Lewisäuren an Übergangsmetall-gebundene Nitril- und Carbonylgruppen (M. Wieser, C. Missling, C. Robl und W. Beck), 227
- Niobium–phosphorus coupling constants (V.C. Gibson, R. Gobetto, R.K. Harris, C. Langdale-Brown and U. Siemeling), 207
- P–H-funktionelle Zirkonocen–Phosphido-Komplexe—Synthese von  $\text{Cp}_2\text{Zr}(\text{PH}(2,4,6\text{-}^t\text{Bu}_3\text{C}_6\text{H}_2))(\text{X})$  ( $\text{Cp} = \text{C}_5\text{H}_5$ , X = Cl,  $\text{PH}(2,4,6\text{-}^t\text{Bu}_3\text{C}_6\text{H}_2)$ ) und Molekülstruktur von  $\text{Cp}_2\text{Zr}(\text{PH}(2,4,6\text{-}^t\text{Bu}_3\text{C}_6\text{H}_2))_2$  (E. Hey-Hawkins und S. Kurz), 125
- Synthese und Struktur eines stabilen 16-Elektronen- $\alpha$ -Acyl-Esterenolat-Iridium(III)-Komplexes  $(\text{Cl})(\text{Ph}_3\text{P})_2\text{Ir}(\text{CO})\text{CH}=\text{C}(\text{OEt})\text{O}$  (E. Lippmann, J. Milke, K. Sünkel und W. Beck), 221
- Platinum**
- Synthesis and characterization of chloro/pyrazolato bridged binuclear organoplatinum(II) complexes: Single crystal structure of  $[\text{Pt}_2\text{Ph}_2(\mu\text{-Cl})(\mu\text{-pz})(\text{PMe}_2\text{Ph})_2]$  (A. Singhal, V.K. Jain, R.P. Patel, A. Vyas and R. Bohra), 87
- Platinum (II)**
- Solid-state cyclometallation of the 1-methyl-2,4'-bipyridinium complexes of palladium<sup>II</sup> and platinum<sup>II</sup> (P. Castan, B. Labiad, D. Villemin, F.L. Wimmer and S. Wimmer), 153
- Polydentate**
- An unprecedented tridentate mode of co-ordination of a BINAP ligand: synthesis and crystal structures of  $[\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\text{R})(\text{BINAP})]^{+}\text{CF}_3\text{SO}_3^{-}$  and  $\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\text{R})(\text{BINAP})\text{I}$  (D.D. Pathak, H. Adams, N.A. Bailey, P.J. King and C. White), 237
- Polynuclear**
- Reactivity of tetranuclear cyclometallated palladium(II) halide-bridged complexes of bis(*N*-benzylidene)-1,4-phenylenediamines (J.M. Vila, M. Gayoso, T. Pereira, C. Rodríguez, J.M. Ortigueira, J.J. Fernández and M.L. Torres), 37
- Rhodium**
- Reaction of  $[(\text{PEt}_3)_3\text{Rh}(\text{CN}_2)\text{SiMe}_3]$  with terminal alkynes—synthesis of  $\sigma$ -alkynyl rhodium(III) complexes (E. Deydier, M.-J. Menu, M. Dartiguenave and Y. Dartiguenave), 55
- Rhodium complex catalyzed hydroformylation reactions of linear and cyclic mono- and diolefins (A.M. Trzeciak and J.J. Ziółkowski), 213
- Synthesis and structural characterization of the isomers of  $\text{Rh}_6(\text{CO})_4\text{L}_2$  clusters (L = NCMe, Py,  $\text{P}(\text{OPh})_3$ ), X-ray crystal structure of *trans*- $\text{Rh}_6(\text{CO})_{14}(\text{P}(\text{OPh}_3))_2$  (S.P. Tunik, A.V. Vlasov, K.V. Kogdov, G.L. Starova, A.B. Nikol'skii, O.S. Manole and Y.T. Struchkov), 59
- Ruthenium**
- An unprecedented tridentate mode of co-ordination of a BINAP ligand: synthesis and crystal structures of  $[\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\text{R})(\text{BINAP})]^{+}\text{CF}_3\text{SO}_3^{-}$  and  $\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\text{R})(\text{BINAP})\text{I}$  (D.D. Pathak, H. Adams, N.A. Bailey, P.J. King and C. White), 237
- Metallkomplexe mit biologisch wichtigen Liganden. LXXXI. Carbonyl-cyclopentadienyl-Eisen-, Ruthenium- und Wolfram-Komplexe von 1-Thioglucose (Y. Zhou und W. Beck), 217
- Oxidative addition reactions of 2,2'-bithiophene and 2,2':5',2''-terthiophene with trinuclear clusters of iron, ruthenium and osmium (A.J. Arce, P. Arrojo, Y. De Sanctis, M. Márquez and A.J. Deeming), 159
- Reactions of dodecacarbonyltriruthenium with enones. Five-membered oxaruthenacycles (L.V. Rybin, S.V. Osintseva, P.V. Petrovskii, M.I. Rybinskaya, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), C25
- Silane**
- Cyclopentasilanderivate mit Übergangselementen (E. Hengge, H. Siegl und B. Stadelmann), 187
- Mehrcyclische Ringsysteme mit Cyclopentasilanen (E. Hengge, P. Gspaltl und A. Spielberger), 165
- Silanes**
- Verbesserte Synthesen von Phenyltrisilanen (K. Hassler, U. Katzenbeisser und B. Reiter), 193
- Silanyl**
- Mehrcyclische Ringsysteme mit Cyclopentasilanen (E. Hengge, P. Gspaltl und A. Spielberger), 165
- Silicon**
- Cyclopentasilanderivate mit Übergangselementen (E. Hengge, H. Siegl und B. Stadelmann), 187
- Intramolekulare stabilisierte Gallium- und Indiumorganyle: Synthese und Röntgenstrukturanalyse repräsentativer Bis- und Tris[3-(dialkylamino)propyl]gallium- und -indium-Derivate (H. Schumann, T.D. Seuß, O. Just, R. Weimann, H. Hemling und F.H. Görlitz), 171
- Mehrcyclische Ringsysteme mit Cyclopentasilanen (E. Hengge, P. Gspaltl und A. Spielberger), 165
- Strukturen der Strontium-bis[bis(trimethylsilyl)phosphanide] in Abhängigkeit vom THF-Gehalt (M. Westerhausen), 141
- Verbesserte Synthesen von Phenyltrisilanen (K. Hassler, U. Katzenbeisser und B. Reiter), 193
- Solid-state**
- Solid-state cyclometallation of the 1-methyl-2,4'-bipyridinium complexes of palladium<sup>II</sup> and platinum<sup>II</sup> (P. Castan, B. Labiad, D. Villemin, F.L. Wimmer and S. Wimmer), 153
- Solvated gold(I)**
- Synthesis and applications of  $[\text{Au}(\text{NCPH}_2)]_2[\text{BF}_4]$ , a versatile labile intermediate for gold(I) chemistry (D.M.P. Mingos and J. Yau), C16
- Strontium bis[bis(trimethylsilyl)phosphide]**
- Strukturen der Strontium-bis[bis(trimethylsilyl)phosphanide] in Abhängigkeit vom THF-Gehalt (M. Westerhausen), 141
- Styryl bromide**
- Palladium-catalyzed coupling reactions of functionalized styryl bromides with 1-propenyltributyltin (A.J. Zapata and J. Ruiz), C6

## Sulphur ligands

2,4,6-Tris(trifluormethyl)phenyl und 2,4,6-Tris(trifluormethyl)di-thiobenzoat als Liganden in Cobalt(II)- und Nickel(II)-Verbindungen (M. Belay und F.T. Edelmann), C21

## Synthesis

A convenient synthesis of pentaphosphorus analogues of ferrocene [ $[\text{Fe}(\eta^5\text{-P}_2\text{C}_3\text{R}_3)(\eta^5\text{-P}_3\text{C}_2\text{R}_2)]$ ] (P. Binger and G. Glaser), C28

Reaction of  $[(\text{PEt}_3)_3\text{Rh}(\text{C}(\text{N}_2)\text{SiMe}_3)]$  with terminal alkynes—synthesis of  $\sigma$ -alkynyl rhodium(III) complexes (E. Deydier, M.-J. Menu, M. Dartiguenave and Y. Dartiguenave), 55

## Synthon for gold(I) compounds

Synthesis and applications of  $[\text{Au}(\text{NCPPh}_2)\text{I}(\text{BF}_4)]$ , a versatile labile intermediate for gold(I) chemistry (D.M.P. Mingos and J. Yau), C16

## Tellurium

Molecular and crystal structure of  $[\text{Et}_4\text{N}][\text{Cl}]\cdot 2[\text{Fe}_2(\text{CO})_6\text{Te}_2]$  (R.E. Bachman and K.H. Whitmire), 31

## Tetranuclear clusters

Reactions of di- and poly-nuclear complexes. 12. Synthesis and thermal decomposition reactions of tetranuclear clusters  $[\text{Co}_4\text{Cp}_2(\text{CO})_{5-n}\text{L}_n(\text{RC}_2\text{R}')]$  (L =  $\text{PPh}_2\text{H}$ ;  $n = 0, 1$  or  $2$ ) (R =  $\text{R}' = \text{CF}_3, \text{C}_6\text{F}_5, \text{C}_6\text{H}_5$  or Me; R = H,  $\text{R}' = \text{CF}_3$ ). (P. Quénech'h, R. Rumin and F.Y. Pétilion), 93

## Thermal decomposition

Reactions of di- and poly-nuclear complexes. 12. Synthesis and thermal decomposition reactions of tetranuclear clusters  $[\text{Co}_4\text{Cp}_2(\text{CO})_{5-n}\text{L}_n(\text{RC}_2\text{R}')]$  (L =  $\text{PPh}_2\text{H}$ ;  $n = 0, 1$  or  $2$ ) (R =  $\text{R}' = \text{CF}_3, \text{C}_6\text{F}_5, \text{C}_6\text{H}_5$  or Me; R = H,  $\text{R}' = \text{CF}_3$ ). (P. Quénech'h, R. Rumin and F.Y. Pétilion), 93

## Thiazolinylidene

Carbene complexes of  $\text{Fe}^{\text{II}}$  prepared from a precursor complex containing a remote nucleophilic heteroatom (J.G. Toerien, M. Desmet, G.J. Kruger and H.G. Raubenheimer), C12

## Thioglucose

Metallkomplexe mit biologisch wichtigen Liganden. LXXI. Carbonyl-cyclopentadienyl-Eisen-, Ruthenium- und Wolfram-Komplexe von 1-Thioglucose (Y. Zhou und W. Beck), 217

## Thiophene

Oxidative addition reactions of 2,2'-bithiophene and 2,2':5',2''-terthiophene with trinuclear clusters of iron, ruthenium and osmium (A.J. Arce, P. Arrojo, Y. De Sanctis, M. Márquez and A.J. Deeming), 159

## Tin

Palladium-catalyzed coupling reactions of functionalized styryl bromides with 1-propenyltributyltin (A.J. Zapata and J. Ruíz), C6

## Triflate

An unprecedented tridentate mode of co-ordination of a BINAP ligand: synthesis and crystal structures of  $[\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\text{R})(\text{BINAP})]\text{CF}_3\text{SO}_3^-$  and  $[\text{Ru}(\eta^5\text{-C}_5\text{H}_5)(\text{R})(\text{BINAP})\text{I}]$  (D.D. Pathak, H. Adams, N.A. Bailey, P.J. King and C. White), 237

## Trinuclear clusters

Reactions of di- and poly-nuclear complexes. 12. Synthesis and thermal decomposition reactions of tetranuclear clusters  $[\text{Co}_4\text{Cp}_2(\text{CO})_{5-n}\text{L}_n(\text{RC}_2\text{R}')]$  (L =  $\text{PPh}_2\text{H}$ ;  $n = 0, 1$  or  $2$ ) (R =  $\text{R}' = \text{CF}_3, \text{C}_6\text{F}_5, \text{C}_6\text{H}_5$  or Me; R = H,  $\text{R}' = \text{CF}_3$ ). (P. Quénech'h, R. Rumin and F.Y. Pétilion), 93

## Trisilanes

Verbesserte Synthesen von Phenyltrisilanen (K. Hassler, U. Katzenbeisser und B. Reiter), 193

## Tungsten

Cyclometallation of 2-halogenobenzaldehyde mixed azine phosphines of type  $\text{PPh}_2\text{CH}_2\text{C}(\text{Bu})=\text{N}=\text{N}=\text{CH}(\text{C}_6\text{H}_4\text{X}-2)$  (X = I, Br or Cl) involving facile  $\text{C}-\text{X}$  bond fission at tungsten(0) (S.D. Perera and B.L. Shaw), 117

Metallkomplexe mit biologisch wichtigen Liganden. LXXI. Carbonyl-cyclopentadienyl-Eisen-, Ruthenium- und Wolfram-Komplexe von 1-Thioglucose (Y. Zhou und W. Beck), 217

Metallorganische Lewisäuren. LIII. Koordination von metallorganischen Lewisäuren an Übergangsmetall-gebundene Nitril- und Carbonylgruppen (M. Wieser, C. Missling, C. Robl und W. Beck), 227

Reactions of phosphine-substituted alkylidyne carbonyltungsten complexes with dithiocarbamate ligands: phosphine substitution and alkylidyne-carbonyl coupling (A. Mayr, R.T. Chang, T.-Y. Lee, O.K. Cheung, M.A. Kjelsberg, G.A. McDermott and D. Van Engen), 47

## X-ray diffraction

Easy triphenylphosphine replacement of a CO ligand in the dicarbene complex  $[\text{Fe}_2(\text{CO})_7(\mu\text{-C}(\text{R})\text{C}(\text{NET}_2))]$ . Syntheses and characterizations of  $[\text{Fe}_2(\text{CO})_6(\text{PPh}_3)(\mu\text{-C}(\text{R})\text{C}(\text{NET}_2))]$  (J.C. Daran, B. Heim, M. Gouygou and Y. Jeannin), 109

Structures of a series of  $[4\text{-R-C}_6\text{H}_4\text{-CH}(\text{OR}')_2]\text{Cr}(\text{CO})_3$  complexes: evidence against a favored carbonyl orientation in (*para*-disubstituted arene)chromium tricarbonyl compounds (T.M. Gilbert, A.H. Bond and R.D. Rogers), 73

Synthese und Struktur eines stabilen 16-Elektronen- $\alpha$ -Acyl-Esterenolat-Iridium(III)-Komplexes  $(\text{Cl})(\text{Ph}_3\text{P})_2\text{Ir-C}(\text{O})\text{CH}=\text{C}(\text{OEt})\text{O}$  (E. Lippmann, J. Milke, K. Sünkel und W. Beck), 221

Synthesis and structural characterization of the isomers of  $\text{Rh}_6(\text{CO})_{14}\text{L}_2$  clusters (L = NCMe, Py,  $\text{P}(\text{OPh})_3$ ), X-ray crystal structure of *trans*- $\text{Rh}_6(\text{CO})_{14}\{\text{P}(\text{OPh}_3)\}_2$  (S.P. Tunik, A.V. Vlasov, K.V. Kogdov, G.L. Starova, A.B. Nikol'skii, O.S. Manole and Y.T. Struchkov), 59

## X-ray structure

Single insertion of propene into a cationic zirconium(IV) complex: isolation and X-ray crystal structure of  $[(\text{C}_5\text{Me}_5)\text{Zr}(\text{CH}_2\text{CHMeCH}_2\text{Ph})(\text{CH}_2\text{Ph})][\text{B}(\text{CH}_2\text{Ph})(\text{C}_6\text{F}_5)_3]$  (C. Pellecchia, A. Immirzi and A. Zambelli), C9

## Ziegler-Natta catalyst

Homogeneous Group 4 metallocene Ziegler-Natta catalysts: the influence of cyclopentadienyl-ring substituents (P.C. Möhring and N.J. Coville), 1

## Zirconium

P-H-funktionelle Zirkonocen-Phosphido-Komplexe—Synthese von  $\text{Cp}_2\text{Zr}\{\text{PH}(2,4,6\text{-}^t\text{Bu}_3\text{C}_6\text{H}_2)\}(\text{X})$  (Cp =  $\text{C}_5\text{H}_5$ , X = Cl,  $\text{PH}(2,4,6\text{-}^t\text{Bu}_3\text{C}_6\text{H}_2)$ ) und Molekülstruktur von  $\text{Cp}_2\text{Zr}\{\text{PH}(2,4,6\text{-}^t\text{Bu}_3\text{C}_6\text{H}_2)\}_2$  (E. Hey-Hawkins und S. Kurz), 125

Single insertion of propene into a cationic zirconium(IV) complex: isolation and X-ray crystal structure of  $[(\text{C}_5\text{Me}_5)\text{Zr}(\text{CH}_2\text{CHMeCH}_2\text{Ph})(\text{CH}_2\text{Ph})][\text{B}(\text{CH}_2\text{Ph})(\text{C}_6\text{F}_5)_3]$  (C. Pellecchia, A. Immirzi and A. Zambelli), C9

## Book Reviews

*Handbook of Enantioselective Catalysis with Transition Metal Compounds*, Henri Brunner and Wolfgang Zettlmeier (J.M. Brown), C30

*Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Molybdenum. Part 5, Organomolybdenum Compounds* (G.J. Leigh), C31

*Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Thorium, Supplement Volume C4, Compounds with F, Cl, Br, I* (G.J. Leigh), C31