

Subject Index of Volume 464

Acetylacetonato

Spectral characteristics of products formed by reaction between Rhacac(PPh_3) (CO) and methyl iodide (Yu.S. Varshavsky, T.G. Cherkasova, N.A. Buzina and L.S. Bresler), 239

Acetylene

Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. I. Synthesis of $\text{Cr}(\text{CO})_3(\eta^6\text{-diphenylacetylene})$ complex and its reaction with $\text{Co}_2(\text{CO})_8$. Crystal and molecular structure of $\text{Cr}(\text{CO})_3(\eta^6:\eta^2\text{-diphenylacetylene})\text{Co}_2(\text{CO})_6$ (S.P. Tunik, A.V. Vlasov, A.B. Nikol'skii, G.L. Starova, S. Ooi, H. Nakai and T. Sato), 71

Acetylide

Reaction of μ -ethynediyl dipalladium complexes with phenyl isocyanide in the presence of trialkylphosphines and the molecular structure of $\text{Cl}(\text{Et}_3\text{P})_2\text{PdC}(=\text{NPh})\text{C}\equiv\text{CC}(=\text{NPh})\text{Pd}(\text{PEt}_3)_2\text{Cl}$ (K. Onitsuka, T. Joh and S. Takahashi), 247

Addition-elimination reaction

Les magnésiens allyliques comme agents de fonctionnalisation symétrique ou dissymétrique en 2 et 5 du 1,3,4-thiadiazole (J. Laduranty et L. Miginiac), 1

Aldehyde

Synthesis and reactions of tetracarbonylmanganese complexes of benzoysilanes (R.C. Cambie, L.C.M. Mui, P.S. Rutledge and P.D. Woodgate), 171

The diastereoselectivity of the addition of tricarbonyl-(η^6 -2-lithiothiophene)chromium(0) complexes on aldehydes (M. Struhárik and Š. Toma), 59

Alkene

Synthesis and reactions of tetracarbonylmanganese complexes of benzoysilanes (R.C. Cambie, L.C.M. Mui, P.S. Rutledge and P.D. Woodgate), 171

Alkenyl

Palladium catalyzed reactions of α -bromo- α,β -unsaturated carbonyl compounds with 1-(E)-alkenylboronic acids (N. Urquiza, J. Ruiz and A.J. Zapata), C33

Alkoxide

Die Zersetzungreaktion des Dialan-Radikalions [$\text{R}_2\text{Al}-\text{AlR}_2^-$] in DME. I. Kristallstrukturen von $\text{R}_2\text{Al}(\text{Me})\text{OC}_2\text{H}_4\text{OMeK(DME)}$ und $\text{R}_2\text{Al}(\text{OC}_2\text{H}_4\text{OMe})_2\text{K}$ ($\text{R} = \text{CH}(\text{SiMe}_3)_2$) (W. Uhl, A. Vester, D. Fenske und G. Baum), 23

Zum Reaktionsverhalten von Titanocvinylidenen gegenüber enolisierbaren Ketonen: $\text{Cp}^*\text{Ti}(\text{CH}=\text{CH}_2)\text{XOC}(\text{=CH}_2)\text{C}_6\text{H}_{11}$ – ein Enolat mit ungewöhnlich gestrecktem Ti–O–C–Winkel (R. Beckhaus, I. Strauß und T. Wagner), 155

Alkyne

Coupling and annelation of two acetylide groups and alkyne molecules in the reaction of $(\text{OC})_3\text{ReC}\equiv\text{CPh}$ with ferrocenylacetylene. Crystal and molecular structure of $\text{Re}_2(\text{CO})_7\{\text{C}_8\text{H}_2\text{Ph}_2(\text{C}_5\text{H}_4\text{FeC}_5\text{H}_5)_2\} \cdot \text{acetone}$ (A.A. Koridze, V.I. Zdanovich, O.A. Kizas, A.I. Yanovsky and Yu.T. Struchkov), 197

Rhenium complexes from alkynes. X-Ray crystal structures of $\text{Re}_2(\mu-2\eta^1,\eta^4\text{-C}_4\text{Ph}_4)(\text{CO})_7$ and $\text{Re}(\text{C}_2\text{O}-\text{CH}=\text{Cl}[\text{Re}(\text{CO})_4(\text{NMe}_3)]\text{C}(\text{OMe})\text{O})(\text{CO})_4$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 191

Synthesis and reactions of tetracarbonylmanganese complexes of benzoysilanes (R.C. Cambie, L.C.M. Mui, P.S. Rutledge and P.D. Woodgate), 171

Allyloxy

[2,3]-Wittig rearrangement in the α -allyloxy methylphosphonate series (M. Gulea-Purcarescu, E. Abot-Jaudet and N. Collignon), C14

Aluminium

An NMR investigation of 1,2-metallotropic shifts in transition metal complexes of benzo[c]cinnoline and pyridazines (E.W. Abel, E.S. Blackwall, K.G. Orrell and V. Šík), 163

Die Zersetzungreaktion des Dialan-Radikalions [$\text{R}_2\text{Al}-\text{AlR}_2^-$] in DME. I. Kristallstrukturen von $\text{R}_2\text{Al}(\text{Me})\text{OC}_2\text{H}_4\text{OMeK(DME)}$ und $\text{R}_2\text{Al}(\text{OC}_2\text{H}_4\text{OMe})_2\text{K}$ ($\text{R} = \text{CH}(\text{SiMe}_3)_2$) (W. Uhl, A. Vester, D. Fenske und G. Baum), 23

Amine

Rhenium complexes from alkynes. X-Ray crystal structures of $\text{Re}_2(\mu-2\eta^1,\eta^4\text{-C}_4\text{Ph}_4)(\text{CO})_7$ and $\text{Re}(\text{C}_2\text{O}-\text{CH}=\text{Cl}[\text{Re}(\text{CO})_4(\text{NMe}_3)]\text{C}(\text{OMe})\text{O})(\text{CO})_4$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 191

Amino acid

Synthetic and kinetic studies of the reaction of amino acid esters with tricarbonyl(dienyl)iron cations (L.A.P. Kane-Maguire, R. Kanitz, P. Jones and P.A. Williams), 203

Arsenic

Synthesis and structure of $[(\text{CH}_2)_4\text{Ga}-\mu-\text{As}^+\text{Bu}_2]_2$. The first example of a gallacyclopentane (A.H. Cowley, S. Corbelin, R.A. Jones, R.J. Lagow and J.W. Nail), C1

The preparation and structures of $\text{Ph}_3\text{AsGaI}_3$ and $[\text{Ph}_3\text{AsI}]^-[\text{GaI}_4]$ (L.-J. Baker, C.E.F. Rickard and M.J. Taylor), C4

Aryl

Skeletal rearrangements of arylborane complexes mediated by redox reactions: thermal and photochemical oxidation by metal ions (J.J. Eisch, J.H. Shah and M.P. Boleslawski), 11

Benzooquinone

Unexpected formation of novel benzofuranyl-substituted ferrocenes by action of *p*-benzooquinone on 1,1'-bis-acylferrrocene (C. Guillon and P. Vierling), C42

Biphasic medium

Catalytic hydrogenation reactions by a monobenzene complex of ruthenium, $[\text{Ru}(\eta^6\text{-C}_6\text{H}_6)(\text{CH}_3\text{CN})_3](\text{BF}_4)_2$, in biphasic medium (W.-C. Chan, C.-P. Lau, L. Cheng and Y.-S. Leung), 103

Boron

Skeletal rearrangements of arylborane complexes mediated by redox reactions: thermal and photochemical oxidation by metal ions (J.J. Eisch, J.H. Shah and M.P. Boleslawski), 11

Boronic acid

Palladium catalyzed reactions of α -bromo- α,β -unsaturated carbonyl compounds with 1-(E)-alkenylboronic acids (N. Ur-daneta, J. Ruiz and A.J. Zapata), C33

Carbene

Synthese und Röntgenstrukturanalyse eines zweikernigen Bis(*ansa*-carben)-Komplexes (H. Fischer, J. Schleu und C. Troll), 83

Carbonyl

Complexation of phthalides and substituted 3-benzylidene phthalides with Cr(CO)₆ (P. Hrnčiar, P. Ertl, P. Hrnčiar and Š. Toma), 65

Coupling and annelation of two acetylidyne groups and alkyne molecules in the reaction of (OC)₅ReC≡CPh with ferrocenylacetylene. Crystal and molecular structure of Re₂(CO)₇{C₈H₂Ph₂(C₅H₄FeC₅H₅)₂} · acetone (A.A. Koridze, V.I. Zdanovich, O.A. Kizas, A.I. Yanovsky and Yu.T. Struchkov), 197

Isomers of Re(CO)₃(CN^tBu)LX: synthetic strategies starting from MnRe(CO)₈(CN^tBu)L and Re(CO)₄LX (X = halogen; L = Group 15 donor ligand) (A.E. Leins and N.J. Coville), 183

On the molecular structure of [Fe₃(CO)₁₂] in the solid state (D. Braga, L. Farrugia, F. Grepioni and B.F.G. Johnson), C39

Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. I. Synthesis of Cr(CO)₃-(η^6 -diphenylacetylene) complex and its reaction with Co₂(CO)₈. Crystal and molecular structure of Cr(CO)₃(η^6 : η^2 -diphenylacetylene)Co₂(CO)₆ (S.P. Tunik, A.V. Vlasov, A.B. Nikol'skii, G.L. Starova, S. Ooi, H. Nakai and T. Sato), 71

Rhenium complexes from alkynes. X-Ray crystal structures of Re₂(μ -2 η^1 , η^4 -C₄Ph₄)₂(CO)₇ and Re{C,O-CH=C[Re(CO)₄(NMe₃)₂]C(OMe)O}CO₄ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 191

Spectral characteristics of products formed by reaction between Rh(acac)(PPh₃)₂(CO) and methyl iodide (Yu.S. Varshavsky, T.G. Cherkasova, N.A. Buzina and L.S. Bresler), 239

Synthesis and characterization of the novel complex μ -(η^2 , η^2 -di-benzylideneacetone)Fe₂(CO)₈ (A.C. Cano C., N. Zúñiga-Villarreal, C. Alvarez T., R.A. Toscano, M. Cervantes, A. Daz and H. Rudler), C23

Synthesis and reactions of tetracarbonylmanganese complexes of benzoylsilanes (R.C. Cambie, L.C.M. Mui, P.S. Rutledge and P.D. Woodgate), 171

Synthetic and kinetic studies of the reaction of amino acid esters with tricarbonyl(dienyl)iron cations (L.A.P. Kane-Maguire, R. Kanitz, P. Jones and P.A. Williams), 203

The diastereoselectivity of the addition of tricarbonyl-(η^6 -2-lithiothiophene)chromium(0) complexes on aldehydes (M. Struhárik and Š. Toma), 59

Catalysis

1,5-Hexadiene selective hydroformylation reaction catalyzed with Rh(acac){P(OPh)₃}₂/P(OPh)₃ and Rh(acac)(CO)(PPh₃)/PPh₃ complexes (A.M. Trzeciak and J.J. Ziolkowski), 107

Isomers of Re(CO)₃(CN^tBu)LX: synthetic strategies starting from MnRe(CO)₈(CN^tBu)L and Re(CO)₄LX (X = halogen; L = Group 15 donor ligand) (A.E. Leins and N.J. Coville), 183

Palladium catalyzed reactions of α -bromo- α,β -unsaturated carbonyl compounds with 1-(E)-alkenylboronic acids (N. Ur-daneta, J. Ruiz and A.J. Zapata), C33

Ceramic

Organogermanium polymers: pyrolysis chemistry of poly[(germylene)diacetylenes] (J.L. Brefort, R.J.P. Corriu, C. Guerin and B.J.L. Henner), 133

Chromium

Complexation of phthalides and substituted 3-benzylidene phthalides with Cr(CO)₆ (P. Hrnčiar, P. Ertl, P. Hrnčiar and Š. Toma), 65

Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. I. Synthesis of Cr(CO)₃(η^6 -diphenylacetylene) complex and its reaction with Co₂(CO)₈. Crystal and molecular structure of Cr(CO)₃-(η^6 : η^2 -diphenylacetylene)Co₂(CO)₆ (S.P. Tunik, A.V. Vlasov, A.B. Nikol'skii, G.L. Starova, S. Ooi, H. Nakai and T. Sato), 71

Study of the reactivity of the carbon–carbon triple bond in (CO)₅M=C(OEt)(C≡CPh) complexes (M = Cr or W) towards [PPh₄]₂HFe₃(CO)₁₁ or [Co₂(CO)₈]: a ligand transfer reaction (Fe) or thermally induced build up of heterotrimetallic clusters (Co) bridged by the carbyne ligands C-C(OEt)=CPh-C(O)– or C-CPh=C(OEt)-C(O)– (I. Moldes, J. Ros, M.R. Torres, A. Perales and R. Mathieu), 219

The diastereoselectivity of the addition of tricarbonyl-(η^6 -2-lithiothiophene)chromium(0) complexes on aldehydes (M. Struhárik and Š. Toma), 59

Cluster

Synthesis and crystal structure of Ru₃(CO)₆(μ_3 -PPhCH₂PPh₂)-(μ_3 -CyNC)(CyNC)₂ (Ph), an open trinuclear cluster complex containing an isocyanide ligand acting as a 4-electron donor (O. bin Shawkatally, S.-G. Teoh and H.-K. Fun), C29

Cobaloxime

Organocobaloxime in organic synthesis: efficient trapping of 5-phenylpent-4-ynyl radical by useful functional groups (I. Das and S. Roy), 233

Cobalt

Darstellung und Eigenschaften von und Reaktionen mit metallhaltigen Heterocyclen. LXXXVI. Cobalt-induzierte Synthese eines Thiadiphosphols (E. Lindner, T. Schlenker und C. Haase), C31

Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. I. Synthesis of Cr(CO)₃(η^6 -diphenylacetylene) complex and its reaction with Co₂(CO)₈. Crystal and molecular structure of Cr(CO)₃-(η^6 : η^2 -diphenylacetylene)Co₂(CO)₆ (S.P. Tunik, A.V. Vlasov, A.B. Nikol'skii, G.L. Starova, S. Ooi, H. Nakai and T. Sato), 71

Study of the reactivity of the carbon–carbon triple bond in (CO)₅M=C(OEt)(C≡CPh) complexes (M = Cr or W) towards [PPh₄]₂HFe₃(CO)₁₁ or [Co₂(CO)₈]: a ligand transfer reaction (Fe) or thermally induced build up of heterotrimetallic clusters (Co) bridged by the carbyne ligands C-C(OEt)=CPh-C(O)– or C-CPh=C(OEt)-C(O)– (I. Moldes, J. Ros, M.R. Torres, A. Perales and R. Mathieu), 219

Copper

Skeletal rearrangements of arylborane complexes mediated by redox reactions: thermal and photochemical oxidation by metal ions (J.J. Eisch, J.H. Shah and M.P. Boleslawski), 11

Crystal structure

Coupling and annelation of two acetylidyne groups and alkyne molecules in the reaction of (OC)₅ReC≡CPh with ferrocenylacetylene. Crystal and molecular structure of Re₂(CO)₇{C₈H₂Ph₂(C₅H₄FeC₅H₅)₂} · acetone (A.A. Koridze, V.I. Zdanovich, O.A. Kizas, A.I. Yanovsky and Yu.T. Struchkov), 197

- Crystal structure and intramolecular dynamics of $[\text{Ir}_3\text{Rh}(\text{CO})_8 \cdot (\eta^4\text{-cycloocta-1,5-diene})_2]$** (G. Bondietti, R. Ros, R. Roulet, F. Grepioni and D. Braga), C45
- Die Struktur von Cp_2TiMe_2** (U. Thewalt und T. Wöhrle), C17
- Die Zersetzungreaktion des Dialan-Radikalanions $[\text{R}_2\text{Al}-\text{AlR}_2]^-$ in DME. I. Kristallstrukturen von $\text{R}_2\text{Al}(\text{MeOC}_2\text{H}_4-\text{OMeK(DME)})$ und $\text{R}_2\text{Al}(\text{OC}_2\text{H}_4\text{OMe})_2\text{K}$ ($\text{R} = \text{CH}(\text{SiMe}_3)_2$)** (W. Uhl, A. Vester, D. Fenske und G. Baum), 23
- Hydrogen bonding in ferrocene derivatives: crystal structure of racemic ferrocenyl(phenyl)methanol** (G. Ferguson, J.F. Gallagher, C. Glidewell and C.M. Zakaria), 95
- Reaction of μ -ethynediyl dipalladium complexes with phenyl isocyanide in the presence of trialkylphosphines and the molecular structure of $\text{Cl}(\text{Et}_3\text{P})_2\text{PdC}(=\text{NPh})\text{C}\equiv\text{CC}(=\text{NPh})\text{Pd}(\text{PEt}_3)_2\text{Cl}$** (K. Onitsuka, T. Joh and S. Takahashi), 247
- Reactions of $(\eta^6\text{-diphenylacetylene})\text{Cr(CO)}_3$ chromitricarbonyl complexes with polynuclear carbonyls. I. Synthesis of $\text{Cr}(\text{CO})_3(\eta^6\text{-diphenylacetylene})$ complex and its reaction with $\text{Co}_2(\text{CO})_8$. Crystal and molecular structure of $\text{Cr}(\text{CO})_3 \cdot (\eta^6: \eta^2\text{-diphenylacetylene})\text{Co}_2(\text{CO})_6$** (S.P. Tunik, A.V. Vlasov, A.B. Nikol'skii, G.L. Starova, S. Ooi, H. Nakai and T. Sato), 71
- Rhenium complexes from alkynes. X-Ray crystal structures of $\text{Re}_2(\mu-2\eta^1, \eta^4\text{-C}_4\text{Ph}_4)(\text{CO})_7$ and $\text{Re}(\text{C}, \text{O}-\text{CH}=\text{C}[\text{Re}(\text{CO})_4(\text{NMe}_3)]\text{C}(\text{OMe})\text{O})(\text{CO})_4$** (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 191
- Synthese und Röntgenstrukturanalyse eines zweikernigen Bis(*ansa*-carben)-Komplexes** (H. Fischer, J. Schleu und C. Troll), 83
- Synthesis and characterization of some ferrocene-containing teluroether ligands: crystal structure of 1,1'-bis(phenylteluro)-ferrocene** (H.B. Singh, A. Regini V., J.P. Jasinski, E.S. Paight and R.J. Butcher), 87
- Synthesis and crystal structure of dioxobis(μ -pentafluorophenylimido)dil(η -methylcyclopentadienyl)dimolybdenum** (J. Fawcett, J.H. Holloway, E.G. Hope, D.R. Russell, G.C. Saunders and M.J. Atherton), C20
- Synthesis and crystal structure of $\text{Ru}_3(\text{CO})_6(\mu_3\text{-PPhCH}_2\text{PPh}_2)\text{-}(\mu_3\text{-CyNC})\text{(CyNC)}_2$ (Ph)**, an open trinuclear cluster complex containing an isocyanide ligand acting as a 4-electron donor (O. bin Shawkatly, S.-G. Teoh and H.-K. Fun), C29
- Synthesis and structural characterization of (2-oxazolinylthienyl)tetraorganotin(IV) compounds** (S. Selvaratnam, K.M. Lo and V.G. Kumar Das), 143
- Synthesis and structure of $[(\text{CH}_2)_4\text{Ga}-\mu\text{-As}'\text{Bu}_2]_2$. The first example of a gallacyclopentane** (A.H. Cowley, S. Corbelin, R.A. Jones, R.J. Lagow and J.W. Nail), C1
- The formation and molecular structure of $(\eta^5\text{-C}_5\text{H}_5)_3\text{Sm} \cdot \text{OC}_4\text{H}_8$** (S. Wang, Y. Yu, Z. Ye, C. Qian and X. Huang), 55
- Cyanamide**
- Synthese und Röntgenstrukturanalyse eines zweikernigen Bis(*ansa*-carben)-Komplexes** (H. Fischer, J. Schleu und C. Troll), 83
- Cycloaddition**
- Organophosphorverbindungen. LXXIII. Abspaltung einer "in situ" erzeugten Silens mit ${}^1\text{Bu}-\text{C}\equiv\text{P}$. Bildung eines Diphosphatricycloheptans** (B. Breit, R. Boese und M. Regitz), 41
- Cyclopentadienyl**
- Die Struktur von Cp_2TiMe_2** (U. Thewalt und T. Wöhrle), C17
- The formation and molecular structure of $(\eta^5\text{-C}_5\text{H}_5)_3\text{Sm} \cdot \text{OC}_4\text{H}_8$** (S. Wang, Y. Yu, Z. Ye, C. Qian and X. Huang), 55
- Cyclopentane**
- Synthesis and structure of $[(\text{CH}_2)_4\text{Ga}-\mu\text{-As}'\text{Bu}_2]_2$. The first example of a gallacyclopentane** (A.H. Cowley, S. Corbelin, R.A. Jones, R.J. Lagow and J.W. Nail), C1
- Diarylazo**
- An assessment of second harmonic generation by donor acceptor molecules containing stilbenyl or diarylazo bridges between ferrocenyl donor and nitro acceptor groups** (B.J. Coe, C.J. Jones, Jon.A. McCleverty, D. Bloor and G. Cross), 225
- Disilacyclobutane**
- Bildung und Umwandlung des instabilen 2-tert-Butyl-1,1-bis(trimethylsilyl)-silens** (C. Krempner und H. Oehme), C7
- Dithiocatechol**
- $\text{Cp}^*\text{Ru}-o\text{-C}_6\text{H}_4(\text{EH})_2$ (E = O, S) Komplexe. $\text{Cp}^*\text{Ru}(\mu_2\text{-}\eta^4\text{-}o\text{-C}_6\text{H}_4\text{S}_2)\text{RuCp}^*$, ein zweifach überbrückter, einfacher valenzgesättigter Ru-Zweikernkomplex. Molekülstruktur von $\text{Cp}\text{Ru}(\mu_2\text{-}\eta^4\text{-}o\text{-C}_6\text{H}_4\text{S}_2)(\text{P}(\text{OMe})_3)\text{RuCp}$** (A. Hörrig, U. Engert und U. Kölle), C25
- Diyne**
- Organogermanium polymers: pyrolysis chemistry of poly((germylene). diacetylenes)** (J.L. Brefort, R.J.P. Corriu, C. Guerin and B.J.L. Henner), 133
- Donor-acceptor**
- The preparation and structures of $\text{Ph}_3\text{AsGal}_3$ and $[\text{Ph}_3\text{AsI}] \cdot [\text{Gal}_4]$** (L.-J. Baker, C.E.F. Rickard and M.J. Taylor), C4
- Dynamics**
- Crystal structure and intramolecular dynamics of $[\text{Ir}_3\text{Rh}(\text{CO})_8 \cdot (\eta^4\text{-cycloocta-1,5-diene})_2]$** (G. Bondietti, R. Ros, R. Roulet, F. Grepioni and D. Braga), C45
- Electrochemistry**
- Redox properties of gold(I) compounds with organic ligands** (R.D. Rakhimov, K.P. Butin and K.I. Grandberg), 253
- Ethynediyi**
- Reaction of μ -ethynediyl dipalladium complexes with phenyl isocyanide in the presence of trialkylphosphines and the molecular structure of $\text{Cl}(\text{Et}_3\text{P})_2\text{PdC}(=\text{NPh})\text{C}\equiv\text{CC}(=\text{NPh})\text{Pd}(\text{PEt}_3)_2\text{Cl}$** (K. Onitsuka, T. Joh and S. Takahashi), 247
- Ferrocene**
- An assessment of second harmonic generation by donor acceptor molecules containing stilbenyl or diarylazo bridges between ferrocenyl donor and nitro acceptor groups** (B.J. Coe, C.J. Jones, Jon.A. McCleverty, D. Bloor and G. Cross), 225
- Concerning the silicon-germanium bond: mass spectral fragmentations of isomeric Si-Ge compounds $\text{R}_3\text{EE}'\text{R}_3$ (E = Si, E' = Ge, R = Ph, Me, $(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\text{C}_5\text{H}_5)$, $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2$ and $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2$)** (A. Guerrero, J. Cervantes, L. Velasco, J. Gomez-Lara, S. Sharma, E. Delgado and K. Pannell), 47
- Coupling and annelation of two acetylidyne groups and alkyne molecules in the reaction of $(\text{OC})_3\text{Re}\equiv\text{CPh}$ with ferrocenylacetylene. Crystal and molecular structure of $\text{Re}_2(\text{CO})_7 \cdot \{\text{C}_8\text{H}_2\text{Ph}_2(\text{C}_5\text{H}_4\text{FeC}_5\text{H}_5)_2\} \cdot \text{acetone}$** (A.A. Koridze, V.I. Zdanovich, O.A. Kizas, A.I. Yanovsky and Yu.T. Struchkov), 197
- Hydrogen bonding in ferrocene derivatives: crystal structure of racemic ferrocenyl(phenyl)methanol** (G. Ferguson, J.F. Gallagher, C. Glidewell and C.M. Zakaria), 95
- Nitrate displacement in $[\text{Ag}_2(\text{NO}_3)_2(\mu\text{-dppf})_2]$. Molecular structure of a homoleptic dppf complex, $[\text{Ag}_2(\mu\text{-dppf})(\text{dppf})_2]\text{-}(\text{PF}_6)_2$ (dppf = 1,1'-bis(diphenylphosphino)ferrocene)** (S.-P. Neo, T.S.A. Hor, Z.-Y. Zhou and T.C.W. Mak), 113
- Synthesis and characterization of some ferrocene-containing teluroether ligands: crystal structure of 1,1'-bis(phenylteluro)-ferrocene** (H.B. Singh, A. Regini V., J.P. Jasinski, E.S. Paight and R.J. Butcher), 87
- Unexpected formation of novel benzofuranyl-substituted ferrocenes by action of *p*-benzoquinone on 1,1'-bis(acyl)ferrocene** (C. Guillou and P. Vierling), C42

Gallium

Synthesis and structure of $[(\text{CH}_2)_4\text{Ga}-\mu-\text{As}^{\text{i}}\text{Bu}_2]_2$. The first example of a gallacyclopentane (A.H. Cowley, S. Corbelin, R.A. Jones, R.J. Lagow and J.W. Nail), C1

The preparation and structures of $\text{Ph}_3\text{AsGaI}_3$ and $[\text{Ph}_3\text{AsI}-\text{GaI}_4]$ (L.-J. Baker, C.E.F. Rickard and M.J. Taylor), C4

Germanium

Concerning the silicon–germanium bond: mass spectral fragmentations of isomeric Si–Ge compounds $\text{R}_3\text{EE}'\text{R}_3$ ($\text{E} = \text{Si}$, $\text{E}' = \text{Ge}$, $\text{R} = \text{Ph}$, Me, $(\eta^5\text{C}_5\text{H}_4)\text{Fe}(\text{C}_5\text{H}_5)$, $(\eta^5\text{C}_5\text{H}_5)\text{Fe}(\text{CO})_2$ and $(\eta^5\text{C}_9\text{H}_7)\text{Fe}(\text{CO})_2$) (A. Guerrero, J. Cervantes, L. Velasco, J. Gomez-Lara, S. Sharma, E. Delgado and K. Pannell), 47

Organogermanium polymers: pyrolysis chemistry of poly(germylene), diacetylenes] (J.L. Brefort, R.J.P. Corriu, C. Guerin and B.J.L. Henner), 133

Gold

Redox properties of gold(I) compounds with organic ligands (R.D. Rakhimov, K.P. Butin and K.I. Grandberg), 253

Heterobimetallics

Isomers of $\text{Re}(\text{CO})_3(\text{CN}^{\text{i}}\text{Bu})\text{LX}$: synthetic strategies starting from $\text{MnRe}(\text{CO})_8(\text{CN}^{\text{i}}\text{Bu})\text{L}$ and $\text{Re}(\text{CO})_4\text{LX}$ ($\text{X} = \text{halogen}$; $\text{L} = \text{Group 15 donor ligand}$) (A.E. Leins and N.J. Coville), 183

Heterocycles

Synthesis of η^1 and η^5 complexes of samarium(II) with benzophospholyl ligands (F. Nief and L. Ricard), 149

Hexadiene

1,5-Hexadiene selective hydroformylation reaction catalyzed with $\text{Rh}(\text{acac})(\text{P}(\text{OPh})_3)_2/\text{P}(\text{OPh})_3$ and $\text{Rh}(\text{acac})(\text{CO})(\text{PPh}_3)/\text{PPh}_3$ complexes (A.M. Trzeciak and J.J. Ziolkowski), 107

Hydride

Catalytic hydrogenation reactions by a monobenzene complex of ruthenium, $[\text{Ru}(\eta^6\text{C}_6\text{H}_6)(\text{CH}_3\text{CN})_3](\text{BF}_4)_2$, in biphasic medium (W.-C. Chan, C.-P. Lau, L. Cheng and Y.-S. Leung), 103

Hydroformylation

1,5-Hexadiene selective hydroformylation reaction catalyzed with $\text{Rh}(\text{acac})(\text{P}(\text{OPh})_3)_2/\text{P}(\text{OPh})_3$ and $\text{Rh}(\text{acac})(\text{CO})(\text{PPh}_3)/\text{PPh}_3$ complexes (A.M. Trzeciak and J.J. Ziolkowski), 107

Hydrogenation

Catalytic hydrogenation reactions by a monobenzene complex of ruthenium, $[\text{Ru}(\eta^6\text{C}_6\text{H}_6)(\text{CH}_3\text{CN})_3](\text{BF}_4)_2$, in biphasic medium (W.-C. Chan, C.-P. Lau, L. Cheng and Y.-S. Leung), 103

Hydrogen bonding

Hydrogen bonding in ferrocene derivatives: crystal structure of racemic ferrocenyl(phenyl)methanol (G. Ferguson, J.F. Gallagher, C. Glidewell and C.M. Zakaria), 95

Imide

Synthesis and crystal structure of dioxobis(μ -pentafluorophenylimido)di(η -methylcyclopentadienyl)dimolybdenum (J. Fawcett, J.H. Holloway, E.G. Hope, D.R. Russell, G.C. Saunders and M.J. Atherton), C20

Imino

Reaction of μ -ethynediyl dipalladium complexes with phenyl isocyanide in the presence of trialkylphosphines and the molecular structure of $\text{Cl}(\text{Et}_3\text{P})_2\text{PdC}(=\text{NPh})\text{C}\equiv\text{CC}(=\text{NPh})\text{Pd}(\text{PEt}_3)_2\text{Cl}$ (K. Onitsuka, T. Joh and S. Takahashi), 247

Iridium

Crystal structure and intramolecular dynamics of $[\text{Ir}_3\text{Rh}(\text{CO})_8(\eta^4\text{-cycloocta-1,5-diene})_2]$ (G. Bondietti, R. Ros, R. Roulet, F. Grepioni and D. Braga), C45

Iron

Insertion of mercury into iron–iodine bonds leading to dinuclear (Fe–Hg) mixed isonitrile–phosphine complexes (S. Coco and F. Mayor), 215

On the molecular structure of $[\text{Fe}_3(\text{CO})_{12}]$ in the solid state (D. Braga, L. Farrugia, F. Grepioni and B.F.G. Johnson), C39

Study of the reactivity of the carbon–carbon triple bond in $(\text{CO})_5\text{M}=\text{C}(\text{OEt})(\text{C}\equiv\text{CPh})$ complexes ($\text{M} = \text{Cr}$ or W) towards $[\text{PPh}_4]^+\text{HFe}_3(\text{CO})_{11}]$ or $[\text{Co}_2(\text{CO})_8]$: a ligand transfer reaction (Fe) or thermally induced build up of heterotrimetallic clusters (Co) bridged by the carbyne ligands $\text{C}=\text{C}(\text{OEt})=\text{CPh}$ – or $\text{C}=\text{C}(\text{OEt})=\text{C}(\text{O})-$ (I. Moldes, J. Ros, M.R. Torres, A. Perales and R. Mathieu), 219

Synthesis and characterization of the novel complex $\mu-(\eta^2,\eta^2\text{-dibenzylideneacetone})\text{Fe}_2(\text{CO})_8$ (A.C. Cano C., N. Zúñiga-Villarreal, C. Alvarez T., R.A. Toscano, M. Cervantes, A. Daz and H. Rudler), C23

Synthetic and kinetic studies of the reaction of amino acid esters with tricarbonyl(dienyl)iron cations (L.A.P. Kane-Maguire, R. Kanitz, P. Jones and P.A. Williams), 203

Isocyanide

Reaction of μ -ethynediyl dipalladium complexes with phenyl isocyanide in the presence of trialkylphosphines and the molecular structure of $\text{Cl}(\text{Et}_3\text{P})_2\text{PdC}(=\text{NPh})\text{C}\equiv\text{CC}(=\text{NPh})\text{Pd}(\text{PEt}_3)_2\text{Cl}$ (K. Onitsuka, T. Joh and S. Takahashi), 247

Isonitrile

Insertion of mercury into iron–iodine bonds leading to dinuclear (Fe–Hg) mixed isonitrile–phosphine complexes (S. Coco and F. Mayor), 215

Ketene

Synthesis and characterization of the novel complex $\mu-(\eta^2,\eta^2\text{-dibenzylideneacetone})\text{Fe}_2(\text{CO})_8$ (A.C. Cano C., N. Zúñiga-Villarreal, C. Alvarez T., R.A. Toscano, M. Cervantes, A. Daz and H. Rudler), C23

Ketone

Synthesis and characterization of the novel complex $\mu-(\eta^2,\eta^2\text{-dibenzylideneacetone})\text{Fe}_2(\text{CO})_8$ (A.C. Cano C., N. Zúñiga-Villarreal, C. Alvarez T., R.A. Toscano, M. Cervantes, A. Daz and H. Rudler), C23

Zum Reaktionsverhalten von Titanocenvinylden gegenüber enolisierbaren Ketonen: $\text{Cp}^*\text{Ti}(\text{CH}=\text{CH}_2)(\text{OC}=\text{CH}_2)\text{C}_6\text{H}_{11}$ – ein Enolat mit ungewöhnlich gestrecktem Ti–O–C-Winkel (R. Beckhaus, I. Strauß und T. Wagner), 155

Kinetics

Synthetic and kinetic studies of the reaction of amino acid esters with tricarbonyl(dienyl)iron cations (L.A.P. Kane-Maguire, R. Kanitz, P. Jones and P.A. Williams), 203

Lewis acid–base adduct

The preparation and structures of $\text{Ph}_3\text{AsGaI}_3$ and $[\text{Ph}_3\text{AsI}-\text{GaI}_4]$ (L.-J. Baker, C.E.F. Rickard and M.J. Taylor), C4

Magnesium

Bildung und Umwandlung des instabilen 2-tert-Butyl-1,1-bis(trimethylsilyl)-silens (C. Krempner und H. Oehme), C7

Les magnésiens allyliques comme agents de fonctionnalisation symétrique ou dissymétrique en 2 et 5 du 1,3,4-thiadiazole (J. Laduranty et L. Miginiac), 1

Über Metallalkyl und Arylverbindungen. XLIX. Darstellung und Strukturen neuer Diorganomagnesiumverbindungen MgR_2 –(L), R: Methyl, Ethyl; L: TMEDA, PMDTA (H. Viebrock und E. Weiss), 121

Manganese

Synthese und Röntgenstrukturanalyse eines zweikernigen Bis(*ansa*-carben)-Komplexes (H. Fischer, J. Schleu und C. Troll), 83

Synthesis and reactions of tetracarbonylmanganese complexes of benzoysilanes (R.C. Cambie, L.C.M. Mui, P.S. Rutledge and P.D. Woodgate), 171

Mass spectrometry

Concerning the silicon-germanium bond: mass spectral fragmentations of isomeric Si-Ge compounds $R_3EE'R_3$ ($E = Si$, $E' = Ge$, $R = Ph$, Me , $(\eta^5-C_5H_4)Fe(C_5H_5)$, $(\eta^5-C_5H_4)Fe(CO)_2$ and $(\eta^5-C_9H_7)Fe(CO)_2$) (A. Guerrero, J. Cervantes, L. Velasco, J. Gomez-Lara, S. Sharma, E. Delgado and K. Pannell), 47

Mercury

Insertion of mercury into iron-iodine bonds leading to dinuclear (Fe-Hg) mixed isonitrile-phosphine complexes (S. Coco and F. Mayor), 215

Metallocene

Die Struktur von Cp_2TiMe_2 (U. Thewalt und T. Wöhrl), C17

Metallocenes

Zum Reaktionsverhalten von Titanocenvinyliden gegenüber enolisierbaren Ketonen: $Cp^*_2Ti(CH=CH_2)(OC(=CH_2)C_6H_{11})$ – ein Enolat mit ungewöhnlich gestrecktem Ti-O-C-Winkel (R. Beckhaus, I. Strauß und T. Wagner), 155

Metallotropic shift

An NMR investigation of 1,2-metallotropic shifts in transition metal complexes of benzo[c]cinnoline and pyridazines (E.W. Abel, E.S. Blackwall, K.G. Orrell and V. Šík), 163

Molybdenum

Kationische η^2 -Thiocarbenkomplexe von Molybdän und Wolfram (J. Ostermeier, W. Schütt, C.M. Stegmair, N. Ullrich und F.R. Kreißl), 77

Synthesis and crystal structure of dioxobis(μ -pentafluorophenyl-imido)di(η -methylcyclopentadienyl)dimolybdenum (J. Fawcett, J.H. Holloway, E.G. Hope, D.R. Russell, G.C. Saunders and M.J. Atherton), C20

Mössbauer spectroscopy

Synthesis and structural characterization of (2-oxazolinylthienyl)tetraorganotin(IV) compounds (S. Selvaratnam, K.M. Lo and V.G. Kumar Das), 143

Nickel

Skeletal rearrangements of arylborane complexes mediated by redox reactions: thermal and photochemical oxidation by metal ions (J.J. Eisch, J.H. Shah and M.P. Boleslawski), 11

Nitrate

Nitro displacement in $[Ag_2(NO_3)_2(\mu-dppf)_2]$. Molecular structure of a homoleptic dppf complex, $[Ag_2(\mu-dppf)(dppf)_2](PF_6)_2$ ($dppf = 1,1'$ -bis(diphenylphosphino)ferrocene) (S.-P. Neo, T.S.A. Hor, Z.-Y. Zhou and T.C.W. Mak), 113

Non-linear optics

An assessment of second harmonic generation by donor acceptor molecules containing stilbenyl or diarylazo bridges between ferrocenyl donor and nitro acceptor groups (B.J. Coe, C.J. Jones, Jon.A. McCleverty, D. Bloor and G. Cross), 225

Nuclear magnetic resonance

An NMR investigation of 1,2-metallotropic shifts in transition metal complexes of benzo[c]cinnoline and pyridazines (E.W. Abel, E.S. Blackwall, K.G. Orrell and V. Šík), 163

Spectral characteristics of products formed by reaction between Rhacac(PPh_3)(CO) and methyl iodide (Yu.S. Varshavsky, T.G. Cherkasova, N.A. Buzina and L.S. Bresler), 239

Synthesis and structural characterization of (2-oxazolinylthienyl)tetraorganotin(IV) compounds (S. Selvaratnam, K.M. Lo and V.G. Kumar Das), 143

Oxidation

Skeletal rearrangements of arylborane complexes mediated by redox reactions: thermal and photochemical oxidation by metal ions (J.J. Eisch, J.H. Shah and M.P. Boleslawski), 11

Unexpected formation of novel benzofuranyl-substituted ferrocenes by action of *p*-benzoquinone on 1,1'-bis-acylferrocene (C. Guillon and P. Vierling), C42

Oxidative addition

Spectral characteristics of products formed by reaction between Rhacac(PPh_3)(CO) and methyl iodide (Yu.S. Varshavsky, T.G. Cherkasova, N.A. Buzina and L.S. Bresler), 239

Oxo

Synthesis and crystal structure of dioxobis(μ -pentafluorophenyl-imido)di(η -methylcyclopentadienyl)dimolybdenum (J. Fawcett, J.H. Holloway, E.G. Hope, D.R. Russell, G.C. Saunders and M.J. Atherton), C20

Palladium

Palladium catalyzed reactions of α -bromo- α,β -unsaturated carbonyl compounds with 1-(*E*)-alkenylboronic acids (N. Urquiza, J. Ruiz and A.J. Zapata), C33

Reaction of μ -ethynediyl dipalladium complexes with phenyl isocyanide in the presence of trialkylphosphines and the molecular structure of $Cl(Et_3P)_2PdC(=NPh)C\equiv CC(=NPh)Pd(PEt_3)_2Cl$ (K. Onitsuka, T. Joh and S. Takahashi), 247

Pentafluorophenyl

Synthesis and crystal structure of dioxobis(μ -pentafluorophenyl-imido)di(η -methylcyclopentadienyl)dimolybdenum (J. Fawcett, J.H. Holloway, E.G. Hope, D.R. Russell, G.C. Saunders and M.J. Atherton), C20

Perfluoroalkyl

Unexpected formation of novel benzofuranyl-substituted ferrocenes by action of *p*-benzoquinone on 1,1'-bis-acylferrocene (C. Guillon and P. Vierling), C42

Phosphaalkyne

Organophosphorverbindungen. LXXIII. Abfangreaktion eines "in situ" erzeugten Silens mit $'Bu-C\equiv P$. Bildung eines Diphasphatricycloheptans (B. Breit, R. Boese und M. Regitz), 41

Phosphine

Insertion of mercury into iron-iodine bonds leading to dinuclear (Fe-Hg) mixed isonitrile-phosphine complexes (S. Coco and F. Mayor), 215

Spectral characteristics of products formed by reaction between Rhacac(PPh_3)(CO) and methyl iodide (Yu.S. Varshavsky, T.G. Cherkasova, N.A. Buzina and L.S. Bresler), 239

Phosphonate

[2,3]-Wittig rearrangement in the α -allyloxy methylphosphonate series (M. Gulea-Purcarescu, E. About-Jaudet and N. Collignon), C14

Phosphorus

Synthesis and crystal structure of $Ru_3(CO)_6(\mu_3-PPhCH_2PPh_2)(\mu_3-CyNC)(CyNC)_2(Ph)$, an open trinuclear cluster complex containing an isocyanide ligand acting as a 4-electron donor (O. bin Shawkatly, S.-G. Teoh and H.-K. Fun), C29

Polymer

Organogermanium polymers: pyrolysis chemistry of poly[(germylene). diacetylenes] (J.L. Brefort, R.J.P. Corriu, C. Guerin and B.J.L. Henner), 133

Potassium

Die Zersetzungreaktion des Dialan-Radikal-anions $[R_2Al-AlR_2]^{--}$ in DME. I. Kristallstrukturen von $R_2Al(Me)OC_2H_4-OMeK(DME)$ und $R_2Al(OC_2H_4OMe)_2K$ ($R = CH(SiMe_3)_2$) (W. Uhl, A. Vester, D. Fenske und G. Baum), 23

Phthalide

Complexation of phthalides and substituted 3-benzylidene phthalides with $Cr(CO)_6$ (P. Hrnčiar, P. Ertl, P. Hrnčiar and Š. Toma), 65

Pyrazole

Kationische η^2 -Thiocarbenkomplexe von Molybdän und Wolfram (J. Ostermeier, W. Schütt, C.M. Stegmair, N. Ullrich und F.R. Kreißl), 77

Pyridazine

An NMR investigation of 1,2-metallotropic shifts in transition metal complexes of benzo[c]cinnoline and pyridazines (E.W. Abel, E.S. Blackwall, K.G. Orrell and V. Šík), 163

Pyridine

Novel silicon bisalkoxy complexes with a pseudo-atrane structure. Synthesis and molecular structures of 2,6-di(2-hydroxy(2-adamantyl))ethylpyridine and 2,6-di(2-oxy(2-adamantylidene))ethylpyridine dimethylsilicon (J.J.H. Edema, R. Libbers, A. Ridder, R.M. Kellogg and A.L. Spek), 127

Radical

Die Zersetzungreaktion des Dialan-Radikal-anions $[R_2Al-AlR_2]^{--}$ in DME. I. Kristallstrukturen von $R_2Al(Me)OC_2H_4-OMeK(DME)$ und $R_2Al(OC_2H_4OMe)_2K$ ($R = CH(SiMe_3)_2$) (W. Uhl, A. Vester, D. Fenske und G. Baum), 23

Organocobaloxime in organic synthesis: efficient trapping of 5-phenylpent-4-ynyl radical by useful functional groups (I. Das and S. Roy), 233

Rhenium

Coupling and annelation of two acetylide groups and alkyne molecules in the reaction of $(OC)_3ReC\equiv CPh$ with ferrocenylacetylene. Crystal and molecular structure of $Re_2(CO)_7\{C_8H_2Ph_2(C_5H_4FeC_5H_5)_2\} \cdot$ acetone (A.A. Koridze, V.I. Zdanovich, O.A. Kizas, A.I. Yanovsky and Yu.T. Struchkov), 197

Isomers of $Re(CO)_3(CN^1Bu)LX$: synthetic strategies starting from $MnRe(CO)_8(CN^1Bu)L$ and $Re(CO)_4LX$ ($X =$ halogen; L = Group 15 donor ligand) (A.E. Leins and N.J. Coville), 183

Rhenium complexes from alkynes. X-Ray crystal structures of $Re_2(\mu-2\eta^1,\eta^4-C_4Ph_4)(CO)_7$ and $Re(C_6O-CH=C[Re(CO)_4-(NMe_3)]C(OMe)O)(CO)_4$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 191

Rhodium

An NMR investigation of 1,2-metallotropic shifts in transition metal complexes of benzo[c]cinnoline and pyridazines (E.W. Abel, E.S. Blackwall, K.G. Orrell and V. Šík), 163

Crystal structure and intramolecular dynamics of $[Ir_3Rh(CO)_8-(\eta^4-cycloocta-1,5-diene)_2]$ (G. Bondietti, R. Ros, R. Roulet, F. Grepioni and D. Braga), C45

1,5-Hexadiene selective hydroformylation reaction catalyzed with $Rh(acac)(P(OPh)_3)_2/P(OPh)_3$ and $Rh(acac)(CO)(PPh_3)/PPh_3$ complexes (A.M. Trzeciak and J.J. Ziolkowski), 107

Spectral characteristics of products formed by reaction between Rhacac(PPh_3) $_2CO$ and methyl iodide (Yu.S. Varshavsky, T.G. Cherkasova, N.A. Buzina and L.S. Bresler), 239

Ruthenium

Catalytic hydrogenation reactions by a monobenzene complex of ruthenium, $[Ru(\eta^6-C_6H_6)(CH_3CN)_3](BF_4)_2$, in biphasic medium (W.-C. Chan, C.-P. Lau, L. Cheng and Y.-S. Leung), 103

$Cp^*Ru-\sigma-C_6H_4(EH)_2$ ($E = O, S$) Komplexe. $Cp^*Ru(\mu_2-\eta^4-\sigma-C_6H_4S_2)RuCp^*$, ein zweifach überbrückter, einfach valenzgesättigter Ru-Zweikernkomplex. Molekülstruktur von $CpRu(\mu_2-\eta^4-\sigma-C_6H_4S_2)(P(OMe)_3)RuCp$ (A. Hörlig, U. Englert und U. Kölle), C25

Synthesis and crystal structure of $Ru_3(CO)_6(\mu_3-PPhCH_2PPh_2)-(\mu_3-CyNC)(CyNC)_2(Ph)$, an open trinuclear cluster complex containing an isocyanide ligand acting as a 4-electron donor (O. bin Shakwataly, S.-G. Teoh and H.-K. Fun), C29

Samarium

Synthesis of η^1 and η^5 complexes of samarium(II) with benzophospholyl ligands (F. Nief and L. Ricard), 149

The formation and molecular structure of $(\eta^5-C_5H_5)_3Sm \cdot OC_4H_8$ (S. Wang, Y. Yu, Z. Ye, C. Qian and X. Huang), 55

Second harmonic generation

An assessment of second harmonic generation by donor acceptor molecules containing stilbenyl or diarylazo bridges between ferrocenyl donor and nitro acceptor groups (B.J. Coe, C.J. Jones, Jon.A. McCleverty, D. Bloor and G. Cross), 225

Silane

Synthesis and reactions of tetracarbonylmanganese complexes of benzoylsilanes (R.C. Cambie, L.C.M. Mui, P.S. Rutledge and P.D. Woodgate), 171

Silene

Bildung und Umwandlung des instabilen 2-tert-Butyl-1,1-bis(trimethylsilyl)silens (C. Krempner und H. Oehme), C7

Organophosphorverbindungen. LXXIII. Abfangreaktion eines "in situ" erzeugten Silens mit $^1Bu-C\equiv P$. Bildung eines Diphenylphosphacyclobenzoheptans (B. Breit, R. Boese und M. Regitz), 41

Silicon

Concerning the silicon-germanium bond: mass spectral fragmentations of isomeric Si-Ge compounds $R_3EE'R_3$ ($E = Si, E' = Ge$, R = Ph, Me, $(\eta^5-C_5H_4)Fe(C_5H_5)$, $(\eta^5-C_5H_5)Fe(CO)_2$ and $(\eta^5-C_9H_7)Fe(CO)_2$) (A. Guerrero, J. Cervantes, L. Velasco, J. Gomez-Lara, S. Sharma, E. Delgado and K. Pannell), 47

Novel silicon bisalkoxy complexes with a pseudo-atrane structure.

Synthesis and molecular structures of 2,6-di(2-hydroxy(2-adamantyl))ethylpyridine and 2,6-di(2-oxy(2-adamantylidene))ethylpyridine dimethylsilicon (J.J.H. Edema, R. Libbers, A. Ridder, R.M. Kellogg and A.L. Spek), 127

Silver

Nitrito displacement in $[Ag_2(NO_3)_2(\mu-dppf)_2]$. Molecular structure of a homoleptic dppf complex, $[Ag_2(\mu-dppf)(dppf)_2](PF_6)_2$ (dppf = 1,1'-bis(diphenylphosphino)ferrocene) (S.-P. Neo, T.S.A. Hor, Z.-Y. Zhou and T.C.W. Mak), 113

Stannyl anion

Utilization of $Bu_3SnSiMe_3$ in organic synthesis. II. New cyclization by a stannyl anion generated from $Bu_3SnSiMe_3$ and R_4NX (M. Mori, N. Kaneta and M. Shibasaki), 35

Stilbenyl

An assessment of second harmonic generation by donor acceptor molecules containing stilbenyl or diarylazo bridges between ferrocenyl donor and nitro acceptor groups (B.J. Coe, C.J. Jones, Jon.A. McCleverty, D. Bloor and G. Cross), 225

Substitution

Isomers of $Re(CO)_3(CN^1Bu)LX$: synthetic strategies starting from $MnRe(CO)_8(CN^1Bu)L$ and $Re(CO)_4LX$ ($X =$ halogen; L = Group 15 donor ligand) (A.E. Leins and N.J. Coville), 183

Telluroether

Synthesis and characterization of some ferrocene-containing telluroether ligands: crystal structure of 1,1'-bis(phenyltelluro)-ferrocene (H.B. Singh, A. Regini V., J.P. Jasinski, E.S. Paight and R.J. Butcher), 87

Thiadiazole

Les magnésiens allyliques comme agents de fonctionnalisation symétrique ou dissymétrique en 2 et 5 du 1,3,4-thiadiazole (J. Laduranty et L. Miginiac), 1

Thiadiphosphole

Darstellung und Eigenschaften von und Reaktionen mit metallhaltigen Heterocyclen. LXXXVI. Cobalt-induzierte Synthese eines Thiadiphosphols (E. Lindner, T. Schlenker und C. Haase), C31

Thienyl

Synthesis and structural characterization of (2-oxazolinylthienyl)-tetraorganotin(IV) compounds (S. Selvaratnam, K.M. Lo and V.G. Kumar Das), 143

Thiocarbene

Kationische η^2 -Thiocarbenkomplexe von Molybdän und Wolfram (J. Ostermeier, W. Schütt, C.M. Stegmair, N. Ullrich und F.R. Kreißl), 77

Thiophene

The diastereoselectivity of the addition of tricarbonyl-(η^6 -2-lithiothiophene)chromium(0) complexes on aldehydes (M. Struhárik and Š. Toma), 59

Tin

Synthesis and structural characterization of (2-oxazolinylthienyl)-tetraorganotin(IV) compounds (S. Selvaratnam, K.M. Lo and V.G. Kumar Das), 143

Titanium

Die Struktur von Cp_2TiMe_2 (U. Thewalt und T. Wöhrl), C17

Zum Reaktionsverhalten von Titanocenvinylienen gegenüber enolisierbaren Ketonen: $Cp^*_2Ti(CH=CH_2)(OC(=CH_2)C_6H_{11})$ – ein Enolat mit ungewöhnlich gestrecktem Ti–O–C-Winkel (R. Beckhaus, I. Strauß und T. Wagner), 155

Trimethylsilyl

A novel 1,3-migration of the trimethylsilyl group from oxygen to carbon (L. Duhamel, J. Gralak and B. Ngono), C11

Utilization of $Bu_3SnSiMe_3$ in organic synthesis. II. New cyclization by a stannyli anion generated from $Bu_3SnSiMe_3$ and R_4NX (M. Mori, N. Kaneta and M. Shibasaki), 35

Tungsten

Kationische η^2 -Thiocarbenkomplexe von Molybdän und Wolfram (J. Ostermeier, W. Schütt, C.M. Stegmair, N. Ullrich und F.R. Kreißl), 77

Study of the reactivity of the carbon–carbon triple bond in $(CO)_5M=C(OEt)(C\equiv CPh)$ complexes ($M = Cr$ or W) towards $[PPh_4]^+HFe_3(CO)_{11}$ or $[Co_2(CO)_8]$: a ligand transfer reaction (Fe) or thermally induced build up of heterotrimetallic clusters (Co) bridged by the carbyne ligands $C-C(OEt)=CPh-C(O)-$ or $C-CPh=C(OEt)-C(O)-$ (I. Moldes, J. Ros, M.R. Torres, A. Perales and R. Mathieu), 219

Vinyl

Rhenium complexes from alkynes. X-Ray crystal structures of $Re_2(\mu-2\eta^1,\eta^4-C_4Ph_4)(CO)_7$ and $Re(C_2O_4-CH=C(Re(CO)_4-NMe_3)C(OMe)O)(CO)_4$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 191

Synthesis and characterization of the novel complex $\mu-(\eta^2,\eta^2\text{-di}-benzylideneacetone)Fe_2(CO)_8$ (A.C. Cano C., N. Zúñiga-Villarreal, C. Alvarez T., R.A. Toscano, M. Cervantes, A. Daz and H. Rudler), C23

Zinc

Skeletal rearrangements of arylborane complexes mediated by redox reactions: thermal and photochemical oxidation by metal ions (J.J. Eisch, J.H. Shah and M.P. Boleslawski), 11

Book reviews

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Fe, Organoiron Compounds, B19, (G.J. Leigh), C35

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, In Organoindium Compounds, Part 1 J. Weidlein and W. Petz (C. Eaborn), C36

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Organogermanium Compounds, Part 5, Compounds with Germanium–Oxygen Bonds, F. Glockling (C. Eaborn), C36

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Organolead Compounds, Part 3 F. Huber (C. Eaborn), C49

Inorganic Syntheses, Vol. 29 R.N. Grimes (ed.) (C. Eaborn), C49

Metals in Biological Systems. M.J. Kendrick, M.T. May, M.J. Pliskin and K.D. Robinson (G.J. Leigh), C35