

Subject Index of Volume 466

Acetonitrile

The synthesis and reactions with neutral monodentate ligands of the seven-coordinate complex $[\text{MoCl}(\text{GeCl}_3)(\text{CO})_3(\text{NCMe})_2]$ (P.K. Baker and D. Ap Kendrick), 139

Acyl

Isolation and characterization of the acyl complexes *trans*- $[\text{Pt}(\text{PPh}_3)_2(\text{COR})\text{Cl}]$ ($\text{R} = {}^n\text{Bu}$ or ${}^s\text{Bu}$) and their relevance to the hydroformylation of linear butenes catalyzed by platinum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*- $[\text{Pt}(\text{PPh}_3)_2\text{Cl}(\text{SnCl}_3)]$ (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277

Alkali metals

Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulairrol, N. Auner, R. Probst, R. Conlin and C. Tan), 55

Alkoxy carbonyl

Synthesis and reactivity of bis(alkyloxy) and alkoxy carbonyl alkyloxy iron complexes $[\text{Fe}(\text{COCO}_2\text{R})_2(\text{CO})_4]$ and $[\text{Fe}(\text{CO}_2\text{R})(\text{COCO}_2\text{R}')(\text{CO})_4]$ ($\text{R}, \text{R}' = \text{Me}$ or Et): evidence for reductive elimination of oxalate (P. Laurent, J.-Y. Salaün, G. Le Gall, M. Sellin and H. Des Abbayes), 175

Alkyloxyalyl

Synthesis and reactivity of bis(alkyloxyalyl) and alkoxy carbonyl alkyloxyalyl iron complexes $[\text{Fe}(\text{COCO}_2\text{R})_2(\text{CO})_4]$ and $[\text{Fe}(\text{CO}_2\text{R})(\text{COCO}_2\text{R}')(\text{CO})_4]$ ($\text{R}, \text{R}' = \text{Me}$ or Et): evidence for reductive elimination of oxalate (P. Laurent, J.-Y. Salaün, G. Le Gall, M. Sellin and H. Des Abbayes), 175

Alkyne

Reactions of $[\text{IrH}_2(\text{Me}_2\text{CO})(\text{Hpz})(\text{PPh}_3)_2]\text{BF}_4$ with alkynes: synthesis of new hydride–vinyl iridium(III) complexes (M.A. Esteruelas, M.P. García, M. Martín, O. Nürnberg, L.A. Oro and H. Werner), 249

Selective hetero- and carbo-cycle syntheses via masked cyclopal-ladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265

Allyl

New aspects of the carbonylation of allylpalladium complexes (R. Bertani, G. Cavinato, G. Facchin, L. Toniolo and A. Vavasori), 273

The preparation of bis(η^3 -allyl)iron(II) complexes and their reactions with 1,3-dienes (B. Gabor, S. Holle, P.W. Jolly and R. Mynott), 201

Alumina

Regio- and stereoselective synthesis for a novel class of organo-aluminium compounds — substituted aluminacyclopentanes and aluminacyclopentenes assisted by zirconium catalysts (U.M. Dzhemilev and A.G. Ibragimov), 1

Aluminium

$[(\text{CH}_3\text{C})_4\text{N}-(\text{CH}_3)_2\text{Al}\cdots\text{Cl}\cdots\text{Al}(\text{CH}_3)_2-\text{N}(\text{CCH}_3)_4]\text{Li}$ — ein ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1

Amine

Selective hetero- and carbo-cycle syntheses via masked cyclopal-ladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265

Amino-aryl

Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulairrol, N. Auner, R. Probst, R. Conlin and C. Tan), 55

Anion receptors

New anion receptors based on cobalticinium–aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241

Arene

Preparation and resolution of chiral arenerruthenium(II) complexes (P. Pertici, E. Pitzalis, F. Marchetti, C. Rosini, P. Salvadori and M.A. Bennett), 221

Aza crown ether

New anion receptors based on cobalticinium–aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241

Benzene

The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. The-walt, P. Sedmera, V. Hanuš and K. Mach), 125

Bioorganosilicon chemistry

Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstruk-turen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Wael-broeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15

Boron

Synthesis and structural characterization of an unusual η^3 -ligated 1,3-diphosphacyclobutadiene molybdenum complex via cy-clodimerization of a phosphalkyne. Crystal structure of $[\text{Mo}(\eta^5\text{-C}_9\text{H}_7)(\text{CO})_2\{\text{P}-\eta^3\text{-}({}^t\text{Bu})\text{CPC}({}^t\text{Bu})\text{PFBF}_3\}]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153

Bridging ligand

Synthesis and structural characterization of an unusual η^3 -ligated 1,3-diphosphacyclobutadiene molybdenum complex via cy-clodimerization of a phosphalkyne. Crystal structure of $[\text{Mo}(\eta^5\text{-C}_9\text{H}_7)(\text{CO})_2\{\text{P}-\eta^3\text{-}({}^t\text{Bu})\text{CPC}({}^t\text{Bu})\text{PFBF}_3\}]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153

Butenes

Isolation and characterization of the acyl complexes *trans*- $[\text{Pt}(\text{PPh}_3)_2(\text{COR})\text{Cl}]$ ($\text{R} = {}^n\text{Bu}$ or ${}^s\text{Bu}$) and their relevance to the hydroformylation of linear butenes catalyzed by plat-inum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*- $[\text{Pt}(\text{PPh}_3)_2\text{Cl}(\text{SnCl}_3)]$ (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277

Carbene

Characterization of mono(carbene) and bis(carbene) complexes of gold(I) derived from lithiated pyridine (H.G. Raubenheimer, J.G. Toerien, G.J. Kruger, R. Otte, W. Van Zyl and P. Olivier), 291

Carbonyl

Ruthenium carbonyl cluster complexes with nitrogen ligands. III. Reaction of $\text{Ru}_3(\mu\text{-AuPPh}_3)(\mu\text{-Cl})(\text{CO})_{10}$ with pyridine; crystal structures of $\text{Ru}_3(\mu\text{-H})(\mu\text{-NC}_5\text{H}_4)(\text{CO})_9(\text{PPh}_3)$, $\text{Ru}_3(\mu\text{-Cl})_2(\text{CO})_8(\text{NC}_5\text{H}_5)(\text{PPh}_3)$ and $\text{Ru}_3(\mu\text{-Cl})_2(\text{CO})_8(\text{NC}_5\text{H}_5)_2$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 211

The reaction of iron pentacarbonyl with 6-aminofulvenes: some organic chemistry of R,S and $R,R/R,S$ - $[\text{Fe}_2(\eta,\eta\text{-C}_5\text{H}_4\text{CH}(\text{NMe}_2)\text{CH}(\text{NMe}_2)\text{C}_5\text{H}_4)(\text{CO})_2(\mu\text{-CO})_2]$ (B. Callan, M.G. Cox, A. McCabe, A.R. Manning, P. Sayal, P. Soye, S.C. Wade, F.S. Stephens, P. McArdle and D. Cunningham), 185

Carbonylation

New aspects of the carbonylation of allylpalladium complexes (R. Bertani, G. Cavinato, G. Facchin, L. Toniolo and A. Vavasori), 273

Catalysis

Regio- and stereoselective synthesis for a novel class of organoaluminium compounds — substituted aluminacyclopentanes and aluminacyclopentenes assisted by zirconium catalysts (U.M. Dzhemilev and A.G. Ibragimov), 1

The reluctant titanium-catalyzed cyclootrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. Thewalt, P. Sedmera, V. Hanuš and K. Mach), 125

Chirality

Preparation and resolution of chiral areneruthenium(II) complexes (P. Pertici, E. Pitzalis, F. Marchetti, C. Rosini, P. Salvadori and M.A. Bennett), 221

The reaction of iron pentacarbonyl with 6-aminofulvenes: some organic chemistry of R,S and $R,R/R,S$ - $[\text{Fe}_2(\eta,\eta\text{-C}_5\text{H}_4\text{CH}(\text{NMe}_2)\text{CH}(\text{NMe}_2)\text{C}_5\text{H}_4)(\text{CO})_2(\mu\text{-CO})_2]$ (B. Callan, M.G. Cox, A. McCabe, A.R. Manning, P. Sayal, P. Soye, S.C. Wade, F.S. Stephens, P. McArdle and D. Cunningham), 185

Chlorosilyne

Laser-induced decomposition of 1,1-dichloro-1-silacyclobutane for gas-phase deposition of reactive solid polycarbosilane (M. Jakoubková, R. Fajgar, J. Tláškal and J. Pola), 29

Cobalt

Synthese und Koordinationsverhalten von Di(1-phenyl-ethyl)-Sulfan (M. Herres, O. Walter, H. Lang, R. Hosch and J. Hahn), 237

Cobalticinium

New anion receptors based on cobalticinium-aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241

Crystal structure

Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[\text{InCl}_2\{\text{MoCp}_2(\mu\text{-SEt})_2\}_2][\text{BPh}_4] \cdot (\text{CH}_3)_2\text{CO}$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159

Ruthenium carbonyl cluster complexes with nitrogen ligands. III. Reaction of $\text{Ru}_3(\mu\text{-AuPPh}_3)(\mu\text{-Cl})(\text{CO})_{10}$ with pyridine; crystal structures of $\text{Ru}_3(\mu\text{-H})(\mu\text{-NC}_5\text{H}_4)(\text{CO})_9(\text{PPh}_3)$, $\text{Ru}_3(\mu\text{-Cl})_2(\text{CO})_8(\text{NC}_5\text{H}_5)(\text{PPh}_3)$ and $\text{Ru}_3(\mu\text{-Cl})_2(\text{CO})_8(\text{NC}_5\text{H}_5)_2$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 211

Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of

bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95

Studies on organolanthanide complexes. LIV. Syntheses and X-ray crystal structures of bis-(2-methoxyethylcyclopentadienyl) rare earth iodides $(\text{MeOCH}_2\text{CH}_2\text{C}_5\text{H}_4)_2\text{LnI}$ (Ln = La or Y) (C. Qian, X. Zheng, B. Wang, D. Deng and J. Sun), 101

Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of $[(\text{Pt}(\text{Me}_3)_2(p\text{-MeOC}_6\text{H}_4\text{Te})_2)]$ (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283

Synthesis and characterization of thiolate derivatives of bis(trimethylsilylcyclopentadienyl)titanium(IV). The crystal and molecular structure of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{SC}_6\text{F}_5)_2]$ (E. Delgado, E. Hernández, A. Hedayat, J. Tornero and R. Torres), 119

Synthesis and spectroscopic studies (Mössbauer, IR and NMR) of $[\text{R}_2\text{SnCl}_2\text{bipym}]$ (R = butyl or phenyl) and the crystal and molecular structure of $[\text{Ph}_2\text{SnCl}_2\text{bipym}]$ (F. Caruso, M. Giomini, A.M. Giuliani and E. Rivarola), 69

Synthesis and structural characterization of an unusual η^3 -ligated 1,3-diphosphacyclobutadiene molybdenum complex via cyclo-dimerization of a phosphalkyne. Crystal structure of $[\text{Mo}(\eta^5\text{-C}_9\text{H}_7)(\text{CO})_2(\text{P-}\eta^3\text{-}(\text{t-Bu})\text{CPC}(\text{t-Bu})\text{PFBF}_3)]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153

The crystal and molecular structure of tribenzylsilanol by Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51

The reluctant titanium-catalyzed cyclootrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. Thewalt, P. Sedmera, V. Hanuš and K. Mach), 125

Cyclobutadiene

Synthesis and structural characterization of an unusual η^3 -ligated 1,3-diphosphacyclobutadiene molybdenum complex via cyclo-dimerization of a phosphalkyne. Crystal structure of $[\text{Mo}(\eta^5\text{-C}_9\text{H}_7)(\text{CO})_2(\text{P-}\eta^3\text{-}(\text{t-Bu})\text{CPC}(\text{t-Bu})\text{PFBF}_3)]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153

Cyclohexadienyl

The preparation of bis(η^3 -allyl)iron(II) complexes and their reactions with 1,3-dienes (B. Gabor, S. Holle, P.W. Jolly and R. Mynott), 201

Cyclohexane

Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(\text{CH}_2)_5\text{Ga}(\text{CH}_2)_3\text{NMe}_2$, $(\text{CH}_2)_5\text{GaCH}_2\text{CHCH}_3\text{CH}_2\text{NMe}_2$ und $(\text{C}_6\text{F}_5)_2\text{In}(\text{CH}_2)_3\text{NMe}_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5

Cyclometallation

Iridium complexes of 2-(2'-thienyl)pyridine (F. Neve, M. Ghedini and A. Crispini), 259

Cyclopentadienyl

Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133

Synthesis and characterization of thiolate derivatives of bis(trimethylsilylcyclopentadienyl)titanium(IV). The crystal and molecular structure of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{SC}_6\text{F}_5)_2]$ (E. Delgado, E. Hernández, A. Hedayat, J. Tornero and R. Torres), 119

Tetramethylphospholyluranium complexes and their pentamethylcyclopentadienyl analogues (P. Gradoz, D. Baudry, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner), 107

Cyclopentane

Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(\text{CH}_2)_5\text{Ga}(\text{CH}_2)_3\text{NMe}_2$, $(\text{CH}_2)_5\text{GaCH}_2\text{CHCH}_3\text{CH}_2\text{NMe}_2$ und $(\text{C}_6\text{F}_5)_2\text{In}(\text{CH}_2)_3\text{NMe}_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5

Regio- and stereoselective synthesis for a novel class of organoaluminium compounds — substituted aluminacyclopentanes and aluminacyclopentenes assisted by zirconium catalysts (U.M. Dzhemilev and A.G. Ibragimov), 1

Cyclopentene

Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(\text{CH}_2)_5\text{Ga}(\text{CH}_2)_3\text{NMe}_2$, $(\text{CH}_2)_5\text{GaCH}_2\text{CHCH}_3\text{CH}_2\text{NMe}_2$ und $(\text{C}_6\text{F}_5)_2\text{In}(\text{CH}_2)_3\text{NMe}_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5

Diene

The preparation of bis(η^3 -allyl)iron(II) complexes and their reactions with 1,3-dienes (B. Gabor, S. Holle, P.W. Jolly and R. Mynott), 201

Ditelluride

Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of $[(\text{PtI}(\text{Me}_3)_2)(p\text{-MeOC}_6\text{H}_4\text{Te})_2]$ (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283

Ditelluroether

Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of $[(\text{PtI}(\text{Me}_3)_2)(p\text{-MeOC}_6\text{H}_4\text{Te})_2]$ (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283

Dithioformate

Seven-coordinate molybdenum–tin complexes containing phosphorodithioato and phosphoniodithioformate. X-Ray structure of $[\text{Mo}(\text{CO})_2(\text{S}_2\text{P}(\text{OEt})_2)(\text{S}_2\text{CPCy}_3)(\text{SnPhCl}_2)] \cdot \text{CH}_2\text{Cl}_2$ (G. Barrado, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 147

Dithiophosphate

Seven-coordinate molybdenum–tin complexes containing phosphorodithioato and phosphoniodithioformate. X-Ray structure of $[\text{Mo}(\text{CO})_2(\text{S}_2\text{P}(\text{OEt})_2)(\text{S}_2\text{CPCy}_3)(\text{SnPhCl}_2)] \cdot \text{CH}_2\text{Cl}_2$ (G. Barrado, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 147

Electrochemistry

New anion receptors based on cobalticinium–aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241

Extended Hückel calculations

Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133

Fluoride

Preparation of the iodides $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{C}_6\text{H}_4\text{Y})(\text{SiMe}_2\text{I})$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35

Fulvene

The reaction of iron pentacarbonyl with 6-aminofulvenes: some organic chemistry of *R,S* and *R,R/R,S*- $[\text{Fe}_2(\eta\text{-}\eta\text{-C}_5\text{H}_4\text{CH}(\text{NMe}_2)\text{CH}(\text{NMe}_2)\text{C}_5\text{H}_4(\text{CO})_2(\mu\text{-CO})_2)]$ (B. Callan, M.G. Cox, A. McCabe, A.R. Manning, P. Sayal, P. Soye, S.C. Wade, F.S. Stephens, P. McArdle and D. Cunningham), 185

Gadolinium

Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates ($\text{Ln} = \text{La, Pr, Nd, Sm or Gd}$); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95

Gallium

Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(\text{CH}_2)_5\text{Ga}(\text{CH}_2)_3\text{NMe}_2$, $(\text{CH}_2)_5\text{GaCH}_2\text{CHCH}_3\text{CH}_2\text{NMe}_2$ und $(\text{C}_6\text{F}_5)_2\text{In}(\text{CH}_2)_3\text{NMe}_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5

Germanium

The synthesis and reactions with neutral monodentate ligands of the seven-coordinate complex $[\text{MoCl}(\text{GeCl}_3)(\text{CO})_3(\text{NCMe})_2]$ (P.K. Baker and D. Ap Kendrick), 139

Gold

Characterization of mono(carbene) and bis(carbene) complexes of gold(I) derived from lithiated pyridine (H.G. Raubenheimer, J.G. Toerien, G.J. Kruger, R. Otte, W. Van Zyl and P. Olivier), 291

Heteroannulation

Selective hetero- and carbo-cycle syntheses via masked cyclopal-ladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265

Hydride

Preparation of the iodides $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{C}_6\text{H}_4\text{Y})(\text{SiMe}_2\text{I})$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35

Reactions of $[\text{IrH}_2(\text{Me}_2\text{CO})(\text{Hpz})(\text{PPh}_3)_2]\text{BF}_4$ with alkynes: synthesis of new hydride–vinyl iridium(III) complexes (M.A. Esteruelas, M.P. García, M. Martín, O. Nürnberg, L.A. Oro and H. Werner), 249

Hydroformylation

Isolation and characterization of the acyl complexes *trans*- $[\text{Pt}(\text{PPh}_3)_2(\text{COR})\text{Cl}]$ ($\text{R} = {}^n\text{Bu}$ or ${}^s\text{Bu}$) and their relevance to the hydroformylation of linear butenes catalyzed by platinum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*- $[\text{Pt}(\text{PPh}_3)_2\text{Cl}(\text{SnCl}_3)]$ (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277

Hydrogen bonding

The crystal and molecular structure of tribenzylsilanol by Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51

Indenol

Selective hetero- and carbo-cycle syntheses via masked cyclopal-ladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265

Indenyl

Formation of nitriles by a novel metathesis reaction of ruthenium σ -acetylide complexes, $(\eta^5\text{-indenyl})\text{Ru}(\eta^1\text{-C}\equiv\text{CR})(\text{phosphine})_2$, with nitric oxide (T. Tanase, H. Mochizuki, R. Sato and Y. Yamamoto), 233

Indium

Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[\text{InCl}_2\{\text{MoCp}_2(\mu\text{-SET})_2\}_2][\text{BPh}_4] \cdot (\text{CH}_3)_2\text{CO}$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159

Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von

$(\text{CH}_2)_5\text{Ga}(\text{CH}_2)_3\text{NMe}_2$, $(\text{CH}_2)_5\text{GaCH}_2\text{CHCH}_3\text{CH}_2\text{NMe}_2$ und $(\text{C}_6\text{F}_5)_2\text{In}(\text{CH}_2)_3\text{NMe}_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5

Indole

Selective hetero- and carbo-cycle syntheses via masked cyclopal-ladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265

Infrared spectroscopy

Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133

Iodide

Preparation of the iodides $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{C}_6\text{H}_4\text{Y}(\text{SiMe}_2)\text{I})$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35

Studies on organolanthanide complexes. LIV. Syntheses and X-ray crystal structures of bis-(2-methoxyethylcyclopentadienyl) rare earth iodides $(\text{MeOCH}_2\text{CH}_2\text{C}_5\text{H}_4)_2\text{LnI}$ (Ln = La or Y) (C. Qian, X. Zheng, B. Wang, D. Deng and J. Sun), 101

Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of $[(\text{PtI}(\text{Me}_3)_2(p\text{-MeOC}_6\text{H}_4\text{Te})_2)]$ (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283

Iridium

Iridium complexes of 2-(2'-thienyl)pyridine (F. Neve, M. Ghedini and A. Crispini), 259

Reactions of $[\text{IrH}_2(\text{Me}_2\text{CO})(\text{Hpz})(\text{PPh}_3)_2]\text{BF}_4$ with alkynes: synthesis of new hydride-vinyl iridium(III) complexes (M.A. Esteruelas, M.P. García, M. Martín, O. Nürnberg, L.A. Oro and H. Werner), 249

Iron

Synthesis and reactivity of bis(alkyloxalyl) and alkoxy carbonyl alkyloxalyl iron complexes $[\text{Fe}(\text{COCO}_2\text{R})_2(\text{CO})_4]$ and $[\text{Fe}(\text{CO}_2\text{R})(\text{COCO}_2\text{R}')(\text{CO})_4]$ (R, R' = Me or Et): evidence for reductive elimination of oxalate (P. Laurent, J.-Y. Salaün, G. Le Gall, M. Sellin and H. Des Abbayes), 175

The preparation of bis(η^3 -allyl)iron(II) complexes and their reactions with 1,3-dienes (B. Gabor, S. Holle, P.W. Jolly and R. Mynott), 201

The reaction of iron pentacarbonyl with 6-aminofulvenes: some organic chemistry of *R,S* and *R,R/R,S*- $[\text{Fe}_2(\eta, \eta\text{-C}_5\text{H}_4\text{CH}(\text{NMe}_2)\text{CH}(\text{NMe}_2)\text{C}_5\text{H}_4)(\text{CO})_2(\mu\text{-CO})_2]$ (B. Callan, M.G. Cox, A. McCabe, A.R. Manning, P. Sayal, P. Soye, S.C. Wade, F.S. Stephens, P. McArdle and D. Cunningham), 185

Lanthanum

Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95

Studies on organolanthanide complexes. LIV. Syntheses and X-ray crystal structures of bis-(2-methoxyethylcyclopentadienyl) rare earth iodides $(\text{MeOCH}_2\text{CH}_2\text{C}_5\text{H}_4)_2\text{LnI}$ (Ln = La or Y) (C. Qian, X. Zheng, B. Wang, D. Deng and J. Sun), 101

Laser-induced deposition

Laser-induced decomposition of 1,1-dichloro-1-silacyclobutane for gas-phase deposition of reactive solid polycarbosilane (M. Jakoubková, R. Fajgar, J. Tláškal and J. Pola), 29

Lithium

$[(\text{CH}_3\text{C})_4\text{N}-(\text{CH}_3)_2\text{Al}\cdots\text{Cl}\cdots\text{Al}(\text{CH}_3)_2-\text{N}(\text{CCH}_3)_4]\text{Li}$ – ein

ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1

Metallation

Side-chain metallation of diethyl phosphonotoluenes (A. Boumekouez, E. About-Jaudet and N. Collignon), 89

Metalloenes

Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[\text{InCl}_2\{\text{MoCp}_2(\mu\text{-SEt})_2\}_2[\text{BPh}_4]] \cdot (\text{CH}_3)_2\text{CO}$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159

Metathesis

Formation of nitriles by a novel metathesis reaction of ruthenium σ -acetylide complexes, $(\eta^5\text{-indenyl})\text{Ru}(\eta^1\text{-C}\equiv\text{CR})(\text{phosphine})_2$, with nitric oxide (T. Tanase, H. Mochizuki, R. Sato and Y. Yamamoto), 233

Molybdenum

Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[\text{InCl}_2\{\text{MoCp}_2(\mu\text{-SEt})_2\}_2[\text{BPh}_4]] \cdot (\text{CH}_3)_2\text{CO}$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159

Seven-coordinate molybdenum-tin complexes containing phosphorodithioato and phosphoniodithioformate. X-Ray structure of $[\text{Mo}(\text{CO})_2(\text{S}_2\text{P}(\text{OEt})_2)(\text{S}_2\text{CPCy}_3)(\text{SnPhCl}_2)] \cdot \text{CH}_2\text{Cl}_2$ (G. Barrado, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 147

Synthesis and structural characterization of an unusual η^3 -ligated 1,3-diphosphacyclobutadiene molybdenum complex via cyclodimerization of a phosphalkyne. Crystal structure of $[\text{Mo}(\eta^5\text{-C}_9\text{H}_7)(\text{CO})_2(\text{P}-\eta^3\text{-}^t\text{BuCPC}^t\text{BuPFBF}_3)]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153

The synthesis and reactions with neutral monodentate ligands of the seven-coordinate complex $[\text{MoCl}(\text{GeCl}_3)(\text{CO})_3(\text{NCMe})_2]$ (P.K. Baker and D. Ap Kendrick), 139

Monodentate

The synthesis and reactions with neutral monodentate ligands of the seven-coordinate complex $[\text{MoCl}(\text{GeCl}_3)(\text{CO})_3(\text{NCMe})_2]$ (P.K. Baker and D. Ap Kendrick), 139

Mössbauer spectroscopy

Synthesis and spectroscopic studies (Mössbauer, IR and NMR) of $[\text{R}_2\text{SnCl}_2\text{bipym}]$ (R = butyl or phenyl) and the crystal and molecular structure of $[\text{Ph}_2\text{SnCl}_2\text{bipym}]$ (F. Caruso, M. Giomini, A.M. Giuliani and E. Rivarola), 69

Muscarinic antagonist

Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15

Muscarinic receptor subtype

Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15

Neodymium

Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95

Niobium

Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133

Nitrosyl

Formation of nitriles by a novel metathesis reaction of ruthenium σ -acetylide complexes, $(\eta^5\text{-indenyl})\text{Ru}(\eta^1\text{-C}\equiv\text{CR})(\text{phosphine})_2$, with nitric oxide (T. Tanase, H. Mochizuki, R. Sato and Y. Yamamoto), 233

Nuclear magnetic resonance

Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133

Synthesis and spectroscopic studies (Mössbauer, IR and NMR) of $[\text{R}_2\text{SnCl}_2\text{bipym}]$ (R = butyl or phenyl) and the crystal and molecular structure of $[\text{Ph}_2\text{SnCl}_2\text{bipym}]$ (F. Caruso, M. Giomini, A.M. Giuliani and E. Rivarola), 69

Oxidative decarbonylation

Use of ozone as an oxygen atom transfer agent in the synthesis of pentamethylcyclopentadienyl rhenium trioxide (K.P. Gable and T.N. Phan), C5

Oxide

Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133

Use of ozone as an oxygen atom transfer agent in the synthesis of pentamethylcyclopentadienyl rhenium trioxide (K.P. Gable and T.N. Phan), C5

Ozon

Use of ozone as an oxygen atom transfer agent in the synthesis of pentamethylcyclopentadienyl rhenium trioxide (K.P. Gable and T.N. Phan), C5

Palladium

New aspects of the carbonylation of allylpalladium complexes (R. Bertani, G. Cavinato, G. Facchin, L. Toniolo and A. Vavasori), 273

Selective hetero- and carbo-cycle syntheses via masked cyclopaladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265

Phenyl

The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. Thewalt, P. Sedmera, V. Hanuš and K. Mach), 125

Phosphaalkyne

Synthesis and structural characterization of an unusual η^3 -ligated 1,3-diphosphacyclobutadiene molybdenum complex via cycloclodimerization of a phosphaalkyne. Crystal structure of $[\text{Mo}(\eta^5\text{-C}_9\text{H}_7)(\text{CO})_2\{\text{P}-\eta^3\text{-}^t\text{BuCPC}(^t\text{Bu})\text{PFBF}_3\}]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153

Phospholyl

Tetramethylphospholyluranium complexes and their pentamethylcyclopentadienyl analogues (P. Gradoz, D. Baudry, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner), 107

Phosphorus

Metallorganische Lewis-Säuren. LI. Reaktivität der metallorganischen Lewis-Säuren $(\text{OC})_4\text{Re}(\text{OEt}_2)\text{FBF}_3$ und $(\text{OC})_2(\text{PPh}_3)_2\text{-Ru}(\text{FBF}_3)_2$ (E. Lippmann, R. Krämer and W. Beck), 167

Side-chain metallation of diethyl phosphonotoluenes (A. Boumekouez, E. About-Jaudet and N. Collignon), 89

Phosphoryl

2,2-Functionally disubstituted organotin compounds: synthesis and reactivity (F. Richter and H. Weichmann), 77

Photochemistry

Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulaïrol, N. Auner, R. Probst, R. Conlin and C. Tan), 55

Platinum

Isolation and characterization of the acyl complexes *trans*- $[\text{Pt}(\text{PPh}_3)_2(\text{COR})\text{Cl}]$ (R = ⁿBu or ^sBu) and their relevance to the hydroformylation of linear butenes catalyzed by platinum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*- $[\text{Pt}(\text{PPh}_3)_2\text{Cl}(\text{SnCl}_3)]$ (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277

Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of $[(\text{Pt}(\text{IME}_3)_2(p\text{-MeOC}_6\text{H}_4\text{Te})_2)]$ (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283

Polycarbosilane

Laser-induced decomposition of 1,1-dichloro-1-silacyclobutane for gas-phase deposition of reactive solid polycarbosilane (M. Jakoubková, R. Fajgar, J. Tláškal and J. Pola), 29

Polymer

Siloxane bond formation by heterofunctional condensation of alkoxysilane and halogenosilane. Application to the preparation of copoly(tetramethyl-*p*-silphenylenesiloxane-dimethylsiloxane) (R.J.P. Corriu, D. Leclercq, P.H. Mutin, H. Samson and A. Vioux), 43

Praseodymium

Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95

Pyridine

Characterization of mono(carbene) and bis(carbene) complexes of gold(I) derived from lithiated pyridine (H.G. Raubenheimer, J.G. Toerien, G.J. Kruger, R. Otte, W. Van Zyl and P. Olivier), 291

Iridium complexes of 2-(2'-thienyl)pyridine (F. Neve, M. Ghedini and A. Crispini), 259

Ruthenium carbonyl cluster complexes with nitrogen ligands. III. Reaction of $\text{Ru}_3(\mu\text{-AuPPh}_3)(\mu\text{-Cl})(\text{CO})_{10}$ with pyridine; crystal structures of $\text{Ru}_3(\mu\text{-H})(\mu\text{-NC}_5\text{H}_4)(\text{CO})_9(\text{PPh}_3)$, $\text{Ru}_3(\mu\text{-Cl})_2(\text{CO})_8(\text{NC}_5\text{H}_5)(\text{PPh}_3)$ and $\text{Ru}_3(\mu\text{-Cl})_2(\text{CO})_8(\text{NC}_5\text{H}_5)_2$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 211

Pyrrolide

$[(\text{CH}_3\text{C})_4\text{N}-(\text{CH}_3)_2\text{Al}\cdots\text{Cl}\cdots\text{Al}(\text{CH}_3)_2-\text{N}(\text{CCH}_3)_4]\text{Li}$ – ein ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1

Rhenium

Metallorganische Lewis-Säuren. LI. Reaktivität der metallorganischen Lewis-Säuren $(\text{OC})_4\text{Re}(\text{OEt}_2)\text{FBF}_3$ und $(\text{OC})_2(\text{PPh}_3)_2\text{-Ru}(\text{FBF}_3)_2$ (E. Lippmann, R. Krämer and W. Beck), 167

Use of ozone as an oxygen atom transfer agent in the synthesis of pentamethylcyclopentadienyl rhenium trioxide (K.P. Gable and T.N. Phan), C5

Rietveld refinement

The crystal and molecular structure of tribenzylsilanol by

- Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51
- Ruthenium**
- Formation of nitriles by a novel metathesis reaction of ruthenium σ -acetylide complexes, $(\eta^5\text{-indenyl})\text{Ru}(\eta^1\text{-C}\equiv\text{CR})(\text{phosphine})_2$, with nitric oxide (T. Tanase, H. Mochizuki, R. Sato and Y. Yamamoto), 233
- Metallorganische Lewis-Säuren. LI. Reaktivität der metallorganischen Lewis-Säuren $(\text{OC})_4\text{Re}(\text{OEt}_2)\text{FBF}_3$ und $(\text{OC})_2(\text{PPh}_3)_2\text{-Ru}(\text{FBF}_3)_2$ (E. Lippmann, R. Krämer and W. Beck), 167
- Preparation and resolution of chiral arenerruthenium(II) complexes (P. Pertici, E. Pitzalis, F. Marchetti, C. Rosini, P. Salvadori and M.A. Bennett), 221
- Ruthenium carbonyl cluster complexes with nitrogen ligands. III. Reaction of $\text{Ru}_3(\mu\text{-AuPPh}_3)(\mu\text{-Cl})(\text{CO})_{10}$ with pyridine; crystal structures of $\text{Ru}_3(\mu\text{-H})(\mu\text{-NC}_5\text{H}_4)(\text{CO})_9(\text{PPh}_3)$, $\text{Ru}_3(\mu\text{-Cl})_2(\text{CO})_8(\text{NC}_5\text{H}_5)(\text{PPh}_3)$ and $\text{Ru}_3(\mu\text{-Cl})_2(\text{CO})_8(\text{NC}_5\text{H}_5)_2$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 211
- Samarium**
- Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95
- Sandwich complex**
- $[(\text{CH}_3\text{C})_4\text{N}-(\text{CH}_3)_2\text{Al}\cdots\text{Cl}\cdots\text{Al}(\text{CH}_3)_2-\text{N}(\text{CCH}_3)_4]\text{Li}$ – ein ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1
- Sila-biperiden**
- Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15
- Silane**
- Laser-induced decomposition of 1,1-dichloro-1-silacyclobutane for gas-phase deposition of reactive solid polycarbosilane (M. Jakoubková, R. Fajgar, J. Tláškal and J. Pola), 29
- Silanol**
- Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15
- Sila-ylide**
- Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulaïrol, N. Auner, R. Probst, R. Conlin and C. Tan), 55
- Silicon**
- Preparation of the iodides $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{C}_6\text{H}_4\text{Y})(\text{SiMe}_2\text{I})$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35
- Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15
- Siloxane**
- Siloxane bond formation by heterofunctional condensation of alkoxyasilane and halogenosilane. Application to the preparation of copoly(tetramethyl-*p*-silphenylenesiloxane-dimethylsiloxane) (R.J.P. Corriu, D. Leclercq, P.H. Mutin, H. Samson and A. Vioux), 43
- Silylene**
- Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulaïrol, N. Auner, R. Probst, R. Conlin and C. Tan), 55
- Stability constants**
- New anion receptors based on cobalticinium–aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241
- Stabilization**
- Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulaïrol, N. Auner, R. Probst, R. Conlin and C. Tan), 55
- Sulfur**
- Synthese und Koordinationsverhalten von Di(1-phenyl-ethinyl)-Sulfan (M. Herres, O. Walter, H. Lang, R. Hosch and J. Hahn), 237
- Tetrafluoroborate**
- Metallorganische Lewis-Säuren. LI. Reaktivität der metallorganischen Lewis-Säuren $(\text{OC})_4\text{Re}(\text{OEt}_2)\text{FBF}_3$ und $(\text{OC})_2(\text{PPh}_3)_2\text{-Ru}(\text{FBF}_3)_2$ (E. Lippmann, R. Krämer and W. Beck), 167
- Thienyl**
- Iridium complexes of 2-(2'-thienyl)pyridine (F. Neve, M. Ghedini and A. Crispini), 259
- Thiolate**
- Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[\text{InCl}_2\{\text{MoCp}_2(\mu\text{-SEt})_2\}_2]\text{BPh}_4 \cdot (\text{CH}_3)_2\text{CO}$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159
- Synthesis and characterization of thiolate derivatives of bis(trimethylsilylcyclopentadienyl)titanium(IV). The crystal and molecular structure of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{SC}_6\text{F}_5)_2]$ (E. Delgado, E. Hernández, A. Hedayat, J. Tornero and R. Torres), 119
- Tin**
- 2,2-Functionally disubstituted organotin compounds: synthesis and reactivity (F. Richter and H. Weichmann), 77
- Isolation and characterization of the acyl complexes *trans*- $[\text{Pt}(\text{PPh}_3)_2(\text{COR})\text{Cl}]$ (R = ⁿBu or ^sBu) and their relevance to the hydroformylation of linear butenes catalyzed by platinum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*- $[\text{Pt}(\text{PPh}_3)_2\text{Cl}(\text{SnCl}_3)]$ (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277
- Seven-coordinate molybdenum–tin complexes containing phosphorodithioato and phosphoniodithioformate. X-Ray structure of $[\text{Mo}(\text{CO})_2\{\text{S}_2\text{P}(\text{OEt})_2\}(\text{S}_2\text{CPCy}_3)(\text{SnPhCl}_2)] \cdot \text{CH}_2\text{Cl}_2$ (G. Barrado, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 147
- Synthesis and spectroscopic studies (Mössbauer, IR and NMR) of $[\text{R}_2\text{SnCl}_2\text{bipym}]$ (R = butyl or phenyl) and the crystal and molecular structure of $[\text{Ph}_2\text{SnCl}_2\text{bipym}]$ (F. Caruso, M. Giomini, A.M. Giuliani and E. Rivarola), 69
- Titanium**
- Synthesis and characterization of thiolate derivatives of bis(trimethylsilylcyclopentadienyl)titanium(IV). The crystal and molecular structure of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{SC}_6\text{F}_5)_2]$ (E. Delgado, E. Hernández, A. Hedayat, J. Tornero and R. Torres), 119
- The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. The-walt, P. Sedmera, V. Hanuš and K. Mach), 125

Toluene

Side-chain metallation of diethyl phosphonotoluenes (A. Boumekouez, E. About-Jaudet and N. Collignon), 89

Tribenzylsilanol

The crystal and molecular structure of tribenzylsilanol by Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51

Trimethylsilyl

Preparation of the iodides $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{C}_6\text{H}_4\text{Y})(\text{SiMe}_2\text{I})$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35

The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. The-walt, P. Sedmera, V. Hanuš and K. Mach), 125

Uranium

Tetramethylphospholyluranium complexes and their pentamethylcyclopentadienyl analogues (P. Gradoz, D. Baudry, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner), 107

Vinyl

Reactions of $[\text{IrH}_2(\text{Me}_2\text{CO})(\text{Hpz})(\text{PPh}_3)_2]\text{BF}_4$ with alkynes: synthesis of new hydride-vinyl iridium(III) complexes (M.A. Esteruelas, M.P. García, M. Martín, O. Nürnberg, L.A. Oro and H. Werner), 249

X-ray diffraction

$[(\text{CH}_3\text{C})_4\text{N}-(\text{CH}_3)_2\text{Al}\cdots\text{Cl}\cdots\text{Al}(\text{CH}_3)_2-\text{N}(\text{CCH}_3)_4]\text{Li}$ – ein ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1

X-ray powder diffraction

The crystal and molecular structure of tribenzylsilanol by Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51

Yttrium

Studies on organolanthanide complexes. LIV. Syntheses and X-ray crystal structures of bis-(2-methoxyethylcyclopentadienyl) rare earth iodides $(\text{MeOCH}_2\text{CH}_2\text{C}_5\text{H}_4)_2\text{LnI}$ ($\text{Ln} = \text{La}$ or Y) (C. Qian, X. Zheng, B. Wang, D. Deng and J. Sun), 101

Zirconium

Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(\text{CH}_2)_5\text{Ga}(\text{CH}_2)_3\text{NMe}_2$, $(\text{CH}_2)_5\text{GaCH}_2\text{CHCH}_3\text{CH}_2\text{NMe}_2$ und $(\text{C}_6\text{F}_5)_2\text{In}(\text{CH}_2)_3\text{NMe}_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5

Regio- and stereoselective synthesis for a novel class of organoaluminum compounds — substituted aluminacyclopentanes and aluminacyclopentenes assisted by zirconium catalysts (U.M. Dzhemilev and A.G. Ibragimov), 1

Book Reviews

Metal Nitrosyls, G.B. Richter-Addo and P. Legzdins (G.J. Leigh), C8

Photoprocesses in Transition Metal Complexes, Biosystems and Other Molecules. Experiment and Theory, E. Kochanski (Ed.) (R.N. Perutz), C7